




Am. B.

Proceedings

3040

(351)

8

THE
MISCELLANEOUS DOCUMENTS

OF THE

HOUSE OF REPRESENTATIVES

FOR THE

SECOND SESSION OF THE FORTY-SEVENTH CONGRESS.

1882-'83.

VOLUME 13.

PART 11.

WASHINGTON:
GOVERNMENT PRINTING OFFICE.
1885.



DEPARTMENT OF THE INTERIOR,
CENSUS OFFICE.

FRANCIS A. WALKER, Superintendent,
Appointed April 1, 1879; resigned November 3, 1881.

CHAS. W. SEATON, Superintendent,
Appointed November 4, 1881. Office of Superintendent
abolished March 3, 1885.

REPORT
ON THE
MORTALITY AND VITAL STATISTICS
OF THE
UNITED STATES

AS RETURNED AT THE TENTH CENSUS (JUNE 1, 1880),

BY

JOHN S. BILLINGS,
SURGEON U. S. ARMY.

PART I.



WASHINGTON:
GOVERNMENT PRINTING OFFICE.
1885.

LETTER OF TRANSMITTAL.

DEPARTMENT OF THE INTERIOR,
OFFICE OF THE SECRETARY,
Washington, D. C., May 1, 1885.

Hon. L. Q. C. LAMAR,
Secretary of the Interior.

SIR: I have the honor to transmit herewith the eleventh and twelfth volumes of the quarto series comprising the final report on the Tenth Census, being the report on Mortality and Vital Statistics, by John S. Billings, LL. D., Surgeon U. S. Army, with accompanying tables.

Too much cannot be said in recognition of the great advantage which the census work has derived from the services of Doctor Billings. While, within his own corps, he has been building a monument to his learning and industry in the preparation of the colossal Index-Catalogue of Medical Literature, he has projected the entire scheme of compilation for the Mortuary Statistics of the Census, has supervised the work in all stages of its progress, and has subjected the results of these vast tabulations to a discriminating analysis and discussion.

I have the honor to be, very respectfully, your obedient servant,

JAMES H. WARDLE,
Chief of Census Division.

PART I.

MORTALITY AND VITAL STATISTICS.

INTRODUCTION: SECTIONS I TO VI.

TABLES: I TO XII.

FIGURES: 1 TO 18.

PLATES: I AND II.

TABLE OF CONTENTS.

	Page.
LETTER OF TRANSMITTAL	ix
INTRODUCTION	xi-xlvii
SECTION I.—INTRODUCTORY AND EXPLANATORY REMARKS.....	xi-xviii
II.—GENERAL DEATH RATE.....	xviii-xxiii
III.—SEX IN RELATION TO DEATHS.....	xxiii, xxiv
IV.—RELATIONS OF AGE TO DEATHS	xxiv-xxxiii
V.—RELATIONS OF COLOR AND RACE TO DEATHS.....	xxxiii-xxxix
VI.—RELATION OF MONTH OR SEASON TO DEATHS	lx-xlvii
APPENDIX: LISTS OF COUNTIES FORMING THE SEVERAL STATE GROUPS.....	xlix-lxiii
TABLE I.—DEATHS, BY STATES AND TERRITORIES, WITH DISTINCTION OF SEX, AND THE RATE OF DEATH PER 1000 OF POPULATION AT THE CENSUSES OF 1880, 1870, AND 1860	1-3
II.—DEATHS, BY STATES AND TERRITORIES, WITH DISTINCTION OF SEX AND RACE, AND STATEMENT OF RATE OF DEATH PER 1000 OF POPULATION, DURING THE CENSUS YEAR ENDING MAY 31, 1880.....	5-7
III.—DEATHS, BY STATES AND TERRITORIES, WITH DISTINCTION OF AGE AND SEX, FOR THE CENSUS YEAR ENDING MAY 31, 1880.....	9-13
IV.—DEATHS, BY STATES AND TERRITORIES, WITH DISTINCTION OF RACE, AGE, AND SEX, FOR THE CENSUS YEAR ENDING MAY 31, 1880.....	15-29
V.—DEATHS, BY STATE AND GRAND GROUPS, WITH DISTINCTION OF RACE, FOR THE CENSUS YEAR ENDING MAY 31, 1880.	31-35
VI.—STATEMENT OF THE RATE OF DEATH PER 1000 OF POPULATION, BY STATE AND GRAND GROUPS, FOR THE CENSUS YEAR ENDING MAY 31, 1880.....	37-41
VII.—DEATHS FOR THE UNITED STATES, AND FOR EACH STATE GROUP (EXCLUSIVE OF CERTAIN CITIES), FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE CENSUS YEAR ENDING MAY 31, 1880.....	43-497
The United States	44-53
Alabama, Groups 1, 2, and 3.....	54-65
Arizona (one group)	66-69
Arkansas, Groups 1 and 2.....	70-77
California, Groups 1 and 2 (exclusive of San Francisco and Oakland)	78-85
Colorado, Groups 1 (exclusive of Denver) and 2	86-93
Connecticut, Groups 1 (exclusive of New Haven) and 2 (exclusive of Hartford).....	94-101
Dakota, Groups 1, 2, and 3	102-113
Delaware (one group), exclusive of Wilmington.....	114-117
District of Columbia (one group), exclusive of Washington.....	118-121
Florida (one group).....	122-125
Georgia, Groups 1, 2, and 3.....	126-137
Idaho (one group)	138-141
Illinois, Groups 1 (exclusive of Chicago), 2, and 3.....	142-153
Indiana, Groups 1, 2, and 3 (exclusive of Indianapolis).....	154-165
Iowa, Groups 1, 2, and 3	166-177
Kansas, Groups 1 and 2	178-185
Kentucky, Groups 1, 2 (exclusive of Louisville), 3, and 4	186-201
Louisiana, Groups 1 (exclusive of New Orleans), 2, and 3.....	202-213
Maine, Groups 1 and 2	214-221
Maryland, Groups 1 (exclusive of Baltimore) and 2	222-229
Massachusetts, Groups 1 (exclusive of Boston, Cambridge, Fall River, Lawrence, Lowell, and Lynn) and 2 (exclusive of Worcester).....	230-237
Michigan, Groups 1 (exclusive of Detroit) and 2	238-245
Minnesota, Groups 1 (exclusive of Minneapolis and Saint Paul), 2, and 3.....	246-257
Mississippi, Groups 1, 2, and 3.....	258-269
Missouri, Groups 1 (exclusive of Saint Louis), 2, 3, and 4 (exclusive of Kansas City)	270-285
Montana, Groups 1 and 2.....	286-293
Nebraska, Groups 1, 2, and 3	294-305
Nevada (one group)	306-309

	Page.
TABLE VII.—DEATHS FOR THE UNITED STATES, AND FOR EACH STATE GROUP (EXCLUSIVE OF CERTAIN CITIES), FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE CENSUS YEAR ENDING MAY 31, 1880—Continued.	
New Hampshire, Groups 1 and 2	310-317
New Jersey, Groups 1 (exclusive of Camden, Jersey City, and Newark) and 2 (exclusive of Paterson)	318-325
New Mexico, Groups 1 and 2	326-333
New York, Groups 1 (exclusive of Brooklyn and New York), 2, 3, 4 (exclusive of Buffalo and Rochester), and 5 (exclusive of Albany, Syracuse, and Troy)	334-353
North Carolina, Groups 1, 2, and 3	354-365
Ohio, Groups 1 (exclusive of Cleveland and Toledo), 2 (exclusive of Cincinnati and Dayton), and 3 (exclusive of Columbus)	366-377
Oregon, Groups 1 and 2	378-385
Pennsylvania, Groups 1 (exclusive of Scranton) and 2 (exclusive of Allegheny City, Philadelphia, Pittsburgh, and Reading)	386-393
Rhode Island (one group), exclusive of Providence	394-397
South Carolina, Groups 1 (exclusive of Charleston), 2, and 3	398-409
Tennessee, Groups 1, 2, 3, and 4 (exclusive of Nashville)	410-425
Texas, Groups 1, 2, and 3	426-437
Utah (one group)	438-441
Vermont (one group)	442-445
Virginia, Groups 1, 2 (exclusive of Richmond), and 3	446-457
Washington, Groups 1 and 2	458-465
West Virginia, Groups 1 and 2	466-473
Wisconsin, Groups 1 (exclusive of Milwaukee), 2, 3, and 4	474-489
Wyoming, Groups 1 and 2	490-497
VIII.—DEATHS IN 50 PRINCIPAL CITIES (BY GRAND GROUPS), WITH DISTINCTION OF AGE AND SEX, AND SPECIFICATION OF CAUSE, FOR THE CENSUS YEAR ENDING MAY 31, 1880.	499-556
IX.—DEATHS IN THE CHINESE POPULATION OF THE UNITED STATES, BY AGE AND SEX, WITH SPECIFICATION OF CAUSE, FOR THE CENSUS YEAR ENDING MAY 31, 1880	557-562
X.—DEATHS IN THE INDIAN POPULATION OF THE UNITED STATES, BY AGE AND SEX, WITH SPECIFICATION OF CAUSE, FOR THE CENSUS YEAR ENDING MAY 31, 1880	563-568
XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE AND SEX, WITH DISTINCTION OF RACE AND SPECIFICATION OF CAUSE, FOR THE CENSUS YEAR ENDING MAY 31, 1880	569-650
XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE AND SEX, WITH DISTINCTION OF IRISH AND GERMAN PARENTAGE, AND SPECIFICATION OF CAUSE, FOR THE CENSUS YEAR ENDING MAY 31, 1880	651-764
INDEX	765-767

LIST OF ILLUSTRATIONS.

PLATE I.—DIAGRAM SHOWING FOR THE UNITED STATES AND FOR GRAND GROUPS THE PROPORTION OF DEATHS UNDER 1 MONTH, UNDER 3 MONTHS, AND UNDER 1 YEAR OF AGE, TO 1000 BIRTHS.	} In pocket at end of volume.
PLATE II.—DIAGRAM SHOWING FOR SPECIFIED GRAND GROUPS, WITH DISTINCTION OF RURAL AND CITIES, AND OF SEX, AND IN CERTAIN GRAND GROUPS OF COLOR, THE PROPORTION OF DEATHS UNDER 1 MONTH, UNDER 3 MONTHS, AND UNDER 1 YEAR OF AGE, TO 1000 TOTAL BIRTHS	

LETTER OF TRANSMITTAL.

WASHINGTON, D. C., *January 6, 1885.*

To the Superintendent of Census.

DEAR SIR: I have the honor to transmit herewith some comments upon the tables of vital statistics of the Tenth Census, which tables have been compiled in accordance with suggestions and advice which I have from time to time furnished during the course of the work.

These comments may be classified as follows:

- I. Introductory and explanatory remarks.
- II. General death rate.
- III. Relations of sex to deaths.
- IV. Relations of age to deaths.
- V. Relations of color and race to deaths.
- VI. Relations of month or season to deaths.
- VII. Relations of locality or topography to causes of death.
- VIII. Remarks on certain special causes of death.
- IX. Morbidity rates as indicated by the census.
- X. Birth rates and life tables.
- XI. Statistics of the living population.
- XII. Recommendations for future work, and conclusion.

The greater part of the tables relating to deaths were prepared under the immediate superintendence of Mr. William A. King, to whom great credit is due for the energy and zeal which he displayed in the work, and for making them as accurate and complete as the data would permit. After the transfer of Mr. King to another office, the work was completed under the direction of Mr. C. S. Mixter, to whom, and to Mr. C. J. Myers, of the Surgeon-General's office, I am indebted for valuable aid in the making of computations, diagrams, etc. I am also indebted to Mr. Herman Hollerith for valuable assistance in the compilation of the life tables and diagrams illustrating them.

Very respectfully, your obedient servant,

JOHN S. BILLINGS,
Surgeon, U. S. Army.

SECTION I.—INTRODUCTORY AND EXPLANATORY REMARKS.

The fact that it is impossible, in any large community, to collect complete and reliable data with regard to births and deaths by means of an inquiry made only at the end of the year for which the data are desired, is well known to all who are practically familiar with the subject of vital statistics; and the experience of the United States census furnishes no exception to this rule. The results of each of the four censuses in which an attempt has been made to ascertain the number of persons who died in the United States during the preceding year, have shown that the enumerators did not obtain and record more than from 60 to 70 per cent. of the actual number of deaths; and the introductory remark to the statistics of mortality of the Ninth Census still holds good, viz: that "if the value of the statistics of mortality in a census of the United States, taken under existing laws, depended upon the return of substantially the whole body of deaths occurring during the year covered by the enumeration, the results would not be worth the space occupied by publication, much less the expense of collection and compilation". But, as the United States has no system of registration of vital statistics, such as is relied upon by all other civilized nations, for the purpose of ascertaining the actual movement of population, our census affords the only opportunity of obtaining even an approximate estimate of the birth and death rates of much the larger part of the country, which is entirely unprovided with any satisfactory system of state and municipal registration; and the data which the census gives, imperfect as they are, are the only ones by which we can compare the healthfulness of this with that of other countries, or can ascertain, even approximately, the relative salubrity, or liability to particular forms of disease, of different parts of our own territory.

An attempt has been made in the Tenth Census to obtain more complete returns of deaths than have heretofore been furnished, and also to make these returns more accurate as regards the reported causes of death.

For this purpose the voluntary co-operation of the medical profession of the country was solicited in accordance with the following plan. Early in the census year a small register of deaths, to be filled up by physicians, was prepared, which register contained twenty-four leaves, on each of which was printed the following form:

TENTH CENSUS OF THE UNITED STATES, JUNE 1, 1879, TO MAY 31, 1880.	
PHYSICIAN'S RETURN OF A DEATH.	
PLACE OF DEATH:	
State of....., county of	
Town or district of	
DATE OF DEATH:	
....., 18 ..	
NAME OF DECEASED:	
.....	
Yrs. Mos.	
Sex,; race or color,; age:	
Date of birth, if known:, 18 ..	
Occupation:	
CAUSE OR CAUSES OF DEATH:*	
.....	
.....	
.....	
Was a <i>post-mortem</i> held?	
NAME OF PHYSICIAN:	
.....	
*INSTRUCTIONS.—Under "cause or causes of death" insert remote, immediate, and concurring causes. For instance: insert "measles and pneumonia", or "difficult labor, peritonitis, and septicæmia", or "scarlet fever, nephritis, dropsy, and coma", in cases presenting these phenomena. ☞ If the true cause of death is <i>not certainly known</i>, insert names of symptoms with a cross, thus: "Convulsions and coma ×; paralysis of the heart ×," etc.	

A copy of this register, with a stamped envelope for its return at the end of the census year, was sent to every one in the United States who was reported by his or her postmaster to be a physician, or to be addressed as such.

The following table shows by states the number of these registers issued, and the number returned to the Census Office at the close of the year:

States and Territories.	PHYSICIANS' REGISTERS.		States and Territories.	PHYSICIANS' REGISTERS.		States and Territories.	PHYSICIANS' REGISTERS.	
	Sent out.	Returned.		Sent out.	Returned.		Sent out.	Returned.
THE UNITED STATES...	70,299	25,809						
Alabama.....	1,778	456	Kansas	1,851	620	New York.....	4,484	2,414
Arizona.....	58	16	Kentucky	2,817	929	North Carolina	1,706	476
Arkansas.....	2,031	689	Louisiana.....	832	239	Ohio	4,756	1,851
California.....	984	344	Maine	898	280	Oregon	377	111
Colorado.....	307	79	Maryland.....	995	441	Pennsylvania.....	4,661	2,342
Connecticut.....	861	313	Massachusetts.....	1,557	706	Rhode Island	175	95
Dakota.....	249	47	Michigan	2,573	674	South Carolina	1,082	339
Delaware.....	177	55	Minnesota.....	822	239	Tennessee.....	3,130	1,082
District of Columbia.....	165	65	Mississippi.....	1,817	463	Texas.....	2,507	847
Florida.....	469	125	Missouri.....	3,829	1,561	Utah.....	175	59
Georgia.....	2,024	496	Montana.....	26	22	Vermont.....	617	171
Idaho.....	55	11	Nebraska.....	697	227	Virginia.....	2,199	674
Illinois.....	4,673	2,003	Nevada.....	115	30	Washington.....	140	25
Indiana.....	4,507	1,630	New Hampshire.....	601	216	West Virginia.....	1,101	343
Iowa.....	2,730	1,028	New Jersey.....	1,253	502	Wisconsin.....	1,327	452
			New Mexico.....	81	13	Wyoming.....	30	9

At the same time that these registers were sent out, appeals were made through the press, the various medical associations, etc., to the medical profession, explaining what was desired, and earnestly requesting co-operation and aid, both in filling up and forwarding these registers of death, and in correcting, so far as relates to reports of causes of deaths, the returns of the enumerators when presented to physicians for that purpose. At the end of the census year the registers collected at the Census Office, after being duly arranged by localities, were examined by a skilled physician, who indicated upon each slip the name of the cause of death to be used in tabulation.

Very few of these registers were in such a condition that they could not be used for statistical purposes, although as a matter of course some of the causes of death could only be classified as *unknown*. This had been foreseen, and there was an implied permission that physicians might use such terms as "paralysis of the heart", "apnœa", etc., which are equivalent to "unknown", it being evidently much better that they should do this than that the cause of death should be merely guessed at.

In certain large cities, where a complete system of registration of deaths based on burial permits is in operation, no schedules of deaths were taken by the enumerators, the records being obtained from the central registration offices; and the small registers above referred to, received from physicians in these cities, were not used in making up the statistics.

The number classified as unknown out of a total of 166,896 deaths reported by physicians from rural districts was 4,162, being 25 per 1000. It will be well to remember this percentage of unknown causes as occurring in physicians' returns. The number of post-mortems made in this number of deaths was 3,555, or 21 per 1000. When the examination and checking of these registers was completed they were taken apart, and, as each leaf formed the record of a single case, the collection could then be used in the same manner as the cards in a card catalogue, and readily assorted and classified in various ways.

The number of deaths returned by physicians upon these registers could have no definite relation to the actual number of deaths which occurred in any given locality, and still less to the number of living population in that locality, since the filling out these registers was an entirely voluntary matter on the part of physicians, and, as a matter of fact, only 37 per cent. of those registers sent out were returned. The total number of deaths thus reported by physicians and compiled was 166,896, of which 61,020 were found not to have been reported by the enumerators.

While the results obtained from these physicians' returns are of interest and value, it must be constantly borne in mind that they were not derived solely from competent medical men, but from all those who chose to call themselves physicians.

When a cause of death is reported as "Tecis", "Spinalgitis", "Colory in Phantum", "Colria fontim", "Cholor Rhear Infantum", "Hasphmar", "New Money fever", "No fisian tendin", "Struck in on the aire sells", "Yaller ganders of the Liver", "Unnowing", "Know Known cause", etc., it is evidently unsafe to lay too much stress on the scientific accuracy of the diagnosis by the same reporter in other cases, even although the spelling may be more nearly correct.

The schedules of deaths, or as they were more commonly termed, "The mortality schedules", which were filled out and returned by the enumerators, were ruled in columns having the following headings, viz:

Number of the family as given in column numbered 2, schedule 1.	Name of the person deceased.	PERSONAL DESCRIPTION.			WHAT WAS THE CIVIL CONDITION OF THE PERSON WHO DIED?			NATIVITY.			Profession, occupation or trade (not to be asked in respect to persons under 10 years of age).	The month in which the person died.	Disease or cause of death.	How long a resident of the county? If less than 1 year, state months in fractions, thus— $\frac{1}{2}$.	If the disease was not contracted at place of death, state the place.	Name of attending physician.
		Age at last birthday. If under 1 year, give months in fractions, thus— $\frac{1}{2}$. If under 1 month, give days in fractions, thus— $\frac{1}{30}$.	Sex—Male (M). Female (F).	Color—White (W), Black (B), Mulatto (Mu), Chinese (Ch), Indian (I).	Single /.	Married /.	Widowed /, Divorced, D.	Place of birth of this person, naming the state or territory of the United States, or the country, if of foreign birth.	Where was the father of this person born? (as in column 9).	Where was the mother of this person born? (as in column 9).						
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.

It will be perceived that in addition to the information called for on the schedules used in 1870, those of 1880 contain the place where the father and mother of the decedent were born; the length of his residence in the county; the place where the disease was contracted, if not in the county; and the name of the attending physician. They also contain two supplementary schedules, one giving the names of those who died in the place, but who belonged to families living in another county or state, and a second giving the names of persons belonging to families residing in the place, but who have died away from home in another county or state.

For the states of Massachusetts and New Jersey, the District of Columbia, and the following-named cities, viz: Baltimore, Brooklyn, Charleston, Chicago, Cincinnati, Cleveland, Indianapolis, Louisville, Milwaukee, Nashville, New Orleans, New York, Philadelphia, Pittsburgh, Providence, Richmond, San Francisco, Saint Louis, and Wilmington, the state and municipal registration records of deaths were copied and are used in the tabulations instead of the enumerators' schedules. These state and municipal registration records are based on a system of burial permits, and are therefore probably very nearly accurate. This fact should be borne in mind in comparing the reported mortality in these with that of other localities. These complete reports are also used to make an approximate estimate of the amount of deficiency in the enumerators' returns and for certain special tabulations, as will be explained hereafter.

It needs but a slight examination of the tables of vital statistics published by various countries, to show that very little uniformity exists in the plans heretofore adopted by vital statisticians for the presentation of their data, and it certainly seems highly desirable that there should be some substantial agreement as to the forms of these tables. It may be said that, since the returns of the number of deaths for the census are so incomplete, it is not worth while to attempt minute classification of the data, and that it is especially a waste of effort to prepare any tables showing the relations of total numbers of deaths to locality, to population, or to the month of death—that is, to attempt to prepare mortality rates, properly so called, for different localities. If we consider only the results to be obtained by the tabulation of the figures derived from the present census, there would be much force in this objection, and it certainly would not have been worth while to prepare all the tables herewith presented; but it must be remembered that the forms of tabulation to be adopted in this census will be followed to a certain extent in other tabulations to be made hereafter, and for which we have good reason to hope much more complete data will be furnished, and this is especially the case with regard to the state censuses which are to be taken in 1885. It should be borne in mind, therefore, that a certain proportion of the following tables have been prepared, not so much with reference to the value of the conclusions which may be drawn from them, as to serve as an indication of the manner in which the work should be done when complete data are obtainable.

The several factors or circumstances to be considered in studying death statistics are as follows:

1. Locality.
2. Mean population in the middle of the census year.
3. Living population at the end of the year, *i. e.*, population as shown by the census, or survivors.
4. Number of deaths during the year.
5. Number of births during the year.
6. Sex.
7. Age.
8. Color and race.
9. Cause of death.
10. Month of death.
11. Occupation.
12. Civil or conjugal condition.

In tabulating the deaths the object is to find the relations of each of the above factors, and of their combinations, to the number of deaths. As a rule not more than five factors can enter into each table; and, bearing in mind that some of these factors, such as locality, age, cause of death, and occupation, should be divided into a large number of subfactors, it will be seen that to present the facts collected on the death schedules in all their relations to each other, and to the corresponding groups of facts collected on the population schedules, is practically impossible.

We must therefore make a selection of the combinations to be presented in the form of tables. This selection has been governed by the following considerations:

I.—They should be so arranged as to be comparable with the data given in preceding United States censuses and, so far as possible, with the published mortality statistics of the several states and of other countries.

II.—They should be comparable with the data given in the tabulations of the living population.

III.—They must be brought within reasonable limits as to space and as to cost of compilation.

IV.—The object is rather to present the data in such form that they shall be available to physicians, sanitarians, and others engaged in researches in which they are most likely to be of interest, than to attempt to draw conclusions from them in the report itself. It is, of course, desirable to present so far as possible such tables of ratios and proportions as will enable the student to make comparisons without undergoing the labor of making computations, and a certain amount of work has been done in this direction, as will be seen in the second part; but as the amount of available clerical force was limited, it was deemed better to present the data as completely as possible and to make the study of these data a secondary matter.

In previous censuses the unit of locality used has been the state or territory. As these are political divisions only, not corresponding to the topographical features of the country, and are, moreover, much too large to permit of many interesting and useful comparisons which should be made, it was determined to take the county as the unit. But as there are 2,605 counties in the United States, it was impossible to give, for each county, tables showing the relations of each cause of death to sex, age, etc., since this would have increased the expense of compilation and publication beyond reasonable limits, and the numbers for the great majority of counties would have been too small to permit of any useful deductions. It was therefore decided to give, for the county, only the total mortality at certain groups of ages and the number of deaths from a few diseases of special interest, and to do this only for counties having a population of 10,000 or upward.

More elaborate compilations were made for groups of counties within the limits of each state, and which may be called State Groups. The compilations for these groups can evidently be consolidated by states, so as to be comparable with the tables of previous censuses or with state registration statistics, past or future, or they can be combined into what may be called Grand Groups, whose boundaries are determined by topographical peculiarities and not by state lines. The selection of the counties to form these several groups was made by Mr. Henry Gannett, the geographer of the census, whose description of the characteristics of each group is embodied in a subsequent part of this report.

The following shows for each grand group the population, with distinction of sex; and, for certain grand groups, of color; the state groups composing each grand group, and the 50 large cities which have been separately tabulated, are also shown. The counties forming the several state groups are given in the Appendix (pp. xlix-lxiii of the Introduction).

Grand groups.	Population.	State groups.	Large cities.
GRAND GROUP 1—Total.....	2,616,870	Maine 1, New Hampshire 1, Massachusetts 1, Rhode Island, Connecticut 1.	Boston, Cambridge, Fall River, Lawrence, Lowell, Lynn, Providence, and New Haven.
(North Atlantic Coast region)	{ M. 1,265,273 F. 1,351,597		
GRAND GROUP 2—Total.....	4,376,135	New York 1, New Jersey 1, Maryland 1, Delaware, District of Columbia, Virginia 1.	Brooklyn, New York, Camden, Jersey City, Newark, Baltimore, Wilmington, and Washington.
(Middle Atlantic Coast region)	{ White .. { M. 1,899,114 F. 1,958,389 Colored .. { M. 251,223 F. 267,409		
GRAND GROUP 3—Total.....	875,086	North Carolina 1, South Carolina 1, Georgia 1 ..	Charleston.
(South Atlantic Coast region)	{ White .. { M. 193,705 F. 195,792 Colored .. { M. 236,946 F. 248,643		
GRAND GROUP 4—Total.....	1,056,034	Florida Alabama 1, Louisiana 1, Mississippi 1, Texas 1.	New Orleans.
(Gulf Coast region)	{ White .. { M. 307,786 F. 300,053 Colored .. { M. 220,601 F. 227,594		

Grand groups.	Population.	State groups.	Large cities.
GRAND GROUP 5—Total.....	1,669,229	Maine 2, New Hampshire 2, Vermont, Massachusetts 2, Connecticut 2, New York 2.	Worcester and Hartford.
(Northeastern Hills and Plateaus).....	{ M. 831,940 F. 837,289		
GRAND GROUP 6—Total.....	2,344,089	New York 3, New Jersey 2, Pennsylvania 1, Maryland 2.	Paterson and Scranton.
(Central Appalachian region).....	{ M. 1,178,833 F. 1,165,256		
GRAND GROUP 7—Total.....	3,049,402	New York 4, Ohio 1, Michigan 1, Indiana 1, Illinois 1, Wisconsin 1.	Buffalo, Rochester, Cleveland, Toledo, Detroit, Chicago, and Milwaukee.
(Region of the Great Northern Lakes)	{ M. 1,560,867 F. 1,488,535		
GRAND GROUP 8—Total.....	5,714,683	New York 5, Pennsylvania 2, Virginia 2, North Carolina 2.	Albany, Syracuse, Troy, Allegheny City, Philadelphia, Pittsburgh, Reading, and Richmond.
(The Interior Plateau).....	{ White .. { M. 2,466,676 F. 2,523,911 Colored { M. 354,712 F. 369,384		
GRAND GROUP 9—Total.....	2,697,958	Virginia 3, West Virginia 1, North Carolina 3, South Carolina 2, Kentucky 1, Tennessee 1, Georgia 2, Alabama 2.	
(Southern Central Appalachian region.)	{ White .. { M. 1,127,421 F. 1,136,999 Colored { M. 214,694 F. 218,844		
GRAND GROUP 10—Total.....	2,440,339	Ohio 2, Indiana 2, West Virginia 2, Kentucky 2.	Cincinnati, Dayton, and Louisville.
(The Ohio River Belt).....	{ White .. { M. 1,158,590 F. 1,143,322 Colored { M. 68,743 F. 69,684		
GRAND GROUP 11—Total.....	3,625,545	South Carolina 3, Georgia 3, Alabama 3, Mississippi 2, Tennessee 2.	
(Southern Interior Plateau).....	{ White .. { M. 820,979 F. 832,117 Colored { M. 974,229 F. 998,220		
GRAND GROUP 12—Total.....	710,250	Kentucky 3, Tennessee 2, Mississippi 3, Louisiana 2, Arkansas 1.	
(South Mississippi River Belt).....	{ White .. { M. 131,530 F. 118,866 Colored { M. 232,143 F. 227,711		
GRAND GROUP 13—Total.....	1,990,917	Missouri 1, Iowa 1, Illinois 2, Wisconsin 2, Minnesota 1.	Saint Louis, Minneapolis, and Saint Paul.
(North Mississippi River Belt).....	{ M. 1,033,633 F. 957,284		
GRAND GROUP 14—Total.....	2,932,676	Missouri 2, Arkansas 2, Louisiana 3, Texas 2.	
(Southwest Central region).....	{ White .. { M. 1,203,964 F. 1,087,878 Colored { M. 319,997 F. 320,837		
GRAND GROUP 15—Total.....	4,403,662	Ohio 3, Kentucky 4, Tennessee 4, Indiana 3.....	Columbus, Nashville, and Indianapolis.
(Central region, plains and prairies.)	{ White .. { M. 2,031,042 F. 1,961,119 Colored { M. 203,326 F. 208,175		
GRAND GROUP 16—Total.....	5,721,836	Missouri 3, Iowa 2, Illinois 3, Kansas 1, Nebraska 1, Wisconsin 3, Minnesota 2, Dakota 1.	
(The Prairie region).....	{ M. 2,997,609 F. 2,724,227		
GRAND GROUP 17—Total.....	835,694	Missouri 4, Iowa 3, Nebraska 2, Dakota 2.....	Kansas City.
(Missouri River Belt).....	{ M. 448,108 F. 387,586		
GRAND GROUP 18—Total.....	324,268	Dakota 3, Montana 1, Wyoming 1, Nebraska 3, Kansas 2, Colorado 1, New Mexico 1, Texas 3.	Denver.
(Region of the Western Plains).....	{ M. 190,732 F. 133,536		
GRAND GROUP 19—Total.....	1,123,419	Michigan 2, Wisconsin 4, Minnesota 3.	
(Heavily-timbered region of the North-west.)	{ M. 594,991 F. 528,428		

Grand groups.	Population.	State groups.	Large cities.
GRAND GROUP 20—Total.....	931, 910	Montana 2, Washington 1, Wyoming 2, Idaho, Oregon 1, Colorado 2, Utah, Nevada, California 1, Arizona, New Mexico 2.	
(Cordilleran region).....	{ M. 586, 445 F. 345, 465		
GRAND GROUP 21—Total.....	715, 781	California 2, Oregon 2, Washington 2.....	San Francisco and Oakland.
(Pacific Coast region).....	{ M. 412, 968 F. 302, 813		

The objections to using the state as a unit of area were clearly perceived by Dr. Jarvis, who had charge of the tabulation of the mortality statistics of the census of 1860, and instead of giving his data by individual states he divided the whole territory into nine large districts, in which an attempt was made to arrange the statistics according to their geographical condition and climatic character. These districts were as follows:

- I.—Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, Connecticut, and New York.
- II.—Michigan, Wisconsin, Minnesota, and Nebraska.
- III.—New Jersey and Pennsylvania.
- IV.—Ohio, Illinois, Indiana, Iowa, and Kansas.
- V.—Delaware, Maryland, District of Columbia, Virginia, and North Carolina.
- VI.—Kentucky, Tennessee, and Missouri.
- VII.—South Carolina, Georgia, Florida, and Alabama.
- VIII.—Mississippi, Louisiana, Arkansas, and Texas.
- IX.—California, Oregon, Washington, New Mexico, Utah, Dakota, and Nevada.

In addition to the tabulations by counties, state groups, states, and grand groups, the reports of deaths in 50 of the largest cities have been compiled separately in order to show some of the differences existing between urban and rural mortality, more especially as to prevalent causes and distribution of age.

The interest taken by the public at large in vital statistics is mainly in regard to the comparative healthfulness of different localities, and the smaller the unit of area the greater is the interest of the inhabitants in such comparisons. Men care little or nothing about the death rate in the United States, or in individual states, but that of their own county or town may be a matter of considerable interest to them.

Unfortunately, even if the data were accurate and complete, it is by no means easy to make comparisons which shall not be misleading, and from the imperfect data furnished by the census the matter is still more difficult.

If, however, we consider this question of the relative mortality of different localities from a sanitary standpoint, that is, with reference to ascertaining, as far as possible, the principal causes of death in a given locality, and especially those which may be considered as the preventible causes, these census statistics will be found to have a very considerable value. While the variations in the death rate between different localities depend to a certain extent on the proportions of the different sexes and ages present, yet the variations due to these are not so great but that they can be readily taken into account for sanitary purposes.

It is also possible that for many localities, from the data given, we may estimate the true mortality within 3 per 1000. While this is a wide limit of error, indicating much incompleteness in the data, it is well to remember that all mortality statistics give probabilities only, and that the proper expression for them is not a fixed number, or mathematical line, but the limits of variation between two numbers, or a shaded band instead of a line. To obtain an absolutely accurate result from a comparison of vital statistics requires completeness, accuracy, and correspondence of the individual data from which they are built up, to an extent which is, as yet, unattainable, although in very large masses of data it is true that the individual errors tend to neutralize each other.

The agencies to which great differences in mortality between different localities are chiefly due are: I, Poverty; II, Age distribution of the living population; III, Density of population; IV, Race; V, Meteorological conditions; VI, Epidemics. These agencies are to a considerable extent coterminous, and it is usually very difficult, and often impossible, to distinguish the influence which each has had in producing the final result.

In the tables given in this part of the reports of the census we can only compare directly with each other, and with other countries having regular systems of registration, the mortality rates for those states and cities enumerated on p. xiii for which the data were copied from registration records, but we can obtain from them for all localities some information as to the relative prevalence of certain causes of death, and of the relative mortality which these produce in the different sexes, races, and at various ages, the prevalence of epidemics, etc.

An agency of great importance affecting the mortality of certain localities in the United States is migration. The population is constantly shifting, and even within the limits of a single year very considerable changes take place in the units of the population of certain localities. Persons who have contracted consumption or typhoid fever or malarial fever in one place die in another, and very often quite a remote locality. While it is, of course, impossible to correct all the errors due to this source, it was intended that something should be done by means of the column in the mortality schedule marked 15: "How long a resident of the county;" but unfortunately it has not been possible with the clerical force available to make use of the data contained in this column.

In concluding these introductory remarks I would reiterate what has been said above, viz, that an attempt has been made to so arrange the data in the tables that those who wish to study the effects of locality, sex, age, etc., upon the health of the people, will find the materials presented in such a form as to facilitate their work, so far as such work is worth while, or even possible, considering the great deficiencies which, as has been stated, exist in the figures. These remarks are not intended for skilled statisticians, but rather for those who have no special familiarity with this class of work, and who are liable to draw extremely erroneous conclusions if they use the figures actually given without making the necessary corrections and allowances.

The true value and significance of the general death rate, that is, the mortality from all causes in a given population, as a test of the sanitary condition of the environment, has been much discussed of late years by health officers and others interested in sanitary matters. No small part of the conflicting opinions which have been given on this point depends on variations in the meaning of the phrase "sanitary condition" as used not only by different writers, but by the same writer in different parts of the same article. At one time "sanitary condition" is used to signify the influence of the environment with reference to its tendency to produce disease and death. At other times it is used simply to signify the comparative cleanliness of a place. It seems to me that it is better to use the term "sanitary condition" to indicate those circumstances of the environment which tend to produce disease and death, and which, at the same time, can be modified by human effort; thus distinguishing it from healthfulness on the one hand, and from cleanliness on the other.

It has been frequently pointed out that the death rate is affected by certain influences which have no special connection with the condition of the environment, such, for example, as the proportion of the sexes and of various ages present in the community. The death rate is also affected by the birth rate, although it is not true, as is very commonly asserted by those who have not investigated the subject, that a high birth rate produces a high death rate, since, after it has acted for a certain length of time, its tendency is to produce precisely the reverse, as it develops a population relatively largely composed of the younger groups of ages, in which the mortality is, as a rule, the least. The general death rate is also affected by migrations of the population, and this factor is an especially powerful one in this country.

In examining mortality statistics of a given locality for a given time, say for one year, which is the usual unit, we may do so for the purpose of comparing this mortality with that of the same locality for another given period of time, or for comparing it with that of other localities for the same or different periods, or for comparing it with an assumed normal or average mortality derived from the general experience of many localities extended over a comparatively considerable interval of time. For reasons before stated, the data derived from the United States census are too imperfect to admit of the comparison of the mortality of the whole country for the census year with that of any preceding census year, or with that of other countries.

The first attempt to obtain the deaths throughout the United States for one year was made in the census of 1850, and the results were published in an octavo volume of 304 pages, being Executive Document No. 98 of the House of Representatives of the Thirty-third Congress, second session, printed in 1855. This volume is now comparatively rare, and not easily accessible to those remote from large libraries.

The unit of area selected for use in these tables was either a state or some portion of a state. For each of these units of area a table is given showing the number of deaths from about one hundred different causes, with distinction of age and sex, nativities, season of decease, and color.

The tabulation of the mortality statistics of 1860 was made under the direction of Dr. Edward Jarvis, of Dorchester, Massachusetts. Dr. Jarvis recognized clearly that the returns were deficient, and that not only was the number of deaths greater than that reported, but that there was no means of determining the amount of deficiency. Comparisons made by him between the mortality statistics of 1850 and 1860 showed that while there were wide differences in the details for the several states for the two censuses, yet there was a substantial agreement in the general results, which Dr. Jarvis considered to indicate that the probable average of mortality, or the average of diligence on the part of the marshals, was about the same in both years. Dr. Jarvis arranged the primary facts in general tables, in which, so far as causes of death were given, their names were arranged alphabetically and in accordance with no system of classification. From these original data he proceeded to compile tables showing the proportionate force of mortality from each cause, and in these tables the names of the causes of death were arranged in classes in accordance with the system adopted in 1850. The unit of area made use of in the tables of this census was either the state or groups of states. In the census of 1870 the unit of area was the state, and the data obtained were tabulated without any attempt at making corrections or drawing special conclusions. It will be seen, therefore, that it is useless to attempt to draw any conclusions from a comparison of the different mortality rates deduced or deducible from the data of the three preceding censuses with those of the Tenth Census, so far as the whole population of the United States or of any individual state is concerned. We may, however, compare the proportion of deaths from different diseases and at different ages of these four censuses, and also compare these with those of other countries and obtain thereby some interesting results, but in doing this certain things must be borne in mind, or extremely erroneous conclusions will be reached.

In comparing the relative frequency of certain causes of death to the whole number of deaths in different localities, it must be remembered that the relative frequency of certain causes of death depends very largely upon

the proportion of different groups of age and sex in the population exposed to these causes; and the same is also to be borne in mind in making a comparison of the different groups of ages as compared with the whole number of deaths reported. Many sanitarians are accustomed to judge of the healthfulness of different localities by a comparison of the ratios of the deaths among infants or among children under 5 years of age to the total mortality in these respective localities; yet it is very evident that unless the proportion of infants and children to the total population exposed is the same in these localities, this mode of calculation may give misleading results. It is also extremely important in drawing deductions from the following tables to bear in mind the influence of what is commonly called the law of large numbers. The larger the figures in any group selected for comparison, whether it be by localities, by ages, for individual diseases, or any combination of these, the greater is the probability that the ratios derived from these are correct.

As Dr. Guy remarks: "In using small numbers of facts to establish data for reasoning or standards of comparison we are bound to speak with diffidence of their sufficiency, and we ought to regard them rather in the light of probabilities requiring to be strengthened by other probabilities, as weak arguments required to be supported by additional reasons, than as in themselves worthy of great reliance."

According to this view of the case we are not precluded from the use of averages drawn from small numbers of facts, for, although they are subject to a considerable amount of possible error, there is always such a probability of their coinciding with, or not differing widely from, the true average, as to justify their employment as standards of comparison and data for reasoning.

Every one can understand that the smaller the number of observations the greater the probable error in the ratios derived from them, since the greater is the effect of the variation in the numbers upon these ratios.

For example, in three groups of 50 persons taken at random, it is not only possible, but quite probable, that the number of deaths during a year will be for one group, 2; for another, 1, and for the other, none, representing, respectively, a mortality of 4 per cent., 2 per cent., and nothing, and yet that these great differences in the ratios shall really indicate nothing as to the relative healthfulness or liability to death of the members of the several groups.

On the other hand, in three groups containing 50,000 persons, each of like distribution of age, sex, and occupation, a variation of as large as 5 per 1000 in the annual mortality rate would indicate that the conditions were not equally favorable to health and life in the several groups.

One of the first points to be considered by those who use the figures in these tables for purposes of calculation is, what is the limit of probable error in the groups of figures to be used so far as this depends upon the number of observations? The simplest formula for this purpose, so far as regards the number of deaths in a given population, is to take the mean probable error as equal to the square root of the number of deaths.

In other cases, where it is proposed to make a comparison of the relative frequency of two events which are mutually exclusive, as, for instance, the proportion of males to females in the number of births occurring in a given locality, the well-known formula of Poisson may be used, viz, that the possible error is twice the square root of 2 into m , into n , divided by μ^3 , $(\pm 2 \sqrt{\frac{2mn}{\mu^3}})$, in which m represents the number of times that the event a has happened, n the number of times that the event b has happened, and μ the total number of events.

As a general rule it may be said that the figures given in these volumes are more valuable for suggesting inquiries than for answering them, yet the more I compare them with those of other countries the more I have become satisfied that they are valuable for both purposes if properly used.

SECTION II.—GENERAL DEATH RATE.

Table II shows the number of deaths by states and territories, with distinction of sex, and also the number of deaths per 1000 of living population, at the dates of the three censuses of 1860, 1870, and 1880, for the United States and for each state and territory.

The total number of deaths recorded and tabulated for 1880 is 756,893, giving a death rate of 15.09 per 1000 of living population at the date of the census, the corresponding rate for 1870 being 12.77, and for 1860, 12.54. This apparent increase in the death rate is not to be taken as necessarily indicating an actual increase in the number of deaths in proportion to the living population during the census year of 1880, but rather as indicating that the efforts made in the last census to obtain more complete returns of deaths than had been collected in previous enumerations have been to some extent successful. Nor can the different ratios of deaths per 1000 of population for the several states in Table II be considered as indicating the relative healthfulness of the several states. This table is, in fact, little more than a convenient summary of the population and the number of deaths recorded in each state, being a continuation of similar tables in the preceding census report. Still less is it possible to make

useful comparisons of these death rates with those of other countries. They are in every case too small, for two reasons: The first is the failure to record all the deaths which occurred during the census year; the second is that the calculations are based, not on the mean population of the year, that is to say, the number of living persons who actually furnished this number of deaths, but upon the number of survivors at the end of the year, which is greater than that of the mean population, and therefore gives a less death rate. With the exception of the life-table computations, to be referred to hereafter, all the calculations of death rates in this report and in the tables are based on the number of survivors at the end of the year instead of taking the mean population, as is the rule in the statistics of other countries. This course has been pursued, first, because it has been the course taken in previous censuses, and to permit a comparison of the results with them it was desirable that the computations should be made in the same way; second, because on account of the great and varying migrations of population within the limits of the country, it is impracticable to calculate with any accuracy the mean population of a single state or territory for any given year; and, third, because the amount of error resulting from taking the surviving instead of the mean population is so small in comparison to the errors of omission, that it would not be worth while to undergo the expense of having the mean population computed. This will be seen by comparing the results obtained from the two methods of computation as applied to the whole of the United States. If we suppose the increase in the population of the United States from 1870 to 1880 to have taken place in geometrical progression (which, however, is not strictly the case, owing to the disturbances of the natural law of increase by immigration), we shall find that the population of the country on December 1, 1879, was in round numbers 49,500,000, and taking this number as the mean population for the census year, the death rate according to the figures recorded would be 15.29 per 1000 instead of 15.09, as calculated from the surviving population. In other words, the difference is only two-tenths of one in 1000.

Excluding the states of Massachusetts and New Jersey, the District of Columbia, and also the following named cities: Baltimore, Brooklyn, Charleston, Chicago, Cincinnati, Cleveland, Indianapolis, Louisville, Milwaukee, Nashville, New Orleans, New York, Philadelphia, Pittsburgh, Providence, Richmond, San Francisco, Saint Louis, and Wilmington, the number of deaths actually reported by the enumerators was 517,228. To these returns of deaths furnished by the enumerators there were added from registers furnished by physicians 61,020 additional cases of death. For the states of Massachusetts and New Jersey, the District of Columbia, and the cities above mentioned the state and municipal registration records of deaths were copied and used in the tabulations. These records are based on a regular system of registration and on burial permits, and are therefore probably very nearly accurate; they give 178,645 deaths.

In order to obtain some positive data from which might be calculated the amount of deficiency in the enumerators' returns of deaths, their returns for the state of Massachusetts, excluding the city of Boston, and for the whole state of New Jersey, have been tabulated and compared with the records furnished from the state registration offices, the total deficiency in which is considered not to exceed 2 per cent. The result of this comparison is that for the state of Massachusetts, excluding Boston, the deficiency in the enumerators' returns amounts to 26.63 per cent. of the whole number returned by them. For the state of New Jersey the deficiency in the enumerators' returns is 36.50. The deficiency is greatest in the case of infants, of females, and of foreigners, and increases in a tolerably uniform ratio for each month, going backward in time from the date of taking the census. It is also greatest in the more thinly settled sections of the country.

If we take the enumerators' returns as corrected by the addition of cases obtained from physicians' registers, viz, 2,320 for Massachusetts and 1,842 for New Jersey, the deficiencies thus corrected amount to 13.34 per cent. of the corrected returns for Massachusetts and 20.14 per cent. for New Jersey.

If we suppose that after the addition of the 61,020 cases of deaths reported by physicians to the returns of the enumerators, these last, excluding the states and cities above mentioned, are still deficient as much as 30 per cent., which is believed to be the maximum, the result will be an average annual mortality for the whole country of 18.08 per 1000 of surviving population.

It seems safe to assume that the death rate was not less than 17 nor more than 19 per 1000 of living population, and I shall assume the mean of these, viz, 18 per 1000, as the mortality rate of the United States during the census year.

The probability of the correctness of this estimate may perhaps be judged somewhat from the following considerations:

The Bureau of Statistics gives the number of immigrants arriving in the United States for the ten years ending June 30, 1880, as follows:

WHOLE NUMBER ARRIVED.			UNDER 15 YEARS OF AGE.			15 YEARS AND UNDER 40 YEARS.			40 YEARS OF AGE AND OVER.		
Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
2,812,191	1,725,148	1,087,043	571,784	296,276	275,508	1,884,743	1,210,583	674,160	355,664	218,289	137,375

MORTALITY AND VITAL STATISTICS.

If, now, we take the group of population in the United States at the census of 1870, reported as living between the ages of 5 and 30, it is evident that these same persons at the census of 1880 must be found in the group of ages lying between 15 and 40, and that this last group then is composed of those who were at the census of 1870 between 5 and 30 years of age, plus the number of immigrants who have come in during the ten years at ages between 15 and 40, minus emigration at the same ages, and the deaths which have taken place during the ten years in the original group. Taking the mean population for the ten years to be 44,000,000, the annual rate of mortality above 15 years of age is found to be 8.95 per 1000. Now, the rate of mortality for this group of ages during the census year by the census figures is 7.76, which is less than the mean annual rate as above calculated by 15.3 per cent. In other words, if the mortality during the census year was the same as the annual average for ten years, the deficiency in the report of deaths is about 15 per cent. This point will again be referred to in speaking of the birth rate.

Again, if we take the number of deaths recorded as occurring under 1 year of age, and calculate the proportion these bear to the number recorded as born during the same period, we find that for the whole United States this proportion is 11.10 per cent. The following table shows this proportion for the several states, and also for several European countries, to permit of comparisons:

TABLE 1.—SHOWING FOR THE UNITED STATES, FOR EACH STATE AND TERRITORY, AND FOR SEVERAL EUROPEAN STATES, THE PROPORTION OF DEATHS UNDER 1 YEAR OF AGE IN 100 BORN.

States.	Periods.	Deaths under 1 year in 100 born.	States.	Periods.	Deaths under 1 year in 100 born.	States.	Periods.	Deaths under 1 year in 100 born.
United States.....	1880	11.10	Montana.....	1880	5.88	Austria.....	1866-1876	25.58
Alabama.....	1880	9.41	Nebraska.....	1880	8.61	Do.....	1880	24.99
Arizona.....	1880	7.18	Nevada.....	1880	8.01	England and Wales.....	1866-1876	15.11
Arkansas.....	1880	10.18	New Hampshire.....	1880	10.09	Do.....	1880	15.28
California.....	1880	10.68	New Jersey.....	1880	13.93	Scotland.....	1865-1874	12.36
Colorado.....	1880	10.61	New Mexico.....	1880	14.04	Do.....	1878	12.30
Connecticut.....	1880	11.32	New York.....	1880	15.70	Ireland.....	1865-1876	9.63
Dakota.....	1880	6.18	North Carolina.....	1880	10.03	Do.....	1880	11.23
Delaware.....	1880	12.56	Ohio.....	1880	10.66	Prussia.....	1866-1871	21.77
District of Columbia.....	1880	23.52	Oregon.....	1880	6.91	Do.....	1879	22.58
Florida.....	1880	6.63	Pennsylvania.....	1880	10.90	Bavaria.....	1866-1875	31.35
Georgia.....	1880	9.65	Rhode Island.....	1880	13.32	Do.....	1879	29.17
Idaho.....	1880	5.16	South Carolina.....	1880	9.94	Saxony.....	1865	27.63
Illinois.....	1880	11.42	Tennessee.....	1880	10.78	Do.....	1874	27.00
Indiana.....	1880	11.56	Texas.....	1880	10.04	Württemberg.....	1871-1875	31.71
Iowa.....	1880	7.74	Utah.....	1880	10.24	Do.....	1879	30.03
Kansas.....	1880	10.81	Vermont.....	1880	9.90	Baden.....	1866-1876	26.81
Kentucky.....	1880	10.20	Virginia.....	1880	11.48	Do.....	1880	24.01
Louisiana.....	1880	9.68	Washington.....	1880	6.26	Switzerland.....	1869-1876	19.65
Maine.....	1880	7.73	West Virginia.....	1880	7.81	Do.....	1880	17.90
Maryland.....	1880	16.20	Wisconsin.....	1880	8.87	Sweden.....	1866-1874	13.69
Massachusetts.....	1880	17.05	Wyoming.....	1880	6.38	Do.....	1878	13.42
Do.....	1870-1876	16.30	Italy.....	1872-1876	21.35	Norway.....	1866-1872	10.74
Michigan.....	1880	9.47	Do.....	1880	22.50	Do.....	1876	10.71
Minnesota.....	1880	8.56	Belgium.....	1866-1869	17.35	European Russia.....	1867-1871	26.54
Mississippi.....	1880	7.99	Do.....	1873	16.00	Do.....	1875	26.24
Missouri.....	1880	12.93						

TABLE 2.—SHOWING FOR CERTAIN STATES, WITH DISTINCTION OF COLOR, THE PROPORTION OF DEATHS UNDER 1 YEAR OF AGE IN 100 BORN.

States.	DEATHS UNDER 1 YEAR IN 100 BORN.		States.	DEATHS UNDER 1 YEAR IN 100 BORN.		States.	DEATHS UNDER 1 YEAR IN 100 BORN.	
	White.	Colored.		White.	Colored.		White.	Colored.
Alabama.....	7.64	11.30	Georgia.....	8.21	11.17	South Carolina.....	7.46	11.32
Arkansas.....	9.91	10.96	Louisiana.....	9.24	10.08	Tennessee.....	9.75	13.37
Delaware.....	11.96	14.81	Maryland.....	15.25	18.87	Texas.....	9.80	10.78
District of Columbia.....	17.32	32.10	Mississippi.....	6.97	8.70	Virginia.....	9.46	13.91
Florida.....	5.98	7.33	North Carolina.....	8.87	11.74			

The most complete reports bearing on this point for any individual state are undoubtedly those of Massachusetts, which, for the census year, give the proportion of deaths under 1 year of age as 17.05 per 100 births. If this be taken as the true average proportion for the whole United States, the deficiency in the number of deaths of children under 1 year of age would be a little over 34 per cent. It is precisely at this age, however, that the records are most deficient, and hence it seems probable that the percentage of defect for the total population would be considerably less, certainly below what I have taken as the maximum, *i. e.*, 30 per cent.

Still another means of estimating the maximum deficiency in the returns of deaths and the mortality of the country for the year is afforded by a comparison of the figures derived from the registration records of 31 large cities, which records may be presumed to be fairly accurate. The results of such a comparison are shown in the following table (Table 3) and diagram (Fig. 1).

From this table it appears that the average death rate in these large cities was 22.28 per 1000, and as the mortality in such cities is usually between 4 and 5 per 1000 greater than it is for the average mortality of a large country, including cities, towns, and rural districts, this increases the probability that the average rate for the whole country is not far from 18 per 1000 of living population.


TABLE 3.—SHOWING FOR 31 REGISTRATION CITIES WITH DISTINCTION OF SEX, AND FOR 6 CITIES WITH DISTINCTION OF COLOR, THE PROPORTION OF DEATHS IN 1000 OF LIVING POPULATION FOR THE CENSUS YEAR 1879-'80.

Cities.	POPULATION.			DEATHS.			DEATHS PER 1000 OF LIVING POPULATION.		
	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
Total.....	6,603,414	3,228,287	3,375,127	147,158	77,225	69,933	22.28	23.92	20.72
Cambridge.....	52,669	25,024	27,645	920	442	478	17.46	17.66	17.28
Camden.....	41,659	19,923	21,736	757	372	385	18.17	18.67	17.71
Nashville.....	43,350	20,912	22,438	790	405	385	18.22	19.36	17.15
Worcester.....	58,291	28,927	29,364	1,073	553	520	18.40	19.11	17.70
Lynn.....	38,274	18,243	20,031	714	351	363	18.65	19.24	18.12
Newark.....	136,508	66,077	70,431	2,551	1,389	1,162	18.68	21.02	16.49
Lowell.....	59,475	26,853	32,622	1,142	518	624	19.20	19.29	19.12
Saint Louis.....	350,518	179,520	170,998	7,035	3,917	3,118	20.07	21.81	18.23
Cleveland.....	160,146	80,174	79,972	3,226	1,677	1,549	20.14	20.91	19.36
Jersey City.....	120,722	59,919	60,803	2,448	1,323	1,125	20.27	22.07	18.50
Philadelphia.....	847,170	405,975	441,195	17,284	8,895	8,389	20.40	21.91	19.01
Milwaukee.....	115,587	57,475	58,112	2,369	1,267	1,102	20.49	22.04	18.96
San Francisco.....	233,959	132,608	101,351	4,798	3,073	1,725	20.50	23.17	17.02
Chicago.....	503,185	256,905	246,280	10,453	5,594	4,859	20.77	21.77	19.72
Lawrence.....	39,151	17,785	21,366	822	396	426	20.99	22.26	19.93
Pittsburgh.....	156,389	78,471	77,918	3,293	1,688	1,605	21.05	21.51	20.59
Cincinnati.....	255,139	125,492	129,647	5,449	2,989	2,460	21.35	23.81	18.97
Wilmington.....	42,478	20,751	21,727	910	452	458	21.42	21.78	21.07
Providence.....	104,857	49,787	55,070	2,259	1,126	1,133	21.54	22.61	20.57
Paterson.....	51,031	24,765	26,266	1,129	556	573	22.12	22.45	21.81
Brooklyn.....	566,663	272,248	294,415	12,603	6,437	6,166	22.24	23.64	20.94
Indianapolis.....	75,056	36,863	38,193	1,672	861	811	22.27	23.35	21.23
Boston.....	362,839	172,268	190,571	8,099	4,055	4,044	22.32	23.53	21.22
Louisville.....	102,847	49,751	53,096	2,061	1,086	975	20.04	21.82	18.36
Washington.....	20,911	9,231	11,680	727	368	359	34.76	39.86	30.73
Washington.....	98,895	47,390	51,505	1,761	899	862	17.80	18.97	16.73
Washington.....	48,398	20,920	27,478	1,716	820	896	35.45	39.19	32.60
Fall River.....	48,961	23,163	25,798	1,196	576	620	24.42	24.86	24.03
Richmond.....	35,765	17,380	18,385	684	339	345	19.12	19.50	18.76
Richmond.....	27,835	12,103	15,732	890	442	448	31.97	36.51	28.48
Baltimore.....	278,584	134,446	144,138	6,327	3,281	3,046	22.71	24.40	21.13
Baltimore.....	53,729	22,947	30,782	2,021	1,011	1,010	37.61	44.05	32.81
New York.....	1,206,299	590,514	615,785	30,605	16,102	14,503	25.37	27.26	23.55
New Orleans.....	158,367	75,670	82,697	3,550	2,038	1,512	22.41	26.93	18.28
New Orleans.....	57,723	25,222	32,501	2,056	1,067	989	35.61	42.30	36.42
Charleston.....	22,699	10,599	12,100	540	278	262	23.78	26.22	21.65
Charleston.....	27,285	11,986	15,299	1,228	582	646	45.00	48.55	42.22

The census year 1879-'80 was probably a fair average year as regards mortality. No great epidemic occurred during this period, unless we may consider the marked prevalence of diphtheria as such, and with regard to this disease it is probable that its prevalence has been nearly as great for each of the five years from 1878 to 1882, inclusive.

MORTALITY AND VITAL STATISTICS.

FIG. 1.—DIAGRAM SHOWING FOR 31 REGISTRATION CITIES WITH DISTINCTION OF SEX, AND FOR 6 CITIES WITH DISTINCTION OF COLOR, THE PROPORTION OF DEATHS IN 1000 OF LIVING POPULATION FOR THE CENSUS YEAR 1879-'80.



The following table permits of comparison of the probable mortality in the United States during the census year, viz, 18 per 1000 of living population, with the mortality rates of some other countries:

TABLE 4.—SHOWING MORTALITY RATES OF CERTAIN COUNTRIES.

Country.	Period.	Death rate per 1000 of living population.
United States.....	Census year 1879-'80 ..	18.0
England.....	Calendar year 1880....	20.5
England (rural districts)	do	18.5
Denmark.....	do	20.4
Sweden.....	do	18.1
Austria.....	do	29.6
German Empire	do	26.1
Italy.....	do	30.5
Belgium.....	do	22.4
France.....	Average, 1860-'77	23.6
Spain.....	Average, 1861-'70	29.7

From this it will be seen that the death rate in the United States compares favorably with that of all other civilized countries, and this should be the case, since poverty and overcrowding are the chief causes of excessive mortality, and in this country there is a more general and equable distribution of the means of supporting life, including especially a food-supply of good quality, and more room than in European countries. Nevertheless, our mortality rate is not as low as it should be, especially if we take into consideration the fact that our population is being largely added to by the immigration of persons of those ages which have the lowest death rates. At present the average annual mortality rate for the whole country should not exceed 16, or at the utmost 16.5, per 1000; in other words, nearly 100,000 deaths occurred during the census year, chiefly among infants in cities and in the colored population, which were, in one sense, unnecessary and preventable.

SECTION III.—SEX IN RELATION TO DEATHS.

Of the total number of deaths reported, 391,960 were males and 364,933 females, being in the proportion of 931 females to each 1000 males. In the aggregate living population at the end of the census year there were 25,518,820 males and 24,636,963 females, or 965.4 females to each 1000 males. These figures give a male death rate of 15.35 and a female death rate of 14.81 per 1000. The proportion of female to male deaths is probably somewhat greater than these figures would indicate, the deficiency in the returns of deaths of females being somewhat greater than for the males. In England and Wales, during the year 1880, in 528,624 deaths the proportions were 933 females to each 1000 males.

The excessive death rate of males occurs chiefly at the earlier ages, as will be seen when we come to discuss the subject of age in relation to deaths.

Of 114,930 deaths reported among the colored population, 56,972 were males and 57,958 females, being in the proportion of 1,017 females to each 1000 males. In the colored living population at the end of the year there were 1,022 females to each 1000 males. According to these figures the mortality was proportionally somewhat greater in colored than in white females.

In addition to those causes of death which are peculiar to females, such as child-birth, abortion, and diseases of the female organs of generation, we find that a marked excess of deaths in the female is reported from the following causes, viz: Hooping-cough, old age, consumption, diphtheria, cancer, tumor, anæmia, heart disease, dropsy, peritonitis, and burns and scalds.

An excess of deaths in males is reported for the following causes, viz: Diarrhœal diseases, venereal diseases, alcoholism, poison, premature birth and still-birth, malformation, diseases of the brain, tetanus, aneurism, angina pectoris, croup, pneumonia, hernia and obstruction of the bowels, diseases of the liver, diseases of the kidney, including Bright's disease, diseases of the bones and joints and of the skin and cellular tissue, accidents of all kinds, and suicides.

The relations of sex to certain causes of death and to the births will be discussed in a subsequent part of this report. The following table shows the relative proportion of the sexes of decedents for some of the principal causes of death:

TABLE 5.—SHOWING FOR THE UNITED STATES AND FOR 50 CITIES THE PROPORTION OF MALE DEATHS TO 1000 FEMALE DEATHS OF CORRESPONDING AGES.

Deaths from—	PROPORTION OF MALE TO 1000 FEMALE DEATHS.				Deaths from—	PROPORTION OF MALE TO 1000 FEMALE DEATHS.			
	United States.		50 cities.			United States.		50 cities.	
	All ages.	Under 5 years.	All ages.	Under 5 years.		All ages.	Under 5 years.	All ages.	Under 5 years.
Alcoholism	5267.7		2371.5		Pleurisy	1078.5	1128.2	1280.0	1111.1
Suicide	4052.3		3666.6		Enteric fever	1071.4	1046.3	1105.1	1220.9
Accidents and injuries.....	2732.6	1225.1	2975.2	1444.6	Bronchitis	1055.3	1156.6	1031.5	1097.6
Diseases of the urinary organs.....	2234.0	1378.2	1391.8	1226.1	Malarial fever	1029.5	1069.0	1110.0	1203.2
Tetanus and trismus nascentium	1645.4	1351.2	1468.9	1333.3	Scrofula and tabes.....	1008.0	1086.6	966.9	945.5
Still-born	1418.4	1418.4	1311.4	1311.4	Infanticide	1000.0	1000.0	2000.0	2000.0
Diseases of the bones and joints.....	1366.7	1202.1	1338.2	1169.4	Heart disease and dropsy.....	989.3	1228.6	1001.6	1298.9
Pneumonia	1287.8	1221.3	1183.8	1119.8	Measles.....	972.6	1070.8	952.8	1017.4
Diseases of the respiratory system.....	1219.2	1206.0	1155.0	1139.2	Scarlet fever.....	966.8	1099.7	983.4	1040.1
Croup	1187.5	1202.4	1180.9	1167.8	Diphtheria	962.9	1081.7	962.2	1040.5
Diseases of the nervous system.....	1170.7	1206.3	1214.0	1224.3	Whooping-cough	865.4	870.9	797.7	804.0
Veneral diseases.....	1165.4	1041.3	1203.9	1080.0	Consumption	798.1	1094.3	1014.2	1112.6
Diseases of the digestive system	1147.5	1213.1	1175.4	1208.5	Peritonitis.....	719.0	1354.4	766.0	1293.3
Diarrhoeal diseases	1109.8	1155.1	1120.1	1120.1	Cancer.....	595.0	961.5	526.3	1000.0
Paralysis and apoplexy	1092.8	1128.3	1120.5	1311.9					

SECTION IV.—RELATIONS OF AGE TO DEATHS.

The most important factor whose influence must be kept in view in studying the relations either of gross mortality rates of different localities or death rates from different diseases, or those pertaining to different occupations or to different races, is the age distribution in the living population furnishing the deaths which are the subject of study. We must, therefore, constantly keep in view the proportion of persons of each sex living at each age or group of ages pertaining to the particular locality or subject under investigation. So far as the living population is concerned, the results of the census which are of special interest in connection with mortality statistics are given in Tables LVII to LXI, in Part II of this report.

The data of age for the living population are, upon the whole, less accurate and satisfactory than they are for those dying. Nevertheless it is true for both that for a large number of persons the age reported is more or less unreliable. For many it is totally unknown to those furnishing the data, who simply estimate it; and, in such cases, the tendency always is to give the age in round numbers, as 30, 40, 50 years, etc.; or, to a somewhat less degree, 35, 45, 55, etc. This will be seen by reference to the statistics of the population by single years of age, for any of the states, and the fact is brought out more distinctly in subsequent remarks relating to the construction of life tables.

In Table VII, for each state group, with the exception of the large cities, the number of those dying at each age or group of ages is given for each cause of death, with distinction of sex; and in Table VIII the same information is given for the large cities of each grand group. From these data have been computed Tables XVI and XVII in Part II. Table XVI shows for each 1000 deaths of known ages, classified by age, sex, and cause, the number dying at each age or group of ages. From this we find, turning to any particular cause of death, as, for example, measles, that of each 1000 deaths from measles in males, 267.44 occurred in children under 1 year of age; 712.10 in children under 5 years of age. Table XVII shows the number of deaths in each 1000 deaths at known ages for certain groups of age, in each city and state group, and for the whole United States, with distinction of sex. This table, taken by itself, has really very little significance as indicating differences in mortality at different ages between different localities, since the proportion of deaths occurring at the given period of age, as, for instance, under one year, depends very largely on the number of children of that age present in the community.

The proper way to make such comparisons is by giving in each locality the number of deaths per 1000 of those living at the age or group of ages which are to be compared. This we can only do directly to any good purpose for those states and cities in which a sufficiently accurate registration of deaths has been made, and for these the results are best given in the approximate life tables to be referred to hereafter. Where no such registration has been kept, we cannot compare the deaths at a given age with the number of the living population at the same age, so as to produce accurate results, and this is especially the case as regards the years of infancy and childhood, since it is at these ages that the greatest deficiency in the records of death occurs. It is possible, however, to make approximate corrections of the ratios contained in Table XVI for those groups of ages, as well as for the adults, by means of the ratios of the living population at the same ages given in Table LVII, Part II, and it is mainly for such uses that the table is given.

RELATIONS OF AGE TO DEATHS.

XXV

The following table shows for the United States, and for the 31 registration cities, by ages, the population, the number of deaths, and the ratio per 1000 of deaths to the population of corresponding ages:

TABLE 6.—SHOWING FOR THE UNITED STATES AND FOR 31 REGISTRATION CITIES, BY AGES, THE LIVING POPULATION, THE NUMBER OF DEATHS, AND THE NUMBER OF DEATHS PER 1000 OF LIVING POPULATION OF CORRESPONDING AGES.

Ages.	UNITED STATES.			31 REGISTRATION CITIES.		
	Living population.	Deaths of corresponding ages.	Proportion of deaths per 1000 living.	Living population.	Deaths of corresponding ages.	Proportion of deaths per 1000 living.
All ages	50, 155, 783	756, 893	15. 0	6, 603, 414	147, 158	22. 2
Under 1.....	1, 447, 983	175, 184	120. 9	165, 469	44, 249	267. 5
1.....	1, 256, 956	56, 816	45. 2	132, 933	11, 623	87. 4
2.....	1, 427, 086	33, 417	23. 4	162, 715	5, 977	36. 7
3.....	1, 381, 274	21, 276	15. 4	157, 646	3, 898	24. 7
4.....	1, 401, 217	15, 931	11. 3	156, 913	2, 824	17. 9
Under 5.....	6, 914, 516	302, 624	43. 7	775, 676	68, 571	88. 4
5-10.....	6, 479, 060	43, 093	6. 7	719, 349	6, 407	8. 9
10-15.....	5, 715, 186	22, 915	4. 0	648, 748	2, 422	3. 7
15-20.....	5, 011, 415	29, 368	5. 9	636, 833	3, 513	5. 5
20-25.....	5, 087, 772	39, 355	7. 7	713, 477	6, 123	8. 5
25-30.....	4, 080, 621	33, 132	8. 1	614, 594	6, 367	10. 3
30-35.....	3, 368, 943	28, 669	8. 5	529, 000	6, 014	11. 3
35-40.....	3, 000, 419	28, 630	9. 5	488, 294	6, 479	13. 2
40-45.....	2, 468, 811	24, 954	10. 1	401, 429	5, 633	14. 0
45-50.....	2, 089, 445	23, 996	11. 5	314, 321	5, 555	17. 6
50-55.....	1, 839, 883	24, 539	13. 3	272, 763	5, 250	19. 2
55-60.....	1, 271, 434	22, 352	17. 6	163, 416	4, 628	28. 3
60-65.....	1, 104, 219	26, 183	23. 7	142, 487	4, 626	32. 4
65-70.....	725, 876	25, 685	35. 4	80, 188	4, 332	54. 0
70-75.....	495, 442	25, 736	51. 9	53, 793	3, 780	70. 2
75-80.....	281, 065	22, 352	79. 5	27, 908	3, 140	112. 5
80-85.....	146, 362	16, 641	113. 7	14, 725	2, 136	145. 0
85-90.....	49, 835	8, 149	163. 5	4, 548	1, 016	223. 3
90-95.....	16, 100	3, 283	203. 9	1, 563	360	230. 3
95 and over	8, 779	2, 009	228. 8	802	276	344. 1
Unknown.....		3, 228			530	

In considering this table it should be remembered that the reports of deaths for the whole United States are defective from 15 to 30 per cent., while for the cities they are nearly complete. It will be seen that for each 1000 living under 1 year of age in the United States at large the proportion of deaths was 120.9; while in the cities the number of deaths per 1000 of the same age was 267.5. Under 5 years of age the proportion of deaths in the country at large was 43.7 per 1000 of living population, while in the registration cities it was 88.4 per 1000. In other words, the mortality of children under 5 years of age, according to this table, was about twice as great in the cities as in the average of the whole country.

The following table permits of a comparison of the distribution of deaths by age in the United States as reported, and in certain foreign countries:

TABLE 7.—SHOWING FOR THE UNITED STATES, FOR MASSACHUSETTS, AND FOR THE PRINCIPAL COUNTRIES OF EUROPE, THE NUMBER OF DEATHS AT EACH OF CERTAIN GROUPS OF AGES PER 100 DEATHS OF ALL AGES.

States.	Year.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 95.	95 to 100.	100 and over.	Unknown.
United States	1880	23. 24	16. 90	5. 71	3. 04	3. 89	9. 61	7. 60	6. 49	6. 22	6. 88	6. 38	3. 28	0. 43	a 0. 26		0. 42
Massachusetts	1880	20. 37	14. 23	4. 15	1. 73	3. 13	9. 26	7. 71	6. 76	7. 19	8. 80	9. 19	6. 03	b 1. 02			0. 43
Italy	1880	24. 77	20. 60	4. 19	1. 88	2. 17	5. 17	4. 90	5. 52	7. 48	9. 71	9. 70	3. 53	c 0. 34		0. 01	0. 03
France	1879	17. 59	8. 83	2. 46	1. 56	2. 29	6. 02	6. 07	6. 73	9. 20	14. 07	16. 29	8. 21	c 0. 67		0. 01	
Prussia	1880	32. 25	15. 96	3. 96	1. 67	1. 83	4. 71	5. 25	5. 70	7. 41	9. 55	8. 19	d 3. 40				0. 12
Bavaria	1880	39. 48	10. 71	2. 73	1. 02	1. 17	3. 72	4. 47	4. 93	6. 95	10. 62	10. 42	3. 54	b 0. 22			0. 02
Saxony	1880	42. 00	15. 34	e 4. 27			4. 26	4. 68	4. 92	6. 63	8. 09	7. 37	d 2. 32				0. 17
Thuringia	1880	31. 71	15. 30	3. 38	1. 30	1. 56	3. 89	4. 46	5. 29	7. 74	11. 12	9. 99	3. 42	b 0. 21			0. 63
Württemberg	1880	41. 78	11. 92	2. 88	1. 10	1. 14	3. 29	4. 25	4. 71	6. 48	9. 47	9. 93	2. 90	b 0. 15			
Baden	1880	33. 77	12. 33	3. 48	1. 35	1. 70	4. 55	5. 36	5. 24	7. 42	10. 81	10. 25	3. 41	b 0. 22			0. 11
Alsace and Lorraine	1880	28. 74	11. 96	3. 03	1. 39	2. 02	4. 50	4. 88	5. 38	7. 39	11. 83	13. 20	4. 86	c 0. 32		0. 02	0. 39
Austria	1880	31. 62	16. 51	4. 48	1. 82	2. 02	4. 78	5. 09	5. 97	7. 74	9. 48	7. 51	2. 68	c 0. 26		0. 01	0. 03

a 95 and over.

b 90 and over.

c 90 to 100.

d 80 and over.

e 5 to 20.

TABLE 7—Continued.

States.	Year.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 95.	95 to 100.	100 and over.	Unknown.
Croatia and Slavonia . . .	1880	30.44	19.37	4.74	2.25	2.54	6.44	6.95	7.54	7.97	6.75	3.91	0.96	a 0.10		0.01	0.03
Switzerland	1880	24.34	8.97	3.00	1.48	2.22	5.32	6.48	7.17	9.99	13.09	13.04	4.54	b 0.25			0.11
Belgium	1880	25.99	13.09	2.97	1.62	2.23	5.43	5.42	5.78	7.49	10.58	12.99	5.90	a 0.50		0.01	
Holland	1878	31.01	14.10	3.04	1.76	2.00	5.12	5.43	5.45	7.10	9.28	10.49	4.72	b 0.46			6.04
Sweden	1880	19.58	13.68	5.23	2.58	2.55	5.56	5.19	5.95	8.62	11.32	12.06	6.96	b 0.62			0.10
Norway	1878	20.59	12.21	4.03	2.57	3.10	7.38	5.40	5.77	7.17	9.00	12.08	8.90	a 1.47		0.02	0.31
Denmark	1880	23.49	12.19	5.31	3.10	2.41	5.53	4.86	5.63	7.89	10.67	12.04	6.10	b 0.78			
Finland	1880	25.55	18.73	5.25	2.20	2.44	5.41	5.48	5.76	7.95	9.42	8.25	3.35	b 0.21			
European Russia	1875	38.82	20.81	4.38	1.85	1.86	4.24	4.44	5.25	6.17	6.37	4.40	1.14	a 0.19		0.02	0.06
Spain	1865-'70	22.93	25.20	3.73	1.98	2.39	5.62	5.90	6.89	7.24	8.62	6.68	2.50	a 0.31		0.01	
Greece	1880	18.09	17.30	6.09	3.31	3.28	6.62	7.07	7.64	7.74	9.16	7.76	4.41	a 1.25		0.28	
Roumania	1879	23.54	19.33	7.94	c 5.90		6.58	7.17	7.83	7.45	7.14	4.59	1.78	a 0.60		0.15	

Great Britain.	Year.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 35.	35 to 45.	45 to 55.	55 to 65.	65 to 75.	75 to 85.	85 to 95.	95 and over.	Unknown.
England and Wales	1880	25.48	16.98	3.66	1.73	2.23	2.61	5.51	6.36	6.88	8.75	10.06	7.66	d 2.09		
Scotland	1878	20.31	17.37	4.49	2.57	3.33	3.43	6.08	5.97	6.82	8.46	9.87	8.52	2.54	0.22	0.02
Ireland	1880	13.98	11.60	4.00	2.53	3.41	3.85	5.62	5.78	6.54	10.77	14.05	13.30	3.72	0.80	0.05

a 90 to 100. b 90 and over. c 10 to 20. d 85 and over.

FIG. 2.—DIAGRAM SHOWING FOR THE UNITED STATES AND CERTAIN EUROPEAN STATES THE PROPORTION OF DEATHS UNDER 1 YEAR OF AGE PER 100 DEATHS OF ALL AGES.





FIG. 3.—DIAGRAM SHOWING FOR THE UNITED STATES AND SOME EUROPEAN STATES THE PROPORTION OF DEATHS FROM 1 TO 5 YEARS OF AGE PER 100 DEATHS OF ALL AGES.



It will be seen from this table that, as regards the proportion of infantile to the whole mortality, the United States is near the mean, being exceeded in the proportion of deaths occurring under 1 year of age by Austria, Belgium, England and Wales, Germany, Holland, Italy, and European Russia, while France, Sweden and Norway, Scotland, and Ireland have a lower rate. In the more advanced group of ages, as from 60 years and upward, the proportion of deaths is less in the United States than it is in most other countries, owing to the fact that the proportion of the living population at those ages is less than it is elsewhere.

The following table (Table 8), giving the mortality by ages, for certain German cities, will be found of interest in making comparisons with Table 7.

FIG. 4.—DIAGRAM SHOWING FOR THE UNITED STATES AND CERTAIN EUROPEAN STATES THE DEATHS PER 100 AT OVER 80 YEARS OF AGE, AND FOR EUROPEAN RUSSIA AND FOR CROATIA AND SLAVONIA AT OVER 75 YEARS OF AGE.




TABLE 8.—SHOWING FOR CITIES WITH 100,000 POPULATION AND OVER, AND FOR THE TOTAL OF CITIES WITH 15,000 INHABITANTS AND OVER, IN THE GERMAN EMPIRE, THE PROPORTION OF BIRTHS, DEATHS, AND DEATHS AT CERTAIN GROUPS OF AGES IN 10,000 OF THE MEAN POPULATION OF THE YEARS 1878 TO 1882.*

Cities with a population of 100,000 and over.	Born, exclusive of still-born.	Died, exclusive of still-born.	RATIO OF DEATHS IN 10,000 OF POPULATION.						
			1 year.	2 to 5 years.	6 to 20 years.	21 to 40 years.	41 to 60 years.	61 years and over.	Age unknown.
Königsberg.....	372.4	315.0	144.0	23.4	16.2	41.2	46.2	44.0	
Danzig.....	365.8	291.8	107.9	44.7	19.4	34.2	41.3	43.2	1.1
Breslau.....	383.2	316.8	114.0	52.8	15.9	44.3	46.7	42.8	0.1
Munich.....	394.9	334.6	141.7	38.6	14.5	39.4	44.5	55.9	
Stuttgart.....	344.8	228.3	90.9	30.6	11.7	31.1	30.5	33.5	0.02
Nuremberg.....	296.7	263.2	96.0	35.6	12.6	36.1	38.3	44.5	
Dresden.....	356.4	247.4	82.4	32.9	14.4	35.7	37.2	44.4	0.5
Chemnitz.....	440.1	316.6	162.8	47.4	14.4	28.3	30.5	33.1	0.2
Leipzig.....	335.4	227.2	88.2	17.1	12.9	37.9	34.6	36.2	0.4
Magdeburg.....	368.7	258.6	91.0	39.1	14.5	34.6	38.0	41.6	
Hamburg.....	390.1	256.2	84.6	41.2	15.1	35.2	33.9	46.1	0.1
Hanover.....	354.2	211.5	75.6	22.9	13.5	34.2	29.8	35.5	
Bremen.....	361.3	212.5	78.7	18.2	14.3	32.7	29.7	36.7	2.2
Cologne.....	383.1	270.1	91.9	45.9	14.7	37.0	35.7	44.8	0.1
Barmen.....	417.9	239.5	70.7	52.1	20.6	34.1	29.6	32.5	
Düsseldorf.....	405.3	253.8	104.1	25.8	16.5	35.3	32.7	39.4	0.04
Elberfeld.....	406.0	243.4	68.1	49.6	19.5	36.9	31.8	37.5	
Frankfort-on-the-Main.....	317.8	204.4	58.6	26.8	11.2	36.4	33.2	38.3	
Strasburg in Alsace.....	360.6	296.4	118.0	25.5	17.1	36.0	38.8	60.4	0.5
Cities with a population of 15,000 and over...	374.7	264.7	97.5	36.9	16.2	35.6	35.8	42.3	0.4

* See "Veröffentlichungen des Kaiserlich Deutschen Gesundheitsamtes", Berlin, Nov. 10, 1884, Jahrgang VIII, No. 45, p. 221, etc.

Of the 390,170 deaths of males in the United States in which the ages are recorded, 96,849 occurred under 1 year of age, and 163,779 under 5 years of age. The proportion of deaths of males under 1 year of age to all deaths recorded was 248.22 per 1000; of those under 5 years of age, 419.76 per 1000. The proportion of deaths of females under 1 year of age to those of all ages recorded was 215.51 per 1000; of those under 5 years of age, 381.97 per 1000. The proportion to all deaths of which the ages are recorded of deaths of persons from 5 to 15 years of age was 87.57 per 1000; from 15 to 60 years of age, 299.66 per 1000, and over 60 years of age, 172.40 per 1000.

Some of the facts with regard to the mortality of infants, as shown by the census returns, are given in Table LI, Part II, which gives, for the United States, for each state and territory, and for each state group and grand group, the number of deaths reported as occurring under 1 month of age and under 3 months of age, together with the ratios of these deaths, and the total number of births reported to the total number of deaths occurring under 1 year of

age. For the whole United States the number of deaths under 1 year of age during the census year per 1000 of those born within the year was for males 90.3 and for females 73.2. In the southern portion of the United States it was for white males, 89.6; for colored males, 102.7; for white females, 73.0; for colored females, 86.2. The greater the mortality of infants under 1 year of age in the colored race is here well marked. If we compare the proportion occurring in the fifty large cities with that of the rest of the country, which for brevity's sake we designate as rural, we find that the number of deaths under 1 year of age are, per 1000 of those born within the year in the cities, males, 162.4; females, 132.8; while in the rural section it is males, 78.1; females, 63.0; the reported infantile mortality in the cities being thus more than twice as great as it is in the rest of the country. This increased death rate of infants in the cities is, however, as already explained, due to a considerable extent to the greater completeness of the returns of deaths in the cities, and cannot, therefore, be taken as a relative measure of the healthfulness of cities versus rural districts. Taking, now, the deaths reported as having occurred under 1 month of age, we find that they give a proportion per 1000 of total births for the whole United States, males, 53.7; females, 41.8. In the cities the proportions are, males, 109.8; females, 86.4; and in the rural districts, males, 44.2; females, 34.2. In the southern portion of the United States, where the distinction of color is given, the proportion of deaths under 1 month of age per 1000 of total births reported is, for white males, 54.3; for colored males, 55.4; for white females, 42.4; for colored females, 46.2.

If we take the proportion of the deaths under 1 month of age per 1000 of those reported as dying under 1 year of age, we find that for the whole United States it is, males, 447.3; females, 410.7. In the cities it is, males, 490.8; females, 450.9. In the rural districts, males, 431.3; females, 395.6. In the southern groups, where distinction of color is made, it is, for white males, 450.4; colored males, 424.0; white females, 413.5; colored females, 412.9.

The proportion of deaths under 3 months of age to the total number of births is, for the whole United States, males, 73.0; females, 58.6. In the 50 large cities it is, males, 139.0; females, 112.2. In the rural districts, males, 61.8; females, 49.5. In the southern groups, where distinction of color is made, it is, white males, 73.8; colored males, 77.9; white females, 59.3; colored females, 65.9. The greatest mortality among infants under 1 month of age occurs in the city of Grand Group III (Charleston), where these deaths for the whites are, males, 571.4; females, 382.4, and for the colored males 685.5, females 645.7 of each 1000 deaths under 1 year of age—that is to say, considerably over half of the deaths under 1 year of age among the colored population occur in this city in infants under 1 month old.

The relations of infantile mortality to the birth rate are shown in the following tables and in the diagrams given in Plates I and II.

TABLE 9.—SHOWING FOR THE UNITED STATES AND FOR GRAND GROUPS THE PROPORTION OF DEATHS UNDER 1 MONTH, UNDER 3 MONTHS, AND UNDER 1 YEAR OF AGE, TO 1000 BIRTHS.

	UNDER 1 MONTH IN 1000 BIRTHS.		UNDER 3 MONTHS IN 1000 BIRTHS.		UNDER 1 YEAR IN 1000 BIRTHS.	
	Male.	Female.	Male.	Female.	Male.	Female.
THE UNITED STATES	53.7	41.8	73.0	58.6	90.3	73.2
GRAND GROUP 1—North Atlantic Coast region	78.6	52.7	99.3	73.2	117.7	89.7
GRAND GROUP 2—Middle Atlantic Coast region	97.3	78.3	124.1	101.5	147.6	121.8
GRAND GROUP 3—South Atlantic Coast region	53.2	42.1	73.8	61.9	96.9	80.9
GRAND GROUP 4—Gulf Coast region.....	52.8	43.6	67.9	56.8	84.4	71.7
GRAND GROUP 5—Northeastern Hills and Plateaus.....	56.9	43.3	73.0	56.1	90.3	70.1
GRAND GROUP 6—Central Appalachian region	33.4	25.4	54.7	44.9	74.7	58.7
GRAND GROUP 7—Region of the Great Northern Lakes.....	62.3	47.7	83.1	64.2	99.4	78.4
GRAND GROUP 8—The Interior Plateau	53.8	42.5	75.4	61.3	94.2	75.8
GRAND GROUP 9—Southern Central Appalachian region.....	41.1	33.4	60.1	50.4	76.2	63.8
GRAND GROUP 10—The Ohio River Belt	53.6	41.7	72.1	57.2	86.6	71.5
GRAND GROUP 11—Southern Interior Plateau	38.6	31.3	58.4	48.2	73.9	62.1
GRAND GROUP 12—South Mississippi River Belt	38.9	31.7	61.8	55.3	82.0	69.0
GRAND GROUP 13—North Mississippi River Belt	66.8	51.7	87.1	69.6	102.8	82.3
GRAND GROUP 14—Southwest Central region.....	44.5	34.8	62.6	49.2	80.7	65.7
GRAND GROUP 15—Central region, plains and prairies.....	53.6	40.2	70.6	56.8	87.0	70.6
GRAND GROUP 16—The Prairie region.....	44.1	33.3	59.2	47.0	73.6	58.3
GRAND GROUP 17—Missouri River Belt	52.3	37.4	62.1	46.3	81.7	63.4
GRAND GROUP 18—Region of the Western Plains.....	47.1	38.4	64.5	53.2	71.1	61.4
GRAND GROUP 19—Heavily-timbered region of the Northwest.....	42.3	32.8	57.3	43.1	71.6	53.9
GRAND GROUP 20—Cordilleran region	29.6	22.6	52.6	44.3	69.5	59.1
GRAND GROUP 21—Pacific Coast region.....	66.3	51.4	83.1	65.3	95.2	76.8

(See Plate I in pocket at end of volume.)

TABLE 10.—SHOWING FOR SPECIFIED GRAND GROUPS, WITH DISTINCTION OF RURAL AND CITIES, AND OF SEX, AND IN CERTAIN GRAND GROUPS OF COLOR, THE PROPORTION OF DEATHS UNDER 1 MONTH, UNDER 3 MONTHS, AND UNDER 1 YEAR OF AGE, TO 1000 TOTAL BIRTHS.

Grand groups.		RURAL.						CITIES.					
		Under 1 month.		Under 3 months.		Under 1 year.		Under 1 month.		Under 3 months.		Under 1 year.	
		Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
GRAND GROUP	1—North Atlantic Coast region.....	61.6	45.3	77.6	61.2	93.0	74.3	112.1	67.1	142.0	97.0	166.1	120.0
GRAND GROUP	2—Middle Atlantic Coast region { White ...	50.8	37.1	72.4	55.0	89.0	70.3	122.4	98.2	151.6	123.9	176.9	145.0
	{ Colored ..	59.6	56.6	81.6	72.4	97.2	90.0	168.4	150.3	209.1	195.8	276.7	245.9
GRAND GROUP	3—South Atlantic Coast region ... { White ...	34.0	24.2	51.6	41.6	70.4	56.6	109.2	85.8	126.3	105.6	146.8	118.8
	{ Colored ..	50.0	39.8	73.5	60.7	98.5	81.9	290.6	257.1	306.0	289.3	352.1	323.2
GRAND GROUP	4—Gulf Coast region { White ...	30.9	24.6	41.3	33.5	50.4	43.2	114.0	90.3	143.8	111.8	175.8	141.6
	{ Colored ..	38.4	32.1	51.1	44.2	67.4	56.2	203.6	183.0	239.8	219.9	286.2	266.7
GRAND GROUP	5—Northeastern Hills and Plateaus.....	53.6	41.3	69.6	54.0	86.7	67.4	101.3	71.8	119.9	85.2	139.2	107.3
GRAND GROUP	6—Central Appalachian region.....	33.1	24.8	54.4	44.2	74.4	57.9	42.4	38.6	62.5	59.6	81.4	75.2
GRAND GROUP	7—Region of the Great Northern Lakes.....	37.4	28.9	53.8	42.4	71.4	57.0	95.9	72.2	122.7	92.5	137.2	106.3
GRAND GROUP	8—The Interior Plateau { White ...	40.7	29.7	59.1	44.6	72.9	55.3	74.1	63.1	104.6	92.8	127.9	111.3
	{ Colored ..	68.8	55.3	87.4	71.3	115.5	90.6	124.6	106.0	176.6	150.6	237.0	207.1
GRAND GROUP	10—The Ohio River Belt..... { White ...	44.3	33.0	58.6	45.3	72.0	58.9	92.1	71.5	130.5	99.9	143.0	119.5
	{ Colored ..	46.7	53.2	65.9	71.4	97.7	98.3	202.5	161.9	239.7	202.4	278.9	263.2
GRAND GROUP	13—North Mississippi River Belt.....	46.0	34.5	65.4	51.8	79.8	63.8	157.2	129.4	182.1	149.9	203.4	165.7
GRAND GROUP	15—Centr. reg., plains and prairies. { White ...	50.4	38.5	67.6	53.9	82.0	66.1	95.3	77.8	113.3	95.1	128.1	106.7
	{ Colored ..	64.3	52.6	78.5	66.6	110.9	93.2	135.8	119.9	170.4	137.8	195.1	160.7
GRAND GROUP	17—Missouri River Belt.....	52.5	37.7	62.7	46.8	81.3	63.3	46.8	31.1	48.5	34.5	91.9	65.6
GRAND GROUP	18—Region of the Western Plains.....	47.1	38.4	64.0	53.3	70.1	61.1	47.5	37.9	71.3	51.5	83.1	65.0
GRAND GROUP	21—Pacific Coast region.....	34.9	25.4	46.0	34.1	55.4	42.9	121.1	97.5	147.7	120.5	164.6	136.9

(See Plate II in pocket at end of volume.)

In commenting on the general death rate, attention was called to the fact that the gross mortality rates as given in Table II cannot be accepted as giving any indications of value as to the true mortality rates in the several states, or as to their relative healthfulness. Probably one of the best methods of comparing the relative healthfulness of the states and territories, which the census figures will permit us to use, is by a comparison of the proportion of deaths reported as occurring among those infants born during the census year. It is true that the figures available for this purpose are defective and inaccurate; but the defects and errors tend to neutralize each other, since the greater the deficiency in the reports of deaths of infants the greater also the deficiency in the reports of births, which last are taken as the sum of the living children reported as being under 1 year of age at the day of the census plus the infants reported as born and died during the census year. The following table gives the results of such a comparison:

TABLE 11.—SHOWING FOR THE UNITED STATES, AND FOR EACH STATE AND TERRITORY, WITH DISTINCTION OF SEX, AND FOR CERTAIN STATES WITH DISTINCTION OF COLOR, THE PROPORTION OF DEATHS DURING THE CENSUS YEAR TO 1000 BIRTHS WITHIN THE YEAR.

States and Territories.	Per 1000.		States and Territories.	Per 1000.		States and Territories.	Per 1000.	
	Male.	Female.		Male.	Female.		Male.	Female.
UNITED STATES	90.3	73.2	Virginia	97.3	81.3	Delaware	88.9	73.5
District of Columbia	158.7	145.4	White	77.6	61.6	White	85.4	67.2
White	115.5	104.4	Colored	121.7	104.4	Connecticut	88.1	75.3
Colored	220.7	200.2	Illinois	94.1	75.8	Kentucky	87.3	69.1
Massachusetts	138.8	100.9	Indiana	93.8	74.7	Utah	87.2	71.6
New York	124.5	101.1	California	92.9	74.5	Texas	86.3	69.4
Maryland	123.3	95.8	Tennessee	90.9	77.5	White	82.6	67.0
White	115.8	84.8	White	83.0	68.3	New Hampshire	85.2	63.9
Rhode Island	108.5	87.1	Pennsylvania	90.0	71.4	Louisiana	83.4	69.7
New Mexico	108.1	99.1	Vermont	89.8	69.9	White	78.7	61.5
Missouri	104.6	82.4	North Carolina	89.0	68.9	Colored	87.7	76.9
New Jersey	100.5	86.9	White	76.1	60.3			
			Colored	108.5	81.0			

TABLE 11—Continued.

States and Territories.	Per 1000.		States and Territories.	Per 1000.		States and Territories.	Per 1000.	
	Male.	Female.		Male.	Female.		Male.	Female.
South Carolina	82.2	71.3	Alabama	77.8	68.5	Maine	61.8	52.1
White	55.2	47.5	White	61.9	54.0	Nevada	59.5	47.1
Colored	97.5	84.1	Colored	95.2	83.8	Wyoming	55.6	54.3
Arkansas	81.7	69.9	Wisconsin	75.9	57.5	Oregon	54.9	47.6
White	79.0	66.0	Nebraska	71.7	53.0	Montana	54.9	35.8
Ohio	81.4	68.9	Minnesota	68.9	52.0	Dakota	54.8	39.5
Michigan	79.6	61.9	Mississippi	64.7	51.6	Florida	53.4	46.0
Kansas	78.7	66.7	White	53.2	40.9	White	41.9	41.7
Georgia	77.8	66.4	Colored	73.0	58.6	Colored	66.3	50.6
White	63.8	55.5	West Virginia	63.5	55.9	Washington	51.7	28.0
Colored	93.4	77.2	Iowa	62.9	49.2	Colorado	48.8	47.0
			Arizona	62.3	55.8	Idaho	37.4	37.9

Table XX, Part II, shows for the grand groups in the northern part of the United States the number of deaths of Irish and German parentage at each age and group of ages in 1000 deaths of which the ages are known, with distinction of sex.

Figs. 5 and 6 illustrate the results shown in the summary of this table.

FIG. 5.—DIAGRAM SHOWING FOR GRAND GROUPS 1, 2, 5, 6, 7, 8, 10, 13, 16, 17, 18, 19, 20, AND 21, WITH DISTINCTION OF SEX, THE PROPORTION OF DEATHS OF PERSONS OF IRISH PARENTAGE AT EACH AGE AND GROUP OF AGES IN 1000 DEATHS OF PERSONS OF IRISH PARENTAGE OF WHICH THE AGES ARE KNOWN.




Fig. 5 shows for the deaths of Irish parentage the proportion of deaths at each age, with distinction of sex.

Fig. 6 (p. xxxi) shows the same for the population of German descent.

In the deaths of persons of Irish parentage the proportion of females is greater than that for males between the ages of 15 and 45, that is, for the child-bearing period, while for the males it is greatest from 50 to 75.

In the deaths of German parentage the same variation appears, but the excess of deaths of males at the ages of 45 to 80 is more strongly marked. The German mortality in infancy is proportionately decidedly greater than that of the Irish, as is well seen in Fig. 7 (p. xxxi), in which a comparison of the deaths of males of the two races is given. The proportion of deaths at adult ages among the Irish males is decidedly greater than it is among the Germans. How far these peculiarities of age distribution in the deaths depend upon different proportions in the numbers living at these ages it is impossible to say with any accuracy, as we do not know the number of living population of Irish and of German parentage at the different ages.

[illegible][illegible]

Table XXI, Part II, shows, for certain grand groups in which color distinctions have been made, the number of deaths of white and colored at each age or group of ages in 1000 deaths of which the ages are known, with distinction of sex. The results of the summary of this table are given in Figs. 8, 9, and 10.

FIG. 8.—DIAGRAM SHOWING FOR GRAND GROUPS 2, 3, 4, 8, 9, 11, 12, 14, and 15, WITH DISTINCTION OF SEX, THE PROPORTION OF DEATHS AMONG WHITES AT EACH AGE AND GROUP OF AGES IN 1000 DEATHS AMONG WHITES OF WHICH THE AGES ARE KNOWN.




FIG. 9.—DIAGRAM SHOWING FOR GRAND GROUPS 2, 3, 4, 8, 9, 10, 11, 12, 14, AND 15, WITH DISTINCTION OF SEX, THE PROPORTION OF DEATHS AMONG COLORED AT EACH AGE AND GROUP OF AGES IN 1000 DEATHS AMONG COLORED OF WHICH THE AGES ARE KNOWN.




Fig. 8 shows for the deaths among the white population in this region the proportion of deaths at each age, with distinction of sex, and Fig. 9 shows the same for the colored population. The excess of mortality at the lower ages in the colored race is well marked in these diagrams, and is brought out more distinctly in Fig. 10 (p. xxxiii), in which the deaths of the male whites and the male colored are compared.

The excess of mortality in females at the child-bearing ages is well marked in Fig. 9.

The relations of age to certain special causes of death will be considered and illustrated in a subsequent part of this report.

[illegible]

SECTION V.—COLOR, RACE, ETC., IN RELATION TO MORTALITY.

Taking those states east of the Mississippi river which have the largest proportion of colored population, viz, Alabama, District of Columbia, Florida, Georgia, Kentucky, Maryland, Mississippi, North and South Carolina, Tennessee, Virginia, and Louisiana (including in this last that part west of the river also), we find that the total

white population is 8,053,962, and the number of deaths of whites recorded is 113,110, giving a death rate of 14.04 per 1000. The colored population of the same states is 5,303,267, and the number of deaths among these is reported as 91,328, giving a death rate of 17.22 per 1000.

In this section of the country the deficiencies in the enumerators' returns of deaths are above the average, and they are greater for the colored than for the white population, so that the difference between the mortality rates of the two races is greater than that indicated above.

Table XI affords materials for a study of the influence of race in relation to the cause of death, so far as the negro is concerned. The localities selected for this purpose are those in which the proportion of the colored population is sufficiently large to make of value a separate compilation of the facts relating to them.

The same distinction is made in Table XXI, Part II, and some of the peculiarities thus indicated will be referred to in commenting on some of the principal causes of death.

Table XII indicates the relations of Irish or German parentage to causes of death for those parts of the country in which the proportion of population of Irish and German descent is greatest. Unfortunately, as explained in the prefatory remarks, we have not the number of living population of Irish and German descent at the several ages to compare with the figures of this table, but the data given afford material for some interesting comparisons among themselves, as will be indicated hereafter.

Table XX, Part II, shows, for those grand groups containing the larger number of persons of Irish and German parentage, the proportions of death at each age and group of ages in one thousand deaths of which the ages are known, for the Irish and German races.

In comparing Tables XX and XXI, Part II, with each other, and with Table XVI, Part II, which shows the proportion of deaths at different ages for the whole population, it must be borne in mind that the proportion of adults is much greater in the population of Irish and German descent, a large part of which is derived from direct immigration, than it is in the native whites and colored; and hence that in the latter there will be a greater proportion of deaths in infancy and childhood. Thus, among the Irish males the number of deaths under 1 year of age out of 1000 deaths reported is 153.59, and among the German males of the same age, 211.95; while for the population of the whole country the proportion of deaths per 1000 which occur under 1 year of age in males is 248.22, and in the southern groups it is, for the white males, 252.86, and for the colored, 296.12. The proportion of deaths occurring under 5 years of age is greater among the German than among the Irish, being for the former, males, 357.66; females, 373.86, and for the latter, males, 265.55; females, 246.82 per 1000 of all deaths.

In the southern groups, among the colored population, over half the deaths of males reported, or 507.16 per 1000, occur under 5 years of age, and for the colored females, 438.47 deaths out of every 1000 reported are under 5 years. This excess of infantile mortality in the colored race occurs in each grand group in which the distinction of color is made, and is the main cause of the excess of mortality in the colored race over the white.

Tables IX and X, giving the deaths of the Chinese and Indian population of the United States by age and sex, with specification of cause, are compiled from data which are so imperfect that no comparisons can be drawn between the number of deaths in these races to the number of living population; and the number of deaths reported is so small that it is necessary to be very cautious in drawing conclusions as to the proportion which one class of deaths bears to others, or which the number of deaths at any given age bears to those of other ages.

Table X shows the number of deaths as occurring among Indians not collected on reservations. Some statistics relating to the Indians on reservations were collected under the direction of Major J. W. Powell, Director of the United States Geological Survey, and from the data furnished by him the following tables have been compiled. It will be seen that the census enumerators report 903 deaths among Indians, of which 463 were males and 440 females. The data collected on the reservations under the direction of Major Powell include 1,859 deaths—974 males, 864 females, with 21 of unknown sex. These 1,859 deaths are reported as occurring in a population of 78,521 persons, giving a death rate of 23.6 per 1000.

TABLE 12.—SHOWING FOR A TOTAL POPULATION OF 78,521 INDIANS, COLLECTED ON RESERVATIONS, THE NUMBER REPORTED AS DYING DURING THE CENSUS YEAR, WITH DISTINCTION OF SEX AND OF CERTAIN CAUSES OF DEATH.

Deaths from—	Total.	Male.	Female.	UNDER 5 YEARS.		ABOVE 5 YEARS.		UNKNOWN.		Remarks.
				Male.	Female.	Male.	Female.	Male.	Female.	
Total.....	1,859	974	864	267	253	354	332	365	267	
Measles.....	109	57	52	4	6	4	7	49	39	
Scarlet fever.....	14	8	6	5	2	2	2	1	2	
Diphtheria.....	*61	23	37	16	21	6	13	1	3	* 1 sex and age unknown.
Enteric fever.....	27	10	17	3	2	5	6	3	8	
Diarrhoeal diseases.....	133	68	65	37	38	8	12	23	15	
Malarial diseases.....	*56	32	21	7	11	9	5	16	5	* 3 sex and age unknown.
Erysipelas.....	11	6	5	2	2	3		1	3	
Veneral diseases.....	57	34	23	5	4	17	10	12	9	

TABLE 12—Continued.

Diseases.	Total.	Male.	Female.	UNDER 5 YEARS.		ABOVE 5 YEARS.		UNKNOWN.		Remarks.
				Male.	Female.	Male.	Female.	Male.	Female.	
Parasitic diseases.....	12	10	2	8	2	2				* 2 sex and age unknown.
Rheumatism.....	7	4	3			4	3			
Scrofula and tabes.....	59	28	31	12	13	5	7	11	11	
Consumption.....	*342	179	161	27	15	109	117	43	29	
Cancer.....	5	2	3			1	3	1		
Tumor.....	3	1	2			1	1		1	* 1 sex and age unknown.
Diseases of the nervous system....	64	33	31	13	14	15	11	8	3	
Diseases of the circulatory system..	33	22	11	1	1	17	11	3		
Diseases of the respiratory system..	76	33	43	6	10	1	2	26	31	
Bronchitis.....	16	9	7	5	1	2	2	2	4	
Pneumonia.....	109	69	40	10	14	41	22	18	4	
Diseases of the digestive system....	*36	18	17	6	5	5	5	7	7	
Diseases of the urinary system....	10	8	2	1		4	2	3		
Diseases of the generative system..	6		6				4		2	
Dis. connected with pregnancy.....	27		27				27			
Diseases of the bones and joints....	3	2	1	1		1		1		* 14 sex and age unknown.
Dis. of the skin and cellular tissue..	3	1	2	1	1			1		
Diseases of the spleen.....										
Accidents and injuries.....	102	63	39	3	8	43	20	20	8	
Other diseases and unknown causes	*478	254	210	94	83	49	40	115	83	

Table 13 shows for the whites and the colored in those grand groups in which the distinction of color is tabulated, viz, Grand Groups 2, 3, 4, 8, 9, 10, 11, 12, 14, and 15, and for the total deaths reported among Indians in the United States, including both those on and off the reservations, the total number of deaths, and the number of deaths from certain specified causes, with distinction of sex:

TABLE 13.—DEATHS FROM SPECIFIED CAUSES AMONG WHITES, COLORED, AND INDIANS.

Deaths from—	WHITES.			COLORED.			INDIANS.			Sex not stated.
	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	
Grand total.....	344,856	178,011	166,845	107,873	53,359	54,514	2,762	1,437	1,304	21
Measles.....	3,029	1,435	1,594	1,715	920	795	124	62	62	
Scarlet fever.....	7,009	3,441	3,568	372	187	185	21	13	8	
Diphtheria.....	13,152	6,360	6,792	1,680	862	818	75	26	48	1
Enteric fever.....	11,170	5,753	5,417	3,064	1,488	1,576	49	24	25	
Diarrhoeal diseases.....	13,006	6,871	6,135	3,516	1,881	1,635	161	84	77	
Malarial fever.....	10,132	5,068	5,064	4,665	2,393	2,272	84	45	36	3
Venereal diseases.....	563	301	262	299	158	141	70	40	30	
Scrofula and tabes.....	2,072	1,037	1,035	1,547	775	772	69	32	37	
Consumption.....	41,633	18,638	22,995	13,430	5,304	8,126	576	291	283	2
Cancer and tumor.....	7,087	2,637	4,450	952	238	714	17	8	9	
Diseases of the nervous system.....	39,328	21,162	18,166	9,360	4,897	4,463	108	57	51	
Diseases of the circulatory system.....	13,662	7,014	6,648	2,664	1,230	1,434	42	28	14	
Bronchitis.....	5,689	2,910	2,779	1,239	648	591	20	11	9	
Pneumonia.....	27,207	15,197	12,010	10,186	5,655	4,531	206	128	78	
Other diseases of the respiratory system.....	14,797	8,034	6,763	3,271	1,726	1,545	95	43	52	
Diseases of the digestive system.....	15,475	8,236	7,239	4,797	2,523	2,274	64	35	28	1
Diseases of the urinary system.....	6,346	4,189	2,157	934	674	260	16	13	3	
Diseases of the female organs of generation.....	1,049		1,049	498		498	8		8	
Affections connected with pregnancy.....	3,007		3,007	1,477		1,477	47		47	
Accidents and injuries.....	14,453	10,572	3,881	6,526	3,947	2,579	155	102	53	
Total.....	249,866	128,855	121,011	72,192	35,506	36,686	2,007	1,042	958	7
Other diseases and unknown causes.....	94,990	49,156	45,834	35,681	17,853	17,828	755	395	346	14

From the data given above has been computed the following table (Table 14), showing for whites, colored, and Indians the proportion per 1000 of known causes dying from each of certain specified causes, and thus indicating the relative frequency of these causes of deaths among whites, colored, and Indians, respectively. It will be found interesting to compare this with Table XV, Part II, giving corresponding data for the total population of the country.

TABLE 14.—SHOWING FOR WHITES, COLORED, AND INDIANS THE PROPORTION OF DEATHS FROM CERTAIN SPECIFIED CAUSES, PER 1000 TOTAL DEATHS OF WHICH THE CAUSES ARE KNOWN.

Deaths from—	WHITES.			COLORED.			INDIANS.		
	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
Measles	12.12	11.13	13.17	23.75	25.91	21.67	61.78	59.50	64.71
Scarlet fever	28.05	26.70	29.48	5.15	5.26	5.04	10.46	12.47	8.35
Diphtheria	52.63	49.35	56.12	23.27	24.27	22.29	37.36	24.95	50.10
Enteric fever	44.70	44.64	44.67	42.44	41.90	42.95	24.41	23.03	26.09
Diarrhœal diseases	52.05	53.32	50.69	48.70	52.97	44.56	80.21	80.61	80.37
Malarial fever	40.54	39.33	41.84	64.61	67.39	61.93	41.85	43.18	37.57
Venereal diseases	2.25	2.33	2.16	4.14	4.44	3.84	34.87	38.38	31.31
Scrofula and tabes	8.29	8.04	8.55	21.42	21.82	21.04	34.37	30.71	38.62
Consumption	166.62	144.64	190.02	186.03	149.38	221.50	286.99	279.27	295.40
Cancer and tumor	28.36	20.46	36.77	13.18	6.70	19.46	8.47	7.67	9.39
Diseases of the nervous system	157.39	164.23	150.11	129.65	137.92	121.65	53.81	54.70	53.23
Diseases of the circulatory system	54.67	54.51	54.93	36.90	34.64	39.08	20.92	26.87	14.61
Bronchitis	22.76	22.58	22.96	17.16	18.25	16.10	9.96	10.55	9.39
Pneumonia	108.88	117.93	99.24	141.09	159.26	123.50	102.64	122.84	81.41
Other diseases of the respiratory system	59.21	62.36	55.88	45.30	48.61	42.11	47.33	41.26	54.27
Diseases of the digestive system	61.93	63.91	59.82	66.44	71.05	61.98	31.88	33.58	29.22
Diseases of the urinary system	25.39	32.50	17.81	12.93	18.98	7.08	7.97	12.47	3.13
Diseases of the female-organs of generation	8.66		8.66	13.57		13.57	8.35		8.35
Affections connected with pregnancy	24.84		24.84	40.26		40.26	49.06		49.06
Accidents and injuries	57.84	82.04	32.07	90.39	111.16	70.29	77.22	97.98	55.32

(See Fig. 11, p. xxxvii.)

This table indicates that the proportion of deaths among Indians from measles, diarrhœal diseases, malarial fever, venereal diseases, scrofula, consumption, affections connected with pregnancy, and accidents and injuries, is greater than among the whites, while the deaths from scarlet fever, diphtheria, typhoid fever, cancer, diseases of the nervous system, diseases of the circulatory system, bronchitis, pneumonia and other diseases of the respiratory system, and diseases of the urinary organs, are less in proportion among the Indians.

The high proportion of deaths among the Indians which is reported as due to venereal diseases is noteworthy, but probably a part of this is due to a greater readiness to name the true cause among these people than exists among the whites.


We have no means of estimating the amount of deficiency in these reports of deaths among Indians, but it is probably at least as great as that among the colored population.

The variations in the death rates among Indians according to locality are shown in the following table:

TABLE 15.—SHOWING, WITH DISTINCTION OF SEX, FOR INDIANS ON RESERVATIONS IN CERTAIN STATES AND TERRITORIES THE NUMBER OF DEATHS AND THE PROPORTION PER 1000 OF LIVING POPULATION.

States and Territories.	NUMBER OF DEATHS.				Population.	Deaths per 1000 of population.
	Total.	Male.	Female.	Unknown.		
Total	1,858	975	862	21	78,521	23.6
Arizona	48	19	17	12	5,898	8.1
California	93	49	43	1	4,211	22.0
Dakota	269	137	132		17,092	15.7
Idaho	56	29	27		2,782	20.1
Indian territory	264	142	122		9,379	28.1
Iowa	14	3	7	4	360	38.8
Kansas	34	19	15		611	55.6
Michigan	275	145	126	4	8,888	30.9
Montana	175	89	86		8,417	20.7
Nebraska	93	50	43		1,254	74.1
Nevada	145	80	65		4,564	31.7
North Carolina	35	18	17		1,689	20.7
Oregon	100	52	48		4,156	24.0
Pennsylvania	6	6			164	36.5
Utah	10	5	5		466	21.4
Washington	192	104	88		7,937	24.1
Wisconsin	49	28	21		653	75.0

FIG. 11.—DIAGRAM SHOWING FOR WHITES, COLORED, AND INDIANS, THE PROPORTION OF DEATHS FROM SPECIFIED DISEASES IN 1000 DEATHS FROM KNOWN CAUSES.



Notwithstanding the imperfection of the data relative to deaths among Indians, these figures are the most extensive and complete which have yet been gathered with regard to the mortality of this race, and it seems very evident that the death rate among them is a comparatively high one, being probably not far from 30 per 1000.

An important question in this connection is as to how far the excessive mortality in the colored population is due directly to race characteristics, that is to less vital force or capacity to resist disease and death, or to peculiar susceptibility to certain destructive forms of disease; and how far it is due to the fact that the great mass of the colored population is poor and ignorant, lives in the midst of unhealthy surroundings, in the dampest and dirtiest parts of cities, has poor food, and is, in other respects, unusually exposed to well-recognized causes of disease. If we could separate the vital statistics of the poor and ignorant whites, the tenement-house population of our northern cities, from those of the mass of the white population, we should undoubtedly find a high rate of mortality in this class, and especially in infancy and childhood.

That the colored race is peculiarly liable to certain forms of disease, and is less liable than the white race to certain other forms of disease, will appear when we come to consider the statistics of individual causes of death; but when we take into account the effects of climate and soil moisture, the great majority of the colored population being in the South, it is hard to say whether the negro in this region, under the same circumstances as the white, would be shorter lived or not.



In the rural districts the mortality of the negro is not excessive; it is in the cities and towns, where he is brought into close contact with the evils and vices of civilization, that he dies so rapidly.

The same considerations apply, to a considerable extent, in the study of the mortality of the Irish and Germans, and of the Indians.

I do not mean to assert that race has no influence *per se* on longevity, but as yet we have not sufficiently accurate and complete data to prove what this influence is. This remark has reference to gross mortality rates or to longevity only; when we come to consider the mortality at different ages or from different causes, the influence of race becomes very evident. Fig. 12 (p. xxxix) shows for Irish and German parentage, and Fig. 13 (p. xxxix) for white and colored, some of the relations of race to certain causes of death. This, however, will be more fully discussed in speaking of individual causes of death.

TABLE 16.—SHOWING FOR TEN GRAND GROUPS, 2, 3, 4, 8, 9, 10, 11, 12, 14, 15, WITH DISTINCTION OF WHITE AND COLORED, AND FOR FOURTEEN GRAND GROUPS, 1, 2, 5, 6, 7, 8, 10, 13, 16, 17, 18, 19, 20, 21, WITH DISTINCTION OF IRISH AND GERMAN PARENTAGE, THE NUMBER OF DEATHS FROM CERTAIN SPECIFIED CAUSES IN 1000 DEATHS FROM ALL CAUSES.

Deaths from—	White.	Colored.	Irish parentage.	German parentage.
Abortion	0.9	1.4	0.5	0.8
Accidents and injuries	43.8	67.6	61.0	52.5
Alcoholism	2.5	0.7	6.7	2.7
Cancer	19.1	7.8	24.3	25.8
Child-birth	13.9	24.8	14.1	18.3
Consumption	126.2	139.1	198.4	123.6
Croup	26.1	21.8	15.1	23.2
Diphtheria	39.8	17.4	42.1	72.7
Diseases of the bones and joints	3.1	2.0	3.1	2.5
Diseases of the digestive system	46.8	49.6	43.8	47.1
Diseases of the nervous system	119.1	96.9	94.7	109.4
Enteric fever	33.9	31.7	17.4	29.6
Heart disease and dropsy	56.1	64.5	62.3	60.9
Hooping-cough	14.3	33.0	6.0	8.4
Infanticide	0.05	0.14		0.02
Malarial fever	30.7	48.3	12.9	14.1
Measles	9.1	17.7	5.3	8.5
Peritonitis	4.9	2.1	6.8	6.4
Pleurisy	2.7	3.7	2.9	2.6
Pneumonia	82.5	105.5	89.1	82.1
Puerperal septicæmia	12.6	10.2	12.5	15.7
Scarlet fever	20.9	3.9	24.0	30.1
Scrofula and tabes	6.2	16.0	2.7	2.6
Still-born	36.4	39.6	24.7	34.9
Suicide	3.2	0.5	2.7	7.2
Tetanus and trismus nascentium	3.1	9.3	1.6	2.2
Venereal diseases	1.7	3.0	1.4	1.3




SECTION VI.—MONTH OR SEASON IN RELATION TO DEATHS.

That the general death rate varies with the season, and more especially that the mortality from certain causes depends very largely upon temperature, humidity, and the movements of the atmosphere, is well known.

In attempting to ascertain from the census records what the influence of month or season in certain regions is as regards either the general death rate or the death rate from certain specified causes, we are met by special difficulties, owing to the fact that by the method of collecting the records of deaths at the end of the year the deficiency in the number of deaths reported increases in proportion to the distance of time from the date of enumeration, owing to defective memory on the part of those furnishing the information to the enumerator, and to migrations, extinctions of families, etc., and hence that the results of tabulating such data must be used with caution, except where they are derived from a system of current registration, as in Massachusetts and New Jersey and the large cities.

The deficiency due to the lapse of time between the date of the death and the date of collecting the information with regard to it has been calculated for the state of Michigan by Dr. H. B. Baker, (*a*) secretary of the state board of health. Upon comparing the results of the enumerations of death made for the Ninth United States Census,

FIG. 14.—DIAGRAM SHOWING FOR MASSACHUSETTS AND NEW JERSEY, BY MONTHS, THE PERCENTAGE OF DEFICIENCY OF THE ENUMERATORS' RETURNS OF DEATHS IN THE CENSUS OF 1880.



for the year ending June 1, 1870, with the statistics collected by the state officials in May, 1870, and May, 1871, he concluded that the discrepancy between the statistics collected by the two classes of officers was mainly due to the length of time which had elapsed between the date of death and the time of collection. The enumeration of deaths was performed by the census marshals in the same manner as by the supervisors, and he therefore assumed that the omissions were in about the same proportion.

From this he concluded that a "delay of one year in returns results in omissions which require that the deaths returned be increased by 98.09 per cent., and that the delay of one month requires that they be increased to one-tenth 98.09 per cent., with corresponding proportions for intervening periods of time". From these data he concludes (page 162) "that the 9,040 deaths returned by registration officers would have been 16,802 if enumerated in months of occurrence".

I have had somewhat similar calculations made for the states of Massachusetts and New Jersey and for certain cities. For these states and cities the actual number of deaths occurring in each month is given by a fairly satisfactory system of registration, based on burial certificates.

a Fifth annual Report of the Secretary of State of the State of Michigan, relative to the registering and return of births, marriages, and deaths for the year 1871. Lansing, 1874, pages 158-163.

The following table (Table 17) shows the number of deaths reported by registration and by the census enumerators, respectively, with distinction of sex, for each month of the census year in the states of Massachusetts and New Jersey and in five specified cities:

TABLE 17.

Months.	New Jersey.	Massachusetts (exclusive of Boston).	Milwaukee, Wisconsin.	Wilmington, Delaware.	Providence, Rhode Island.	Pittsburgh, Pennsylvania.	Richmond, Virginia.
Registration returns, total.....	18,474	25,050	2,369	910	2,259	3,293	1,574
Enumerators' returns, total.....	13,534	19,781	1,516	538	1,594	2,056	1,088
Registration returnsM.	9,524	12,361	1,267	452	1,126	1,688	781
Enumerators' returnsM.	7,271	10,070	853	296	883	1,112	557
Registration returnsF.	8,950	12,689	1,102	458	1,133	1,605	793
Enumerators' returnsF.	6,263	9,711	663	242	711	944	531
R. R., June, 1879.....M.	637	881	91	38	64	108	79
E. R., June, 1879.....M.	472	677	53	20	42	57	49
R. R., June, 1879.....F.	625	936	66	26	71	120	83
E. R., June, 1879.....F.	413	646	39	15	45	54	55
R. R., July, 1879.....M.	1,030	1,145	123	40	94	182	64
E. R., July, 1879.....M.	621	752	62	23	76	96	33
R. R., July, 1879.....F.	945	1,076	96	47	109	171	83
E. R., July, 1879.....F.	532	687	42	16	46	95	46
R. R., August, 1879.....M.	967	1,233	128	31	96	159	76
E. R., August, 1879.....M.	625	947	81	25	72	111	47
R. R., August, 1879.....F.	888	1,146	124	45	87	162	67
E. R., August, 1879.....F.	561	860	61	13	54	87	39
R. R., September, 1879.....M.	735	959	122	26	68	136	67
E. R., September, 1879.....M.	529	743	74	18	38	92	35
R. R., September, 1879.....F.	733	994	102	32	74	120	73
E. R., September, 1879.....F.	438	698	57	16	40	68	41
R. R., October, 1879.....M.	721	913	95	29	92	121	62
E. R., October, 1879.....M.	485	731	45	22	62	83	42
R. R., October, 1879.....F.	643	1,015	74	35	89	89	55
E. R., October, 1879.....F.	430	714	52	16	51	56	34
R. R., November, 1879.....M.	658	883	91	45	103	117	53
E. R., November, 1879.....M.	480	673	61	23	77	70	42
R. R., November, 1879.....F.	689	879	66	42	102	124	65
E. R., November, 1879.....F.	437	698	38	17	57	51	36
R. R., December, 1879.....M.	741	907	97	36	116	127	65
E. R., December, 1879.....M.	555	759	60	23	104	75	44
R. R., December, 1879.....F.	645	1,010	76	29	108	117	45
E. R., December, 1879.....F.	420	733	50	18	72	55	37
R. R., January, 1880.....M.	769	1,009	91	35	94	136	56
E. R., January, 1880.....M.	613	826	77	16	65	101	45
R. R., January, 1880.....F.	733	1,076	91	36	118	124	61
E. R., January, 1880.....F.	522	856	49	19	60	64	39
R. R., February, 1880.....M.	774	1,020	79	33	104	169	59
E. R., February, 1880.....M.	590	891	60	26	83	98	50
R. R., February, 1880.....F.	718	1,032	103	36	79	123	65
E. R., February, 1880.....F.	524	802	71	20	51	73	41
R. R., March, 1880.....M.	819	1,128	114	48	107	142	66
E. R., March, 1880.....M.	702	972	96	30	93	111	55
R. R., March, 1880.....F.	757	1,257	111	48	91	162	76
E. R., March, 1880.....F.	588	1,014	63	31	77	117	54
R. R., April, 1880.....M.	764	1,153	116	43	96	170	54
E. R., April, 1880.....M.	692	980	83	30	87	120	46
R. R., April, 1880.....F.	809	1,156	81	51	103	179	42
E. R., April, 1880.....F.	632	979	53	38	65	124	44
R. R., May, 1880.....M.	908	1,130	120	48	92	121	78
E. R., May, 1880.....M.	840	1,105	97	40	84	98	69
R. R., May, 1880.....F.	764	1,112	112	31	102	114	76
E. R., May, 1880.....F.	702	1,014	79	23	93	100	65
R. R., unknown.....	1						2
E. R., unknown.....	67	14	4				
R. R., unknown.....	1						2
E. R., unknown.....	64	10	9				

The following table, computed from the preceding, shows by months, for the states of Massachusetts and New Jersey, the proportions between the enumerators' returns and the registration returns, and the progressive increase in the deficiency of the enumerators' returns as indicated by this table is shown in Figure 14 (p. xl).

MORTALITY AND VITAL STATISTICS.

TABLE 18.—SHOWING, FOR MASSACHUSETTS AND NEW JERSEY, BY MONTHS, THE EFFECT OF LAPSE OF TIME UPON THE ENUMERATORS' RETURNS.

Months.	MASSACHUSETTS.			NEW JERSEY.		
	Regis- tration re- turns.	Enumera- tors' re- turns.	Propor- tion of enu- merators' returns to 100 of registration returns.	Regis- tration re- turns.	Enumera- tors' re- turns.	Propor- tion of enu- merators' returns to 100 of registration returns.
June, 1879	1,817	1,323	72.8	1,262	885	70.1
July, 1879	2,221	1,439	64.7	1,975	1,153	58.3
August, 1879	2,379	1,807	75.9	1,855	1,186	63.9
September, 1879	1,953	1,441	73.7	1,468	967	65.8
October, 1879	1,028	1,445	74.9	1,364	915	67.0
November, 1879	1,762	1,371	77.8	1,347	917	68.0
December, 1879	1,917	1,492	77.8	1,386	975	70.3
January, 1880	2,085	1,682	80.6	1,502	1,185	75.5
February, 1880	2,052	1,693	82.5	1,492	1,114	74.6
March, 1880	2,385	1,986	83.2	1,576	1,290	81.8
April, 1880	2,309	1,959	84.8	1,573	1,324	84.1
May, 1880	2,242	2,119	94.5	1,672	1,542	92.2

It will be seen that the proportion of deaths omitted in the enumerators' returns increases in a tolerably regular manner as we go back in time from the date of the enumeration, until we come to the month of June, 1879, a period just a year distant from the time of the census, when the deficiency in the enumerators' returns suddenly diminishes from about 40 per cent., which it was for the preceding month, to about 30 per cent. The explanation of this sudden increase in the proportion of deaths contained in the enumerators' returns for the most distant period of time is, probably, that owing to forgetfulness and confusion of dates after the lapse of so long an interval, a certain number of deaths which really occurred in April or May, 1879, were reported to the enumerators as having occurred in June in that year, and hence were improperly returned as having died during the census year. The proportion of omissions in the enumerators' returns differs according to age and sex, and also according to the intelligence of the class of population making the returns. Those who wish to compute the relative proportion of omissions in various ages, etc., will find some interesting data for this purpose in Tables LII and LIII, Part II, which give for the states of Massachusetts and New Jersey a comparison of the state registration returns and of the enumerators' returns by sex and age, and, in the case of Massachusetts, by color.

The following tables and diagrams show the variation in the deficiencies of the enumerators' returns in relation to age, as shown in the proportion of the number of deaths at each age as reported by registration in Massachusetts and New Jersey to the number reported by the census enumerators for the same ages:

TABLE 19.—SHOWING DIFFERENCE BETWEEN REGISTRATION RETURNS AND ENUMERATORS' RETURNS IN THE STATE OF MASSACHUSETTS IN RELATION TO AGES OF DECEDENTS.

Ages.	Deaths, registration returns.	Deaths, enumerators' returns.	Proportion of enumerators' returns to 100 of registration returns.	Percentage of deficiency in enumerators' returns.
All ages	25,050	19,781	78.96	26.63
Under 5	8,136	5,921	72.77	37.40
5-10	1,120	981	87.58	14.16
10-15	481	417	86.69	15.34
15-20	846	724	85.57	16.85
20-25	1,244	989	79.50	25.78
25-30	1,070	850	79.43	25.88
30-35	924	711	76.94	29.95
35-40	1,003	771	76.86	30.09
40-45	840	669	79.64	25.56
45-50	823	635	77.15	29.60
50-55	819	697	85.10	17.50
55-60	913	752	82.36	21.40
60-65	1,077	899	83.47	19.79
65-70	1,250	1,013	81.04	23.39
70-75	1,292	1,070	82.81	20.74
75-80	1,289	1,057	82.00	21.94
80-85	1,037	890	85.82	16.51
85-90	592	468	79.05	26.49
90-95	221	180	81.44	22.77
95 and over	63	54	86.71	16.66
Unknown	10	33		

FIG. 15.—DIAGRAM SHOWING, WITH DISTINCTION OF CERTAIN PERIODS OF AGES, THE PROPORTION OF ENUMERATORS' RETURNS TO THE REGISTRATION RETURNS OF DEATHS IN MASSACHUSETTS AND NEW JERSEY.

(Registration returns=100.)




FIG. 16.—DIAGRAM SHOWING, WITH DISTINCTION OF CERTAIN GROUPS OF AGES, THE PROPORTION OF DEATHS PER 1000 OF LIVING POPULATION, REPORTED BY REGISTRATION, TO DEATHS REPORTED BY ENUMERATORS IN NEW JERSEY.




TABLE 20.—SHOWING DIFFERENCE BETWEEN REGISTRATION RETURNS AND ENUMERATORS' RETURNS IN THE STATE OF NEW JERSEY IN RELATION TO AGES OF DECEDENTS.

Ages.	Deaths, registration returns.	Deaths, enumerators' returns.	Proportion of enumerators' returns to registration returns.	Percentage of deficiency in enumerators' returns.
All ages	18,474	13,534	73.25	36.50
Under 5.....	7,027	4,891	69.60	43.67
5-10.....	887	697	78.57	27.25
10-15.....	405	350	86.41	15.71
15-20.....	515	422	81.94	22.03
20-25.....	813	627	77.12	29.66
25-30.....	703	518	73.68	35.71
30-35.....	695	513	73.81	35.47
35-40.....	720	576	80.00	25.00
40-45.....	675	492	72.88	37.19
45-50.....	667	468	70.16	42.52
50-55.....	670	527	78.65	27.13
55-60.....	698	507	72.63	37.67
60-65.....	762	590	77.42	29.15
65-70.....	759	529	69.69	43.47
70-75.....	737	575	78.01	28.17
75-80.....	690	530	76.81	30.18
80-85.....	537	379	70.57	41.68
85-90.....	252	177	70.23	42.37
90-95.....	94	68	72.34	38.23
95 and over	37	28	75.67	32.14
Unknown.....	131	70		

TABLE 21.—SHOWING DIFFERENCE BETWEEN REGISTRATION RETURNS OF DEATHS AND ENUMERATORS' RETURNS OF DEATHS IN THE STATE OF NEW JERSEY PER 1000 OF LIVING POPULATION, WITH DISTINCTION OF AGE.

Ages.	Living popula- tion.	Deaths, registration returns.	Deaths, enumerators' returns.	Per 1000 of living popula- tion according to registration returns.	Per 1000 of living popula- tion according to enumerators' returns.
All ages	1,131,116	18,474	13,534	16.33	11.96
Under 5.....	134,716	7,027	4,891	52.16	36.30
5-10.....	130,809	887	697	6.78	5.32
10-15.....	120,424	405	350	3.36	2.90
15-20.....	111,584	515	422	4.61	3.78
20-25.....	108,721	813	627	7.47	5.76
25-30.....	90,507	703	518	7.76	5.72
30-35.....	80,443	695	513	8.63	6.37
35-40.....	78,918	720	576	9.12	7.29
40-45.....	65,809	675	492	10.25	7.47
45-50.....	54,483	667	468	12.24	8.58
50-55.....	47,309	670	527	14.16	11.13
55-60.....	32,998	698	507	21.15	15.36
60-65.....	29,153	762	590	26.13	20.23
65-70.....	18,966	759	529	40.01	27.89
70-75.....	13,374	737	575	55.10	42.99
75-80.....	7,464	690	530	92.44	71.00
80-85.....	3,595	537	379	149.37	105.42
85-90.....	1,358	252	177	185.56	130.33
90-95.....	376	94	68	250.00	180.85
95 and over	109	37	28	339.44	256.88
Unknown.....		131	70		

From these it will be seen that the deficiency is greatest at the two extremes of life, viz, under 5 years of age and over 80.

It should be remembered in examining the relations of causes of death to month of death, that the cause of the fatal illness precedes the day of death in each case by some unknown period. When, therefore, we have a higher mortality for a given period, as, for instance, the month of May, this is not to be taken as showing that injurious influences to health were necessarily specially prevalent in that month, since the real causes producing the deaths may have been acting in the March or April preceding. The length of time elapsing between the immediate causes of the fatal illness and its final termination varies, of course, with different diseases.

FIG. 17.—DEATHS BY MONTHS IN MASSACHUSETTS, EXCLUSIVE OF BOSTON, SHOWING FOR EACH MONTH THE PROPORTION PER 1000 OF TOTAL DEATHS OCCURRING DURING THE YEAR.





FIG. 18.—DEATHS BY MONTHS IN NEW JERSEY, SHOWING FOR EACH MONTH THE PROPORTION PER 1000 OF TOTAL DEATHS OCCURRING DURING THE YEAR.



It is so brief, for example, in the acute diarrhœal affections of infancy, that it may be only a day or two, while in some diseases of the respiratory organs its duration is to be reckoned by months. For the reasons indicated above, it has not been thought worth while to make any detailed studies of the distribution of deaths in relation to the month or season of death for state groups or for grand groups. It is only in those cities and states where the deaths have been registered at the time of their occurrence that the data are sufficiently complete to make such computations scientifically valuable, although, no doubt, here and there some interesting suggestions can be obtained from them if taken in conjunction with the meteorological records of the several regions. The necessary data for such studies are given in Table XIV, Part II. The relations of season to deaths from certain specific causes will be referred to hereafter in discussing special causes of death.

The following tables and diagrams show the influence of season upon general mortality for the thirty-one cities whose registration reports were obtained, these being the only localities from which the returns of deaths are sufficiently complete to make such calculations of any value, without corrections and adjustments:

TABLE 22.—SHOWING DEATHS REPORTED BY REGISTRATION RETURNS FOR 31 LARGE CITIES, WITH DISTINCTION OF MONTHS, AND THE PROPORTION FOR EACH MONTH PER 1000 OF TOTAL DEATHS OF WHICH THE MONTHS ARE KNOWN.

Months.	DEATHS.			PER 1000 OF DEATHS OF WHICH THE MONTHS ARE KNOWN.		
	Total.	Male.	Female.	Total.	Male.	Female.
Total for year.....	147, 158	77, 725	69, 933	-----	-----	-----
January	11, 810	6, 110	5, 700	80. 25	79. 12	81. 50
February	11, 762	6, 180	5, 582	79. 92	80. 02	79. 82
March	12, 419	6, 446	5, 973	84. 39	83. 47	85. 41
April	12, 896	6, 704	6, 192	87. 63	86. 81	88. 54
May	12, 911	6, 900	6, 011	87. 73	89. 34	85. 95
June	11, 573	6, 090	5, 483	78. 64	78. 86	78. 40
July	15, 566	8, 245	7, 321	105. 77	106. 76	104. 68
August	13, 106	6, 906	6, 200	89. 06	89. 42	88. 65
September	11, 294	5, 956	5, 338	76. 74	77. 12	76. 33
October	10, 881	5, 717	5, 164	73. 94	74. 03	73. 84
November	11, 107	5, 777	5, 330	75. 47	74. 80	76. 21
December	11, 829	6, 192	5, 637	80. 38	80. 18	80. 60
Month unknown	4	2	2	-----	-----	-----

For the individual registration cities the data of deaths by months are given in Table XXII, Part II.

TABLE 23.—SHOWING DEATHS IN MASSACHUSETTS (EXCLUSIVE OF BOSTON) AND NEW JERSEY, WITH DISTINCTION OF MONTHS, AND PROPORTION FOR EACH MONTH PER 1000 OF TOTAL DEATHS OF WHICH THE MONTHS ARE KNOWN.

Months.	MASSACHUSETTS.						NEW JERSEY.					
	Deaths.			Per 1000 of deaths of known months.			Deaths.			Per 1000 of deaths of known months.		
	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
June, 1879	1, 817	881	936	72. 5	71. 2	73. 7	1, 262	637	625	68. 3	66. 8	69. 8
July, 1879	2, 221	1, 145	1, 076	88. 6	92. 6	84. 7	1, 975	1, 030	945	106. 9	108. 1	105. 5
August, 1879	2, 379	1, 233	1, 146	94. 9	99. 7	90. 3	1, 855	967	888	100. 4	101. 5	99. 2
September, 1879	1, 953	959	994	77. 9	77. 5	78. 3	1, 468	735	733	79. 4	77. 1	81. 8
October, 1879	1, 928	913	1, 015	76. 9	73. 8	79. 9	1, 364	721	643	73. 8	75. 7	71. 8
November, 1879	1, 762	883	879	70. 3	71. 4	69. 2	1, 347	658	689	72. 9	69. 0	76. 9
December, 1879	1, 917	907	1, 010	76. 5	73. 3	79. 5	1, 386	741	645	75. 0	77. 8	72. 0
January, 1880	2, 085	1, 009	1, 076	83. 2	81. 6	84. 7	1, 502	769	733	81. 3	80. 7	81. 8
February, 1880	2, 052	1, 020	1, 032	81. 9	82. 5	81. 3	1, 492	774	718	80. 7	81. 2	80. 2
March, 1880	2, 385	1, 128	1, 257	95. 2	91. 2	99. 0	1, 576	819	757	85. 3	85. 9	84. 5
April, 1880	2, 309	1, 153	1, 156	92. 1	93. 2	91. 1	1, 573	764	809	85. 1	80. 2	90. 3
May, 1880	2, 242	1, 130	1, 112	89. 5	91. 4	87. 6	1, 672	908	764	90. 5	95. 3	85. 3
Month unknown	-----	-----	-----	-----	-----	-----	2	1	1	-----	-----	-----
Aggregate	25, 050	12, 361	12, 689	-----	-----	-----	18, 474	9, 524	8, 950	-----	-----	-----

TABLE 24.—SHOWING FOR MASSACHUSETTS, EXCLUSIVE OF BOSTON, THE DEATHS BY MONTHS AND PERIODS OF AGES, AND THE PROPORTION FOR EACH MONTH, OF DEATHS AT CERTAIN PERIODS OF AGES TO TOTAL DEATHS OF EACH MONTH.

Months.	Total.	Under 5.	5 to 20.	20 to 60.	60 and over.	Age unknown.	PER 1000.			
							Under 5.	5 to 20.	20 to 60.	60 and over.
January	2,085	641	201	663	580		307.43	96.40	317.98	278.17
February	2,052	624	194	647	587		304.09	94.54	315.30	286.06
March	2,385	702	213	709	760	1	294.80	89.35	297.69	318.65
April	2,309	641	231	714	723		277.60	100.04	309.22	313.12
May	2,242	664	216	703	659		296.16	96.34	313.55	293.93
June	1,817	510	204	595	507	1	280.68	112.32	327.46	279.03
July	2,221	912	200	639	469	1	410.62	90.04	287.70	211.16
August	2,379	1,030	196	611	541	1	432.95	82.38	256.83	227.40
September	1,953	689	169	621	473	1	352.27	86.53	317.97	242.19
October	1,928	626	212	600	488	2	324.68	110.47	311.20	253.11
November	1,762	544	185	538	494	1	308.74	104.99	305.33	280.36
December	1,917	553	226	596	540	2	288.47	117.89	310.90	281.69

TABLE 25.—SHOWING FOR NEW JERSEY THE DEATHS BY MONTHS AND PERIODS OF AGES AND THE PROPORTION FOR EACH MONTH OF DEATHS AT CERTAIN PERIODS OF AGES TO TOTAL DEATHS OF EACH MONTH.

Months.	Total.	Under 5.	5 to 20.	20 to 60.	60 and over.	Age unknown.	IN 1000.			
							Under 5.	5 to 20.	20 to 60.	60 and over.
January	1,502	457	151	529	353	12	304.26	100.53	352.19	235.01
February	1,492	529	136	475	339	13	354.55	91.15	318.36	226.91
March	1,576	545	142	490	388	11	345.81	90.10	310.91	246.19
April	1,573	541	154	521	345	12	343.92	97.90	331.21	219.32
May	1,672	579	176	540	364	13	346.29	105.26	322.96	217.70
June	1,262	479	160	364	251	8	379.55	126.78	288.43	198.89
July	1,975	1,016	146	479	316	18	514.43	73.92	242.53	160.00
August	1,855	897	147	476	325	10	483.55	79.24	256.60	175.20
September	1,468	540	150	461	307	10	367.84	102.17	314.03	209.12
October	1,364	519	139	430	267	9	380.49	101.90	315.24	195.74
November	1,347	443	159	450	289	6	328.87	118.04	334.07	214.55
December	1,386	482	147	426	324	7	347.76	106.06	307.35	233.76

From these tables it appears that in Massachusetts the greatest proportion of deaths occurs in the months of March, August, April, May, and July, in the order named; and that in New Jersey the greatest proportion of deaths occurs in July and August, there being a second maximum for March and May. The high mortality in the summer months is due mainly to deaths occurring among infants from diarrhoeal affections. In Massachusetts the months of greatest mortality for children under 5 years of age are in the order named, August, July, September, and November, while for adults from 20 to 60 years of age the maximum mortality occurs in June, and next to this in January; and for persons of 60 years of age and over, the months of greatest mortality are March, April, and February. In New Jersey the months of maximum mortality for children under 5 years of age are July, August, and June; for persons of 20 to 60 years of age they are January, November, and April; and for those of 60 years of age and over they are March, December, January, and February. Excessive heat is most fatal to infants, excessive cold to the aged.

The question as to the influence which the meteorological conditions of a given period have exerted in a given locality is often one of considerable importance in attempts to estimate the comparative healthfulness of different localities or of the same locality at different periods. For example, the death rate of a city may be 2 or 3 per 1000 less this year than it was last year, owing to the fact that this summer was cooler and had fewer sudden changes of temperature than the preceding one, and yet the city may have been, with the exception of the infantile population, more unhealthy this year than it was last. It is for this reason that the distinction of age to a certain extent should be given in tabulations of deaths by months or seasons, although it is not usual to do so, and the distinctions of age given in Table XIV, Part II, are the first of the kind made use of in census work.

The data given in Table XXII, Part II, showing for each of the 31 cities having registration of deaths the number of deaths for each month, with distinction of age and sex, will be found especially valuable for the study of influence of season on gross-mortality rates.

APPENDIX.

APPENDIX.

List of counties composing each state group, in alphabetical order.

A L A B A M A.

GROUP 1.

Baldwin. Mobile.

GROUP 2.

Blount.	Colbert.	Franklin.	Lawrence.	Marshall.	Shelby.
Calhoun.	Cullman.	Jackson.	Limestone.	Morgan.	Walker.
Cherokee.	De Kalb.	Jefferson.	Madison.	Saint Clair.	Winston.
Cleburne.	Etowah.	Lauderdale.			

GROUP 3.

Autauga.	Clarke.	Dale.	Hale.	Marion.	Russell.
Barbour.	Clay.	Dallas.	Henry.	Monroe.	Sumter.
Bibb.	Coffee.	Elmore.	Lamar.	Montgomery.	Talladega.
Bullock.	Conecuh.	Escambia.	Lee.	Perry.	Tallapoosa.
Butler.	Coosa.	Fayette.	Lowndes.	Pickens.	Tuscaloosa.
Chambers.	Covington.	Geneva.	Macon.	Pike.	Washington.
Chilton.	Crenshaw.	Greene.	Marengo.	Randolph.	Wilcox.
Choctaw.					

A R I Z O N A.

The territory forms one group.

A R K A N S A S.

GROUP 1.

Chicot.	Crittenden.	Desha.	Lee.	Mississippi.	Poinsett.
Craighead.	Cross.	Jefferson.	Lincoln.	Phillips.	Saint Francis.

GROUP 2.

Arkansas.	Conway.	Hempstead.	Logan.	Perry.	Sebastian.
Ashley.	Crawford.	Hot Spring.	Lonoke.	Pike.	Sevier.
Baxter.	Dallas.	Howard.	Madison.	Polk.	Sharp.
Benton.	Dorsey.	Independence.	Marion.	Pope.	Stone.
Boone.	Drew.	Izard.	Miller.	Prairie.	Union.
Bradley.	Faulkner.	Jackson.	Monroe.	Pulaski.	Van Buren.
Calhoun.	Franklin.	Johnson.	Montgomery.	Randolph.	Washington.
Carroll.	Fulton.	La Fayette.	Nevada.	Saline.	White.
Clark.	Garland.	Lawrence.	Newton.	Scott.	Woodruff.
Clay.	Grant.	Little River.	Ouachita.	Searcy.	Yell.
Columbia.	Greene.				

C A L I F O R N I A.

GROUP 1.

Alpine.	Fresno.	Merced.	Placer.	Shasta.	Tehama.
Amador.	Inyo.	Modoc.	Plumas.	Sierra.	Tulare.
Butte.	Kern.	Mono.	Sacramento.	Siskiyou.	Tuolumne.
Calaveras.	Lake.	Napa.	San Bernardino.	Stanislaus.	Yolo.
Colusa.	Lassen.	Nevada.	San Joaquin.	Sutter.	Yuba.
El Dorado.	Mariposa.				

MORTALITY AND VITAL STATISTICS.

List of counties composing each state group, in alphabetical order—Continued.

CALIFORNIA—Continued.

GROUP 2.

Alameda.	Los Angeles.	San Benito.	San Luis Obispo.	Santa Clara.	Sonoma.
Contra Costa.	Marin.	San Diego.	San Mateo.	Santa Cruz.	Trinity.
Del Norte.	Mendocino.	San Francisco.	Santa Barbara.	Solano.	Ventura.
Humboldt.	Monterey.				

COLORADO.

GROUP 1.

Arapahoe.	Douglas.	El Paso.	Las Animas.	Pueblo.	Weld.
Bent.	Elbert.				

GROUP 2.

Boulder.	Costilla.	Grand.	Jefferson.	Ouray.	Saguache.
Chaffee.	Custer.	Gunnison.	Lake.	Park.	San Juan.
Clear Creek.	Fremont.	Hinsdale.	La Plata.	Rio Grande.	Summit.
Conejos.	Gilpin.	Huerfano.	Larimer.	Routt.	

CONNECTICUT.

GROUP 1.

Fairfield.	Middlesex.	New Haven.	New London.		
------------	------------	------------	-------------	--	--

GROUP 2.

Hartford.	Litchfield.	Tolland.	Windham.		
-----------	-------------	----------	----------	--	--

DAKOTA.

GROUP 1.

Aurora.	Clark.	Fort Sisseton Indian	Hanson.	McHenry.	Renville.
Barnes.	Codington.	reservation.	Hutchinson.	McPherson.	Richland.
Beadle.	Davison.	Foster.	Kidder.	Miner.	Rolette.
Bottineau.	Day.	French.	Kingsbury.	Minnehaha.	Sheridan.
Bramble.	De Smet.	Gingras.	Lake.	Moody.	Spink.
Brookings.	Deuel.	Grand Forks.	La Moure.	Pembina.	Stutsman.
Brown.	Douglas.	Grant.	Lincoln.	Ramsey.	Traill.
Cass.	Edmunds.	Hamlin.	Logan.	Ransom.	Turner.
Cavileer.	Faulk.	Hand.	McCook.		

GROUP 2.

Bonhomme.	Campbell.	Howard.	Potter.	Stevens.	Walette.
Boreman.	Charles Mix.	Hughes.	Presho.	Sully.	Walworth.
Brulé.	Clay.	Lyman.	Rusk.	Todd.	Williams.
Buffalo.	Edmunds.	Mercer.	Stanley.	Union.	Yankton.
Burleigh.	Gregory.	Mountraille.			

GROUP 3.

Billings.	Delano.	Lugenbeel.	Morton.	Shannon.	White River.
Cheyenne.	Forsyth.	Mandan.	Pennington.	Stark.	Ziebach.
Custer.	Lawrence.	Meyer.	Pratt.	Tripp.	

DELAWARE.

The state forms one group.

DISTRICT OF COLUMBIA.

The district forms one group.

FLORIDA.

The state forms one group.

List of counties composing each state group, in alphabetical order—Continued.

GEORGIA.

GROUP 1.

Appling.	Camden.	Clinch.	Glynn.	McIntosh.	Tattnall.
Bryan.	Charlton.	Elbert's.	Liberty.	Pierce.	Ware.
Bulloch.	Chatham.	Effingham.	Lowndes.	Screven.	Wayne.

GROUP 2.

Banks.	Dade.	Franklin.	Hall.	Milton.	Towns.
Bartow.	Dawson.	Fulton.	Haralson.	Murray.	Union.
Catoosa.	De Kalb.	Gilmer.	Hart.	Paulding.	Walker.
Chattooga.	Fannin.	Gordon.	Jackson.	Pickens.	White.
Cherokee.	Floyd.	Gwinnett.	Lumpkin.	Polk.	Whitfield.
Cobb.	Forsyth.	Habersham.	Madison.	Rabun.	

GROUP 3.

Baker.	Coffee.	Glascok.	Lincoln.	Pike.	Telfair.
Baldwin.	Colquitt.	Greene.	McDuffy.	Pulaski.	Terrell.
Berrien.	Columbia.	Hancock.	Macon.	Putnam.	Thomas.
Bibb.	Coweta.	Harris.	Marion.	Quitman.	Troup.
Brooks.	Crawford.	Heard.	Meriwether.	Randolph.	Twiggs.
Burke.	Decatur.	Henry.	Miller.	Richmond.	Upson.
Butts.	Dodge.	Houston.	Mitchell.	Rockdale.	Walton.
Calhoun.	Dooly.	Irwin.	Monroe.	Schley.	Warren.
Campbell.	Dougherty.	Jasper.	Montgomery.	Spalding.	Washington.
Carroll.	Douglas.	Jefferson.	Morgan.	Stewart.	Webster.
Chattahoochee.	Early.	Johnson.	Muscogee.	Sumter.	Wilcox.
Clarke.	Elbert.	Jones.	Newton.	Talbot.	Wilkes.
Clay.	Emanuel.	Laurens.	Oconee.	Taliaferro.	Wilkinson.
Clayton.	Fayette.	Lee.	Oglethorpe.	Taylor.	Worth.

IDAHO.

The territory forms one group.

ILLINOIS.

GROUP 1.

Cook. Lake.

GROUP 2.

Adams.	Gallatin.	Jackson.	Madison.	Pike.	Rock Island.
Alexander.	Hancock.	Jersey.	Massac.	Pope.	Saint Clair.
Calhoun.	Hardin.	Jo Daviess.	Mercer.	Pulaski.	Union.
Carroll.	Henderson.	Johnson.	Monroe.	Randolph.	Whiteside.

GROUP 3.

Bond.	De Kalb.	Hamilton.	Logan.	Ogle.	Stephenson.
Boone.	De Witt.	Henry.	McDonough.	Peoria.	Tazewell.
Brown.	Douglas.	Iroquois.	McHenry.	Perry.	Vermilion.
Bureau.	Du Page.	Jasper.	McLean.	Piatt.	Wabash.
Cass.	Edgar.	Jefferson.	Macon.	Putnam.	Warren.
Champaign.	Edwards.	Kane.	Macoupin.	Richland.	Washington.
Christian.	Effingham.	Kankakee.	Marion.	Saline.	Wayne.
Clark.	Fayette.	Kendall.	Marshall.	Sangamon.	White.
Clay.	Ford.	Knox.	Mason.	Schuyler.	Will.
Clinton.	Franklin.	La Salle.	Menard.	Scott.	Williamson.
Coles.	Fulton.	Lawrence.	Montgomery.	Shelby.	Winnebago.
Crawford.	Greene.	Lee.	Morgan.	Stark.	Woodford.
Cumberland.	Grundy.	Livingston.	Moultrie.		

INDIANA.

GROUP 1.

Lake. La Porte. Porter.

MORTALITY AND VITAL STATISTICS.

List of counties composing each state group, in alphabetical order—Continued.

INDIANA—Continued.

GROUP 2.

Clark.	Floyd.	Jennings.	Pike.	Scott.	Vanderburgh.
Crawford.	Gibson.	Ohio.	Posey.	Spencer.	Warrick.
Dearborn.	Harrison.	Orange.	Ripley.	Switzerland.	Washington.
Dubois.	Jefferson.	Perry.			

GROUP 3.

Adams.	Decatur.	Hendricks.	Lawrence.	Owen.	Tippecanoe.
Allen.	De Kalb.	Henry.	Madison.	Parke.	Tipton.
Bartholomew.	Delaware.	Howard.	Marion.	Pulaski.	Union.
Benton.	Elkhart.	Huntington.	Marshall.	Putnam.	Vermillion.
Blackford.	Fayette.	Jackson.	Martin.	Randolph.	Vigo.
Boone.	Fountain.	Jasper.	Miami.	Rush.	Wabash.
Brown.	Franklin.	Jay.	Monroe.	Saint Joseph.	Warren.
Carroll.	Fulton.	Johnson.	Montgomery.	Shelby.	Wayne.
Cass.	Grant.	Knox.	Morgan.	Starke.	Wells.
Clay.	Greene.	Kosciusko.	Newton.	Steuben.	White.
Clinton.	Hamilton.	Lagrange.	Noble.	Sullivan.	Whitley.
Daviess.	Hancock.				

IOWA.

GROUP 1.

Allamakee.	Clinton.	Dubuque.	Lee.	Muscatine.	Scott.
Clayton.	Des Moines.	Jackson.	Louisa.		

GROUP 2.

Adair.	Cedar.	Floyd.	Jasper.	Monroe.	Tama.
Adams.	Cerro Gordo.	Franklin.	Jefferson.	Montgomery.	Taylor.
Appanoose.	Cherokee.	Greene.	Johnson.	O'Brien.	Union.
Audubon.	Chickasaw.	Grundy.	Jones.	Osceola.	Van Buren.
Benton.	Clarke.	Guthrie.	Keokuk.	Page.	Wapello.
Black Hawk.	Clay.	Hamilton.	Kossuth.	Palo Alto.	Warren.
Boone.	Crawford.	Hancock.	Linn.	Pocahontas.	Washington.
Bremer.	Dallas.	Hardin.	Lucas.	Polk.	Wayne.
Buchanan.	Davis.	Henry.	Madison.	Poweshiek.	Webster.
Buena Vista.	Decatur.	Howard.	Mahaska.	Ringgold.	Winnebago.
Butler.	Delaware.	Humboldt.	Marion.	Sac.	Winneshek.
Calhoun.	Dickinson.	Ida.	Marshall.	Shelby.	Worth.
Carroll.	Emmet.	Iowa.	Mitchell.	Story.	Wright.
Cass.	Fayette.				

GROUP 3.

Fremont.	Lyon.	Monona.	Pottawattamie.	Sioux.	Woodbury.
Harrison.	Mills.	Plymouth.			

KANSAS.

GROUP 1.

Allen.	Cloud.	Franklin.	Leavenworth.	Morris.	Saline.
Anderson.	Coffey.	Greenwood.	Lincoln.	Nemaha.	Sedgwick.
Atchison.	Cowley.	Harper.	Linn.	Neosho.	Shawnee.
Bourbon.	Crawford.	Harvey.	Lyon.	Osage.	Sumner.
Brown.	Davis.	Jackson.	McPherson.	Ottawa.	Wabaunsee.
Butler.	Dickinson.	Jefferson.	Marion.	Pottawatomie.	Washington.
Chase.	Doniphan.	Jewell.	Marshall.	Reno.	Wilson.
Chautauqua.	Douglas.	Johnson.	Miami.	Republic.	Woodson.
Cherokee.	Elk.	Kingman.	Mitchell.	Rice.	Wyandotte.
Clay.	Ellsworth.	Labette.	Montgomery.	Riley.	

GROUP 2.

Arapahoe.	Edwards.	Hamilton.	Osborne.	Russell.	Stafford.
Barbour.	Ellis.	Hodgeman.	Pawnee.	Scott.	Stanton.
Barton.	Foote.	Kansas.	Phillips.	Seward.	Stevens.
Buffalo.	Ford.	Kearney.	Pratt.	Sequoyah.	Thomas.
Cheyenne.	Gove.	Lane.	Rawlins.	Sheridan.	Trego.
Clark.	Graham.	Meade.	Rooks.	Sherman.	Wallace.
Comanche.	Grant.	Ness.	Rush.	Smith.	Wichita.
Decatur.	Greeley.	Norton.			

List of counties composing each state group, in alphabetical order—Continued.

KENTUCKY.

GROUP 1.

Bell.	Elliott.	Johnson.	Leslie.	Morgan.	Pulaski.
Boyd.	Estill.	Knox.	Letcher.	Owsley.	Rockcastle.
Breathitt.	Floyd.	Laurel.	Magoffin.	Perry.	Wayne.
Carter.	Harlan.	Lawrence.	Martin.	Pike.	Whitley.
Clay.	Jackson.	Lee.	Menifee.	Powell.	Wolfe.
Clinton.					

GROUP 2.

Boone.	Carroll.	Greenup.	Kenton.	Mason.	Oldham.
Bracken.	Crittenden.	Hancock.	Lewis.	Meade.	Trimble.
Breckinridge.	Daviess.	Henderson.	Livingston.	McCracken.	Union.
Campbell.	Gallatin.	Jefferson.			

GROUP 3.

Ballard.	Fulton.	Hickman.
----------	---------	----------

GROUP 4.

Adair.	Casey.	Grayson.	Logan.	Muhlenburgh.	Shelby.
Allen.	Christian.	Green.	Lyon.	Nelson.	Simpson.
Anderson.	Clark.	Hardin.	McLean.	Nicholas.	Spencer.
Barren.	Cumberland.	Harrison.	Madison.	Ohio.	Taylor.
Bath.	Edmonson.	Hart.	Marion.	Owen.	Todd.
Bourbon.	Fayette.	Henry.	Marshall.	Pendleton.	Trigg.
Boyle.	Fleming.	Hopkins.	Mercer.	Robertson.	Warren.
Bullitt.	Franklin.	Jessamine.	Metcalfe.	Rowan.	Washington.
Butler.	Garrard.	La Rue.	Monroe.	Russell.	Webster.
Caldwell.	Grant.	Lincoln.	Montgomery.	Scott.	Woodford.
Calloway.	Graves.				

LOUISIANA.

GROUP 1.

Ascension.	Iberia.	Livingston.	Saint Helena.	Saint Martin.	Terrebonne.
Assumption.	Iberville.	Orleans.	Saint James.	Saint Mary.	Vermillion.
Calcasieu.	Jefferson.	Plaquemines.	Saint John Baptist.	Saint Tammany.	Washington.
Cameron.	La Fayette.	Saint Bernard.	Saint Landry.	Tangipahoa.	West Baton Rouge.
East Baton Rouge.	Lafourche.	Saint Charles.			

GROUP 2.

Avoyelles.	East Carroll.	Madison.	Tensas.	West Carroll.	West Feliciana.
Concordia.	East Feliciana.	Point Coupée.			

GROUP 3.

Bienville.	Catahoula.	Grant.	Natchitoches.	Richland.	Vernon.
Bossier.	Claiborne.	Jackson.	Ouachita.	Sabine.	Webster.
Caddo.	De Soto.	Lincoln.	Rapides.	Union.	Winn.
Caldwell.	Franklin.	Morehouse.	Red River.		

MAINE.

GROUP 1.

Androscoggin.	Hancock.	Knox.	Sagadahoc.	Washington.	York.
Cumberland.	Kennebec.	Lincoln.	Waldo.		

GROUP 2.

Aroostook.	Franklin.	Oxford.	Penobscot.	Piscataquis.	Somerset.
------------	-----------	---------	------------	--------------	-----------

MARYLAND.

GROUP 1.

Anne Arundel.	Carroll.	Dorchester.	Kent.	Queen Anne.	Talbot.
Baltimore.	Cecil.	Harford.	Montgomery.	Saint Mary's.	Wicomico.
Calvert.	Charles.	Howard.	Prince George.	Somerset.	Worcester.
Caroline.					

List of counties composing each state group, in alphabetical order—Continued.

MARYLAND—Continued.

GROUP 2.

Allegany.	Frederick.	Garrett.	Washington.
-----------	------------	----------	-------------

MASSACHUSETTS.

GROUP 1.

Barnstable.	Dukes.	Middlesex.	Norfolk.	Plymouth.	Suffolk.
Bristol.	Essex.	Nantucket.			

GROUP 2.

Berkshire.	Franklin.	Hampden.	Hampshire.	Worcester.
------------	-----------	----------	------------	------------

MICHIGAN.

GROUP 1.

Alcona.	Berrien.	Houghton.	Macomb.	Muskegon.	Saint Clair.
Allegan.	Charlevoix.	Huron.	Manistee.	Oceana.	Sanilac.
Alpena.	Cheboygan.	Iosco.	Manitou.	Ontonagon.	Schoolcraft.
Antrim.	Chippewa.	Isle Royale.	Marquette.	Ottawa.	Tuscola.
Baraga.	Delta.	Keweenaw.	Mason.	Presque Isle.	Van Buren.
Bay.	Emmet.	Leelanaw.	Menominee.	Saginaw.	Wayne.
Benzie.	Grand Traverse.	Mackinac.	Monroe.		

GROUP 2.

Barry.	Eaton.	Isabella.	Lenawee.	Montmorency.	Otsego.
Branch.	Genesee.	Jackson.	Livingston.	Newaygo.	Roscommon.
Calhoun.	Gladwin.	Kalamazoo.	Mecosta.	Oakland.	Saint Joseph.
Cass.	Gratiot.	Kalkaska.	Midland.	Ogemaw.	Shiawassee.
Clare.	Hillsdale.	Kent.	Missaukee.	Osceola.	Washtenaw.
Clinton.	Ingham.	Lake.	Montcalm.	Oscoda.	Wexford.
Crawford.	Ionia.	Lapeer.			

MINNESOTA.

GROUP 1.

Anoka.	Dakota.	Houston.	Sherburne.	Wabasha.	Winona.
Benton.	Goodhue.	Morrison.	Stearns.	Washington.	Wright.
Crow Wing.	Hennepin.	Ramsey.			

GROUP 2.

Big Stone.	Douglas.	Kandiyohi.	Mille Lacs.	Redwood.	Stevens.
Blue Earth.	Faribault.	Lac-qui-parle.	Mower.	Renville.	Swift.
Brown.	Fillmore.	Le Sueur.	Murray.	Rice.	Todd.
Carver.	Freeborn.	Lincoln.	Nicollet.	Rock.	Traverse.
Chippewa.	Grant.	Lyon.	Nobles.	Scott.	Waseca.
Chisago.	Isanti.	McLeod.	Olmstead.	Sibley.	Watonwan.
Cottonwood.	Jackson.	Martin.	Pipe Stone.	Steele.	Yellow Medicine.
Dodge.	Kanabec.	Meeker.	Pope.		

GROUP 3.

Aitkin.	Carlton.	Cook.	Lake.	Pine.	Wadena.
Becker.	Cass.	Itasca.	Marshall.	Polk.	Wilkin.
Beltrami.	Clay.	Kittson.	Otter Tail.	Saint Louis.	

MISSISSIPPI.

GROUP 1.

Hancock.	Harrison.	Jackson.
----------	-----------	----------

List of counties composing each state group, in alphabetical order—Continued.

MISSISSIPPI—Continued.

GROUP 2.

Alcorn.	Clay.	Jasper.	Lowndes.	Oktibbeha.	Smith.
Amite.	Copiah.	Jones.	Madison.	Panola.	Sumner.
Attala.	Covington.	Kemper.	Marshall.	Perry.	Tate.
Benton.	Franklin.	La Fayette.	Marion.	Pike.	Tippah.
Calhoun.	Greene.	Lauderdale.	Monroe.	Pontotoc.	Tishomingo.
Carroll.	Grenada.	Lawrence.	Montgomery.	Prentiss.	Union.
Chickasaw.	Hinds.	Leake.	Neshoba.	Rankin.	Wayne.
Choctaw.	Holmes.	Lee.	Newton.	Scott.	Winston.
Clarke.	Itawamba.	Lincoln.*	Noxubee.	Simpson.	Yalobusha.

GROUP 3.

Adams.	Coahoma.	Jefferson.	Sharkey.	Tunica.	Wilkinson.
Bolivar.	De Soto.	Le Flore.	Sunflower.	Warren.	Yazoo.
Claiborne.	Issaquena.	Quitman.	Tallahatchie.	Washington.	

MISSOURI.

GROUP 1.

Bollinger.	Jefferson.	Mississippi.	Perry.	Saint Charles.	Saint Louis (city).
Cape Girardeau.	Lewis.	New Madrid.	Pike.	Sainte Genevieve.	Scott.
Clark.	Lincoln.	Pemiscot.	Ralls.	Saint Louis.	Stoddard.
Dunklin.	Marion.				

GROUP 2.

Barry.	Cedar.	Henry.	McDonald.	Pettis.	Stone.
Barton.	Christian.	Hickory.	Madison.	Phelps.	Taney.
Bates.	Crawford.	Howell.	Maries.	Polk.	Texas.
Benton.	Dade.	Iron.	Miller.	Pulaski.	Vernon.
Butler.	Dallas.	Jasper.	Morgan.	Reynolds.	Washington.
Camden.	Dent.	Johnson.	Newton.	Ripley.	Wayne.
Carter.	Douglas.	Laclede.	Oregon.	Saint Clair.	Webster.
Cass.	Greene.	Lawrence.	Ozark.	Shannon.	Wright.

GROUP 3.

Adair.	Daviess.	Harrison.	Macon.	Putnam.	Shelby.
Audrain.	De Kalb.	Knox.	Mercer.	Randolph.	Sullivan.
Caldwell.	Gentry.	Linn.	Monroe.	Schuyler.	Worth.
Clinton.	Grundy.	Livingston.	Nodaway.	Scotland.	

GROUP 4.

Andrew.	Callaway.	Cole.	Holt.	Moniteau.	Ray.
Atchison.	Carroll.	Cooper.	Howard.	Montgomery.	Saint Francois.
Boone.	Chariton.	Franklin.	Jackson.	Osage.	Saline.
Buchanan.	Clay.	Gasconade.	La Fayette.	Platte.	Warren.

MONTANA.

GROUP 1.

Custer.	Dawson.
---------	---------

GROUP 2.

Beaver Head.	Deer Dodge.	Jefferson.	Madison.	Meagher.	Missoula.
Choteau.	Gallatin.	Lewis and Clarke.			

NEBRASKA.

GROUP 1.

Adams.	Cuming.	Greeley.	Kearney.	Phelps.	Sherman.
Antelope.	Dodge.	Hall.	Lancaster.	Pierce.	Stanton.
Blackbird.	Fillmore.	Hamilton.	Madison.	Platte.	Thayer.
Boone.	Franklin.	Harlan.	Merrick.	Polk.	Valley.
Buffalo.	Furnas.	Howard.	Nance.	Saline.	Wayne.
Butler.	Gage.	Jefferson.	Nuckolls.	Saunders.	Webster.
Clay.	Gosper.	Johnson.	Pawnee.	Seward.	York.
Colfax.					

MORTALITY AND VITAL STATISTICS.

List of counties composing each state group, in alphabetical order—Continued.

NEBRASKA—Continued.

GROUP 2.

Burt.	Cedar.	Dixon.	Knox.	Otoe.	Sarpy.
Cass.	Dakota.	Douglas.	Nemaha.	Richardson.	Washington.

GROUP 3.

Chase.	Dawson.	Hayes.	Keith.	Red Willow.	Wheeler.
Cheyenne.	Dundy.	Hitchcock.	Lincoln.	Sioux.	Unorganized territory.
Custer.	Frontier.	Holt.			

NEVADA.

The state forms one group.

NEW HAMPSHIRE.

GROUP 1.

Belknap.	Hillsborough.	Merrimaek.	Rockingham.	Strafford.
----------	---------------	------------	-------------	------------

GROUP 2.

Carroll.	Cheshire.	Coos.	Grafton.	Sullivan.
----------	-----------	-------	----------	-----------

NEW JERSEY.

GROUP 1.

Atlantic.	Camden.	Essex.	Hudson.	Monmouth.	Salem.
Bergen.	Cape May.	Gloucester.	Middlesex.	Ocean.	Union.
Burlington.	Cumberland.				

GROUP 2.

Hunterdon.	Morris.	Passaic.	Somerset.	Sussex.	Warren.
Mercer.					

NEW MEXICO.

GROUP 1.

Colfax.	Lincoln.	Mora.	San Miguel.
---------	----------	-------	-------------

GROUP 2.

Bernalillo.	Grant.	Santa Aña.	Socorro.	Taos.	Valencia.
Doña Aña.	Rio Ariba.	Santa Fé.			

NEW YORK.

GROUP 1.

Kings.	Queens.	Richmond.	Rockland.	Suffolk.	Westchester.
New York.					

GROUP 2.

Clinton.	Franklin.	Hamilton.	Herkimer.	Saint Lawrence.	Warren.
Essex.					

GROUP 3.

Delaware.	Greene.	Orange.	Sullivan.	Ulster.
-----------	---------	---------	-----------	---------

GROUP 4.

Chautauqua.	Genesee.	Monroe.	Orleans.	Oswego.	Wayne.
Erie.	Jefferson.	Niagara.			

List of counties composing each state group, in alphabetical order—Continued.

NEW YORK—Continued.

GROUP 5.

Albany.	Chenango.	Livingston.	Ontario.	Schenectady.	Tioga.
Allegany.	Columbia.	Madison.	Otsego.	Schoharie.	Tompkins.
Broome.	Cortland.	Montgomery.	Putnam.	Schuyler.	Washington.
Cattaraugus.	Dutchess.	Oneida.	Rensselaer.	Seneca.	Wyoming.
Cayuga.	Fulton.	Onondaga.	Saratoga.	Steuben.	Yates.
Chemung.	Lewis.				

NORTH CAROLINA.

GROUP 1.

Beaufort.	Chowan.	Duplin.	Jones.	Pamlico.	Robeson.
Bertie.	Columbus.	Gates.	Lenoir.	Pasquotank.	Sampson.
Bladen.	Craven.	Greene.	Martin.	Pender.	Tyrrell.
Brunswick.	Cumberland.	Hertford.	New Hanover.	Perquimans.	Washington.
Camden.	Currituck.	Hyde.	Onslow.	Pitt.	Wayne.
Carteret.	Dare.				

GROUP 2.

Alamance.	Davidson.	Guilford.	Mecklenburg.	Person.	Stokes.
Anson.	Davie.	Halifax.	Montgomery.	Randolph.	Union.
Cabarrus.	Edgecombe.	Harnett.	Moore.	Richmond.	Warren.
Caswell.	Forsyth.	Iredell.	Nash.	Rockingham.	Wake.
Catawba.	Franklin.	Johnston.	Northampton.	Rowan.	Wilson.
Chatham.	Gaston.	Lincoln.	Orange.	Stanley.	Yadkin.
Cleaveland.	Granville.				

GROUP 3.

Alexander.	Burke.	Graham.	McDowell.	Polk.	Transylvania.
Alleghany.	Caldwell.	Haywood.	Macon.	Rutherford.	Watauga.
Ashe.	Cherokee.	Henderson.	Madison.	Surry.	Wilkes.
Buncombe.	Clay.	Jackson.	Mitchell.	Swain.	Yancey.

OHIO.

GROUP 1.

Ashtabula.	Erie.	Lake.	Lucas.	Sandusky.	Wood.
Cuyahoga.	Geauga.	Lorain.	Ottawa.		

GROUP 2.

Adams.	Clinton.	Hamilton.	Lawrence.	Noble.	Ross.
Athens.	Fairfield.	Highland.	Meigs.	Perry.	Scioto.
Belmont.	Fayette.	Hocking.	Monroe.	Pickaway.	Vinton.
Brown.	Gallia.	Jackson.	Montgomery.	Pike.	Warren.
Butler.	Greene.	Jefferson.	Morgan.	Preble.	Washington.
Clermont.					

GROUP 3.

Allen.	Crawford.	Hardin.	Madison.	Paulding.	Trumbull.
Ashland.	Darke.	Harrison.	Mahoning.	Portage.	Tuscarawas.
Auglaize.	Defiance.	Henry.	Marion.	Putnam.	Union.
Carroll.	Delaware.	Holmes.	Medina.	Richland.	Van Wert.
Champaign.	Franklin.	Huron.	Mercer.	Seneca.	Wayne.
Clarke.	Fulton.	Knox.	Miami.	Shelby.	Williams.
Columbiana.	Guernsey.	Licking.	Morrow.	Stark.	Wyandot.
Coshockton.	Hancock.	Logan.	Muskingum.	Summit.	

OREGON.

GROUP 1.

Baker.	Grant.	Lake.	Umatilla.	Union.	Wasco.
--------	--------	-------	-----------	--------	--------

List of counties composing each state group, in alphabetical order—Continued.

OREGON—Continued.

GROUP 2.

Benton.	Columbia.	Douglas.	Lane.	Multnomah.	Washington.
Clackamas.	Coos.	Jackson.	Linn.	Polk.	Yam Hill.
Clatsop.	Curry.	Josephine.	Marion.	Tillamook.	

PENNSYLVANIA.

GROUP 1.

Adams.	Centre.	Franklin.	Luzerne.	Perry.	Susquehanna.
Bedford.	Clearfield.	Fulton.	Lycoming.	Pike.	Tioga.
Blair.	Clinton.	Huntingdon.	Mifflin.	Schuylkill.	Union.
Bradford.	Columbia.	Indiana.	Monroe.	Somerset.	Wayne.
Cambria.	Cumberland.	Juniata.	Montour.	Snyder.	Westmoreland.
Cameron.	Dauphin.	Lackawanna.	Northumberland.	Sullivan.	Wyoming.
Carbon.	Fayette.	Lebanon.			

GROUP 2.

Allegheny.	Butler.	Elk.	Lancaster.	Montgomery.	Venango.
Armstrong.	Chester.	Erie.	Lawrence.	Northampton.	Warren.
Beaver.	Clarion.	Forest.	Lehigh.	Philadelphia.	Washington.
Berks.	Crawford.	Greene.	McKean.	Potter.	York.
Bucks.	Delaware.	Jefferson.	Mercer.		

RHODE ISLAND.

The state forms one group.

SOUTH CAROLINA.

GROUP 1.

Beaufort.	Clarendon.	Georgetown.	Horry.	Marion.	Williamsburgh.
Charleston.	Colleton.	Hampton.			

GROUP 2.

Oconee.	Pickens.
---------	----------

GROUP 3.

Abbeville.	Chester.	Fairfield.	Laurens.	Orangeburgh.	Sumter.
Aiken.	Chesterfield.	Greenville.	Lexington.	Richland.	Union.
Anderson.	Darlington.	Kershaw.	Marlborough.	Spartanburgh.	York.
Barnwell.	Edgefield.	Lancaster.	Newberry.		

TENNESSEE.

GROUP 1.

Anderson.	Coffee.	Hamblen.	Loudon.	Polk.	Sullivan.
Bledsoe.	Cumberland.	Hamilton.	McMinn.	Putnam.	Unicoi.
Blount.	De Kalb.	Hancock.	Marion.	Rhea.	Union.
Bradley.	Fentress.	Hawkins.	Meigs.	Roane.	Van Buren.
Campbell.	Franklin.	James.	Monroe.	Scott.	Warren.
Carter.	Grainger.	Jefferson.	Moore.	Sequatchie.	Washington.
Claiborne.	Greene.	Johnson.	Morgan.	Sevier.	White.
Cocke.	Grundy.	Knox.	Overton.		

GROUP 2.

Benton.	Decatur.	Gibson.	Haywood.	Henry.	Madison.
Carroll.	Fayette.	Hardeman.	Henderson.	McNairy.	Weakley.
Crockett.					

GROUP 3.

Dyer.	Lake.	Lauderdale.	Obion.	Shelby.	Tipton.
-------	-------	-------------	--------	---------	---------

List of counties composing each state group, in alphabetical order—Continued.

T E N N E S S E E—Continued.

GROUP 4.

Bedford.	Dickson.	Humphreys.	Macon.	Robertson.	Wayne.
Cannon.	Giles.	Jackson.	Marshall.	Rutherford.	Williamson.
Cheatham.	Hardin.	Lawrence.	Maury.	Smith.	Wilson.
Clay.	Hickman.	Lewis.	Montgomery.	Stewart.	Trousdale.
Davidson.	Houston.	Lincoln.	Perry.	Sumner.	

T E X A S.

GROUP 1.

Aransas.	Cameron.	Goliad.	Jackson.	Matagorda.	Refugio.
Bee.	Chambers.	Hardin.	Jasper.	Newton.	San Patricio.
Brazoria.	Fort Bend.	Harris.	Jefferson.	Nueces.	Victoria.
Calhoun.	Galveston.	Hidalgo.	Liberty.	Orange.	Wharton.

GROUP 2.

Anderson.	Colorado.	Gillespie.	Kimble.	Montgomery.	Stephens.
Angelina.	Comal.	Gonzales.	Lamar.	Morris.	Tarrant.
Archer.	Comanche.	Grayson.	Lampasas.	Nacogdoches.	Titus.
Atascosa.	Cooke.	Gregg.	La Salle.	Navarro.	Travis.
Austin.	Coryell.	Grimes.	Lavaca.	Palo Pinto.	Trinity.
Bandera.	Dallas.	Guadalupe.	Lee.	Panola.	Tyler.
Bastrop.	Delta.	Hamilton.	Leon.	Parker.	Upshur.
Bell.	Denton.	Harrison.	Limestone.	Polk.	Uvalde.
Bexar.	De Witt.	Hayes.	Live Oak.	Rains.	Van Zandt.
Blanco.	Dimmit.	Henderson.	Llano.	Red River.	Walker.
Bosque.	Duval.	Hill.	McCulloch.	Robertson.	Waller.
Bowie.	Eastland.	Hood.	McLennan.	Rockwall.	Washington.
Brazos.	Edwards.	Hopkins.	McMullen.	Rusk.	Webb.
Brown.	Ellis.	Houston.	Madison.	Sabine.	Wichita.
Burleson.	Enciñal.	Hunt.	Marion.	San Augustine.	Williamson.
Burnet.	Erath.	Jack.	Mason.	San Jacinto.	Wilson.
Caldwell.	Falls.	Johnson.	Maverick.	San Saba.	Wise.
Camp.	Fannin.	Karnes.	Medina.	Shelby.	Wood.
Cass.	Fayette.	Kaufman.	Menard.	Smith.	Young.
Cherokee.	Franklin.	Kendall.	Milan.	Somervell.	Zapata.
Clay.	Freestone.	Kerr.	Montague.	Starr.	Zavalla.
Collin.	Frio.				

GROUP 3.

Andrews.	Concho.	Gaines.	Hutchinson.	Moore.	Scurry.
Armstrong.	Cottle.	Garza.	Jones.	Motley.	Shackelford.
Bailey.	Crockett.	Gray.	Kent.	Nolan.	Sherman.
Baylor.	Crosby.	Hale.	King.	Ochiltree.	Stonewall.
Borden.	Dallam.	Hall.	Kinney.	Oldham.	Swisher.
Briscoe.	Dawson.	Hanford.	Knox.	Parmer.	Taylor.
Callahan.	Deaf Smith.	Hardeman.	Lamb.	Pecos.	Terry.
Carson.	Dickens.	Hartley.	Lipscomb.	Potter.	Throckmorton.
Castro.	Donley.	Haskell.	Lubbock.	Presidio.	Tom Green.
Childress.	El Paso.	Hemphill.	Lynn.	Randall.	Wheeler.
Cockran.	Fisher.	Hockley.	Martin.	Roberts.	Wilbarger.
Coleman.	Floyd.	Howard.	Mitchell.	Runnels.	Yoakum.
Collingsworth.					

U T A H.

The territory forms one group.

V E R M O N T.

The state forms one group.

MORTALITY AND VITAL STATISTICS.

List of counties composing each state group, in alphabetical order—Continued.

VIRGINIA.

GROUP 1.

Accomac.	Isle of Wight.	Lancaster.	Norfolk.	Princess Anne.	Sussex.
Charles City.	James City.	Mathews.	Northampton.	Richmond.	Warwick.
Elizabeth City.	King and Queen.	Middlesex.	Northumberland.	Southampton.	Westmoreland.
Essex.	King George.	Nansemond.	Prince George.	Surry.	York.
Gloucester.	King William.	New Kent.			

GROUP 2.

Alexandria.	Caroline.	Fairfax.	Hanover.	Lunenburg.	Powhatan.
Amelia.	Charlotte.	Fauquier.	Henrico.	Mecklenburg.	Prince Edward.
Appomattox.	Chesterfield.	Fluvanna.	Henry.	Nottoway.	Prince William.
Brunswick.	Culpeper.	Goochland.	Loudoun.	Orange.	Spottsylvania.
Buckingham.	Cumberland.	Greensville.	Louisa.	Pittsylvania.	Stafford.
Campbell.	Dinwiddie.	Halifax.			

GROUP 3.

Albemarle.	Botetourt.	Frederick.	Montgomery.	Roanoke.	Smyth.
Alleghany.	Buchanan.	Giles.	Nelson.	Rockbridge.	Tazewell.
Amherst.	Carroll.	Grayson.	Page.	Rockingham.	Warren.
Augusta.	Clarke.	Greene.	Patrick.	Russell.	Washington.
Bath.	Craig.	Highland.	Pulaski.	Scott.	Wise.
Bedford.	Floyd.	Lee.	Rappahannock.	Shenandoah.	Wythe.
Bland.	Franklin.	Madison.			

WASHINGTON.

GROUP 1.

Columbia.	Spokane.	Stevens.	Walla Walla.	Whitman.	Yakima.
Klickitat.					

GROUP 2.

Chehalis.	Cowlitz.	King.	Mason.	San Juan.	Thurston.
Clallam.	Island.	Kitsap.	Pacific.	Skamania.	Wahkiakum.
Clarke.	Jefferson.	Lewis.	Pierce.	Snohomish.	Whatcom.

WEST VIRGINIA.

GROUP 1.

Barbour.	Grant.	Lewis.	Monongalia.	Pocahontas.	Taylor.
Berkeley.	Greenbrier.	Logan.	Monroe.	Preston.	Tucker.
Boone.	Hampshire.	McDowell.	Morgan.	Raleigh.	Upshur.
Braxton.	Hardy.	Marion.	Nicholas.	Randolph.	Webster.
Clay.	Harrison.	Mercer.	Pendleton.	Summers.	Wyoming.
Fayette.	Jefferson.	Mineral.			

GROUP 2.

Brooke.	Gilmer.	Lincoln.	Pleasants.	Roane.	Wetzell.
Cabell.	Hancock.	Marshall.	Putnam.	Tyler.	Wirt.
Calhoun.	Jackson.	Mason.	Ritchie.	Wayne.	Wood.
Doddridge.	Kanawha.	Ohio.			

WISCONSIN.

GROUP 1.

Brown.	Kenosha.	Manitowoc.	Ozaukee.	Racine.	Sheboygan.
Door.	Kewaunee.	Milwaukee.			

GROUP 2.

Buffalo.	Grant.	Pepin.	Saint Croix.	Trempealeau.	Vernon.
Crawford.	La Crosse.	Pierce.			

GROUP 3.

Adams.	Dodge.	Iowa.	Marquette.	Sauk.	Winnebago.
Calumet.	Fond du Lac.	Jefferson.	Monroe.	Walworth.	Waukesha.
Columbia.	Green.	Juneau.	Richland.	Washington.	Waushara.
Dane.	Green Lake.	La Fayette.	Rock.		

List of counties composing each state group, in alphabetical order—Continued.

WISCONSIN—Continued.

GROUP 4.

Ashland.	Chippewa.	Eau Claire.	Marathon.	Polk.	Taylor.
Barron.	Clark.	Jackson.	Marinette.	Portage.	Waupaca.
Bayfield.	Douglas.	Langlade.	Oconto.	Price.	Wood.
Burnett.	Dunn.	Lincoln.	Outagamie.	Shawano.	

WYOMING.

GROUP 1.

Laramie.

GROUP 2.

Albany.	Carbon.	Crook.	Johnson.	Sweetwater.	Uinta.
---------	---------	--------	----------	-------------	--------

T A B L E I.

MORTALITY OF THE UNITED STATES

(BY STATES AND TERRITORIES),

WITH

DISTINCTION OF SEX, AND RATE OF DEATH PER THOUSAND OF POPULATION,

FOR THE

CENSUSES OF 1880, 1870, AND 1860.

STATISTICS OF MORTALITY.

3

TABLE I.—DEATHS, BY STATES AND TERRITORIES, WITH DISTINCTION OF SEX: 1880, 1870, 1860.

States and Territories.	1880.					1870.					1860.				
	Population.	DEATHS.			Deaths per thousand of population.	Population.	DEATHS.			Deaths per thousand of population.	Population.	DEATHS.			Deaths per thousand of population.
		Total.	Males.	Females.			Total.	Males.	Females.			Total.	Males.	Females.	
United States....	50,155,783	756,893	391,960	364,933	15.09	38,558,371	492,263	260,673	231,590	12.77	31,443,321	394,153	207,943	186,210	12.54
Alabama.....	1,262,505	17,929	8,842	9,087	14.20	996,992	10,771	5,637	5,134	10.80	964,201	12,760	6,753	6,007	13.23
Arizona.....	40,440	291	207	84	7.20	9,658	252	168	84	26.09					
Arkansas.....	802,525	14,812	7,741	7,071	18.46	484,471	6,119	3,202	2,917	12.63	435,450	8,856	4,735	4,121	20.34
California.....	864,694	11,530	7,395	4,135	13.33	560,247	9,025	5,687	3,338	16.11	379,994	3,705	2,473	1,232	9.75
Colorado.....	194,327	2,547	1,610	937	13.11	39,864	375	232	143	9.41	34,277				
Connecticut.....	622,700	9,179	4,629	4,550	14.74	537,454	6,796	3,550	3,246	12.64	460,147	6,139	3,168	2,971	13.34
Dakota.....	135,177	1,304	743	561	9.65	14,181	101	69	32	7.12	4,837	4	3	1	.83
Delaware.....	146,608	2,212	1,113	1,099	15.09	125,015	1,561	827	734	12.49	112,216	1,246	618	628	11.10
District of Columbia.	177,624	4,192	2,110	2,082	23.60	131,700	2,015	1,065	950	15.30	75,080	1,285	695	590	17.12
Florida.....	269,493	3,159	1,619	1,540	11.72	187,748	2,264	1,225	1,039	12.06	140,424	1,769	979	790	12.60
Georgia.....	1,542,180	21,549	10,782	10,767	13.97	1,184,109	13,606	6,990	6,616	11.49	1,057,286	12,816	6,654	6,162	12.12
Idaho.....	32,610	323	201	122	9.90	14,999	50	39	11	3.33					
Illinois.....	3,077,871	45,017	23,698	21,319	14.63	2,539,891	33,672	18,141	15,531	13.26	1,711,951	19,300	10,368	8,932	11.27
Indiana.....	1,978,301	31,213	15,971	15,242	15.78	1,680,637	17,661	9,208	8,453	10.51	1,350,428	15,326	7,855	7,471	11.35
Iowa.....	1,624,615	19,377	10,187	9,190	11.93	1,194,020	9,597	5,117	4,480	8.04	674,913	7,259	3,875	3,384	10.76
Kansas.....	996,096	15,160	7,921	7,239	15.22	364,399	4,546	2,433	2,113	12.48	107,206	1,567	870	697	14.62
Kentucky.....	1,648,690	23,718	11,947	11,771	14.39	1,321,011	14,345	7,394	6,951	10.86	1,155,684	16,467	8,611	7,856	14.25
Louisiana.....	939,946	14,514	7,839	6,675	15.44	726,915	14,499	8,212	6,287	19.95	708,002	12,324	7,250	5,074	17.41
Maine.....	648,936	9,523	4,722	4,801	14.67	626,915	7,728	3,993	3,735	12.33	628,279	7,614	3,785	3,829	12.12
Maryland.....	934,943	16,919	8,618	8,301	18.10	780,894	9,740	5,085	4,655	12.47	687,049	7,374	3,831	3,543	10.73
Massachusetts.....	1,783,085	33,149	16,416	16,733	18.59	1,457,351	25,859	12,894	12,965	17.74	1,231,066	21,304	10,683	10,621	17.31
Michigan.....	1,636,937	19,743	10,407	9,336	12.06	1,184,059	11,181	5,771	5,410	9.44	749,113	7,401	3,921	3,480	9.88
Minnesota.....	780,773	9,037	4,869	4,168	11.57	439,706	3,526	1,949	1,577	8.02	172,023	1,109	594	515	6.45
Mississippi.....	1,131,597	14,583	7,527	7,056	12.89	827,922	9,172	4,788	4,384	11.08	791,305	12,214	6,425	5,789	15.44
Missouri.....	2,168,380	36,615	19,237	17,378	16.89	1,721,295	27,982	15,762	12,220	16.26	1,182,012	17,654	9,585	8,069	14.94
Montana.....	39,159	336	225	111	8.58	20,595	185	137	48	8.98					
Nebraska.....	452,402	5,930	3,112	2,818	13.11	122,993	1,000	545	455	8.13	28,841	381	201	180	13.21
Nevada.....	62,266	728	535	193	11.69	42,491	615	423	192	14.47	6,857				
New Hampshire.....	346,991	5,584	2,769	2,815	16.09	318,300	4,291	2,092	2,199	13.48	326,073	4,469	2,186	2,283	13.71
New Jersey.....	1,131,116	18,474	9,524	8,950	16.33	906,096	10,586	5,716	4,870	11.68	672,035	7,525	4,024	3,501	11.20
New Mexico.....	119,565	2,436	1,347	1,089	20.37	91,874	1,180	623	557	12.84	93,516	1,305	736	569	13.95
New York.....	5,082,871	88,332	45,952	42,380	17.38	4,382,759	69,095	36,740	32,355	15.77	3,880,735	46,941	25,128	21,813	12.10
North Carolina.....	1,399,750	21,547	10,593	10,954	15.39	1,071,361	10,588	5,142	5,446	9.88	992,622	12,617	6,275	6,342	12.71
Ohio.....	3,198,062	42,610	22,079	20,531	13.32	2,665,260	29,568	15,724	13,844	11.09	2,339,511	24,726	12,890	11,836	10.57
Oregon.....	174,768	1,864	1,034	830	10.67	90,923	622	337	285	6.84	52,465	300	156	144	5.72
Pennsylvania.....	4,282,891	63,881	33,613	30,268	14.92	3,521,951	52,639	27,961	24,678	14.95	2,906,215	30,241	16,249	13,992	10.41
Rhode Island.....	276,531	4,702	2,346	2,356	17.00	217,353	2,741	1,423	1,318	12.61	174,620	2,479	1,272	1,207	14.20
South Carolina.....	995,577	15,728	7,609	8,119	15.80	705,606	7,380	3,757	3,623	10.46	703,708	9,749	4,961	4,788	13.85
Tennessee.....	1,542,359	25,919	12,800	13,119	16.80	1,258,520	14,239	6,963	7,276	11.31	1,109,801	15,156	7,758	7,398	13.66
Texas.....	1,591,749	24,735	13,121	11,614	15.54	818,579	11,197	6,254	4,943	13.68	604,215	9,377	5,122	4,255	15.52
Utah.....	143,963	2,414	1,270	1,144	16.77	86,786	891	452	439	10.27	40,273	374	215	159	9.29
Vermont.....	332,286	5,024	2,505	2,519	15.12	330,551	3,545	1,804	1,741	10.72	315,098	3,355	1,647	1,708	10.65
Virginia.....	1,512,565	24,681	12,216	12,465	16.32	1,225,163	15,183	7,552	7,631	12.39	1,596,318	22,474	11,472	11,002	14.08
Washington.....	75,116	755	467	288	10.05	23,955	223	131	92	9.31	11,594	50	27	23	4.31
West Virginia.....	618,457	7,418	3,781	3,637	11.99	442,014	4,018	2,061	1,957	9.09					
Wisconsin.....	1,315,497	16,011	8,592	7,419	12.17	1,054,670	9,960	5,339	4,621	9.44	775,881	7,141	3,893	3,248	9.20
Wyoming.....	20,789	189	119	70	9.09	9,118	74	59	15	8.12					

T A B L E I I.

MORTALITY OF THE UNITED STATES

(BY STATES AND TERRITORIES),

WITH

DISTINCTION OF SEX AND COLOR, AND STATEMENT OF RATE OF DEATH PER
THOUSAND OF POPULATION,

DURING THE

CENSUS YEAR ENDING MAY 31, 1880.

THE UNIVERSITY OF CHICAGO
LIBRARY OF THE DIVISION OF THE PHYSICAL SCIENCES
1100 EAST 58TH STREET, CHICAGO, ILL. 60637
JAN 10 1961

STATISTICS OF MORTALITY.

7

TABLE II.—DEATHS, BY STATES AND TERRITORIES, WITH DISTINCTION OF SEX AND COLOR: 1880.

States and Territories.	UNITED STATES.			WHITE.						COLORED.					
	Total.			Male.			Female.			Male.			Female.		
	Population.	Deaths.	Rate per thousand.	Population.	Deaths.	Rate per thousand.	Population.	Deaths.	Rate per thousand.	Population.	Deaths.	Rate per thousand.	Population.	Deaths.	Rate per thousand.
The United States..	50,155,783	756,893	15.09	22,130,900	333,735	15.08	21,272,070	306,456	14.41	3,387,920	58,225	17.19	3,364,893	58,477	17.38
Alabama	1,262,505	17,929	14.20	327,517	4,145	12.66	334,668	4,184	12.50	295,112	4,697	15.92	305,208	4,903	16.06
Arizona	40,440	291	7.20	24,556	199	8.10	10,604	82	7.73	3,646	8	2.19	1,634	2	1.22
Arkansas	802,525	14,812	18.46	308,706	5,965	19.32	282,825	5,342	18.89	107,573	1,776	16.51	103,421	1,729	16.72
California	864,694	11,530	13.33	435,056	6,516	14.98	332,125	3,946	11.88	83,120	879	10.58	14,393	189	13.13
Colorado	194,327	2,547	13.11	127,041	1,595	12.56	64,085	926	14.45	2,090	15	7.18	1,111	11	9.90
Connecticut	622,700	9,179	14.74	299,980	4,499	15.00	310,789	4,429	14.25	5,802	130	22.41	6,129	121	19.74
Dakota	135,177	1,304	9.65	81,176	714	8.80	51,971	535	10.29	1,120	29	25.89	910	26	28.57
Delaware	146,608	2,212	15.09	60,777	891	14.66	59,383	846	14.25	13,331	222	16.65	13,117	253	19.29
District of Columbia ..	177,624	4,192	23.60	57,320	1,096	19.12	60,686	994	16.38	26,258	1,014	38.62	33,360	1,088	32.61
Florida	269,493	3,159	11.72	73,264	902	12.31	69,341	816	11.77	63,180	717	11.35	63,708	724	11.36
Georgia	1,542,180	21,549	13.97	403,744	5,164	12.79	413,162	5,031	12.18	359,237	5,618	15.64	366,037	5,736	15.67
Idaho	32,610	323	9.90	18,440	186	10.09	10,573	120	11.35	3,378	15	4.44	219	2	9.13
Illinois	3,077,871	45,017	14.63	1,561,726	23,267	14.90	1,469,425	20,918	14.24	24,797	431	17.38	21,923	401	18.29
Indiana	1,978,301	31,213	15.78	989,953	15,456	15.61	948,845	14,757	15.55	20,408	515	25.24	19,095	485	25.40
Iowa	1,624,615	19,377	11.93	842,694	10,096	11.98	771,906	9,122	11.82	5,442	91	16.72	4,573	68	14.87
Kansas	996,096	15,160	15.22	514,084	7,374	14.34	438,071	6,726	15.35	22,583	547	24.22	21,358	513	24.02
Kentucky	1,648,690	23,718	14.39	698,757	9,288	13.29	678,422	9,050	13.34	133,833	2,659	19.87	137,678	2,721	19.76
Louisiana	939,946	14,514	15.44	228,974	3,992	17.43	225,980	3,046	13.48	239,780	3,847	16.04	245,212	3,629	14.80
Maine	648,936	9,523	14.67	322,973	4,696	14.54	323,879	4,774	14.74	1,085	26	23.96	999	27	27.03
Maryland	934,943	16,919	18.10	359,670	6,375	17.72	365,023	5,987	16.40	102,517	2,243	21.88	107,733	2,314	21.48
Massachusetts	1,783,085	33,149	18.59	848,977	16,185	19.06	914,805	16,535	18.07	9,463	231	24.41	9,840	198	20.12
Michigan	1,636,937	19,743	12.06	850,795	10,200	11.99	763,765	9,128	11.95	11,560	207	17.91	10,817	208	19.23
Minnesota	780,773	9,037	11.57	417,075	4,835	11.59	359,809	4,125	11.46	2,074	34	16.39	1,815	43	23.69
Mississippi	1,131,597	14,583	12.89	243,226	3,171	13.04	236,172	2,851	12.07	323,951	4,356	13.45	328,248	4,205	12.81
Missouri	2,168,380	36,615	16.89	1,054,879	17,794	16.87	967,947	15,855	16.38	72,308	1,443	19.96	73,246	1,523	20.79
Montana	39,159	336	8.58	25,522	204	7.99	9,863	93	9.43	2,655	21	7.91	1,119	18	16.09
Nebraska	452,402	5,930	13.11	247,815	3,083	12.44	201,949	2,792	13.83	1,426	29	20.34	1,212	26	21.45
Nevada	62,266	728	11.69	35,059	495	14.12	18,497	185	10.00	6,960	40	5.75	1,750	8	4.57
New Hampshire	346,991	5,584	16.09	170,137	2,761	16.23	176,092	2,809	15.95	389	8	20.57	373	6	16.09
New Jersey	1,131,116	18,474	16.33	540,870	9,113	16.85	551,147	8,572	15.55	19,052	411	21.57	20,047	378	18.86
New Mexico	119,565	2,436	20.37	58,655	1,322	22.54	50,066	1,075	21.47	5,841	25	4.28	5,003	14	2.80
New York	5,082,871	88,332	17.38	2,473,121	45,091	18.23	2,542,901	41,608	16.36	32,201	861	26.74	34,648	772	22.28
North Carolina	1,399,750	21,547	15.39	424,944	6,007	14.14	442,298	6,160	13.93	262,964	4,586	17.44	269,544	4,794	17.79
Ohio	3,198,062	42,610	13.32	1,572,789	21,256	13.51	1,545,131	19,700	12.75	41,147	823	20.00	38,995	831	21.31
Oregon	174,768	1,864	10.67	92,935	992	10.67	70,140	800	11.41	10,446	42	4.02	1,247	30	24.06
Pennsylvania	4,282,891	63,881	14.92	2,095,213	32,537	15.53	2,101,803	29,230	13.91	41,442	1,076	25.96	44,433	1,038	23.36
Rhode Island	276,531	4,702	17.00	130,014	2,266	17.43	139,925	2,257	16.13	3,016	80	26.53	3,576	99	27.68
South Carolina	995,577	15,728	15.80	192,544	2,574	13.37	198,561	2,620	13.19	297,864	5,035	16.90	306,608	5,499	17.93
Tennessee	1,542,359	25,919	16.80	571,003	8,669	15.17	567,228	8,642	15.24	197,674	4,131	20.90	205,854	4,476	21.74
Texas	1,591,749	24,735	15.54	640,439	10,215	15.95	556,798	8,783	15.77	197,401	2,906	14.72	197,111	2,831	14.36
Utah	143,963	2,414	16.77	73,477	1,264	17.20	68,946	1,139	16.52	1,032	6	5.81	508	5	9.84
Vermont	332,286	5,024	15.12	166,312	2,497	15.01	164,906	2,511	15.23	575	8	13.91	493	8	16.23
Virginia	1,512,565	24,681	16.32	436,611	6,121	14.02	444,247	6,224	14.01	308,978	6,095	19.73	322,720	6,241	19.34
Washington	75,116	755	10.05	40,513	441	10.89	26,686	262	9.82	5,460	26	4.76	2,457	26	10.58
West Virginia	618,457	7,418	11.99	300,992	3,566	11.85	291,545	3,418	11.72	13,503	215	15.92	12,417	219	17.64
Wisconsin	1,315,497	16,011	12.17	676,949	8,546	12.62	632,669	7,381	11.67	3,120	46	14.74	2,759	38	13.77
Wyoming	20,789	189	9.09	13,026	114	8.75	6,411	69	10.76	1,126	5	4.44	226	1	4.42

T A B L E I I I .

MORTALITY OF THE UNITED STATES

(BY STATES AND TERRITORIES),

WITH

DISTINCTION OF AGE AND SEX,

FOR THE

CENSUS YEAR ENDING MAY 31, 1880.

TABLE III.—DEATHS, BY STATES AND TERRITORIES, WITH DISTINCTION OF AGE AND SEX: 1880.

States and Territories.		AGE AND SEX.											
		Total.	Unknown.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
The United States.....		756,893	3,228	175,184	56,816	33,417	21,276	15,931	302,624	43,093	22,915	29,368	39,355
Total..... { M.		391,960	1,790	96,849	30,253	17,564	10,977	8,136	163,779	21,638	11,233	13,097	18,044
{ F.		364,933	1,438	78,335	26,563	15,853	10,299	7,795	138,845	21,455	11,682	16,271	21,311
1	Alabama..... { M.	8,842	16	2,411	852	483	281	181	4,208	508	300	349	415
	{ F.	9,087	14	2,085	747	443	280	181	3,736	499	281	487	625
2	Arizona..... { M.	207	3	30	6	4	2		42	4	4	4	14
	{ F.	84		26	5	5	2		38	7	2	4	4
3	Arkansas..... { M.	7,741	26	1,869	753	412	236	172	3,442	494	299	357	534
	{ F.	7,071	19	1,620	663	398	228	165	3,074	466	228	373	494
4	California..... { M.	7,395	49	1,233	250	164	123	79	1,849	232	141	191	278
	{ F.	4,135	18	959	207	165	104	83	1,518	212	120	209	254
5	Colorado..... { M.	1,610	17	238	91	62	64	37	492	95	63	56	150
	{ F.	937	6	209	69	60	43	36	417	103	40	36	65
6	Connecticut..... { M.	4,629	17	898	231	136	85	66	1,416	173	77	131	186
	{ F.	4,550	11	691	202	125	95	54	1,167	170	109	166	220
7	Dakota..... { M.	743	2	157	46	54	21	24	302	80	34	15	45
	{ F.	561	1	122	44	27	33	26	252	71	41	17	28
8	Delaware..... { M.	1,113	3	276	76	31	24	26	433	47	36	33	43
	{ F.	1,099	4	253	83	48	29	16	429	37	21	46	46
9	District of Columbia..... { M.	2,110	1	692	167	87	37	24	1,007	64	33	47	67
	{ F.	2,082		591	209	76	40	28	944	79	39	55	104
10	Florida..... { M.	1,619	9	321	106	88	68	40	623	128	58	59	87
	{ F.	1,540	18	301	84	84	60	59	588	107	67	71	108
11	Georgia..... { M.	10,782	16	3,022	1,205	627	330	269	5,453	559	363	378	524
	{ F.	10,767	21	2,532	1,048	575	277	216	4,648	581	333	502	634
12	Idaho..... { M.	201	4	25	8	11	1	3	48	14	10	4	11
	{ F.	122		23	11	10	4	7	55	9	13	6	3
13	Illinois..... { M.	23,698	145	6,039	2,267	1,093	723	511	10,633	1,318	703	899	1,053
	{ F.	21,319	89	4,929	1,902	952	687	464	8,934	1,298	726	974	1,197
14	Indiana..... { M.	15,971	57	3,861	1,241	676	428	341	6,547	930	522	688	850
	{ F.	15,242	49	3,132	1,127	649	421	352	5,681	952	569	851	1,078
15	Iowa..... { M.	10,187	89	2,227	838	566	353	271	4,255	779	419	368	427
	{ F.	9,190	61	1,715	683	451	310	259	3,418	811	441	483	547
16	Kansas..... { M.	7,921	67	2,079	828	456	276	211	3,850	570	319	325	362
	{ F.	7,239	42	1,717	735	432	249	212	3,345	621	326	367	419
17	Kentucky..... { M.	11,947	86	3,290	980	531	306	233	5,340	555	323	468	654
	{ F.	11,771	81	2,579	907	545	306	190	4,527	636	372	667	898
18	Louisiana..... { M.	7,839	18	1,756	490	335	194	153	2,928	431	223	254	436
	{ F.	6,675	14	1,490	468	307	186	151	2,602	361	217	252	416
19	Maine..... { M.	4,722	5	565	199	142	115	92	1,113	297	171	148	201
	{ F.	4,801	5	486	157	177	120	96	1,036	269	163	245	333
20	Maryland..... { M.	8,618	12	2,597	701	398	239	193	4,128	437	196	233	313
	{ F.	8,301	15	2,197	649	349	223	183	3,601	439	204	285	373
21	Massachusetts..... { M.	16,416	8	4,087	999	540	391	294	6,311	681	273	438	697
	{ F.	16,733	2	3,201	904	516	381	303	5,305	729	304	626	920
22	Michigan..... { M.	10,407	34	2,440	679	412	320	238	4,089	783	370	345	449
	{ F.	9,336	37	1,903	544	375	274	256	3,352	684	379	481	533
23	Minnesota..... { M.	4,869	18	1,302	352	234	172	138	2,198	438	211	167	209
	{ F.	4,168	14	961	333	179	144	124	1,741	424	216	211	246
24	Mississippi..... { M.	7,527	31	1,935	578	370	258	172	3,313	417	288	319	425
	{ F.	7,056	24	1,526	446	325	207	154	2,658	442	259	354	535
25	Missouri..... { M.	19,237	116	5,143	1,783	844	456	318	8,544	926	521	784	1,038
	{ F.	17,378	88	4,153	1,523	804	450	315	7,245	872	556	920	1,177
26	Montana..... { M.	225	3	31	12	11	4	1	59	12	7	8	14
	{ F.	111		21	6	8	2	4	41	12	6	3	7
27	Nebraska..... { M.	3,112	25	810	306	200	154	105	1,575	348	158	86	131
	{ F.	2,818	11	630	269	175	153	111	1,338	346	152	103	135
28	Nevada..... { M.	535	11	59	23	8	1	6	97	11	13	8	28
	{ F.	193	4	52	12	8	5	5	82	19	5	7	12
29	New Hampshire..... { M.	2,769	5	377	107	68	56	42	650	123	74	84	111
	{ F.	2,815	5	293	73	63	43	44	516	138	82	129	138
30	New Jersey..... { M.	9,524	79	2,352	614	397	247	189	3,799	450	195	233	385
	{ F.	8,950	52	1,984	539	337	214	154	3,228	437	210	282	428
31	New Mexico..... { M.	1,347	10	304	110	99	57	36	606	80	37	40	79
	{ F.	1,089	6	260	117	77	55	30	539	86	31	66	45
32	New York..... { M.	45,952	95	11,335	3,139	1,719	1,113	821	18,127	2,088	926	1,122	1,654
	{ F.	42,380	84	9,179	2,788	1,492	1,074	781	15,314	1,901	895	1,354	2,009

TABLE III.—DEATHS, BY STATES AND TERRITORIES, WITH DISTINCTION OF AGE AND SEX: 1880.

AGE AND SEX—continued.														
25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.
33, 132	28, 669	28, 630	24, 954	23, 996	24, 539	22, 352	26, 183	25, 685	25, 736	22, 352	16, 641	8, 149	3, 283	2, 009
14, 997 18, 135	13, 122 15, 547	13, 480 15, 150	12, 500 12, 454	12, 909 11, 087	13, 605 10, 934	12, 739 9, 613	14, 789 11, 394	14, 207 11, 478	13, 877 11, 859	11, 811 10, 541	8, 240 8, 401	3, 892 4, 257	1, 421 1, 862	790 1, 219
331 483	257 383	231 384	195 367	225 283	279 280	193 171	321 259	248 197	240 221	211 143	170 137	77 64	41 36	27 37
25 7	23 6	21 8	21 1	15 3	13 2	3 1	7	2	3	1	1			1
426 443	302 350	251 364	274 253	268 211	223 174	164 121	206 135	159 107	124 82	103 64	55 65	14 12	9 17	11 19
427 260	553 209	581 214	503 191	575 178	581 181	411 117	323 112	232 99	165 91	105 77	66 44	18 21	9 7	6 3
151 50	125 45	114 44	85 34	74 14	55 19	37 13	33 15	22 12	17 13	14 6	5 3	3	1 2	1
161 198	163 193	170 184	156 155	171 159	197 172	197 169	257 229	243 231	301 275	266 262	198 241	116 140	23 80	10 19
41 33	38 25	34 19	28 14	37 12	22 7	15 10	14 13	12 6	11 6	5 3	6 1		1 2	1
36 59	34 53	40 39	29 39	34 21	51 39	47 26	55 43	52 39	53 43	44 47	30 34	7 19	3 10	3 5
88 101	82 87	91 91	104 60	78 67	94 66	57 51	79 61	65 61	58 55	42 71	31 43	11 22	4 8	7 17
78 96	71 59	51 71	54 50	60 57	60 50	52 27	69 40	48 35	39 27	35 26	15 22	8 7	6 6	9 8
372 515	294 490	288 434	249 337	238 266	304 299	199 203	335 314	293 241	298 310	235 228	180 198	88 91	62 56	54 66
8 7	10 3	15 5	11 4	19 4	22 3	4 4	8 1	5 2	6 2	1	1			
873 979	769 920	767 943	730 730	771 641	821 568	805 552	786 620	784 605	711 542	558 449	342 292	145 162	57 72	28 26
680 803	529 632	537 703	527 543	517 463	551 463	538 355	597 448	569 467	478 423	420 370	278 229	111 109	35 39	10 15
323 414	233 326	253 350	263 295	293 243	302 211	337 267	398 241	426 300	391 262	295 233	202 167	99 78	19 21	16 21
321 352	204 295	253 313	215 192	254 160	237 124	203 147	208 120	173 141	139 116	115 81	51 44	41 19	5 8	9 7
464 640	410 550	358 507	357 390	347 340	388 298	378 232	372 321	380 339	383 334	279 235	222 217	110 102	48 52	25 33
367 382	356 270	367 330	383 278	372 228	356 235	264 173	308 238	243 168	202 159	145 123	100 106	32 41	23 23	31 59
159 257	136 197	136 169	161 173	155 156	139 145	203 164	270 200	308 223	350 262	330 300	240 255	138 146	45 74	17 29
308 363	250 329	281 300	255 244	245 234	247 252	297 219	319 258	304 278	333 285	215 223	141 220	61 105	25 39	18 35
631 816	579 712	643 723	525 595	568 575	548 564	609 589	731 637	788 761	763 777	718 794	547 679	260 407	81 158	17 60
324 432	301 380	308 389	287 291	345 264	326 275	342 261	416 293	437 318	435 318	361 276	268 207	141 115	27 30	19 21
167 153	140 151	159 133	115 118	128 103	155 101	147 86	124 100	138 76	126 105	101 82	80 60	29 29	11 12	8 7
323 421	274 364	233 332	256 309	203 203	205 210	210 142	278 210	219 138	193 173	149 87	115 99	34 35	16 29	26 32
773 1, 009	698 807	699 778	705 610	686 550	702 465	603 391	664 479	600 394	480 419	347 288	210 182	94 91	24 32	23 25
12 6	18 6	23 3	19 9	13 4	17 5	3	7 3	3 1	3 2	1	1	1	1	2
107 104	71 87	82 104	64 62	76 51	54 52	63 53	79 57	72 56	44 43	42 33	22 22	10 5	2 3	1 1
36 12	40 11	56 18	64 9	64 7	47 2	20	19	12 1	3 2	3	2	1		
93 102	85 131	95 116	61 98	80 98	84 83	124 123	143 127	206 157	196 198	226 194	176 189	97 110	40 67	16 14
333 370	322 373	379 341	353 322	351 316	380 290	395 303	429 333	372 387	385 352	324 366	218 319	91 161	41 53	10 27
88 55	70 42	59 38	48 36	62 23	32 20	26 17	40 35	20 13	16 19	11 3	11 5	5 4	2 3	5 3
1, 772 2, 011	1, 579 1, 802	1, 841 1, 779	1, 752 1, 614	1, 785 1, 554	1, 774 1, 550	1, 853 1, 436	1, 894 1, 612	1, 910 1, 660	1, 957 1, 718	1, 731 1, 681	1, 214 1, 286	573 713	220 263	85 144

TABLE III.—DEATHS, BY STATES AND TERRITORIES, WITH DISTINCTION OF AGE AND SEX: 1880.

States and Territories.			AGE AND SEX—continued.											
			Total.	Unknown.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
33	North Carolina.....	{ M. F.	10,593 10,954	68 87	2,948 2,271	1,125 972	661 656	374 354	239 248	5,347 4,501	568 628	321 354	368 521	429 615
34	Ohio	{ M. F.	22,079 20,531	64 71	5,359 4,342	1,331 1,196	873 824	527 506	413 374	8,503 7,242	1,146 1,199	556 647	702 870	940 1,216
35	Oregon	{ M. F.	1,034 830	13 7	197 151	49 69	52 32	25 30	25 22	348 304	55 67	32 59	49 63	70 55
36	Pennsylvania	{ M. F.	33,613 30,268	234 190	7,694 6,048	2,274 1,920	1,510 1,310	1,034 918	782 780	13,294 10,976	2,116 2,029	904 966	996 1,076	1,324 1,428
37	Rhode Island.....	{ M. F.	2,346 2,356	4 1	488 418	147 156	98 97	86 77	76 71	895 819	165 170	56 49	41 88	96 120
38	South Carolina.....	{ M. F.	7,609 8,119	46 35	2,018 1,752	819 721	426 434	255 255	183 175	3,701 3,337	424 483	259 278	227 356	330 480
39	Tennessee	{ M. F.	12,800 13,119	73 100	3,492 2,820	1,066 969	620 545	342 309	227 235	5,747 4,878	636 653	410 515	596 794	754 1,024
40	Texas	{ M. F.	13,121 11,614	67 49	3,673 2,928	1,363 1,081	680 618	378 333	214 201	6,308 5,181	698 599	405 368	499 632	792 843
41	Utah	{ M. F.	1,270 1,144	14 9	334 284	132 102	98 59	55 59	54 55	673 559	175 175	71 87	33 29	34 20
42	Vermont	{ M. F.	2,505 2,519	15 15	416 312	110 100	74 61	34 38	41 25	675 536	106 106	63 73	86 119	102 107
43	Virginia	{ M. F.	12,216 12,465	51 41	3,375 2,778	933 954	629 509	320 344	229 250	5,486 4,835	561 634	333 414	408 564	604 724
44	Washington.....	{ M. F.	467 288	9 2	83 57	28 15	16 16	19 10	14 5	160 103	39 33	22 25	18 14	22 25
45	West Virginia.....	{ M. F.	3,781 3,637	7 5	947 810	324 288	188 149	114 111	122 70	1,695 1,428	243 225	130 137	127 108	181 225
46	Wisconsin	{ M. F.	8,592 7,419	47 31	2,044 1,528	506 456	372 299	274 247	229 202	3,425 2,732	630 625	301 301	305 344	389 394
47	Wyoming	{ M. F.	119 70	1 -----	20 16	9 10	9 7	5 9	2 3	45 45	4 11	3 2	1 1	7 4

13

AGE AND SEX—continued.														
25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.
318 465	245 433	224 433	179 319	236 344	282 315	235 224	361 307	342 292	365 350	289 250	215 263	130 106	43 70	28 77
752 1,102	677 828	756 795	684 634	674 596	765 581	743 627	946 693	999 817	1,037 823	930 763	716 552	345 302	105 123	39 50
58 56	44 36	51 37	35 26	50 17	63 19	33 16	35 9	30 21	26 10	18 16	14 7	5 4	5 ----- -----	----- ----- 1
1,168 1,332	1,062 1,154	1,153 1,129	995 951	1,089 880	1,208 979	1,172 907	1,302 1,046	1,404 1,184	1,457 1,214	1,268 1,161	868 922	390 473	140 175	69 96
81 107	83 100	71 76	78 89	68 65	90 71	80 67	113 81	98 91	99 106	101 100	72 68	35 51	16 25	4 12
243 414	218 352	206 306	177 272	188 229	233 243	186 160	272 269	242 198	254 224	176 154	120 181	48 68	28 39	31 41
571 762	478 665	427 653	353 476	343 410	378 376	306 259	401 325	346 288	334 311	297 272	192 188	101 74	33 50	24 46
621 743	534 636	478 523	406 420	400 279	390 277	287 182	373 244	264 168	235 155	181 153	106 85	41 31	19 18	17 28
37 29	28 33	26 32	20 21	17 18	22 23	23 23	17 18	25 23	20 10	18 18	13 8	2 7	1 ----- -----	1 2 -----
83 118	62 106	48 88	57 81	76 79	84 95	102 108	132 113	147 145	190 175	195 170	138 144	99 88	30 33	15 20
360 587	328 517	308 448	340 415	316 396	416 391	326 305	522 392	452 361	457 424	398 394	286 343	147 132	76 70	41 78
19 12	31 15	25 13	32 11	29 8	20 4	14 4	7 6	9 3	7 1	2 6	2 2	----- -----	----- 1	----- -----
134 175	92 140	90 122	90 109	79 89	105 104	105 77	118 97	119 117	137 136	171 105	94 99	39 42	13 23	12 14
240 299	214 243	184 268	201 206	233 188	281 251	323 231	400 238	384 257	356 286	332 234	206 170	95 70	31 32	15 19
14 1	10 1	17 1	4 1	2 1	2 -----	5 -----	1 2	1 -----	-----	2 -----	-----	-----	-----	-----

T A B L E I V .

MORTALITY OF THE UNITED STATES

(BY STATES AND TERRITORIES),

WITH

DISTINCTION OF RACE, AGE, AND SEX,

FOR THE

CENSUS YEAR ENDING MAY 31, 1880.

Race.	AGE AND SEX.											
	Total.	Unknown.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
UNITED STATES.												
Total	756, 893	3, 228	175, 184	56, 816	33, 417	21, 276	15, 931	302, 624	43, 093	22, 915	29, 368	39, 355
White	{ M. 333, 735 F. 306, 456	{ 1, 538 1, 197	{ 80, 083 64, 104	{ 24, 708 21, 553	{ 14, 316 12, 825	{ 9, 098 8, 501	{ 6, 897 6, 591	{ 135, 102 113, 574	{ 18, 413 17, 992	{ 9, 232 9, 307	{ 10, 680 12, 925	{ 14, 822 17, 380
Colored	{ M. 56, 972 F. 57, 958	{ 235 237	{ 16, 694 14, 165	{ 5, 507 4, 989	{ 3, 225 3, 000	{ 1, 861 1, 782	{ 1, 227 1, 193	{ 28, 514 25, 129	{ 3, 199 3, 426	{ 1, 982 2, 356	{ 2, 374 3, 301	{ 3, 102 3, 883
Chinese	{ M. 790 F. 79	{ 8 2	{ 15 9	{ 4 3	{ 4 5	{ 2 2	{ 3 1	{ 28 20	{ 1 3	{ 2 1	{ 14 3	{ 6 8
Indian	{ M. 463 F. 440	{ 9 2	{ 57 57	{ 34 18	{ 19 23	{ 16 14	{ 9 10	{ 135 122	{ 25 34	{ 17 18	{ 29 42	{ 54 40
ALABAMA.												
Total	17, 929	30	4, 496	1, 599	926	561	362	7, 944	1, 007	581	836	1, 040
White	{ M. 4, 145 F. 4, 184	{ 10 8	{ 1, 029 860	{ 350 309	{ 199 184	{ 109 108	{ 72 71	{ 1, 759 1, 532	{ 217 211	{ 135 124	{ 160 194	{ 193 300
Colored	{ M. 4, 697 F. 4, 903	{ 6 6	{ 1, 382 1, 225	{ 502 438	{ 284 259	{ 172 172	{ 109 110	{ 2, 449 2, 204	{ 291 288	{ 165 157	{ 189 293	{ 222 325
Chinese	{ M. F.	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }
Indian	{ M. F.	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }
ARIZONA.												
Total	291	3	56	11	9	4		80	11	6	8	18
White	{ M. 199 F. 82	{ 2 }	{ 30 26	{ 6 5	{ 4 5	{ 2 2	{ }	{ 42 38	{ 4 7	{ 3 2	{ 4 3	{ 14 4
Colored	{ M. 1 F.	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }
Chinese	{ M. 1 F.	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }
Indian	{ M. 6 F. 2	{ 1 }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ 1 }	{ }	{ }
ARKANSAS.												
Total	14, 812	45	3, 489	1, 416	810	464	337	6, 516	960	527	730	1, 028
White	{ M. 5, 965 F. 5, 342	{ 21 14	{ 1, 372 1, 158	{ 589 526	{ 301 306	{ 167 162	{ 136 135	{ 2, 565 2, 287	{ 368 348	{ 220 170	{ 272 266	{ 422 385
Colored	{ M. 1, 770 F. 1, 726	{ 5 5	{ 497 462	{ 164 137	{ 111 92	{ 69 66	{ 36 30	{ 877 787	{ 126 118	{ 79 58	{ 85 106	{ 110 109
Chinese	{ M. 1 F.	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }
Indian	{ M. 5 F. 3	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ 2 1
CALIFORNIA.												
Total	11, 530	67	2, 192	457	329	227	162	3, 367	444	261	400	632
White	{ M. 6, 516 F. 3, 946	{ 43 16	{ 1, 198 942	{ 241 200	{ 155 157	{ 117 97	{ 75 76	{ 1, 786 1, 472	{ 220 202	{ 136 119	{ 173 196	{ 302 239
Colored	{ M. 95 F. 58	{ }	{ 15 6	{ 3 4	{ 2 }	{ 1 2	{ 3	{ 21 15	{ 3 4	{ 2 }	{ 2 4	{ 6 3
Chinese	{ M. 695 F. 69	{ 5 2	{ 14 8	{ 3 2	{ 4 5	{ 2 1	{ 3 1	{ 26 17	{ 1 3	{ 2 1	{ 12 1	{ 58 8
Indian	{ M. 89 F. 62	{ 1 }	{ 6 3	{ 3 1	{ 3 3	{ 3 4	{ 1 3	{ 16 14	{ 8 3	{ 1 }	{ 4 8	{ 12 4
COLORADO.												
Total	2, 547	23	447	160	122	107	73	909	198	103	92	215
White	{ M. 1, 595 F. 926	{ 15 6	{ 237 207	{ 90 68	{ 61 60	{ 64 42	{ 37 36	{ 489 413	{ 95 102	{ 62 40	{ 55 36	{ 148 63
Colored	{ M. 12 F. 11	{ }	{ 1 2	{ 1 1	{ 1 }	{ 1	{ }	{ 3 4	{ 1	{ 1 }	{ 1 }	{ 2 2
Chinese	{ M. F.	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }
Indian	{ M. 3 F.	{ 2 }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }
CONNECTICUT.												
Total	9, 179	28	1, 589	433	261	180	120	2, 583	343	186	297	406
White	{ M. 4, 499 F. 4, 429	{ 16 11	{ 865 664	{ 223 200	{ 132 121	{ 81 94	{ 64 54	{ 1, 365 1, 133	{ 171 164	{ 75 104	{ 125 162	{ 179 212
Colored	{ M. 128 F. 117	{ 1 }	{ 33 27	{ 8 2	{ 4 4	{ 4 1	{ 2 }	{ 51 34	{ 2 6	{ 2 5	{ 5 4	{ 7 8
Chinese	{ M. 1 F.	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ 1 }	{ }
Indian	{ M. 1 F. 4	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }

17

TABLE IV.—DEATHS, WITH DISTINCTION OF RACE, AND AGE AND SEX: 1880.

AGE AND SEX—continued.														
25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.
33,132	28,669	28,630	24,954	23,996	24,539	22,352	26,183	25,685	25,736	22,352	16,641	8,149	3,283	2,009
12,679	11,230	11,611	10,925	11,476	11,962	11,610	13,099	13,024	12,658	10,932	7,485	3,584	1,179	494
15,037	13,121	12,918	10,508	9,640	9,368	8,677	9,984	10,522	10,748	9,790	7,515	3,959	1,584	710
2,157	1,702	1,724	1,472	1,350	1,580	1,091	1,658	1,169	1,208	872	747	303	239	294
3,057	2,387	2,202	1,911	1,438	1,553	929	1,395	952	1,104	744	881	296	276	501
131	163	125	83	67	46	27	21	4	3	1				
10	9	9	7	1	3	1	1	1						
30	27	20	20	16	17	11	11	10	8	6	8	5	3	2
31	30	21	28	8	10	6	14	3	7	7	5	2	2	8
814	640	615	562	508	559	364	580	445	461	354	307	141	77	64
170	121	114	100	128	134	105	176	160	139	144	107	48	20	5
241	199	201	178	147	135	92	130	113	137	93	77	45	18	9
161	136	117	95	97	145	88	145	88	101	67	63	29	21	22
242	184	183	189	136	145	79	129	84	84	50	60	19	18	28
32	29	29	22	18	15	4	7	2	3	1	2			1
22	22	19	21	15	13	3	7	2	3	1	1			1
6	6	8	1	3	2	1					1			
1														
		1												
2	1	1												
1														
869	652	615	527	479	397	285	341	266	206	167	120	26	26	30
334	249	205	226	218	180	136	165	140	96	89	39	13	4	3
339	275	294	194	173	123	98	104	86	69	47	48	9	10	3
88	53	46	48	50	43	28	41	19	28	14	16	1	5	8
104	75	70	59	38	51	23	30	20	13	17	17	3	7	16
1														
3							1	1						
687	762	795	694	753	762	528	435	331	256	182	110	39	16	9
305	391	457	421	503	528	375	300	219	160	104	64	16	8	5
243	192	198	176	174	173	115	106	94	90	73	41	20	6	1
3	2	12	4	8	9	7	5	6	2		1		1	1
5	3	4	1	3	2	1	4	4	1	1	2			1
114	150	107	71	59	39	26	17	4	3	1				
7	7	9	7	1	3	1	1	1						
5	10	5	7	5	5	3	1	3			1	2		
5	7	3	7		3		1			3	1	1	1	1
201	170	158	119	88	74	50	48	34	30	20	8	3	3	1
149	125	114	85	72	55	37	32	22	17	13	5	3	1	1
50	44	43	34	14	18	13	15	11	13	6	3		2	
2				2						1				
	1	1			1			1						
							1							
359	356	354	311	330	369	366	486	474	576	528	439	256	103	29
153	153	164	152	168	194	193	256	239	295	263	193	113	23	9
188	183	181	153	156	168	160	221	228	273	261	236	139	78	18
8	10	6	4	3	3	4	1	4	6	2	5	3		1
10	9	3	2	3	4	8	8	3	2		4	1	2	1
	1					1				1	1			

TABLE IV.—DEATHS, WITH DISTINCTION OF RACE, AND AGE AND SEX: 1880.

AGE AND SEX—continued.														
25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.
74	63	53	42	49	29	25	27	18	17	8	7		3	1
40	36	31	24	37	22	15	13	10	11	5	6		1	1
32	25	19	13	11	6	10	11	6	6	3	1		2	
.....								1						
.....		1	3											
.....														
1	2	2	1				1	1						
1			1	1	1		2							
95	87	79	68	55	90	73	98	91	96	91	64	26	13	8
27	28	36	18	32	44	40	50	45	46	36	27	5	3	2
39	43	33	31	17	33	23	37	35	36	43	26	16	6	2
9	6	4	11	2	7	7	5	7	7	8	3	2		1
20	10	6	8	4	6	3	6	4	7	4	8	3	4	3
.....														
.....														
.....														
189	169	182	164	145	160	108	140	126	113	113	74	33	12	24
47	53	60	81	43	63	36	59	53	42	30	20	11	3	4
44	50	40	33	40	35	32	41	39	36	45	23	12	5	3
41	29	31	23	35	31	21	20	12	16	12	11		1	3
57	37	51	27	27	31	19	20	22	19	26	20	10	3	14
.....														
.....														
.....														
174	130	122	104	117	116	79	109	83	66	61	37	15	12	17
44	51	26	28	42	42	38	46	35	28	23	6	4	4	4
59	35	45	25	34	23	20	19	22	18	14	9	4	1	3
34	20	25	26	18	18	14	23	13	11	12	9	4	2	5
37	24	26	25	23	27	7	21	13	9	12	13	3	5	5
.....														
.....														
.....														
887	784	722	586	504	603	402	649	534	608	463	378	179	118	120
164	178	135	127	137	156	125	180	193	196	166	113	56	31	13
241	247	224	167	147	136	126	154	160	205	159	127	66	28	15
208	116	153	122	101	148	74	155	100	102	68	67	32	31	41
274	243	210	170	119	163	77	160	81	105	69	71	25	28	51
.....														
.....										1				
.....														
15	13	20	15	23	25	8	9	7	8	1	1	1		
7	9	11	9	15	20	4	8	5	6	1	1			
6	2	5	4	4	3	4	1	2	2			1		
.....		1		1										
.....														
1	1	3	2	3	2									
.....	1													
1														
1,852	1,689	1,710	1,460	1,412	1,389	1,357	1,406	1,389	1,253	1,007	634	307	129	54
850	749	741	719	752	807	797	777	777	704	550	338	145	56	28
950	893	927	714	632	556	546	610	602	540	447	288	160	69	22
23	19	26	11	19	14	8	9	7	7	8	4		1	
29	27	16	16	9	12	6	10	3	2	2	4	2	3	4
.....	1													
.....														
.....														

21

TABLE IV.—DEATHS, WITH DISTINCTION OF RACE, AND AGE AND SEX: 1880.

AGE AND SEX—continued.														
25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.
1,483	1,161	1,240	1,070	980	1,014	893	1,045	1,036	901	790	507	220	74	25
657	502	520	508	510	534	521	586	562	467	414	275	108	32	9
778	614	685	518	455	454	350	440	464	418	364	227	108	39	14
22	26	16	19	7	16	16	11	7	11	6	3	3	3	
24	18	18	24	8	9	5	8	3	5	6	2	1		
1														
	1	1			1	1								1
1			1											1
737	559	603	558	536	513	604	639	726	653	528	369	177	40	37
320	228	252	259	290	300	334	395	422	390	295	201	99	19	13
412	324	347	290	240	210	263	239	300	261	233	167	77	21	19
3	5	1	4	3	2	3	3	4	1		1			3
2	2	3	5	3	1	4	2		1			1		2
673	499	566	407	414	361	350	328	314	255	196	95	60	13	16
307	190	241	199	241	226	192	196	167	131	107	50	36	5	4
330	278	288	173	152	117	137	109	139	109	77	39	16	6	1
14	14	11	14	12	9	10	10	6	8	8	1	4		5
19	17	24	16	8	6	8	10	2	6	4	4	3	2	6
		1	2	1	2	1	2					1		
3		1	3		1	2	1		1		1			
1,104	960	865	747	687	686	610	693	719	717	514	439	212	100	58
362	320	296	293	286	315	324	308	322	316	244	182	91	40	14
490	448	414	312	272	253	192	279	297	286	202	173	87	34	12
102	90	62	64	61	73	54	64	58	67	35	40	19	8	11
150	102	93	78	68	45	40	42	42	48	33	44	15	18	21
749	626	697	661	600	591	437	546	411	361	268	206	73	46	90
195	201	200	234	223	198	187	161	151	112	70	42	17	7	4
185	135	169	137	127	118	101	123	89	83	66	40	21	6	12
170	153	164	149	149	157	77	146	91	90	75	57	15	16	27
197	135	160	140	101	117	72	115	79	76	57	66	20	17	47
2	2	2			1		1							
		1						1			1			
		1	1											
416	333	305	334	311	284	367	470	531	612	630	495	284	119	46
157	136	135	160	154	139	202	269	308	349	329	239	138	45	17
255	197	169	172	156	142	164	200	223	261	300	255	145	74	28
2		1	1	1		1				1				
1					2				1			1		1
							1		1		1			
1			1		1									
671	579	581	499	479	499	516	577	582	618	438	361	166	64	53
233	192	209	188	189	194	235	269	255	275	173	102	48	15	5
260	244	224	183	177	189	182	211	234	230	193	167	82	26	10
75	58	72	67	56	53	62	50	49	58	42	39	13	10	13
103	85	76	61	57	63	37	47	44	55	30	53	23	13	25

STATISTICS OF MORTALITY.

TABLE IV.—DEATHS, WITH DISTINCTION OF RACE, AND AGE AND SEX: 1880.

Race.	AGE AND SEX.											
	Total.	Unknown.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
MASSACHUSETTS.												
Total	33,149	10	7,288	1,903	1,056	772	597	11,616	1,410	577	1,064	1,617
White	{ M. 16,185	8	4,013	975	531	386	291	6,196	671	273	433	688
	{ F. 16,535	2	3,155	881	508	374	301	5,219	723	299	618	907
Colored	{ M. 228		73	24	9	5	3	114	10		5	8
	{ F. 192		46	23	8	7	2	86	6	4	8	13
Chinese	{ M.											
	{ F.											
Indian	{ M. 3		1					1				1
	{ F. 6									1		
MICHIGAN.												
Total	19,743	71	4,343	1,223	787	594	494	7,441	1,467	749	826	982
White	{ M. 10,200	33	2,393	664	403	314	232	4,006	773	361	334	433
	{ F. 9,128	35	1,866	530	366	266	246	3,274	673	367	465	519
Colored	{ M. 109	1	21	9	3	2	3	38	4	5	5	10
	{ F. 116	2	18	8	2	4	7	39	5	9	8	10
Chinese	{ M.											
	{ F.											
Indian	{ M. 98		26	6	6	4	3	45	6	4	6	6
	{ F. 92		19	6	7	4	3	39	6	3	8	4
MINNESOTA.												
Total	9,037	32	2,263	685	413	316	262	3,939	862	427	378	455
White	{ M. 4,835	18	1,297	348	233	170	138	2,186	436	209	167	202
	{ F. 4,125	14	955	332	178	142	124	1,731	421	216	207	239
Colored	{ M. 12		4	1				5	1			2
	{ F. 13		4	1				5			1	1
Chinese	{ M.											
	{ F.											
Indian	{ M. 22		1	3	1	2		7	1	2		5
	{ F. 30		2		1	2		5	3		3	6
MISSISSIPPI.												
Total	14,583	55	3,461	1,024	695	465	326	5,971	859	547	673	960
White	{ M. 3,171	9	702	219	129	94	56	1,200	152	101	143	187
	{ F. 2,851	11	535	178	138	81	55	987	171	86	104	218
Colored	{ M. 4,346	22	1,231	357	241	162	116	2,108	265	187	175	237
	{ F. 4,190	13	988	268	185	126	98	1,665	270	172	247	315
Chinese	{ M.											
	{ F.											
Indian	{ M. 10		2	2		1		5			1	1
	{ F. 15		3		2		1	6	1	1	3	2
MISSOURI.												
Total	36,615	204	9,296	3,306	1,648	906	633	15,789	1,798	1,077	1,704	2,215
White	{ M. 17,794	110	4,724	1,680	786	425	287	7,902	848	474	701	915
	{ F. 15,855	77	3,825	1,411	730	414	294	6,674	786	465	811	1,048
Colored	{ M. 1,439	6	419	103	58	31	31	642	78	47	82	123
	{ F. 1,523	11	328	112	74	36	21	571	86	91	109	129
Chinese	{ M. 1											
	{ F.											
Indian	{ M. 3										1	
	{ F.											
MONTANA.												
Total	336	3	52	18	19	6	5	100	24	13	11	21
White	{ M. 204	3	30	10	8	3	1	52	11	6	7	10
	{ F. 93		18	6	7	2	4	37	11	6	2	5
Colored	{ M. 4			1				1		1		1
	{ F.											
Chinese	{ M. 1											
	{ F.											
Indian	{ M. 16		1	1	3	1		6	1		1	3
	{ F. 18		3		1			4	1		1	2
NEBRASKA.												
Total	5,930	36	1,440	575	375	307	216	2,913	694	310	189	266
White	{ M. 3,083	25	804	304	198	153	104	1,563	342	156	86	129
	{ F. 2,792	11	626	268	174	151	111	1,330	344	150	103	134
Colored	{ M. 18		3		2			5	4	2		2
	{ F. 15		4		1	2		7	2			
Chinese	{ M.											
	{ F.											
Indian	{ M. 11		3	2		1	1	7	2			1
	{ F. 11			1				1		2		

23

[illegible]

25

TABLE IV.—DEATHS, WITH DISTINCTION OF RACE, AND AGE AND SEX: 1880.

[illegible]

STATISTICS OF MORTALITY.

TABLE IV.—DEATHS, WITH DISTINCTION OF RACE, AND AGE AND SEX: 1880.

Race.		AGE AND SEX—continued.											
		Total.	Unknown.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
OREGON.													
Total		1,864	20	348	118	84	55	47	652	122	91	112	125
White	{ M.	992	12	197	48	52	25	24	346	54	32	45	61
	{ F.	800	6	150	68	31	28	21	298	65	56	58	50
Colored	{ M.	3										1	1
	{ F.	4				1			1		1		1
Chinese	{ M.	18	1									2	2
	{ F.	5											
Indian	{ M.	21			1			1	2	1		3	6
	{ F.	21	1	1	1		2	1	5	2	2	3	4
PENNSYLVANIA.													
Total		63,881	424	13,742	4,194	2,820	1,952	1,562	24,270	4,145	1,870	2,072	2,752
White	{ M.	32,537	218	7,390	2,195	1,452	1,007	765	12,809	2,079	882	963	1,268
	{ F.	29,230	181	5,788	1,846	1,265	897	766	10,562	1,979	932	1,032	1,359
Colored	{ M.	1,075	16	304	79	58	27	17	485	37	22	33	56
	{ F.	1,035	9	259	74	44	21	14	412	50	34	43	69
Chinese	{ M.	1											
	{ F.												
Indian	{ M.												
	{ F.	3		1		1			2			1	
RHODE ISLAND.													
Total		4,702	5	906	303	195	163	147	1,714	335	105	129	216
White	{ M.	2,266	4	456	143	96	85	76	856	158	55	39	94
	{ F.	2,257	1	400	146	95	73	69	782	162	46	85	117
Colored	{ M.	80		32	4	2	1		39	7	1	2	2
	{ F.	99		18	10	2	4	2	36	8	3	3	3
Chinese	{ M.												
	{ F.												
Indian	{ M.												
	{ F.												
SOUTH CAROLINA.													
Total		15,728	81	3,770	1,540	860	510	358	7,038	907	537	583	810
White	{ M.	2,574	18	548	252	130	72	58	1,060	131	77	65	110
	{ F.	2,620	10	460	210	106	61	54	891	150	66	97	136
Colored	{ M.	5,035	28	1,470	567	296	183	125	2,641	293	182	162	220
	{ F.	5,499	25	1,292	511	328	194	121	2,446	333	212	259	344
Chinese	{ M.												
	{ F.												
Indian	{ M.												
	{ F.												
TENNESSEE.													
Total		25,919	173	6,312	2,035	1,165	651	462	10,625	1,289	925	1,390	1,778
White	{ M.	8,669	51	2,310	696	408	224	142	3,780	378	249	334	461
	{ F.	8,643	71	1,784	628	341	194	155	3,102	367	263	409	658
Colored	{ M.	4,129	22	1,182	370	212	118	85	1,967	258	161	262	293
	{ F.	4,473	29	1,034	341	204	115	80	1,774	286	252	385	366
Chinese	{ M.	2											
	{ F.												
Indian	{ M.												
	{ F.	3		2					2				
TEXAS.													
Total		24,735	116	6,601	2,444	1,298	711	435	11,489	1,297	773	1,131	1,635
White	{ M.	10,215	50	2,685	1,093	537	272	160	4,747	530	297	372	630
	{ F.	8,783	36	2,153	863	461	251	165	3,893	451	250	469	655
Colored	{ M.	2,891	17	987	268	143	105	54	1,557	168	108	127	161
	{ F.	2,822	13	773	218	155	82	56	1,284	148	118	161	188
Chinese	{ M.	1											
	{ F.												
Indian	{ M.	14		1	2		1		4				1
	{ F.	9		2		2			4			2	
UTAH.													
Total		2,414	23	618	234	157	114	109	1,232	350	158	62	54
White	{ M.	1,264	14	333	132	98	55	54	672	175	70	33	33
	{ F.	1,139	8	283	102	59	59	55	558	175	87	29	20
Colored	{ M.	2		1					1				1
	{ F.	3	1	1					1				
Chinese	{ M.												
	{ F.												
Indian	{ M.	4									1		
	{ F.	2											

TABLE IV.—DEATHS, WITH DISTINCTION OF RACE, AND AGE AND SEX: 1880.

AGE AND SEX—continued.														
25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.
114	80	88	61	67	82	49	44	51	36	34	21	9	5	1
55 53	40 35	45 36	34 26	47 17	59 18	33 16	32 9	30 20	26 9	18 16	14 7	5 4	4	1
1	1								1					
1 3	2	4	1	2	2		3							
2	1	2		1	2								1	
	1	1			1			1						
2,500	2,216	2,282	1,946	1,969	2,187	2,079	2,348	2,588	2,671	2,429	1,790	863	315	165
1,114 1,284	1,012 1,099	1,085 1,090	962 930	1,052 846	1,171 955	1,140 877	1,280 1,022	1,378 1,149	1,436 1,182	1,247 1,135	860 896	380 466	137 172	64 82
54 48	50 55	68 39	32 21	37 34	37 24	32 30	22 24	26 35	21 32	21 26	8 26	10 7	3 3	5 14
			1											
188	183	147	167	133	161	147	194	189	205	201	140	86	41	16
78 97	78 95	70 71	75 88	66 62	90 67	78 64	108 79	96 88	99 103	97 99	72 66	35 49	15 23	3 12
3 10	5 5	1 5	3 1	2 3	2 4	2 3	5 2	2 3	2 3	4 1	2 2	2 2	1 2	1
657	570	512	449	417	476	346	541	440	478	330	301	116	67	72
89 130	81 127	66 102	78 90	84 94	86 94	87 75	113 103	110 96	115 116	96 97	62 96	28 35	12 16	6 9
154 284	137 225	140 204	99 182	104 135	147 149	99 85	159 166	132 102	139 108	80 67	58 85	20 33	16 23	25 32
1,333	1,143	1,080	829	753	754	565	726	634	645	569	380	175	83	70
414 496	330 470	306 474	246 339	256 297	261 269	231 209	299 257	282 234	274 247	251 225	148 139	82 62	23 35	13 20
156 266	147 194	121 179	107 137	87 113	117 107	75 50	102 68	64 54	60 64	46 47	44 49	19 12	10 15	11 26
1	1													
	1													
1,364	1,170	1,001	826	679	667	469	617	432	390	334	191	72	37	45
496 567	448 503	403 414	348 311	334 224	330 213	258 157	300 178	214 136	188 119	152 126	75 50	30 22	8 6	5 3
120 176	85 132	74 109	57 108	65 55	60 64	28 25	73 65	50 32	47 36	29 27	31 35	11 9	11 12	12 25
1														
4	1	1	1	1		1	1							
	1		1				1							
66	61	58	41	35	45	46	35	48	30	36	21	9	1	3
37 29	28 32	25 32	19 21	17 18	22 23	23 23	17 18	25 23	20 9	17 17	13 8	2 7	1	1 2
										1				
		1	1							1				
	1							1						

TABLE IV.—DEATHS, WITH DISTINCTION OF RACE, AND AGE AND SEX: 1880.

Race.	AGE AND SEX.											
	Total.	Unknown.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
VERMONT.												
Total	5,024	30	728	210	135	72	66	1,211	212	136	205	209
White	{ M. 2,497 F. 2,511	15 15	415 311	110 100	74 61	34 37	41 25	674 534	106 105	63 72	86 119	102 107
Colored	{ M. 8 F. 8		1 1					1 2				
Chinese	{ M. F.											
Indian	{ M. F.											
VIRGINIA.												
Total	24,681	92	6,153	1,887	1,138	664	479	10,321	1,195	747	972	1,328
White	{ M. 6,121 F. 6,224	28 20	1,541 1,231	408 415	257 224	148 150	111 124	2,465 2,144	266 280	145 141	179 219	246 318
Colored	{ M. 6,094 F. 6,241	23 21	1,834 1,547	525 539	372 285	172 194	118 126	3,021 2,691	295 354	188 273	229 345	358 406
Chinese	{ M. F.											
Indian	{ M. F.											
WASHINGTON.												
Total	755	11	140	43	32	29	19	263	72	47	32	47
White	{ M. 441 F. 262	6 1	82 56	27 13	15 15	17 10	14 4	155 98	37 29	19 25	16 11	19 19
Colored	{ M. 4 F. 1					1		1			1	
Chinese	{ M. 2 F.											
Indian	{ M. 20 F. 25	3 1	1 1	1 2	1 1	1	1	4 5	2 4	3	2 2	3 6
WEST VIRGINIA.												
Total	7,418	12	1,757	612	337	225	192	3,123	468	267	295	406
White	{ M. 3,566 F. 3,418	6 5	893 749	302 259	176 141	106 105	120 66	1,597 1,320	231 215	125 123	118 159	158 210
Colored	{ M. 215 F. 210	1	54 61	22 29	12 8	8 6	2 4	98 108	12 10	5 14	9 9	23 15
Chinese	{ M. F.											
Indian	{ M. F.											
WISCONSIN.												
Total	16,011	78	3,572	962	671	521	431	6,157	1,255	602	649	783
White	{ M. 8,546 F. 7,381	46 31	2,039 1,520	501 452	368 299	274 247	227 202	3,409 2,720	627 619	299 299	304 342	387 393
Colored	{ M. 20 F. 10		4 5	2 2	2			8 7	2	1 2		1 1
Chinese	{ M. F.											
Indian	{ M. 26 F. 28	1	1 3	3 2	2		2	8 5	1 6	1	1 2	1
WYOMING.												
Total	189	1	36	19	16	14	5	90	15	5	2	11
White	{ M. 114 F. 69	1	20 16	9 9	9 7	4 9	2 3	44 44	4 11	3 2	1 1	6 4
Colored	{ M. 1 F. 1			1		1		1 1				

STATISTICS OF MORTALITY.

TABLE IV.—DEATHS, WITH DISTINCTION OF RACE, AND AGE AND SEX: 1880.

[illegible]

T A B L E V.

MORTALITY OF THE UNITED STATES

(BY STATE AND GRAND GROUPS),

WITH

DISTINCTION OF COLOR,

FOR THE

CENSUS YEAR ENDING MAY 31, 1880.

TABLE V.—DEATHS IN EACH STATE AND GRAND GROUP, WITH DISTINCTION OF COLOR.

States and Territories.		1.	2.	3.	4.	5.	6.	7.	8.	9.
		North Atlantic coast.	Middle Atlantic coast.	South Atlantic coast.	Gulf coast.	Northeast, hilly and mountainous.	Central Atlantic, mountainous.	Region of the lakes.	Interior plateaus and table-lands.	South central, mountainous.
The United States.... { W. C.		44,601 757	77,285 11,555	6,099 8,620	9,013 7,141	25,441 197	31,620 865	42,999 579	73,696 14,513	26,867 8,364
1	Alabama..... { W. C.				557 477					3,574 1,878
2	Arizona..... { W. C.									
3	Arkansas..... { W. C.									
4	California..... { W. C.									
5	Colorado..... { W. C.									
6	Connecticut..... { W. C.	5,342 152				3,586 99				
7	Dakota..... { W. C.									
8	Delaware..... { W. C.		1,737 475							
9	District of Columbia..... { W. C.		2,090 2,102							
10	Florida..... { W. C.				1,718 1,441					
11	Georgia..... { W. C.			984 1,315						3,558 1,637
12	Idaho..... { W. C.									
13	Illinois..... { W. C.							11,314 122		
14	Indiana..... { W. C.							829 3		
15	Iowa..... { W. C.									
16	Kansas..... { W. C.									
17	Kentucky..... { W. C.									2,584 155
18	Louisiana..... { W. C.				5,311 4,446					
19	Maine..... { W. C.	6,447 45				3,023 8				
20	Maryland..... { W. C.		10,853 4,346				1,509 211			
21	Massachusetts..... { W. C.	24,591 370				8,129 59				
22	Michigan..... { W. C.							9,493 266		
23	Minnesota..... { W. C.									
24	Mississippi..... { W. C.				116 55					
25	Missouri..... { W. C.									
26	Montana..... { W. C.									
27	Nebraska..... { W. C.									
28	Nevada..... { W. C.									
29	New Hampshire..... { W. C.	3,698 11				1,872 3				
30	New Jersey..... { W. C.		13,140 627				4,545 162			
31	New Mexico..... { W. C.									
32	New York..... { W. C.		46,931 1,158			3,823 12	3,850 92	9,563 63	22,532 308	

TABLE V.—DEATHS IN EACH STATE AND GRAND GROUP, WITH DISTINCTION OF COLOR.

10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	
Ohio valley.	South interior table-lands and plateaus.	Mississippi River belt, south.	Mississippi River belt, north.	Southwest central.	Central.	Prairie.	Missouri River belt.	Western plains.	Heavily timbered re- gion of the northwest.	Cordilleran region.	Pacific coast.	
32,680 3,161	21,474 29,833	5,122 6,795	28,155 1,779	37,392 9,367	55,228 8,524	73,511 1,786	11,462 1,193	4,722 99	12,740 215	11,265 589	8,819 770	
	4,196 7,245											} 1
										281 10		} 2
		1,276 1,242		10,031 2,263								} 3
										3,399 376	7,063 692	} 4
								1,144 18		1,377 8		} 5
												} 6
						601 48	443 3	205 4				} 7
												} 8
												} 9
												} 10
	5,653 8,402											} 11
										306 17		} 12
			8,196 437			24,675 273						} 13
6,418 340					22,966 657							} 14
			3,499 51			14,264 101	1,455 7					} 15
						12,291 1,030		1,809 30				} 16
5,947 1,514		383 64			9,424 3,647							} 17
		282 1,189		1,445 1,841								} 18
												} 19
												} 20
												} 21
									9,835 149			} 22
			3,234 25			5,269 14			457 38			} 23
	4,978 5,729	928 2,777										} 24
			11,173 1,262	8,774 284		5,740 281	7,962 1,139					} 25
								18		279 39		} 26
						4,051 11	1,602 44	222				} 27
										680 48		} 28
												} 29
												} 30
								727 9		1,670 30		} 31
												} 32

TABLE V.—DEATHS IN EACH STATE AND GRAND GROUP, WITH DISTINCTION OF COLOR.

10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	
Ohio valley.	South interior table-lands and plateaus.	Mississippi River belt, south.	Mississippi River belt, north.	Southwest central.	Central.	Prairie.	Missouri River belt.	Western plains.	Heavily timbered region of the northwest.	Cordilleran region.	Pacific coast.	
												} 33
16,867 1,152					17,095 401							} 34
										410 34	1,382 38	} 35
												} 36
												} 37
	3,555 6,592											} 38
	3,090 1,865	2,253 1,523			5,743 3,819							} 39
				17,142 4,979				545 36				} 40
										2,403 11		} 41
												} 42
												} 43
										329 12	374 40	} 44
3,448 155												} 45
			2,053 4			6,620 28			2,448 28			} 46
								52 2		131 4		} 47

TABLE VI.

STATEMENT
OF THE
RATE OF DEATH PER THOUSAND OF POPULATION
(BY STATE AND GRAND GROUPS)
FOR THE
CENSUS YEAR ENDING MAY 31, 1880.

TABLE VI.—DEATHS IN EACH THOUSAND OF POPULATION, BY STATE AND GRAND GROUPS.

States and Territories.		1.	2.	3.	4.	5.	6.	7.	8.	9.
		North Atlantic coast.	Middle Atlantic coast.	South Atlantic coast.	Gulf coast.	Northeast, hilly and mountainous.	Central Atlantic, mountainous.	Region of the lakes.	Interior plateaus and table lands.	South central, mountainous.
The United States... { W. C.		17.25 24.05	20.03 22.28	15.66 17.75	14.83 15.93	15.34 17.91	13.75 19.39	14.24 18.83	14.77 20.04	11.86 19.29
1	Alabama { W. C.				17.36 18.94					13.65 21.00
2	Arizona { W. C.									
3	Arkansas { W. C.									
4	California { W. C.									
5	Colorado { W. C.									
6	Connecticut { W. C.	14.46 19.46				14.86 24.03				
7	Dakota { W. C.									
8	Delaware { W. C.		14.46 17.96							
9	District of Columbia { W. C.		17.71 35.26							
10	Florida { W. C.				12.05 11.36					
11	Georgia { W. C.			12.90 17.10						11.52 18.07
12	Idaho { W. C.									
13	Illinois { W. C.							18.20 16.84		
14	Indiana { W. C.							13.16 10.38		
15	Iowa { W. C.									
16	Kansas { W. C.									
17	Kentucky { W. C.									10.22 17.74
18	Louisiana { W. C.				16.75 18.89					
19	Maine { W. C.	14.74 31.36				14.43 12.32				
20	Maryland { W. C.		18.16 21.95				11.88 17.23			
21	Massachusetts { W. C.	19.14 24.63				16.97 13.78				
22	Michigan { W. C.							12.12 20.45		
23	Minnesota { W. C.									
24	Mississippi { W. C.				7.48 8.55					
25	Missouri { W. C.									
26	Montana { W. C.									
27	Nebraska { W. C.									
28	Nevada { W. C.									
29	New Hampshire { W. C.	16.52 17.66				15.30 21.58				
30	New Jersey { W. C.		16.50 20.09				15.37 20.53			
31	New Mexico { W. C.									
32	New York { W. C.		22.50 28.65			13.91 16.24	13.91 17.64	12.94 16.94	13.74 18.38	

STATISTICS OF MORTALITY.

TABLE VI.—DEATHS IN EACH THOUSAND OF POPULATION, BY STATE AND GRAND GROUPS.

[illegible]

STATISTICS OF MORTALITY.

TABLE VI.—DEATHS IN EACH THOUSAND OF POPULATION, BY STATE AND GRAND GROUPS.

[illegible]

TABLE VI.—DEATHS IN EACH THOUSAND OF POPULATION, BY STATE AND GRAND GROUPS.

10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	
Ohio valley.	South interior table lands and plateaus.	Mississippi River belt, south.	Mississippi River belt, north.	Southwest central.	Central.	Prairie.	Missouri River belt.	Western plains.	Heavily timbered region of the northwest.	Cordilleran region.	Pacific coast.	
												} 33
14. 01 23. 32					11. 92 16. 04							} 34
										11. 53 9. 61	10. 84 4. 66	} 35
												} 36
												} 37
	13. 04 16. 83											} 38
	17. 29 18. 36	25. 78 22. 08			14. 64 22. 34							} 39
				16. 11 14. 74				16. 81 14. 92				} 40
										16. 87 7. 14		} 41
												} 42
												} 43
										10. 01 5. 15	10. 90 7. 16	} 44
11. 82 19. 72												} 45
			11. 48 8. 47			11. 53 12. 43			10. 87 11. 62			} 46
								8. 45 7. 78		9. 86 3. 65		} 47

T A B L E V I I .

MORTALITY OF THE UNITED STATES, AND OF EACH STATE GROUP,
FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,
WITH
DISTINCTION OF AGE AND SEX,
DURING THE
CENSUS YEAR ENDING MAY 31, 1880.

TABLE VII.—MORTALITY OF THE UNITED STATES AND OF EACH STATE GROUP, FROM EACH THE CENSUS YEAR

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
GRAND TOTAL		756,893	175,184	56,816	33,417	21,276	15,931	302,624	43,093	22,915	29,368	39,355	33,132
Total: Males.....		391,960	96,849	30,253	17,564	10,977	8,136	163,779	21,638	11,233	13,097	18,044	14,997
Females		364,933	78,335	26,563	15,853	10,299	7,795	138,845	21,455	11,682	16,271	21,311	18,135
Unknown causes.													
Total.....		37,133	19,483	2,722	1,332	752	487	24,776	1,242	616	677	888	706
Males.....		19,569	10,678	1,498	686	386	255	13,503	654	314	289	402	298
Females		17,564	8,805	1,224	646	366	232	11,273	588	302	388	486	408
I.—GENERAL DISEASES.													
General diseases—A.													
Total.....		201,953	46,541	26,393	16,336	11,034	8,850	109,154	24,569	10,822	8,394	8,456	6,078
Males.....		101,206	24,628	13,860	8,426	5,653	4,407	56,974	11,843	4,913	3,759	3,897	2,666
Females		100,747	21,913	12,533	7,910	5,381	4,443	52,180	12,726	5,909	4,635	4,559	3,412
1	Small-pox	{ M. 453 F. 418	{ 58 57	{ 59 52	{ 43 57	{ 35 39	{ 20 33	{ 215 238	{ 73 62	{ 26 30	{ 28 26	{ 38 16	{ 9 13
2	Measles	{ M. 3,980 F. 4,092	{ 1,062 941	{ 827 790	{ 500 479	{ 273 260	{ 166 171	{ 2,828 2,641	{ 382 401	{ 166 177	{ 152 208	{ 166 166	{ 90 116
3	Scarlet fever	{ M. 8,181 F. 8,207	{ 823 601	{ 1,124 1,014	{ 1,317 1,192	{ 1,152 1,071	{ 896 952	{ 5,312 4,830	{ 2,084 2,284	{ 506 600	{ 119 176	{ 47 97	{ 35 56
4	Diphtheria	{ M. 18,712 F. 19,431	{ 1,556 1,269	{ 2,021 1,864	{ 2,477 2,217	{ 2,224 2,144	{ 2,039 2,043	{ 10,317 9,537	{ 5,603 6,251	{ 1,781 2,451	{ 441 559	{ 186 178	{ 92 106
5	Whooping-cough	{ M. 5,133 F. 5,931	{ 2,716 2,951	{ 1,180 1,328	{ 524 701	{ 242 338	{ 137 192	{ 4,799 5,510	{ 242 316	{ 45 45	{ 9 16	{ 6 8	{ 6 7
6	Fever.....	{ M. 1,572 F. 1,630	{ 419 362	{ 180 154	{ 130 132	{ 94 70	{ 47 49	{ 870 767	{ 142 139	{ 80 59	{ 60 100	{ 70 100	{ 51 82
7	Cerebro-spinal fever.....	{ M. 1,537 F. 1,361	{ 347 272	{ 227 178	{ 130 116	{ 89 81	{ 69 58	{ 862 705	{ 194 188	{ 103 117	{ 97 72	{ 50 52	{ 34 40
8	Enteric fever.....	{ M. 11,821 F. 11,033	{ 349 304	{ 326 310	{ 279 318	{ 248 197	{ 176 188	{ 1,378 1,317	{ 877 952	{ 963 1,148	{ 1,543 1,770	{ 1,853 1,381	{ 1,169 868
9	Diarrhœa	{ M. 5,953 F. 4,872	{ 2,356 2,037	{ 1,121 968	{ 361 320	{ 127 106	{ 60 40	{ 4,025 3,471	{ 98 65	{ 52 33	{ 50 33	{ 73 54	{ 67 71
10	Dysentery	{ M. 7,013 F. 6,414	{ 1,816 1,540	{ 1,594 1,297	{ 740 663	{ 304 227	{ 165 138	{ 4,619 3,865	{ 372 306	{ 148 114	{ 98 113	{ 105 125	{ 114 97
11	Enteritis.....	{ M. 6,824 F. 5,816	{ 2,019 1,592	{ 851 647	{ 358 342	{ 202 154	{ 113 107	{ 3,543 2,842	{ 400 314	{ 288 234	{ 301 186	{ 263 231	{ 182 218
12	Cholera morbus.....	{ M. 1,178 F. 938	{ 158 118	{ 97 58	{ 35 35	{ 19 16	{ 12 7	{ 321 234	{ 128 109	{ 26 32	{ 20 24	{ 26 40	{ 29 29
13	Cholera infantum.....	{ M. 13,168 F. 11,815	{ 8,863 7,899	{ 3,304 3,003	{ 769 674	{ 139 168	{ 75 56	{ 13,150 11,800					
14	Malarial fever	{ M. 10,263 F. 9,968	{ 1,036 963	{ 716 681	{ 620 553	{ 437 436	{ 380 350	{ 3,189 2,983	{ 1,080 1,154	{ 571 669	{ 642 722	{ 735 647	{ 533 519
15	Erysipelas.....	{ M. 2,261 F. 2,014	{ 605 635	{ 120 87	{ 66 47	{ 29 25	{ 17 18	{ 837 812	{ 56 70	{ 47 45	{ 72 55	{ 76 90	{ 86 74
16	Septicæmia.....	{ M. 764 F. 834	{ 72 46	{ 17 23	{ 25 14	{ 8 9	{ 13 13	{ 135 105	{ 36 40	{ 33 28	{ 41 47	{ 42 114	{ 39 102
17	Puerperal septicæmia	F. 4,230								11	408	1,133	907
18	Venereal diseases.....	{ M. 655 F. 562	{ 217 204	{ 38 34	{ 17 9	{ 5 13	{ 1 6	{ 278 266	{ 8 6	{ 4 2	{ 10 23	{ 44 40	{ 31 39
19	Others of this group.....	{ M. 1,738 F. 1,181	{ 156 122	{ 58 45	{ 35 41	{ 26 27	{ 21 22	{ 296 257	{ 68 69	{ 74 54	{ 76 97	{ 117 77	{ 99 68
General diseases—B.													
Total.....		9,415	4,036	702	546	359	210	5,853	408	106	108	209	231
Males.....		5,580	2,179	391	290	188	100	3,148	206	62	57	118	159
Females		3,835	1,857	311	256	171	110	2,705	202	44	51	91	72
1	Worms	{ M. 783 F. 729	{ 120 83	{ 175 151	{ 179 169	{ 121 109	{ 63 75	{ 658 587	{ 100 121	{ 15 16	{ 3 1		2
2	Other parasitic diseases ..	{ M. 9 F. 16		1	1	1		1 3	3 3		1		
3	Alcoholism	{ M. 1,338 F. 254					1	1 2	4 2	4 1	9 2	41 13	87 28
4	Lead poison	{ M. 27 F. 3									1	1	6
5	Other poisons.....	{ M. 1,130 F. 805	{ 120 91	{ 121 72	{ 73 58	{ 50 47	{ 31 33	{ 395 301	{ 89 67	{ 37 21	{ 37 39	{ 71 65	{ 55 33
6	Inanition	{ M. 2,293 F. 2,028	{ 1,939 1,682	{ 95 87	{ 37 28	{ 17 12	{ 5 2	{ 2,093 1,811	{ 10 9	{ 6 3	{ 7 8	{ 5 12	{ 9 11

SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING
ENDING JUNE 1, 1880.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
28,669	28,630	24,954	23,996	24,539	22,352	26,183	25,685	25,736	22,352	16,641	8,149	3,283	2,009	3,228
13,122 15,547	13,480 15,150	12,500 12,454	12,909 11,087	13,605 10,934	12,739 9,613	14,789 11,394	14,207 11,478	13,877 11,859	11,811 10,541	8,240 8,401	3,892 4,257	1,421 1,862	790 1,219	1,790 1,438
654	649	641	603	673	569	747	739	806	714	559	288	82	67	437
268 386	258 391	309 332	312 291	338 335	310 259	396 351	383 356	421 385	391 323	268 291	144 144	35 47	30 37	246 191
4,739	4,307	3,350	2,918	2,970	2,572	3,060	2,764	2,585	2,145	1,399	661	231	126	653
2,017 2,722	1,720 2,587	1,557 1,793	1,546 1,372	1,606 1,364	1,484 1,088	1,668 1,392	1,538 1,226	1,360 1,225	1,118 1,027	689 710	335 326	102 129	62 64	352 301
21 9	7 5	14 4	2 6	5 2	7 2	4 2	2 2	2 2	1 2	1 2	1 2	1 2	1 2	1 2
51 99	31 98	28 54	16 33	16 29	12 19	11 21	9 7	5 5	5 3	1 1	1 1	1 1	1 1	9 12
19 26	7 24	9 12	4 4	6 4	2 4	4 1	1 6	3 5	3 1	1 2	1 2	1 2	1 2	19 15
64 74	41 71	26 39	24 27	20 25	20 23	14 16	14 10	15 9	8 5	4 7	1 3	2 2	2 2	39 26
2 2	1 1	3 1	1 1	1 2	1 2	1 5	1 2	1 1	1 1	1 1	1 1	1 1	1 1	14 12
37 50	30 50	36 36	22 31	24 34	26 20	28 33	21 38	31 26	23 18	10 27	3 5	2 9	2 2	4 4
36 37	21 39	22 17	27 22	18 14	22 10	19 15	10 13	10 7	8 4	1 1	1 1	2 2	2 2	3 5
769 622	465 528	402 415	377 384	385 341	356 255	388 302	316 231	236 220	174 156	73 72	26 32	4 6	4 1	63 32
83 58	91 72	109 71	109 67	141 80	120 54	163 105	187 133	185 132	149 141	118 117	59 50	24 23	17 14	33 28
106 110	110 109	118 125	136 123	133 143	130 142	171 205	142 173	171 210	135 194	94 128	50 72	14 26	13 13	34 21
146 196	175 206	169 191	156 143	177 176	172 141	204 176	189 162	171 138	129 114	82 82	46 39	11 4	2 2	20 21
33 33	48 27	49 33	53 32	60 32	68 36	71 59	82 63	50 58	50 38	29 37	16 11	5 4	2 2	14 5
386 421	362 407	326 294	346 298	367 311	310 232	341 298	322 243	261 269	231 224	118 138	47 57	16 22	14 15	66 45
77 67	109 84	81 95	98 66	96 75	110 75	126 78	115 82	82 77	80 68	68 47	30 26	5 14	5 8	5 6
47 87	54 95	44 59	57 26	48 33	45 19	40 16	34 17	28 12	21 10	10 8	7 5	1 1	1 1	2 10
735 41	674 49	278 34	46 40	4 37	3 19	1 15	1 19	1 12	1 5	1 1	1 1	1 1	1 1	30 7
37 99	36 120	24 87	20 79	20 72	9 64	17 68	4 74	5 99	4 96	2 79	2 47	1 16	1 7	6 1
59 59	61 61	45 45	43 43	39 39	44 44	42 42	42 42	49 49	46 46	40 40	24 24	16 16	2 2	7 7
290	364	318	300	278	214	240	152	120	93	48	14	6	4	59
209 81	274 90	250 68	222 78	208 70	170 44	171 69	111 41	85 35	57 36	27 21	7 7	3 3	3 1	33 26
1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1
137 29	205 37	179 27	162 41	149 25	107 13	108 14	67 5	38 5	18 7	8 2	1 2	2 2	2 2	11 1
1 1	2 2	2 2	4 4	2 2	3 3	3 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
62 41	57 44	62 24	47 33	47 34	44 16	40 25	27 19	20 10	19 14	10 7	4 2	1 1	1 1	6 8
6 9	10 7	6 16	8 2	8 10	15 14	19 29	17 16	26 20	19 15	9 12	2 5	1 2	2 2	15 17

TABLE VII.—MORTALITY OF THE UNITED STATES AND OF EACH STATE GROUP—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
<i>General diseases—C.</i>													
Total.....		61,727	39,669	935	332	139	73	41,148	153	86	84	133	137
Males.....		32,807	22,816	482	185	69	44	23,596	81	38	35	60	62
Females.....		28,920	16,853	453	147	70	29	17,552	72	48	49	73	75
1	Premature birth.....	{ M. 3,818 F. 2,967	{ 3,818 2,967					{ 3,818 2,967					
2	Stillborn.....	{ M. 14,590 F. 10,286	{ 14,590 10,286					{ 14,590 10,286					
3	Malformation.....	{ M. 664 F. 474	{ 619 437	18 17	6 8	5 3	1 3	{ 649 468	6 1	3 1	2 1	1 1	
4	Debility.....	{ M. 7,547 F. 7,072	{ 3,728 3,121	452 428	172 136	62 65	40 26	{ 4,454 3,776	75 71	35 47	33 48	59 72	62 75
5	Old age.....	{ M. 6,102 F. 8,066											
6	Atrophy.....	{ M. 86 F. 55	{ 61 42	12 8	7 3	2 2	3	{ 85 55					
<i>General diseases—D.</i>													
Total.....		136,345	6,214	3,443	2,004	1,208	816	13,685	2,916	3,206	9,009	15,157	13,235
Males.....		61,302	3,432	1,831	1,058	625	421	7,367	1,418	1,259	2,985	5,883	5,243
Females.....		75,043	2,782	1,612	946	583	395	6,318	1,498	1,947	6,024	9,274	7,992
1	Rheumatism.....	{ M. 1,771 F. 1,628	{ 20 19	17 7	16 5	12 10	14 15	{ 79 56	91 92	105 109	101 79	89 69	73 66
2	Scrofula and tabes.....	{ M. 2,510 F. 2,490	{ 616 571	351 308	185 184	109 93	68 67	{ 1,329 1,223	215 203	145 165	133 132	136 141	67 98
3	Leprosy.....	{ M. 10 F. 6	{ 2 1					{ 2 1				2	1
4	Consumption.....	{ M. 40,512 F. 50,758	{ 1,204 975	595 568	352 352	189 208	120 145	{ 2,460 2,248	447 640	583 1,324	2,409 5,412	5,312 8,491	4,788 7,188
5	Hydrocephalus.....	{ M. 2,394 F. 1,957	{ 1,095 841	548 461	249 193	121 112	62 53	{ 2,075 1,660	135 142	45 35	18 17	13 16	13 11
6	Cancer.....	{ M. 4,875 F. 8,193	{ 62 53	17 21	12 22	16 18	18 16	{ 125 130	35 23	29 13	43 46	56 84	68 148
7	Tumor.....	{ M. 662 F. 1,119	{ 71 42	16 17	17 12	11 8	11 6	{ 126 85	26 12	21 12	17 24	22 36	16 43
8	Anæmia.....	{ M. 319 F. 436	{ 105 60	18 13	7 7	2 2	8 1	{ 140 83	8 12	6 15	9 35	8 32	5 43
9	Dropsy.....	{ M. 6,980 F. 7,808	{ 197 184	232 184	194 149	146 117	107 86	{ 876 720	412 332	258 232	198 235	189 366	162 350
10	Glycosuria.....	{ M. 1,021 F. 422	{ 13 6	5 5	4 7	7 7	8 1	{ 37 26	30 31	51 35	49 29	52 20	43 28
11	Others of this group.....	{ M. 248 F. 226	{ 47 30	32 28	22 15	12 8	5 5	{ 118 86	19 11	16 7	8 15	6 17	8 16
12	Others of this class.....	{ M. 65 F. 32	{ 4 2	1 4	 2	 3	1	{ 6 11	8 2	 2	5 1	8 4	7 1
<i>II.—DISEASES OF THE NERVOUS SYSTEM.</i>													
Total.....		81,905	23,337	7,240	3,679	2,094	1,467	37,817	3,772	1,900	1,840	2,004	1,767
Males.....		44,174	12,941	3,934	1,952	1,069	781	20,677	1,965	1,029	917	1,019	902
Females.....		37,731	10,396	3,306	1,727	1,025	686	17,140	1,807	871	923	985	865
1	Inflammation of the brain.....	{ M. 5,869 F. 5,034	{ 1,866 1,572	1,008 881	482 427	260 232	183 193	{ 3,799 3,305	490 497	237 196	169 195	168 146	145 96
2	Meningitis.....	{ M. 4,084 F. 3,397	{ 1,265 1,049	697 531	348 314	238 201	169 127	{ 2,717 2,222	385 346	166 136	117 107	107 117	84 73
3	Apoplexy.....	{ M. 5,262 F. 4,396	{ 123 93	40 33	25 16	14 13	12 9	{ 214 164	30 21	24 29	44 61	82 83	116 107
4	Paralysis.....	{ M. 7,043 F. 6,864	{ 99 93	56 61	45 43	28 34	24 18	{ 252 249	92 77	58 56	69 70	83 79	83 88
5	Tetanus and trismus nascentium.....	{ M. 1,578 F. 959	{ 990 730	22 25	9 9	14 9	19 7	{ 1,054 780	79 38	84 21	62 17	47 14	36 13
6	Epilepsy.....	{ M. 1,215 F. 942	{ 159 102	30 38	23 18	16 19	13 9	{ 241 186	45 31	64 58	106 74	138 101	93 99
7	Convulsions.....	{ M. 9,491 F. 8,353	{ 6,530 5,292	1,156 999	548 513	240 282	153 133	{ 8,627 7,219	281 250	79 85	57 128	77 147	57 107
8	Mental diseases.....	{ M. 630 F. 602							2 6	4 6	25 10	26 33	40 57
9	Diseases of the brain.....	{ M. 7,064 F. 5,283	{ 1,557 1,166	749 613	376 308	193 174	148 136	{ 3,023 2,417	426 403	219 189	190 166	220 177	195 151
10	Diseases of the spinal cord.....	{ M. 1,388 F. 1,154	{ 300 245	102 110	88 73	62 58	55 45	{ 676 531	122 110	79 69	57 63	48 49	37 34
11	Others of this group.....	{ M. 550 F. 747	{ 43 34	14 15	8 6	4 3	5 9	{ 74 67	13 28	15 26	21 32	23 39	16 40

TABLE VII.—MORTALITY OF THE UNITED STATES AND OF EACH STATE GROUP—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
125	164	185	229	263	308	609	968	2,343	3,480	4,935	3,271	1,734	1,265	107	
49	69	78	109	123	168	303	445	1,093	1,617	2,229	1,443	692	455	62	
76	95	107	120	140	140	306	523	1,250	1,863	2,706	1,828	1,042	810	45	
															1
															2
															3
		1												2	4
		1												1	5
49	69	77	109	119	158	229	311	476	484	407	189	65	42	45	6
76	95	106	120	130	127	203	297	434	485	459	267	84	83	17	
				4	10	74	134	617	1,133	1,822	1,254	627	413	14	
				10	13	103	226	816	1,378	2,247	1,561	958	727	27	
														1	
10,763	10,205	8,713	8,039	7,716	6,570	7,101	6,229	5,566	4,068	2,297	877	282	131	580	
4,423	4,397	3,819	3,709	3,725	3,339	3,625	3,187	2,859	2,052	1,104	452	129	52	275	
6,340	5,808	4,894	4,330	3,991	3,231	3,476	3,042	2,707	2,016	1,193	425	153	79	305	
68	67	83	87	128	121	145	157	143	115	70	27	11	3	8	1
68	77	89	86	117	101	135	113	149	103	73	22	12	6	6	2
58	59	53	53	50	40	39	47	34	17	16	7	2	1	9	3
82	72	55	59	53	52	34	37	34	17	16	6	1		10	4
2	1	2					2				1				
					1						1				
3,912	3,769	3,075	2,711	2,481	2,063	1,979	1,629	1,272	839	365	124	35	12	187	5
5,421	4,560	3,431	2,623	2,119	1,531	1,631	1,399	1,128	811	406	141	44	17	193	6
11	16	10	8	8	7	7	4	9	5	4		1		5	7
14	10	7	8	3	4	5	4	3	5	3	1	1	1	7	8
130	170	234	371	528	548	683	602	515	366	213	93	28	6	32	9
284	549	770	1,001	1,061	937	885	777	596	451	252	92	35	16	43	10
21	34	34	45	58	48	57	48	45	23	14	5			2	11
50	88	99	121	97	92	109	86	78	54	18	8	1	1	5	12
9	7	5	15	13	14	15	18	15	14	8	3	4		3	
30	35	21	17	16	18	14	18	16	14	8	5	1	1	2	
167	222	263	309	408	417	603	574	692	591	367	174	47	25	26	
360	379	391	396	486	462	621	571	680	541	412	145	56	37	36	
40	48	53	45	44	71	87	95	126	80	45	17	1	5	2	
21	31	27	13	34	24	32	26	16	16	5	4	2		2	
5	4	7	5	7	10	10	11	8	2	2	1			1	
10	7	4	6	5	9	10	11	7	4					1	
6	1	5	3	5	4	3	1	1	1	1					
2	2	2	1	2	2										
1,692	1,995	1,965	2,311	2,572	2,753	3,395	3,848	4,087	3,784	2,554	1,059	336	145	309	
911	1,145	1,082	1,257	1,407	1,549	1,940	2,099	2,155	1,960	1,268	504	149	63	176	
781	850	883	1,054	1,165	1,204	1,455	1,749	1,932	1,824	1,286	555	187	82	133	
109	113	86	85	83	88	68	70	56	51	28	7	4	2	11	1
98	61	67	82	56	35	49	54	28	33	15	7	1	6	7	2
68	77	73	59	48	50	31	39	26	14	6		2	1	14	3
50	57	42	37	40	41	26	32	19	14	8	3	4	2	21	4
131	220	223	330	388	488	630	631	631	532	348	121	34	14	31	
128	156	211	272	343	362	438	512	517	465	325	136	34	15	17	
125	206	226	303	392	484	700	876	986	976	695	293	88	37	19	
106	130	184	296	350	419	613	814	1,017	1,002	773	343	125	50	23	
42	48	23	24	24	20	12	4	3	7	2		1	1	5	
7	19	7	5	8	6	8	1	6	2	2	1			4	
90	77	61	49	36	35	35	36	32	29	18	8	2	1	10	
73	65	42	31	30	22	31	30	29	21	10	2	3	2	2	
41	36	23	29	26	24	24	16	19	14	15	5	3	3	35	
83	91	40	33	32	17	29	15	20	13	9	3	2	2	28	
43	63	53	62	52	40	55	52	44	21	25	11	1	2	9	
48	46	66	51	55	45	44	29	30	37	19	11	2		7	
203	242	248	255	268	238	303	311	275	256	103	42	9	1	37	
119	161	154	159	163	179	144	188	188	177	83	30	14	4	17	
38	36	44	29	49	37	42	31	27	18	9	2	1	1	5	
39	35	23	42	36	31	24	18	19	17	9		1	1	3	
21	27	22	32	33	44	40	33	56	42	19	15	4			
30	29	47	46	52	47	49	56	59	43	33	19	1		4	

TABLE VII.—MORTALITY OF THE UNITED STATES AND OF EACH STATE GROUP—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
III.—DISEASES OF THE CIRCULATORY SYSTEM.													
Total.....		28,582	1,933	220	141	110	122	2,526	663	747	849	1,052	1,067
Males.....		14,858	1,105	133	84	67	60	1,449	336	330	389	428	476
Females.....		13,724	828	87	57	43	62	1,077	327	417	460	624	591
1	Angina pectoris.....	{ M. 340 F. 258									3 7	8 9	12 13
2	Aneurism.....	{ M. 365 F. 113	8 4	1 3				9 8	3 1	2 3	3 3	2 3	11 10
3	Diseases of the heart.....	{ M. 13,339 F. 12,729	499 427	96 66	79 51	65 38	56 58	795 640	325 319	325 408	382 439	409 600	440 552
4	Others of this group.....	{ M. 814 F. 624	598 397	36 18	5 6	2 4	4 4	645 429	8 7	3 6	1 11	9 12	13 16
IV.—DISEASES OF THE RESPIRATORY SYSTEM.													
Total.....		104,824	22,027	10,143	6,411	3,837	2,606	45,024	5,104	2,184	3,599	4,505	3,509
Males.....		57,771	12,337	5,481	3,395	2,019	1,383	24,615	2,644	1,077	2,001	2,653	1,942
Females.....		47,053	9,690	4,662	3,016	1,818	1,223	20,409	2,460	1,107	1,598	1,852	1,567
1	Croup.....	{ M. 9,753 F. 8,213	3,704 2,905	1,692 1,404	1,369 1,260	1,008 871	739 639	8,512 7,079	1,083 971	82 77	10 18	7 6	5 8
2	Laryngitis.....	{ M. 441 F. 366	80 58	51 40	62 48	30 33	22 26	245 205	41 45	6 14	5 6	10 20	14 12
3	Bronchitis.....	{ M. 5,640 F. 5,344	1,967 1,661	763 657	329 309	161 163	80 63	3,300 2,853	149 168	53 53	69 84	91 129	72 117
4	Pneumonia.....	{ M. 35,493 F. 27,560	5,211 4,024	2,614 2,247	1,426 1,215	724 642	474 427	10,449 8,555	1,145 1,081	842 849	1,741 1,302	2,315 1,465	1,649 1,221
5	Pleurisy.....	{ M. 1,016 F. 942	72 51	18 29	23 18	11 11	8 8	132 117	39 21	21 25	39 34	41 60	46 47
6	Asthma.....	{ M. 900 F. 807	56 45	17 15	12 7	6 3	6 3	97 73	12 6	4 6	8 11	6 20	15 13
7	Others of this group.....	{ M. 4,528 F. 3,821	1,247 946	326 270	174 159	79 95	54 57	1,880 1,527	175 168	69 83	129 143	183 152	141 149
V.—DISEASES OF THE DIGESTIVE SYSTEM.													
Total.....		32,836	6,989	3,320	1,147	538	351	12,345	1,090	714	852	1,178	1,242
Males.....		17,546	3,980	1,727	619	270	171	6,767	577	406	406	516	575
Females.....		15,290	3,009	1,593	528	268	180	5,578	513	308	446	662	667
1	Dentition.....	{ M. 2,171 F. 2,093	910 883	1,009 1,001	208 175	27 19	9 4	2,163 2,082	4 8	1 1			
2	Angina.....	{ M. 754 F. 655	203 129	95 70	79 55	52 48	26 36	455 338	87 118	32 34	14 23	9 14	14 10
3	Gastritis.....	{ M. 996 F. 1,068	141 108	46 35	31 26	15 29	10 12	243 210	29 35	18 15	14 36	33 51	23 57
4	Other diseases of the stomach.....	{ M. 1,846 F. 1,729	293 206	116 72	60 69	39 47	20 29	528 423	94 88	46 42	32 74	57 101	64 92
5	Obstruction of the bowels.....	{ M. 753 F. 522	143 78	11 11	14 8	8 10	10 2	186 109	41 24	47 15	41 15	34 18	45 22
6	Hernia.....	{ M. 804 F. 432	105 36	12 3	7 4	2 2	2 1	128 46	9 3	12 8	18 2	36 5	20 6
7	Other diseases of the bowels.....	{ M. 1,173 F. 893	327 208	109 74	42 51	31 18	18 16	527 367	59 41	39 30	45 40	48 34	45 27
8	Jaundice.....	{ M. 767 F. 597	315 181	21 18	17 12	9 22	14 21	376 254	18 21	7 10	7 8	15 12	15 13
9	Inflammation and abscess of the liver.....	{ M. 1,206 F. 863	67 39	22 16	14 12	10 5	4 8	117 80	34 18	21 13	31 20	50 37	83 46
10	Other diseases of the liver.....	{ M. 2,674 F. 2,088	232 184	56 55	42 31	26 21	22 22	378 313	58 37	44 31	37 34	70 84	97 76
11	Peritonitis.....	{ M. 1,382 F. 1,922	117 80	48 30	20 24	16 14	13 10	214 158	77 59	89 60	121 139	97 251	89 259
12	Ascites.....	{ M. 345 F. 387	13 4	8 7	15 3	7 10	3 2	46 26	18 15	11 10	9 15	12 14	8 19
13	Others of this group.....	{ M. 2,675 F. 2,041	1,114 873	174 201	70 58	28 23	20 17	1,406 1,172	49 46	39 32	37 40	55 41	72 40

TABLE VII.—MORTALITY OF THE UNITED STATES AND OF EACH STATE GROUP—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
1,187	1,449	1,587	1,653	1,963	2,069	2,584	2,732	2,599	2,091	1,115	386	94	42	127	
530 657	728 721	757 830	869 784	1,028 935	1,115 954	1,403 1,181	1,506 1,226	1,445 1,154	1,154 937	593 522	190 196	45 49	18 24	69 58	
12 13	18 22	18 18	18 16	23 14	28 21	44 20	45 33	52 25	35 23	17 14	5 6	1 2	----- 2	1 -----	1 -----
25 10	38 8	34 14	56 7	44 8	25 12	29 9	30 3	27 7	12 -----	6 3	4 3	1 1	----- 1	4 -----	2 -----
489 620	663 674	693 787	781 754	951 898	1,050 907	1,317 1,139	1,414 1,178	1,353 1,109	1,093 904	562 502	179 178	42 44	17 21	59 56	3 -----
4 14	9 17	12 11	14 7	10 15	12 14	13 13	17 12	13 13	14 10	8 3	2 9	1 2	1 1	5 2	4 -----
3,320	3,622	3,431	3,542	3,879	3,526	4,257	4,383	4,079	3,146	2,062	858	287	121	386	
1,797 1,523	1,972 1,650	1,947 1,484	2,145 1,397	2,441 1,438	2,116 1,410	2,481 1,776	2,385 1,998	2,099 1,980	1,623 1,523	1,014 1,048	397 461	133 154	53 68	236 150	
3 3	5 4	5 5	5 4	3 2	2 3	1 4	----- 2	3 7	2 2	----- 2	1 -----	1 -----	----- -----	23 16	1 -----
11 8	14 14	18 6	11 5	17 7	10 2	6 3	14 5	8 6	6 3	----- 3	2 1	----- 1	1 -----	2 -----	2 -----
99 105	115 126	89 113	121 75	138 121	152 116	200 176	231 260	265 256	221 246	155 189	63 92	32 38	8 9	17 18	3 -----
1,477 1,201	1,604 1,282	1,616 1,148	1,717 1,117	1,974 1,108	1,640 1,055	1,875 1,283	1,705 1,379	1,442 1,349	1,101 999	671 652	256 282	77 88	34 45	163 99	4 -----
50 55	62 39	37 57	69 43	72 46	65 49	83 75	80 72	79 85	59 53	25 37	11 16	3 4	----- 5	3 2	5 -----
12 22	24 36	28 27	42 35	63 51	66 63	105 71	133 104	112 103	90 79	48 53	23 25	3 6	4 1	5 2	6 -----
145 129	148 149	154 128	180 118	174 103	181 122	211 164	222 176	190 174	144 141	115 112	41 45	17 17	6 8	23 13	7 -----
1,189	1,322	1,258	1,472	1,587	1,538	1,749	1,677	1,429	1,076	629	239	69	27	154	
513 676	600 722	689 569	835 637	883 704	889 649	1,043 706	910 767	795 634	574 502	329 300	102 137	40 29	13 14	84 70	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	3 2	1 -----
10 18	13 12	10 14	11 16	18 10	13 7	8 4	16 10	20 7	9 11	8 3	5 2	----- -----	----- 1	2 3	2 -----
40 52	38 82	43 46	57 52	72 44	50 58	73 51	67 70	83 81	50 64	39 34	9 20	7 5	----- 1	8 4	3 -----
63 80	70 74	73 79	103 74	112 85	116 89	127 83	128 111	96 89	75 75	36 39	10 21	5 5	1 1	10 4	4 -----
32 23	30 30	31 27	39 31	31 31	39 29	46 34	42 39	26 24	25 23	10 10	5 6	1 -----	----- -----	2 5	5 -----
23 15	40 23	26 24	42 33	55 35	54 44	71 46	73 59	77 39	43 21	43 16	16 4	10 -----	1 1	7 2	6 -----
30 32	27 28	38 19	38 36	42 42	43 33	50 36	40 44	38 28	38 28	18 15	5 10	----- 2	----- 1	1 -----	7 -----
18 17	16 17	20 9	21 20	49 35	24 26	43 26	42 32	36 27	28 36	20 21	6 7	----- 2	----- 1	6 3	8 -----
64 53	74 53	101 58	121 67	83 70	93 61	102 75	86 71	58 61	46 38	26 24	5 12	----- 1	3 -----	8 5	9 -----
115 93	130 105	183 118	219 132	234 184	251 158	279 175	221 190	172 149	114 106	39 59	16 27	5 6	1 1	11 10	10 -----
60 229	87 211	81 114	78 86	72 67	59 66	61 65	54 46	58 40	37 32	39 23	4 6	3 3	1 3	10 14	11 -----
10 26	13 25	23 23	14 38	18 32	21 25	37 29	34 29	29 28	21 14	8 12	4 5	3 1	3 -----	3 1	12 -----
48 47	62 62	60 38	92 52	97 69	126 53	146 82	107 66	100 61	88 54	52 44	17 17	6 4	3 4	13 17	13 -----

TABLE VII.—MORTALITY OF THE UNITED STATES AND OF EACH STATE GROUP—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.													
Total.....		12,098	351	148	121	94	97	811	319	212	278	497	520
Males.....		8,358	221	78	68	45	58	470	189	111	165	260	273
Females.....		3,740	130	70	53	49	39	341	130	101	113	237	247
1	Bright's disease.....	{ M. 3,379 F. 2,007	{ 41 27	{ 21 19	{ 25 12	{ 7 11	{ 26 16	{ 120 85	{ 65 61	{ 51 54	{ 90 62	{ 154 131	{ 161 150
2	Calculus, urinary.....	{ M. 663 F. 56	{ 9 2	{ 3 3	{ 5 -----	{ 3 3	{ ----- 1	{ 20 9	{ 13 1	{ 13 3	{ 8 1	{ 10 -----	{ 11 1
3	Diseases of the kidney....	{ M. 2,435 F. 1,183	{ 120 71	{ 42 38	{ 25 29	{ 26 27	{ 26 17	{ 239 182	{ 85 49	{ 35 29	{ 53 37	{ 71 78	{ 61 57
4	Diseases of the bladder....	{ M. 1,058 F. 198	{ 29 15	{ 6 3	{ 6 6	{ 3 2	{ 2 1	{ 46 27	{ 7 6	{ 8 5	{ 5 3	{ 7 9	{ 20 10
5	Others of this group.....	{ M. 823 F. 296	{ 22 15	{ 6 7	{ 7 6	{ 6 6	{ 4 4	{ 45 38	{ 19 13	{ 4 10	{ 9 10	{ 18 19	{ 20 29
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.													
Total: Females.....		2,454	-----	-----	4	4	1	9	2	27	156	231	276
1	Ovarian tumors.....	F. 399	-----	-----	1	1	-----	2	1	-----	8	23	32
2	Ovarian diseases.....	F. 68	-----	-----	1	-----	-----	1	-----	2	5	3	6
3	Uterine tumors.....	F. 158	-----	-----	-----	-----	-----	-----	-----	-----	3	4	5
4	Uterine diseases.....	F. 522	-----	-----	-----	1	-----	1	-----	3	30	72	79
5	Others of this group.....	F. 1,307	-----	-----	2	2	1	5	1	22	110	129	154
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.													
Total: Females.....		7,313	-----	-----	-----	-----	-----	-----	3	24	871	1,641	1,419
1	Abortion.....	F. 721	-----	-----	-----	-----	-----	-----	-----	-----	78	126	158
2	Child-birth.....	F. 5,646	-----	-----	-----	-----	-----	-----	-----	16	613	1,230	1,097
3	Others of this group.....	F. 946	-----	-----	-----	-----	-----	-----	3	8	180	285	164
IX.—DISEASES OF THE BONES AND JOINTS.													
Total.....		2,104	286	130	83	77	45	621	166	170	136	125	123
Males.....		1,215	151	67	52	43	26	339	96	111	79	67	67
Females.....		889	135	63	31	34	19	282	70	59	57	58	56
1	Diseases of the spine.....	{ M. 757 F. 603	{ 137 123	{ 48 58	{ 47 22	{ 35 27	{ 19 18	{ 286 248	{ 50 43	{ 50 28	{ 37 30	{ 37 33	{ 39 30
2	Diseases of the bones.....	{ M. 188 F. 99	{ 5 5	{ 8 2	{ 2 3	{ 3 4	{ 1 -----	{ 19 14	{ 11 4	{ 15 11	{ 9 6	{ 11 11	{ 10 10
3	Diseases of the hip-joint..	{ M. 131 F. 98	{ 5 3	{ 5 1	{ ----- 3	{ 2 2	{ 3 1	{ 15 10	{ 25 21	{ 29 13	{ 14 8	{ 7 7	{ 12 5
4	Others of this group.....	{ M. 139 F. 89	{ 4 4	{ 6 2	{ 3 3	{ 3 1	{ 3 -----	{ 19 10	{ 10 2	{ 17 7	{ 19 13	{ 12 7	{ 6 11
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.													
Total.....		1,896	355	89	41	24	22	531	62	50	81	111	100
Males.....		1,055	196	45	21	15	11	288	37	27	49	54	55
Females.....		841	159	44	20	9	11	243	25	23	32	57	45
1	Abscess.....	{ M. 727 F. 579	{ 112 85	{ 30 26	{ 14 14	{ 7 5	{ 7 4	{ 170 134	{ 31 24	{ 21 20	{ 41 27	{ 46 51	{ 44 40
2	Carbuncle.....	{ M. 127 F. 71	{ 6 6	{ 4 4	{ 2 1	{ 3 -----	{ 1 1	{ 16 12	{ 1 -----	{ 2 1	{ 5 1	{ 4 -----	{ 5 -----
3	Others of this group.....	{ M. 201 F. 191	{ 78 68	{ 11 14	{ 5 5	{ 5 4	{ 3 6	{ 102 97	{ 5 1	{ 4 2	{ 3 4	{ 4 6	{ 6 5
XI.—DISEASES OF THE ABSORBENT SYSTEM.													
Total.....		310	23	11	10	8	4	56	10	13	13	27	18
Males.....		171	14	8	6	7	2	37	7	10	7	16	11
Females.....		139	9	3	4	1	2	19	3	3	6	11	7
1	Addison's disease.....	{ M. 23 F. 23	-----	-----	-----	-----	-----	-----	-----	1	1	5	2
2	Disease of the spleen.....	{ M. 101 F. 78	{ 4 4	{ 5 -----	{ 4 4	{ 3 1	{ 2 1	{ 18 10	{ 4 2	{ 8 1	{ 5 2	{ 7 9	{ 7 4
3	Others of this group.....	{ M. 47 F. 38	{ 10 5	{ 3 3	{ 2 -----	{ 4 -----	{ ----- 1	{ 19 9	{ 3 1	{ 2 1	{ 1 3	{ 4 2	{ 2 2

TABLE VII.—MORTALITY OF THE UNITED STATES AND OF EACH STATE GROUP—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
562	645	641	680	767	804	1,031	1,153	1,198	999	594	263	61	26	37	
307 255	365 280	400 241	426 254	506 261	579 225	778 253	925 228	983 215	814 185	499 95	216 47	47 14	19 7	26 11	
189 151	219 165	240 150	235 143	255 171	325 136	323 147	339 131	274 124	196 81	92 35	33 18	5 5	2 3	11 4	} 1
8 2	12 6	10 3	18 4	22 1	26 5	73 2	94 3	101 7	96 5	84 3	28	8	6	2	} 2
76 71	80 80	92 62	115 63	143 58	144 65	210 81	244 68	294 57	251 71	154 39	61 20	17 7	5 4	5 5	} 3
15 7	23 7	27 15	24 22	38 15	47 8	99 16	156 11	190 13	175 11	102 10	56 2	8 1	2	3	} 4
19 24	31 22	31 11	34 22	48 16	37 11	73 7	92 15	124 14	96 17	67 8	38 7	9 1	4	5 2	} 5
267	330	293	266	184	118	106	62	53	37	12	7	1	2	15	
23	33	49	48	49	40	31	23	18	13	3	1			2	1
3	5	8	6	9	3	10	5	2							2
13	21	22	26	17	16	10	9	5	4		1			2	3
69	72	55	42	32	18	20	6	7	7	4	1			4	4
159	199	159	144	77	41	35	19	21	13	5	4	1	2	7	5
1,334	1,186	608	152	16	4	3			1					51	
152	128	60	11	2	1				1					4	1
1,040	958	506	130	12	3	2								39	2
142	100	42	11	2		1								8	3
82	102	63	90	70	66	66	63	70	48	22	11	3	1	6	
49 33	58 44	40 23	49 41	36 34	43 23	34 32	43 20	49 21	28 20	15 7	6 5	2 1	1	3 3	
26 20	33 31	23 16	33 26	26 22	25 15	18 18	26 14	20 12	13 10	7 2	3 3	2 1	1	2 1	} 1
15 5	12 3	8 1	9 3	6 2	9 5	10 9	9 3	18 7	12 2	4 2				1 1	} 2
4 4	9 4	2 2	3 3		1 2		2 2	4 2	1 4	1 2	2 2				} 3
4 4	4 6	7 4	4 9	4 3	8 1	6 3	6 1	7 2	2 4	3 1	1			1	} 4
99	93	90	97	117	113	94	76	75	58	25	10	4	4	6	
52 47	41 52	52 38	53 44	76 41	64 49	53 41	51 25	41 34	34 24	15 10	4 6	3 1	2 2	4 2	
39 42	34 40	44 30	33 29	49 28	49 27	31 25	35 14	28 21	19 17	6 4	2 3		2 2	3 1	} 1
6 3	4 5	5 1	14 6	13 7	11 14	10 6	11 6	9 5	6 1	2 2	1 1	1		1	} 2
7 2	3 7	3 7	6 9	14 6	4 8	12 10	5 5	4 8	9 6	7 4	1 2	2 1		1	} 3
31	22	16	17	15	16	10	13	16	6	7	3			1	
14 17	15 7	6 10	11 6	9 6	7 9	5 5	3 10	7 9	2 4	3 4				1	
4 4	2 2		3 2	2 2		1 1		2 1	1 2	1					} 1
9 12	10 3	6 9	6 2	5 3	5 3	4 2	3 6	2 3	1 2	1 3					} 2
1 1	3 2		2 2	2 1	2 2	1 2		3 5		1 1				1	} 3

TABLE VII.—MORTALITY OF THE UNITED STATES AND OF EACH STATE GROUP—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
XII.—ACCIDENTS AND INJURIES.													
Total.....		35,901	3,934	1,315	1,228	995	779	8,251	2,604	2,036	2,415	3,129	2,696
Males.....		26,283	2,167	717	722	521	416	4,543	1,577	1,546	1,954	2,663	2,261
Females.....		9,618	1,767	598	506	474	363	3,708	1,027	490	461	466	435
1	Burns and scalds.....	{ M. 1,864 F. 2,921	192 174	288 269	336 283	256 300	161 241	1,232 1,267	180 602	61 230	47 162	46 112	38 83
2	Drowned.....	{ M. 3,705 F. 614	27 27	101 68	116 54	84 43	75 18	403 210	544 99	474 51	434 53	424 32	289 25
3	Exposure and neglect.....	{ M. 700 F. 598	355 200	53 58	43 18	22 11	5 7	478 394	17 11	11 9	6 17	15 22	11 24
4	Gunshot wounds.....	{ M. 2,078 F. 209	8 4	2 8	10 10	16 8	9 7	45 37	78 29	130 23	272 24	396 21	304 19
5	Homicide.....	{ M. 1,147 F. 189	5 10	5 3	4 1	1 4	1 7	16 25	17 14	22 9	61 17	215 20	191 23
6	Infanticide.....	{ M. 19 F. 19	19 19					19 19					
7	Injuries by machinery.....	{ M. 112 F. 8	1		1		1	3	5	12 1	14 1	16	15
8	Railroad accidents.....	{ M. 2,161 F. 188	4 3	15 3	11 2	5 4	6 3	41 15	80 13	134 12	202 10	366 12	262 11
9	Suffocation.....	{ M. 1,360 F. 962	843 708	84 46	36 29	20 18	21 6	1,004 807	41 26	24 7	7 4	26 6	22 5
10	Suicide by shooting.....	{ M. 433 F. 39							1	3	26 7	65 8	56 8
11	Suicide by drowning.....	{ M. 94 F. 60									2 4	7 5	3 8
12	Suicide by poison.....	{ M. 218 F. 117									8 19	13 27	26 23
13	Other suicides.....	{ M. 1,269 F. 281							1 1	9 4	53 22	95 30	110 28
14	Sunstroke.....	{ M. 440 F. 115	10 9	3 6	5 2	1 3	3 3	22 23	15 11	11 4	21 4	41 7	44 10
15	Surgical operations.....	{ M. 163 F. 68	5 2	 3	2 2	1 1	3 2	11 10	4 1	5	10 3	14 5	11 9
16	Wounds.....	{ M. 453 F. 98	19 10	14 5	4 3	8 2	1 4	46 24	13 3	27 6	30 4	50 6	35 10
17	Other accidents and injuries.....	{ M. 10,067 F. 3,132	679 501	152 129	154 102	108 80	130 65	1,223 877	581 217	623 134	761 110	874 153	850 149

TABLE VII.—MORTALITY OF THE UNITED STATES AND OF EACH STATE GROUP—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
2,327	2,172	1,788	1,623	1,462	1,106	1,128	825	709	605	382	202	93	48	300
1,977 350	1,837 335	1,509 279	1,363 260	1,214 248	902 204	886 242	620 205	484 225	386 219	186 196	92 119	41 52	19 29	223 77
49 64 208 20 5 16 257 12 160 19	38 54 219 17 15 13 211 8 127 6	19 56 180 16 20 13 122 6 77 15	35 32 135 17 9 4 93 3 95 11	20 44 129 19 20 10 64 9 59 5	12 21 69 11 6 5 41 3 39 7	16 43 77 12 12 11 24 1 27 6	20 24 41 13 13 11 11 6 11 1	13 27 25 5 15 8 10 5 15 1	10 33 13 1 17 12 5 3 2 2	8 34 7 2 14 5 1 3 2 2	6 7 2 2 4 5 1 2 1 1	4 6 2 2 3 2 2 2 2 2	3 8 1 1 2 2 2 2 2 2	7 12 29 8 7 4 14 8 5 1 27 5 40 13 4 1 4 1 12 4 2 1 4 2 62 24
11 1 205 9 29 14 49 6 9 6 32 10 102 24 40 5 13 7 45 5 763 132	7 2 187 11 29 10 56 2 10 3 80 12 113 33 33 5 9 6 31 4 722 149	5 158 7 21 13 41 2 6 7 25 7 114 25 42 3 15 9 30 1 634 99	4 117 15 23 9 30 1 12 6 24 8 122 27 32 6 14 5 32 4 586 112	6 116 10 14 10 35 1 11 3 22 3 127 22 39 10 11 6 29 5 512 91	4 69 13 13 2 28 1 11 7 7 1 123 16 27 5 11 2 16 4 426 106	4 68 10 24 8 12 1 3 5 15 2 111 14 21 7 12 2 25 3 435 117	4 41 12 14 6 7 6 1 3 3 11 2 80 9 13 4 10 1 14 7 324 103	1 22 6 9 6 6 3 2 4 3 35 2 9 22 4 1 1 9 1 227 146	19 6 10 7 1 1 2 1 1 9 3 4 3 104 134	7 2 2 2 1 1 2 1 1 2 4 1 1 2 59 89	2 2 1 1 1 1 1 1 1 2 28 41	1 1 1 1 1 1 2 2 10 17	1 27 5 40 13 4 1 4 1 12 4 2 1 4 2 62 24	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ALABAMA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
General diseases—D.																											
Total.....	225	4	6	2	3	3	18	6	4	19	17	20	15	30	21	20	15	12	11	4	10	2	1				
Males.....	98	3	3	1	3	2	12	3	4	5	4	8	10	16	12	7	6	4	4	1	1		1				
Females.....	127	1	3	1		1	6	3		14	13	12	5	14	9	13	9	8	7	3	9	2					
1. Rheumatism.....	M. 1														1												
F. 1																											
2. Scrofula and tabes.....	M. 2			1		1	2																				
F. 6		1				1	1	1		1				1							1						
3. Leprosy.....	M. 1																										
F. 1																											
4. Consumption.....	M. 73	2	2		1	5	1	1	5	4	7	10	14	9	6	5	2	2	1	1							
F. 87			2		1	3	1		11	10	11	5	11	8	8	6	5	4	2	2							
5. Hydrocephalus.....	M. 6	1			2	3	1						1	1													
F. 1																											
6. Cancer.....	M. 5										1			1			1	2									
F. 17									1				1		3	2	3	3	1	3							
7. Tumor.....	M. 2														2												
F. 1																											
8. Anæmia.....	M. 1		1			1																					
F. 2		1				1							1														
9. Dropsy.....	M. 9					1		1	2					1	1		1	1					1				
F. 12				1		1	1	1		1	1		1			1	1			4	1						
10. Glycosuria.....	M. 1								1																		
F. 1																											
11. Others of this group.....	M. 1																										
F. 1																											
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	179	65	11	6	8	4	94	4	7	3	4	6	3	4	5	10	3	6	12	11	5	2					
Males.....	102	30	8	4	6	1	49	2	4		3	5	1	4	4	6	3	4	7	7	3						
Females.....	77	35	3	2	2	3	45	2	3	3	1	1	2		1	4		2	5	4	2	2					
1. Inflammation of the brain.....	M. 4				1	1	1	1			1		1														
F. 3					1	1																					
2. Meningitis.....	M. 9	2	2			4			2		2									1							
F. 2									1	1											1						
3. Apoplexy.....	M. 11									2	1		1		1		1	2	2	1							
F. 9								1										2	2	1							
4. Paralysis.....	M. 8			1		1								1	1			1	4	1							
F. 2																											
5. Tetanus and trismus nascentium.....	M. 26	21				21				1	1			1	2						1						
F. 23	22					22																					
6. Epilepsy.....	M. 1							1																			
F. 1																											
7. Convulsions.....	M. 16	5	4	3	2	14	1					1															
F. 23	12	1	2		3	18	1	2	1						1												
8. Mental diseases.....	M. 1																										
F. 1																											
9. Diseases of the brain.....	M. 26	2	2		3	8		1					2	2	2	2	3	4	1	1							
F. 13	1	2		1		4					1	1			2	2	1	1	1								
10. Diseases of the spinal cord.....	M. 1																										
F. 1																											
11. Others of this group.....	M. 1																										
F. 1																											
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	70	3				1	4	2	2	5	3	2	2	5	9	6	5	5	2	7	4	4	1	2			
Males.....	32	2				1	3	2	1	1	1		1	2	4	2	3	2	1	4	4	1					
Females.....	38	1					1		1	4	2	2	1	3	5	4	2	3	1	3		3	1	2			
1. Angina pectoris.....	M. 2															1											
F. 2		1				1								1													
2. Aneurism.....	M. 1																										
F. 1																											
3. Diseases of the heart.....	M. 27				1	1	2	1	1	1	1		1	4	1	3	2	1	3	4	1						
F. 34										2	2		1	3	5	3	2	2	1	3	2	1	2				
4. Others of this group.....	M. 3	1				1										1											
F. 1	1	1				1																					
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	75	23	2	4	4		33	1	1	2	2	7	2	4	4	2	5	1	6	1	1	1	2				
Males.....	37	10		2	2		14					5	2	4	1	1	3	1	3		1	1	1				
Females.....	38	13	2	2	2		19	1																			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ALABAMA—GROUP 1—Continued.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ALABAMA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	1																1										
Males.....																											
Females.....	1																1										
1. Abscess.....	M.																										
	F.																										
2. Carbuncle.....	M.																										
	F.	1															1										
3. Others of this group.....	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....																											
Males.....																											
Females.....																											
1. Addison's disease.....	M.																										
	F.																										
2. Diseases of the spleen.....	M.																										
	F.																										
3. Others of this group.....	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	45	4				1	5	2	3	3	9	3	4	6	4	3	1	1						1			
Males.....	37	3					3	1	2	2	8	3	4	6	3	3	1	1									
Females.....	8	1				1	2	1	1	1	1				1								1				
1. Burns and scalds.....	M.																										
	F.	3						1		1					1												
2. Drowned.....	M.	10							2		1		1	3	2			1									
	F.	1				1	1																				
3. Exposure and neglect.....	M.	1	1				1																				
	F.																										
4. Gunshot wounds.....	M.	9								1	3	1	2	1		1											
	F.																										
5. Homicide.....	M.	2										1			1												
	F.																										
6. Infanticide.....	M.																										
	F.																										
7. Injuries by machinery.....	M.	1											1														
	F.																										
8. Railroad accidents.....	M.	4								1				2		1											
	F.																										
9. Suffocation.....	M.																										
	F.	1	1				1																				
10. Suicide by shooting.....	M.																										
	F.																										
11. Suicide by drowning.....	M.																										
	F.																										
12. Suicide by poison.....	M.																										
	F.																										
13. Other suicides.....	M.	1														1											
	F.																										
14. Sunstroke.....	M.																										
	F.																										
15. Surgical operations.....	M.																										
	F.																										
16. Wounds.....	M.	3	1				1				1						1										
	F.																										
17. Other accidents and injuries.....	M.	6	1				1				3	1															
	F.	3						1	1		1												1				

ALABAMA—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	5452	1387	548	271	146	95	2447	285	171	279	341	269	195	201	165	144	140	111	179	124	139	105	89	36	13	12	7
Total: Males.....	2641	754	287	137	70	48	1296	115	81	121	134	107	80	69	53	63	74	60	96	66	75	67	46	23	7	3	5
Females	2811	633	261	134	76	47	1151	170	90	158	207	162	115	132	112	81	66	51	83	58	64	38	43	13	6	9	2
Unknown causes.																											
Total.....	442	230	55	23	7	6	321	14	2	5	9	8	5	9	6	6	3	7	7	3	8	8	9	2	4	3	3
Males.....	225	130	26	11	1	3	171	6	1		5	5		1	3	1	2	5	6	1	2	5	6	1	1	2	1
Females	217	100	29	12	6	3	150	8	1	5	4	3	5	8	3	5	1	2	1	2	6	3	3	1	3	1	2
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	1742	447	279	137	54	42	959	128	73	93	105	69	49	42	34	21	27	19	34	23	26	17	14	7		1	1
Males.....	816	219	139	70	21	23	472	53	31	47	43	28	19	10	14	11	13	10	19	11	12	10	8	4			1
Females	926	228	140	67	33	19	487	75	42	46	62	41	30	32	20	10	14	9	15	12	14	7	6	3		1	
1. Small-pox.....	M. F.	79 69	29 23	16 8	6 8	4 4	55 45	6 7	4 2	3 1	1 3	1 4	4	1 2	2 1	1	1 1		1 2	1 1							
2. Measles.....	M. F.	5 69	4 23	1 8	 8	 4	4 2	1 7	 2	 1	 3	 4			 1				 2	 1							
3. Scarlet fever.....	M. F.	5 5	4 1	1 1			4 2	1 1	 1	 1																	
4. Diphtheria.....	M. F.	52 68	13 28	13 4	11 6	6 10	45 52	7 10	 3	 1		 1	 1														
5. Hooping-cough.....	M. F.	126 155	60 87	29 38	22 18	3 4	118 151	6 4	1	1																	
6. Fever.....	M. F.	16 27	3 5	5 5	1	 2	10 12	2 3	1 2	 2	2 3	 2					 1	 1			 1						
7. Cerebro-spinal fever.....	M. F.	6 10	2 1		1	 1	3 2	1 3	 2	1	1	 1															
8. Enteric fever.....	M. F.	146 174	8 12	5 15	4 8	2 2	21 43	9 14	10 20	22 18	21 26	17 14	10 7	4 6	6 3	2 4	3 3	2 3	3 3	3 6	3 2	4 2	3 2				
9. Diarrhœa.....	M. F.	26 33	7 7	5 12	2 2		15 21	1	 1	 2	 1	 2	 1	 1	 1	 1	 1	 1	 3	 1	 2	 3	 1	 2			
10. Dysentery.....	M. F.	51 62	21 10	9 15	5 6	 2	35 33	 4	 1	 1	 1	 1	 2	 1	 1	 1	 2	 1	 5	 4	 2	 2	 2	 1			
11. Enteritis.....	M. F.	58 55	17 9	11 13	5 1	1 1	35 25	2 4	3 1	3 4	2 3	 2	 1	 2	 2	 2	 3	 1	 2	 1	 2	 1	 1				
12. Cholera morbus.....	M. F.	7 6	1		 1		1 1	2 1		 1			 1				 1		 2	 1	 1						
13. Cholera infantum.....	M. F.	74 48	38 25	28 12	6 9	 2	74 48																				
14. Malarial fever.....	M. F.	150 148	10 17	18 16	7 8	5 5	50 48	16 23	11 9	15 9	11 12	8 5	3 9	4 7	2 9	6 3	5 4	3 2	5 1	1 2	3 2	3 3	4 1				
15. Erysipelas.....	M. F.	15 9	5 3	 1			5 4	 1			 3	 1			 1			 1	 1	 1			 1				
16. Septicæmia.....	M. F.	 1											 1														
17. Puerperal septicæmia.....	F.	47								6	13	8	5	12	3												
18. Venereal diseases.....	M. F.	3 3								 1			 2					 2		 1							
19. Others of this group.....	M. F.	2 6	1				1			 1		 1	 1	 1				 1	 1	 1	 1						
General diseases—B.																											
Total.....	53	12	8	9	4	3	36	11			1	1					3						1				
Males.....	21	3	3	5	1	2	14	4				1					2										
Females	32	9	5	4	3	1	22	7			1						1						1				
1. Worms.....	M. F.	16 24	3 6	2 4	5 4	1 3	13 17	3 7																			
2. Other parasitic diseases.....	M. F.																										
3. Alcoholism.....	M. F.	2										 1					 1										
4. Lead poison.....	M. F.																										
5. Other poisons.....	M. F.	3 5	 2	1			1 3	1			 1						 1						 1				
6. Inanition.....	M. F.	 3	 1	 1			 2										 1										
General diseases—C.																											
Total.....	265	202	1		1		204			1	2	1	3			1			5	2	6	7	12	12	2	6	1
Males.....	157	123			1		125			1	1		1			1			4	1	3	5	5	7	1	1	1
Females	108	79					79				1	1	2						1	1	3	2	7	5	1	5	
1. Premature birth.....	M. F.	23 22	23 22				23 22																				
2. Stillborn.....	M. F.	89 53	89 53				89 53																				
3. Malformation.....	M. F.	2 1	2 1				2 1																				
4. Debility.....	M. F.	20 8	9 3	1		1	11 3			1	1 1	 1	 2			 1			 1	 1	 1		 1				
5. Old age.....	M. F.	23 24																	 3	 1	 2	 5	 4	 7	 1	 1	
6. Atrophy.....	M. F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ALABAMA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	1041	51	33	23	14	12	133	37	35	78	119	94	70	78	76	54	40	35	59	34	46	26	18	4	4		1
Males.....	415	26	19	11	9	7	72	15	16	22	36	24	22	29	21	17	21	15	26	16	30	16	10	3	3		1
Females.....	626	25	14	12	5	5	61	22	19	56	83	70	48	49	55	37	19	20	33	18	16	10	8	1	1		
1. Rheumatism.....	M. 13									1				2	2	1	1	1	2	2	1						
F. 5													1				1	1									
2. Scrofula and tabes.....	M. 22	4	5	1	1	1	12	1	3	2	1			1					1		1						
F. 29	7	5	2			2	16	4	4	1	1	1		1	1												
3. Leprosy.....	M. 1																										
F. 1																											
4. Consumption.....	M. 270	20	7	4	6	3	40	6	10	18	30	22	21	24	17	12	17	11	9	5	13	6	5	1	2		1
F. 477	12	7	8	2	3	3	32	12	12	51	77	63	45	42	44	28	13	10	20	10	12	1	5				
5. Hydrocephalus.....	M. 1							1																			
F. 1																											
6. Cancer.....	M. 20													1			3	1	5	1	5	1	1	2			
F. 38		1	1				2	1		1	1	1	1	2	4	2	4	4	3	4	2	2	3	1			
7. Tumor.....	M. 2																		1								
F. 1																											
8. Anæmia.....	M. 1			1			1																				
F. 1																											
9. Dropsy.....	M. 83	2	7	5	2	3	19	7	2	1	4	2		2	1	4		2	8	8	10	8	4		1		
F. 74	6	1	1	3			11	5	3	3	3	5	1	4	6	6	1	4	10	4	2	5			1		
10. Glycosuria.....	M. 3																										
F. 1																		1									
11. Others of this group.....	M. 1																										
F. 1																											
12. Others of this class.....	M. 1												1														
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	449	121	58	20	21	10	230	40	12	18	12	14	11	16	4	12	5	11	16	15	11	9	9	3	1		
Males.....	232	68	31	13	12	4	128	12	7	7	7	10	2	8	1	4	3	7	7	9	7	6	5	1	1		
Females.....	217	53	27	7	9	6	102	28	5	11	5	4	9	8	3	8	2	4	9	6	4	3	4	2			
1. Inflammation of the brain.....	M. 47	12	10	2	5	1	30	3	2	2	2	2		4				1		1							
F. 44	12	7	2		2		23	10	2	2	1	1	2					1			1	1					
2. Meningitis.....	M. 17	6	3	1	1		11	1		1		3													1		
F. 19	5	3		2			10	2	1	1	1	1	2					1									
3. Apoplexy.....	M. 11													1		1		2		2	2	2		1			
F. 6														2				1		1				1			
4. Paralysis.....	M. 21	1	1	1			3																				
F. 28	1					2	3	1																			
5. Tetanus and trismus nascentium.....	M. 6	5					5	1																			
F. 4	3						3												1								
6. Epilepsy.....	M. 7	1					1		1		1	1		1		1					1						
F. 10					1	1	2	2		2	1		1		1				1								
7. Convulsions.....	M. 55	28	7	5	2		42	2		1	1	1							2	2	1		3				
F. 61	26	7	1	2	1		37	3	1	6	2	2	3	1	1			1	3	1							
8. Mental diseases.....	M. 2									1								1									
F. 2																											
9. Diseases of the brain.....	M. 57	14	7	2	4	2	29	5	4	2	2	3	2	1	1	2	2	1	2	1							
F. 37	5	9	4	3			21	9	1					1		2	1		1	1							
10. Diseases of the spinal cord.....	M. 6	1	3	2			6																				
F. 4	1	1		1			3	1																			
11. Others of this group.....	M. 3					1	1				1																
F. 2																											
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	117	4	1	2	1	2	10	5	7	4	9	6	4	8	5	4	8	3	10	10	7	7	9		1		
Males.....	55	3		1	1	1	6	2	4	4	2	2	2	1	2	1	7	1	3	5	3	5	4		1		
Females.....	62	1	1	1		1	4	3	3		7	4	2	7	3	3	1	2	7	5	4	2	5				
1. Angina pectoris.....	M. 2																		1			1					
F. 2															1												
2. Aneurism.....	M. 1						1																				
F. 1			1																								
3. Diseases of the heart.....	M. 53	3																									

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ALABAMA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	173	44	31	3	3	2	83	8	4	5	9	7	1	6	5	5	9	4	8	4	3	5	2	5			
Males.....	93	21	20	1	2	2	46	6	3	3	1	1		4	3	4	6	2	3	2	1	2	1	5			
Females.....	80	23	11	2	1		37	2	1	2	8	6	1	2	2	1	3	2	5	2	2	3	1				
1. Dentition.....	M. 8 F. 16	1 8	7 7				8 16																				
2. Angina.....	M. 1 F. 1		1				1																				
3. Gastritis.....	M. 1 F. 3		1				1				1	1															
4. Other diseases of the stomach.....	M. 18 F. 14	3 2	4		1		8 2			2	1	2			1		2	1	2		1	1	1	1	1		
5. Obstruction of the bowels.....	M. 1 F. 2			1		1	1												1								
6. Hernia.....	M. 4 F. 1						1		1					1								1		1			
7. Other diseases of the bowels.....	M. 10 F. 5	1 5	3	1			5 1	2				1		1			1			1							
8. Jaundice.....	M. 3 F. 1	1					1												1					1			
9. Inflammation and abscess of the liver.....	M. 9 F. 10	2 2	1				3 3	1	1		1	2			1	2		1				1	1				
10. Other diseases of the liver.....	M. 13 F. 12	3 3			1	1	5 4	1	1				1	1	1		3		1		1	1			1		
11. Peritonitis.....	M. 1 F. 4						1				1	1					1			1				1			
12. Ascites.....	M. 4 F. 1		1				1	1											1	1							
13. Others of this group.....	M. 20 F. 11	10 6	3 1				13 8			1				1	1	1	1	1					1				
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	28			1			1		1	1	2			1		1	2		1	2	3	8	4			1	
Males.....	23										2			1		1	2		1	1	3	8	4				
Females.....	5			1			1		1	1										1						1	
1. Bright's disease.....	M. 5 F. 3										1					1					1		2				
2. Calculus, urinary.....	M. 3 F. 3									1										1			1				
3. Diseases of the kidney.....	M. 5 F. 2										1						2		1		1						
4. Diseases of the bladder.....	M. 6 F. 4			1			1		1												1	5					
5. Others of this group.....	M. 4 F. 1													1						1		1	1				
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	19									1	2	3	1	3	2	1	2	3		1							
1. Ovarian tumors.....	F. 1													1													
2. Ovarian diseases.....	F. 1																										
3. Uterine tumors.....	F. 1																										
4. Uterine diseases.....	F. 12									1		1	1	2	1	1	2	3									
5. Others of this group.....	F. 6										2	2			1					1							
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	42									8	8	10	5	7	4												
1. Abortion.....	F. 3										2		1														
2. Child-birth.....	F. 36									7	6	10	4	5	4												
3. Others of this group.....	F. 3									1				2													
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	12	1		1			2		1		2	1			2	2		1			1						
Males.....	4											1				1		1			1						
Females.....	8	1		1			2		1		2				2	1											
1. Diseases of the spine.....	M. 3 F. 1	1					1		1		1																
2. Diseases of the bones.....	M. 1 F. 1										1																
3. Diseases of the hip-joint.....	M. 1 F. 1																										
4. Others of this group.....	M. 3 F. 5			1			1				1				2	1		1			1						

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ALABAMA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	4	1				1				1						1		1									
Males.....	4	1				1				1						1		1									
Females.....																											
1. Abscess.....	M. 4	1				1				1						1		1									
	F.																										
2. Carbuncle.....	M.																										
	F.																										
3. Others of this group.....	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	2			1		1					1																
Males.....	1			1		1																					
Females.....	1										1																
1. Addison's disease.....	M.																										
	F.																										
2. Diseases of the spleen.....	M.	1			1	1																					
	F.																										
3. Others of this group.....	M.																										
	F.	1									1																
XII.—ACCIDENTS AND INJURIES.																											
Total.....	243	40	13	13	10	7	83	21	13	21	17	15	17	8	6	13	6	4	6	3	2	4	2	1		1	
Males.....	156	19	5	7	7	1	39	10	7	16	13	13	16	7	3	10	4	3	5	3	2	3	1	1			
Females.....	87	21	8	6	3	6	44	11	6	5	4	2	1	1	3	3	2	1	1			1	1		1		
1. Burns and scalds.....	M. 13	3	1	3	2	1	10	1					1						1								
	F. 31	2	5	2	1	4	14	9	3		2			1		1					1						
2. Drowned.....	M. 15							2		4	3	1		2			1			1	1						
	F. 4			1			1	2								1											
3. Exposure and neglect.....	M. 7	1		1	1		3	1			1										1		1				
	F. 5	2					2																				
4. Gunshot wounds.....	M. 15								1	2	3	3	4			1	1										
	F.																										
5. Homicide.....	M. 13								2	1	2	4	1			2			1								
	F.																										
6. Infanticide.....	M. 1	1					1																				
	F.																										
7. Injuries by machinery.....	M.																										
	F.																										
8. Railroad accidents.....	M. 10								1	2	1	1	2		1				1	1							
	F. 1															1											
9. Suffocation.....	M. 9	7	1				8	1																			
	F. 11	10	1				11																				
10. Suicide by shooting.....	M. 1										1																
	F.																										
11. Suicide by drowning.....	M. 1									1																	
	F.																										
12. Suicide by poison.....	M.																										
	F.																										
13. Other suicides.....	M. 3									1	1		1														
	F.																										
14. Sunstroke.....	M. 2												1			1											
	F.																										
15. Surgical operations.....	M. 1														1												
	F.																										
16. Wounds.....	M. 5									1	1		1			2											
	F.																										
17. Other accidents and injuries.....	M. 61	7	3	3	4		17	5	3	5	2	2	6	4	2	5	1	2	2	1	1	2	1			1	
	F. 34	7	2	3	2	2	16		3	5		2	1	1	2			1				1				1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ALABAMA—GROUP 3.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	11443	2919	998	623	387	254	5181	685	381	506	647	486	399	346	338	303	364	220	351	283	289	233	201	100	62	47	21
Total: Males.....	5673	1567	538	331	194	126	2756	374	202	210	259	189	154	125	107	131	176	115	198	159	147	137	116	54	32	22	10
Females.....	5770	1352	460	292	193	128	2425	311	179	296	388	297	245	221	231	172	188	105	153	124	142	96	85	46	30	25	11
Unknown causes.																											
Total.....	1214	540	134	73	38	18	803	48	28	26	31	32	19	18	19	19	23	13	24	18	24	22	17	12	1	4	13
Males.....	602	268	77	33	20	8	406	32	16	11	12	16	5	5	9	8	6	4	11	8	12	17	9	6	1	2	6
Females.....	612	272	57	40	18	10	397	16	12	15	19	16	14	13	10	11	17	9	13	10	12	5	8	6	2	7	7
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	3282	708	428	264	158	116	1674	287	143	179	166	130	81	83	70	59	73	38	70	69	49	44	34	19	8	2	4
Males.....	1615	386	231	143	79	59	898	158	62	76	69	54	30	26	14	30	39	19	32	35	19	26	15	8	4	1	1
Females.....	1667	322	197	121	79	57	776	129	81	103	97	76	51	57	56	29	34	19	38	34	30	18	19	11	4	2	3
1. Small-pox.....	M. 116	35	20	18	3	3	79	10	2	4	6	5	3	3	1	1	1			1							
	F. 93	25	18	7	7	2	59	8		3	6	3	2	2	3		2	2	2	1							
2. Measles.....	M. 3	1					1	1																			
	F. 2	1					2																				
3. Scarlet fever.....	M. 55	15	8	12	6	2	43	8		2					1		1										
	F. 49	15	12	7	4	1	39	9							1												
4. Diphtheria.....	M. 121	72	24	13	5	4	118	3																			
	F. 128	71	27	10	7	8	123	1	1	1		1															1
5. Hooping-cough.....	M. 112	32	16	11	8	5	72	10	5	6	6	1	1	1		1	1	1	1	2		2	1	1			
	F. 116	32	9	9	5	6	61	5	6	4	4	5	4	2	3	1	4	1	1	5	5	1	4			1	
6. Fever.....	M. 30	4	2	1	3	3	13	4	7	3	1					1	1										
	F. 21	2					5	6	5	1			1	3													
7. Cerebro-spinal fever.....	M. 201	19	7	9	10	2	47	25	14	24	15	19	8	3	3	8	11	4	6	3	2	3	3	2			1
	F. 229	23	15	11	3	6	58	16	19	27	21	19	10	8	10	9	9	2	5	4	5	4		2		1	
8. Enteric fever.....	M. 87	21	19	11	8	3	62	3	1		1	1	4		1	4				2	1	3	2		2		
	F. 62	17	6	8	2	1	34	1		3	1	1	1	1	1	1	1	2	4	2	3	1	1	4			
9. Diarrhoea.....	M. 136	36	34	13	3	2	88	6	2	1	2	4	1	3		3	4	2	3	6	2	4	2	2	1		
	F. 106	22	19	9	7	2	59	6	2	4	3	2	2	1	4	1	1	1	7	3	3	3	2	2			
10. Dysentery.....	M. 166	33	20	6	8	5	72	23	8	6	10	7	2	2	1	2	4	4	5	9	4	4	2		1		
	F. 136	21	22	11	9	3	66	8	7	7	4	4	5	7	5	4	4	2	2	3	3		4	1			
11. Enteritis.....	M. 10	2	2	1		1	6	2			1											1					
	F. 10			1			1	3		1	2									1			1				
12. Cholera morbus.....	M. 85	44	29	9	1	2	85																				
	F. 77	39	26	10	2		77																				
13. Cholera infantum.....	M. 467	65	48	39	24	26	202	61	22	29	26	16	10	10	8	7	17	8	15	11	10	8	4	3			
	F. 495	51	40	36	28	28	183	65	36	29	28	14	12	17	18	9	12	8	17	13	11	9	7	2	4	1	
14. Malarial fever.....	M. 16	4	1			1	6	1	1	1	1		1	2				1				1	1				
	F. 13	3	1	1	1		6							1	1				2								
15. Erysipelas.....	M. 2											1				1											
	F. 5											1															
16. Septicæmia.....	M. 112								1			1	1		2												
	F. 4	2	1				3					1	1		1												
17. Puerperal septicæmia.....	M. 8		2				2					1	1		1				1								
	F. 4						1					1	1		1												
18. Venereal diseases.....	M. 4	1					1	1											1								
	F. 5			1			1	1	1										1	1							
19. Others of this group.....	M. 5						1																				
	F. 5						1																				
General diseases—B.																											
Total.....	154	29	26	26	20	4	105	16	2		3		3	3	5	3	4	3	3			2	2				
Males.....	96	20	18	14	13	3	68	6	2		2		2	2	4	2	1	2	2			2	1				
Females.....	58	9	8	12	7	1	37	10			1		1	1	1	1	3	1	1			1					
1. Worms.....	M. 67	14	15	14	12	3	58	6	2										1								
	F. 38	9	5	10	5	1	30	8																			
2. Other parasitic diseases.....	M. 9												1		2	2		1	1			1	1				
	F. 9																										
3. Alcoholism.....	M. 13		2		1		3				2		1	2	2		1	1				1					
	F. 19		3	2	2		7	2			1		1	1	1	1	3	1	1								
4. Lead poison.....	M. 7	6	1				7																				
	F. 1																										
5. Other poisons.....	M. 1																										
	F. 1																										
6. Inanition.....	M. 1																										
	F. 1																										
General diseases—C.																											
Total.....	811	560	10	3	4	4	581	6	4	3	3	1	4	4	2	1	4	1	11	4	23	31	42	22	31	31	2
Males.....	437	319	5		2	1	327	1	2	2	1	1	1		1		2	1	7	2	14	11	23	11	12	16	2
Females.....	374	241	5	3	2	3	254	5	2	1	2		3	4	1	1	2		4	2	9	20	10	11	19	15	
1. Premature birth.....	M. 48	48					48																				
	F. 41	41					41																				
2. Stillborn.....	M. 247	247					247																				
	F. 180	180					180																				
3. Malformation.....	M. 4	4					4																				
	F. 4	4					4																				
4. Debility.....	M. 66	20	5		2	1	28	1	2	2	1	1	1		1		2	1									

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ALABAMA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	1608	88	60	40	42	18	248	65	57	88	168	124	109	103	109	93	96	61	79	54	51	47	29	20	3	4	
Males.....	681	54	33	23	21	9	140	37	33	29	65	33	34	30	35	34	39	26	37	29	22	20	18	15	3	2	
Females.....	927	34	27	17	21	9	108	28	24	59	103	91	75	73	74	59	57	35	42	25	29	27	11	5		2	
1. Rheumatism.....	M. 33		1	1	1	1	4	2	1	1		2		1	1	1	6	2		2	2	2	4	2			
	F. 20					1	1	1	1							7	1	2	3		1						
2. Scrofula and tabes.....	M. 36	13	3	2	1		19	3		2	6	1			1	1	1	1									
	F. 34	8	4	4	2	1	19	2	1	3		2		1	1		1	2	1		1						
3. Leprosy.....	M. 3																										
	F. 3																										
4. Consumption.....	M. 306	20	9	3	4	4	40	9	15	16	44	22	23	24	22	21	16	11	12	12	8	5	1	3	2		
	F. 487	13	9	4	7	1	34	8	9	43	75	70	56	48	41	18	29	15	15	8	12	5		1			
5. Hydrocephalus.....	M. 11	8	2		1		11																				
	F. 1						1																				
6. Cancer.....	M. 40							1	3		1		7		1	2	3	3	3	2	3	5	5	1			
	F. 82											1		4	9	20	12	5	8	6	4	4	2	1			
7. Tumor.....	M. 5		2				2	1																			
	F. 4																										
8. Anæmia.....	M. 3	1					1	1			1				1	2											
	F. 5							1	1																		
9. Dropsy.....	M. 241	12	16	17	14	4	63	19	14	9	13	8	4	5	9	9	13	9	20	13	8	6	8	8	1	2	
	F. 292	13	13	8	12	6	52	16	12	13	27	18	14	18	21	12	13	11	14	11	11	16	9	2		2	
10. Glycosuria.....	M. 5							1																			
	F. 1																										
11. Others of this group.....	M. 1									1																	
	F. 1		1				1																				
12. Others of this class.....	M. 1																	1									
	F. 1									1																	
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	949	267	79	48	38	29	461	84	37	29	48	31	18	21	16	17	24	20	25	38	27	23	15	7	6	2	
Males.....	517	139	50	25	19	17	250	39	24	18	21	13	9	12	6	8	12	12	17	25	14	16	11	5	5		
Females.....	432	128	29	23	19	12	211	45	13	11	27	18	9	9	10	9	12	8	8	13	13	7	4	2	1	2	
1. Inflammation of the brain.....	M. 37	7	5	3	2	3	20	5	2	3	2	1		1		1		1						1			
	F. 40	10	3	5	2	3	23	6	1	1	2	1	2			1	2	1									
2. Meningitis.....	M. 59	13	6	4	1	5	29	6	9	4		1	2	2	1		1		1	1		1			1		
	F. 61	18	5	5	3	1	32	9	3	1	4	2	1	1	1	1	2	2	1			1					
3. Apoplexy.....	M. 36							1				3	2	1	1	3		3	3	7	3	4	3	2			
	F. 17											2		1	1	2	1		1	2	4	2	1				
4. Paralysis.....	M. 71	2	1		2		5	6	2	1	1	1	1	1	3		5	4	7	10	6	10	6	1	1		
	F. 45	1		3	2		6	1			5	1	2		2		1	3	1	5	7	3	3	1	1	1	
5. Tetanus and trismus nascentium.....	M. 28	19	2		1		22	2			1	1		1		1		1									
	F. 21	16	1				17		1		2																
6. Epilepsy.....	M. 13	1					1	1		1	1	1	1	3				2			1	1					
	F. 8		2	1			3				2	3															
7. Convulsions.....	M. 164	82	25	12	7	6	132	8	1	2	5	2	1	1	1	1	1	2	1	2	1	1	1	1	1		
	F. 189	65	15	4	6	4	94	10	3	9	6	3	2	4	1		2	1	1	1	1		1			1	
8. Mental diseases.....	M. 5										1								1	1	1						
	F. 8										1																
9. Diseases of the brain.....	M. 93	15	11	6	6	3	41	10	7	6	7	3	1	2		3	4	1	3	3	1				1		
	F. 86	17	5	4	5	4	35	19	5		5	4	1	2	3	1	1	1	2	6	1	</					

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ALABAMA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	455	145	82	29	9	8	273	8	7	10	11	10	10	7	9	12	10	11	13	12	11	6	9	3	1	1	1
Males.....	208	66	35	14	3	1	119	5	4	5	4	5	6	3	3	6	5	9	8	9	7	3	5	...	...	1	1
Females.....	227	79	47	15	6	7	154	3	3	5	7	5	4	4	6	6	5	2	5	3	4	3	4	3	1	...	...
1. Dentition.....	M. 66 F. 91	33 45	26 35	7 8	...	...	66 89	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Angina.....	M. 6 F. 6	3 3	1 1	...	...	1	5	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Gastritis.....	M. 7 F. 4	...	...	...	1	...	1	...	1	...	...	...	1	...	...	...	1	1	...	2	...	...	1	...	...	...	...
4. Other diseases of the stomach.....	M. 15 F. 15	2 2	2 1	...	...	1	4 5	...	...	1	1	1	1	2	...	1	1	...	2	1	1	1	1	1	1	...	...
5. Obstruction of the bowels.....	M. 8 F. 6	2 2	...	...	...	...	2	...	...	1	1	...	...	...	...	2	...	...	1	...	1	...	...	1	...	...	...
6. Hernia.....	M. 6 F. 4	4 ...	...	...	...	...	4	...	...	1	...	1	...	...	...	2	...	...	...	...	...	1	...	...	...	...	...
7. Other diseases of the bowels.....	M. 9 F. 11	1 1	2 ...	...	1	1	4 7	1	1	...	...	1	...	1	...	...	...	1	1	1	...	...	...	...	...	...	...
8. Jaundice.....	M. 9 F. 10	3 1	...	1	...	...	4	...	...	1	1	1	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...
9. Inflammation and abscess of the liver.....	M. 8 F. 8	1 2	...	...	1	1	1 4	...	2	...	...	...	...	...	...	1	...	...	...	1	1	...	...	...	...	1	1
10. Other diseases of the liver.....	M. 29 F. 23	5 5	2	...	...	1	5 8	4	...	2	...	1	2	1	1	1	2	2	3	2	3	...	...	...	...	...	...
11. Peritonitis.....	M. 4 F. 7	...	...	...	...	...	...	...	...	1	1	...	1	...	1	...	1	...	...	...	1	...	...	...	...	...	...
12. Ascites.....	M. ... F. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
13. Others of this group.....	M. 41 F. 42	12 16	4 8	5 1	1	1	23 27	...	1	...	2	2	...	...	2	...	...	4	1	2	...	2	4	...	1	1	...
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	88	2	...	...	...	...	2	4	...	2	6	1	6	3	2	5	5	5	11	10	11	7	4	2	2	...	...
Males.....	65	1	...	...	...	...	1	2	...	1	4	1	4	3	1	2	5	4	10	8	6	6	3	2	2	...	...
Females.....	23	1	...	...	...	...	1	2	...	1	2	...	2	...	1	3	...	1	1	2	5	1	1	...	...	...	...
1. Bright's disease.....	M. 26 F. 10	...	...	...	...	...	...	...	...	1	3	1	3	2	1	1	3	2	4	1	2	1	1	...	...	...	...
2. Calculus, urinary.....	M. 12 F. 2	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	1	...	1	1	1	4	1	1	...	...	...
3. Diseases of the kidney.....	M. 16 F. 10	...	...	...	...	...	...	1	...	1	...	...	...	1	...	1	...	2	3	2	1	1	...	...	2	...	...
4. Diseases of the bladder.....	M. 8 F. ...	...	...	...	...	...	...	2	...	1	1	...	1	...	1	...	...	1	3	1	...	1	...	...	...	...	...
5. Others of this group.....	M. 3 F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	...	...	...
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	62	...	...	1	...	...	1	...	1	4	7	6	11	6	6	7	3	2	3	...	3	1	...	...	...	...	1
1. Ovarian tumors.....	F. 3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...
2. Ovarian diseases.....	F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
3. Uterine tumors.....	F. 2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...
4. Uterine diseases.....	F. 13	...	...	...	...	...	...	...	...	2	3	2	2	1	...	1	...	1	...	...	1	...	...	...	...	...	...
5. Others of this group.....	F. 43	...	...	1	...	...	1	...	1	4	5	3	9	3	5	3	3	1	1	...	2	1	...	...	...	...	1
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	169	...	...	...	...	...	...	...	2	34	44	31	23	18	10	5	1	...	1	...	...	...	...	...	...	...	...
1. Abortion.....	F. 7	...	...	...	...	...	...	...	...	1	3	1	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...
2. Child-birth.....	F. 152	...	...	...	...	...	...	...	2	31	38	26	23	17	9	4	1	...	1	...	...	...	...	...	...	...	...
3. Others of this group.....	F. 10	...	...	...	...	...	...	...	...	2	3	4	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	16	...	...	1	...	...	1	1	...	2	...	2	1	...	2	...	...	...	...	...	...	...	1	...	...	...	...
Males.....	9	...	...	1	...	...	1	1	...	1	...	2	1	...	2	...	...	...	...	...	...	...	1	...	...	...	...
Females.....	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1. Diseases of the spine.....	M. ... F. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Diseases of the bones.....	M. 3 F. ...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	1	...	...	...	...
3. Diseases of the hip-joint.....	M. 2 F. ...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Others of this group.....	M. 4 F. 1	...	...	1	...	...	1	...	...	1	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ALABAMA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	10	2			1		3				1				1	1		1	1	1	1						
Males.....	9	2			1		3				1					1		1	1	1	1						
Females.....	1													1													
1. Abscess.....	{ M. 5	1					1				1					1			1	1							
	{ F. 1														1												
2. Carbuncle.....	{ M. 1																										
	{ F. 1																										
3. Others of this group.....	{ M. 4	1			1		2											1			1						
	{ F. 1																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	2	1					1															1					
Males.....	2	1					1															1					
Females.....																											
1. Addison's disease.....	{ M. 1																										
	{ F. 1																										
2. Diseases of the spleen.....	{ M. 2	1					1															1					
	{ F. 1																										
3. Others of this group.....	{ M. 1																										
	{ F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	625	143	41	40	30	22	276	67	35	32	40	32	22	14	14	16	13	7	19	7	7	7	8	1	1	1	
Males.....	379	73	17	20	13	10	133	37	26	24	35	24	17	10	10	11	8	6	16	5	3	6	6	1	1	1	
Females.....	246	70	24	20	17	12	143	30	9	8	11	8	5	4	4	5	5	1	3	2	4	1	2	1	1	1	
1. Burns and scalds.....	{ M. 84	12	9	15	10	7	53	15	4	3					1	1		1	2	1			1	1		1	
	{ F. 105	9	13	13	13	10	58	25	5	5	3	2	1		1	1					2	1	1				
2. Drowned.....	{ M. 32							4	5	5	9	3	2	1	1							1					
	{ F. 9		3			2	5					1					2			1							
3. Exposure and neglect.....	{ M. 27	16	1	2			19	2	1	1	2											1	1				
	{ F. 24	12	3	4			19	1		1	1							1	1								
4. Gunshot wounds.....	{ M. 34							2		1	9	5	6	2	4	2	2		1								
	{ F. 4	1					1	1	1			1															
5. Homicide.....	{ M. 18				1		1				4	3		3		2		2	2	1							
	{ F. 4									1		1	1		1												
6. Infanticide.....	{ M. 1																										
	{ F. 1																										
7. Injuries by machinery.....	{ M. 3							1	1												1						
	{ F. 1																										
8. Railroad accidents.....	{ M. 11							1		1	2	2	1	1				1	1			1					
	{ F. 2										1	1															
9. Suffocation.....	{ M. 32	26	3			1	30			1									1								
	{ F. 28	25	1	1	1		28																				
10. Suicide by shooting.....	{ M. 1																										
	{ F. 1																										
11. Suicide by drowning.....	{ M. 1																										
	{ F. 1																										
12. Suicide by poison.....	{ M. 2													1					1								
	{ F. 1																										
13. Other suicides.....	{ M. 2										1								1								
	{ F. 1																										
14. Sunstroke.....	{ M. 1																					1					
	{ F. 1																										
15. Surgical operations.....	{ M. 2													1							1						
	{ F. 1																										
16. Wounds.....	{ M. 5							1	1	1	1																
	{ F. 3	1					1			1		1															
17. Other accidents and injuries.....	{ M. 126	19	4	3	2	2	30	11	14	11	8	11	8		4	6	5	2	6	3	1	2	4				
	{ F. 67	22	4	2	3		31	3	3		5	2	3	4	2	4	3		2	1	2		1		1		

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
ARIZONA.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	291	56	11	9	4		80	11	6	8	18	32	29	29	22	18	15	4	7	2	3	1	2			1	3
Total: Males.....	207	30	6	4	2		42	4	4	4	14	25	23	21	21	15	13	3	7	2	3	1	1			1	3
Females	84	26	5	5	2		38	7	2	4	4	7	6	8	1	3	2	1					1				
Unknown causes.																											
Total.....	20	15	1		1		17	1				1	1														
Males.....	12	8			1		9	1				1	1														
Females	8	7	1				8																				
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	66	21	5	6	2		34	3	2	2	1	4	5	1	3	1	3	1	3	2		1					
Males.....	38	12	3	2			17			1	1	3	2	1	2	1	3	1	3	2		1					
Females	28	9	2	4	2		17	3	2	1		1	3		1												
1. Small-pox.....	M.																										
F.																											
2. Measles.....	M.																										
F.																											
3. Scarlet fever.....	M.																										
F.			1	1			2	1																			
4. Diphtheria.....	M.	1	1				1																				
F.	2	1					1	1																			
5. Hooping-cough.....	M.	5	3	1	1		5																				
F.	5	5					5																				
6. Fever.....	M.	10	6				6					1	1				1					1					
F.	4	1			1		2	1					1														
7. Cerebro-spinal fever.....	M.																										
F.																											
8. Enteric fever.....	M.	8		1			1			1	1		1		1	1			1	1							
F.	3		2				2								1												
9. Diarrhœa.....	M.																										
F.																											
10. Dysentery.....	M.	1										1															
F.	1																										
11. Enteritis.....	M.	5	1	1			2		1						1			1	1								
F.	2	1		1			2																				
12. Cholera morbus.....	M.	1		1			1																				
F.	1								1																		
13. Cholera infantum.....	M.																										
F.	1	1					1																				
14. Malarial fever.....	M.	4	1				1					1							1	1							
F.	2		1		1		2																				
15. Erysipelas.....	M.																										
F.																											
16. Septicæmia.....	M.																										
F.																											
17. Puerperal septicæmia.....	F.	3										1	2														
18. Venereal diseases.....	M.	2													1		1										
F.	1									1																	
19. Others of this group.....	M.	1															1										
F.																											
General diseases—B.																											
Total.....	9	1					1					1	2	1	1	1	1		1								
Males.....	8	1					1						2	1	1	1	1		1								
Females	1											1															
1. Worms.....	M.																										
F.																											
2. Other parasitic diseases.....	M.																										
F.																											
3. Alcoholism.....	M.	6											1	1	1	1	1		1								
F.	1											1															
4. Lead poison.....	M.																										
F.																											
5. Other poisons.....	M.																										
F.																											
6. Inanition.....	M.	2	1				1						1														
F.																											
General diseases—C.																											
Total.....	12	8					8												1				1			1	
Males.....	4	1					1																			1	
Females	8	7					7												1				1				
1. Premature birth.....	M.																										
F.	4	4					4																				
2. Stillborn.....	M.	1	1				1																				
F.	1	1					1																				
3. Malformation.....	M.																										
F.																											
4. Debility.....	M.	2																									
F.	2	2					2												1								
5. Old age.....	M.	1																									
F.	1																										
6. Atrophy.....	M.																										
F.																											

ARIZONA—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	24			1			1				4	3	7	2	2	2	1	1									1
Males.....	15			1			1				3	1	5	1	2			1									1
Females.....	9										1	2	2	1		2	1										
1. Rheumatism.....	M.																										
	F.																										
2. Scrofula and tabes.....	M.																										
	F.																										
3. Leprosy.....	M.																										
	F.																										
4. Consumption.....	M.	10		1			1				3	1	2	1	2		1	1									1
	F.	8									1	2	2	1		1	1										
5. Hydrocephalus.....	M.																										
	F.																										
6. Cancer.....	M.																										
	F.																										
7. Tumor.....	M.																										
	F.																										
8. Anæmia.....	M.																										
	F.																										
9. Dropsy.....	M.	4											2	1				1									
	F.	1														1											
10. Glycosuria.....	M.																										
	F.																										
11. Others of this group.....	M.	1											1														
	F.																										
12. Others of this class.....	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	19	5	1		1		7	1	1				2	2	2	1	2	1									
Males.....	16	4	1		1		6	1	1				2	2	2	1	1										
Females.....	3	1					1										1	1									
1. Inflammation of the brain.....	M.	3	2				2						1														
	F.																										
2. Meningitis.....	M.	1						1																			
	F.																										
3. Apoplexy.....	M.	4												1	2	1											
	F.	1															1										
4. Paralysis.....	M.	1							1																		
	F.																										
5. Tetanus and trismus nascentium.	M.																										
	F.																										
6. Epilepsy.....	M.	1											1														
	F.																										
7. Convulsions.....	M.	2	2				2																				
	F.																										
8. Mental diseases.....	M.																										
	F.																										
9. Diseases of the brain.....	M.	3		1		1	2							1													
	F.	2	1				1											1									
10. Diseases of the spinal cord.....	M.	1																1									
	F.																										
11. Others of this group.....	M.																										
	F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	7													2	2	1	2										
Males.....	6													1	2	1	2										
Females.....	1													1													
1. Angina pectoris.....	M.	2													2												
	F.																										
2. Aneurism.....	M.	1															1										
	F.																										
3. Diseases of the heart.....	M.	3												1		1	1										
	F.	1												1													
4. Others of this group.....	M.																										
	F.																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	31	2	1				3	1	1		2	4	3	5	3	5	1		2		1						
Males.....	24	2					2		1		1	4	3	1	3	5	1		2		1						
Females.....	7		1				1	1			1			4													
1. Croup.....	M.																										
	F.																										
2. Laryngitis.....	M.																										
	F.																										
3. Bronchitis.....	M.																										
	F.																										
4. Pneumonia.....	M.	23	2				2		1		1	4	3	1	2	5	1		2		1						
	F.	7		1			1	1			1			4													
5. Pleurisy.....	M.																										
	F.																										
6. Asthma.....	M.	1													1												
	F.																										
7. Others of this group.....	M.																										
	F.																										

ARIZONA—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....																											
Males.....																											
Females.....																											
1. Abscess.....	M.																										
	F.																										
2. Carbuncle.....	M.																										
	F.																										
3. Others of this group.....	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....																											
Males.....																											
Females.....																											
1. Addison's disease.....	M.																										
	F.																										
2. Diseases of the spleen.....	M.																										
	F.																										
3. Others of this group.....	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	77			2			2	5	2	3	9	15	8	13	8	6	3	1			1						1
Males.....	73			1			1	2	2	3	9	15	8	13	8	6	3	1			1						1
Females.....	4			1			1	3																			
1. Burns and scalds.....	M.																										
	F.	1						1																			
2. Drowned.....	M.	3						1		1	1																
	F.																										
3. Exposure and neglect.....	M.	2											1		1												
	F.	1		1			1																				
4. Gunshot wounds.....	M.	28							2	2	2	6	2	5	5	3	1										
	F.																										
5. Homicide.....	M.	13									3	2	2	2	1	3											
	F.																										
6. Infanticide.....	M.																										
	F.																										
7. Injuries by machinery.....	M.																										
	F.																										
8. Railroad accidents.....	M.	1												1													
	F.																										
9. Suffocation.....	M.																										
	F.																										
10. Suicide by shooting.....	M.	4										2		1			1										
	F.																										
11. Suicide by drowning.....	M.																										
	F.																										
12. Suicide by poison.....	M.	1												1													
	F.																										
13. Other suicides.....	M.	3										1		1			1										
	F.																										
14. Sunstroke.....	M.																										
	F.																										
15. Surgical operations.....	M.																										
	F.																										
16. Wounds.....	M.	2												2													
	F.																										
17. Other accidents and injuries.....	M.	16		1			1	1			3	4	3		1			1			1						1
	F.	2						2																			

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ARKANSAS—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	2518	546	187	142	92	63	1030	199	100	115	184	163	112	109	113	80	79	51	64	26	32	19	13	2	4	9	14
Total: Males.....	1361	297	102	79	41	35	554	94	56	55	101	90	62	54	60	42	45	33	39	19	21	13	6	2	2	6	9
Females.....	1157	249	85	63	51	28	476	105	44	60	83	73	50	55	53	38	34	18	25	7	11	6	7	2	2	3	5
Unknown causes.																											
Total.....	345	149	26	18	22	9	224	21	9	6	18	11	10	8	6	3	7	5	5	1	2		1		2	1	2
Males.....	191	84	16	11	8	6	125	13	3	4	8	7	3	5	5	2	4	4	2	1	1		1		1	1	
Females.....	154	65	10	7	14	3	99	11	6	2	10	4	7	3	1	1	3	1	3		1				1		1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	730	130	93	59	42	30	354	75	40	32	28	35	24	19	26	21	20	9	19	6	8	5	3			1	5
Males.....	375	70	46	30	21	17	184	37	20	15	11	14	12	10	16	8	6	6	16	4	6	4	1			1	4
Females.....	355	60	47	29	21	13	170	38	20	17	17	21	12	9	10	13	14	3	3	2	2	1	2				1
1. Small-pox.....	M. F.																										
2. Measles.....	M. F.	19 4	4 1	.. 1		2 ..	9 2	5 ..	2 1		1 ..	1 ..			1 ..												
3. Scarlet fever.....	M. F.	44 34	9 4	4 7	6 3	6 1	30 18	6 10	7 5	.. 1																	
4. Diphtheria.....	M. F.	10 10	1 1	1 3	1 2	1 ..	4 8	4 2						1 ..	1 ..												
5. Hooping-cough.....	M. F.	51 49	18 22	14 12	9 5	3 4	47 45	3 2	1 2																		
6. Fever.....	M. F.	3 5	1 ..	.. 2	.. 1		3 3	.. 1										1 ..									
7. Cerebro-spinal fever.....	M. F.	5 2	1 ..	.. 1	.. 1	1 ..	2 2					1 ..						1 ..									
8. Enteric fever.....	M. F.	18 18	2 1	1 1	1 ..	1 ..	5 4	3 2	1 1	1 3	1 1	4 1	3 1			2 2	2 2		1 1			1 1					
9. Diarrhœa.....	M. F.	21 7	2 4	2 1		2 ..	6 5	1 ..		2 ..		1 ..	1 ..		1 ..	2 ..	2 ..	1 ..	1 ..			1 ..					2
10. Dysentery.....	M. F.	23 19	7 3	2 1	2 ..		11 6	1 2			5 ..	2 ..	2 ..	1 ..	2 ..	1 ..	1 ..		3 ..	1 ..	2 ..	1 ..					
11. Enteritis.....	M. F.	33 29	4 5	8 2	3 2	1 4	16 15	2 3	1 2	4 ..	3 ..		1 ..	1 ..	1 ..	3 1		1 ..	4 ..	1 ..	1 ..	1 ..					
12. Cholera morbus.....	M. F.	5 2							1 ..					1 ..	1 ..	1 ..	1 ..										
13. Cholera infantum.....	M. F.	14 14	6 7	7 5	.. 2		14 14																				
14. Malarial fever.....	M. F.	91 119	10 10	7 11	7 9	4 7	32 43	10 16	6 5	6 8	3 4	5 10	5 5	4 2	4 4	1 5	1 8	2 2	4 2	2 2	3 2	1 ..				1 ..	1 ..
15. Erysipelas.....	M. F.	14 7	2 1		1 ..		2 2	.. 1	1 ..	1 ..	1 ..	1 ..	1 ..	1 ..	1 ..	1 ..		2 ..	1 ..	1 ..	1 ..						
16. Septicæmia.....	M. F.	.. 1										1 ..															
17. Puerperal septicæmia.....	F.	18								4 5	4 ..	2 4	2 ..	2 ..	1 ..						1 ..						
18. Venereal diseases.....	M. F.	4 ..	1 ..				1 ..						2 ..							1 ..							
19. Others of this group.....	M. F.	20 17	2 1		1 ..	1 ..	2 3		1 3	1 2	1 2	1 ..	1 ..	2 2	5 1	1 1	1 2	1 ..	3 ..			1 ..					
General diseases—B.																											
Total.....	30	6	4	2	3	1	16	4	3	...	...	...	1	2	...	2	...	...	...	...	1	...	...	...	...	...	1
Males.....	15	1	3	...	1	1	6	1	3	...	...	...	1	1	...	1	...	...	...	...	1	...	...	...	...	...	1
Females.....	15	5	1	2	2	...	10	3	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...
1. Worms.....	M. F.	8 8	1 1	1 ..	.. 2	1 2	4 5	1 3	2 ..																		1
2. Other parasitic diseases.....	M. F.																										
3. Alcoholism.....	M. F.	2 1											1 ..			1 ..											
4. Lead poison.....	M. F.																										
5. Other poisons.....	M. F.	3 3	.. 1	2 1			2 2							1 1													
6. Inanition.....	M. F.	2 3	.. 3				3 ..		1 ..											1 ..							
General diseases—C.																											
Total.....	103	72	...	1	...	...	73	...	...	...	1	1	1	...	1	...	...	1	1	1	5	6	4	2	1	5	...
Males.....	64	49	...	...	...	...	49	...	...	...	1	1	...	...	...	...	...	1	...	...	3	3	2	...	1	3	...
Females.....	39	23	...	1	...	...	24	...	...	...	...	...	1	...	1	...	...	1	1	1	2	3	2	2	...	2	...
1. Premature birth.....	M. F.	12 2	12 2				12 2																				
2. Stillborn.....	M. F.	34 18	34 18				34 18																				
3. Malformation.....	M. F.	2 1	2 1				2 1																				
4. Debility.....	M. F.	7 7	1 2		1 ..		1 3				1 ..	1 ..		1 ..	1 ..				1 ..	1 ..	3 ..	1 ..					
5. Old age.....	M. F.	9 11																1 ..			2 ..	2 3	2 ..	2 ..	1 ..	3 ..	...
6. Atrophy.....	M. F.																										

STATISTICS OF MORTALITY.

71

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ARKANSAS—Group 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	267	7	8	8	4	2	29	16	4	16	27	30	20	29	22	15	13	8	20	4	5	3	3		1	1	1
Males.....	126	2	4	6	2	2	16	6	1	5	15	12	13	10	12	8	6	6	7	2	3	2	1		1	1	1
Females.....	141	5	4	2	2		13	10	3	11	12	18	7	19	10	7	7	2	13	2	2	1	2		1		1
1. Rheumatism.....	M. 8	1					1						1	1		1		1	1	1		1					
F. 2														1	1												
2. Scrofula and tabes.....	M. 4		2	1			3		1										1	1							
F. 5			2		1		3																				
3. Leprosy.....	M. 83		2	1	1	1	5			5	15	11	10	8	9	5	3	5	3	1	2	1					
F. 92		2	2	2	1		7	5	1	6	12	15	5	15	6	6	3	2	7		1						1
4. Consumption.....	M. 1		1				1																				
F. 1																											
5. Hydrocephalus.....	M. 1																										
F. 2		2					2																				
6. Cancer.....	M. 11																										
F. 11																											
7. Tumor.....	M. 1																										
F. 1																											
8. Anæmia.....	M. 27			4	1	1	6	6				1	2	1	3	2	2		2				1			1	
F. 27								5	2	5		2	1		1		3		4	1	1						
9. Dropsy.....	M. 1																										
F. 1		1					1																				
10. Glycosuria.....	M. 1																										
F. 1																											
11. Others of this group.....	M. 1																										
F. 1																											
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	223	57	20	21	6	7	111	26	14	9	13	13	2	8	6	3	4	5	4	2	3						
Males.....	123	25	10	13	3	2	53	11	11	7	8	9	2	5	5	1	3	1	3	2	2						
Females.....	100	32	10	8	3	5	58	15	3	2	5	4		3	1	2	1	4	1		1						
1. Inflammation of the brain.....	M. 27		3	2	1	1	7	2	4	3	2	3	2	2	1					1							
F. 18		4	2	4		1	11	4	1	1	1																
2. Meningitis.....	M. 25	5	1	2		1	9	2	3	2	2	2		2	2		1										
F. 12		3	1				4	4	1		1	1															
3. Apoplexy.....	M. 3				1		1																				
F. 5		1					1																				
4. Paralysis.....	M. 3			1			1																				
F. 4																											
5. Tetanus and trismus nascentium.....	M. 2		2				2																				
F. 3		2	1				3																				
6. Epilepsy.....	M. 2						1											2									
F. 2						1	1				1																
7. Convulsions.....	M. 18	10	2	2			14	4																			
F. 20		13	2	1	2		18	1																			
8. Mental diseases.....	M. 39	7	3	6	1		17	3	4	2	3	2		1	2	1			2	2	1	1					
F. 29		4	4	3	1	3	15	5	1		2	1		3					2								
9. Diseases of the brain.....	M. 3		1				2																				
F. 4		3					3																				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ARKANSAS—Group 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUES.																											
Total.....	8	1	1	1			3			1		1	1			1		1									
Males.....	6	1	1				2					1	1			1		1									
Females.....	2			1			1			1																	
1. Abscess.....	M. 5 F. 1		1				1			1		1	1			1		1									
2. Carbuncle.....	M. 1 F. 1									1																	
3. Others of this group.....	M. 1 F. 1	1			1		1																				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	2										1		1														
Males.....	2										1		1														
Females.....																											
1. Addison's disease.....	M. 2 F. 2										1		1														
2. Diseases of the spleen.....	M. 2 F. 2																										
3. Others of this group.....	M. 2 F. 2																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	164	28	6	4	3	3	44	24	10	5	19	20	12	5	6	5	5	2	2	2	1	1	1				
Males.....	117	16	4	2	1	1	24	11	7	3	17	18	11	5	5	3	4	2	2	2	1	1	1				
Females.....	47	12	2	2	2	2	20	13	3	2	2	2	1		1	2	1										
1. Burns and scalds.....	M. 9 F. 16	4	1				5				1	1	1	1													
2. Drowned.....	M. 33 F. 5	2	2				4	4	3	1	5	5	3	3	2			1	1	1							
3. Exposure and neglect.....	M. 1 F. 3	1					1																				
4. Gunshot wounds.....	M. 31 F. 7	1					1	2	1	2	4	8	5	1	1	3	2		1								
5. Homicide.....	M. 2 F. 2										1	2	2				2										
6. Infanticide.....	M. 1 F. 1	1					1								1	1											
7. Injuries by machinery.....	M. 3 F. 2			1			1																				
8. Railroad accidents.....	M. 4 F. 4	3			1		4				1	1				1											
9. Suffocation.....	M. 4 F. 4	4	3			1	4																				
10. Suicide by shooting.....	M. 1 F. 1																										
11. Suicide by drowning.....	M. 1 F. 1																										
12. Suicide by poison.....	M. 1 F. 1																										
13. Other suicides.....	M. 1 F. 1										1																
14. Sunstroke.....	M. 1 F. 1										1																
15. Surgical operations.....	M. 1 F. 1																										
16. Wounds.....	M. 1 F. 1									1																	
17. Other accidents and injuries.....	M. 26 F. 14	5	1	1		1	8	5	2		3	1			2			1		1	1	1	1				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ARKANSAS—GROUP 2.

Cause of death	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	12294	2943	1229	668	372	274	5486	761	427	615	844	706	540	506	414	399	318	234	277	240	174	148	107	24	22	21	31
Total: Males.....	6380	1572	651	333	195	137	2888	400	243	302	433	336	240	197	214	226	178	131	167	140	103	90	49	14	7	5	17
Females.....	5914	1371	578	335	177	137	2598	361	184	313	411	370	306	309	200	173	140	103	110	100	71	58	58	10	15	16	14
Unknown causes.																											
Total.....	1421	674	126	67	40	26	933	83	34	43	57	37	32	25	30	21	23	10	27	11	19	19	9	2		2	4
Males.....	733	346	76	35	23	16	496	46	19	17	28	13	12	8	14	14	12	3	14	5	15	11	2	2		2	2
Females.....	688	328	50	32	17	10	437	37	15	26	29	24	20	17	16	7	11	7	13	6	4	8	7			2	2
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	3807	774	633	327	174	129	2037	345	171	183	216	161	129	118	76	67	61	47	54	38	34	24	20	3	6	4	13
Males.....	1853	387	312	160	88	67	1014	180	89	86	106	74	56	35	33	27	35	22	27	24	16	11	5	2	2	2	7
Females.....	1954	387	321	167	86	62	1023	165	82	97	110	87	73	83	43	40	26	25	27	14	18	13	15	1	4	2	6
1. Small-pox.....	M. 109	26	13	8	4	2	53	11	5	11	13	5	4	2	1	2	1	1	1	1	1	1	1	1	1	1	1
2. Measles.....	F. 122	25	21	13	3	1	63	10	3	9	6	9	6	2	3	4	1	2	2	1	1	1	1	1	1	1	1
3. Scarlet fever.....	M. 119	20	14	24	15	9	82	25	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
4. Diphtheria.....	F. 98	10	14	12	10	11	57	28	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
5. Hooping-cough.....	M. 72	17	14	7	3	9	50	6	4	1	3	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	
6. Fever.....	F. 65	11	5	8	5	10	39	14	3	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
7. Cerebro-spinal fever.....	M. 136	76	35	9	4	3	127	5	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
8. Enteric fever.....	F. 210	116	49	17	9	4	195	12	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
9. Diarrhoea.....	M. 38	8	4	6	4	1	23	3	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
10. Dysentery.....	F. 47	4	8	3	1	1	16	2	1	4	7	3	4	2	2	1	1	1	1	1	1	1	1	1	1	1	
11. Enteritis.....	M. 39	8	9	1	1	2	20	7	2	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
12. Cholera morbus.....	F. 17	3	4	1	1	1	9	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
13. Cholera infantum.....	M. 214	11	12	8	9	4	44	24	18	22	35	16	11	8	4	5	5	5	7	5	3	1	1	1	1	1	
14. Malarial fever.....	F. 187	11	13	7	2	5	38	13	17	26	14	16	14	9	8	8	7	3	6	3	1	1	3	1	1	1	
15. Erysipelas.....	M. 96	23	28	14	2	3	70	2	2	4	1	1	2	1	5	1	2	1	1	1	1	1	1	1	1	1	
16. Septicæmia.....	F. 83	26	27	10	3	2	68	2	1	1	1	1	1	1	1	1	1	1	1	2	3	1	1	1	1	1	
17. Puerperal septicæmia.....	M. 228	41	62	34	16	6	159	20	4	6	6	2	3	2	3	4	1	2	4	5	2	1	1	1	1	1	
18. Venereal diseases.....	F. 218	36	61	25	14	4	140	16	4	3	4	4	2	8	3	7	5	3	1	2	4	4	4	1	1	1	
19. Others of this group.....	M. 143	40	28	8	9	2	87	15	5	5	6	4	6	4	5	1	1	1	2	1	1	1	1	1	1	1	
	F. 123	26	21	19	8	1	75	9	6	1	3	4	4	5	2	3	4	2	1	2	1	2	1	1	1	1	
	M. 12	1	3	1	1	1	5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	F. 13	3	3	1	1	1	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	M. 103	49	41	11	2	1	103	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	F. 104	42	44	13	4	1	104	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	M. 462	46	44	30	16	26	162	53	34	33	40	31	22	8	9	11	17	9	9	12	3	3	2	1	1	2	
	F. 451	49	43	35	24	22	173	52	31	26	30	21	20	21	16	12	8	9	10	4	7	5	3	1	1	2	
	M. 55	19	2	1	2	1	24	2	1	1	2	3	6	5	3	2	3	1	1	1	1	1	1	1	1	1	
	F. 62	21	5	1	1	1	29	3	2	3	3	1	3	2	4	2	3	1	1	1	1	1	1	1	1	1	
	M. 7	1	1	1	1	1	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	F. 7	1	1	1	1	1	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	M. 122	1	1	1	1	1	122	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	F. 6	1	1	1	1	1	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	M. 2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	F. 14	2	3	1	1	1	5	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	F. 23	4	3	2	1	1	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
General diseases—B.																											
Total.....	128	25	18	16	13	8	80	13	4	4	3	4	3	4	4	3	1	1	1	1	1	1	1	1	1	1	1
Males.....	62	10	9	7	4	3	33	7	3	1	2	2	2	2	3	2	1	1	1	1	1	1	1	1	1	1	1
Females.....	66	15	9	9	9	5	47	6	1	3	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
1. Worms.....	M. 26	1	8	6	4	2	21	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2. Other parasitic diseases.....	F. 37	1	7	9	8	4	29	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3. Alcoholism.....	M. 9	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
4. Lead poison.....	F. 1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
5. Other poisons.....	M. 20	3	1	1	1	1	6	4	1	1	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	
6. Inanition.....	F. 13	2	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	M. 7	6	1	1	1	1	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	F. 15	12	1	1	1	1	14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
General diseases—C.																											
Total.....	562	435	8	4	2	1	450	2	1	1	2	2	1	1	1	5	5	2	4	9	12	18	18	7	10	11	1
Males.....	292	244	6	2	1	1	253	1	1	1	1	1	1	1	1	1	2	2	2	2	4	11	6	2	3	1	1
Females.....	270	191	2	2	1	1	197	1	1	1	1	1	1	1	1	4	3	1	2	7	8	7	12	5	7	10	1
1. Premature birth.....	M. 69	69	1	1	1	1	69	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2. Stillborn.....	F. 53	53	1	1	1	1	53	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3. Malformation.....	M. 152	152	1	1	1	1	152	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4. Debility.....	F. 112	112	1	1	1	1	112	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5. Old age.....	M. 8	7	1	1	1	1	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
6. Atrophy.....	F. 9	9	1	1	1	1	9	1	1	1	1	1	1	1													

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
ARKANSAS—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	1276	52	46	21	17	12	148	43	41	90	159	146	113	113	97	83	58	29	56	42	20	17	14	1	1	2	3
Males.....	563	27	25	13	7	7	79	21	26	34	69	47	46	37	39	43	27	12	21	26	11	12	7	1	1	1	3
Females.....	713	25	21	8	10	5	69	22	15	56	90	99	67	76	58	40	31	17	35	16	9	5	7			1	
1. Rheumatism.....	M. 24							2	3	2	3	3	3		1	1	2	1		2		1					
	F. 24		1				1	1	1	1	3	2	1		5	1	2	1	2	1		1	1				
2. Scrofula and tabes.....	M. 50	5	13	8			26	4	6	5	3	1	1		2	1			1								
	F. 38	11	6	4	2	2	25	4	3		1				1	1	2			1							
3. Leprosy.....	M. 1																										
	F. 1																										
4. Consumption.....	M. 320	5	4	5	2	1	17	1	5	21	56	40	29	31	28	30	17	8	11	12	3	6	2	1			2
	F. 456	5	3	1	2		11	7	8	47	75	82	51	53	36	27	16	8	18	8	5	1	3				
5. Hydrocephalus.....	M. 12	10			1		11										1										
	F. 14	7	3				10						1	3													
6. Cancer.....	M. 23	1				1	2					1	1		1	1	3	1	1	6	3	1	1				1
	F. 39	1	3			1	5			1		1	1	4	4	5	4	3	5	3	1	1				1	
7. Tumor.....	M. 3	1					1					1			1	1			1			1					
	F. 7		1				1							1	1	1			1	1							
8. Anaemia.....	M. 3	3					3																				
	F. 2										1	1															
9. Dropsy.....	M. 120	1	8		4	5	18	13	9	6	7	2	12	6	6	10	4	2	9	5	4	2	4		1		
	F. 127	1	3	3	6	2	15	10	3	5	8	11	13	15	11	5	7	5	9	2	3	2	3				
10. Glycosuria.....	M. 6							1	2												1	1					1
	F. 3									2		1															
11. Others of this group.....	M. 2	1					1		1																		
	F. 3		1				1				2																
12. Others of this class.....	M. 3		2		1		3																				
	F. 3																										
II.—DISEASES OF THE NERVOUS SYSTEM																											
Total.....	1146	284	120	85	52	41	582	105	48	54	58	49	36	22	22	32	21	21	21	19	17	12	3	1			2
Males.....	603	144	64	42	29	19	298	48	28	30	26	26	15	9	16	21	9	15	15	14	16	9	6	2			
Females.....	543	140	56	43	23	22	284	57	20	24	32	23	21	13	6	11	12	6	6	7	3	8	6	1	1		2
1. Inflammation of the brain.....	M. 150	41	19	8	11	7	86	14	14	6	4	9	7	1	2	1		1	3	1	1						
	F. 153	36	22	14	7	7	86	23	9	5	9	5	6	2	1	1		1		3		2					
2. Meningitis.....	M. 71	12	14	5	4	1	36	9	6	4	2	5		1	2	3	1	1		1							
	F. 72	18	11	4	3	3	39	7	4	1	5	3	5	5	1			2									
3. Apoplexy.....	M. 14					1	1	1	1		1		2				2	3	1		1	1					
	F. 19	2	1	1			4			2	1	1	3		1		3	2		2							
4. Paralysis.....	M. 52	2	2	1			5	1	1		1		1		2	3	2	5	6	8	8	3	4	2			
	F. 33	2			1	1	4	1	1	1					1	4	5		3	1	3	3	3	1	1		
5. Tetanus and trismus nascentium.....	M. 14	9			2		11	1							1				1								
	F. 6	3					3	1		1									1								
6. Epilepsy.....	M. 25	2		1			3	2		3	4	1			2	2	2	2	1			2	1				
	F. 21	3	1				4		1	2	4	3	4	1		1						1					
7. Convulsions.....	M. 74	38	10	5	4	3	60	1		3	3	1	1	1	1	2				1							
	F. 74	40	8	6	4	1	59	4		2	2	2			1		1			1		1					1
8. Mental diseases.....	M. 4														1		1		1		1						
	F. 1																										
9. Diseases of the brain.....	M. 148	27	13	17	6	7	70	16	4	10	8	8	4	2	5	7	1	2	1	3	4	2	1				
	F. 117	26	8	14	6	6	60	16	4	8	8	6	3	3	1	3	1	1	1			1					1
10. Diseases of the spinal cord.....	M. 45	13	6	5	2		26	3	2	4	3	2		1	1		1	1		1							
	F. 36	8	5	4	2	4	23	4	1	2	1	1			1	2	1										
11. Others of this group.....	M. 6														1	1	2		1			1					
	F. 11	2					2	1			1	1		1			1		1			1	2				
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	196	1	5	2	1	2	11	5	4	9	10	12	15	23	16	9	15	17	16	14	5	8	7				
Males.....	87	1	2				3	2	2	3	4	6	5	12	4	4	7	10	11	4	3	3	4				
Females.....	109		3	2	1	2	8	3	2	6	6	6	10	11	12	5	8	7	5	10	2	5	3				
1. Angina pectoris.....	M. 1																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ARKANSAS—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
I.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	27	2	2				4	1			4	3	2	1	1	2	2	2	1	1	1	2					
Males.....	17	2					2	1			2	2	1	1	1	2	2	1	1			1					
Females.....	10		2				2				2	1	1					1		1	1	1					
1. Abscess.....	M. 10 F. 5							1			2	1		1	1	1	1	1				1					
2. Carbuncle.....	M. 4 F. 3	1					1				2	1	1						1		1						
3. Others of this group.....	M. 3 F. 2	1		1			1									1	1										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	8			1			1		1		1		1	1				1	2								
Males.....	2																		2								
Females.....	6			1			1		1		1		1	1				1									
1. Addison's disease.....	M. 2 F. 6																										
2. Diseases of the spleen.....	M. 2 F. 6				1		1		1		1		1	1				1	2								
3. Others of this group.....	M. 2 F. 6																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	529	83	23	23	15	13	157	45	35	44	52	50	25	28	27	21	9	7	5	7	5	6	3	3			
Males.....	357	46	7	11	10	5	79	27	20	34	42	36	21	21	22	18	9	7	5	4	4	4	3	1			
Females.....	172	37	16	12	5	8	78	18	15	10	10	14	4	7	5	3				3	1	2		2			
1. Burns and scalds.....	M. 27 F. 70	7	2	4	6	2	21	3				3															
2. Drowned.....	M. 26 F. 3							4	3	6	4	2	1	4	1				1						1		
3. Exposure and neglect.....	M. 13 F. 15	9	1				10						1	1								1					
4. Gunshot wounds.....	M. 57 F. 2							1	1	7	15	9	5	7	1	4	3	2	2								
5. Homicide.....	M. 8 F. 1									1	2	1	2		1	1											
6. Infanticide.....	M. 1 F. 2	1					1																				
7. Injuries by machinery.....	M. 2 F. 1	2					2																				
8. Railroad accidents.....	M. 22 F. 18																										
9. Suffocation.....	M. 17 F. 14	2				1	20												1		1						
10. Suicide by shooting.....	M. 6 F. 1						6	1			1		1		2				1								
11. Suicide by drowning.....	M. 1 F. 1												1														
12. Suicide by poison.....	M. 1 F. 5									1																	
13. Other suicides.....	M. 13 F. 1					1	1	3			3	3	1		1	1											
14. Sunstroke.....	M. 1 F. 1												1														
15. Surgical operations.....	M. 1 F. 7																	1									
16. Wounds.....	M. 7 F. 170	2					2			1	1		1	1			1										
17. Other accidents and injuries.....	M. 60 F. 170	10	2	7	4	1	24	15	16	19	15	18	8	8	14	11	5	4		3	3	3	3	1			

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
CALIFORNIA—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	3775	481	140	103	73	67	864	179	105	164	236	223	217	237	222	273	286	217	162	137	100	62	35	11	7	3	35
Total: Males.....	2506	270	65	49	40	31	455	87	53	74	133	152	164	175	180	226	229	174	129	103	68	41	26	6	5	3	23
Females.....	1269	211	75	54	33	36	409	92	52	90	103	71	53	62	42	47	57	43	33	34	32	21	9	5	2	12	
Unknown causes.																											
Total.....	162	39	5	3	3	1	51	6	1	4	7	3	4	13	8	20	8	11	9	8	3	1				1	4
Males.....	121	22	2	2	2	1	29	4		2	4	3	3	10	7	20	8	10	8	6	1	1				1	
Females.....	41	17	3	1	1		22	2	1	2	3		1	3	1			1	1	2	2						
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	772	125	54	47	38	41	305	87	46	41	37	31	32	23	28	37	33	21	13	8	10	7	8	1			4
Males.....	449	71	24	22	21	18	156	35	21	18	22	23	24	18	21	29	29	19	10	7	5	4	6	1			1
Females.....	323	54	30	25	17	23	149	52	25	23	15	8	8	5	7	8	4	2	3	1	5	3	2				3
1. Small-pox.....	M. 1			1			1																				
F. 7		3	3				6		1																		
2. Measles.....	M. 15	3		4	2	4	13										1										1
F. 11				2	2	2	6	1	3	1																	
3. Scarlet fever.....	M. 89	6	5	7	16	10	44	27	11	4	1		1					1									
F. 110		8	10	15	10	11	54	39	9	7	1																
4. Diphtheria.....	M. 25	14	6	4		1	25																				
F. 17		10	1	1	2	1	15	1																			1
5. Hooping-cough.....	M. 13	1	1	1			3				1			3	2	3			1								
F. 10		3	1	1			5		2						2		1										
6. Fever.....	M. 4	1	1				2	1									1										
F. 6		1		1		1	3	2						1													
7. Cerebro-spinal fever.....	M. 101		1	1	1	1	4	3	5	7	15	9	10	5	10	5	8	9	3	2	1	2	3				
F. 24					1		1	2	2	7	4	1	1	1	1	2				1		1					
9. Diarrhœa.....	M. 12	7					7						1				2	1						1			
F. 6		1				1	2								1				2	1							
10. Dysentery.....	M. 17	4	1		1	1	7	2				1			1	2	1		1		2						
F. 12		5	4			1	10		1									1									
11. Enteritis.....	M. 37	9	2				11			3	2	3	1	2	2	1	5	1	3	2		1					
F. 31		7	4	4	1	2	18		6		1		2	1	1		1				1						
12. Cholera morbus.....	M. 4																										
F. 23		16	3	3		1	23	2														1					1
13. Cholera infantum.....	M. 18	9	8		1		18																				
F. 66		5		1	1		7	2	2	4	1	4	7	6	6	11	6	6	2	1			1				
14. Malarial fever.....	M. 43	8	1	1		4	14	5	2	3	3	2	1	1	1	2	1	1	1		3	2	1				
F. 23		2					2		1		1	3	1	2		3	4	1			2	1	2				
15. Erysipelas.....	M. 3	1					1							1		1											
F. 4																											
16. Septicæmia.....	M. 3		1				1					1				1				1							1
F. 17																											
17. Puerperal septicæmia.....	M. 9		1				1					1	1	2		3	1										
F. 5												1	1	2		1											
18. Venereal diseases.....	M. 3											2							1								
F. 3		1					1									1	1										
19. Others of this group.....																											
General diseases—B.																											
Total.....	95	16	5	3			24	1	1		5	5	4	13	5	7	9	8	6	5					1		1
Males.....	72	11	3	1			15				1	4	4	11	4	7	9	6	6	4					1		
Females.....	23	5	2	2			9	1	1		4	1		2	1			2		1							1
1. Worms.....	M. 39											1	1	10	2	5	7	4	5	3					1		
F. 1														1													
2. Other parasitic diseases.....	M. 15		2	1			3				1	1	2		2	2	2	1		1							
F. 13		1	1	2			4	1	1		3	1		1	1												1
3. Alcoholism.....	M. 18	11	1				12				2	1		1				1	1								
F. 9		4	1				5				1							2		1							
4. Lead poison.....	M. 18																										
F. 11																											
5. Other poisons.....	M. 15		2	1			3				1	1	2		2	2	2	1		1							
F. 13		1	1	2			4				3	1		1	1												
6. Inanition.....	M. 18	11	1				12				2	1		1				1	1								
F. 9		4	1				5				1							2		1							
General diseases—C.																											
Total.....	235	118	3				121		1	2			3		3	3	9	8	11	13	22	19	9	6	4	1	
Males.....	142	72	1				73						2		2	2	5	5	9	8	13	12	6	2	2	1	
Females.....	93	46	2				48		1	2			1		1	1	4	3	2	5	9	7	3	4	2		
1. Premature birth.....	M. 18	18					18																				
F. 12		12					12																				
2. Stillborn.....	M. 33	33					33																				
F. 24		24					24																				
3. Malformation.....	M. 8	8					8																				
F. 2		2					2																				
4. Debility.....	M. 47	13	1				14						2		2	3	4	5	5	6	3		1				
F. 29		8	2				10		1	2			1		1		3	1	3	4							
5. Old age.....	M. 36																2	1	4	3	7	9	6	1	2	1	
F. 26																			1	2	9	3	3	4	2		
6. Atrophy.....	M. 26																										
F. 26																											

CALIFORNIA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	699	25	5	8	1	1	40	4	9	46	73	61	59	79	57	64	64	53	29	24	13	12	3			1	8
Males.....	444	16	2	5			23	4	4	13	27	38	41	49	46	46	45	37	23	18	11	9	2			1	7
Females.....	255	9	3	3	1	1	17		5	33	46	23	18	30	11	18	19	16	6	6	2	3	1				1
1. Rheumatism.....	M. 11 F. 10					1	1		1		1	2		1	1	1	2	2	1								1
2. Scrofula and tabes.....	M. 9 F. 6			1			1		2		1		1	1	1		2	2									
3. Leprosy.....	M. 3 F. 3			1			1			1	1																
4. Consumption.....	M. 337 F. 195	6	1	1			8	2	1	12	24	36	39	42	35	38	33	15	19	15	7	5	1			5	
5. Hydrocephalus.....	M. 12 F. 6	8	1	2			11				1				10	13	10	8	3	1	1	1				1	
6. Cancer.....	M. 21 F. 23	1					1		1	1	1		2	1	3	1	6	6	1		1						
7. Tumor.....	M. 4 F. 3			1			1	1									2	2									
8. Anæmia.....	M. 3 F. 3	1					1									1											1
9. Dropsy.....	M. 42 F. 12									1			1	5	7	5	3	9	2	3	2	4	1			1	
10. Glycosuria.....	M. 3 F. 3												1				1				1						
11. Others of this group.....	M. 2 F. 1							1									1										
12. Others of this class.....	M. 1 F. 1																	1									
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	398	57	28	16	5	8	114	22	12	11	15	11	14	23	19	30	38	25	18	16	17	4	2	1			6
Males.....	260	26	15	8	1	4	54	10	7	7	12	8	12	20	14	24	26	23	12	11	11	2	2	1			4
Females.....	138	31	13	8	4	4	60	12	5	4	3	3	2	3	5	6	12	2	6	5	6	2					2
1. Inflammation of the brain.....	M. 32 F. 25	6	4	1		1	12	4		2	4	3	2	1		1				1	1						1
2. Meningitis.....	M. 9 F. 12	2	1	1			4	1	2					1		1				2	1						
3. Apoplexy.....	M. 34 F. 14	2	1				3			1	1	2	2	5	3	3	3	3	1	3	2					2	
4. Paralysis.....	M. 79 F. 19			1		1	2	3		2	1	2	7	5	12	13	14	5	7	2		2	1			1	
5. Tetanus and trismus nascentium.....	M. 6 F. 6		1				1		2	1		1		1	3	3	2	1	2	1	3	1					
6. Epilepsy.....	M. 14 F. 6		1	1			2		1	4	3	1	2	1	1	1	1				1						
7. Convulsions.....	M. 21 F. 27	9	5	4	1	1	20		1																		
8. Mental diseases.....	M. 6 F. 2												1				2	2		1							
9. Diseases of the brain.....	M. 46 F. 27	7	1	1			9	1		2	2	2	2	7	3	4	6	3	4	1	2						
10. Diseases of the spinal cord.....	M. 11 F. 2		2			1	3	1	1				2		1	1	2	1			1						
11. Others of this group.....	M. 2 F. 4						2											1			1						
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	136	1		1			2	4	3	7	7	10	6	6	15	17	12	7	11	14	6	3	2	1	1		2
Males.....	99			1			1	2	1	4	2	7	6	5	13	15	8	5	8	10	4	3	2		1		2
Females.....	37	1					1	2	2	3	5	3		1	2	2	4	2	3	4	2			1			
1. Angina pectoris.....	M. 1 F. 12													1	1	1	2	3		1	1					1	
2. Aneurism.....	M. 1 F. 87																1										
3. Diseases of the heart.....	M. 25 F. 35	1		1			1	2	1	4	2	7	5	4	12	13	5	5	7	9	4	3	2			1	
4. Others of this group.....	M. 1 F. 1																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	583	74	20	20	11	14	139	28	17	29	41	34	25	22	32	38	52	37	33	24	19	6	3	1	1		2
Males.....	391	37	13	6	4	7	67	15	7	17	31	22	20	17	24	36	46	26	26	17	14	2	2	1	1		
Females.....	192	37	7	14	7	7	72	13	10	12	10	12	5	5	8	2	6	11	7	7	5	4	1			2	
1. Croup.....	M. 24 F. 23	6	4	2	2	4	18	5							1												
2. Laryngitis.....	M. 1 F. 1											1															
3. Bronchitis.....	M. 20 F. 15	4			1		5	1			2		1		1		2	1	3	1	1	1		1			
4. Pneumonia.....	M. 318 F. 139	25	9	4	1	3	42	8	7	17	29	19	17	15	20	34	42	25	16	11	12	1	2		1		
5. Pleurisy.....	M. 5 F. 2									1					1				2	2							
6. Asthma.....	M. 3 F. 2																1		2								
7. Others of this group.....	M. 20 F. 10	2					2	1			2	2	2	2	1	2	1		3	3	1						

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
CALIFORNIA—GROUP 1—Continued

Cause of death.	Total	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	16										1	2	1	1	1	3	4	1		2							
Males.....	11										1		1			3	4	1		1							
Females.....	5											2		1	1					1							
1. Abscess.....	10										1		1			3	3	1		1							
2. Carbuncle.....	3											1		1	1												
3. Others of this group.....	1																			1							
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1															1											
Males.....	1															1											
Females.....																											
1. Addison's disease.....	1																										
2. Diseases of the spleen.....																1											
3. Others of this group.....																											
XII.—ACCIDENTS AND INJURIES.																											
Total.....	407	6	5	3	10	1	25	21	13	12	33	43	50	44	40	36	29	23	15	7	5	4	2				5
Males.....	370	3	2	3	8	1	17	15	12	11	31	39	47	43	38	33	28	22	14	7	5	4	1				3
Females.....	37	3	3		2		8	6	1	1	2	4	3	1	2	3	1	1	1				1				2
1. Burns and scalds.....	8			1	3		4	1				1	2														
2. Drowned.....	41	1	1		1		3	2	1	1						1											
3. Exposure and neglect.....	5		2		2		6	6	3	2	4	1	4	5	2	2	1	3		1		1					
4. Gunshot wounds.....	8	1			1		3	1			1	1		1		1	1			2							
5. Homicide.....	2						1																				
6. Infanticide.....	49							1	3	2	6	3	8	9	1	7	5	2	1			1					1
7. Injuries by machinery.....	19							1		2	2	4	4	2	3			1									
8. Railroad accidents.....	2							1					1														
9. Suffocation.....	4															2	1										
10. Suicide by shooting.....	10																										
11. Suicide by drowning.....	3	2					2														1						
12. Suicide by poison.....	2	2					2																				
13. Other suicides.....	13										3	1	1	2	2	2		1	1								
14. Sunstroke.....	2										1				1												
15. Surgical operations.....	5												1			1	1										
16. Wounds.....	2																										
17. Other accidents and injuries.....	33									1	2	3	4	5	4	3	3	3	1	3	1						
18. Sunstroke.....	3											1			1	1			1								
19. Surgical operations.....	4									1					1	1											
20. Wounds.....	1											1															
21. Other accidents and injuries.....	5												1	1	1	1	2	3	1								1
22. Wounds.....	12										2		1	1		1											
23. Other accidents and injuries.....	154				3	1	4	6	4	1	10	24	18	17	22	11	13	9	8	1	2	2					2
24. Wounds.....	7							2					1					1									2

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CALIFORNIA—GROUP 2.

[Exclusive of SAN FRANCISCO and OAKLAND.]

Cause of death.	Total	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	2621	454	120	90	56	35	755	121	85	116	154	158	157	144	144	139	163	118	95	78	63	52	32	16	3	5	23
Total: Males.....	1638	266	74	46	29	18	433	66	41	52	102	82	101	111	89	96	122	91	73	55	41	33	18	10	2	2	18
Females	983	188	46	44	27	17	322	55	44	64	52	76	56	33	55	43	41	27	22	23	22	19	14	6	1	3	5
Unknown causes.																											
Total.....	64	26	3		1		30	3		2	2		4	4	1	1	5	2	2	2	1	2	1				2
Males.....	39	15	1				16	2		1	1		3	4	1	1	4	2	1	1	1						1
Females	25	11	2		1		14	1		1	1		1				1		1	1		2	1				1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	494	141	44	38	29	18	270	58	24	22	17	11	10	9	17	10	11	7	6	4	3	7	1	1			6
Males.....	264	69	28	18	14	8	137	32	11	9	12	3	3	6	12	7	7	5	5	2	1	5	1	1			5
Females	230	72	16	20	15	10	133	26	13	13	5	8	7	3	5	3	4	2	1	2	2	2					1
1. Small-pox.....	M. 1																			1							
F. 4		2				1	3	1																			
2. Measles.....	M. 1			1			1																				
F. 17		3	3	3	1	1	11	3	2	1																	
3. Scarlet fever.....	M. 7	1		1	1	2	5	1	1																		
F. 52		6	6	7	5	5	29	14	4		1	1	1														2
4. Diphtheria.....	M. 44	4	2	8	5	2	21	12	8	2																	1
F. 20		14	1	1			16	3	1																		
5. Hooping-cough.....	M. 39	26	3	2	3	1	35	3	1																		
F. 18		7	1	1	2	1	12	4		1							1										
6. Fever.....	M. 12	7	1				8	3						1													
F. 4		1			1		2								1	1											
7. Cerebro-spinal fever.....	M. 33		1	1	1		3	5	2	5	6	2	1	2	2	1		1				2					1
F. 27		1	2	1	3	4	11	2	1	7	2		1						1		1						
9. Diarrhœa.....	M. 11	5	1	1			7				1			1		1							1				
F. 5		5					5																				
10. Dysentery.....	M. 15	2	4	1			7	1							4			1				1					1
F. 6		2	1	1			4	1										1									
11. Enteritis.....	M. 34	12	4	1	3		20		1	1	2		1	3		3		2	1			2		1			
F. 29		8		1	2	1	12	3		2	1	3	2	1		2	2			1							
12. Cholera morbus.....	M. 2													1				1									
F. 2															1				1								
13. Cholera infantum.....	M. 18	11	5	1	1		18																				
F. 24		15	6	3			24																				
14. Malarial fever.....	M. 10	1	1				2			1						1	3			1	1						1
F. 10			1	1	1		3	1				1	2				1				1	1					
15. Erysipelas.....	M. 3	2					2		1																		
F. 3				1			1								1		1										
16. Septicæmia.....	M. 4	2		1			3								1												
F. 6		1					1		1		2	1	1									1					
17. Puerperal septicæmia.....	F. 7										2	1	1	1	2												
18. Venereal diseases.....	M. 15	1	1				2	1			2		1	1	1	2	2		3								
F. 3		1					1			1					1												
19. Others of this group.....	M. 3															1	1	1									
F. 3		1					1		1			1															
General diseases—B.																											
Total.....	45	18	1	2	3		24	3	1	1	1		3	2	2	1	4			2	1						
Males.....	27	10	1		1		12	2	1		1		3	2	2	1	1			1	1						
Females	18	8		2	2		12	1		1						3											
1. Worms.....	M. 1				1		1																				
F. 1				1			1																				
2. Other parasitic diseases.....	M. 9										1		3	2	2		1										
F. 2																	2										
3. Alcoholism.....	M. 7	1	1				2	2	1							1											
F. 6				1	2		3	1		1							1										
4. Lead poison.....	M. 10	9					9													1							
F. 9		8					8													1							
General diseases—C.																											
Total.....	159	89					89		1		2				1	2	1	1	2	2	11	14	18	9	3	2	1
Males.....	94	56					56				1					1	1	1	2		6	6	10	6	2	1	1
Females	65	33					33		1						1	1				2	5	8	8	3	1	1	
1. Premature birth.....	M. 16	16					16																				
F. 2		2					2																				
2. Stillborn.....	M. 31	31					31																				
F. 24		24					24																				
3. Malformation.....	M. 2	2					2																				
F. 1		1					1																				
4. Debility.....	M. 18	7					7				1				1	1	1	1	2		2		2				1
F. 15		6					6		1			1								1	2		6				
5. Old age.....	M. 27																				4	6	8	6	2	1	
F. 23																				1	3	8	6	3	1	1	
6. Atrophy.....	M. 2																										
F. 2																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CALIFORNIA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	656	21	7	11	4	4	47	12	21	49	80	54	62	55	53	50	54	40	30	22	11	9	2	1		1	3
Males.....	394	18	1	7	1	1	28	2	5	18	51	23	35	41	28	36	42	28	20	19	7	7	1				3
Females.....	262	3	6	4	3	3	19	10	16	31	29	31	27	14	25	14	12	12	10	3	4	2	1	1		1	
1. Rheumatism.....	M. F.	7 5	1				1 1			1	1						2	2									
2. Scrofula and tabes.....	M. F.	4 8		1			1 2		1						1					1							
3. Leprosy.....	M. F.																										
4. Consumption.....	M. F.	291 193	4	2	4	1	8 4	1	4	16	50	22	34	32	22	28	30	15	8	11	3	4		1			3
5. Hydrocephalus.....	M. F.	17 11	12	1	2	1	16 11	5	15	28	27	30	23	10	18	8	6	8	6			2	1	1		1	
6. Cancer.....	M. F.	36 25								1	1			5	2	3	4	7	9	5							
7. Tumor.....	M. F.	7 1	1			1	2							1	1	1	2										
8. Anæmia.....	M. F.	1 1									1																
9. Dropsy.....	M. F.	23 17			1		1			1	1	1	3	3	2	4	3	2	2	2	1	3	1				
10. Glycosuria.....	M. F.	7 2								1							1	2	1		2						
11. Others of this group.....	M. F.	1 1																		1							
12. Others of this class.....	M. F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	269	54	25	11	6	6	102	8	9	6	6	3	7	8	6	19	19	17	17	13	10	9	3	4			3
Males.....	190	40	19	6	4	4	73	4	5	2	4	2	7	7	3	12	14	14	13	9	8	7	1	3			2
Females.....	79	14	6	5	2	2	29	4	4	4	2	1		1	3	7	5	3	4	4	2	2	2	1			1
1. Inflammation of the brain.....	M. F.	33 19	12	7	2	1	25 13		1	1	1	1			1	1	1			1							
2. Meningitis.....	M. F.	11 5	2	4	1		8 2						1	1			2					1					1
3. Apoplexy.....	M. F.	30 9												2	2	4	2	4	9	3	1	1		1			1
4. Paralysis.....	M. F.	44 20											2	3		5	7	8	2	3	4	6	1	2			
5. Tetanus and trismus nascentium.	M. F.	5 2							1	1	1	1	1			4	2	2	3	2							
6. Epilepsy.....	M. F.	2 2	1	1			1 1				1						1										
7. Convulsions.....	M. F.	30 10	24	4		1	29 7	1		1	1	1															
8. Mental diseases.....	M. F.	1 2																	1								
9. Diseases of the brain.....	M. F.	22 11	1	2	2	1	6 5	2			1		1	1		1	3	2	1	2	2						
10. Diseases of the spinal cord.....	M. F.	7 1	1	1	1	1	4		3																		
11. Others of this group.....	M. F.	5 1	1				1				1		2				1				1						
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	124	6		2			8	3	3	3	3	8	10	5	10	12	17	11	8	9	8	3	1				2
Males.....	86	3		1			4	3	1		2	3	7	4	6	8	14	8	7	8	5	3	1				2
Females.....	38	3		1			4		2	3	1	5	3	1	4	4	3	3	1	1	3						
1. Angina pectoris.....	M. F.																										
2. Aneurism.....	M. F.	7 2											1		2		1										2
3. Diseases of the heart.....	M. F.	76 36			1		1	3	1	2	3	6	4	4	8	13	8	7	8	5	3						
4. Others of this group.....	M. F.	3 3	3				3																				
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	296	70	22	16	7	3	118	12	13	12	8	12	10	7	16	15	19	16	9	12	7	2	3			2	3
Males.....	172	38	13	8	4	2	65	8	6	7	5	5	5	5	9	10	10	12	7	5	5	1	1			1	3
Females.....	124	32	9	8	3	1	53	4	7	5	3	7	5	2	7	5	9	4	2	5	2	1	2			1	
1. Croup.....	M. F.	18 15	9	2	1	1	14 13	4																			
2. Laryngitis.....	M. F.	3 3	1			1	2		1																		
3. Bronchitis.....	M. F.	15 12	2	1			3 5	1		1	1	1		2	1	1		3		1		1				1	
4. Pneumonia.....	M. F.	106 78	20	9	6	3	38 30	3	4	5	4	3	1	2	8	7	6	7	4	5	5		1			1	2
5. Pleurisy.....	M. F.	7 5										2	1			1		2									1
6. Asthma.....	M. F.	7 3	1				1 1							1		1	1		2	1							
7. Others of this group.....	M. F.	16 11	5	1	1		7 3		1	2	1		1			3			1								

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
CALIFORNIA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	126	12	12	3	3	1	31	6	1	1	5	6	10	5	7	9	11	11	8	5	7	3					
Males	88	10	7	1	3	1	22	3	1		2	3	7	4	4	5	9	10	8	4	4	2					
Females	38	2	5	2			9	3		1	3	3	3	1	3	4	2	1		1	3	1					
1. Dentition	{ M. 5		5				5																				
	{ F. 3		2	1			3																				
2. Angina	{ M. 5					1	1	1					1	1	1												
	{ F. 3		1				1									1											
3. Gastritis	{ M. 4	1	1				2				1								1								
	{ F. 4																										
4. Other diseases of the stomach	{ M. 11	1			1		2					2	2					2	1		1	1					
	{ F. 6	1					1					2	1		1						1						
5. Obstruction of the bowels	{ M. 3	1					1							1													
	{ F. 4	1		1			2															2					
6. Hernia	{ M. 4																1		1	1							
	{ F. 4																										
7. Other diseases of the bowels	{ M. 5				1		1				1					2	1										
	{ F. 1															1											
8. Jaundice	{ M. 4	2		1			3										1										
	{ F. 2																										
9. Inflammation and abscess of the liver	{ M. 7							1					1		1	2	1			1	1						
	{ F. 3							1							2												
10. Other diseases of the liver	{ M. 20	1					1	1			1		1		2	1	4	6	2	1							
	{ F. 3									1																	
11. Peritonitis	{ M. 7		1				1		1				1	1							1	1	1				
	{ F. 9		1				1	2			3	1	1		1												
12. Ascites	{ M. 6	2					2						2	1			1										
	{ F. 3																										
13. Others of this group	{ M. 7	2			1		3											2	2								
	{ F. 1		1				1																				
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	36	1				1	2	2			1	1	1	2	9	2	3	4	3	3	2	1					
Males	27	1					1	1			1	1	1	2	5	1	3	2	3	3	2	1					
Females	9					1	1	1							4	1		2									
1. Bright's disease	{ M. 14										1		1	1	4		1	2		2	1	1					
	{ F. 6					1	1	1							2			2									
2. Calculus, urinary	{ M. 6																										
	{ F. 6																										
3. Diseases of the kidney	{ M. 6	1					1	1									1		2	1							
	{ F. 3														2	1											
4. Diseases of the bladder	{ M. 3													1	1						1						
	{ F. 3																										
5. Others of this group	{ M. 4										1					1	1		1								
	{ F. 4																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	9										1	1	2	4			1										
1. Ovarian tumors	F. 1										1																
2. Ovarian diseases	F. 1											1															
3. Uterine tumors	F. 1																										
4. Uterine diseases	F. 1																										
5. Others of this group	F. 7												2	4			1										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	33									2	5	13	6	5	1												1
1. Abortion	F. 2																										
2. Child-birth	F. 30									2	4	13	4	5	1												1
3. Others of this group	F. 1										1																
IX.—DISEASES OF THE BONES AND JOINTS																											
Total	6			1			1	2	2									1									
Males	5							2	2																		
Females	1			1			1											1									
1. Diseases of the spine	{ M. 2							1																			
	{ F. 1																										
2. Diseases of the bones	{ M. 1																										
	{ F. 1																										
3. Diseases of the hip-joint	{ M. 3							1	2																		
	{ F. 1																										
4. Others of this group	{ M. 1			1			1																				
	{ F. 1																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CALIFORNIA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	10	3					3				1	2				1	1					1	1				
Males.....	6	2					2				1	1					1						1				
Females.....	4	1					1					1				1						1					
1. Abscess.....	3	1					1				1	1															
2. Carbuncle.....	1															1											
3. Others of this group.....	2	1					1					1											1				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	2							1							1												
Males.....	1							1																			
Females.....	1														1												
1. Addison's disease.....																											
2. Diseases of the spleen.....	1														1												
3. Others of this group.....	1							1																			
XII.—ACCIDENTS AND INJURIES.																											
Total.....	292	13	6	6	3	2	30	11	10	18	24	45	32	38	20	17	17	8	10	4	2	1	2	1			2
Males.....	245	4	4	5	2	2	17	6	9	15	22	40	30	36	19	14	16	8	7	1	1	1	2				1
Females.....	47	9	2	1	1		13	5	1	3	2	5	2	2	1	3	1		3	3	1			1			1
1. Burns and scalds.....	9		2	1	1	2	6		1	1			1														
2. Drowned.....	27		1	3			4	2	2	4	3	3		2	2	1	2	2									
3. Exposure and neglect.....	4	1		1			2										1				1						
4. Gunshot wounds.....	28								1	3	2	1	9	4	5	1	1					1					
5. Homicide.....	18								1	1	1	5	4	2	1	2	1										
6. Infanticide.....	3											2															1
7. Injuries by machinery.....																											
8. Railroad accidents.....	22							2	1		2	3	2	5	4	1			1				1				
9. Suffocation.....	2	1		1			2														1						
10. Suicide by shooting.....	8											1		2	1	1		2	1								
11. Suicide by drowning.....	1													1													
12. Suicide by poison.....	8											2		3		1	1			1							
13. Other suicides.....	17										1	3	1	2	1	3	2	1	2				1				
14. Sunstroke.....	3									1					1				1								
15. Surgical operations.....																											
16. Wounds.....	6											3	1	1	1												
17. Other accidents and injuries.....	96	2	1		1		1	2	3	6	13	19	12	15	3	4	8	3	3						1		1
	18	5	1				6		1		1			1		1	1		2	2							

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

COLORADO—GROUP 1.

[Exclusive of DENVER.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	693	125	48	41	33	22	269	77	34	26	53	46	38	35	25	15	17	15	9	7	11	6	3	2	3	1	1
Total: Males.....	409	73	30	20	18	12	153	38	12	20	35	33	19	18	15	13	11	9	3	6	4	3	3	2	1	1	1
Females.....	284	52	18	21	15	10	116	39	12	6	18	13	19	17	10	2	6	6	6	1	7	3			2		1
Unknown causes.																											
Total.....	83	42	6	7	3	4	62	8	5		2		1	1		1	1	1									1
Males.....	59	23	5	3	2	3	36	7	4		2		1	1													
Females.....	33	19	1	4	1	1	26	1	1				1			1	1	1									1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	266	45	26	22	21	14	128	54	16	11	9	9	8	9	6	1	1	5	2	1	3		1	2			
Males.....	151	27	16	12	11	8	74	24	10	8	7	7	3	2	3	1	1	4	1	1	2		1	2			
Females.....	115	18	10	10	10	6	54	30	6	3	2	2	5	7	3		1	1	1	1							
1. Small-pox.....	{ M. 1	1					1																				
.....	{ F. 1						1																				
2. Measles.....	{ M. 5	1	1	1			3				1			1													
.....	{ F. 4	1	1				3		1																		
3. Scarlet fever.....	{ M. 12	3		2	3	1	9	3																			
.....	{ F. 7	2	1		2		5	1	1																		
4. Diphtheria.....	{ M. 28		3	2	3	4	12	11	3		2																
.....	{ F. 42	2	2	6	4	5	19	21	2																		
5. Hooping-cough.....	{ M. 2	1		1			2																				
.....	{ F. 1						1																				
6. Fever.....	{ M. 47	6	4	5	5	3	23	7	3	3	1	1	2	1	1		1	1		1		1	1		1	1	
.....	{ F. 29	5	4	3	2	1	15	5	1	1		2	2				1	1		1							
7. Cerebro-spinal fever.....	{ M. 1		1				1																				
.....	{ F. 1						1																				
8. Enteric fever.....	{ M. 17							2	2	4	3	3	1		1					1							
.....	{ F. 8							1	2	2		1	1	1													
9. Diarrhœa.....	{ M. 1		1				1																				
.....	{ F. 1	1					1																				
10. Dysentery.....	{ M. 2	1					1																				
.....	{ F. 1			1			1																				
11. Enteritis.....	{ M. 17	7	3				10	1	2	1					1	1		1									
.....	{ F. 3	1	1				2					1															
12. Cholera morbus.....	{ M. 1																			1							
.....	{ F. 1																										
13. Cholera infantum.....	{ M. 8	5	3				8																				
.....	{ F. 5	5					5																				
14. Malarial fever.....	{ M. 5										2	1					1	1									
.....	{ F. 2		1				1	1																			
15. Erysipelas.....	{ M. 3	2					2											1									
.....	{ F. 1																										
16. Septicæmia.....	{ M. 1	1					1																				
.....	{ F. 10										2	1	1	4	2												
17. Puerperal septicæmia.....	{ M. 1																										
.....	{ F. 1																										
18. Venereal diseases.....	{ M. 1																										
.....	{ F. 1																										
19. Others of this group.....	{ M. 1			1			1																				
.....	{ F. 1																										
General diseases—B.																											
Total.....	6	1	1	1			3	1			1						1										
Males.....	1																										
Females.....	5	1	1	1			3	1			1						1										
1. Worms.....	{ M. 1		1				1																				
.....	{ F. 1																										
2. Other parasitic diseases.....	{ M. 1																										
.....	{ F. 1																										
3. Alcoholism.....	{ M. 1																										
.....	{ F. 1																										
4. Lead poison.....	{ M. 1																										
.....	{ F. 1																										
5. Other poisons.....	{ M. 1																										
.....	{ F. 1																										
6. Inanition.....	{ M. 3	1		1			2	1																			
.....	{ F. 3																										
General diseases—C.																											
Total.....	19	10					10																				

COLORADO—GROUP 1—Continued.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
COLORADO—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
I.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....																											
Males.....																											
Females.....																											
1. Abscess.....	M.																										
F.																											
2. Carbuncle.....	M.																										
F.																											
3. Others of this group.....	M.																										
F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....																											
Males.....																											
Females.....																											
1. Addison's disease.....	M.																										
F.																											
2. Diseases of the spleen.....	M.																										
F.																											
3. Others of this group.....	M.																										
F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total.....	32	2	1	1	2		6		3	4	4	7	3	1	2				1	1							
Males.....	26	1	1		1		3		3	3	4	7	3	1	1				1								
Females.....	6	1		1	1		3			1					1					1							
1. Burns and scalds.....	M.																										
F.	2			1			1								1												
2. Drowned.....	M.	3		1		1	2		1																		
F.	1				1		1																				
3. Exposure and neglect.....	M.	3	1				1					1	1														
F.	1	1					1																				
4. Gunshot wounds.....	M.	8							1	1	3	3															
F.																											
5. Homicide.....	M.																										
F.																											
6. Infanticide.....	M.																										
F.																											
7. Injuries by machinery.....	M.																										
F.																											
8. Railroad accidents.....	M.																										
F.																											
9. Suffocation.....	M.																										
F.																											
10. Suicide by shooting.....	M.	3								1	1				1												
F.																											
11. Suicide by drowning.....	M.																										
F.																											
12. Suicide by poisoning.....	M.																										
F.																											
13. Othersuicides.....	M.																										
F.																											
14. Sunstroke.....	M.																										
F.																											
15. Surgical operations.....	M.	1											1														
F.																											
16. Wounds.....	M.																										
F.																											
17. Other accidents and injuries.....	M.	8							1	1		3	1	1					1								
F.	2									1										1							

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
COLORADO—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	1385	225	78	55	54	35	447	90	45	55	123	124	106	93	68	58	46	29	32	19	12	12	3	1		22	
Total: Males.....	913	114	41	31	35	18	239	41	27	31	89	98	86	73	48	48	38	22	26	12	8	9		1		17	
Females.....	472	111	37	24	19	17	208	49	18	24	34	26	20	20	20	10	8	7	6	7	4	3	3			5	
Unknown causes.																											
Total.....	42	25	2	1			28	1			3		1		2	1	1	3	1	1							
Males.....	24	13	1				14				3		1			1	1	2	1	1							
Females.....	18	12	1	1			14	1						2			1										
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	428	84	43	34	31	20	212	66	28	20	26	14	18	9	8	2	10	3	6		1	2				3	
Males.....	214	35	22	19	16	10	102	29	13	9	15	8	10	6	3	2	6	2	5		1	2				1	
Females.....	214	49	21	15	15	10	110	37	15	11	11	6	8	3	5		4	1	1							2	
1. Small-pox.....	M. 23	5	1	2	2	3	13	2	1	1	5		1														
F. 28	7	5	5	2	2	2	21	4	1	1		1															
2. Measles.....	M. 6	2	2	2			6																				
F. 9	1	2			1		4	4			1																
3. Scarlet fever.....	M. 63	5	7	6	7	5	30	19	10		1	2		1													
F. 63	9	6	5	8	4		32	23	8																		
4. Diphtheria.....	M. 11	5	2	1	2	1	11																				
F. 12	6		2	2	1		11	1																			
5. Hooping-cough.....	M. 13	2	1	3			6	2		1		1	1	1		1											
F. 4		2	1				3			1																	
6. Fever.....	M. 4	1	1	2			4																				
F. 6	4					1	5					1															
7. Cerebro-spinal fever.....	M. 30	1	1		1		3	4	2	3	4	4	3	3		2	1		1								
F. 23			1		1		2	3	3	4	3	1	3	2	1		1										
8. Enteric fever.....	M. 3	1				1	2																				
F. 3	2	1					3																				
9. Diarrhoea.....	M. 8	5	1				6										1		1								
F. 5	3	1					4	1																			
10. Dysentery.....	M. 15	1	3	2	1		7			2		2		1		1	1			1							
F. 13	4	1	1				6	1	1	2	1			1		1											
11. Enteritis.....	M. 1																										
F. 8	6	2					8																				
12. Cholera morbus.....	M. 7	5	1		1		7																				
F. 10	1	1	1				3	1		2	2		1														
13. Cholera infantum.....	M. 8	1	1		1		3		1	1	1																
F. 8	2						2				1	1															
14. Malarial fever.....	M. 14	6	1				7				1	1				1		2	1			2					
F. 7					1		1			1	1	1		1			1										
15. Erysipelas.....	M. 2																										
F. 13										2	5	3	2		1												
16. Septicæmia.....	M. 1																										
F. 2																											
17. Puerperal septicæmia.....	M. 3																										
F. 3																											
18. Venereal diseases.....	M. 2																										
F. 2																											
19. Others of this group.....	M. 3																										
F. 2																											
General diseases—B.																											
Total.....	15	2					2				2	3	2	1	2	1	1										
Males.....	12										1	3	2	1	2	1	1										
Females.....	3	2					2				1																
1. Worms.....	M. 12										1	3	2	1	2	1	1										
F. 12																											
2. Other parasitic diseases.....	M. 12																										
F. 12																											
3. Alcoholism.....	M. 12																										
F. 12																											
4. Lead poison.....	M. 1																										
F. 1																											
5. Other poisons.....	M. 1																										
F. 1																											
6. Inanition.....	M. 2	2					2																				
F. 2																											
General diseases—C.																											
Total.....	41	26	2				28	1								1		1			4	3	2	1			
Males.....	27	19	1				20	1								1					2	2		1			
Females.....	14	7	1				8											1			2	1	2				
1. Premature birth.....	M																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

COLORADO—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	110	6	5		2		13			7	9	19	11	9	9	11	7	5	4	3	2	1					
Males.....	60	1	1		2		4			1	3	10	8	8	4	7	6	4	2	1	1	1					
Females.....	50	5	4				9			6	6	9	3	1	5	4	1	1	2	2	1						
1. Rheumatism.....	M. 10 F. 2									1		1	2	1		2	2	1									
2. Scrofula and tabes.....	M. 1 F. 5		1	2		1	3			1		1															
3. Leprosy.....	M. 1 F. 1																										
4. Consumption.....	M. 32 F. 32		1	2		1	3			5	5	6	3	1	3	3	1	1	1		1						
5. Hydrocephalus.....	M. 1 F. 1		1				1																				
6. Cancer.....	M. 4 F. 2											1			1	1	2					1					
7. Tumor.....	M. 1 F. 1											1															
8. Anæmia.....	M. 1 F. 1																										
9. Dropsy.....	M. 12 F. 7		1				1				1		2	1	2	2		2	1	1	1						
10. Glycosuria.....	M. 1 F. 1														1												
11. Others of this group.....	M. 1 F. 1																										
12. Others of this class.....	M. 1 F. 1																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	95	33	5	5	4	4	51	5	2	3	7	4	1	3	4	3	2	4		2		2	1				1
Males.....	63	20	2	3	4	3	32	3	2	2	4	4	1	2	4	3	2	2				1					1
Females.....	32	13	3	2		1	19	2		1	3			1				2		2		1	1				
1. Inflammation of the brain.....	M. 12 F. 9		3	1	1	1	7	1	1			2		1													
2. Meningitis.....	M. 6 F. 2		4	1		1	6																				
3. Apoplexy.....	M. 3 F. 1														1	1											1
4. Paralysis.....	M. 8 F. 4		1				1				1	1			2	1		1				1		1			
5. Tetanus and trismus nascentium.....	M. 2 F. 2		1				1			1								1		1		1	1				
6. Epilepsy.....	M. 1 F. 1																										
7. Convulsions.....	M. 6 F. 3		6		1		6																				
8. Mental diseases.....	M. 1 F. 1																										
9. Diseases of the brain.....	M. 22 F. 9		5	2	1	1	7	2	1	1	3	1	1	1	1	1	2	1									
10. Diseases of the spinal cord.....	M. 4 F. 3				1	2	4				1																
11. Others of this group.....	M. 3 F. 1		1				1	1			1																
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	19	1					1	1	1	1			1	1	1	5	2		4								1
Males.....	13	1					1		1	1					1	4	1		4								
Females.....	6							1					1	1		1	1										1
1. Angina pectoris.....	M. 1 F. 1																										
2. Aneurism.....	M. 1 F. 1																										
3. Diseases of the heart.....	M. 13 F. 5		1				1		1	1					1	4	1		4								
4. Others of this group.....	M. 1 F. 1																										1
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	382	27	16	12	11	9	75	11	3	16	48	43	41	36	29	17	19	8	11	9	1	3					12
Males.....	310	16	10	8	9	4	47	5	3	13	41	39	35	32	26	15	18	7	8	7	1	2					11
Females.....	72	11	6	4	2	5	28	6		3	7	4	6	4	3	2	1	1	3	2		1					1
1. Croup.....	M. 13 F. 11		2	4	4	1	11	1	1																		
2. Laryngitis.....	M. 1 F. 1		1	1	2	3	7	4																			
3. Bronchitis.....	M. 11 F. 1		2	2		1	5			1	2		1	1		1											
4. Pneumonia.....	M. 263 F. 50		10	4	4	3	24	4		12	36	38	31	30	24	13	18	7	7	5	1	2					11
5. Pleurisy.....	M. 1 F. 1		1				1																				
6. Asthma.....	M. 1 F. 1																		1								
Others of this group.....	M. 21 F. 9		3	2		1	6		2		3	1	3	1	2	1				1							

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
COLORADO—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	1	1					1																				
Males.....	1	1					1																				
Females.....																											
1. Abscess.....	1	1					1																				
2. Carbuncle.....																											
3. Others of this group.....																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1																			1							
Males.....																											
Females.....	1																			1							
1. Addison's disease.....																											
2. Diseases of the spleen.....																											
3. Others of this group.....																											
XII.—ACCIDENTS AND INJURIES.																											
Total.....	153	6	2	2	2		12	1	7	4	21	31	28	19	7	11	3	2	2	1	1						3
Males.....	141	2	2	1	1		6	1	7	3	21	30	27	18	7	11	2	2	2	1	1						2
Females.....	12	4		1	1		6			1		1	1				1										1
1. Burns and scalds.....	7								3			2	1			1											
2. Drowned.....	6		2				2		1				1	1			1										
3. Exposure and neglect.....	2			1			1							1													
4. Gunshot wounds.....	1	1					1																				
5. Homicide.....	14										4	1	3	4	1				1								
6. Infanticide.....																											
7. Injuries by machinery.....																											
8. Railroad accidents.....	3										1					1											1
9. Suffocation.....	1			1			1																				
10. Suicide by shooting.....	1	1					1														1						
11. Suicide by drowning.....	1													1	1												
12. Suicide by poison.....	3										1	1	1														
13. Other suicides.....	1											1															
14. Sunstroke.....	1																										
15. Surgical operations.....	1													1													
16. Wounds.....	7			1			1				2	3		1													
17. Other accidents and injuries.....	57	1					1	1	2	3	6	12	14	4	4	4	1	2	1	1							1
	4	2					2						1														

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CONNECTICUT—GROUP 1.

[Exclusive of NEW HAVEN.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	4674	772	228	149	99	67	1315	197	76	140	218	188	185	170	150	162	190	174	235	240	283	275	246	150	60	12	8
Total: Males.....	2308	423	114	73	53	35	698	98	28	61	99	80	88	87	81	74	97	86	125	118	139	138	115	74	13	4	5
Females.....	2366	349	114	76	46	32	617	99	48	79	119	108	97	83	69	88	93	88	110	122	144	137	131	76	47	8	3
Unknown causes.																											
Total.....	92	37	2	3	3		45	2			1	1	2	2	1	2	4	4	1	5	6	3	6	1	2		4
Males.....	50	22	1	1	2		26	1			1	1	2		2		2	1	3	2	3	4	1				
Females.....	42	15	1	2	1		19	1			1		1		1		4	2		2	4		2		2		3
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	858	211	82	53	39	33	418	100	29	29	31	23	19	22	14	14	24	16	6	18	29	32	18	8	6	1	1
Males.....	437	118	46	27	19	16	226	41	9	17	17	10	9	11	11	7	13	8	2	9	18	17	7	4			1
Females.....	421	93	36	26	20	17	192	59	20	12	14	13	10	11	3	7	11	8	4	9	11	15	11	4	6	1	
1. Small-pox.....	M. 8		1				1	1			3		2		1												
F. 3								1		1		1															
2. Measles.....	M. 11	1	3	1	2	2	9	1			1																
F. 9	4	1	1				6	2				1															
3. Scarlet fever.....	M. 36	3	3	3	3	5	17	15	2	1				1													
F. 44	1	2	6	5	10		24	12	6	1		1															
4. Diphtheria.....	M. 54	3	2	16	6	5	32	15	4	1		2															
F. 69		6	9	11	4		30	28	6	3		1		1													
5. Hooping-cough.....	M. 18	14	2			1	17											1									
F. 36	24	7	2	1			34	1														1					
6. Fever.....	M. 1			1			1																				
F. 1					1		1																				
7. Cerebro-spinal fever.....	M. 14	4	3				7	2	1	1			1			1	1										
F. 8			2	1	1	1	5	1	1							1											
8. Enteric fever.....	M. 46		3				3	1	2	5	6	4	2	3	6	2	4	1			4	3					
F. 35		2					2	6	3	2	4			3	1	2	1		1		5						
9. Diarrhœa.....	M. 11	3			1		4								1					2	1	2					
F. 8	1	3					4														2	2			1		
10. Dysentery.....	M. 24	4	3		3		10	2		1				2			1		1		4	1	1	1			
F. 25	3		2		1		6	2		1	1					2	1		1	1	3	1	2		4	1	
11. Enteritis.....	M. 35	11		1	1	1	14	1		4		3	1	1	1	1	2	2	1		2		1				1
F. 16	2						2	2	1	1	1		1	1		1	1		2	1		2					
12. Cholera morbus.....	M. 4	1					1									1	1				1		2	1			
F. 7	1						1	1				1										2	1				
13. Cholera infantum.....	M. 94	67	24	3			94																				
F. 69	51	13	3	1	1		69																				
14. Malarial fever.....	M. 52	5	2	2	3		12	3		4	6	1	2	4			2	1		5	5	3	3	1			
F. 49	2		2				4	3	3	2	5	3	2	1		1	5	5		1	3	5	3	3			
15. Erysipelas.....	M. 15						3					1		2				2	2		2				1		
F. 16	3						3										3	2	2								
16. Septicæmia.....	M. 4	1				1	2						1			1											
F. 2													1										1				
17. Puerperal septicæmia.....	F. 18									1	3	4	6	2	2												
18. Venereal diseases.....	M. 3	1					1				1							1									
F. 7						1	1										1										
19. Others of this group.....	M. 7					1	1										1			2	1	1		1			
F. 6	1						1										1		1		2						
General diseases—B.																											
Total.....	42	16	1		1		18		1	1	1	2	2	2	3	2	5	1	1	1	1		1				
Males.....	25	8	1		1		10		1		1	1			3	2	4	1	1		1						
Females.....	17	8					8			1		1	2	2			1			1			1				
1. Worms.....	M. 1				1		1																				
F. 1																											
2. Other parasitic diseases.....	M. 1																										
F. 1																											
3. Alcoholism.....	M. 8										1				2	2	1	1			1						
F. 2													1	1													
4. Lead poison.....	M. 1														1												
F. 1																											
5. Other poisons.....	M. 8	2					2		1		1						3		1								
F. 6										1		1	1	1			1			1							
6. Inanition.....	M. 7	6	1				7																				
F. 9	8						8																1				
General diseases—C.																											
Total.....	483	212	6	3	4		225	2	2	1	3	5	4		2	1	1	2	5	6	29	26	61	70	29	9	
Males.....	235	120	2	2	2		126	2		1	1	1	2		2				3	3	13	10	27	34	6	4	
Females.....	248	92	4	1	2		99		2		2	4	2			1	1	2	2	3	16	16	34	36	23	5	
1. Premature birth.....	M. 22	22					22																				
F. 18	18						18																				
2. Stillborn.....	M. 62	62					62																				
F. 44	44						44																				
3. Malformation.....	M. 4	4					4																				
F. 5	4	1					5																				
4. Debility.....	M. 70	31	2	2	2		37	2		1	1	1	3		2				3	2	9	2	4	4			
F. 73	26	3	1	2			32		2		2	4	2			1	1	1	2	2	7	4	6	7			
5. Old age.....	M. 76																			1	4	8	23	30	6	4	
F. 108																			1	9	12	28	29	23	5		
6. Atrophy.....	M. 1	1					1																				
F. 1																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CONNECTICUT—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	1057	38	26	9	9	1	83	9	10	62	117	80	77	70	60	71	60	61	77	65	60	49	30	12	4		
Males.....	462	20	14	6	6	1	47	2	2	19	41	31	36	35	28	26	27	34	36	33	26	25	8	6			
Females.....	595	18	12	3	3		36	7	8	43	76	49	41	35	32	45	33	27	41	32	34	24	22	6	4		
1. Rheumatism.....	M. 13												1			1		2	3	1	2	2	1				
F. 17									1	1		1	2			2		2	2	1	1	3	1		1		
2. Scrofula and tabes.....	M. 11	3	2	1			6							1	1												
F. 6	3						3	1										1				1					
3. Leprosy.....	M. 316	8	5	1	3		17		1	18	40	30	35	30	24	21	17	14	18	21	13	11	4	2			
F. 387	6	2	2	3			13	3	6	41	76	46	33	30	21	22	12	11	12	14	20	11	10	4	2		
4. Consumption.....	M. 20	7	7	3	2	1	20																				
F. 20	8	10	1				19	1																			
5. Hydrocephalus.....	M. 39	1					1							1	2	3	3	6	8	7	3	3	1	1			
F. 98													4	3	7	15	15	12	15	8	9	3	6		1		
6. Cancer.....	M. 2																										
F. 21														1	2	3	4	2	3		1	3	2				
7. Tumor.....	M. 1																										
F. 1																											
8. Anæmia.....	M. 45	1		1	1		3	1			1			1	1	1	4	6	6	4	6	7	1	3			
F. 37	1						1	2			1			1	2	3	2	2	6	7	3	4	2	1			
9. Dropsy.....	M. 12								1	1	1			1			1	3	1	1	1	1	1				
F. 7									1	1			2					2	1								
10. Glycosuria.....	M. 3													1							1						
F. 3																											
11. Others of this group.....	M. 3																										
F. 3																											
12. Others of this class.....	M. 3																										
F. 3																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	679	108	40	22	15	8	193	24	14	14	11	14	18	13	13	16	32	27	44	37	46	72	57	20	11	2	1
Males.....	336	56	17	11	8	5	97	13	6	6	5	4	12	8	4	6	17	14	25	13	22	42	31	8	2		1
Females.....	343	52	23	11	7	3	96	11	8	8	6	10	6	5	9	10	15	13	19	24	24	30	26	12	9	2	
1. Inflammation of the brain.....	M. 15	3	1	3		1	8	2	2		1						1		1								
F. 13	2	6					8	3														1	1				
2. Meningitis.....	M. 20	5	1	2	2	2	12	4				1				1	1	1									
F. 29	5	3	1	5			14	6	3	1	1		1	1		1											
3. Apoplexy.....	M. 81	1			1		1				1	1	1			2	10	7	11	7	4	18	14	4			
F. 59							1				1			2	2	4	4	5	5	8	8	9	2	4	1		
4. Paralysis.....	M. 80	1	1				2			1	2	1	1	3	1	3	1	4	8	4	10	18	15	3	2		1
F. 101		1	1				2		1	1		2	1	3	1	7	8	11	16	7	10	15	8	4	1		
5. Tetanus and trismus nascentium.....	M. 11							1	1	2	1		4	1	3	4	7	8	1			1					
F. 4	2						2					1										1					
6. Epilepsy.....	M. 11					1	1	1	1			1	1	2							1	1	1	1			
F. 6								1				2					1										
7. Convulsions.....	M. 64	37	8	2	5	1	53	3	2	1			2		1		1			1							
F. 72	38	12	5	2			57	1	1	4	2	3	1		2	1											
8. Mental diseases.....	M. 3																					1	1	1			
F. 10												3	1		1							1	1				
9. Diseases of the brain.....	M. 44	8	5	4			17	2		1			3	3	1												

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
CONNECTICUT—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	185	26	8	4	3	2	43	5	1	3	4	8	6	4	5	6	14	11	17	18	14	15	9	2	...	...	...
Males	82	18	6	...	1	2	27	1	...	2	1	1	2	1	...	3	9	4	8	7	5	6	3	2	...	...	...
Females	103	8	2	4	2	...	16	4	1	1	3	7	4	3	5	3	5	7	9	11	9	9	6	...	...	...	...
1. Dentition	M. 13	7	5	...	1	...	13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F. 3	2	...	1	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Angina	M. 1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F. 1	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Gastritis	M. 8	2	...	...	...	...	2	...	...	1	...	...	...	...	...	1	1	...	1	...	...	1	...	1	...	...	...
	F. 12	1	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	3	1	...	3	1	1	...	...	...	...
4. Other diseases of the stomach	M. 7	2	1	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	1	1	...	2	...	...	...	...	...
	F. 10	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	1	1	1	3	...	1	1	...	...	...	...
5. Obstruction of the bowels	M. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
	F. 2	2	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Hernia	M. 4	...	...	...	...	...	...	...	...	...	...	...	1	...	2	...	2	1	...	1	...	...	...	...	...	...	...
	F. 4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
7. Other diseases of the bowels	M. 7	...	...	...	1	...	1	...	1	...	...	...	...	...	...	...	1	...	2	...	1	1	...	...	...	...	...
	F. 3	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...
8. Jaundice	M. 4	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...
	F. 4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Inflammation and abscess of the liver	M. 5	...	...	1	...	...	1	...	...	...	1	...	...	...	...	...	...	1	2	...	1	2	...	...	...	...	...
	F. 6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10. Other diseases of the liver	M. 22	2	...	...	...	...	2	...	...	...	1	1	2	1	2	1	3	3	4	4	4	...	1	...	...	...	...
	F. 30	1	...	...	1	...	2	1	...	...	1	1	1	1	2	1	3	1	1	8	3	2	1	...	...	...	...
11. Peritonitis	M. 7	...	...	...	...	2	2	1	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F. 15	...	1	...	...	...	1	1	...	1	2	3	1	1	...	...	1	1	1	...	...	2	...	...	...	...	...
12. Ascites	M. 1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
	F. 3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
13. Others of this group	M. 10	3	...	...	...	...	3	...	...	...	...	...	2	...	...	1	2	...	...	1	...	...	...	...	...	...	...
	F. 6	2	...	1	...	...	3	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	88	1	...	...	...	1	2	1	...	3	4	3	3	5	6	4	8	7	3	12	7	10	6	3	...	...	1
Males	59	...	...	...	...	1	1	1	...	1	...	2	1	2	5	3	6	4	3	10	5	8	4	2	...	...	1
Females	29	1	...	...	...	...	1	...	...	2	4	1	2	3	1	1	2	3	...	2	2	2	2	1	...	...	...
1. Bright's disease	M. 35	...	...	...	...	1	1	1	...	1	...	2	1	2	5	3	6	2	1	5	...	1	3	...	...	...	1
	F. 20	1	...	...	...	...	1	...	...	1	2	1	1	3	...	...	2	3	...	2	1	2	1	...	...	...	...
2. Calculus, urinary	M. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the kidney	M. 10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2	1	4	...	1	...	...	...
	F. 7	...	...	...	...	...	...	...	...	1	1	...	1	...	1	1	...	...	...	...	...	...	1	1	...	...	...
4. Diseases of the bladder	M. 11	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Others of this group	M. 3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...
	F. 2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	12	...	...	...	...	...	...	...	...	...	1	...	2	1	3	1	1	...	2	1	...	...	...	...	...	...	...
1. Ovarian tumors	F. 5	...	...	...	...	...	...	...	...	...	1	...	...	...	1	1	1	...	...	1	...	...	...	...	...	...	...
2. Ovarian diseases	F. 1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Uterine tumors	F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
4. Uterine diseases	F. 2	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
5. Others of this group	F. 3	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	39	...	...	...	...	...	...	...	...	2	2	12	10	10	2	...	1	...	...	...	...	...	...	...	...	...	...
1. Abortion	F. 4	...	...	...	...	...	...	...	...	...	...	1	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Child-birth	F. 30	...	...	...	...	...	...	...	...	1	2	9	7	8	2	...	1	...	...	...	...	...	...	...	...	...	...
3. Others of this group	F. 5	...	...	...	...	...	...	...	...	1	...	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	10	...	...	...	...	...	...	1	2	3	2	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
Males	5	...	...	...	...	...	...	...	1	2	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
Females	5	...	...	...	...	...	...	1	1	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1. Diseases of the spine	M. 2	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
2. Diseases of the bones	M. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the hip joint	M. 3	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F. 1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Others of this group	M. 1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F. 2	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CONNECTICUT—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	13		1				1			1	1		1			1	3	1	1	1		1	1				
Males.....	5										1						2			1			1				
Females.....	8		1				1			1			1			1	1	1	1			1					
1. Abscess.....	M. 3										1						1							1			
	F. 3		1				1			1			1														
2. Carbuncle.....	M. 2																1			1							
	F. 3															1	1	1									
3. Others of this group.....	M. 2																		1			1					
	F. 2																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	3															1		1			1						
Males.....	1																				1						
Females.....	2															1	1										
1. Addison's disease.....	M. 1																				1						
	F. 2															1	1										
2. Disease of the spleen.....	M. 1																										
	F. 1																										
3. Others of this group.....	M. 1																										
	F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	216	21	3	13	7	4	48	16	7	13	18	19	14	13	11	8	5	4	10	8	10	4	2	5	1		
Males.....	168	12	2	10	6	3	33	14	4	11	16	17	14	11	9	7	4	3	7	6	6	3		2	1		
Females.....	48	9	1	3	1	1	15	2	3	2	2	2	2	2	2	1	1	1	3	2	4	1	2	3			
1. Burns and scalds.....	M. 9			3	2		5	1	1				1								1						
	F. 10	1	1	2			4		2		2		1	1													
2. Drowned.....	M. 37		1	2	2	1	6	4	2	6	5	5	2	2	2	1		1		1							
	F. 4			1	1		2	1		1																	
3. Exposure and neglect.....	M. 2	1					1												1								
	F. 1																			1							
4. Gunshot wounds.....	M. 7									1	1	1	3	1													
	F. 1													1													
5. Homicide.....	M. 1													1													
	F. 1																										
6. Infanticide.....	M. 1																										
	F. 1																										
7. Injuries by machinery.....	M. 1														1												
	F. 1																										
8. Railroad accidents.....	M. 24			1			1	3			3	4	4	1	1	1	1	1		1	1	1		1			
	F. 3														1		1							1			
9. Suffocation.....	M. 13	9		1	2		12															1					
	F. 4	4					4																				
10. Suicide by shooting.....	M. 1									1																	
	F. 1																										
11. Suicide by drowning.....	M. 1																										
	F. 1																										
12. Suicide by poison.....	M. 4												2			1					1						
	F. 1																										
13. Other suicides.....	M. 10									1	1	1	1		2	1	1			2							
	F. 4																	1	1		2						
14. Sunstroke.....	M. 7								1		1	1	1		1	1						1					
	F. 1																		1								
15. Surgical operations.....	M. 1																		1								
	F. 1																										
16. Wounds.....	M. 1							1																			
	F. 1																										
17. Other accidents and injuries.....	M. 50	2	1	3		2	8	5		2	5	5		6	2	2	2	1	5	2	3			1	1		
	F. 21	4				1	5	1	1	1		2	1						2	1	2	1	2	2			

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CONNECTICUT—GROUP 2.

[Exclusive of HARTFORD.]

Cause of death.	Total.	Under 1.	1.	2.	.	.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	2929	475	110	58	47	29	719	95	76	109	131	100	102	115	83	95	108	124	178	162	227	203	155	84	35	13	15
Total: Males.....	1472	282	68	26	18	16	410	48	31	45	55	46	47	46	41	54	56	73	90	83	128	98	65	34	7	5	10
Females.....	1457	193	42	32	20	13	309	47	45	64	76	54	55	69	42	41	52	51	88	79	99	105	90	50	28	8	5
Unknown causes.																											
Total.....	51	24	1	1	1		27			1		1			1	2	2	1		4	6		3	1	1		1
Males.....	30	16		1	1		18			1						1	1	1		2	3		2				1
Females.....	21	8	1				9					1			1	1	1			2	3		1	1	1		
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	518	126	38	22	18	12	216	40	29	22	19	8	13	18	11	10	6	20	20	16	24	25	11	5	2		3
Males.....	245	72	22	9	5	8	116	16	11	9	7	4	2	6	2	7	3	10	11	10	11	10	5	1	2		2
Females.....	273	54	16	13	13	4	100	24	18	13	12	4	11	12	9	3	3	10	9	6	13	15	6	4			1
1. Small-pox.....	M. 5		1	2	1		4																				
F. 3			1	1			2							1				1									
2. Measles.....	M. 11		1	1	2	1	5	5	1																		
F. 11			4	1		1	7	4																			
3. Scarlet fever.....	M. 27		3	3	3	4	13	9	1	1											1						
F. 39			2		3	5	12	14	5	1	2		3							1	1						
4. Diphtheria.....	M. 4		3				3																				
F. 3			1	1	1		3																				
5. Hooping-cough.....	M. 2										1																
F. 5				1		1	2														1						
6. Fever.....	M. 9		2	1			3	1	1	1	1			1													
F. 45			2	4		2	8	1	3	6	5	1		3	1	2	2	3	3	1	3	2					1
7. Cerebro-spinal fever.....	M. 41		1	1	1	1	4	2	8	7	2	1	4	3	3	2		3					1	1			
F. 5			2				2																				
8. Enteric fever.....	M. 12		4	1		1	6								1	1	2			1	1						
F. 16				4	1		5			1	1			1				1		1	2	2			1		
9. Diarrhoea.....	M. 26		1	4	1	1	7			1				1				1		2	1	4	6		1		
F. 13			1	2			4			1	1							1	3		1			1	1		
10. Dysentery.....	M. 15		2				2		1	1	1	1		1	2			1	2			3					
F. 3									1	1																	
11. Enteritis.....	M. 2																										
F. 59			50	6	3		59																				
12. Cholera morbus.....	M. 42		32	5	3	2	42																				
F. 37			7				9			1	1	1	1	2			1	2	2	7	2	3	2		1		1
13. Cholera infantum.....	M. 39		4	1	3	2	11	1	1	3	1		1	2				2	2	2	4	3	5	1			
F. 8			1				1					1	1				1	1	1		1	1					
14. Malarial fever.....	M. 8																										
F. 8												2	1					1	1	1	1	1					
15. Erysipelas.....	M. 3													1	1												
F. 11											4		2	2	2												1
16. Septicæmia.....	M. 7		1				1									2				1		2	1				
F. 7			1				1											1	2		1	1		1			
17. Puerperal septicæmia.....	M. 32																										
F. 17			8			1	9							1	3							1	1				1
18. Venereal diseases.....	M. 15		8				9			1				1	1												
F. 1																											
19. Others of this group.....	M. 7		1				1																				
F. 7			1				1											1	2		1	1		1			
General diseases—B.																											
Total.....	32	16			1	1	18	1		2				2	4					1		1	2				1
Males.....	17	8				1	9							1	3												1
Females.....	15	8			1		9	1		1					1					1		1					
1. Worms.....	M. 2				1		1	1																			
F. 2																											
2. Other parasitic diseases.....	M. 5																										
F. 1														1	2							1	1				
3. Alcoholism.....	M. 4					1	1								1												
F. 4			1				1																				
4. Lead poison.....	M. 8										1				1												1
F. 4			1				1			1											1						
5. Other poisons.....	M. 8		8				8																				
F. 8			7				7																				
6. Inanition.....	M. 8																										
F. 8																											
General diseases—C.																											
Total.....	268	111	2				113	1		1		1		1					3	4	10	28	46	32	20	7	1
Males.....	139	68	1				69	1				1		1						2	5	15	21	17	4	3	
Females.....	129	43	1				44			1									3	2	5	13	25	15	16	4	1
1. Premature birth.....	M. 8		8				8																				
F. 11			11				11																				
2. Stillborn.....	M. 37		37				37																				
F. 20			20				20																				
3. Malformation.....	M. 5		5				5																				
F. 3			3				3																				
4. Debility.....	M. 30		18	1			19	1			1			1						2	2	3	1				
F. 19			9	1			10			1										2	3	2	2		1		
5. Old age.....	M. 59																										
F. 76																				1	2	2	13	23	15	15	4
6. Atrophy.....	M. 8																										
F. 8																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total	690	23	10	4	1	2	40	7	9	45	74	61	46	42	32	34	40	27	65	42	53	37	20	11	3		2
Males	306	14	6	2	...	1	23	5	3	10	27	26	21	14	18	15	17	13	32	23	35	14	5	4	...	1	1
Females	384	9	4	2	1	1	17	2	6	35	47	35	25	28	14	19	23	14	33	19	18	23	15	7	3	...	1
1. Rheumatism	{ M. 3 F. 3								1							1		1									
2. Scrofula and tabes	{ M. 2 F. 3		1	1			2		1						1				1			1	1				
3. Leprosy	{ M. 1 F. 1																										
4. Consumption	{ M. 199 F. 248	4	3	3	2	1	10	2	1	8	27	25	21	12	14	7	12	7	22	11	12	3	2	2	...	1	1
5. Hydrocephalus	{ M. 8 F. 7	4	3	3	1	1	8	1	5	34	47	31	22	23	10	9	17	7	14	4	4	5	3	3	1		
6. Cancer	{ M. 37 F. 58	1					1					1	1	1	2	3	4	2	4	5	10	3	1	1			
7. Tumor	{ M. 3 F. 9	1					1		1						1	2	4		1	3	2						
8. Anæmia	{ M. 1 F. 1															1	1										
9. Dropsy	{ M. 45 F. 51	4					4	1		2		1	1	1	3	2	1	1	6	7	9	7	2	1	1		1
10. Glycosuria	{ M. 7 F. 3								1	1		2	1	3	1	1	1	2	8	6	2	1	5	1	1		
11. Others of this group	{ M. 1 F. 2															1				1							
12. Others of this class	{ M. 1 F. 1																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total	449	72	21	16	11	6	126	14	11	11	11	8	6	10	6	11	17	31	26	28	39	34	34	16	6	4	
Males	234	42	15	8	5	2	72	6	4	5	3	2	2	7	2	6	6	23	16	16	26	15	16	5	1	1	
Females	215	30	6	8	6	4	54	8	7	6	8	6	4	3	4	5	11	8	10	12	13	19	18	11	5	3	
1. Inflammation of the brain	{ M. 13 F. 21	4		1			5		1		1							2	2			1	2				
2. Meningitis	{ M. 17 F. 19	4		2	2	1	13		1	1	1			1	2		1	1		1			1				1
3. Apoplexy	{ M. 65 F. 62	5	2	3	1	2	10	1	4	1	2		1	2		2	2	11	8	7	12	6	5	2			
4. Paralysis	{ M. 44 F. 46						3			1	1		2			2	2	5	2	4	6	5	11	4	2	1	
5. Tetanus and trismus nascentium	{ M. 3 F. 2	1					1			1				1		1			3	3	6	5	10	6	3	1	
6. Epilepsy	{ M. 1 F. 1																										
7. Convulsions	{ M. 46 F. 40	28	8	3	3	1	43	1	1	1	1	2	1	2	1		1				1	1					
8. Mental diseases	{ M. 2 F. 1																		1		1						
9. Diseases of the brain	{ M. 43 F. 23	5	4	2	1	1	13	2		1			1	3		2	1	5	3	5	2	2	2	1			
10. Diseases of the spinal cord	{ M. 1 F. 1																										
11. Others of this group	{ M. 1 F. 1																		1								
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total	175	6	1				7	4	2	5	3	5	6	4	3	7	12	14	15	18	29	22	13	5	1		
Males	87	4	1				5	1		3	...	3	3	1	2	3	8	8	7	11	17	9	5	1			
Females	88	2					2	3	2	2	3	2	3	3	1	4	4	6	8	7	12	13	8	4	1		
1. Angina pectoris	{ M. 1 F. 1																			1							
2. Aneurism	{ M. 1 F. 1																										
3. Diseases of the heart	{ M. 84 F. 87	4	1				5	1		3		3	3	1	2	3	7	8	7	10	16	9	5	1			
4. Others of this group	{ M. 2 F. 1																1			1							
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total	371	69	22	9	12	4	116	9	6	9	11	7	13	12	8	9	13	15	24	34	27	30	15	10		2	1
Males	184	42	10	3	6	3	64	5	1	8	9	6	9	4	5	7	8	6	8	9	10	13	7	3		1	1
Females	187	27	12	6	6	1	52	4	5	1	2	1	4	8	3	2	5	9	16	25	17	17	8	7		1	
1. Croup	{ M. 23 F. 21	12	4	1	3	2	22	1																			
2. Laryngitis	{ M. 1 F. 1																										
3. Bronchitis	{ M. 9 F. 20	4					4	1			1				1					1						1	
4. Pneumonia	{ M. 122 F. 116	12	5	2	2	1	22	2	1	7	6	3	8	3	4	6	8	5	7	8	8	13	7	3			1
5. Pleurisy	{ M. 3 F. 6								1		1				1												
6. Asthma	{ M. 2 F. 1											1							1								
7. Others of this group	{ M. 25 F. 23	14	1		1		16	1			2	2	1			1					2						

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
CONNECTICUT—GROUP 2—Continued.

Cause of death.	Total	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	108	15	11	1	1		28	1	4	4	2	2	3	5	5	4	6	6	6	6	11	6	5				4
Males.....	54	8	9				17		2	2	2	1	2	4		2	2	4	4	4	1	4	1				2
Females.....	54	7	2	1	1		11	1	2	2		1	1	1	5	2	4	2	2	2	10	2	4				2
1. Dentition.....	M. 5 F. 6		5				5																				
2. Angina.....	M. 5 F. 6		3	1			4																				
3. Gastritis.....	M. 5 F. 8		1	2			3										1		1								
4. Other diseases of the stomach.....	M. 2 F. 5		1				1																				
5. Obstruction of the bowels.....	M. 1 F. 1						2																				
6. Hernia.....	M. 9 F. 5		1				1																				
7. Other diseases of the bowels.....	M. 7 F. 6		1				1																				
8. Jaundice.....	M. 1 F. 1		1				1																				
9. Inflammation and abscess of the liver.....	M. 1 F. 2																										
10. Other diseases of the liver.....	M. 11 F. 12		2	1			3																				
11. Peritonitis.....	M. 5 F. 5						1																				
12. Ascites.....	M. 1 F. 1																										
13. Others of this group.....	M. 7 F. 3		1	1			2																				
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	87		2				2	1	1	2	2	2	3	7	2	7	5	6	9	3	16	15	1	2			1
Males.....	61		2				2	1				1	1	1	2	5	5	5	5	2	14	13	1	2			1
Females.....	26																										
1. Bright's disease.....	M. 30 F. 15							1				1	1	1	1	5	4	3	3		4	4	1	1			
2. Calculus, urinary.....	M. 6 F. 6																										
3. Diseases of the kidney.....	M. 16 F. 6		1				1																				
4. Diseases of the bladder.....	M. 5 F. 2		1				1																				
5. Others of this group.....	M. 4 F. 3																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	1																										
1. Ovarian tumors.....	F. 1																										
2. Ovarian diseases.....	F. 1																										
3. Uterine tumors.....	F. 1																										
4. Uterine diseases.....	F. 1																										
5. Others of this group.....	F. 1																										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	13																										
1. Abortion.....	F. 3																										
2. Child-birth.....	F. 8																										
3. Others of this group.....	F. 2																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	3																										
Males.....	1																										
Females.....	2																										
1. Diseases of the spine.....	M. 1 F. 1																										
2. Diseases of the bones.....	M. 1 F. 1																										
3. Diseases of the hip-joint.....	M. 1 F. 1																										
4. Other of this group.....	M. 1 F. 2																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CONNECTICUT—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	10	2	1				3				1			1	1	2	1					1					
Males.....	5	1	1				2									2						1					
Females.....	5	1					1				1			1	1		1										
1. Abscess.....	M. 5	1	1				2									2						1					
F. 5	1						1				1			1	1		1										
2. Carbuncle.....	M. 1																										
F. 1																											
3. Others of this group.....	M. 1																										
F. 1																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	2															1		1									
Males.....	1																	1									
Females.....	1															1											
1. Addison's disease.....	M. 1																										
F. 1																											
2. Diseases of the spleen.....	M. 1																	1									
F. 1																1											
3. Others of this group.....	M. 1																										
F. 1																											
XII.—ACCIDENTS AND INJURIES.																											
Total.....	151	11	1	4	3	4	23	17	13	6	7	2	7	8	9	8	6	3	10	6	12	4	5	2	2		1
Males.....	108	7	1	3	1	1	13	13	10	6	7	2	6	7	7	6	6	2	7	4	6	3	1	1			1
Females.....	43	4		1	2	3	10	4	3				1	1	2	2		1	3	2	6	1	4	1	2		
1. Burns and scalds.....	M. 5	1	1	1			3	1					1														
F. 7				1	1		2	3																			
2. Drowned.....	M. 22	1		1	1	1	4	6	6	1	2								3						1		
F. 3						1	1						1		1												
3. Exposure and neglect.....	M. 1																		1								
F. 1																											
4. Gunshot wounds.....	M. 2																										
F. 1																											
5. Homicide.....	M. 2									1				1													
F. 1																											
6. Infanticide.....	M. 1																										
F. 1																											
7. Injuries by machinery.....	M. 9																										
F. 3										1					4	1			2								
8. Railroad accidents.....	M. 6	4		1			5	1													1						
F. 4	3						3							1													
9. Suffocation.....	M. 1																										
F. 1																											
10. Suicide by shooting.....	M. 1																	1									
F. 1																											
11. Suicide by drowning.....	M. 1																										
F. 1																											
12. Suicide by poison.....	M. 2										1						1										
F. 1																											
13. Other suicides.....	M. 11								1			2	1	2	1	1	1	1			1						
F. 2																1					1						
14. Sunstroke.....	M. 3																		1				1				
F. 1																											
15. Surgical operations.....	M. 1																										
F. 1																											
16. Wounds.....	M. 2														1						1						
F. 1																											
17. Other accidents and injuries.....	M. 45	1					1	4	4	3	2	1	3	3	2	4	3	2	1	4	4	2		1			1
F. 23	1				1	2	4	1	2							1		1	2	1	4	1	4	1	1		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

DAKOTA—GROUP 1.

[illegible]

DAKOTA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																										
Total.....	105	6	2	3	1	3	15	5	7	6	10	4	10	4	7	8	4	6	10	5	1	1	1			1
Males.....	58	1	1	3		2	7	4	3	3	5	1	7	2	3	5	2	3	6	4	1		1			1
Females.....	47	5	1		1	1	8	1	4	3	5	3	3	2	4	3	2	4	1		1					
1. Rheumatism.....	M. 3							1								1			1							
	F. 1							1																		
2. Scrofula and tabes.....	M. 1																									
	F. 1																									
3. Leprosy.....	M. 1																									
	F. 1																									
4. Consumption.....	M. 45		1	3		2	6	1	3	3	5	1	6	2	2	4		3	4	3	1					1
	F. 38	5			1		6	1	4	3	5	3	2	1	4	2		3	1		1					
5. Hydrocephalus.....	M. 1																									
	F. 1																									
6. Cancer.....	M. 4											1						2				1				
	F. 4		1				1										2									
7. Tumor.....	M. 1							1																		
	F. 1																									
8. Anæmia.....	M. 1	1					1																			
	F. 1												1													
9. Dropsy.....	M. 3													1		2										
	F. 4					1	1					1			1		1									
10. Glycosuria.....	M. 1																									
	F. 1																									
11. Others of this group.....	M. 1																									
	F. 1																									
12. Others of this class.....	M. 1																									
	F. 1																									
II.—DISEASES OF THE NERVOUS SYSTEM.																										
Total.....	44	18	7	6			31	4	3	1	2	1		1				1								
Males.....	25	9	6	5			20	1	2					1				1								
Females.....	19	9	1	1			11	3	1	1	2	1														
1. Inflammation of the brain.....	M. 4	1	2	1			4																			
	F. 4						2	1	1																	
2. Meningitis.....	M. 4	2	1	1			4																			
	F. 1									1																
3. Apoplexy.....	M. 1																	1								
	F. 1									1																
4. Paralysis.....	M. 1																									
	F. 1																									
5. Tetanus and trismus nascentium.....	M. 1													1												
	F. 1																									
6. Epilepsy.....	M. 2																									
	F. 2							1			1															
7. Convulsions.....	M. 6	5		1			6																			
	F. 3	3					3																			
8. Mental diseases.....	M. 1																									
	F. 1																									
9. Diseases of the brain.....	M. 7	1	3	1			5	1	1																	
	F. 6	3		1			4	1	1																	
10. Diseases of the spinal cord.....	M. 2			1			1		1																	
	F. 2	1	1				2																			
11. Others of this group.....	M. 1																									
	F. 1																									
III.—DISEASES OF THE CIRCULATORY SYSTEM.																										
Total.....	11	2					2	1	1		1			1		2	1			1		1				
Males.....	5	1					1									2	1				1					
Females.....	6	1					1	1	1		1			1					1							
1. Angina pectoris.....	M. 1																									
	F. 1																									
2. Aneurism.....	M. 1																									
	F. 1																									
3. Diseases of the heart.....	M. 5	1					1									2	1				1					
	F. 5							1	1		1			1					1							
4. Others of this group.....	M. 1	1					1																			
	F. 1																									
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																										
Total.....	82	22	9	11	7	5	54	8	1		2		2	4	1	1	2	1	3	1	2					
Males.....	40	13	3	8	3	3	30	3					1	2		1	1	1		1						
Females.....	42	9	6	3	4	2	24	5	1		2		1	2	1		1		3	1	1					
1. Croup.....	M. 15	4	3	3	1	1	12	3																		
	F. 11		2	1	3	2	8	3																		
2. Laryngitis.....	M. 1				1		1																			
	F. 5	4					4																			
3. Bronchitis.....	M. 2		1	1			2									1										
	F. 2																									
4. Pneumonia.....	M. 16	4		4	1	2	11						1	2			1	1								
	F. 24	7	3	1			11	1	1		2		1	2	1		1		2	1	1					
5. Pleurisy.....	M. 1																									
	F. 1																									
6. Asthma.....	M. 1																			1						
	F. 1																									
7. Others of this group.....	M. 3	1		1	1		3																			
	F. 3	2					2	1																		

DAKOTA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	3							2		1																	
Males.....	2							1		1																	
Females.....	1							1																			
1. Abscess.....	M. 2 F. 1							1		1																	
2. Carbuncle.....	M. 1 F. 1							1																			
3. Others of this group.....	M. 1 F. 1																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....																											
Males.....																											
Females.....																											
1. Addison's disease.....	M. 1 F. 1																										
2. Diseases of the spleen.....	M. 1 F. 1																										
3. Others of this group.....	M. 1 F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	61	5	1	2	1	3	12	5	6	1	9	8	5	3	3	2	3	2	1								1
Males.....	47	4	1	1	1	1	8	4	2	1	8	7	5	2	2	2	3	1	1								1
Females.....	14	1		1		2	4	1	4		1	1		1	1			1									
1. Burns and scalds.....	M. 4 F. 3	1	1				2					1	1														
2. Drowned.....	M. 5 F. 2			1		1	1				3		1														
3. Exposure and neglect.....	M. 2 F. 2	1					1																				1
4. Gunshot wounds.....	M. 3 F. 1										1	1					1										
5. Homicide.....	M. 3 F. 1										2					1											
6. Infanticide.....	M. 1 F. 1																										
7. Injuries by machinery.....	M. 1 F. 1																										
8. Railroad accidents.....	M. 1 F. 1																										
9. Suffocation.....	M. 2 F. 1										1	1															
10. Suicide by shooting.....	M. 1 F. 1												1														
11. Suicide by drowning.....	M. 1 F. 1																										
12. Suicide by poison.....	M. 1 F. 1																										
13. Other suicides.....	M. 2 F. 1										1	1						1									
14. Sunstroke.....	M. 2 F. 1		1				1	1																			
15. Surgical operations.....	M. 1 F. 1																										
16. Wounds.....	M. 1 F. 1																										
17. Other accidents and injuries.....	M. 23 F. 5	1		1		1	3	3	2	1		3	2	2	2	1	2	1	1								

DAKOTA—GROUP 2.

[illegible]

DAKOTA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	40	4	2				6		2	3		7	4	6	2	4	2		1		1	2					
Males.....	26	2	1				3		2	2		5	3	5	2	1			1		1	1					
Females.....	14	2	1				3			1		2	1	1		3	2					1					
1. Rheumatism.....	M. 1																1										
F. 1																											
2. Scrofula and tabes.....	M. 1																										
F. 1																											
3. Leprosy.....	M. 1																										
F. 1																											
4. Consumption.....	M. 20	1					1		2	2		5	3	4	1	1						1					
F. 8	1	1					2			1		1	1	1		2											
5. Hydrocephalus.....	M. 2	1	1				2																				
F. 1																											
6. Cancer.....	M. 1																		1								
F. 3												1				1						1					
7. Tumor.....	M. 1																										
F. 1																											
8. Anæmia.....	M. 1																										
F. 1																											
9. Dropsy.....	M. 2													1	1												
F. 2	1	1					1										1										
10. Glycosuria.....	M. 1																				1						
F. 1																											
11. Others of this group.....	M. 1																										
F. 1																											
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	32	8	4	1	1		14	2			2	2		6	1		2		1		1		1				
Males.....	15	4			1		5	2			1	1		2	1		2						1				
Females.....	17	4	4	1			9				1	1		4					1		1						
1. Inflammation of the brain.....	M. 2	2					2																				
F. 3			1	1			2				1																
2. Meningitis.....	M. 1				1		1																				
F. 3	2	1					3																				
3. Apoplexy.....	M. 1																										
F. 5														3					1		1		1				
4. Paralysis.....	M. 3							1																			
F. 2	1	1	1				2				1						1										
5. Tetanus and trismus nascentium.....	M. 1																										
F. 1																											
6. Epilepsy.....	M. 1														1												
F. 1																											
7. Convulsions.....	M. 2	2					2																				
F. 2	1	1	1				2																				
8. Mental diseases.....	M. 1											1															
F. 1																											
9. Diseases of the brain.....	M. 3													1	1		1										
F. 1																											
10. Diseases of the spinal cord.....	M. 1							1																			
F. 1																											
11. Others of this group.....	M. 1																										
F. 2												1		1													
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	5												1			1	1	1		1							
Males.....	3															1	1			1							
Females.....	2												1					1									
1. Angina pectoris.....	M. 1																										
F. 1																											
2. Aneurism.....	M. 1																										
F. 1																											
3. Diseases of the heart.....	M. 2																										
F. 2																											
4. Others of this group.....	M. 1																										
F. 1																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	46	12	2	1	3	1	19	5		2	1	4	1	2	1	2	1	3	1	2	2						
Males.....	22	5	2	1	1	1	10	1			1	2	1	2		2	1			1	1						
Females.....	24	7			2		9	4		2		2			1			3	1	1	1						
1. Croup.....	M. 6	2	1	1	1	1	6																				
F. 7	4				1		5	2																			
2. Laryngitis.....	M. 1																										
F. 1																											
3. Bronchitis.....	M. 1																										
F. 1																											
4. Pneumonia.....	M. 11	1	1				2	1				2	1	2		2	1			1	1						
F. 13	1			1			2	1		2		2			1			2	1	1	1						
5. Pleurisy.....	M. 1																										
F. 1																											
6. Asthma.....	M. 1																			1							
F. 1																											
7. Others of this group.....	M. 3	2					2				1																
F. 3	2						2	1																			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

DAKOTA—GROUP 2—Continued.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
DAKOTA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....																											
Males.....																											
Females.....																											
1. Abscess.....	M.																										
	F.																										
2. Carbuncle.....	M.																										
	F.																										
3. Others of this group.....	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....																											
Males.....																											
Females.....																											
1. Addison's disease.....	M.																										
	F.																										
2. Disease of the spleen.....	M.																										
	F.																										
3. Others of this group.....	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	24	1		2			3	2	2		4	3	3	2	1	1	1	1	1								
Males.....	23	1		2			3	1	2		4	3	3	2	1	1	1	1	1								
Females.....	1							1																			
1. Burns and scalds.....	M.	1		1			1																				
	F.																										
2. Drowned.....	M.	5		1			1		2					1				1									
	F.																										
3. Exposure and neglect.....	M.																										
	F.																										
4. Gunshot wounds.....	M.	2											1	1													
	F.																										
5. Homicide.....	M.	3									2					1											
	F.																										
6. Infanticide.....	M.																										
	F.																										
7. Injuries by machinery.....	M.																										
	F.																										
8. Railroad accidents.....	M.	1										1															
	F.																										
9. Suffocation.....	M.	1	1				1																				
	F.																										
10. Suicide by shooting.....	M.	1															1										
	F.																										
11. Suicide by drowning.....	M.	1									1																
	F.																										
12. Suicide by poison.....	M.																										
	F.																										
13. Other suicides.....	M.																										
	F.																										
14. Sunstroke.....	M.																										
	F.																										
15. Surgical operations.....	M.																										
	F.																										
16. Wounds.....	M.	1											1														
	F.																										
17. Other accidents and injuries.....	M.	7						1			1	2	1		1				1								
	F.	1						1																			

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
DAKOTA—GROUP 3.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	209	28	3	4	5	10	50	21	6	4	21	22	19	14	19	17	6	5	2	2	1						
Total: Males.....	134	10		2	2	5	19	9	5	2	15	14	13	10	17	15	5	5	2	2	1						
Females.....	75	18	3	2	3	5	31	12	1	2	6	8	6	4	2	2	1										
Unknown causes.																											
Total.....	1													1													
Males.....	1													1													
Females.....																											
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	59	6	2	3	4	6	21	13	3	3	6	3	5		2	1	1		1								
Males.....	29			1	2	2	5	6	2	2	4	2	3		2	1	1		1								
Females.....	30	6	2	2	2	4	16	7	1	1	2	1	2														
1. Small-pox.....	M. F.	1						1																			
2. Measles.....	M. F.																										
3. Scarlet fever.....	M. F.																										
4. Diphtheria.....	M. F.	15 18		1	1	2	2	5 11	6 5	2 1	1 1																
5. Hooping-cough.....	M. F.	2		1	1		2																				
6. Fever.....	M. F.	3										1			2												
7. Cerebro-spinal fever.....	M. F.	1														1											
8. Enteric fever.....	M. F.	5									2		2						1								
9. Diarrhoea.....	M. F.																										
10. Dysentery.....	M. F.	1											1														
11. Enteritis.....	M. F.	1							1		1																
12. Cholera morbus.....	M. F.																										
13. Cholera infantum.....	M. F.	3	3				3																				
14. Malarial fever.....	M. F.	1									1																
15. Brysipelas.....	M. F.	2										1					1										
16. Septicæmia.....	M. F.	1									1																
17. Puerperal septicæmia.....	M. F.	1											1														
18. Venereal diseases.....	M. F.																										
19. Others of this group.....	M. F.	1									1																
General diseases—B.																											
Total.....	5	2					2							2		1											
Males.....	3													2		1											
Females.....	2	2					2																				
1. Worms.....	M. F.																										
2. Other parasitic diseases.....	M. F.																										
3. Alcoholism.....	M. F.	3												2		1											
4. Lead poison.....	M. F.																										
5. Other poisons.....	M. F.																										
6. Insanition.....	M. F.	2	2				2																				
General diseases—C.																											
Total.....	6	6					6																				
Males.....	3	3					3																				
Females.....	3	3					3																				
1. Premature birth.....	M. F.	1 1	1 1				1 1																				
2. Stillborn.....	M. F.	1 2	1 2				1 2																				
3. Malformation.....	M. F.																										
4. Debility.....	M. F.	1	1				1																				
5. Old age.....	M. F.																										
6. Atrophy.....	M. F.																										

DAKOTA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	10				1		1					2		1	4	1		1									
Males.....	8											2		1	4			1									
Females.....	2				1		1									1											
1. Rheumatism.....																											
2. Scrofula and tabes.....																											
3. Leprosy.....																											
4. Consumption.....	5											2		1	2												
5. Hydrocephalus.....																											
6. Cancer.....	1				1		1								1												
7. Tumor.....	1																										
8. Anæmia.....																											
9. Dropsy.....	2														1			1									
10. Glycosuria.....	1															1											
11. Others of this group.....																											
12. Others of this class.....																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	22	7	1	1		1	10	1	1			4	2		2	1					1						
Males.....	11	3		1		1	5		1				2		2						1						
Females.....	11	4	1				5	1				4				1											
1. Inflammation of the brain.....																											
2. Meningitis.....	2	1					1						1														
3. Apoplexy.....	2														2												
4. Paralysis.....																											
5. Tetanus and trismus nascentium.....																											
6. Epilepsy.....	3	1				1	2					1	1														
7. Convulsions.....	1																										
8. Mental diseases.....	2	1					1									1											
9. Diseases of the brain.....	3	1					1		1												1						
10. Diseases of the spinal cord.....	6	3					3	1				2															
11. Others of this group.....	1				1		1					1															
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	3	1					1				1					1											
Males.....	2										1					1											
Females.....	1	1					1																				
1. Angina pectoris.....																											
2. Aneurism.....																											
3. Diseases of the heart.....	2										1					1											
4. Others of this group.....	1	1					1																				
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	52	4				2	6	7			7	5	4	5	6	6	3	2	1								
Males.....	38	2				1	3	3			5	3	4	4	5	6	2	2	1								
Females.....	14	2				1	3	4			2	2		1	1	1											
1. Croup.....	1	1					1																				
2. Laryngitis.....	1	1					1																				
3. Bronchitis.....																											
4. Pneumonia.....	1	1				1	2	3			5	3	4	4	5	5	2	2	1								
5. Pleurisy.....	36	1				1	1	3			2	1		1	1		1										
6. Asthma.....	10																										
7. Others of this group.....																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
DAKOTA—GROUP 3—Continued.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

DAKOTA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
I.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....																											
Males.....																											
Females.....																											
1. Abscess.....	M.																										
	F.																										
2. Carbuncle.....	M.																										
	F.																										
3. Others of this group.....	M.																										
	F.																										
II.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....																											
Males.....																											
Females.....																											
1. Addison's disease.....	M.																										
	F.																										
2. Diseases of the spleen.....	M.																										
	F.																										
3. Others of this group.....	M.																										
	F.																										
III.—ACCIDENTS AND INJURIES.																											
Total.....	33	1					1		2		5	6	4	2	4	6	1	1		1							
Males.....	33	1					1		2		5	6	4	2	4	6	1	1		1							
Females.....																											
1. Burns and scalds.....	M.																										
	F.																										
2. Drowned.....	M.																										
	F.																										
3. Exposure and neglect.....	M.	1																			1						
	F.																										
4. Gunshot wounds.....	M.	4							2		1	1															
	F.																										
5. Homicide.....	M.	6										1		1	1	3											
	F.																										
6. Infanticide.....	M.																										
	F.																										
7. Injuries by machinery.....	M.																										
	F.																										
8. Railroad accidents.....	M.																										
	F.																										
9. Suffocation.....	M.																										
	F.																										
10. Suicide by shooting.....	M.																										
	F.																										
11. Suicide by drowning.....	M.																										
	F.																										
12. Suicide by poison.....	M.																										
	F.																										
13. Other suicides.....	M.	1											1														
	F.																										
14. Sunstroke.....	M.																										
	F.																										
15. Surgical operations.....	M.																										
	F.																										
16. Wounds.....	M.																										
	F.																										
17. Other accidents and injuries.....	M.	21	1				1				4	4	3	1	3	3	1	1									
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

DELAWARE.

[Exclusive of WILMINGTON.]

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
DELAWARE—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	272	11	9	2	1	1	24	5	9	19	25	22	14	18	16	16	19	13	21	15	17	13	3	2		1	
Males.....	121	6	2			1	9	2	4	5	12	9	6	9	4	9	8	7	10	8	11	4	2	1			
Females.....	151	5	7	2	1		15	2	5	14	13	13	8	9	12	7	11	6	11	7	6	9	1	1		1	
1. Rheumatism.....	M. 2										1										1						
F. 4								1					1						1								
2. Scrofula and tabes.....	M. 2		1				1				1																
F. 5		1					1		1			1		1		1											
3. Leprosy.....	M. 1																										
F. 1																											
4. Consumption.....	M. 93	4					4	2	4	5	10	9	6	9	3	7	7	4	7	7	5	2	1	1			
F. 107	2	3	1				6		4	12	13	12	7	7	10	2	7	4	8	7	5	3					
5. Hydrocephalus.....	M. 2		1				1	1																			
F. 2		2					2																				
6. Cancer.....	M. 10															2		2	1	1	2	2					
F. 16					1		1							1	3	4	2	2	2		2	1					
7. Tumor.....	M. 2													1													
F. 1																											
8. Anæmia.....	M. 1																				1						
F. 1		1					1																				
9. Dropsy.....	M. 10	1				1	2								1		1	1	2		2		1				
F. 14	1	2	1				4		1	1					1	1				1	4					1	
10. Glycosuria.....	M. 1																										
F. 1																											
11. Others of this group.....	M. 1	1					1																				
F. 1																											
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	144	31	13	10	4	1	59	4	3	3	1	4	1	6	3	2	6	3	6	10	10	13	5	4	1		
Males.....	72	17	7	5		1	30	2	3	2		1	1	4	2		3	2	4	5	4	3	4	2			
Females.....	72	14	6	5	4		29	2		1	1	3		2	1	2	3	1	2	5	6	10	1	2	1		
1. Inflammation of the brain.....	M. 17	6	5	3		1	15							1										1			
F. 16	6	2	4	2			14	1		1																	
2. Meningitis.....	M. 9	3	2	1			6	1	1	1																	
F. 10	4	2	1	1			8																				
3. Apoplexy.....	M. 8											1		1			1	1	1	2		1					
F. 9								1		1	1					1				2	2	1					
4. Paralysis.....	M. 17		1				1		1											3	3	3	1	4			
F. 20															1	1	1			3	3	7	1	2			
5. Tetanus and trismus nascentium.	M. 2																										
F. 1																											
6. Epilepsy.....	M. 3			1			1			1		1															
F. 3																											
7. Convulsions.....	M. 4	4					4																				
F. 6	3	1			1		5																				
8. Mental diseases.....	M. 1														1												
F. 1																											
9. Diseases of the brain.....	M. 9	4					4							2													

DELAWARE—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	53	15	6	1	1	1	24		1	1	1	3	1	1			3	3	1	6	3	3	2				
Males	39	12	5	1	1	1	20		1	1		2		1			1	3	1	5	1	2	1				
Females	14	3	1				4				1	1	1				2			1	2	1	1				
1. Dentition	M. 8	2	4	1	1		8																				
	F. 1	1					1																				
2. Angina	M. 1	1					1																				
	F. 1												1														
3. Gastritis	M. 5	2					2													2		1					
	F. 1											1															
4. Other diseases of the stomach	M. 2											1									1						
	F. 1																										
5. Obstructions of the bowels	M. 1											1								1							
	F. 1																				1						
6. Hernia	M. 4	2					2													1		1					
	F. 1																										
7. Other diseases of the bowels	M. 2		1				1													1							
	F. 1	1					1																				
8. Jaundice	M. 1																1										
	F. 1																					1					
9. Inflammation and abscess of the liver	M. 2																	1		1							
	F. 3		1				1				1										1						
10. Other diseases of the liver	M. 6					1	1			1				1				1	1				1				
	F. 3																2						1				
11. Peritonitis	M. 1																										
	F. 1																										
12. Ascites	M. 2								1									1									
	F. 1																										
13. Others of this group	M. 5	5					5																				
	F. 1	1					1																				
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	30		1		1		2		1	1		3	2	1		2	3	2	1	1	5	5	1				
Males	23								1	1		2	2	1		2	2	1	1	1	3	5	1				
Females	7		1		1		2					1					1	1		2							
1. Bright's disease	M. 11								1	1		1	1			1	2	1	1	1		1					
	F. 5				1		1										1	1			2						
2. Calculus, urinary	M. 2													1							1						
	F. 1																										
3. Diseases of the kidney	M. 5											1				1					1	1	1				
	F. 2		1				1					1															
4. Diseases of the bladder	M. 2												1									1					
	F. 1																										
5. Others of this group	M. 3																				1	2					
	F. 1																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	2												1		1												
1. Ovarian tumors	F. 1														1												
2. Ovarian diseases	F. 1																										
3. Uterine tumors	F. 1																										
4. Uterine diseases	F. 1																										
5. Others of this group	F. 1												1														
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	15									1	4	4	5		1												
1. Abortion	F. 1																										
2. Child-birth	F. 14									1	4	4	4		1												
3. Others of this group	F. 1												1														
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	5	1					1			1		1					1		1								
Males	3	1					1					1					1										
Females	2																		1								
1. Diseases of the spine	M. 2	1					1										1										
	F. 1																		1								
2. Diseases of the bones	M. 1																										
	F. 1																										
3. Diseases of the hip-joint	M. 1									1																	
	F. 1											1															
4. Others of this group	M. 1																										
	F. 1																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

DISTRICT OF COLUMBIA.

[Exclusive of WASHINGTON.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	715	156	56	23	8	8	251	16	10	25	37	44	36	47	28	27	38	28	26	23	28	22	16	6	4	3	
Total: Males.....	391	93	23	13	5	4	138	8	6	10	20	25	22	28	14	14	25	20	12	12	16	9	7	2	2	1	
Females	324	63	33	10	3	4	113	8	4	15	17	19	14	19	14	13	13	8	14	11	12	13	9	4	2	2	
Unknown causes.																											
Total.....	1									1																	
Males.....																											
Females	1									1																	
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	123	40	23	7	1	2	73	4	1	3	4	5	1	5	3	4	3	2	3	2	6	1	1		2		
Males.....	71	27	9	4		1	41	2	1	2	4	3	1	2	2	3	1	2	1	1	4				1		
Females	52	13	14	3	1	1	32	2		1		2		3	1	1	2		2	1	2	1	1		1		
1. Small-pox { M.																											
{ F.																											
2. Measles { M.																											
{ F.	1			1			1																				
3. Scarlet fever { M.																											
{ F.	3		1				1	2																			
4. Diphtheria { M.			1	1			2																				
{ F.	2																										
5. Hooping-cough { M.		2	3	2			7																				
{ F.	6	2	3	1			6																				
6. Fever { M.																											
{ F.																											
7. Cerebro-spinal fever { M.		1					1																				
{ F.	1		1				1																				
8. Enteric fever { M.		7						2	1	1		1	1							1							

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
DISTRICT OF COLUMBIA—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
<i>General diseases—D.</i>																											
Total.....	204	6	11	4	2	3	26	4	5	12	20	31	21	20	9	6	14	8	6	7	7	4	1	1	1	1	
Males.....	95	3	6	...	1	2	12	1	2	2	8	18	10	10	3	2	10	4	3	4	3	...	...	1	1	1	
Females.....	109	3	5	4	1	1	14	3	3	10	12	13	11	10	6	4	4	4	3	3	4	4	1	...	...	...	
1. Rheumatism.....	M. 3 F. 2											1		1				1			2						
2. Scrofula and tabes.....	M. 1 F. 1					1	1																				
3. Leprosy.....	M. 1 F. 1																										
4. Consumption.....	M. 82 F. 92	3	6	4	1	1	11	1	2	2	8	17	10	10	3	2	7	3	2	4	1						
5. Hydrocephalus.....	M. 4 F. 6	1	1				2	2																			
6. Cancer.....	M. 6 F. 8											1			2	1	1		1				1	1			
7. Tumor.....	M. 1 F. 1														1											1	
8. Anæmia.....	M. 2 F. 1																1										
9. Dropsy.....	M. 1 F. 1																										
10. Glycosuria.....	M. 1 F. 1																										
11. Others of this group.....	M. 2 F. 2		1				1												1								
12. Others of this class.....	M. 1 F. 1																										
<i>II.—DISEASES OF THE NERVOUS SYSTEM.</i>																											
Total.....	128	35	5	3	1	1	45	1	...	2	5	2	6	11	9	7	9	6	5	7	4	3	4	1	...	1	
Males.....	80	22	1	2	1	1	27	1	...	1	3	1	5	9	6	3	6	4	3	3	2	2	3	1	...	...	
Females.....	48	13	4	1	...	...	18	...	...	1	2	1	1	2	3	4	3	2	2	4	2	1	1	...	...	1	
1. Inflammation of the brain.....	M. 1 F. 2					1	1												1	1							
2. Meningitis.....	M. 2 F. 3	1					1	1			1			1													
3. Apoplexy.....	M. 10 F. 1													2	1		2	2		2			1				
4. Paralysis.....	M. 13 F. 11	1					1			1	1	1	1	1	1		2		2		1		2				
5. Tetanus and trismus nascentium.	M. 6 F. 4	6					6																				
6. Epilepsy.....	M. 4 F. 1	4					3			1			1	1		1		1									
7. Convulsions.....	M. 14 F. 12	12	1	1			14																				
8. Mental diseases.....	M. 20 F. 5	7	2	1			10				1	1	3	5	4	2	1	1	1	1		1					
9. Diseases of the brain.....	M. 10 F. 9	2		1	1		4				1				1		1				1	1	1			1	
10. Diseases of the spinal cord.....	M. 1 F. 1																										
11. Others of this group.....	M. 1 F. 1																										
<i>III.—DISEASES OF THE CIRCULATORY SYSTEM.</i>																											
Total.....	25	2					2		1				2	2		2	4	4	2		3	3					
Males.....	13												1	1		2	2	2			3	2					
Females.....	12	2					2		1				1	1			2	2	2			1					
1. Angina pectoris.....	M. 1 F. 2																	1									
2. Aneurism.....	M. 1 F. 1																		1								
3. Diseases of the heart.....	M. 12 F. 8												1	1		2	2	1			3	2					
4. Others of this group.....	M. 2 F. 2	2					2																				
<i>IV.—DISEASES OF THE RESPIRATORY SYSTEM.</i>																											
Total.....	81	21	5	7	2	2	37	4	1	3	3	3	2		4	4	3	5	2	1	1	5	3				
Males.....	48	13	3	6	1	...	23	2	1	2	2	2	1		2	2	3	5			1	2					
Females.....	33	8	2	1	1	2	14	2		1	1	1	1		2	2			2	1		3	3				
1. Croup.....	M. 4 F. 3	1	1	1			3	1																			
2. Laryngitis.....	M. 1 F. 1																										
3. Bronchitis.....	M. 11 F. 5	6	1	1	1		9										1	1					1	1			
4. Pneumonia.....	M. 23 F. 16	6	1	2			9	1		1	2	1	1		1	2	2	2				1					
5. Pleurisy.....	M. 1 F. 2											1											1				
6. Asthma.....	M. 1 F. 1																										
7. Others of this group.....	M. 9 F. 6			2		1	2		1	1		1			1			2			1		1	1			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
DISTRICT OF COLUMBIA—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	33	8	6				14	1			1	1	2		1	4	2	1	2	3	1						
Males.....	18	5	2				7				1		2		1	2		1	1	2	1						
Females.....	15	3	4				7	1				1				2	2		1	1							
1. Dentition.....	M. 3 F. 3	2	1				3																				
2. Angina.....	M. 1 F. 1		3				3						1														
3. Gastritis.....	M. 3 F. 3	1					1											1		1							
4. Other diseases of the stomach.....	M. 2 F. 1																		1	1							
5. Obstruction of the bowels.....	M. 1 F. 1																			1							
6. Hernia.....	M. 1 F. 1	1					1																				
7. Other diseases of the bowels.....	M. 1 F. 1																				1						
8. Jaundice.....	M. 1 F. 1															1											
9. Inflammation and abscess of the liver.....	M. 1 F. 1													1			1										
10. Other diseases of the liver.....	M. 1 F. 1												1														
11. Peritonitis.....	M. 3 F. 4										1					2											
12. Ascites.....	M. 1 F. 1		1				1					1				1			1								
13. Others of this group.....	M. 3 F. 3	2	1				3										1										
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	7		1				1					1		1			1		3								
Males.....	3													1			1		1								
Females.....	4		1				1					1							2								
1. Bright's disease.....	M. 2 F. 2													1					1								
2. Calculus, urinary.....	M. 1 F. 1																										
3. Diseases of the kidney.....	M. 1 F. 1		1				1										1										
4. Diseases of the bladder.....	M. 1 F. 1																										
5. Others of this group.....	M. 1 F. 1											1															
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	2									1					1												
1. Ovarian tumors.....	F. 1																										
2. Ovarian diseases.....	F. 1																										
3. Uterine tumors.....	F. 1																										
4. Uterine diseases.....	F. 2									1					1												
5. Others of this group.....	F. 1																										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	4										1			2	1												
1. Abortion.....	F. 1													1													
2. Child-birth.....	F. 3										1			1	1												
3. Others of this group.....	F. 1																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....																											
Males.....																											
Females.....																											
1. Diseases of the spine.....	M. 1 F. 1																										
2. Diseases of the bones.....	M. 1 F. 1																										
3. Diseases of the hip-joint.....	M. 1 F. 1																										
4. Others of this group.....	M. 1 F. 1																										

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
FLORIDA.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	3159	622	190	172	128	99	1211	235	125	130	195	174	130	122	104	117	110	79	109	83	66	61	37	15	12	17	27
Total: Males	1619	321	106	88	68	40	623	128	58	59	87	78	71	51	54	60	60	52	69	48	39	35	15	8	6	9	9
Females	1540	301	84	84	60	59	588	107	67	71	108	96	59	71	50	57	50	27	40	35	27	26	22	7	6	8	18
Unknown causes.																											
Total	317	130	17	16	18	11	192	24	7	6	12	7	3	6	3	9	7	4	10	11	2	5	3			2	4
Males	163	72	10	7	10	4	103	15	3	2	5	2		3	2	5	3	2	6	7		4					
Females	154	58	7	9	8	7	89	9	4	4	7	5	3	3	1	4	4	2	4	4	2	1	3			2	3
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	868	169	70	74	56	42	411	90	36	32	46	32	33	27	25	23	23	18	19	13	14	9	7	2	1		7
Males	434	81	48	37	33	19	218	52	17	12	20	14	16	8	12	12	11	10	8	6	9	4	2	1			2
Females	434	88	22	37	23	23	193	38	19	20	26	18	17	19	13	11	12	8	11	7	5	5	5	1	1		5
1. Small-pox	M. 9	2	3	1	1		7	1	1																		
F. 4	1		1	1	1		3							1													
2. Measles	M. 3	1	2				3																				
F. 3	1						3																				
3. Scarlet fever	M. 2	1		1			2																				
F. 2	1						2																				
4. Diphtheria	M. 11	4	3	1	2		10	1							1	1											1
F. 9	2				3		5	1																			
5. Hooping-cough	M. 26	12	5	4			21	3	2																		
F. 24	9	4	6	2	2		23	1																			
6. Fever	M. 61	15	5	2	5	2	29	11	2		3	1	4		3		1	2	3		2						
F. 54	12	2	6	4	6		30	4	1	3	2	3	1	1					2	1	1	2	1		1		1
7. Cerebro-spinal fever	M. 3						1	2	1																		
F. 1						1	1																				
8. Enteric fever	M. 46	1	2	1	1	2	7	2	1	1	11	2	3	1	3	3	2	3		2	2	2		1			
F. 55		1	1				2	11	7	6	5	3	5	4	4	4	2		1			1					
9. Diarrhœa	M. 18	1	2	5	2		10	4			1			1			2										
F. 16	3	1	1	2			7	1	1					1	1		1		1			1	1	1			
10. Dysentery	M. 16	1	2	1			4	3	1		1	1	2			1	1	1		1							
F. 12	4	1	3	1			9			1										1		1					
11. Enteritis	M. 39	8	3	6	4	1	22	3	2	2	1	2					1	2	1	1	1						1
F. 27	7	2	5		1		15			1		2	2	1	1	1		2	1								
12. Cholera morbus	M. 7					1	1	3				1	1			1											
F. 7							2	1									2	1	1								
13. Cholera infantum	M. 29	16	7	4	2		29																				
F. 34	24	6	2	1	1		34																				
14. Malarial fever	M. 148	18	14	12	16	13	73	19	7	7	2	3	4	4	6	6	5	3	3	2	3						1
F. 153	23	5	9	9	12		58	19	10	7	11	6	4	6	5	3	4	7	4	4	4		1				
15. Erysipelas	M. 10	2					2			2		2								1		1		2			
F. 8	1		1				2				1		1			2	1					1		1			
16. Septicæmia	M. 1												1														
F. 2										1		1															
17. Puerperal septicæmia	F. 18										6	3	3	2	1												3
18. Venereal diseases	M. 4										1			2		1											
F. 4										1	1			1		1											
19. Others of this group	M. 3										2	1				1											
F. 4													1	1		1						1					
General diseases—B.																											
Total	54	4	7	7	6	3	27	11	1	1	1	3		1			1		3	1	1			1			2
Males	28	2	4	4	2	1	13	4	1	1	1	2		1			1		1	1	1						1
Females	26	2	3	3	4	2	14	7				1							2					1			
1. Worms	M. 14	2	2	3	2	1	10	3	1																		
F. 18	1	2	3	4	2		12	6																			
2. Other parasitic diseases	M. 7										1	2		1			1		1	1							
F. 7																											
3. Alcoholism	M. 7																										
F. 7																											
4. Lead poison	M. 7		2	1			3	1		1											1						1
F. 6		1					1	1				1							1					1			1
5. Other poisons	M. 2																										
F. 2	1						1												1								
6. Inanition																											
General diseases—C.																											
Total	167	88	8	4		1	101	1	2		3	1		2	1	1	2		4	5	4	11	9	3	5	12	
Males	89	48	4	3			55				3					1	1		2	3	1	5	5	2	4	7	
Females	78	40	4	1		1	46	1	2			1		2	1		1		2	2	3	6	4	1	1	5	
1. Premature birth	M. 7	7					7																				
F. 9							9																				
2. Stillborn	M. 33	33					33																				
F. 23	23						23																				
3. Malformation	M. 1	1					1																				
F. 1																											
4. Debility	M. 27	7	4	3			14				3					1	1		1	2		2	2		1		
F. 27	7	4	1		1		13	1	2			1		2	1		1		1	1	2	1				1	
5. Old age	M. 21																		1	1	1	3	3	2	3	7	
F. 18																			1	1	1	5	4	1	1	4	
6. Atrophy	M. 7																										
F. 7																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

FLORIDA—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
<i>General diseases—D.</i>																											
Total.....	493	14	15	10	12	7	58	23	20	21	51	64	28	33	32	32	32	20	19	18	19	12	6	2		2	1
Males.....	264	6	8	6	5	2	27	13	9	12	25	30	18	17	20	15	17	14	14	8	12	10	1	1		1	
Females.....	229	8	7	4	7	5	31	10	11	9	26	34	10	16	12	17	15	6	5	10	7	2	5	1		1	1
1. Rheumatism.....	M. 11							1			1	1		1		1	1	2	1	1	1						
F. 6		1					1	1							1	1											
2. Scrofula and tabes.....	M. 6	1	1				2	1	2			1									1						
F. 11		4		1	2		7				2	1		1													
3. Leprosy.....	M.																										
F.																											
4. Consumption.....	M. 142		3	2	1		6		1	5	22	23	16	15	17	9	8	3	4	2	6	5					
F. 115		2	1	1		2	6	3	1	8	18	25	6	9	5	10	4	3	2	7	4	1	2	1			
5. Hydrocephalus.....	M. 2		1				1																				
F. 2			1		1		2																				
6. Cancer.....	M. 13	1					1					1				2	2	1	2	2	1	1					
F. 17											1			1	2	3	4	1	2	1						1	1
7. Tumor.....	M. 4															1	1										
F. 1												1															
8. Anæmia.....	M. 1																	1									
F. 2																											
9. Dropsy.....	M. 84	4	3	4	4	2	17	10	6	6	2	4	2	1	3	3	5	8	5	3	4	2	1	1			1
F. 75		1	5	2	4	3	15	6	9	1	5	7	4	4	4	3	7	2	3	1	1	1	2				
10. Glycosuria.....	M. 1							1																			
F.																											
11. Others of this group.....	M.																										
F.																											
12. Others of this class.....	M. 1																		1								
F.																											
<i>II.—DISEASES OF THE NERVOUS SYSTEM.</i>																											
Total.....	344	93	15	24	12	9	153	32	18	18	15	8	7	7	10	13	15	5	8	10	7	4	4	3	1	1	5
Males.....	187	49	4	9	6	3	71	21	11	6	9	3	5	3	6	7	9	4	7	9	5	1	3	2	1	1	3
Females.....	157	44	11	15	6	6	82	11	7	12	6	5	2	4	4	6	6	1	1	1	2	3	1	1			2
1. Inflammation of the brain.....	M. 39	10	1	2	1	1	15	6	5	2	2	1	1	1	2	1			1								1
F. 36		8	3	7	1	1	20	5	2	1	1			1	3	2											
2. Meningitis.....	M. 22	5		2	3		10	5		1	2	1	1			1	1										
F. 15		1		3	1		5	2	2	1	2	1		1		1											
3. Apoplexy.....	M. 21									1	4			2	3	1	2	1	1	3	2			1			
F. 8										2		1		2	1					1							1
4. Paralysis.....	M. 23	1					1	1	1			1				2	3		3	4	2	1	2	1	1		1
F. 14			1	1			2			1	1				1		1			1	1	1	1	1			
5. Tetanus and trismus nascentium.....	M. 19	11					11	1	4							1	1										1
F. 16		15					15					1															
6. Epilepsy.....	M. 7			1			1	2					1			1			1								1
F. 5				1			1			1			1		1	1											
7. Convulsions.....	M. 36	19	2	3		2	26	5					1			1				2							1
F. 39		17	3	2	4	4	30	2	1	4	1	1															
8. Mental diseases.....	M. 1														1												
F.																											
9. Diseases of the brain.....	M. 13	3	1	1	2		7	1		1	1					2		2				1					
F. 21		3	4	1		1	9	2	1	2	1	1				2	1	1				1					
10. Diseases of the spinal cord.....	M. 3								1								1	1									
F. 1									1																		
11. Others of this group.....	M. 3									1			1						1								
F. 2														1								1					
<i>III.—DISEASES OF THE CIRCULATORY SYSTEM.</i>																											
Total.....	92	2	2				4	5	5	3	6	5	5	4	6	3	7	3	18	4	5	4	2		2		1
Males.....	43	1	2				3	1	3	1	2	2	3	2	2	2	5	1	11	1	2	2					
Females.....	49	1					1	4	2	2	4	3	2	2	4	1	2	2	7	3	3	2	2		2		1
1. Angina pectoris.....	M.																										
F.																											
2. Aneurism.....	M. 2																2										
F. 1												1															
3. Diseases of the heart.....	M. 41	1	2				3	1	3	1	2	2	3	2	2	2	3	1	11	1	2	2					
F. 48		1					1	4	2	2	4	2	2	2	4	1	2	2	7	3	3	2	2		2		1
4. Others of this group.....	M.																										
F.																											
<i>IV.—DISEASES OF THE RESPIRATORY SYSTEM.</i>																											
Total.....	316	68	23	15	7	12	125	13	14	15	19	13	17	14	10	13	9	12	14	7	4	7	5	1	1		3
Males.....	166	36	12	9	3	6	66	8	3	7	8	9	8	6	6	3	5	9	8	7	2	5	4		1		1
Females.....	150	32	11	6	4	6	59	5	11	8	11	4	9	8	4	10	4	3	6		2	2	1	1			2
1. Croup.....	M. 22	15	2	1	1	2	21										1										
F. 21		13	1	1	2	1	18	1	1																		
2. Laryngitis.....	M. 1																1										
F.																											
3. Bronchitis.....	M. 7	2	1	1			4													1			1				1
F. 5		1					1					1		1				1	1								
4. Pneumonia.....	M. 111	17	6	5	2	3	33	8	3	6	8	7	8	5	6	1	4	6	4	6	2	2	2				
F. 98		16	10	3	1	4	34	4	10	7	6	2	8	4	3	7	2	1	5		1	1		1			2

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
FLORIDA—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	180	30	21	9	7	7	74	11	9	6	4	8	7	9	5	10	5	8	5	7	7	2			1		2
Males.....	88	11	10	5	5	2	33	5	3	5	2		4	7	3	6	3	5	4	3	4	1					
Females.....	92	19	11	4	2	5	41	6	6	1	2	8	3	2	2	4	2	3	1	4	3	1			1		2
1. Dentition.....	M. 10 F. 10	3 5	7 5				10 10																				
2. Angina.....	M. 6 F. 12	1 2			2 1	1 1	4 7		1 2								1										
3. Gastritis.....	M. 2 F. 7		1	1			2					1	1	1				1									
4. Other diseases of the stomach.....	M. 7 F. 4			1			1 1	1					1	2		1				1					1		
5. Obstruction of the bowels.....	M. 5 F. 1												2	1	1			1									
6. Hernia.....	M. 10 F. 15	4 3			1 1	1 1	6 6	1	1	1	1			1	1							1					
7. Other diseases of the bowels.....	M. 4 F. 4			1	1		2		1			1						1		1							
8. Jaundice.....	M. 4 F. 4							1				1						1		1							
9. Inflammation and abscess of the liver.....	M. 4 F. 25			1		1	1 2		1	1	2	1		4	1	3	2	1	2	1	3						
10. Other diseases of the liver.....	M. 14 F. 1					1	1		2	1	1	1			2	2			1	1	1						1
11. Peritonitis.....	M. 4 F. 4					1	1					1	1						1	1							1
12. Ascites.....	M. 14 F. 17	3 9	2 4	1 1			6 14	1		2					1	1		2			1						
13. Others of this group.....	M. 4 F. 4												1						1	1		1					
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	26			1			1	3	2		1	1	2			1		3	4	1	2	1	1	2			1
Males.....	22			1			1	2	2		1	1	2			1		2	4	1	2	1		1			1
Females.....	4							1										1					1	1			
1. Bright's disease.....	M. 4 F. 2												1					1	1	1							
2. Calculus, urinary.....	M. 14 F. 3			1			1	1	2		1	1	1			1		1	3		1						1
3. Diseases of the kidney.....	M. 1 F. 1																	1						1			
4. Diseases of the bladder.....	M. 1 F. 1																				1						
5. Others of this group.....	M. 1 F. 1																						1				
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
FLORIDA—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	15	3	1	1			5	1			1	1	1	1	1		2	1		1							
Males.....	7	1		1			2				1	1					2	1									
Females.....	8	2	1				3	1					1	1	1					1							
1. Abscess.....	5			1			1				1	1					1	1									
2. Carbuncle.....	6	2					2	1					1	1	1												
3. Others of this group.....	2	1					1										1										
	2		1				1													1							
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1																			1							
Males.....																											
Females.....	1																			1							
1. Addison's disease.....																											
2. Diseases of the spleen.....	1																			1							
3. Others of this group.....																											
XII.—ACCIDENTS AND INJURIES.																											
Total.....	185	21	10	11	10	7	59	21	10	15	11	14	15	7	3	8	5	5	1	4		4		1	1		1
Males.....	120	14	3	6	4	3	30	7	5	13	10	13	15	4	3	8	2	4	1	2		2		1			
Females.....	65	7	7	5	6	4	29	14	5	2	1	1		3			3	1		2		2			1	1	
1. Burns and scalds.....	12	1		4	2	2	9	2		1																	
2. Drowned.....	30	1	2	3	5	3	14	10	2			1					1		1							1	
3. Exposure and neglect.....	14			1			1	3	1	1	1	2	1			2		1	1								
4. Gunshot wounds.....	3							1		1				1													
5. Suffocation.....	12	7	2		1		10											1				1					
6. Gunshot wounds.....	8	3	3	1		1	8																				
7. Homicide.....	16			1			1	2	1	5	2	1	3	1	1	2				1							
8. Railroad accidents.....	6																										
9. Suffocation.....	9										2	2	3	1		2											
10. Suicide by shooting.....																											
11. Suicide by drowning.....																											
12. Suicide by poison.....																											
13. Other suicides.....																											
14. Sunstroke.....	1									1																	
15. Surgical operations.....	1											1															
16. Wounds.....	5										1	1	1							1				1			
17. Other accidents and injuries.....	47	3	1		1	1	6	2	2	6	4	6	8	3	2	2	2	2	1			1			1		
	14		2		1		3	1	1	1	1			1			2	1				2			1		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

GEORGIA—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	2299	583	197	118	53	67	1018	136	86	83	139	115	118	91	64	50	76	37	78	43	52	36	36	15	11	10	5
Total: Males.....	1197	312	95	70	32	38	547	69	51	32	78	63	50	52	29	26	47	17	42	28	21	17	9	7	7	4	1
Females.....	1102	271	102	48	21	29	471	67	35	51	61	52	68	39	35	24	29	20	36	15	31	19	27	8	4	6	4
Unknown causes.																											
Total.....	149	74	8	7	5	2	96	7	4	2	2	3	4	2	4	4	3	3	3	1	5	1	2		1	1	1
Males.....	77	43	2	2	3		50	3	2	1	1	1	1	2	3	2	3	1	1		2	1	1		1	1	
Females.....	72	31	6	5	2	2	46	4	2	1	1	2	3		1	2		2	2	1	3		1				1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	635	134	92	60	32	34	352	71	33	16	35	20	21	16	10	14	15	2	10	4	6	6	1	2			1
Males.....	356	75	46	41	21	20	203	39	19	6	21	12	12	6	5	4	11		5	4	3	3	1	2			
Females.....	279	59	46	19	11	14	149	32	14	10	14	8	9	10	5	10	4	2	5		3	3					1
1. Small-pox.....	M. 2				1		1	1																			
F. 15	2	4	5	1	1		13		1										1								
2. Measles.....	M. 11	4	3	1			8		1		2																
F. 7		2	2		1		5		1																		
3. Scarlet fever.....	M. 4		1	1			2																				
F. 68	7	10	11	6	8		42	16	5	1	1				1												
4. Diphtheria.....	M. 54	2	9	5	6	7	29	13	9	2									1								
F. 15	4	4	1		1		10	4	1																		
5. Hooping-cough.....	M. 16	9	4	1	1		15	1																			
F. 17	5	3	1	2	1		12	1			1	2							1								
6. Fever.....	M. 23	8	4	3		1	16	2			1	1			1	1						1					
F. 1					1		1																				
7. Cerebro-spinal fever.....	M. 28	1	2	2	1		6	2	6		7	2	3	1					1								
F. 23	1	2					3	3	1	5	3	1	1		1	3			2								
8. Enteric fever.....	M. 24	4	3	1	1	1	10	2			1	1	2	1		1			1	2	1			1			
F. 15	2	3					6	2			1					2						2					
9. Diarrhœa.....	M. 18	5	3		2		10	1	1			1								1	2						
F. 19	7	4	1				12		1							1											1
10. Dysentery.....	M. 22	7	5	2	2		16	1		1		2								1			1				
F. 18	5	3	1		1		10	2			1		2	3													
11. Enteritis.....	M. 2																										
F. 3	1		1				2				1																
12. Cholera morbus.....	M. 41	26	3	9	1	2	41																				
F. 33	16	9	4	3	1		33																				
13. Cholera infantum.....	M. 81	11	6	5	3	5	30	10	5	4	9	5	3	1	3	2	6					2		1			
F. 47	4	4	1	1	3		13	8	1	3	2	2	4	4	2	3	2		1		2						
14. Malarial fever.....	M. 3	1	1	1			3																				
F. 1																											
15. Erysipelas.....	M. 5	1					1					1		1			1		1								
F. 8											1	2	1	3	1												
16. Septicæmia.....	M. 5			1			1									1											
F. 3																											
17. Puerperal septicæmia.....	M. 2	1					1																				
F. 1																											
18. Venereal diseases.....	M. 3																										
F. 2																											
19. Others of this group.....	M. 2	1					1																				
F. 1																											
General diseases—B.																											
Total.....	44	15	7	3	2	3	30	1	2		4		2	2	1		1		1								
Males.....	29	10	4	3	1	2	20				2		2	2	1		1										
Females.....	15	5	3		1	1	10	1	2		2																
1. Worms.....	M. 9	1	2	3	1	2	9																				
F. 7		2		1	1		4	1	2																		
2. Other parasitic diseases.....	M. 3																										
F. 3																											
3. Alcoholism.....	M. 7		2				2				2		2														
F. 2		1					1				1																
4. Lead poison.....	M. 10	9					9																				
F. 6	5						5				1																
5. Other poisons.....	M. 10	9					9																				
F. 6	5						5																				
6. Inanition.....	M. 5						5																				
F. 28							28																				
General diseases—C.																											
Total.....	178	127	7	1		1	136</																				

GEORGIA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	393	14	10	6	4	6	40	7	11	20	43	42	39	34	25	15	25	10	31	14	14	8	8	2	4	1	
Males.....	194	8	6	2	2	4	22	5	5	8	21	21	13	21	12	11	11	5	16	8	4	5	3	2	1		
Females.....	199	6	4	4	2	2	18	2	6	12	22	21	26	13	13	4	14	5	15	6	10	3	5		3	1	
1. Rheumatism.....	M. 5 F. 7								1		1	2							2			2					
2. Scrofula and tabes.....	M. 8 F. 2	1		1	1		3		1		1		1		1				2		1		1				
3. Leprosy.....	M. F.																										
4. Consumption.....	M. 112 F. 121	1	1				2	2		4	17	17	11	20	10	8	5	3	9	1	2	1					
5. Hydrocephalus.....	M. 5 F. 6	4	1				5							1											1		
6. Cancer.....	M. 12 F. 8	3		1		1	4				2	1				1	3		2		1	1					
7. Tumor.....	M. F. 3		1				1										1				1						
8. Anæmia.....	M. 2 F. 1										1								2								
9. Dropsy.....	M. 49 F. 49	2	4	1	1	3	11	3	4	4		3	1	1	1	1	3	2	5	3	1	2	1	2	1		
10. Glycosuria.....	M. F. 1						9	1	2	2	1	1	2	2	3		5	2	4	2	5	3	3		1	1	
11. Others of this group.....	M. 1 F. 1												1			1											
12. Others of this class.....	M. F.																										
I.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	237	97	21	6	2	2	128	10	8	6	6	12	7	2	3	5	10	4	8	6	8	3	7	1	1	1	1
Males.....	111	49	8	2			59	4	5	2	3	9	4	2		3	4	1	3	4	3	1	2		1	1	
Females.....	126	48	13	4	2	2	69	6	3	4	3	3	3		3	2	6	3	5	2	5	2	5	1		1	1
1. Inflammation of the brain.....	M. 10 F. 12	2	1	1			4	1	1	1		1					1					1					
2. Meningitis.....	M. 9 F. 9	1	2	1		1	4		1	1		2		1				1	1								
3. Apoplexy.....	M. 7 F. 11							1			2	2							1			2				1	
4. Paralysis.....	M. 14 F. 18						1				1					2	2	1	2	2	2	1					
5. Tetanus and trismus nascentium.....	M. 17 F. 20	13					13	1	2			1										1					
6. Epilepsy.....	M. 3 F. 1	1					1				1											1					
7. Convulsions.....	M. 38 F. 37	30	5				35	1	1		1							1									
8. Mental diseases.....	M. 1 F. 1																1										
9. Diseases of the brain.....	M. 12 F. 16	2					2				2	1	1			1		1	1	1							
10. Diseases of the spinal cord.....	M. F. 1																										1
11. Others of this group.....	M. F. 1		1				1																				
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	60	3	1		1	1	6	5	2	2	3	3	4	4	5		4	5	4	5	4	2	1			1	
Males.....	25		1		1		2	2	1			3	1	3	3		1	2	2	3	1					1	
Females.....	35	3				1	4	3	1	2	3		3	1	2		3	3	2	2	3	2	1				
1. Angina pectoris.....	M. F.																										
2. Aneurism.....	M. 1 F.																			1							
3. Diseases of the heart.....	M. 24 F. 34		1		1		2	2	1		3	1	3	3			1	2	2	3						1	
4. Others of this group.....	M. F. 1																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	261	78	14	16	5	10	123	16	6	8	17	10	14	12	7	5	7	5	10	6	4	1	6	2	1		1
Males.....	146	45	10	8	4	6	73	9	4	3	11	6	8	4	2	1	7	2	7	3	2	1	1	1	1		
Females.....	115	33	4	8	1	4	50	7	2	5	6	4	6	8	5	4		3	3	3	2		5	1		1	
1. Croup.....	M. 26 F. 16	17	4	2	1	1	25	1																			
2. Laryngitis.....	M. F.																										
3. Bronchitis.....	M. 13 F. 5	7	1	1	1		10	1			1						1										
4. Pneumonia.....	M. 96 F. 73	18	5	5	2	5	35	5	4	3	10	4	7	3	1	1	6	2	7	3	1	1	1	1	1		1
5. Pleurisy.....	M. 5 F. 2					1	2				1		1	1													
6. Asthma.....	M. 3 F. 3											1			1						1						
7. Others of this group.....	M. 3 F. 15	3					3																				

GEORGIA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	121	27	32	8		1	68	5	3	4	2	5	3	3	3	2	4	4	6	2	3	2	2				
Males.....	58	15	10	4		1	30	2	1	2	2	2	2	2	2	1	3	2	4	2	1						
Females.....	63	12	22	4			38	3	2	2		3	1	1	1	1	1	2	2		2	2	2				
1. Dentition.....	M. 19 F. 26	10 6	8 17	1 3			19 26																				
2. Angina.....	M. 2 F. 3	1					1	1		1		1															
3. Gastritis.....	M. 2 F. 1											1							1		1						
4. Other diseases of the stomach.....	M. 2 F. 2			1			1										1										
5. Obstruction of the bowels.....	M. 2 F. 2												1														
6. Hernia.....	M. 1 F. 1									1						1			1								
7. Other diseases of the bowels.....	M. 1 F. 1													1													
8. Jaundice.....	M. 2 F. 3																1										
9. Inflammation and abscess of the liver.....	M. 4 F. 2											1	1		1				1								
10. Other diseases of the liver.....	M. 11 F. 5	1		1			2	1	1	1	1					1	1	1		2	1						
11. Peritonitis.....	M. 1 F. 1											1															
12. Ascites.....	M. 3 F. 2												1					2									
13. Others of this group.....	M. 10 F. 14	3 4	2 4	1 1		1	7 9				1				1				1				2				
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	20		1	1		1	3				1		2	2		1		2	1	2	2	2		1	1		
Males.....	17					1	1				1		1	2		1		2	1	2	2	2		1	1		
Females.....	3		1	1			2						1														
1. Bright's disease.....	M. 2 F. 1												1	1													
2. Calculus, urinary.....	M. 3 F. 1															1				1					1		
3. Diseases of the kidney.....	M. 6 F. 3					1	1							1				2		1				1			
4. Diseases of the bladder.....	M. 3 F. 1																		1		1	1					
5. Others of this group.....	M. 3 F. 3										1										1	1					
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	15									2	2	1	4		2				2	1					1		
1. Ovarian tumors.....	F. 4											1	2						1								
2. Ovarian diseases.....	F. 1																										
3. Uterine tumors.....	F. 4										1		2						1					1			
4. Uterine diseases.....	F. 6									2	1				2					1							
5. Others of this group.....	F. 6																			1							
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	42									12	8	8	7	5	1	1											
1. Abortion.....	F. 1									1																	
2. Child-birth.....	F. 40									11	8	8	6	5	1	1											
3. Others of this group.....	F. 1												1														
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	5	3					3					1		1													
Males.....	3	2					2							1													
Females.....	2	1					1					1															
1. Diseases of the spine.....	M. 3 F. 1	2 1					2 1							1													
2. Diseases of the bones.....	M. 1 F. 1											1															
3. Diseases of the hip-joint.....	M. 1 F. 1																										
4. Others of this group.....	M. 1 F. 1																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

GEORGIA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
I.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																										
Total.....	8	1	1	1		3	1			1		1			1	1										
Males.....	4	1		1		2				1					1											
Females.....	4		1			1	1					1				1										
1. Abscess.....	M. 2	1		1		2																				
	F. 3						1					1				1										
2. Carbuncle.....	M. 1														1											
	F. 1																									
3. Others of this group.....	M. 1									1																
	F. 1		1			1																				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																										
Total.....	1											1														
Males.....	1											1														
Females.....																										
1. Addison's disease.....	M. 1																									
	F. 1																									
2. Diseases of the spleen.....	M. 1											1														
	F. 1																									
3. Others of this group.....	M. 1																									
	F. 1																									
XII.—ACCIDENTS AND INJURIES.																										
Total.....	130	10	3	9	2	6	30	13	17	11	14	10	9	8	3	2	6	2	2			1		1		1
Males.....	97	6	3	6		3	18	5	14	10	14	9	5	7	1	2	6	2	2			1				1
Females.....	33	4		3	2	3	12	8	3	1		1	4	1	2								1			
1. Burns and scalds.....	M. 8	1	2	2		2	7												1							
	F. 16			2	2	3	7	5	2	1		1														
2. Drowned.....	M. 16			2			2	4	2	2	3	2						1								
	F. 2													1	1											
3. Exposure and neglect.....	M. 2	1	1				2																			
	F. 1	1					1																			
4. Gunshot wounds.....	M. 18					1	1		3	2	5	1	2	1		1	1									1
	F. 1												1													
5. Homicide.....	M. 7			1			1		1		1	1	1	1			1									
	F. 3							1				1											1			
6. Infanticide.....	M. 1																									
	F. 1																									
7. Injuries by machinery.....	M. 10								2	1	3	1		2			1									
	F. 3																									
8. Railroad accidents.....	M. 3	3					3																			
	F. 2	2					2																			
9. Suffocation.....	M. 2																									
	F. 2																									
10. Suicide by shooting.....	M. 1																									
	F. 1																									
11. Suicide by drowning.....	M. 1																									
	F. 1																									
12. Suicide by poison.....	M. 2																									
	F. 2																									
13. Other suicides.....	M. 2																									
	F. 2																									
14. Sunstroke.....	M. 1								1					1	1											
	F. 1																									
15. Surgical operations.....	M. 5							1			1	1		2												
	F. 5																									
16. Wounds.....	M. 23	1		1			2		6	5		3	1			1	3	1				1				
	F. 7	1		1			2	2			1	1		1												

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
GEORGIA—GROUP 2—Continued.

Cause of death.	Total	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	893	32	20	21	10	7	90	12	26	65	94	86	66	55	62	40	50	33	36	48	36	39	26	12	8	5	4
Males.....	367	16	9	14	7	5	51	6	20	16	32	34	25	15	22	14	25	12	15	20	13	17	14	7	4	2	3
Females.....	526	16	11	7	3	2	39	6	6	49	62	52	41	40	40	26	25	21	21	28	23	22	12	5	4	3	1
1. Rheumatism.....	M. 12						1		1	2	1					2		1	1	2	1		1				
	F. 11	1					1	1	1			1				1	1	3		1			1				
2. Scrofula and tabes.....	M. 34	7	3	5	3	2	20	2	4		3				1					1		1		1		1	
	F. 18	4	4		1	2	11	1		1	2	1			1						1						
3. Leprosy.....	M. 2																										
	F. 1																										
4. Consumption.....	M. 206	2	2	6	1	1	12	2	8	11	27	32	21	14	18	10	16	7	9	6	1	3	5	2	1	1	1
	F. 312	1	3	1	1		6	2	4	40	53	44	35	29	25	17	13	7	6	10	6	9	2	1	1	1	1
5. Hydrocephalus.....	M. 6	3	1	1	1		6																				
	F. 9	6	2				8								1												
6. Cancer.....	M. 15	1					1		1	1		2	3	7	8	4	5	9	7	2	1	3	1				
	F. 63	1					1	1		1	1	2	3	7	8	4	5	9	7	7	1	2	3			1	
7. Tumor.....	M. 3																			2							
	F. 7				1		1								2				1	2	1						
8. Anæmia.....	M. 2	1					1																				
	F. 80	2	3	2	2	2	11	1	3	2	1	1	2		3	3	5	5	5	5	8	9	8	3	2	1	2
9. Dropsy.....	M. 101	2	1	6			9	1	1	6	6	4	2	4	3	4	6	2	7	8	14	10	7	3	3	1	
	F. 7									1					1					3	1						
10. Glycosuria.....	M. 3		1				1			1			1														
	F. 4	1					1			2		1															
11. Others of this group.....	M. 1																										
	F. 1																		1								
12. Others of this class.....	M. 1																										
	F. 1				1		1																				
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	433	121	40	24	6	5	196	30	6	10	17	7	10	9	11	9	18	12	17	33	24	25	16	7	4	1	1
Males.....	261	66	28	16	4	4	118	15	5	5	8	3	3	4	7	5	11	8	11	16	10	15	9	5	2	1	
Females.....	202	55	12	8	2	1	78	15	1	5	9	4	7	5	4	4	7	4	6	17	14	10	7	2	2		1
1. Inflammation of the brain.....	M. 56	21	9	7	3		40	5	1		1	1	1		2	1	2	1					1				
	F. 32	13	4	2			19	3		3	1		3		1					1	1						
2. Meningitis.....	M. 30	8	3	6		2	19	4	1	2			1						2								
	F. 19	6		1	1		8	5			2	1			1		1	1									
3. Apoplexy.....	M. 23		1				1				2	1			1		4	2	3	3	1	2	2	1			
	F. 14										1		1			1	2	2	2	2	1	2	1				
4. Paralysis.....	M. 53	1					1		1	2	1		1			3	3	5	3	8	7	6	4	1			
	F. 51		3				3	2		1		1	1	2	2	2	2	1	4	9	11	6	4	1	1		
5. Tetanus and trismus nascentium.....	M. 3	1					1	1	1																		
	F. 1	1					1																				
6. Epilepsy.....	M. 11	1					1				2			2	2							3			1		
	F. 12	3					3				2	1	1	3						1			1				
7. Convulsions.....	M. 42	23	10	1	1	1	36	1	1			1					1		1							1	
	F. 41	24	3	3	1	1	32	3	1	2		1						1									1
8. Mental diseases.....	M. 4													1					1								
	F. 1												1														
9. Diseases of the brain.....	M. 32	10	5	2		1	18	3			2				2				1	2	1	3					
	F. 23	8	2	1			11	1			1			1			1	1		2	1	3			1		
10. Diseases of the spinal cord.....	M. 3																			1							
	F. 4						1													1							
11. Others of this group.....	M. 4	1					1							1						1	1						
	F. 4											1				1	1			1							
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	153	8		2	1		11	2	3	2	5	2	5	10	13	9	9	5	18	20	21	7	7	1	1	1	1
Males.....	82	6		2			8	1	1	1	2	1	3	6	5	8	3	1	12	12	8	4	4	1		1	
Females.....	71	2			1		3	1	2	1	3	1	2	4	8	1	6	4	6	8	13	3	3		1		1
1. Angina pectoris.....	M. 3													1						1	1						
	F. 2										1										1						
2. Aneurism.....	M. 75	2		2			4	1	1	1	2	1	3	5	5	8	3	1	12	11	7	4	4	1		1	
	F. 67	1			1																						

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

GEORGIA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	303	76	57	18	1	1	153	4	6	8	12	8	10	16	5	5	13	14	10	15	7	6	8	2			1
Males.....	160	44	23	7	1	1	76	1	3	1	7	3	3	6	3	3	8	11	8	11	4	5	6				1
Females.....	143	32	34	11			77	3	3	7	5	5	7	10	2	2	5	3	2	4	3	1	2	2			
1. Dentition.....	M. 31	10	17	4			31																				
	F. 40	7	28	5			40																				
2. Angina.....	M. 11	5	1				6		1	1								1	1								1
	F. 8	2	1	1			4		1		2					1											
3. Gastritis.....	M. 7								1		2							1		2			1				
	F. 5							1		1									1	1							
4. Other diseases of the stomach.....	M. 5	1					1				1	1		1				1		1				1			
	F. 17	3	1				4	1		5		1	1	2			1			1				1			
5. Obstruction of the bowels.....	M. 8	2					2					1	1	1	1		1							1			
	F. 2												1				1										
6. Hernia.....	M. 4																			1	1		2				
	F. 11	6	2				8										1	1									
7. Other diseases of the bowels.....	M. 19	6	2	3			11				1					1	1	1	1	2		1		1			
	F. 11	6		1			7								1		1		1								
8. Jaundice.....	M. 3	3					3																				
	F. 11	1	1				2				1						2	2		2		1					
9. Inflammation and abscess of the liver.....	M. 8									1		1	2	1				1	1	1		1					
	F. 22	3		1	1	1	6	1			1		1	1	1		2	3	2	1		3					
10. Other diseases of the liver.....	M. 16		1	1			2	1			2	2	1	2	1		1	1	1		1		1				
	F. 2										1										1						
11. Peritonitis.....	M. 3	1					1					1											1				
	F. 3														1								1				
12. Ascites.....	M. 3																		1		1						
	F. 3																										
13. Others of this group.....	M. 34	9	2	1			12		1		1	1	1	4		1	1	3	2	3	1	1	2				
	F. 19	11	1	1			13		1				1	4													
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	44			1			1	1	1			2	4	1	1	2		2	2	5	10	6	2	3			1
Males.....	36			1			1	1				1	3	1	1	2		2	2	5	8	3	2	3			1
Females.....	8								1			1	1							2	3						
1. Bright's disease.....	M. 9												2			1		1		3				1			1
	F. 5								1			1	1							1	1						
2. Calculus, urinary.....	M. 11			1			1	1				1	1						1		3	2	1				
	F. 1																			1							
3. Diseases of the kidney.....	M. 10													1		1		1	1	3	1	1	1				
	F. 5														1			1									
4. Diseases of the bladder.....	M. 2																	1		1	2						
	F. 1																										
5. Others of this group.....	M. 1																										
	F. 1																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	19								1			3	5	4	1	5											
1. Ovarian tumors.....	F. 2											1				1											
2. Ovarian diseases.....	F. 1																										
3. Uterine tumors.....	F. 1																										
4. Uterine diseases.....	F. 3												2			1											
5. Others of this group.....	F. 14								1			2	3	4	1	3											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	67									11	21	10	9	8	5	3											
1. Abortion.....	F. 4											3			1												
2. Child-birth.....	F. 56									9	15	9	9	6	5	3											
3. Others of this group.....	F. 7									2	3	1		1													
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	21	7	2	1			10		2	2	2		2	1				1						1			
Males.....	14	5		1			6		2	2			1	1				1						1			
Females.....	7	2	2				4				2		1														
1. Diseases of the spine.....	M. 13	5		1			6		2	2			1					1						1			
	F. 5	2	2				4				1																
2. Diseases of the bones.....	M. 1																										
	F. 1																										
3. Diseases of the hip-joint.....	M. 1													1													
	F. 1																										
4. Others of this group.....	M. 1													1													
	F. 1										1																

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
 GEORGIA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	6	1	1				2			1		1						2									
Males.....	5	1	1				2			1		1						1									
Females.....	1																	1									
1. Abscess.....	3		1				1			1								1									
2. Carbuncle.....	1																	1									
3. Others of this group.....	2	1					1					1															
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	3	1					1		1														1				
Males.....	2	1					1		1																		
Females.....	1																					1					
1. Addison's disease.....	1																										
2. Diseases of the spleen.....	1								1																		
3. Others of this group.....	1	1					1																				
XII.—ACCIDENTS AND INJURIES.																											
Total.....	210	37	14	7	7	8	73	8	13	11	27	11	11	14	3	4	3	4	6	6	1	9	2	2	1		1
Males.....	132	18	8	4	3	6	39	3	8	9	24	5	8	12	2	3	1	3	4	4	1	5			1		
Females.....	78	19	6	3	4	2	34	5	5	2	3	6	3	2	1	1	2	1	2	2		4	2	2			1
1. Burns and scalds.....	18	3	6	1	3	2	15	1	1				1	1					1								
2. Drowned.....	7	1	3	2	3	1	10	3	4		2	1		1					1				1				
3. Exposure and neglect.....	4	2		1			3							1													
4. Gunshot wounds.....	14	3	2		1		6			1	2	1		1	1					1				1			
5. Homicide.....	21							1	2	7	6	1	3	1													
6. Infanticide.....	11									6				3		1					1						
7. Injuries by machinery.....	1																										
8. Railroad accidents.....	11								1		4		2	1	1	2											
9. Suffocation.....	14	11	1	1			13							1													
10. Suicide by shooting.....	12	10	1				11	1																			
11. Suicide by drowning.....	1																		1						1		
12. Suicide by poison.....	1											1															
13. Other suicides.....	2									1	1																
14. Sunstroke.....	3												1					1		1							
15. Surgical operations.....	1																1										
16. Wounds.....	4	1					1				1												2				
17. Other accidents and injuries.....	34	1		1		2	4	1	3	2	5	3	2	3	1			2	2	3		3	1	1			1
	22	4		1			5	1	1			3	2	1			1	1	1			3					

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

GEORGIA—GROUP 3.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	14055	3508	1556	825	450	352	6691	835	470	562	711	562	477	469	379	346	395	264	427	323	395	274	223	94	62	85	11
Total: Males.....	6983	1904	828	433	249	192	3606	404	235	251	311	225	167	172	166	162	187	128	214	179	201	144	112	45	35	36	3
Females	7072	1604	728	392	201	160	3085	431	235	311	400	337	310	297	213	184	208	136	213	144	194	130	111	49	27	49	8
Unknown causes.																											
Total.....	1422	722	145	61	31	23	982	41	31	32	33	26	26	27	27	18	29	15	27	23	30	22	17	7	4	2	3
Males.....	700	381	73	32	15	10	511	22	17	15	14	7	8	6	9	11	11	6	8	12	14	8	12	4	3	1	1
Females	722	341	72	29	16	13	471	19	14	17	19	19	18	21	18	7	18	9	19	11	16	14	5	3	1	1	2
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	4315	905	704	390	199	160	2358	413	191	208	220	155	116	100	83	58	67	54	67	69	64	34	32	13	7	5	1
Males.....	2135	478	372	195	111	82	1238	198	89	86	108	68	43	32	38	30	34	26	28	38	36	16	14	6	4	3	
Females	2180	427	332	195	88	78	1120	215	102	122	112	87	73	68	45	28	33	28	39	31	28	18	18	7	3	2	1
1. Small-pox.....	M.																										
F.	216	58	45	28	12	9	152	18	8	9	13	7	1	2	1	1			1	2	1						
2. Measles.....	M.	202	45	36	34	11	9	135	11	10	14	9	6	4	5	4		2	1	1							
F.	13		1	2	3	2	8	2	2			1															
3. Scarlet fever.....	M.	4					1	2	1				1														
F.	192	22	27	30	21	30	130	52	4		1	1			1	1			1								
4. Diphtheria.....	M.	191	21	29	37	17	17	121	55	9	2	1		2	1												
F.	232	116	58	30	17	3	224	6				2															
5. Hooping-cough.....	M.	268	124	74	39	6	8	251	14	3																	
F.	93	22	9	5	10	2	48	13	5	4	6	3	5		1			1	1	2	2	2					
6. Fever.....	M.	107	28	10	8	1	4	51	13	2	11	6	3	3	4		1	2		1	4		1	4		1	
F.	13		4				4	2	2	1	1					1			1			1					
7. Cerebro-spinal fever.....	M.	8		2	1		3	1	1				1		1												
F.	294	8	16	12	7	4	47	23	28	37	53	26	15	4	9	7	8	5	7	10	9	2	4				
8. Enteric fever.....	M.	338	15	16	7	8	9	55	36	27	46	30	25	17	21	10	10	9	8	20	9	7	4	3			
F.	124	47	28	12	2	1	90	1	2			2	3	2		1		1	2	1	5	2	5	3	2	1	1
9. Diarrhœa.....	M.	94	28	19	7	6	60			1	1		5	1	4	1	1	2	1	2	4	4	5	1			1
F.	166	33	49	21	9	5	117	6	7	2		1	5	1	4	3	1	3	1	2	7	1	3	1	1		
10. Dysentery.....	M.	141	37	39	10	6	5	97	5	2	2	1	2	2	2	1	3	2	2	2	5	3	3	4	1		
F.	145	32	32	12	3	1	80	11	6	8	4	4	2	5	5	3	5	3	2	4	2		1				
11. Enteritis.....	M.	121	22	14	13	4	5	58	5	8	1	7	4	4	5	2	5	2	5	7	3	1					
F.	19	2	1	4	2		9	2	1			1		1	2	1			2								
12. Cholera morbus.....	M.	10	1	2	1	2	6					1		2				1									
F.	176	94	61	20	1		176																				
13. Cholera infantum.....	M.	158	74	65	15	4	158																				
F.	413	31	38	18	23	24	134	62	24	24	27	19	11	16	12	12	18	10	11	10	12	4	3	1	1	2	
14. Malarial fever.....	M.	393	23	24	22	20	111	69	39	29	18	24	15	13	11	9	11	11	9	6	8	4	2	1	1	1	1
F.	19	9	2	1			12			1			1	1				1	1	1		1		1			
15. Erysipelas.....	M.	20	4	2		1	7	3		1	1	3	1					1		1		1	1				
F.	2				1		1												1								
16. Septicæmia.....	M.	4								1	1	1	1														
F.	104									13	33	18	14	15	8	3											
17. Puerperal septicæmia.....	M.	10	3	1			4						1	2	1	1											
F.	15	5					5	1	1	1	2	1	3					1									
18. Venereal diseases.....	M.	8	1			1	2				1				1		1				1			1			
F.	2							1			1																
19. Others of this group.....	M.																										
F.																											
General diseases—B.																											
Total.....	211	58	27	31	19	15	150	24	4	1	3	3	5	6	3	6	3				1	2					
Males.....	131	41	19	15	13	7	95	14	2	1	2	2	3	5	2	2	1					2					
Females	80	17	8	16	6	8	55	10	2		1	1	2	1	1	4	2				1						
1. Worms.....	M.	59	8	13	13	10	6	50	9																		
F.	47	5	6	14	5	7	37	9	1																		
2. Other parasitic diseases.....	M.																										
F.																											
3. Alcoholism.....	M.	11							1				1	4	2	2						1					
F.	2																										
4. Lead poison.....	M.																										
F.																											
5. Other poisons.....	M.	28	2	6	1	3	1	13	4	1	1	2	2	1			1					1					
F.	20	1	2	2	1	1	7		1		1		2	1	1	4	2				1						
6. Inanition.....	M.	33	31		1		32	1																			
F.	11	11					11																				
General diseases—C.																											
Total.....	842	568	12	3	1		584		1			1			1	3	3	2	7	9	37	36	44	28	31	55	
Males.....	427	315	5	3	1		324								1	1	2		2	4	16	17	14	10	15	22	
Females	415	253	7				260		1			1			1	2	1	2	5	5	21	19	30	18	16	33	
1. Premature birth.....	M.	39	39				39																				
F.	41	41					41																				
2. Stillborn.....	M.	257	257				257																				
F.	198	198					198																				
3. Malformation.....	M.	6	4	1		1	6																				
F.	1	1					1																				
4. Debility.....	M.	44	15	4	3		22								1	1	2		2	3	3	6	2		2	1	
F.	59	13	7				20		1			1					1		2	4	7	2	5	4	3	6	
5. Old age.....	M.	81																		1	13	11	12	10	13	21	
F.	116																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

GEORGIA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	1913	56	76	58	38	24	252	63	75	90	192	172	149	156	115	102	105	59	105	72	84	49	36	20	5	9	3
Males.....	796	30	42	29	23	15	139	33	31	38	65	58	42	49	43	38	47	24	55	37	33	25	20	12	3	3	1
Females.....	1117	26	34	29	15	9	113	30	44	52	127	114	107	107	72	64	58	35	50	35	51	24	16	8	2	6	2
1. Rheumatism.....	M. 34	1	1	1	1	1	4	3	1	2	2	1	2	3	1	2	1	1	5	2	2	1	2	1	1	1	1
F. 30	1	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2. Scrofula and tabes.....	M. 46	5	12	1	4	3	25	3	2	2	1	3	2	2	3	1	1	1	1	1	1	1	1	1	1	1	1
F. 36	7	5	8	1	1	1	21	3	2	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3. Leprosy.....	M. 34	1	1	1	1	1	4	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 30	1	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4. Consumption.....	M. 368	10	6	4	5	3	25	4	10	25	49	49	36	38	30	26	25	12	15	10	9	4	1	1	1	1	1
F. 588	7	7	5	3	3	3	25	6	28	40	98	93	74	68	41	30	29	11	17	11	11	3	1	1	1	1	1
5. Hydrocephalus.....	M. 11	4	2	2	1	1	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 11	3	5	1	1	1	1	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6. Cancer.....	M. 46	1	1	1	1	1	2	2	1	1	2	1	1	2	1	3	2	1	10	6	2	5	3	1	2	2	1
F. 96	1	1	1	1	1	1	2	1	1	1	1	1	6	7	13	12	12	7	6	10	5	7	2	3	1	1	1
7. Tumor.....	M. 11	1	1	1	1	1	1	1	1	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1
F. 20	4	1	1	1	1	1	4	1	1	2	1	2	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1
8. Anæmia.....	M. 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
9. Dropsy.....	M. 266	7	22	20	12	10	71	21	14	8	11	4	3	5	4	6	16	9	21	18	18	12	14	8	2	1	1
F. 326	3	17	14	11	5	5	50	18	12	9	19	18	22	21	15	19	16	15	21	9	28	13	13	4	1	3	1
10. Glycosuria.....	M. 8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
11. Others of this group.....	M. 3	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
12. Others of this class.....	M. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	1097	228	89	45	37	36	435	89	51	35	39	35	29	25	26	29	42	42	56	41	40	42	25	9	4	2	1
Males.....	601	129	40	31	19	24	243	50	26	21	22	21	13	11	13	17	22	22	32	24	20	22	13	5	2	1	1
Females.....	496	99	49	14	18	12	192	39	25	14	17	14	16	14	13	12	20	20	24	17	20	20	12	4	2	1	1
1. Inflammation of the brain.....	M. 77	18	11	11	4	4	48	6	5	2	2	5	3	2	2	2	2	2	2	1	1	1	1	1	1	1	1
F. 61	11	14	1	2	2	2	30	12	4	1	3	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2. Meningitis.....	M. 41	10	4	3	2	6	25	8	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 30	3	5	2	2	2	2	14	3	4	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3. Apoplexy.....	M. 52	1	1	1	1	1	1	1	1	1	1	1	3	3	3	2	5	3	14	2	4	5	2	1	1	1	1
F. 30	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4. Paralysis.....	M. 116	1	1	1	1	2	3	5	1	5	3	1	3	2	3	5	6	12	13	18	11	13	9	2	1	1	1
F. 104	2	1	1	1	1	1	3	1	5	1	1	2	2	5	3	3	6	8	18	10	10	12	10	2	2	1	1
5. Tetanus and trismus nascentium.....	M. 14	6	1	1	1	1	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 5	2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6. Epilepsy.....	M. 22	4	1	1	1	1	5	2	1	2	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 14	2	1	1	1	1	1	3	1	3	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
7. Convulsions.....	M. 109	66	11	7	3	3	90	5	1	5	1	3	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 104	52	11	3	6	2	2	74	8	3	2	5	3	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1
8. Mental diseases.....	M. 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
9. Diseases of the brain.....	M. 145	2																									

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
GEORGIA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	835	234	227	67	21	9	558	11	9	16	19	18	16	15	22	17	14	19	29	13	24	16	13	3	3		
Males.....	436	125	127	33	10	4	299	6	3	9	5	5	3	9	15	9	7	10	16	7	11	8	10	2	2		
Females.....	399	109	100	34	11	5	259	5	6	7	14	13	13	6	7	8	7	9	13	6	13	8	3	1	1		
1. Dentition.....	M. 170	57	92	18	3		170																				
.....	F. 164	63	73	22	6		164																				
2. Angina.....	M. 16	4	4	1	3	1	13										1				1				1		
.....	F. 17	3	2	2	1	1	9	2	1				3	1													
3. Gastritis.....	M. 9	1	1			1	3	1							1			1			1	1	1				
.....	F. 12	2	1	1			5			1	2				1	1											
4. Other diseases of the stomach.....	M. 18	4	2				6		1	1		3		1			2	1		1	3	1					
.....	F. 28	5		3			8	2		1	3	3	1			3	2	1	1		2	1					
5. Obstruction of the bowels.....	M. 9		1				1				1	1	1	2		1	1					1					
.....	F. 6		1	1			2					1		2													
6. Hernia.....	M. 13	1		1			2			1	1		1		1		1			1		2	1		2		
.....	F. 2						1											1									
7. Other diseases of the bowels.....	M. 21	4	4	2	1		11	1				1			1	2		1	2				2				
.....	F. 15	2	2	2			6		2	1			1		2	2			1								
8. Jaundice.....	M. 22	15					15			2					1			1	1				1				
.....	F. 8	5				2	7																				
9. Inflammation and abscess of the liver.....	M. 17	2	1		1		4	1						1	4				3	1	1		2				
.....	F. 9										2							2			1	2		1			
10. Other diseases of the liver.....	M. 35	3	3	4			10	2	1	1	1	1		3	3	1	1	4	2	1	2	1		1			
.....	F. 31	1			1		2			1	3	4	3		2		1	3	3	2	4	3					
11. Peritonitis.....	M. 5		1				1												1								
.....	F. 6									1	1	1	2		1												
12. Ascites.....	M. 7				1		1	1	1		1								1			1					
.....	F. 14				1		1	1	2		2	3				2	1			1				1			
13. Others of this group.....	M. 94	34	18	7	2	1	62			3	1	2		2	4	3	2	3	5	2	2	1	2				
.....	F. 87	27	21	3	2	1	54		1	2	1	1	3	2	1		3	1	8	2	2	4	1		1		
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	107	1	1	3			5	2	3	2	5	4	3	6	3	3	5	5	12	8	19	9	8	1		3	1
Males.....	90		1	1			2	1	3	2	5	3	3	4	3	2	4	4	12	8	17	7	7	1		2	
Females.....	17	1		2			3	1				1		2		1	1	1		2	2	1				1	1
1. Bright's disease.....	M. 15									1	3	1			2					2	2	2	1			1	
.....	F. 4																1			1	1	1					
2. Calculus, urinary.....	M. 20			1			1		1										7	3	3		3	1		1	
.....	F. 1																										
3. Diseases of the kidney.....	M. 27		1				1	1	1	1	2	2	2	2	1	1	2	3	1		6	1	1			1	
.....	F. 11	1		2			3	1										1		1	1					1	1
4. Diseases of the bladder.....	M. 13										1		1	2					2	2	1	2	1				
.....	F. 1															1											
5. Others of this group.....	M. 15								1							1	1	1	2	1	5	2	1				
.....	F. 1											1															
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	70				1		1			1	5	8	8	6	9	13	4	4	6	1	2		1				1
1. Ovarian tumors.....	F. 4												1		2	1											
2. Ovarian diseases.....	F. 7											1	1	2	2												
3. Uterine tumors.....	F. 12										2		2	1		4	1	1	1								
4. Uterine diseases.....	F. 47				1		1			1	3	7	4	3	5	8	3	3	5	1	1		1				1
5. Others of this group.....	F. 47																										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	183									45	50	28	18	28	9	4	1										
1. Abortion.....	F. 12									4	6		1	1													
2. Child-birth.....	F. 152									34	39	27	15	24	8	4	1										
3. Others of this group.....	F. 19									7	5	1	2	3	1												
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	20	2		1	1		4		3	2	2	1	2			3		1				1	1				
Males.....	13	2		1	1		4		2	1	1		1			2		1				1					
Females.....	7								1	1	1	1	1			1											
1. Diseases of the spine.....	M. 5	1			1		2				1					2											
.....	F. 3																										
2. Diseases of the bones.....	M. 3												1					1				1					
.....	F. 1																										
3. Diseases of the hip-joint.....	M. 1																										
.....	F. 1																										
4. Others of this group.....	M. 5	1		1			2		2	1																	
.....	F. 3									1	1		1														

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
 GEORGIA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	32	8	2	2	1	1	13	1	1	2	3	1	6	1	3	1	2	1	3	1	1	1	1	1	1	1	1
Males.....	19	5	2	1	1	1	9	1	1	1	1	1	1	1	1	1	2	1	2	1	1	1	1	1	1	1	
Females.....	13	3	1	1	1	1	4	1	1	1	2	2	1	1	1	1	4	1	1	1	1	1	1	1	1	1	
1. Abscess.....	M. 8	2	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 7	2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	
2. Carbuncle.....	M. 8	1	2	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3. Others of this group.....	M. 3	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 4	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Males.....	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Females.....	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
1. Addison's disease.....	M. 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2. Diseases of the spleen.....	M. 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3. Others of this group.....	M. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
XII.—ACCIDENTS AND INJURIES.																											
Total.....	826	210	57	50	35	31	383	100	32	57	36	35	33	23	18	23	22	7	17	9	14	5	5	1	4	2	
Males.....	488	103	32	31	25	17	208	32	24	40	30	29	24	20	13	20	15	3	9	3	9	2	3	1	2	1	
Females.....	338	107	25	19	10	14	175	68	8	17	6	6	9	3	5	3	7	4	8	6	5	3	2	1	2	1	
1. Burns and scalds.....	M. 105	9	19	21	20	13	82	11	4	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 156	13	14	13	9	14	63	55	5	10	3	2	4	1	1	1	3	1	4	1	1	2	2	1	1	1	1	
2. Drowned.....	M. 29	1	2	2	2	1	5	7	4	5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 9	2	1	2	2	1	5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
3. Exposure and neglect.....	M. 31	19	5	3	3	1	27	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 28	14	4	1	1	1	19	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
4. Gunshot wounds.....	M. 59	1	1	1	1	1	3	1	5	11	7	10	5	7	2	4	1	1	2	1	1	1	1	1	1	1	
F. 8	1	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
5. Homicide.....	M. 30	1	1	1	1	1	1	1	1	2	4	5	4	3	1	7	3	1	1	1	1	1	1	1	1	1	
F. 10	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
6. Infanticide.....	M. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
7. Injuries by machinery.....	M. 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
8. Railroad accidents.....	M. 8	1	1	1	1	1	1	1	1	1	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
9. Suffocation.....	M. 62	49	4	3	1	1	57	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	
F. 66	60	1	1	1	1	1	62	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
10. Suicide by shooting.....	M. 6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
11. Suicide by drowning.....	M. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
12. Suicide by poison.....	M. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
13. Other suicides.....	M. 4	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1										

IDAHO—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	35	3	1				4	2	3	1	2	6	2	1	2	5	4	1		2							
Males.....	17	2					2	1				1	1	1	2	5	3			1							
Females.....	18	1	1				2	1	3	1	2	5	1				1	1		1							
1. Rheumatism.....	M. F.																			1							
2. Scrofula and tabes.....	M. F.																										
3. Leprosy.....	M. F.																										
4. Consumption.....	M. F.	13 9	1				1			1	1	5	1	1	2	4	3										
5. Hydrocephalus.....	M. F.	1 2	1				1												1								
6. Cancer.....	M. F.	3 2						1								1				1							
7. Tumor.....	M. F.	1																									
8. Anæmia.....	M. F.																1										
9. Dropsy.....	M. F.	2																									
10. Glycosuria.....	M. F.	1								1																	
11. Others of this group.....	M. F.																										
12. Others of this class.....	M. F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	27	8	1	2	1		12	1						1	1	4	4		2		1	1					
Males.....	20	5	1	2	1		9							1	1	2	4		2			1					
Females.....	7	3					3	1								2					1						
1. Inflammation of the brain.....	M. F.	5 2	1 1	1	2	1	5 1	1																			
2. Meningitis.....	M. F.																										
3. Apoplexy.....	M. F.																										
4. Paralysis.....	M. F.	6 2													1	1	2		1			1					
5. Tetanus and trismus nascentium.....	M. F.															2											
6. Epilepsy.....	M. F.	2												1					1								
7. Convulsions.....	M. F.	3 2	3 2				3 2																				
8. Mental diseases.....	M. F.																										
9. Diseases of the brain.....	M. F.	4 1	1				1									1	2				1						
10. Diseases of the spinal cord.....	M. F.																										
11. Others of this group.....	M. F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	10	1					1				1			1			3	1	1	1	1						
Males.....	8										1			1			3	1		1	1						
Females.....	2	1					1												1								
1. Angina pectoris.....	M. F.																										
2. Aneurism.....	M. F.																										
3. Diseases of the heart.....	M. F.	8 2									1			1			3	1		1	1						
4. Others of this group.....	M. F.		1				1												1								
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	46	13	3	4		1	21	1	1	2	5	2	1	2	2	4		2	1	1	1						
Males.....	30	7	1	1		1	10	1		2	5	2	1	1	2	3			1	1	1						
Females.....	16	6	2	3			11		1					1		1		2									
1. Croup.....	M. F.	3 1	1	1		1	3 1																				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
IDAHO—Continued.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ILLINOIS—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	141	8	4		1		13	1	2	8	17	13	15	17	5	10	9	7	6	8	3	4	1	1			1
Males.....	72	4			1		5	1	1	2	7	7	3	11	3	6	5	3	6	5	3			1			
Females.....	69	4	4				8		1	6	10	6	12	6	2	4	4	4		3		1	1				1
1. Rheumatism.....	M. 3												1	1													
	F. 5									1		1		1			1										
2. Scrofula and tabes.....	M. 1																										
	F. 1												1														
3. Leprosy.....	M. 47																										
	F. 43	2	1				3		1	5	16	4	11	2	1	3	4	2	3	4	1	1					1
4. Consumption.....	M. 4						4																				
	F. 3	1	2				3											1		1							
5. Hydrocephalus.....	M. 9										1					1	1	1	3	1	1						
	F. 9	1					1							2	1	1	1	1		1		1					
6. Cancer.....	M. 2											1								1							
	F. 2																										
7. Tumor.....	M. 6				1		1					1				1											
	F. 5																										
8. Anæmia.....	M. 3																										
	F. 1		1																								
9. Dropsy.....	M. 3											2				1	2	2									
	F. 1		1				1																				
10. Glycosuria.....	M. 1																										
	F. 1																										
11. Others of this group.....	M. 1																										
	F. 1																										
12. Others of this class.....	M. 1																										
	F. 1																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	130	39	9	3	3	2	56	3	1	5	6	6	5	5	3	7	3	5	5	5	6	4	4	1			
Males.....	69	17	5		3	1	26	3	1	1	2	5	4	2	1	5	1	4	5	3	3	2		1			
Females.....	61	22	4	3		1	30			4	4	1	1	3	2	2	2	1		2	3	2	4				
1. Inflammation of the brain.....	M. 4	1	1				2			1		1															
	F. 2	1					1				1																
2. Meningitis.....	M. 7	1			2	1	4	2														1					
	F. 10	4	2	1			7					1		1	1												
3. Apoplexy.....	M. 8											1				2		1	1	1	1			1			
	F. 7										1	1	1			1				1	2	2	1				
4. Paralysis.....	M. 9																										
	F. 4																	1			1		2				
5. Tetanus and trismus nascentium.....	M. 1																										
	F. 1	1					1															1					
6. Epilepsy.....	M. 3										1	1	1														
	F. 3									2	1																
7. Convulsions.....	M. 18	13	3		1		17		1																		
	F. 19	13	2	2		1	18			1																	
8. Mental diseases.....	M. 6										1		1	1	1	1			2								
	F. 9										2					2	1			1			1				
9. Diseases of the brain.....	M. 12	2	1				3	1					2	1		1	1	1	1	1							
	F. 4	2					2			1							1	1									
10. Diseases of the spinal cord.....	M. 1	1					1																				
	F. 1																										
11. Others of this group.....	M. 1																		1								
	F. 1																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	35	1			1		2	1			3		2	4	3	2	1	4	4	3	4	1	1				
Males.....	19	1			1		2	1					2	2	2	1	1	1	4		2	1					
Females.....	16										3			2	1	1		3		3	2		1				
1. Angina pectoris.....	M. 2																			1	1						
	F. 2																										
2. Aneurism.....	M. 19	1			1		2	1					2	2	2	1	1	1	4		2	1					
	F. 14										3			2	1	1		3		2	1		1				
3. Diseases of the heart.....	M. 1																										
	F. 1																										
4. Others of this group.....	M. 1																										
	F. 1																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	129	23	10	6	5	6	50	8																			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
ILLINOIS—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	22	3			1		4	1	1		4	1	1	1	2		1	2	2	1	1						
Males.....	12	3					3	1			4	1						1	1		1						
Females.....	10				1		1		1				1	1	2		1	1	1	1							
1. Dentition.....	M. 1	1					1																				
	F.																										
2. Angina.....	M.																										
	F.																										
3. Gastritis.....	M.																										
	F.	2												1	1												
4. Other diseases of the stomach.....	M.	2																	1		1						
	F.	2															1		1								
5. Obstruction of the bowels.....	M.																										
	F.																										
6. Hernia.....	M.																										
	F.																										
7. Other diseases of the bowels.....	M.	4	2				2	1			1																
	F.	1													1												
8. Jaundice.....	M.																										
	F.																										
9. Inflammation and abscess of the liver.....	M.																										
	F.																										
10. Other diseases of the liver.....	M.	1									1																
	F.	1																									
11. Peritonitis.....	M.	2									1	1							1								
	F.	3							1				1							1							
12. Ascites.....	M.																										
	F.																										
13. Others of this group.....	M.	2									1							1									
	F.	1				1	1																				
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	12			1			1	1					1		1			1	1	1	2	1	2				
Males.....	10			1			1	1					1						1	1	2	1	2				
Females.....	2														1			1									
1. Bright's disease.....	M. 3												1							1	1						
	F. 1														1												
2. Calculus, urinary.....	M.																										
	F.																										
3. Diseases of the kidney.....	M.	2							1												1						
	F.	1																1									
4. Diseases of the bladder.....	M.	3																	1			1	1				
	F.																										
5. Others of this group.....	M.	2			1		1																1				
	F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	3											1	1				1										
1. Ovarian tumors.....	F.																										
2. Ovarian diseases.....	F.																										
3. Uterine tumors.....	F.	1																									
4. Uterine diseases.....	F.	1											1	1													
5. Others of this group.....	F.	1										1															
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	7								2	1	1	2	1														
1. Abortion.....	F.																										
2. Child-birth.....	F.	4										1	2	1													
3. Others of this group.....	F.	3							2	1																	
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	1								1																		
Males.....	1								1																		
Females.....																											
1. Diseases of the spine.....	M. 1								1																		
	F.																										
2. Diseases of the bones.....	M.																										
	F.																										
3. Diseases of the hip-joint.....	M.																										
	F.																										
4. Others of this group.....	M.																										
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
ILLINOIS—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	4										1		1				2										
Males.....	3												1				2										
Females.....	1										1																
1. Abscess.....	3												1				2										
2. Carbuncle.....	1										1																
3. Others of this group.....																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1							1																			
Males.....	1							1																			
Females.....																											
1. Addison's disease.....																											
2. Diseases of the spleen.....																											
3. Others of this group.....	1							1																			
XII.—ACCIDENTS AND INJURIES.																											
Total.....	64	5	2	2		1	10	2	2	7	5	2	4	4	6	4	3	6	2	2	2		1	2			
Males.....	47	3		2			5	1	2	7	4	1	4	3	4	3	2	5	2	1	2			1			
Females.....	17	2	2			1	5	1			1	1		1	2	1	1	1		1			1	1			
1. Burns and scalds.....	2			2			2																				
2. Drowned.....	9								2	1	1			1	2	1	1										
3. Exposure and neglect.....	2							1									1										
4. Gunshot wounds.....	3									1				1		1											
5. Homicide.....	1																				1						
6. Infanticide.....																											
7. Injuries by machinery.....																											
8. Railroad accidents.....	15									6	2		1		1			3	1		1						
9. Suffocation.....	4	3					3								1												
10. Suicide by shooting.....	2	1	1				2																				
11. Suicide by drowning.....																											
12. Suicide by poison.....																											
13. Other suicides.....	2												2														
14. Sunstroke.....	5														2			1		1			1				
15. Surgical operations.....	1															1											
16. Wounds.....																											
17. Other accidents and injuries.....	9											1	1	1		1		2	1	1				1			
	6	1	1			1	3							1			1							1			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
ILLINOIS—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	8633	1958	706	377	207	164	3412	406	254	419	549	398	349	345	310	296	307	270	294	319	251	187	114	53	29	12	54
Total: Males	4616	1070	360	219	113	91	1853	220	134	213	271	184	154	142	148	157	193	167	166	197	137	124	69	19	14	6	48
Females	4017	888	346	158	94	73	1559	186	120	206	278	214	195	203	162	139	114	103	128	122	114	63	45	39	15	6	6
Unknown causes.																											
Total	278	152	15	8	3	2	180	11	4	6	8	7	5	7	5	10	5	3	3	10	5	2	5	2			
Males	155	82	9	4	3	2	100	6	2	5	3	2	1	5	3	6	2	2	2	7	3	2	3	1			
Females	123	70	6	4			80	5	2	1	5	5	4	2	2	4	3	1	1	3	2		2	1			
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	2527	609	378	193	98	91	1369	190	95	137	152	101	68	56	31	44	40	44	50	42	35	24	14	8	2	1	24
Males	1290	329	185	110	45	59	728	94	45	62	74	52	25	16	15	20	23	27	21	23	19	15	6	2	1	1	21
Females	1237	280	193	83	53	32	641	96	50	75	78	49	43	40	16	24	17	17	29	19	16	9	8	6	1		3
1. Small-pox	M. 2																										
F. 37		15	1	5	3	4	28	2		2	2	1	1		1												
2. Measles	M. 33	7	5	8		4	24	1		3		3		1	1												
F. 31		3	8	8	3	3	25	4	2																		
3. Scarlet fever	M. 41	9	5	7	2	1	24	13	3	1																	
F. 184		19	18	36	19	24	116	46	10	5	2	3							1	1							
4. Diphtheria	M. 134	10	23	13	16	14	76	36	11	4	3	1	1			1				1							
F. 48		27	14	4		2	47																				
5. Hooping-cough	M. 58	30	14	4	7	1	56	1	1																		
F. 15		6	4	1			11			1	1																
6. Fever	M. 14	2	4	2			8	1	1		1			1				1			1						
F. 36		9	7	2	2	1	21	2	3	3	1	1	1	2			1		1								
7. Cerebro-spinal fever	M. 31	4	11	2	1	2	20	1	4	1		1		1	1		1										
F. 205		6	7	6	3	7	29	14	9	32	32	30	10	4	4	4	7	7	7	3	1	6					6
8. Enteric fever	M. 177	5	3	6	4	1	19	21	15	33	20	10	5	10	7	6	5	9	5	4	5	2		1			
F. 96		36	22	5	1		64		1	2	1		2	1	1	1	3	3	1	4	1	2	2	1	1	1	5
9. Diarrhœa	M. 76	26	32	4	3		65			1			1		1	1				2		1	2	1			1
F. 91		22	18	13	4	4	61	1	2	2	1	2	1	1	2		2	2	2	4	1	1	1	1			4
10. Dysentery	M. 63	17	11	10	4	1	43	1		5		1	2				2	2	2	1	1	2	4	1			
F. 93		29	12	5		3	49	4	7	2	6		1	2	2	2	2	1	2	4	6	2	1				
11. Enteritis	M. 102	27	14	8	1	3	53	4	5		6	3	5	6		1	5	1	7	1	1		1	3			
F. 24		3	2				5	1	2	1				1	1		2	1	1	3		2	1				3
12. Cholera morbus	M. 24	4	1		2		7			2	1					2			4	4	1	1					
F. 174		107	53	9	2	1	172																				2
13. Cholera infantum	M. 175	106	56	11	2		175																				
F. 185		34	15	11	6	9	75	18	8	9	22	7	7	3	1	6	3	7	3	3	8	2	1	1			1
14. Malarial fever	M. 166	17	11	7	7	4	46	16	8	15	17	5	12	6	3	6	5	4	6	4	6	3	1		1		2
F. 49		11	1	3	2	1	18			1	4	7			2	6	3	5	2	1							
15. Erysipelas	M. 37	13	2		2	1	18	1		4	1	2	1	1		2		2	4		1						
F. 8								2		1	1			2					1								
16. Septicæmia	M. 12	1					1			2	2	3	2		1		1										
F. 75										3	24	20	12	14	1	1											
17. Puerperal septicæmia	M. 4		2				2				1				1												
F. 5		1	1				2			1	1				1												
18. Venereal diseases	M. 10	2	1	2			5			1		1				1					1						
F. 12		1			2		3			1	2		1			2		1	1	1							
19. Others of this group	M. 12																										
F. 12		1			2		3			1	2		1			2		1	1	1							
General diseases—B.																											
Total	82	34	5	5	1	2	47	8		2	4	3	2	1	1	1	2	2	4	1	2						2
Males	47	18	2	3	1	1	25	5		1	2	2	1		1	1	2	1	2		2						2
Females	35	16	3	2		1	22	3		1	2	1	1	1				1	2	1							
1. Worms	M. 8		1	3	1		5	3																			
F. 4		1	2				3	1																			
2. Other parasitic diseases	M. 2												1					1									
F. 1																											
3. Alcoholism	M. 10									1	1						1	1	1	2		1					2
F. 1																			1								
4. Lead poison	M. 1																										
F. 7		2	1			1	4																				
5. Other poisons	M. 13	1	1	1		1	4	2			1		1	1													
F. 20		16					16																				
6. Inanition	M. 16	14		1			15																				
F. 16		14					15												1								
General diseases—C.																											
Total	578	412	5	4			421					1	1	1	1	1	1	2	4	9	27	35	31	19	14	8	2
Males	307	229	2	1			232					1	1					2	3	4	8	19	20	6	5	4	2
Females	271	183	3	3			189							1	1	1	1		1	5	19	16	11	13	9	4	
1. Premature birth	M. 47	47					47																				
F. 35		35					35																				
2. Stillborn	M. 126	126					126																				
F. 97		97					97																				
3. Malformation	M. 7	7					7																				
F. 6		6					6																				
4. Debility	M. 78	48	2	1			51					1	1					2	2		6	5	6	1	1	2	
F. 67		45	3	3			51							1	1	1	1			2	3	3	1	2			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ILLINOIS—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	1373	62	24	10	5	10	111	33	36	88	159	131	109	105	108	94	85	70	71	56	44	30	20	8	4		11
Males.....	654	31	11	6	4	3	55	22	13	31	67	49	38	43	54	43	46	38	39	39	31	21	10	3	2		10
Females.....	719	31	13	4	1	7	56	11	23	57	92	82	71	62	54	51	39	32	32	17	13	9	10	5	2		1
1. Rheumatism.....	M. 15	1					1	2		2	1		1	2		1			2	2		1					
F. 19						2	2	1	2				1		1	1	2			2							
2. Scrofula and tabes.....	M. 18	4	1	1	1		7	3	2	1		1	1	1		1			1	1	1	2	1				
F. 17		5	4	1			10		2	1		2		1	1				1								
3. Leprosy.....	M. 1																										
F. 1																											
4. Consumption.....	M. 421	13	7	3			23	6	1	23	58	44	29	33	40	33	31	21	24	22	15	8	1	1	1		7
F. 496		14	5	1		1	21	7	13	54	86	68	54	50	34	33	19	18	14	9	5	5	4	2			
5. Hydrocephalus.....	M. 14	9	2	1			12			1						1											
F. 18		11	3	1		1	16	1					1														
6. Cancer.....	M. 65	1			1		2			1		1	2	3	3	3	9	8	3	11	6	7	3				3
F. 75				1			1						6	7	10	11	12	8	11	1	2	3	1		1		1
7. Tumor.....	M. 10	2					2	1	1			1	1	1	1	2	1		1	1	1						
F. 13		1					1				2	1	1	1	1	2	1		1	1							
8. Anæmia.....	M. 5	1					1	1			1							1					1				
F. 10									1	2	3	2				1											
9. Dropsy.....	M. 87		1	1	1	2	5	8	4	2	5	3	4	4	7	4	5	6	7	3	9	5	4	1	1		
F. 67			1		1	3	5	2	5	2	2	6	5	3	6	3	5	6	5	4	4		2	1	1		
10. Glycosuria.....	M. 18					1	1	1	4	2	2		1	1	2		1		1	1				1			
F. 3												1							1								
11. Others of this group.....	M. 1				1		1																				
F. 1															1												
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	870	263	95	39	30	14	441	45	18	35	30	22	25	23	16	14	31	18	26	44	39	23	14	3	1	2	
Males.....	510	150	49	24	18	6	247	30	11	20	16	14	17	15	7	5	20	11	18	31	20	13	11	2	1	1	
Females.....	360	113	46	15	12	8	194	15	7	15	14	8	8	8	9	9	11	7	8	13	19	10	3	1		1	
1. Inflammation of the brain.....	M. 95	26	22	5	6	2	61	8	1	7	1	2	3	5	2		2		1	1	1						
F. 64		29	8	4	4	2	47	7	2	1	1	1	1		3			1									
2. Meningitis.....	M. 41	15	5	1	2		23	5	2		2	1	1	3					1	2	1						
F. 37		18	8	3	2		31	1		2	1			1		1											
3. Apoplexy.....	M. 44	2	1				3		1		2	1	2		2	2	6	3	5	9	2	5	1				
F. 31		1	1				2		1	1	1		1		1	2	5	1	1	6	8	1					
4. Paralysis.....	M. 60	1	1		2		4	1		1	1	2	1	2	1	1	3	3	2	10	11	6	9	2	1		
F. 52				1		1	2		1	1	1		1	3	3	3	5	1	6	4	10	6	3	1		1	
5. Tetanus and trismus nascentium.....	M. 20	8	2	1	1		12	3	3	1					1												
F. 2		1					1		1																		
6. Epilepsy.....	M. 13	1			1		2	1		4	2	1							2	1							
F. 8									1	1	2	1							1		1						
7. Convulsions.....	M. 95	67	8	9	2	2	88	1	1		1	2		1			1										
F. 81		45	13	3	4	1	66	1		2	5	2		3								1					
8. Mental diseases.....	M. 6										1		2			1	1										1
F. 1																											
9. Diseases of the brain.....	M. 102	23	6	3	4	1	37	8	2	3	5	5	7	3	2	1	5	3	7	7	5	1	1				
F. 60		12	14	3	2	3	34	4	2	4	3	2	3		1			4		3							
10. Diseases of the spinal cord.....	M. 32	7	4	5	1	1	17	3	1	5	1		1									1					
F. 22		7	2	1		1	11	2		2	1	1		1	1	2					1						
11. Others of this group.....	M. 2																2										
F. 2										1							1										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	252	21	1	4	1	1	28	5	8	11	11	9	7	12	15	19	21	18	21	28	10	14	6	4	1		4
Males.....	131	13	1	3	1		18	3	4	3	7	2	4	4	4	8	12	12	8	17	6	8	5	1	1		4
Females.....	121	8		1		1	10	2	4	8	4	7	3	8	11	11	9	6	13	11	4	6	1	3			
1. Angina pectoris.....	M. 1																							1			
F. 4																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
ILLINOIS—GROUP 2—Continued.

[illegible]

ILLINOIS—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	18	6	1			7				4			1		1	1	2	1		1							
Males.....	11	4	1			5				3			1				2										
Females.....	7	2				2				1					1	1		1		1							
1. Abscess..... { M.	8	2	1			3				2			1				2										
F. {	6	1				1				1					1	1		1		1							
2. Carbuncle..... { M.																											
F. {																											
3. Others of this group..... { M.	3	2				2				1																	
F. {	1	1				1																					
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	3													1				1	1								
Males.....	2													1				1									
Females.....	1																		1								
1. Addison's disease..... { M.																											
F. {																											
2. Diseases of the spleen..... { M.	2													1				1									
F. {																											
3. Others of this group..... { M.																											
F. {	1																		1								
XII.—ACCIDENTS AND INJURIES.																											
Total.....	367	22	12	15	11	6	66	26	31	34	37	20	19	22	19	14	27	12	15	6	8	3	2		1		5
Males.....	285	12	5	9	6	4	36	16	26	33	30	13	19	18	18	11	24	11	12	5	6	1			1		5
Females.....	82	10	7	6	5	2	30	10	5	1	7	7		4	1	3	3	1	3	1	2	2	2				
1. Burns and scalds..... { M.	21	2	3	5	4	3	17	1			1	1	1														
F. {	22	3	2	1	2	2	10	5	2		2					1					2						
2. Drowned..... { M.	47		1	2	2		5	6	12	6	7	2		1	2	3	3										
F. {	8			1	2		3	1	1	1								2									
3. Exposure and neglect..... { M.	2	1					1			1																	
F. {	4	1					1																				
4. Gunshot wounds..... { M.	22							1	2	5	2	2	1	4		1	1	1								1	
F. {	1							1																			
5. Homicide..... { M.	5										2		2					1									
F. {	2										1	1															
6. Infanticide..... { M.																											
F. {																											
7. Injuries by machinery..... { M.	1																		1								
F. {																											
8. Railroad accidents..... { M.	35							2	2	7	6	1	2		5	1	6	1									2
F. {																											
9. Suffocation..... { M.	11	4				1	5	1	1		1		1				1				1						
F. {	7	4	1	1			6	1																			
10. Suicide by shooting..... { M.	7									2	1	1				1	1	1									
F. {																											
11. Suicide by drowning..... { M.	1																			1							
F. {	1																			1							
12. Suicide by poison..... { M.	6									1		2	1	1						1							
F. {	2																		1								
13. Other suicides..... { M.	12											1	1	1	5	1	2	1	1								
F. {	2										1																
14. Sunstroke..... { M.	6									1	1	1					1	1	1								
F. {	1																										
15. Surgical operations..... { M.	3							1										2									
F. {																											
16. Wounds..... { M.	8	2					2		2					1							1						
F. {	5		2				2			1	2																
17. Other accidents and injuries..... { M.	98	3	1	2			6	4	7	12	7	5	7	10	5	4	9	5	6	3	4	1			1		2
F. {	27	2	2	3	1		8	2	2		1	2		3		2	2	1	1		1		2				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ILLINOIS—GROUP 3.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	24948	5268	2342	1097	731	487	9925	1421	948	1204	1305	1060	916	946	794	795	794	825	874	852	793	660	411	204	83	30	108
Total: Males	12949	2847	1319	584	373	260	5383	701	451	578	590	482	387	406	376	426	451	483	488	475	473	357	219	107	38	17	61
Females	11999	2421	1023	513	358	227	4542	720	497	626	715	578	529	540	418	369	343	342	386	377	320	303	192	97	45	13	47
Unknown causes.																											
Total	1383	771	159	48	19	8	1005	22	18	20	22	18	26	21	15	16	20	30	31	25	28	28	8	12		2	16
Males	728	408	88	28	12	5	541	15	13	8	10	5	7	6	10	8	10	17	14	14	11	16	4	6		2	1
Females	655	363	71	20	7	3	464	7	5	12	12	13	19	15	5	8	10	13	17	11	17	12	4	6			5
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	7377	1449	1140	576	377	270	3812	823	520	408	317	203	174	174	130	116	111	93	119	110	113	75	36	16	2	3	22
Males	3640	760	616	309	194	135	2014	395	215	192	126	75	71	61	57	57	55	59	67	59	59	41	20	9	2	1	5
Females	3737	689	524	267	183	135	1798	428	305	216	191	128	103	113	73	59	56	34	52	51	54	34	16	7		2	17
1. Small-pox { M. 14 2 2 1 1 7 F. 13 2 1 2 1 6								2	1	1	1	1	1	1	1												
2. Measles { M. 185 41 45 21 14 9 130 F. 195 37 36 23 13 7 116								22	5	14	5	2	3	2	1					1							
3. Scarlet fever { M. 411 37 57 62 53 32 241 F. 445 30 51 60 51 38 230								109	44	16	7	7				1											
4. Diphtheria { M. 524 55 41 55 64 57 272 F. 565 50 41 50 64 51 256								144	70	18	6	2	1	1	1		3	2	3	1		1					
5. Hooping-cough { M. 151 69 53 13 5 5 145 F. 178 68 57 19 14 5 163								4				3	3	1	2			1	2	1		1					
6. Fever { M. 19 11 2 3 2 13 F. 26 7 3 3 2 15								1		2		2	1	1	2		1		1		2			1			
7. Cerebro-spinal fever { M. 98 30 14 6 6 3 59 F. 77 18 14 5 4 1 42								6	5	5	7	1	2	3	1			1	1	1	1						
8. Enteric fever { M. 543 12 19 11 12 7 61 F. 536 10 13 11 8 10 52								38	43	85	71	38	34	21	21	20	16	22	21								

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ILLINOIS—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	4032	188	88	57	23	14	370	74	94	309	426	399	317	294	243	260	243	232	187	192	162	113	55	18	8		16
Males	1805	86	48	34	11	5	184	40	25	102	178	171	108	119	98	138	119	123	87	103	104	58	31	6	3		8
Females.....	2227	102	40	23	12	9	186	34	69	207	248	228	209	175	145	142	124	109	100	89	58	24	12	5		8	
1. Rheumatism.....	M. 70	...	...	...	1	...	1	7	6	5	3	3	1	5	3	1	7	5	5	4	5	5	3	...	1	...	...
	F. 61	3	1	...	1	1	6	5	7	5	3	1	1	3	3	4	3	2	4	5	6	...	1	2	...	...	
2. Scrofula and tabes.....	M. 71	17	10	12	1	1	41	7	1	3	5	5	2	...	1	3	...	1	...	1	...	1	...	...	...	...	
	F. 82	25	7	4	3	1	40	2	4	6	1	4	3	5	2	2	3	6	2	...	...	1	1	...	...	...	
3. Leprosy.....	M. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	F. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
4. Consumption.....	M. 1233	43	23	15	6	2	89	11	12	87	159	155	90	96	78	113	76	75	48	50	51	25	9	1	1	...	7
	F. 1562	46	21	8	5	3	83	13	37	180	233	206	183	145	109	87	76	57	49	37	24	22	8	3	3	...	7
5. Hydrocephalus.....	M. 21	11	5	1	...	...	17	1	1	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	
	F. 24	14	4	...	1	...	19	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
6. Cancer.....	M. 139	...	1	1	...	...	2	...	1	1	2	2	3	7	3	7	18	21	13	21	18	8	8	4	...	...	
	F. 194	1	...	3	...	...	4	...	1	...	2	2	4	9	20	24	27	26	18	24	13	11	5	3	1	...	
7. Tumor.....	M. 25	3	...	3	...	...	6	1	1	1	1	2	2	3	2	2	7	2	4	5	4	3	...	...	...	...	
	F. 45	5	...	...	...	...	5	1	1	1	...	1	1	4	2	7	2	4	4	5	4	3	...	...	...	...	
8. Anæmia.....	M. 9	2	...	...	1	1	4	...	...	...	...	...	...	...	...	...	2	...	...	...	1	1	...	...	...	...	
	F. 8	2	1	...	...	...	3	...	1	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
9. Dropsy.....	M. 191	8	6	2	1	...	17	12	2	...	5	3	8	6	8	9	16	18	16	24	22	14	9	1	1	...	
	F. 227	5	6	7	1	4	23	11	15	9	6	12	12	6	7	18	13	10	23	18	11	18	9	4	1	...	
10. Glycosuria.....	M. 39	2	1	...	...	...	3	...	1	4	3	1	3	3	2	2	...	1	4	3	4	3	1	...	...	...	
	F. 19	1	...	1	1	...	3	...	2	4	1	1	2	2	1	...	...	3	...	...	...	...	...	...	...	...	
11. Others of this group.....	M. 7	...	2	...	1	1	4	1	...	1	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	
	F. 5	...	...	...	...	...	...	...	...	...	1	1	1	...	1	...	...	1	...	...	...	...	...	...	...	...	
12. Others of this class.....	M. 4	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	1	...	...	...	...	...	...	...	...	...	
	F. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	2603	672	357	111	86	48	1274	141	77	75	80	51	59	65	53	67	67	86	113	96	97	105	50	23	8		16
Males	1441	370	218	59	47	25	719	70	43	39	43	31	29	31	24	40	38	46	72	49	58	57	21	16	4		11
Females.....	1162	302	139	52	39	23	555	71	34	36	37	20	30	34	29	27	29	40	41	47	39	48	29	7	4		5
1. Inflammation of the brain.....	M. 356	104	85	33	18	8	248	36	11	5	7	5	5	3	2	4	4	7	4	4	2	2	4	...	...	...	3
	F. 255	85	53	24	14	5	181	24	8	10	8	2	3	3	3	3	1	1	4	1	1	2	...	...	...	...	
2. Meningitis.....	M. 98	31	25	3	7	4	70	6	5	3	4	3	...	2	1	...	...	2	...	...	1	...	...	...	...	...	
	F. 99	24	18	7	7	3	59	14	5	4	6	...	2	2	...	...	2	1	...	...	1	...	...	...	...	...	
3. Apoplexy.....	M. 85	2	2	1	...	1	6	...	...	1	1	1	1	4	3	3	7	7	15	9	10	10	2	3	2	...	
	F. 72	1	...	...	...	...	5	...	1	...	1	3	4	10	2	2	6	8	5	8	9	7	5	...	...	...	
4. Paralysis.....	M. 209	2	...	3	...	...	1	...	1	1	4	6	7	3	15	16	14	27	21	32	28	12	11	2	...	...	
	F. 188	5	1	...	...	...	6	3	...	5	3	1	2	...	3	9	15	13	21	25	23	32	17	6	4	...	
5. Tetanus and trismus nascentium.....	M. 30	10	...	...	1	...	11	2	1	2	3	4	3	...	...	1	...	2	...	1	...	...	...	...	...	...	
	F. 9	4	...	1	...	...	5	2	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	
6. Epilepsy.....	M. 50	12	...	...	...	...	12	2	2	6	6	2	5	5	3	1	2	...	...	2	...	...	1	...	...	...	
	F. 35	4	1	1	...	1	7	1	1	2	4	4	4	5	2	...	...	3	1	...	...	1	...	...	...	...	
7. Convulsions.....	M. 238	132	61	11	7	4	215	7	1	2	3	1	1	1	...	...	1	1	2	...	...	1	...	...	...	...	
	F. 195	120	35	7	8	1	171	3	1	4	3	3	3	2	...	...	...	1	1	...	...	1	...	...	...	...	
8. Mental diseases.....	M. 36	...	...	...	...	...	...	...	...	2	1	4	3	3	3	3	2	4	5	3	2	...	1	...	...	...	
	F. 27	...	...	...	...	...	...	...	...	...	3	1	2	5	4	4	2	1	1	...	...	...	...	...	...	...	
9. Diseases of the brain.....	M. 274	65	44	8	8	6	131	11	15	14	12	4	3	6	8	11	4	7	12	7	11	12	1	1	...	...	
	F. 197	50	23	11	6	10	100	17	12	6	6	2	5	3	11	4	1	5	4	8	5	2	3	1	...	...	
10. Diseases of the spinal cord.....	M. 48	11	1	3	4	1	20	6	6	2	2	2	1	...	1	1	1	1	4	1	...	...	...	...	...	...	
	F. 53	9	8	2	3	3	25	7	5	3	1	2	2	2	1	2	...	2	...	...	1	...	...	...	...	...	
11. Others of this group.....	M. 17	1	...	...	...	...	1	...	1	1	...	1	1	...	...	1	1	3	1	1	1	3	1	...	...	...	
	F. 32	...	...	...	...	...	...	...	...	2	2	2	3	2	1	3	2	3	2	4	...	3	3	...	...	...	
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	769	50	31	5	1	2	89	20	20	27	26	30	37	41	39	36	49	49	73	84	60	54	27	6	1	1	
Males	406	28	24	3	...	2	57	11	8	10	11	9	16	21	17	16	24	22	34	51	44	31	17	5	1	1	
Females.....	363	22	7	2	1	...	32	9	12	17	15	21	21	20	22	20	25	27	39	33	16	23	10	1	...	...	
1. Angina pectoris.....	M. 11	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2	1	3	2	...	1	...	...	...	...	
	F. 5	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	1	1	...	...	...	...	...	
2. Aneurism.....	M. 4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...	
	F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
3. Diseases of the heart.....	M. 359	19	3	3	...	2	27	11	8	10	11	9	16	21	16	14	21	20	30	48	43	30	17	5	1	1	
	F. 330	5	2	2	1	...	10	9	12	14	15	20	21	20	22	20	23	27	39	32	14	22	9	1	...	...	
4. Others of this group.....	M. 32	9	21	...	...	...	30	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	
	F. 27	17	5	...	...	...	22	...	...	2	...	1	...	...	...	...	1	...	...	1	...	...	...	...	...	...	
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	4087	639	400	222	157	90	1508	211	88	166	194	152	119	174	17												

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
ILLINOIS—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	59	11	3	2	1	1	18		2	2	8	5	4		5	5		1	3	2	2	1	1				
Males.....	26	5	2	1	1		9		1		2	5	1		3			1	2	1			1				
Females.....	33	6	1	1		1	9		1	2	6		3		2	5			1	1	2	1					
1. Abscess.....	M. 19	4	2	1			7		1		2	4	1		2			1					1				
F. 27	3	1	1			1	6		1	2	6		3		2	4			1		2						
2. Carbuncle.....	M. 1																			1							
F. 2																				1							
3. Others of this group.....	M. 6	1			1		2					1			1				2								
F. 4	3						3															1					
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	17							1		2		1	3	3		2	1	1		2	1						
Males.....	12									1		1	2	3		2	1			1	1						
Females.....	5							1		1			1					1		1							
1. Addison's disease.....	M. 2															1	1										
F. 9										1		1	2	3						1	1						
2. Diseases of the spleen.....	M. 5							1		1			1					1		1							
F. 1																1											
3. Others of this group.....	M. 1																										
F. 1																											
XII.—ACCIDENTS AND INJURIES.																											
Total.....	1044	101	38	34	30	26	229	61	80	101	103	81	61	51	39	38	47	39	32	18	14	20	12		3		15
Males.....	791	58	21	19	14	17	129	35	68	84	86	67	52	43	34	34	39	36	28	14	12	12	4				14
Females.....	253	43	17	15	16	9	100	26	12	17	17	14	9	8	5	4	8	3	4	4	2	8	8		3		1
1. Burns and scalds.....	M. 44	8	7	8	4	4	31	2	2	2	1	1	3	1		1											
F. 75	8	10	6	12	4	4	40	9	8	1	5	6	2	1								2	1				
2. Drowned.....	M. 73		4	5	4	4	17	4	14	11	9	3	5	2	3	1	1	1				1					1
F. 25		3	3	2	1		9	5		5		1					1	1	1	1							
3. Exposure and neglect.....	M. 11	6	1				7				1								2								
F. 11	9						9													1			1				
4. Gunshot wounds.....	M. 67					3	3	2	6	11	15	9	7	6	3	1	1	2			1						
F. 7			2				2	2		2	1																
5. Homicide.....	M. 19									1	3	3			2	3	2	3			2						
F. 2										1						1											
6. Infanticide.....	M. 1																										
F. 1																											
7. Injuries by machinery.....	M. 1																										
F. 1																											
8. Railroad accidents.....	M. 1																										
F. 1																											
9. Suffocation.....	M. 40	24	2	1			27	2	1	1	1			3	3	1											1
F. 18	15						15										1				1						1
10. Suicide by shooting.....	M. 8									1		1	1	1			2			2							
F. 1													1														
11. Suicide by drowning.....	M. 2										1					1											
F. 3														2		1											
12. Suicide by poison.....	M. 2													1		1											
F. 3										3																	
13. Other suicides.....	M. 42									1	2	4	2	3	2	2	4	9	4	1	1	2					5
F. 13										1	5	3	1	1		1						1					
14. Sunstroke.....	M. 12								1		1	2	1		1			1				3					
F. 2											1						1										
15. Surgical operations.....	M. 5										1			1		1	1	1									
F. 1						1	1																				
16. Wounds.....	M. 6								1	1	2	1							1								
F. 1												1															
17. Other accidents and injuries.....	M. 460	20	7	5	6	6	44	25	43	56	52	42	30	25	20	22	25	20	20	11	8	6	4				7
F. 91	11	4	4	2	3		24	10	4	4	5	3	5	4	4	1	5	2	3	2	1	5	6		3		

INDIANA—GROUP 1—Continued.

[illegible]

INDIANA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	3	2					2													1							
Males.....	1																			1							
Females.....	2	2					2																				
1. Abscess.....	M. 1 F. 1		1				1													1							
2. Carbuncle.....	M. 1 F. 1		1				1																				
3. Others of this group.....	M. 1 F. 1																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....																											
Males.....																											
Females.....																											
1. Addison's disease.....	M. 1 F. 1																										
2. Diseases of the spleen.....	M. 1 F. 1																										
3. Others of this group.....	M. 1 F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	31	3	1	1			5	2	4		5	3	1	1	3	2	2		1	2							
Males.....	24	2		1			3	2	3		4	2	1	1	2	1	2		1	2							
Females.....	7	1	1				2		1		1	1			1	1											
1. Burns and scalds.....	M. 2 F. 1			1			1						1														
2. Drowned.....	M. 2 F. 1										1									1							
3. Exposure and neglect.....	M. 1 F. 1		1				1					1															
4. Gunshot wounds.....	M. 1 F. 1										1																
5. Homicide.....	M. 1 F. 1											1															
6. Infanticide.....	M. 1 F. 1																										
7. Injuries by machinery.....	M. 1 F. 1																										
8. Railroad accidents.....	M. 6 F. 1								2		1	1		1	1												
9. Suffocation.....	M. 1 F. 1		1						1																		
10. Suicide by shooting.....	M. 1 F. 1																										
11. Suicide by drowning.....	M. 1 F. 1																										
12. Suicide by poison.....	M. 1 F. 1														1												
13. Other suicides.....	M. 2 F. 1										1						1			1							
14. Sunstroke.....	M. 1 F. 1							1								1											
15. Surgical operations.....	M. 1 F. 1																1										
16. Wounds.....	M. 1 F. 1																1										
17. Other accidents and injuries.....	M. 6 F. 3	1	1				1	1	1		1				1	1	1		1								

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
INDIANA—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	6758	1402	589	309	194	154	2648	440	252	319	392	345	253	232	244	216	230	186	229	249	179	146	115	54	22	6	1
Total: Males.....	3548	791	303	155	107	64	1420	247	128	160	179	166	129	91	117	118	125	114	134	144	99	74	60	29	12	2	...
Females.....	3210	611	286	154	87	90	1228	193	124	159	213	179	124	141	127	98	105	72	95	105	80	72	55	25	10	4	1
Unknown causes.																											
Total.....	269	156	28	9	5	3	201	6	1	1	6	1	5	2	4	5	2	5	9	7	3	4	6	1	...	...	...
Males.....	150	98	15	4	2	...	119	1	1	1	3	1	2	...	2	2	1	3	4	4	2	1	2	1	...	...	...
Females.....	119	58	13	5	3	3	82	5	...	...	3	...	3	2	2	3	1	2	5	3	1	3	4	...	...	...	...
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	2233	409	353	169	110	82	1123	264	140	111	104	77	55	55	40	34	39	25	45	48	24	23	10	13	1	2	...
Males.....	1131	209	187	85	57	36	574	144	61	60	37	43	26	18	21	21	16	16	25	29	15	13	5	6	...	1	...
Females.....	1102	200	166	84	53	46	549	120	79	51	67	34	29	37	19	13	23	9	20	19	9	10	5	7	1	1	...
1. Small-pox.....	M. 2	1	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 27	3	8	5	...	5	...	21	2	...	2	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
2. Measles.....	M. 30	4	5	3	2	...	14	5	3	1	...	3	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...
F. 241	24	32	26	32	19	...	133	82	18	7	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Scarlet fever.....	M. 233	19	35	33	30	25	142	61	24	3	1	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
F. 52	5	7	9	6	4	...	31	17	2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Diphtheria.....	M. 70	7	12	9	4	7	39	18	11	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
F. 34	12	12	4	4	1	...	33	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Hooping-cough.....	M. 36	13	11	5	3	3	35	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 14	3	3	2	1	...	...	9	1	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Fever.....	M. 21	2	5	4	...	...	11	3	...	3	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 199	6	2	8	5	2	...	23	12	20	23	24	26	13	2	11	8	5	6	7	9	3	5	1	1	...	...	...
7. Cerebro-spinal fever.....	M. 152	4	9	7	...	1	21	11	19	20	21	11	5	12	3	5	6	3	6	4	1	1	1	2	...	...	...
F. 43	8	5	4	1	1	...	19	...	...	...	...	...	2	2	1	1	3	...	4	4	3	...	2	1	...	1	...
8. Enteric fever.....	M. 18	9	2	1	...	...	12	1	1	...	...	...	...	...	1	1	...	1	...	...	...	1	...	...	...	...	...
F. 105	21	22	10	3	1	...	57	9	7	4	1	3	1	1	...	3	2	3	5	5	2	2	...	...	...	...	...
9. Diarrhœa.....	M. 87	11	17	8	1	4	41	6	1	4	3	...	2	2	3	2	6	2	6	3	2	2	1	...	1	...	...
F. 91	26	12	3	1	1	...	43	8	4	4	3	2	...	1	3	3	2	2	3	7	1	3	1	...	1	...	...
10. Dysentery.....	M. 83	19	9	5	3	1	37	1	2	2	4	...	3	9	2	1	2	1	3	7	2	2	2	3	...	...	...
F. 3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11. Enteritis.....	M. 6	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	1	...	1	1	1	...	...	...	...
F. 162	84	72	6	...	...	...	162	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
12. Cholera morbus.....	M. 149	93	47	7	1	1	149	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 111	7	8	7	4	2	...	28	11	8	9	4	8	6	8	4	3	2	5	5	3	4	...	1	2	...	...	...
13. Cholera infantum.....	M. 133	10	13	2	9	3	37	12	17	12	13	3	7	3	3	3	9	1	3	4	2	3	...	1	...	...	...
F. 30	6	2	1	...	...	...	9	1	...	5	2	1	2	2	1	2	2	...	1	...	1	1	...	...	...	...	...
14. Malarial fever.....	M. 16	6	...	...	...	1	7	...	1	1	2	1	1	1	...	...	...	1	...	...	...	...	...	...	...	...	...
F. 5	...	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	...	...	...	2	...	...	...	...	...
15. Erysipelas.....	M. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 58	...	...	...	...	...	...	...	...	...	3	18	13	8	9	6	1	...	...	...	...	...	...	...	...	...	...	...
16. Septicæmia.....	M. 9	3	2	...	...	...	5	...	...	1	2	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
F. 6	3	...	...	...	...	...	3	...	...	2	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
17. Puerperal septicæmia.....	M. 3	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 3	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
18. Venereal diseases.....	M. 3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
19. Others of this group.....	M. 3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
General diseases—B.																											
Total.....	66	41	1	2	1	1	46	1	1	...	3	1	...	4	4	...	...	1	2	...	2	...	...	...	1	...	...
Males.....	42	28	...	2	1	...	31	1	1	...	1	...	...	1	4	...	...	1	2	...	...	...	...	...	...	...	...
Females.....	24	13	1	...	...	1	15	...	...	...	2	1	...	3	...	...	...	...	...	2	...	...	...	...	1	...	...
1. Worms.....	M. 1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 7	...	...	...	...	...	...	...	...	...	...	1	...	...	1	4	...	...	...	1	...	...	...	...	...	...	...	...
2. Other parasitic diseases.....	M. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Alcoholism.....	M. 6	2	...	2	1	...	5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 7	1	1	...	...	...	1	3	...	...	1	...	...	...	2	...	...	...	...	...	...	1	...	...	...	...	...	...
4. Lead poison.....	M. 29	26	...	...	...	...	26	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...
F. 16	11	...	...	...	...	...	11	...	...	1	1	...	1	...	...	...	...	...	...	...	1	...	...	...	1	...	...
5. Other poisons.....	M. 16	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 16	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Inanition.....	M. 16	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 16	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
General diseases—C.																											
Total.....	426	319	2	...	...	...	321	...	...	1	...	...	...	2	...	1	...	2	4	5	12	20	25	19	12	2	...
Males.....	242	194	1	...	...	...	195	...	...	...	...	...	...	1	...	1	...	1	3	2	7	7	10	9	6	...	...
Females.....	184	125	1	...	...	...	126	...	...	1	...	...	...	1	...	...	...	1	1	3	5	13	15	10	6	2	...
1. Premature birth.....	M. 32	32	...	...	...	...	32	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 25	25	...	...	...	...	...	25	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Stillborn.....	M. 147	147	...	...	...	...	147	...	...																		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

INDIANA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
<i>General diseases—D.</i>																											
Total.....	1332	52	41	15	9	9	126	36	32	87	162	155	102	87	92	76	77	71	70	52	55	20	21	7	4		
Males.....	603	25	16	7	8	4	60	18	13	31	65	64	42	29	29	35	39	42	48	25	30	12	13	5	3		
Females.....	729	27	25	8	1	5	66	18	19	56	97	91	60	58	63	41	38	29	22	27	25	8	8	2	1		
1. Rheumatism.....	M. 11		1	1			2		2		1					2		2	1	1							
F. 11								1	1			1	1			1	1		2	3							
2. Scrofula and tabes.....	M. 18	6	5		2	1	14	1			2	1															
F. 28	9	5	1				15	4	4		2			1				2									
3. Leprosy.....	M. 429	11	6	3	3		23	7	7	28	57	61	42	27	26	30	23	33	25	14	12	6	5	2	1		
F. 554	11	10	3	1			25	8	13	54	90	82	59	50	51	30	28	14	15	14	12	6	3				
4. Consumption.....	M. 5	4			1		5																				
F. 8	4	3					7		1																		
5. Hydrocephalus.....	M. 53	1		1		1	3	3				2		2	3	8	4	10	4	7		5	1	1			
F. 57	1	1	1		3		6			1	1	3		6	7	6	3	9	1	6	3	2	1	1	1		
6. Cancer.....	M. 6	1					1		1			1			1		1	1	1								
F. 5										1	1				2		1										
7. Tumor.....	M. 69	2	4	2	2	2	12	7	3	2	4			2			7	4	6	4	7	5	3	2	1		
F. 65	2	6	3		2		13	5		1	3	5		1	4	2	6	3	4	7	6	4	1				
8. Anæmia.....	M. 12									1	1							4	2	3	1						
F. 1																				1							
9. Dropsy.....	M. 69	2	4	2	2	2	12	7	3	2	4			2			7	4	6	4	7	5	3	2	1		
F. 65	2	6	3		2		13	5		1	3	5		1	4	2	6	3	4	7	6	4	1				
10. Glycosuria.....	M. 12									1	1							4	2	3	1						
F. 1																				1							
11. Others of this group.....	M. 1																										
F. 1																											
12. Others of this class.....	M. 1																										
F. 1																											
<i>II.—DISEASES OF THE NERVOUS SYSTEM.</i>																											
Total.....	730	231	80	43	26	21	401	51	20	22	16	10	14	12	14	19	17	14	29	26	16	25	18	3	1	2	
Males.....	377	127	34	25	15	7	208	30	14	6	8	3	10	8	9	11	7	10	11	13	6	11	10		1	1	
Females.....	353	104	46	18	11	14	193	21	6	16	8	7	4	4	5	8	10	4	18	13	10	14	8	3		1	
1. Inflammation of the brain.....	M. 117	46	16	16	6	3	87	13	5	1	1		3	1	1	1		1	1	2							
F. 110	40	24	8	3	10		85	10	1	6	3	1		1	1			1	1								
2. Meningitis.....	M. 38	14	7	1	3	3	28	5	1					1	1	1			1								
F. 21	10	1	2	2			15	1		2	1			2													
3. Apoplexy.....	M. 21		1				1			1	1	1		1	1	1		3	2	2	4	2		1			
F. 27		1					1			1			1	1	2	3		8	3	3	3	1			1		
4. Paralysis.....	M. 50	1					1	1		2			1	1	4	3	1	8	4	8	3	5	7		1		
F. 54	1	3	2				6	2		2			2		4	2	3	2	10	7	8	6	2				
5. Tetanus and trismus nascentium.....	M. 11	1					1	2	2		1	1	1		1	2			1								
F. 6	4						4	1																			
6. Epilepsy.....	M. 20	4	2	1			7	3	1		3		2	2			1				1						
F. 9	2						2			3	2	1		1													
7. Convulsions.....	M. 65	49	5	2	4	1	61	2		1					1												
F. 75	35	11	5	4	2		57	6	3	3			2		1		2		1								
8. Mental diseases.....	M. 7											1		1			2		1			1	1				
F. 8														1													
9. Diseases of the brain.....	M. 48	12	4	4	2		22	4	5	3	1		2	2	1	2	2	1	2		1						
F. 42	12	6	1	2	2		23	2	1	1		5	1		1	2	2	2			1	1					
10. Diseases of the spinal cord.....	M. 1																										
F. 1																											
11. Others of this group.....	M. 1																										
F. 1																											
<i>III.—DISEASES OF THE CIRCULATORY SYSTEM.</i>																											
Total.....	176	6	1	2			9	3	6	10	4	3	8	7	14	14	16	7	15	24	16	14	6				
Males.....	81	2	1	1			4	1	4	3	2		2	2	5	7	6	6	6	15	9	6	3				
Females.....	95	4		1			5	2	2	7	2	3	6	5	9	7	10	1	9	9	7	8	3				
1. Angina pectoris.....	M. 80	1	1	1			3	1	4	3	2		2	2	5	7	6	6	6	15	9	6	3				
F. 92	2		1				3	2	2	7	2	3	6	5	9	7	10	1	9	8	7	8	3				
2. Aneurism.....	M. 1	1					1																				
F. 3	2						2																				
3. Diseases of the heart.....	M. 1						1																				
F. 3	2						2																				
4. Others of this group.....	M. 1						1																				
F. 3	2						2																				
<i>IV.—DISEASES OF THE RESPIRATORY SYSTEM.</i>																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
INDIANA—GROUP 2—Continued.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
INDIANA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
I.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	10	2	3				5			1		1		1		1	1										
Males.....	2	1					1					1															
Females.....	8	1	3				4			1				1		1	1										
1. Abscess.....	M. 1 F. 7		3				3			1				1		1	1										
2. Carbuncle.....	M. 1 F. 1																										
3. Others of this group.....	M. 1 F. 1	1	1				1																				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1																	1									
Males.....																											
Females.....	1																	1									
1. Addison's disease.....	M. 1 F. 1																										
2. Diseases of the spleen.....	M. 1 F. 1																										
3. Others of this group.....	M. 1 F. 1																	1									
XII.—ACCIDENTS AND INJURIES.																											
Total.....	242	6	4	6	7	7	30	14	12	18	27	23	24	14	14	16	10	10	3	12	7	3	3	2			
Males.....	191	3	3	2	2	3	13	12	12	13	21	19	22	13	14	12	9	9	3	11	3	1	3	1			
Females.....	51	3	1	4	5	4	17	2		5	6	4	2	1		4	1	1		1	4	2		1			
1. Burns and scalds.....	M. 7 F. 15		2		2		4	1	1		1																
2. Drowned.....	M. 29 F. 8	1					1	4	4	2	7	2	2	1	1	2	1	2									
3. Exposure and neglect.....	M. 4 F. 3			1			1	2		2	1	1			1		1										
4. Gunshot wounds.....	M. 7 F. 7																										
5. Homicide.....	M. 7 F. 7											2		2		1	1		1								
6. Infanticide.....	M. 7 F. 7																										
7. Injuries by machinery.....	M. 15 F. 2							1		1	3	2	3		2	1	1			1							
8. Railroad accidents.....	M. 2 F. 2		1			1	2					1				1											
9. Suffocation.....	M. 4 F. 4																										
10. Suicide by shooting.....	M. 4 F. 4																										
11. Suicide by drowning.....	M. 4 F. 4																										
12. Suicide by poison.....	M. 18 F. 6									1	2	3	2	2	2	2	1	2		1	2						
13. Other suicides.....	M. 4 F. 1									1	2	1		1						2							
14. Sunstroke.....	M. 1 F. 1																				1						
15. Surgical operations.....	M. 101 F. 14	2		2		2	6	6	6	9	9	10	12	7	8	5	4	5	2	7	1	1	2	1			
16. Wounds.....	M. 14 F. 14	1	1	1		2	5				1		2			2				2	1	1		1			
17. Other accidents and injuries.....	M. 101 F. 14	2		2		2	6	6	6	9	9	10	12	7	8	5	4	5	2	7	1	1	2	1			

INDIANA—GROUP 3.

[Exclusive of INDIANAPOLIS.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	21951	4920	1604	886	575	470	8455	1280	757	1112	1407	1041	814	903	758	702	705	644	744	716	658	582	355	154	48	13	103
Total: Males.....	11140	2713	847	450	283	236	4529	603	353	489	613	463	356	391	377	368	382	389	422	386	351	314	195	76	21	6	56
Females.....	10811	2207	757	436	292	234	3926	677	404	623	794	578	458	512	381	334	323	255	322	330	307	268	160	78	27	7	47
Unknown causes.																											
Total.....	945	498	59	25	13	8	603	21	15	16	33	25	17	31	18	19	20	14	21	23	19	20	14	8	3		5
Males.....	481	275	34	11	5	3	328	15	8	4	11	12	6	6	9	5	12	7	8	12	12	12	9	3			2
Females.....	464	223	25	14	8	5	275	6	7	12	22	13	11	25	9	14	8	7	13	11	7	8	5	5	3		3
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	6644	1555	822	479	307	258	3421	742	369	348	330	230	152	163	144	115	111	100	81	87	90	75	35	16	3	2	29
Males.....	3264	815	423	236	140	133	1747	335	165	159	131	115	62	70	70	64	59	64	48	43	47	40	19	9	2		15
Females.....	3380	740	399	243	167	125	1674	408	204	189	199	115	90	93	74	51	52	36	33	44	43	35	16	7	1	2	14
1. Small-pox.....	M. 2											1							1								
F. 191	46	36	17	11	8	118	21	13	12	10	5	4															1
2. Measles.....	M. 208	33	30	18	7	12	100	16	17	22	21	5	8	7	3	2	5										
F. 348	39	47	47	42	36	211	97	25	8	1	3																
3. Scarlet fever.....	M. 372	26	43	43	42	29	183	128	41	12	3	1	1	1													
F. 368	31	41	40	35	48	195	120	33	9			4	2	1	1	1											
4. Diphtheria.....	M. 429	19	38	50	64	44	215	138	49	9	5	3	4	3	1												
F. 209	121	37	23	9	4	194	9	4																			
5. Hooping-cough.....	M. 258	128	44	34	16	10	232</																				

INDIANA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	3882	176	86	38	35	19	354	105	111	308	565	403	290	289	218	199	199	168	196	154	137	95	54	19	1	17	
Males.....	1637	95	46	20	20	8	189	44	37	88	210	152	108	113	85	97	99	89	99	76	76	49	27	10	1	8	
Females.....	2225	81	40	18	15	11	165	61	74	220	355	251	182	176	133	102	100	79	97	78	61	46	27	9	1	9	
1. Rheumatism.....	M. 51 F. 53	1	1	1	1	1	1	3	4	2	4	2	3	5	2	1	2	3	5	3	6	3	2	1	1	1	
2. Scrofula and tabes.....	M. 95 F. 80	28	14	3	2	2	49	4	5	5	7	8	3	4	4	2	1	1	1	1	1	1	1	1	1	1	
3. Leprosy.....	M. 1 F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
4. Consumption.....	M. 1078 F. 1574	32	19	4	6	6	61	13	16	68	186	131	96	92	72	75	63	56	50	36	31	16	5	4	7		
5. Hydrocephalus.....	M. 56 F. 45	27	8	5	4	1	45	5	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
6. Cancer.....	M. 115 F. 191	2	1	1	1	1	2	1	1	1	1	1	3	3	1	10	17	12	19	15	12	10	4	2	1		
7. Tumor.....	M. 17 F. 17	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
8. Anæmia.....	M. 7 F. 32	3	2	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
9. Dropsy.....	M. 185 F. 196	3	3	7	7	4	24	12	5	6	4	9	2	6	6	6	8	15	18	15	18	12	14	4	1	1	
10. Glycosuria.....	M. 48 F. 19	1	1	1	1	1	2	4	4	2	3	1	1	1	1	1	2	1	5	3	7	7	2	1	1	1	
11. Others of this group.....	M. 5 F. 18	1	2	1	1	1	1	3	1	1	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
12. Others of this class.....	M. 1 F. 1	1	1	1	1	1	4	1	1	1	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	2373	662	231	110	66	53	1122	142	63	62	70	69	64	57	60	67	67	79	85	97	96	91	51	15	4	12	
Males.....	1225	359	105	60	34	27	585	70	24	29	39	37	37	33	24	29	36	53	43	53	49	39	27	9	2	7	
Females.....	1148	303	126	50	32	26	537	72	39	33	31	32	27	24	36	38	31	26	42	44	47	52	24	6	2	5	
1. Inflammation of the brain.....	M. 276 F. 272	119	44	22	15	8	208	24	4	8	5	5	3	3	3	1	3	8	1	1	1	1	1	1	1	1	
2. Meningitis.....	M. 115 F. 97	29	12	9	7	5	62	16	3	5	5	4	1	6	1	1	2	4	1	3	3	3	3	3	3	3	
3. Apoplexy.....	M. 97 F. 74	6	1	1	1	1	6	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
4. Paralysis.....	M. 185 F. 187	4	4	1	1	1	8	3	2	3	2	2	3	4	4	7	10	16	20	25	28	23	17	6	2	2	
5. Tetanus and trismus nascentium.....	M. 14 F. 9	7	1	1	1	1	7	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
6. Epilepsy.....	M. 50 F. 44	6	1	2	1	1	10	2	1	3	9	4	9	1	2	2	1	3	2	1	1	1	1	1	1	1	
7. Convulsions.....	M. 154 F. 141	112	16	7	1	4	140	5	1	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	
8. Mental diseases.....	M. 51 F. 57	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
9. Diseases of the brain.....	M. 204 F. 193	53	18	16	8	7	102	9	5	6	6	8	7	5	4	8	8	9	4	7	7	6	1	1	1	1	
10. Diseases of the spinal cord.....	M. 66 F. 55	23	9	4	2	2	40	7	4	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
11. Others of this group.....	M. 13 F. 19	1	1	1	1	1	2	2	1	1	1	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	651	69	4	3	3	6	85	18	19	18	23	24	19	32	33	33	51	41	58	56	57	55	22	3	4		
Males.....	305	38	2	1	3	4	47	8	5	6	6	9	9	8	12	13	20	23	28	19	36	39	16	3	1		
Females.....	346	31	2	3	1	2	38	10	14	12	17	15	10	24	21	20	31	18	30	37	21	16	6	3	3		
1. Angina pectoris.....	M. 9 F. 7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2. Aneurism.....	M. 7 F. 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3. Diseases of the heart.....	M. 260 F. 313	12	2	2	2	4	20	8	4	6	6	8	8	8	11	13	16	23	25	17	34	37	15	6	3	1	
4. Others of this group.....	M. 29 F. 22	26	1	1	1	1	27	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	3435	477	300	177	109	92	1155	149	88	173	174	124	120	161	151	166	163	139	171	181	132	100	45	15	6	18	
Males.....	1996	281	173	95	59	47	655	82	46	100	118	61	70	89	97	96	100	95	111	108	63	48	29	9	4	12	
Females.....	1439	196	127	82	50	45	500	67	42	73	56	63	50	72	54	70	63	44	60	73	69	52	16	6	2	6	
1. Croup.....	M. 258 F. 214	79	59	39	28	22	227	30	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2. Laryngitis.....	M. 13 F. 13	2	2	3	1	1	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3. Bronchitis.....	M. 124 F. 113	34	18	5	7	5	69	4	2	1	6	2	4	4	1	5	1	5	5	6	4	5	2	1	1	1	
4. Pneumonia.....	M. 1405 F. 934	134	83	38	21	17	293	43	37	90	100	56	61	78	86	84	86	77	93	88	49	38	22	9	2	10	
5. Pleurisy.....	M. 20 F. 17	2	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
6. Asthma.....	M. 21 F. 18	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
7. Others of this group.....	M. 155 F. 130	29	11	9	3	2	54	4	6	4	11	3	7	6	9	7	8	9	8	8	4	2	3	1	1	1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
INDIANA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																										
Total.....	45	10	3		1	1	15	1	1	1	4	2	1	2	2	2	2	4	4	1						1
Males.....	29	5	1		1		7	1	1		2	2	1	2		2	2	1	2	4	1					1
Females.....	16	5	2			1	8			1	2			2			1	2								
1. Abscess.....	M. 17	2	1				3	1	1		2	1	1	2		2	1	1		1					1	
	F. 11	4					4			1	2			1			1	2								
2. Carbuncle.....	M. 6										1							2	2	1						
	F. 6																									
3. Others of this group.....	M. 6	3			1		4									1			1							
	F. 5	1	2			1	4							1												
XI.—DISEASES OF THE ABSORBENT SYSTEM.																										
Total.....	22	3	2			1	6		1	2		3	1	2	1	2	1	1		1						
Males.....	12	2	2			1	5		1	1		1	1	1		1				1						
Females.....	10	1					1			1		2		1	1	1	1	1								
1. Addison's disease.....	M. 2								1		1															
	F. 7	1	2			1	4		1			1														
2. Diseases of the spleen.....	M. 6	1					1				2			1	1	1										
	F. 6	1					1							1	1	1										
3. Others of this group.....	M. 3	1					1						1						1							
	F. 4								1				1				1	1								
XII.—ACCIDENTS AND INJURIES.																										
Total.....	769	79	27	14	21	17	158	41	53	81	81	59	41	47	38	41	24	23	24	18	6	15	5	4	1	9
Males.....	572	41	17	8	13	7	86	26	45	69	72	50	37	38	31	33	21	16	14	15	2	9	1	1		5
Females.....	197	38	10	6	8	10	72	15	8	12	9	9	4	9	7	8	3	7	10	3	4	6	4	3		4
1. Burns and scalds.....	M. 27	3	7	3	5	2	20	3	1		1	2														
	F. 50	5	6	3	3	5	22	11	4	3	2	1		2	1			1	1		1	1				
2. Drowned.....	M. 54			2	1	1	4	6	13	11	8	6	1	1	2	2										
	F. 11		1	1	3		5	2	1	2		1														
3. Exposure and neglect.....	M. 10	5	1				6	1	1		1	1														
	F. 15	9					9				1		1	2				1							1	
4. Gunshot wounds.....	M. 28						1	5	10	4	5	1	2													
	F. 5					1	1	1	2	1																
5. Homicide.....	M. 30							2		5	3	2	10		2	2	2		1							1
	F. 4												1	1	2											
6. Infanticide.....	M. 1	1					1																			
	F. 1	1					1																			
7. Injuries by machinery.....	M. 2							1		1																
	F. 77							2	5	13	18	12	8	4	4	7		1	1	1		1				
8. Railroad accidents.....	M. 4								2						1											
	F. 44	24	4	1		1	30	2	2		1			2	1		1	1			2				2	
9. Suffocation.....	M. 23	16	1	1	1		19							1	1	1						1				
	F. 10								1	5				1	1		1		1							
10. Suicide by shooting.....	M. 1																									
	F. 3																									
11. Suicide by drowning.....	M. 8								1	2	2		1		1	1										
	F. 6									2	3		1													
12. Suicide by poison.....	M. 37								3	3	3	3	2	3	5	6	4	1	1		1		1			1
	F. 9								2	2	1	1			1				1						1	
13. Other suicides.....	M. 4									1	1		1		1		1	1								
	F. 4									1	1		1				1									
14. Sunstroke.....	M. 1																									
	F. 1												1													
15. Surgical operations.....	M. 8		1				1							3	1											
	F. 3			1		1	2		1																	
16. Wounds.....	M. 231	8	4	2	7	3	24	7	18	29	25	16	20	17	16	12	12	5	10	10	2	5	1		1	
	F. 58	7	2		1	3	13	2		2	1	2	2	2	3	1	4	7	1	4	5	2	3		2	
17. Other accidents and injuries.....	M. 231	8	4	2	7	3	24	7	18	29	25	16	20	17	16	12	12	5	10	10	2	5	1		1	
	F. 58	7	2		1	3	13	2		2	1	2	2	2	3	1	4	7	1	4	5	2	3		2	

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
IOWA—GROUP 1.

[illegible]

IOWA—GROUP 1—Continued.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
IOWA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	147	26	8	3	2	2	41	4	2	6	3	5	6	6	8	8	8	8	12	12	8	6	2	1	...	...	1
Males	88	10	5	2	1	1	19	2	1	5	2	2	3	1	7	6	5	5	11	6	5	5	2	1	...	...	1
Females	59	16	3	1	1	1	22	2	1	1	1	3	3	5	1	2	3	3	1	6	3	1	...	...	...	...	1
1. Dentition	M. 4	2	1	1	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F. 5	2	3	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Angina	M. 2	1	...	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F. 2	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Gastritis	M. 5	...	1	...	...	1	2	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	...	...	...	...	...
	F. 3	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1
4. Other diseases of the stomach	M. 17	...	...	...	1	...	3	...	1	1	...	...	1	...	...	1	1	1	6	2	1	2	...	1	...	...	...
	F. 9	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	...	...	...	...	...	...
5. Obstruction of the bowels	M. 5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...
	F. 3	1	...	...	...	...	1	...	...	...	...	...	1	...	...	...	1	...	...	1	...	...	...	...	...	...	...
6. Hernia	M. 4	1	...	...	...	...	1	...	...	1	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
	F. 4	...	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	1	...	...	...	...	...	...	...
7. Other diseases of the bowels	M. 3	...	2	...	...	...	2	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
	F. 6	3	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
8. Jaundice	M. 3	1	...	...	...	...	1	...	...	...	...	...	1	...	1	...	...	...	...	1	...	1	...	...	...	...	...
	F. 2	1	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Inflammation and abscess of the liver	M. 4	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	1	...	...	...	1	...	...	...	...	...	...
	F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
10. Other diseases of the liver	M. 16	...	...	...	...	1	3	...	...	...	2	...	...	1	4	1	2	1	4	1	...	...	...	...	...	...	...
	F. 10	2	...	...	...	...	...	...	...	...	3	...	...	...	...	...	1	1	1	1	...	...	...	...	...	...	...
11. Peritonitis	M. 8	...	...	...	1	...	1	...	1	...	...	...	...	...	1	...	...	...	1	2	...	1	1	...	...	...	...
	F. 5	...	...	...	...	...	...	...	...	...	1	...	...	2	1	1	...	...	...	...	...	...	...	...	...	...	...
12. Ascites	M. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
	F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
13. Others of this group	M. 16	5	1	...	...	...	6	1	...	3	...	...	...	...	...	1	...	1	...	...	3	...	1	...	...	...	...
	F. 8	5	...	...	...	...	5	...	...	...	...	...	1	...	...	...	...	1	...	...	1	...	...	...	...	...	...
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	52	3	...	...	...	...	3	...	1	...	2	...	2	3	3	...	3	7	4	10	7	3	3	1	...	...	...
Males	43	1	...	...	...	...	1	...	...	...	2	...	2	1	3	...	3	6	2	10	7	3	2	1	...	...	...
Females	9	2	...	...	...	...	2	...	1	...	...	...	...	2	...	...	...	1	2	...	...	...	1	...	...	...	...
1. Bright's disease	M. 15	...	...	...	...	...	...	...	...	...	2	...	1	1	1	...	...	2	...	4	3	...	...	1	...	...	...
	F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
2. Calculus, urinary	M. 3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...
	F. 2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the kidney	M. 12	1	...	...	...	...	1	...	...	...	...	...	1	...	1	...	2	1	...	1	4	1	...	...	...	...	...
	F. 6	2	...	...	...	...	2	...	1	...	...	...	...	1	...	...	...	...	1	...	...	...	1	...	...	...	...
4. Diseases of the bladder	M. 8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	2	...	1	2	...	...	...	...
	F. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Others of this group	M. 5	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	2	...	1	...	...	...	...	...
	F. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	5	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	1	1	...	...	...	...	...	...	...	...	...
1. Ovarian tumors	F. 2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...
2. Ovarian diseases	F. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Uterine tumors	F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
4. Uterine diseases	F. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Others of this group	F. 2	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	32	...	...	...	...	...	...	...	...	1	8	7	7	5	3	1	...	...	...	...	...	...	...	...	...	...	...
1. Abortion	F. 2	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Child-birth	F. 28	...	...	...	...	...	...	...	...	1	7	5	6	5	3	1	...	...	...	...	...	...	...	...	...	...	...
3. Others of this group	F. 2	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	10	2	1	1	...	...	4	1	1	1	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
Males	6	2	...	1	...	...	3	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Females	4	...	1	...	...	...	1	...	...	1	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
1. Diseases of the spine	M. 4	2	...	1	...	...	3	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F. 3	...	1	...	...	...	1	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Diseases of the bones	M. 1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the hip-joint	M. 1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Others of this group	M. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

IOWA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	11	3					3	1							1	1		4		1							
Males.....	9	2					2	1								1		4		1							
Females.....	2	1					1								1												
1. Abscess.....	M. 7 F. 1							1							1	1		4		1							
2. Carbuncle.....	M. 1 F. 1																										
3. Others of this group.....	M. 2 F. 1	2					2																				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1															1											
Males.....	1															1											
Females.....																											
1. Addison's disease.....	M. 1 F. 1															1											
2. Diseases of the spleen.....	M. 1 F. 1																										
3. Others of this group.....	M. 1 F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	198	18	5	1	5	3	32	7	9	17	26	14	8	8	10	10	11	10	4	8	6	7	5	2			4
Males.....	160	10		1	2	2	15	5	8	15	22	13	8	7	8	8	10	10	4	6	6	7	2	2			4
Females.....	38	8	5		3	1	17	2	1	2	4	1		1	2	2	1			2			3				
1. Burns and scalds.....	M. 4 F. 9			1	1		2	1														1					
2. Drowned.....	M. 24 F. 3		3		1		4	2		2									1	1							
3. Exposure and neglect.....	M. 7 F. 1	3	1	1		1	3									1				1		1					
4. Gunshot wounds.....	M. 13 F. 1								1	2	2	3	1	1		1	1			1							
5. Homicide.....	M. 8 F. 1									1	1		3	1			2										
6. Infanticide.....	M. 1 F. 1																										
7. Injuries by machinery.....	M. 1 F. 1																	1									
8. Railroad accidents.....	M. 20 F. 1									2	5	3	2		1	1	1	2		1		1					1
9. Suffocation.....	M. 3 F. 6	3	3				3													1							
10. Suicide by shooting.....	M. 4 F. 1										1			1						1		1					
11. Suicide by drowning.....	M. 1 F. 1									1																	
12. Suicide by poison.....	M. 2 F. 9									1	1																
13. Other suicides.....	M. 2 F. 4									1		1	1	2		1	2	2		1							
14. Sunstroke.....	M. 2 F. 2										1	1		1			1										
15. Surgical operations.....	M. 2 F. 2								1		1																
16. Wounds.....	M. 2 F. 2											1									1						
17. Other accidents and injuries.....	M. 58 F. 12	3				2	5	2	1	4	6	2	1	1	5	5	3	4	3	1	5	3	2	2			3

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
IOWA—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	14365	2930	1160	787	504	391	5772	1220	643	647	738	541	400	432	400	385	350	414	466	516	461	379	288	140	33	25	115
Total: Males	7526	1694	640	428	267	198	3227	601	307	279	316	228	164	174	188	215	210	224	288	294	277	204	159	76	16	10	69
Females	6839	1236	520	359	237	193	2545	619	336	368	422	313	236	258	212	170	140	190	178	222	184	175	129	64	17	15	46
Unknown causes.																											
Total.....	642	368	30	13	9	4	424	9	9	7	18	4	15	11	10	8	11	13	12	22	12	16	10	9			22
Males.....	383	225	22	9	4	2	262	7	5	6	9	4	2	3	7	6	4	7	10	12	6	9	6	3			15
Females.....	259	143	8	4	5	2	162	2	4	1	9		13	8	3	2	7	6	2	10	6	7	4	6			7
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	5029	880	618	436	305	286	2525	872	411	257	194	110	83	71	68	58	42	48	63	71	54	41	28	11	4	2	16
Males	2562	496	330	239	155	147	1367	416	184	120	100	45	29	20	24	38	17	24	39	44	37	21	17	5	2	1	12
Females	2467	384	288	197	150	139	1158	456	227	137	94	65	54	51	44	20	25	24	24	27	17	20	11	6	2	1	4
1. Small-pox.....	M. 1														1												
F. 64		17	13	9	3	3	45	4	4	3	3	3			1				1								
2. Measles.....	M. 53	11	9	8		2	30	6	3	4	1	2	4	1			1					1					
F. 203		18	28	32	32	26	136	44	16	3	1		1		1								1				
3. Scarlet fever.....	M. 206	16	28	31	32	16	123	55	20	2	2	1		1	1												
F. 916		55	73	112	102	97	439	287	116	43	17	5					1		2	1							1
4. Diphtheria.....	M. 920	36	68	81	85	101	371	342	140	40	12	4	2	4		2		1		1	1						5
F. 37		20	6	4	2	1	33	4																			
5. Hooping-cough.....	M. 54	24	12	5	4	5	50	4																			
F. 15		4	3	2			9		1		1					1	1				1		1				
6. Fever.....	M. 13	1				2	3			1	2		2	1		1	1	1		1							
F. 26		6	4	3			13	4		3	2				1	3											
7. Cerebro-spinal fever.....	M. 33	5	8	3	6		22	3		1	2	1			1		1							1			
F. 301		8	3	10	4	6	31	28	26	50	47	23	19	8	10	10	4	8	5	17	7	3	1				4
8. Enteric fever.....	M. 233	8	7	7	7	4	33	15	27	53	27	14	12	10	7	7	3	3	7	6	2	4	3				
F. 78		31	16	4	1	1	53	2	1	1	2	1	1	1		2	2	2	1	1	5	2	1	1			
9. Diarrhoea.....	M. 72	35	19	3			57	1	1		1				3		3				1	3	1				1
F. 149		35	46	28	6	4	119	6	2		1				1		1		2	5	4	2	4				2
10. Dysentery.....	M. 145	24	40	24	5	3	96	2	5	3	6	1	1	1	4	2	2	4	4	5	2	3	2	1			1
F. 162		43	18	7		2	70	15	9	8	10	4	2	3	4	6	2	4	11	5	3	2	2		1		1
11. Enteritis.....	M. 120	31	7	4	3	2	47	9	7	7	5	7	4	4	3	3	4	3	6	6	2	1	1		1		
F. 27		5	4				9	1							2	3	2	1	2	3	4						
12. Cholera morbus.....	M. 28	6	3	2			11	4	3	1	1	2				1		1	1		1		1				
F. 347		215	107	19	3	3	347																				
13. Cholera infantum.....	M. 246	153	72	17	4		246																				
F. 142		13	5	7	1	3	29	13	7	6	13	7	6	2	3	11	2	5	9	9	9	5	4	1		1	
14. Malarial fever.....	M. 156	14	11	8	4	1	38	10	14	16	11	7	2	11	8	2	8	4	2	6	6	4	4	1			2
F. 55		21	2		1		24	2		2		1		6		1		2	2	4	3	2	3	2	1		
15. Erysipelas.....	M. 54	16	2	2		2	22	1	3	2	3	1	1	2	4	1		4	3	1	2	3		1			
F. 19		1	1	2		1	5	3			1	1		1	1	2		3		1	1						
16. Septicæmia.....	M. 32	1				1	2	4	3	3	2	6	5	1			2							1			
F. 82										4	15	22	18	11	11	1											
17. Puerperal septicæmia.....	M. 6	2					2								1		1	1									
F. 5		3					3				1				1												
18. Venereal diseases.....	M. 14	2	1				3	3	2	1	2								1		1			1			
F. 15			2	2			4		1		2	1	2					2	1	1					1		
General diseases—B.																											
Total.....	138	56	12	5	2	4	79	6	4	6	4	5	3	4	5	3	3	4	1		3	3	2				3
Males	79	30	9	3	2	1	45	1	2	2	2	4	1	3	5	2	3	3			2	2	1				1
Females	59	26	3	2		3	34	5	2	4	2	1	2	1		1		1	1		1	1	1				2
1. Worms.....	M. 5	2	1	1			4			1																	
F. 2		2					2																				
3. Other parasitic diseases.....	M. 1																										
F. 9												2	1	2	1	2		1									
3. Alcoholism.....	M. 1																										
F. 1																											
4. Lead poison.....	M. 1											1															
F. 35		4	8	2	2	1	17	1	2	1	2	1			4		3	1			2	1					
5. Other poisons.....	M. 26	1	2	2		3	8	3	2	4	1	1	2	1				1			1	1	1				
F. 29		24					24							1				1			2						1
6. Inanition.....	M. 30	23	1				24	1			1					1			1								2
F. 24																											
General diseases—C.																											
Total.....	871	545	4		2		551	1	3	1	1	1	1		3			2	8	13	30	59	96	66	19	15	1
Males	488	335	1		2		338		2			1			1			1	2	5	15	30	44	33	9	6	1
Females	383	210	3				213	1	1	1	1		1		2			1	6	8	15	29	52	33	10	9	
1. Premature birth.....	M. 56	56					56																				
F. 25		25					25																				
2. Stillborn.....	M. 224	224					224																				
F. 137		137					137																				
3. Malformation.....	M. 20	19	1				20																				
F. 19		18	1				19																				
4. Debility.....	M. 63	36			2		38		2			1			1			1	2	1	5	4	3	1	1	2	1
F. 53		30	2				32	1	1	1	1		1						2	4	2	2	4				
5. Old age.....	M. 125																			4	10	26	41	32	8	4	
F. 149																		1	4	4	13	27	48	33	10	9	

IOWA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	2091	106	38	35	12	3	194	37	49	148	245	226	145	153	113	120	106	108	118	103	91	67	29	6	2	3	28
Males.....	914	55	21	14	7	1	98	18	21	28	71	91	69	55	49	54	57	50	71	60	51	35	17	4	1	2	12
Females.....	1177	51	17	21	5	2	96	19	28	120	174	135	76	98	64	66	49	58	47	43	40	32	12	2	1	1	16
1. Rheumatism.....	M. 43			1			1	3	7	2	3	1	1		2	5	4	4	3	3	2						1
	F. 40							3	4	3	3	1	1	1	3	7	1	1	5	1	3	2					
2. Scrofula and tabes.....	M. 38	13	5	4	2	1	25	4	1	1			1		1	2	1		1			1					
	F. 36	8	5	6			19	1		4	2	1	2	1		1		1				2	1				
3. Leprosy.....	M. 1																										
	F. 1																										
4. Consumption.....	M. 580	22	8	3	1		34	2	5	24	64	81	59	46	37	39	32	29	47	22	29	13	6	2			9
	F. 817	21	7	8	2	2	40	9	17	103	164	123	66	83	50	38	25	26	16	17	17	13	2				8
5. Hydrocephalus.....	M. 31	13	5	5	1		24	3	2		1				1												
	F. 31	16	4	4	1		25	2		1					1				1			1					
6. Cancer.....	M. 97	1			1		2	1	1		1	2	2	4	4	5	14	10	11	18	5	6	5	2	1	1	2
	F. 124	2	1		1		4				2	1	4	11	8	14	11	18	13	9	6	4	1	1	1	1	3
7. Tumor.....	M. 16	2		1	1		4							2	2	1	2	2	1	1	1	1					
	F. 17								1			2				2	1	2	4	1	2	1					1
8. Anæmia.....	M. 5	2					2				1	1						1									
	F. 1																1										
9. Dropsy.....	M. 68	1	2				3	3	3	1	1	4	4	1	1	1	3	5	4	9	10	13	1				1
	F. 97	4		3	1		8	2	4	7	3	4	3	1	2	4	8	10	8	9	9	10	3				2
10. Glycosuria.....	M. 29								1			2	2	2	1	1	1	1	4	5	4	1	3			1	
	F. 11							2	1			3		1			2			2							
11. Others of this group.....	M. 7	1	1		1		3	2	1																		

IOWA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	622	117	50	17	13	7	204	23	17	17	29	26	26	22	25	29	39	33	35	34	23	23	10	3		1	3
Males	338	74	30	9	6	1	120	11	11	10	9	7	9	12	10	17	26	20	23	18	13	12	7				3
Females.....	284	43	20	8	7	6	84	12	6	7	20	19	17	10	15	12	13	13	12	16	10	11	3	3		1	
1. Dentition.....	M. 27	11	15	1			27																				
	F. 14	4	10				14																				
2. Angina.....	M. 12	2	1	1			4	3	1	1									1	1	1						
	F. 14	3		1			4	5	1	1	1			1										1			
3. Gastritis.....	M. 17	1	1		2		4						2	1		2	4	1	1	1	1						
	F. 14	1	1		1		3				1	3			1	1		1	1	1	1	1					
4. Other diseases of the stomach.....	M. 49	5	4	2	1		12	2	2	1				1	1	3	6	9	4	2	1	3	2				
	F. 41	2	1	5	2		10	1		3	4	3	3	2	3	3		3	3	2	2	1	3			1	
5. Obstruction of the bowels.....	M. 17	4		1		1	6		1	2	1	1	1		1	1			1			1					
	F. 11	2					2	1	1		1		1		4				1								
6. Hernia.....	M. 16	2					2	1	2	2	1						2		2	1	1						1
	F. 12								1				2	1			1	3	1			1	2				
7. Other diseases of the bowels.....	M. 19	3	2		2		7			1	1		3	1	1		1		1		1		2				
	F. 20	4	1		1	2	8	1		1	1		1		1	1	1	1	1	1	2		1				
8. Jaundice.....	M. 19	7					7							1	2		1	1	3	3		1					
	F. 16	3		1	1	2	7	2			2					1	1		1		1	1					
9. Inflammation and abscess of the liver.....	M. 21	1	1				2	1	1		1	2			1	3	2	1	1	3	1	1					1
	F. 15	1	1				2				1		1	2	2			3	1		3						
10. Other diseases of the liver.....	M. 48	8	2	1			11	1			1	1	3	3	2	4	3	5	5	5	2	2					
	F. 36	3	1		1	1	6				2	2	2	2	2	1	5	3	2	2	2	4		1			
11. Peritonitis.....	M. 25	3		1	1		5	2	2	3	2			1	1	1	4	1			1		1				1
	F. 37	1		1	1	1	4		1	1	7	8	4	3	1	2		1	3	1		1					
12. Ascites.....	M. 6										1					1		1		1	1		1				
	F. 13								1		1		3		1	2	1		3								
13. Others of this group.....	M. 62	27	4	2			33	1	2		1	3		3	1	3	1	1	4	1	3	4	1				
	F. 41	19	5				24	2	1	1		2	1				3		1	3	2		1				
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	182	7	2	1	1		11	11	7	4	11	6	4	7	2	6	10	12	13	24	17	22	8	5	1	1	
Males	139	4	1	1	1		7	6	2	1	9	3	3	5	1	5	8	10	9	21	16	20	7	5	1		
Females.....	43	3	1				4	5	5	3	2	3	1	2	1	1	2	2	4	3	1	2	1			1	
1. Bright's disease.....	M. 32				1		1		1		4	2	1	1	1	2	2	3		5	5	3		1			
	F. 15							1	2	1	1	1	1	1			1		2	1		2					
2. Calculus, urinary.....	M. 15										1						1	1		4	4	2	2				
	F. 15																										
3. Diseases of the kidney.....	M. 55	2					2	4	1	1		1	1	3		2	3	6	5	8	4	10	3	1			
	F. 22	2	1				3	3	2	2	1	2		1		1		2	2	1	1						
4. Diseases of the bladder.....	M. 17		1				1						1			1			2	4	2	4	1	1			
	F. 4	1					1		1								1										
5. Others of this group.....	M. 20	2		1			3	2			4			1			2		2		1	1	1	2	1		
	F. 2							1												1							
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	60								1	7	7	12	3	9	9	4	2	2		3			1				
1. Ovarian tumors.....	F. 9											3			2	2		1									
2. Ovarian diseases.....	F. 3											1			1				1								
3. Uterine tumors.....	F. 13																										
4. Uterine diseases.....	F. 13								1	2	3	1	3	2	1												
5. Others of this group.....	F. 35								1	6	5	5	2	6	4	1	2	1		1			1				
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	150									15	40	23	22	27	15	5											3
1. Abortion.....	F. 13										1	2	6	2	1	1											
2. Child-birth.....	F. 113									9	28	18	13	25	14	3											3
3. Others of this group.....	F. 24									6	11	3	3			1											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	31	4	3	4	2		13	4		5	1	2		3				1	1		1						
Males	22	2	3	4	1		10	3		3	1	2		2				1									
Females.....	9	2			1		3	1		2				1					1		1						
1. Diseases of the spine.....	M. 15	2	2	3	1		8	2			2		2					1									
	F. 6	1			1		2	1		2				1													
2. Diseases of the bones.....	M. 2			1			1			1																	
	F. 1																										
3. Diseases of the hip-joint.....	M. 3		1				1	1			1																
	F. 1																										
4. Others of this group.....	M. 2									2																	
	F. 1	1					1																				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

IOWA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	33	4	1	1			6		2	2	1	2	1	2	1	5	1	3	3	1	1		1			1	
Males	18	3	1				4		2		1			1		4	1	3		1	1						
Females	15	1		1			2			2		2	1	1	1	1			3				1			1	
1. Abscess..... { M. 15	3	1					4		2		1					2	1	3		1	1						
{ F. 10										2		2	1	1	1				2							1	
2. Carbuncle..... { M. 2														1		1											
{ F. 1																1											
3. Others of this group..... { M. 1																1											
{ F. 4		1		1			2											1				1					
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	5									1	1		1		1			1									
Males	4									1			1		1			1									
Females	1										1																
1. Addison's disease..... { M. 1													1														
{ F. 3										1				1			1										
2. Diseases of the spleen..... { M. 1																											
{ F. 1																											
3. Others of this group..... { M. 1											1																
{ F. 1																											
XII.—ACCIDENTS AND INJURIES.																											
Total	601	60	32	24	19	18	153	34	43	47	44	34	17	33	35	26	26	21	24	16	16	9	6	4		13	
Males	461	31	19	11	12	8	81	26	36	39	41	30	13	28	33	24	23	16	23	15	12	5	2	3		11	
Females	140	29	13	13	7	10	72	8	7	8	3	4	4	5	2	2	3	5	1	1	4	4	4	1		2	
1. Burns and scalds..... { M. 20	3	6	4	3			16		1							1				1	1						
{ F. 40	2	10	8	4	5		29	5	2	2		1				1											
2. Drowned..... { M. 46		1	2	3	2		8	10	11	6	5	2	1		2	1											
{ F. 8		1	2		1		4		2		1		1														
3. Exposure and neglect..... { M. 11	4	3			1		8	1						1						1							
{ F. 8	4				2		6													1	1						
4. Gunshot wounds..... { M. 23		1	1	1			3	1	1	11	2		1		1	1			2								
{ F. 2					1		1										1										
5. Homicide..... { M. 7									1		1	1	1	2			1										
{ F. 1																		1									
6. Infanticide..... { M. 2	2						2																				
{ F. 1														1	1												
7. Injuries by machinery..... { M. 2														1	1												
{ F. 1																											
8. Railroad accidents..... { M. 44								2	2	3	6	8	4	7	3	4	2	1		1						1	
{ F. 3													1					1					1				
9. Suffocation..... { M. 39	12	6	2	1	2		23	2	2	1	2	1			1	1				1						5	
{ F. 25	15	2		1	1		19	1					1	1	1											2	
10. Suicide by shooting..... { M. 13										2			1	2	1	1		2		2		1				1	
{ F. 1																											
11. Suicide by drowning..... { M. 1																		1									
{ F. 1																											
12. Suicide by poison..... { M. 10										1	1			1		2	2		3								
{ F. 1														1													
13. Other suicides..... { M. 26								2	2	2	4		2	4		2	1	2	2	1			1			1	
{ F. 6								1	1		1			1			1	1									
14. Sunstroke..... { M. 14			1				1			1	3			1		2	1	1		2		2	1				
{ F. 1																											
15. Surgical operations..... { M. 4			1				1	1									1		1								
{ F. 1																											
16. Wounds..... { M. 14	1			3			4				1		2	1	1		2		1	1	1						
{ F. 2																		1									
17. Other accidents and injuries..... { M. 185	9	2	1	1	3		16	9	16	15	16	13	3	10	19	11	12	10	14	7	6	2	1	2		3	
{ F. 41	8		2	1	1		12	2	2	4	2	2		3		2	1	2		2	3	3	1				

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

IOWA—GROUP 3.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	1462	326	137	86	52	43	644	134	102	59	76	71	36	59	37	42	33	32	27	28	36	22	12	2	2	3	5
Total: Males.....	758	172	79	51	26	25	353	69	50	25	34	32	17	26	15	19	20	18	21	17	16	14	5	2	1	2	2
Females	704	154	58	35	26	18	291	65	52	34	42	39	19	33	22	23	13	14	6	11	20	8	7	1	1	3	
Unknown causes.																											
Total.....	55	35	2		1	1	39	2			2			3	1	2	1	2				1	2				
Males.....	22	14	1		1		16	2			1						1	1				1					
Females	33	21	1			1	23				1			3	1	2		1					2				
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	587	121	77	45	33	30	306	92	75	29	19	16	7	6	5	5	4	1	7	3	5	5	1				1
Males.....	297	62	44	25	15	17	163	47	35	11	6	7	3	5	2	2	3		6	1	1	4					1
Females	290	59	33	20	18	13	143	45	40	18	13	9	4	1	3	3	1	1	1	2	4	1	1				
1. Small-pox	M. 11	1	2	1	4	1	9		1	1																	
F. 16	7	2	1			1	11	3	1		1																
2. Measles	M. 12	2	3	2		1	8	4																			
F. 9	1	1	2	2			6	2	1																		
3. Scarlet fever	M. 126	8	13	14	9	13	57	36	25	4		1		2							1						
F. 99	7	3	10	11	6		37	31	26	5																	
4. Diphtheria.....	M. 4	2	1			1	4																				
F. 8	5	1	1				7	1																			
5. Hooping-cough.....	M. 4																										
F. 8																											
6. Fever.....	M. 4	1	1	1			3		1																		
F. 4		1	1	1		1	3				1																
7. Cerebro-spinal fever	M. 42	1	1	2			4	3	6	6	4	6	2		2	2	3		3		1						
F. 43		3	2		3		6	4	5	8	6	6	2		2	2					2						
8. Enteric fever	M. 4	1	2	1			4																				
F. 3		2	1				3																				
9. Diarrhoea	M. 11	5	5			1	11																				
F. 6	1	1	1			1	3		1									1				1					
10. Dysentery	M. 4	1	1				2	1						1													
F. 7	2	1					3	1	1	1										1							
11. Enteritis	M. 1							1																			
F. 1								1																			
12. Cholera morbus.....	M. 54	37	14	3			54														1						
F. 51	30	16	3		2		51																				
13. Cholera infantum	M. 21	2	1	1	2		6	2	2		2	1	2						3		1	2					1
F. 31	5	2	1	1	2		11	3	5	3	3	2	1							1	1		1				
14. Malarial fever.....	M. 2	1					1																				
F. 7	1						1					1	2			1	1		1								
15. Erysipelas	M. 4									1	2				1												
F. 4															1												
16. Septicæmia	M. 1						1																				
F. 1																											
17. Puerperal septicæmia.....	M. 1						1																				
F. 1																											
18. Venereal diseases	M. 1						1																				
F. 1																											
19. Others of this group.....	M. 1						1																				
F. 1																											
General diseases—B.																											
Total.....	9		1	2			3	1					2		2				1								
Males.....	6		1				1	1					2		1				1								
Females	3			2			2								1												
1. Worms	M. 1			1			1																				
F. 1																											
2. Other parasitic diseases.....	M. 1																										
F. 1																											
3. Alcoholism	M. 5		1				1	1					1		1				1								
F. 2				1			1								1												
4. Lead poison.....	M. 1																										
F. 1																											
5. Other poisons	M. 1																										
F. 1																											
6. Inanition	M. 1																										
F. 1																											
General diseases—C.																											
Total.....	63	46		1			47											1	2		1	3	5		1	3	
Males	38	25		1			26											1	2		1	2	3		1	2	
Females	25	21					21															1	2			1	
1. Premature birth	M. 6	6					6																				
F. 5		5					5																				
2. Stillborn	M. 18	18					18																				
F. 15		15					15																				
3. Malformation	M. 1	1					1																				
F. 1		1					1																				
4. Debility	M. 2			1			1												1								
F. 2																											
5. Old age	M. 11																		2		1	2	3		1	2	
F. 4																						1	2			1	
6. Atrophy	M. 1																										
F. 1																											

IOWA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	185	14	2	7	3	1	27	2	3	11	18	19	9	20	14	10	13	11	8	7	9	4					
Males.....	80	5		3	2	1	11	1	1	5	5	6	3	11	3	5	7	6	4	5	6	1					
Females.....	105	9	2	4	1		16	1	2	6	13	13	6	9	11	5	6	5	4	2	3	3					
1. Rheumatism.....	M. 3									1					1					1							
	F. 3	2			1		3																				
2. Scrofula and tabes.....	M. 5	2	1				3				1																
	F. 5	2					3										1										
3. Leprosy.....	M. 45	2		2		1	5																				
	F. 70	4		1	1		6		1	4	4	6	2	9	1	3	3	3		1	3						
4. Consumption.....	M. 2	1		1			2																				
	F. 5	3		2			5																				
5. Hydrocephalus.....	M. 9				1		1																				
	F. 8													1		2	1	2	2								
6. Cancer.....	M. 1																1										
	F. 1																										
7. Tumor.....	M. 18							1			1		1	2	1	2	1	2	3		3	1					
	F. 16		1	1			2	1					3	1	1	1	1	2	1	1	1	2					
8. Anæmia.....	M. 1																										
	F. 1																										
9. Dropsy.....	M. 18																										
	F. 16																										
10. Glycosuria.....	M. 1																										
	F. 1																										
11. Others of this group.....	M. 1																										
	F. 1																										
12. Others of this class.....	M. 1																										
	F. 1																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	132	43	16	9	3	3	74	11	8	2	4																

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

IOWA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	59	16	6	2	3	1	28	2	2	1	3	2	2	3		5	5	1	2		3						
Males	32	11	3	1	1	1	17	1	1		2		1	1		2	4	1	1		1						
Females	27	5	3	1	2		11	1	1	1	1	2	1	2		3	1		1		2						
1. Dentition	{ M. 5 F. 4	3	2				5																				
2. Angina	{ M. F.	1	2	1			4																				
3. Gastritis	{ M. F.																										
4. Other diseases of the stomach.....	{ M. 2 F. 2		1				1				1					1	1										
5. Obstruction of the bowels.....	{ M. F.																										
6. Hernia	{ M. 2 F.	1					1														1						
7. Other diseases of the bowels.....	{ M. 12 F. 12	6		1		1	8	1			2						1										
8. Jaundice	{ M. F. 2					2	4	1	1	1		1				2	1			1							
9. Inflammation and abscess of the liver.....	{ M. F.												1						1								
10. Other diseases of the liver.....	{ M. 5 F. 7		2				1	2					1	1			1	1			1						
11. Peritonitis	{ M. 2 F.								1							1											
12. Ascites	{ M. F.																										
13. Others of this group.....	{ M. 4 F.	1	1				2										1		1								
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	11							1	1		1	2			1			1		1	2	1					
Males	8										1	2			1			1		1	1	1					
Females	3							1	1												1						
1. Bright's disease.....	{ M. 3 F. 1										1	1			1												
2. Calculus, urinary	{ M. 2 F.																	1				1					
3. Diseases of the kidneys.....	{ M. 2 F. 2								1	1										1	1						
4. Diseases of the bladder	{ M. F.																										
5. Others of this group	{ M. 1 F.											1															
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	1															1											
1. Ovarian tumors	F.																										
2. Ovarian diseases	F.																										
3. Uterine tumors	F.																										
4. Uterine diseases	F.																										
5. Others of this group	F. 1															1											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	25									2	6	5	5	5				1									
1. Abortion	F. 3											1	1	1													
2. Child-birth	F. 22									2	6	4	4	4				1									
3. Others of this group	F.																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	1								1																		
Males	1								1																		
Females																											
1. Diseases of the spine.....	{ M. F.																										
2. Diseases of the bones	{ M. F.																										
3. Diseases of the hip-joint.....	{ M. 1 F.								1																		
4. Others of this group	{ M. F.																										

IOWA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	2	1					1														1						
Males.....																											
Females.....	2	1					1														1						
1. Abscess.....	{ M. F.																										
2. Carbuncle.....	{ M. F.																										
3. Others of this group.....	{ M. F.	2	1				1														1						
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....																											
Males.....																											
Females.....																											
1. Addison's disease.....	{ M. F.																										
2. Diseases of the spleen.....	{ M. F.																										
3. Others of this group.....	{ M. F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	58	5	5	4	1		15	3	5	6	7	4	4	3	3	1	1	3	1	1	1						
Males.....	50	4	3	4			11	3	5	5	6	4	3	3	3	1	1	2	1	1	1						
Females.....	8	1	2		1		4			1	1		1					1									
1. Burns and scalds.....	{ M. F.	3 4	1		1		2 3		1				1														
2. Drowned.....	{ M. F.	11			3	1	3	1	2	4	1																
3. Exposure and neglect.....	{ M. F.																										
4. Gunshot wounds.....	{ M. F.																										
5. Homicide.....	{ M. F.	1												1													
6. Infanticide.....	{ M. F.																										
7. Injuries by machinery.....	{ M. F.																										
8. Railroad accidents.....	{ M. F.	9							2		3		2				1	1									
9. Suffocation.....	{ M. F.	4 1	2 1	1			3 1	1																			
10. Suicide by shooting.....	{ M. F.																										
11. Suicide by drowning.....	{ M. F.																										
12. Suicide by poison.....	{ M. F.	1									1								1								
13. Other suicides.....	{ M. F.	2												1					1								
14. Sunstroke.....	{ M. F.																										
15. Surgical operations.....	{ M. F.																										
16. Wounds.....	{ M. F.																										
17. Other accidents and injuries.....	{ M. F.	20 2	1	2			3	1		1	2	4	1	2	2	1		1		1	1						

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
KANSAS—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	13321	3316	1393	770	457	360	6296	1017	573	610	695	580	430	505	349	370	334	317	295	279	226	181	88	55	11	16	94
Total: Males.....	6958	1807	729	402	246	179	3363	482	279	283	318	280	178	225	187	229	220	190	186	151	126	104	46	38	4	9	60
Females.....	6363	1509	664	368	211	181	2933	535	294	327	377	300	252	280	162	141	114	127	109	128	100	77	42	17	7	7	34
Unknown causes.																											
Total.....	736	468	44	23	12	11	558	25	19	15	15	18	13	10	6	7	4	3	8	11	6	4	3	4			7
Males.....	378	251	28	10	9	6	304	11	12	7	5	5	7	3	3	2	2	1	4	5	3	1					3
Females.....	358	217	16	13	3	5	254	14	7	8	10	13	6	7	3	5	2	2	4	6	3	3	3	4			4
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	5155	1154	799	423	252	209	2837	638	327	270	216	161	103	133	71	67	56	55	55	45	36	30	9	8	3		35
Males.....	2502	595	401	223	129	93	1441	286	146	116	101	71	40	48	34	32	31	37	37	18	16	17	2	5	1		23
Females.....	2653	559	398	200	123	116	1396	352	181	154	115	90	63	85	37	35	25	18	18	27	20	13	7	3	2		12
1. Small-pox.....	M. F.	3 1	..	..	..	..	..	1	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..
2. Measles.....	M. F.	220 235	50 53	42 48	37 25	14 17	7 9	150 152	28 17	9 12	11 17	6 9	8 10	..	1 5	4 1	..	1 2	..	1 2	..	1	..	..	..	..	1
3. Scarlet fever.....	M. F.	201 227	23 13	28 30	28 22	26 26	21 30	126 121	49 60	18 28	2 10	2 6	2 1	..	1 1	..	..	..	..	..	..	..	..	..	..	..	1
4. Diphtheria.....	M. F.	434 454	37 35	44 49	62 56	55 42	37 48	235 230	130 149	45 54	12 10	3 6	1 1	..	1 1	..	1 1	1	1	..	..	..	..	..	..	..	4
5. Hooping-cough.....	M. F.	90 117	49 65	23 24	9 12	1 7	2 3	84 111	5 6	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1
6. Fever.....	M. F.	14 15	5 2	2 1	1 ..	..	1	9 3	..	..	1	1	4	2	2	..	..	..	1	..	..	1	1	..	..	..	..
7. Cerebro-spinal fever.....	M. F.	40 33	15 7	4 2	2 3	5 4	2 1	28 17	4 5	2 3	2 1	1 2	1	1	..	1	..	..	1	..	..	1	1	..	..	..	..
8. Enteric fever.....	M. F.	282 289	10 9	7 6	7 7	4 5	1 5	29 32	14 42	28 44	39 51	51 30	31 14	19 13	16 13	11 13	6 7	6 3	8 6	11 2	5 2	1 2	2 2	1 1	..	..	4
9. Diarrhœa.....	M. F.	150 121	51 45	48 37	10 10	3 2	3	114 97	2 2	4 3	3 1	2	..	2	3	2	..	1	1	3	1	4	1	1	..	..	3
10. Dysentery.....	M. F.	145 107	44 31	43 31	15 13	5 2	4	111 79	2 5	3 1	2	2	2	3	1	3	2	3	2	2	1	1	1	1	1	..	3
11. Enteritis.....	M. F.	133 154	42 47	22 25	7 12	..	2	73 91	9 11	8 6	9 5	3 3	5 8	2 7	4 6	3 3	3 2	4 3	2 1	4 2	4 2	..	..	1	..	..	1
12. Cholera morbus.....	M. F.	12 13	1 1	1 ..	1 ..	..	..	3 2	1	1	..	..	1	..	1	3	..	1	..	3	1	1	..	..	..	..	1
13. Cholera infantum.....	M. F.	367 344	215 195	117 123	26 19	3 4	3	364 343	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3
14. Malarial fever.....	M. F.	320 345	34 31	16 19	15 18	10 11	9	84 87	37 48	24 30	30 42	18 27	12 16	13 10	8 14	7 13	14 9	6 6	11 6	8 7	6 10	6 4	1 5	..	..	..	1
15. Erysipelas.....	M. F.	53 48	12 14	3 2	1 2	2 ..	2	20 18	..	3	2	2	1	..	8	1	3	2	..	3	2	3	..	2	1	..	1
16. Septicæmia.....	M. F.	12 26	1 3	..	1	..	1	2 4	3	1	..	..	1	1	2	..	1	1	..	..	1	1	..	..	..	..	..
17. Puerperal septicæmia.....	M. F.	105 3	..	..	..	..	..	..	..	..	7	24	26	18	26	1	2	1	..	..	..	..	..	..	..	..	..
18. Venereal diseases.....	M. F.	3 3	2	..	1	..	..	1	..	..	1	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..
19. Others of this group.....	M. F.	23 16	6 6	1 1	1	..	..	8 7	1	1	2	..	2	1	..	2	..	1	2	1	1	2	..	..	..	..	..
General diseases—B.																											
Total.....	142	34	21	11	8	1	75	9	3	2	4	6	6	5	8	10	6	1	5	..	1	1	..	..	..	..	..
Males.....	93	24	9	6	3	1	43	4	1	2	3	5	4	3	7	9	6	1	4	..	1	..	..	..	..	..	..
Females.....	49	10	12	5	5	..	32	5	2	..	1	1	2	2	1	1	..	1	..	..	1	..	..	..	..	..	..
1. Worms.....	M. F.	8 5	2	..	4	1	7	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
2. Other parasitic diseases.....	M. F.		..	2	1	..	3	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
3. Alcoholism.....	M. F.	23 1	..	..	..	..	..	..	..	..	..	1	1	3	3	7	4	1	3	..	..	..	..	..	..	..	..
4. Lead poison.....	M. F.		..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
5. Other poisons.....	M. F.	43 32	3 1	9 8	2 4	2 5	1	17 18	3 4	1 1	2 ..	3 1	4 1	3 2	..	4 1	2 1	2	1	1	1	1	..	..	..	..	..
6. Inanition.....	M. F.	19 11	19 9	2	..	..	..	19 11	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
General diseases—C.																											
Total.....	682	570	4	3	1	..	578	1	..	1	2	1	..	..	1	..	..	2	1	10	12	24	20	12	5	9	3
Males.....	376	318	4	1	1	..	324	..	..	..	2	..	..	..	..	..	..	1	6	5	13	8	9	2	5	1	
Females.....	306	252	..	2	..	..	254	1	..	1	..	1	..	..	1	..	..	2	4	7	11	12	10	3	3	2	
1. Premature birth.....	M. F.	79 55	79 55	..	..	..	79 55	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
2. Stillborn.....	M. F.	190 153	190 153	..	..	..	190 153	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
3. Malformation.....	M. F.	13 11	13 11	..	..	..	13 11	..	..	..	..	..	..	..	..	..	..	..	..	3	2	1	2	..	..	..	1
4. Debility.....	M. F.	51 47	34 33	4	1	1	40 35	..	1	1	2	1	..	..	1	..	..	2	..	3	2	1	2	..	..	..	1
5. Old age.....	M. F.	41 40	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	3	3	12	6	9	2	5	..	
6. Atrophy.....	M. F.	2 ..	2	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	2	7	10	10	3	3	4	1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX AND SPECIFIED DISEASE.
KANSAS—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	1526	93	49	20	10	11	183	41	41	97	186	163	117	113	92	90	95	73	66	57	48	34	11	6	1	2	10
Males.....	739	60	31	10	5	5	111	25	15	39	68	76	43	50	41	56	61	38	28	28	23	21	5	5	1	1	5
Females.....	787	33	18	10	5	6	72	16	26	58	118	87	74	63	51	34	34	35	38	29	25	13	6	1	1	1	5
1. Rheumatism.....	M. 32	1	1	1	1	1	4	3	3	3	2	2	1	2	2	4	2	4	1	1	1	1	1	1	1	1	1
F. 27	15	8	4	1	1	1	29	4	1	1	1	1	1	1	2	3	1	2	2	4	1	1	1	1	1	1	1
2. Scrofula and tabes.....	M. 47	5	2	1	1	1	9	2	3	4	1	2	1	4	1	1	1	2	1	1	1	1	1	1	1	1	1
F. 28	5	2	1	1	1	1	9	2	3	4	1	2	1	4	1	1	1	2	1	1	1	1	1	1	1	1	1
3. Leprosy.....	M. 458	23	10	2	1	1	37	7	8	29	59	66	40	40	31	42	30	26	11	11	5	13	1	1	1	1	2
F. 526	12	9	2	1	2	2	26	9	13	48	101	70	58	53	36	25	21	18	15	10	11	6	4	1	1	1	1
4. Consumption.....	M. 24	11	8	3	1	1	22	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 23	13	4	4	1	1	1	22	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5. Hydrocephalus.....	M. 54	1	1	1	1	1	2	2	2	1	1	3	1	5	3	3	12	4	4	5	3	4	1	1	1	1	2
F. 46	1	1	1	1	1	1	1	1	1	1	1	1	1	4	7	4	5	5	7	7	1	3	1	1	1	1	1
6. Cancer.....	M. 9	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 14	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	2	3	3	1	1	1	1	1	1	1	1
7. Tumor.....	M. 96	7	4	2	2	2	15	6	5	5	4	3	2	1	2	4	11	4	4	8	10	3	3	5	1	1	1
F. 108	1	5	2	3	1	1	12	4	5	2	10	6	10	1	6	3	4	7	11	9	9	4	2	1	1	1	4
8. Anæmia.....	M. 18	1	1	1	1	1	5	1	2	1	1	2	1	1	1	1	3	1	4	1	3	1	1	1	1	1	1
F. 5	1	1	1	1	1	1	5	1	2	1	1	2	1	1	1	1	3	1	4	1	3	1	1	1	1	1	1
9. Dropsy.....	M. 1	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 4	1	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
10. Glycosuria.....	M. 3	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 2	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
11. Others of this group.....	M. 3	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 2	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
12. Others of this class.....	M. 3	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 2	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	1114	375	137	67	27	26	632	63	39	36	35	31	16	30	24	25	30	29	23	30	22	18	11	9	2	2	9
Males.....	598	199	76	36	16	16	343	28	17	16	18	13	5	17	13	19	14	16	17	14	14	13	7	5	2	2	7
Females.....	516	176	61	31	11	10	289	35	22	20	17	18	11	13	11	6	16	13	6	16	8	5	4	4	1	1	2
1. Inflammation of the brain.....	M. 160	72	28	12	7	3	122	8	6	4	4	4	1	1	2	2	1	3	1	1	1	1	1	1	1	1	1
F. 142	66	26	10	5	2	2	100	10	6	2	6	2	3	1	2	1	2	1	1	1	1	1	1	1	1	1	1
2. Meningitis.....	M. 33	9	8	2	1	1	20	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 25	9	5	5	2	2	2	21	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3. Apoplexy.....	M. 39	3	1	1	1	1	3	1	1	1	1	1	2	2	1	3	4	2	4	4	5	1	1	2	1	1	1
F. 32	2	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4. Paralysis.....	M. 67	2	3	1	1	2	8	2	2	2	2	3	1	3	6	5	2	5	8	3	7	8	5	2	1	1	1
F. 58	1	1	1	1	1	1	4	2	2	2	1	3	4	1	2	4	6	3	11	6	3	2	2	1	1	1	1
5. Tetanus and trismus nascentium.....	M. 8	3	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 1	1	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6. Epilepsy.....	M. 23	4	1	1	1	1	6	3	1	3	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 16	4	1	1	1	1	1	6	3	1	3	2	3	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
7. Convulsions.....	M. 64	48	4	5	1	1	57	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 76	48	7	2	1	1	1	57	4	5	3	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
8. Mental diseases.....	M. 4	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 8	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
9. Diseases of the brain.....	M. 136	40	25	10	4	4	83	8	2	4	7	3	3	4	3	4											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KANSAS—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total.....	516	125	57	20	9	7	218	23	15	14	22	18	11	24	25	23	18	29	20	23	15	11	4				3	
Males.....	292	77	28	9	4	3	121	15	10	6	15	13	4	11	17	13	9	15	14	13	7	3	4				2	
Females.....	224	48	29	11	5	4	97	8	5	8	7	5	7	13	8	10	9	14	6	10	8	8				1		
1. Dentition.....	M. 25	12	12	1			25																					
F. 22	8	11	2	1			22																					
2. Angina.....	M. 25	8	3	1	2	1	15	2	2	1					2		1				1		1					
F. 17	2	5	1	1			9	1	2		1			1		1	1				1							
3. Gastritis.....	M. 10	2	1	1			3				3	1	1			1		1										
F. 13	2	1	1	1			6			1		2	2			1	1			2								
4. Other diseases of the stomach.....	M. 49	10	5	2		1	18	3		1	2	2		2	3	2	3	2	5	2	2	1				1		
F. 32	4	3	1	1			9	4	1	1	1		2	2	2	2	3	2	1		1	5				1		
5. Obstruction of the bowels.....	M. 15	1	2				3	1	1		3	1			1	2		2								1		
F. 14	1		1				2		1	1	2			2	1	2	1	1				1					1	
6. Hernia.....	M. 13	5					5				1			1	1	1				2	2							
F. 5																1		2		1	1							
7. Other diseases of the bowels.....	M. 21	5	1	1			7	3	3	2	1			1	1					2			1					
F. 13	5	1	1				7	1					1					2										
8. Jaundice.....	M. 11	4	1	1			6	1												1		1	2					
F. 14	7	2					9													1								
9. Inflammation and abscess of the liver.....	M. 23	1					1	1		1	2		3	2		3	2	3	3	2	2							
F. 14						1	1	1		1		2		1		4		3	3		1							
10. Other diseases of the liver.....	M. 28	6			1	1	8				1	1	2	1	2	2	2	3	3	1	1	1						
F. 21	2	1			1	1	5							2	1	2	2	3	3	1	1	1						
11. Peritonitis.....	M. 11	1					1	1	3	1		2		2			1											
F. 18	2						2	1	1	2	2	2	4	2	1					1								
12. Ascites.....	M. 2														2													
F. 5										1	1						1	2										
13. Others of this group.....	M. 59	24	2	2	1		29	3	1	1	3	4	1	1	3	2		4	3	3	1							
F. 36	15	5	4			1	25			1				3	2		2	2	1									
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																												
Total.....	128	5		2	3	1	11	4	6	3	5	3	5	5	6	7	9	8	10	18	11	9	4	4				
Males.....	100	3		1	1		5	1	3	2	3	2	4	3	4	5	9	7	9	16	10	9	4	4				
Females.....	28	2		1	2	1	6	3	3	1	2	1	1	2	2	2		1	1	2	1							
1. Bright's disease.....	M. 26							1		1	2		3	3	4		3	4	2		1	2						
F. 9	1		1				2	1			1	1		1	1	1					1							
2. Calculus, urinary.....	M. 17	1					1		2			1							1	5	4	1	1	1				
F. 36	2		1	1			4		1	1	1	1				4	5	2	3	6	3	2	2	1				
3. Diseases of the kidney.....	M. 17	1			2	1	4	2	3	1	1		1	1		1		1	1	1	1							
F. 17	1						4																					
4. Diseases of the bladder.....	M. 12												1			1			2	4	1	2		1				
F. 2															1					1								
5. Others of this group.....	M. 9																1	1	1	1	1	2	1	1				
F. 9																												
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																												
Total: Females.....	57								3	6	6	2	10	8	12	5	2	2	1									
1. Ovarian tumors.....	F. 4												1	1				2										
2. Ovarian diseases.....	F. 5													2			2		1									
3. Uterine tumors.....	F. 1												1															
4. Uterine diseases.....	F. 12								1	3	1		3	1	3													
5. Others of this group.....	F. 35								2	3	5	2	5	6	7	5												
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																												
Total: Females.....	165								1	20	36	37	32	25	7	5											2	
1. Abortion.....	F. 15									1	3	5	4	1	1													
2. Child-birth.....	F. 130								1	16	27	29	26	20	6	3											2	
3. Others of this group.....	F. 20									3	6	3		4		2												
IX.—DISEASES OF THE BONES AND JOINTS.																												
Total.....	29	4	3	2			9	1	3	1	3		4	1		1		3	1		2							
Males.....	16	2	1	2			5		3		2		2					2			2							
Females.....	13	2	2				4	1		1	1		2	1		1		1	1									
1. Diseases of the spine.....	M. 10	2	1	2			5		1		2							1			1							
F. 9	2	2					4			1	1					1		1	1									
2. Diseases of the bones.....	M. 2																											
F. 1																												
3. Diseases of the hip-joint.....	M. 1								1																			
F. 2								1																				
4. Others of this group.....	M. 3								1				1					1										
F. 1														1														

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KANSAS—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	25	3	3	1		2	9			3	1	3		1	1	3		1	1	1	1						
Males.....	15	1	1	1		2	5			2	1	2		1	1	3											
Females.....	10	2	2				4			1		1						1	1	1	1						
1. Abscess.....	11	1				2	3			2	1	2		1	1	1											
2. Carbuncle.....	8	1	2				3			1		1						1	1	1							
3. Others of this group.....	2		1				1									1											
.....	2	1					1														1						
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	7		1	1	1		3	1	1		1							1									
Males.....	7		1	1	1		3	1	1		1							1									
Females.....																											
1. Addison's disease.....																											
2. Diseases of the spleen.....	3		1				1	1			1																
3. Others of this group.....	4			1	1		2		1									1									
.....																											
XII.—ACCIDENTS AND INJURIES.																											
Total.....	520	40	19	23	15	10	107	44	45	41	44	47	33	29	24	32	16	15	14	5	8	8	2	2	1		3
Males.....	396	23	12	17	9	7	68	26	34	22	36	41	30	23	20	28	14	11	12	5	5	4	1	2	1		3
Females.....	124	17	7	6	6	3	39	18	11	9	8	6	3	6	4	4	2	4	2		3	4	1				
1. Burns and scalds.....	30	3	6	10	1	1	21	1		1	2	1	1			2											
2. Drowned.....	35	3	5	3	4	2	17	7	3	3	2			1			1				1						
3. Exposure and neglect.....	40		3	2	3	4	12	6	9	6	1	2			1	3											
4. Gunshot wounds.....	9			2			2	3	3					1													
5. Homicide.....	8	5		1			6												1			1					
6. Infanticide.....	7	2	1		1		4		1					1	1												
7. Injuries by machinery.....	34							3	2	4	4	3	12	2	1	1	1	1									
8. Railroad accidents.....	2							1																			
9. Suffocation.....	28	1					1			8	4	3	4	1	5			1	1								
10. Suicide by shooting.....	2					1	1																				
11. Suicide by drowning.....																											
12. Suicide by poison.....	2													1													
13. Other suicides.....	26								3	6	4	4	1	2	1	2	1		2								
14. Sunstroke.....	3							1																			
15. Surgical operations.....	22	6	2				8		1			4	1			3	1										
16. Wounds.....	5	3	1				4																				
17. Other accidents and injuries.....	14									1	5	2	1	2	1	1	1										
.....	2										2																
.....	1																										
.....	3																										
.....	3																										
.....	13									1	2	1	2		1		4	1	1								
.....	3																										
.....	1																										
.....	3																										
.....	2																										
.....	12																										
.....	4	1																									
.....	160	8	1	4	5	1	19	15	17	14	11	16	7	10	11	11	5	7	4	3	4	3	1	1	1		
.....	45	8		1			9	6	4	5	3	2	1	1	1	1		4	2		1	4	1				

KANSAS—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	174	16	6	3	2	1	28	8	5	6	12	16	15	17	16	10	7	8	4	12	7	2	1				
Males.....	85	5	2	2	1	1	11	2	2	2	5	10	7	10	7	6	4	2	4	7	5	1					
Females.....	89	11	4	1	1		17	6	3	4	7	6	8	7	9	4	3	6		5	2	1	1				
1. Rheumatism.....	M. 1															1											
F. 7		2	1		1		4	1											1	1							
2. Scrofula and tabes.....	M. 5						2	1		1	1																
F. 5		2																									
3. Leprosy.....	M. 61																										
F. 67		5	3	1	1		10	3	1	1	5	10	7	9	7	5	4	1	3	5	3						
4. Consumption.....	M. 3						3																				
F. 3		2	1																								
5. Hydrocephalus.....	M. 2						3																				
F. 3		3																									
6. Cancer.....	M. 5																			1	1						
F. 5															1		2										
7. Tumor.....	M. 2	1				1	2																				
F. 2		1					1							1													
8. Anæmia.....	M. 8																										
F. 7			1																								
9. Dropsy.....	M. 1																										
F. 1																											
10. Glycosuria.....	M. 1																										
F. 1																											
11. Others of this group.....	M. 1																										
F. 2														2						1							
II.—DISEASES OF THE NERVOUS SYSTEM																											
Total.....	143	52	13	12	4	4	85	8	1	8	4	8	2	1	2	2	5	3	4	5	3		1	1			
Males.....	80	32	8	9	4	2	55	3	1	4	2	3		1	1	1	1	1	2	3	1		1				
Females.....	63	20	5	3		2	30	5		4	2	5	2		1	1	4	2	2	2	2			1			
1. Inflammation of the brain.....	M. 32	14	6	3	3		26	2	1	2	1																
F. 17		8		1		1	10	2		1	1	1			1		1										
2. Meningitis.....	M. 4	1		1			2	1				1															
F. 3		2					2																				
3. Apoplexy.....	M. 6										1								1	2	1		1				
F. 3			1				1												1		1						
4. Paralysis.....	M. 5			1			1					1		1					1	1							
F. 9												1				1	1	1	1	1	2	1		1			
5. Tetanus and trismus nascentium.....	M. 3	2	1				3																				
F. 3		1	1				2					1															
6. Epilepsy.....	M. 9	8		1			9																				
F. 10		6					6			1	1	1	1														
7. Convulsions.....	M. 12	4	1	3			8			2						1	1										
F. 11		3	1	2		1	7	2		1			1														
8. Diseases of the brain.....	M. 8	3			1	2	6								1				1								
F. 6			2				2	1		1		1						1	1								
9. Diseases of the spinal cord.....	M. 1											1															
F. 1																	1										
10. Others of this group.....	M. 1																										
F. 1																											
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	39	4				1	5	4	1	1	2	6		3	3	2	2		5	1	1	2		1			
Males.....	15	2					2	1		1				1	2	2	1		3	1		1					
Females.....	24	2				1	3	3	1		2	6		2	1		1		2		1	1		1			
1. Angina pectoris.....	M. 14	1					1	1		1																	
F. 22						1	1	3	1		2	6		2	1	2	1		2	1	1	1		1			
2. Aneurism.....	M. 1	1					1																				
F. 2		2					2																				
3. Diseases of the heart.....	M. 1																										
F. 2																											
4. Others of this group.....	M. 1																										
F. 2																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	261	59	31	21	13	5	129	23	8	16	11	8	9	13	2	11	6	8	3	6	4	2	1				1
Males.....	134	31	19	10	4	3	67	13	4	9	7	4	1	6		6	4	4	2	3	1	1	1				1
Females.....	127	28	12	11	9	2	62	10	4	7	4	4	8	7	2	5	2	4	1	3	3	1					
1. Croup.....	M. 30	6	7	5	3	2	23	6	1																		
F. 27		5	2	7	5	2	21	6																			
2. Laryngitis.....	M. 3	2	1				3																				
F. 11		5			1		6				1	1															
3. Bronchitis.....	M. 81	18	8	4	1	1	32	5	3	9	7	3	1	6		6	3	3	1	1							
F. 70		14	8	4	3		29	3	4	3	3	2	7	6		5	1	3		3	1						
4. Pneumonia.....	M. 1																										
F. 3															1												
5. Pleurisy.....	M. 2																										
F. 1																											
6. Asthma.....	M. 17	5	3	1			9	2				1															
F. 15		4	2				6					1	1														
7. Others of this group.....	M. 1																										
F. 15																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KANSAS—GROUP 2—Continued.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
KENTUCKY—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	2739	798	253	128	69	34	1282	129	70	101	186	129	97	88	79	57	69	61	63	70	80	61	57	25	19	9	7
Total: Males.....	1370	439	131	61	38	17	686	58	39	41	78	45	40	37	37	25	37	31	33	36	42	37	34	13	11	6	4
Females.....	1369	359	122	67	31	17	596	71	31	60	108	84	57	51	42	32	32	30	30	34	38	24	23	12	8	3	3
Unknown causes.																											
Total.....	347	208	42	11	7	4	272	6	3	2	3	7	2	2	4	4	6	1	2	6	7	7	5	3	1		4
Males.....	188	119	27	7	5	2	160	3	2		2						2	1	1	4	2	4	2	3			
Females.....	159	89	15	4	2	2	112	3	1	2	1	7	2	2	4	4	4		1	2	5	3	3		1		2
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	651	179	82	64	31	11	367	61	24	20	34	18	20	22	9	10	10	7	11	11	9	8	5	3	2		
Males.....	291	90	38	26	13	6	173	21	10	9	16	6	7	7	3	5	5	3	7	6	4	5	3		1		
Females.....	360	89	44	38	18	5	194	40	14	11	18	12	13	15	6	5	5	4	4	5	5	3	2	3	1		
1. Small-pox.....	M. 2																										
2. Measles.....	F. 2																										
3. Scarlet fever.....	M. 4					1	1																				
4. Diphtheria.....	F. 3																										
5. Hooping-cough.....	M. 19	4	1	7	2	1	15	2	1	1																	
6. Fever.....	F. 16	5	2	3			10	5	1																		
7. Cerebro-spinal fever.....	M. 59	35	12	3	2		52	5	2																		
8. Enteric fever.....	F. 108	42	21	17	8	4	92	13	2	1	2	1		1	1												
9. Diarrhœa.....	M. 29	6	4	3	3	1	17	3	2	1	2	1															
10. Dysentery.....	F. 31	7	1	1	2																						

KENTUCKY—GROUP 1—Continued.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
KENTUCKY—GROUP 1—Continued.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KENTUCKY—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....																											
Males.....																											
Females.....																											
1. Abscess.....	M.																										
	F.																										
2. Carbuncle.....	M.																										
	F.																										
3. Others of this group.....	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	3										1	1	1														
Males.....	1											1															
Females.....	2										1		1														
1. Addison's disease.....	M.																										
	F.																										
2. Diseases of the spleen.....	M.	1										1															
	F.	2									1		1														
3. Others of this group.....	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	159	27	9	7	2	3	48	9	13	6	18	10	11	6	6	5	7	4	2	7	2	2	3				
Males.....	119	19	7	3	1		30	4	10	5	17	9	10	5	6	4	6	3	2	4	2	1	1				
Females.....	40	8	2	4	1	3	18	5	3	1	1	1	1	1		1	1	1		3		1	2				
1. Burns and scalds.....	M.	10	4		2	1	7		1	1			1														
	F.	12	3	1	1		6	3	2													1					
2. Drowned.....	M.	7		2			2	1	1	1						1											
	F.	3			1	1	2													1							
3. Exposure and neglect.....	M.	4	2				2													1			1				
	F.	3											1				1										
4. Gunshot wounds.....	M.	29			1		1		2		6	4	4	3	2	2	2	2		1							
	F.																										
5. Homicide.....	M.	13									7	1	2	1	1					1							
	F.	1										1															
6. Infanticide.....	M.																										
	F.																										
7. Injuries by machinery.....	M.																										
	F.																										
8. Railroad accidents.....	M.	1											1														
	F.																										
9. Suffocation.....	M.	9	5	3			8									1											
	F.	6	3		2		6																				
10. Suicide by shooting.....	M.	1										1															
	F.																										
11. Suicide by drowning.....	M.																										
	F.																										
12. Suicide by poison.....	M.																										
	F.																										
13. Other suicides.....	M.	1																									
	F.																										
14. Sunstroke.....	M.	4										1			1						1	1					
	F.	1										1															
15. Surgical operations.....	M.																										
	F.																										
16. Wounds.....	M.	2		1			1																				
	F.																										
17. Other accidents and injuries.....	M.	38	8	1			9	3	5	3	2	3	2	1	2		4	1	2	1							
	F.	14	2	1		1	4	2	1	1				1		1		1		1			2				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KENTUCKY—GROUP 2.

[Exclusive of LOUISVILLE.]

Cause of death.	Total.	Under 1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
GRAND TOTAL	4673	1055	342	222	131	88	1838	280	146	231	313	198	199	192	169	141	131	151	132	156	135	98	92	31	16	12	12
Total: Males.....	2416	596	197	113	69	45	1020	134	68	106	141	78	89	79	82	88	73	93	69	90	69	54	49	16	8	4	6
Females	2257	459	145	109	62	43	818	146	78	125	172	120	110	113	87	53	58	58	63	66	66	44	43	15	8	8	6
Unknown causes.																											
Total.....	262	154	19	11	5		189	12	2	6	5	7	3	3	2	4	4	5	1	6	6	3	4				
Males.....	155	92	14	6	4		116	7	...	3	2	3	2	1	2	3	4	3	1	4	1	2	1				
Females	107	62	5	5	1		73	5	2	3	3	4	1	2		1		2		2	5	1	3				
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	1228	290	148	108	55	36	637	135	51	71	61	31	38	32	25	14	20	29	22	23	12	11	10	3		1	2
Males.....	621	155	81	57	29	14	336	60	24	39	23	15	16	12	16	8	12	17	10	14	4	7	3	2		1	2
Females	607	135	67	51	26	22	301	75	27	32	38	16	22	20	9	6	8	12	12	9	8	4	7	1			
1. Small-pox	M. F.	28 40	10 15	7 6	5 8	1 1	24 31	2 5	2 ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Measles	M. F.	102 97	11 7	18 6	19 18	15 11	69 54	24 32	4 8	2 2	...	1 ...	...	1 ...	...	...	...	...	...	...	...	...	...	...	...	...	1
3. Scarlet fever	M. F.	34 43	2 8	3 4	2 4	5 4	17 21	12 14	1 5	2 1	...	1 ...	1 ...	...	...	...	...	...	1 ...	...	...	...	...	...	...	...	...
4. Diphtheria	M. F.	20 20	14 5	2 7	2 3	1 1	19 17	1 2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Hooping-cough	M. F.	4 5	1 ...	...	...	...	1 ...	...	...	...	1 ...	...	...	...	...	2 ...	...	...	...	...	...	...	...	...	...	...	...
6. Fever	M. F.	16 11	2 2	3 1	3 2	...	9 5	...	1 2	2 1	...	1 ...	...	...	1 ...	...	...	...	...	...	...	...	...	...	...	...	...
7. Cerebro-spinal fever	M. F.	80 70	...	2 2	2 ...	...	4 3	6 8	7 6	16 13	12 10	3 3	8 9	3 1	2 3	2 3	6 3	3 3	4 1	...	1 ...	...	...	...	...	...	...
8. Enteric fever	M. F.	44 38	11 19	9 6	2 3	3 2	25 31	2 1	6 1	1 ...	2 ...	...	2 ...	3 1	1 1	3 4	1 1	2 ...	3 ...	1 ...	1 ...	...	...	...	...	...	...
9. Diarrhœa	M. F.	37 37	6 11	7 7	5 2	1 1	19 22	1 ...	...	2 3	1 ...	1 ...	1 ...	1 ...	1 ...	...	...	...	...	...	...	...	...	...	...	...	1
10. Dysentery	M. F.	48 36	21 12	3 5	3 2	...	27 19	2 1	2 1	2 1	...	1 ...	1 ...	1 ...	4 1	...	...	2 3	2 2	1 3	1 1	...	...	2 ...	...	...	...
11. Enteritis.....	M. F.	10 7	1 ...	...	...	...	1 ...	...	...	1 ...	...	...	...	1 ...	...	2 ...	...	2 2	2 2	3 3	1 1	1 ...	...	...	...	...	...
12. Cholera morbus	M. F.	84 67	58 44	21 18	4 4	1 ...	84 67	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
13. Cholera infantum	M. F.	76 67	6 5	3 4	9 4	2 6	21 21	9 8	4 6	9 3	5 2	8 4	2 2	2 1	3 2	2 ...	...	...	...	5 3	1 2	2 ...	3 4	...	...	...	...
14. Malarial fever	M. F.	19 15	6 4	2 ...	1 1	...	9 6	...	1 ...	2 1	...	1 ...	1 ...	1 ...	2 1	...	...	...	...	...	...	...	...	...	...	...	...
15. Erysipelas	M. F.	4 6	2 ...	...	...	...	2 ...	1 ...	...	...	...	...	...	...	1 ...	...	...	...	...	...	...	...	...	...	...	...	...
16. Septicæmia	M. F.	41 6	3 ...	...	...	...	3 ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
17. Puerperal septicæmia	M. F.	6 6	2 ...	...	...	...	2 ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
18. Venereal diseases	M. F.	9 1	1 1	1 ...	...	...	2 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
19. Others of this group	M. F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
General diseases—B.																											
Total.....	79	37	9	5	4	1	56	6	1	...	1	3	2	1	1	2	1	3	...	1	1	...	...	...	...	...	...
Males.....	47	19	5	1	3	...	28	4	1	...	1	2	2	1	1	2	...	3	...	1	1	...	...	...	...	...	...
Females	32	18	4	4	1	1	28	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
1. Worms	M. F.	9 8	5 4	1 2	...	1 ...	7 7	2 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Other parasitic diseases	M. F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Alcoholism	M. F.	7 2	...	...	...	1 ...	1	...	...	...	1 ...	1 ...	1 ...	1 ...	1 ...	...	...	1 ...	...	...	1 ...	...	...	...	...	...	...
4. Lead poison.....	M. F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Other poisons	M. F.	16 6	1 1	3 1	1 ...	1 ...	6 4	2 1	1 ...	...	1 ...	1 ...	...	...	1 ...	...	...	...	...	...	...	...	...	...	...	...	...
6. Inanition	M. F.	15 16	13 13	1 1	...	1 2	15 16	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
General diseases—C.																											
Total.....	292	188	...	...	1	...	189	...	...	...	1	...	1	2	...	1	...	3	6	6	19	27	19	9	8	1	...
Males.....	161	119	...	...	1	...	120	...	...	...	1	...	1	...	...	1	...	1	3	1	7	10	8	5	2	1	...
Females	131	69	...	...	...	...	69	...	...	...	...	...	...	2	...	...	...	2	3	5	12	17	11	4	6	...	...
1. Premature birth	M. F.	26 20	26 20	...	...	...	26 20	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Stillborn	M. F.	74 40	74 40	...	...	...	74 40	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Malformation	M. F.	10 1	10 1	...	...	...	10 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Debility.....	M. F.	16 16	9 8	...	1	...	10 8	...	...	...	1	...	1	...	2	...	...	...	1	1	2	1	1	1	1	...	...
5. Old age	M. F.	35 54	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	2	3	1	6	9	8	5	2	1
6. Atrophy	M. F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KENTUCKY—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	948	40	17	20	8	6	91	25	30	77	138	90	75	80	58	51	43	44	38	34	38	12	13	4	2	1	4
Males.....	414	18	9	10	2	3	42	12	11	22	59	28	29	28	28	25	21	26	20	20	23	9	6	4	1	1	4
Females.....	534	22	8	10	6	3	49	13	19	55	79	62	46	52	30	26	22	18	18	14	15	3	7	1	1	1	4
1. Rheumatism.....	M. 6							1	1	2											1	1					
F. 7									1	2						1	1										
2. Scrofula and tabes.....	M. 30	7	2	3	1		13	4		1	3	2	1		1			2		1	2						
F. 27	7	2	2	2			13	1	1	1	2	3		2					1	1	1						1
3. Leprosy.....	M. 292	6	4	3	1	1	15	3	4	19	52	25	27	27	24	21	12	17	15	10	13	5	1	1	1		
F. 404	9	3	4	1	1		18	8	15	47	74	56	42	43	24	21	14	8	9	11	9	1	2			2	
4. Consumption.....	M. 8	4	1	3			8																				
F. 12	6	1	1	1	1	1	10		1	1																	
5. Hydrocephalus.....	M. 23	1					1	2							1	2	3	3	1	3	3	2	2				
F. 41			2				2				1	2	6	4	3	6	5	4	1	3	1	2			1		
6. Cancer.....	M. 5								1					1	1		2	2	1		1						
F. 5																			2	1							
7. Tumor.....	M. 2								1								1										
F. 41		2	1			2	5	2	3		4	1	1	1													
8. Anæmia.....	M. 34		2	1	2	1	6	3		4	1	2	2		1	1		3	2	1	2	1	3		1	1	1
F. 7									1						1	2	1	1		1							
9. Dropsy.....	M. 2																1										
F. 2									1																		
10. Glycosuria.....	M. 2								1																		
F. 2									1																		
11. Others of this group.....	M. 2								1								1										
F. 2									1																		
12. Others of this class.....	M. 2								1																		
F. 2									1																		
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	521	147	58	26	15	19	265	29	19	13	27	14	11	15	15	12	14	11	15	20	19	13	7		2		
Males.....	270	74	34	12	6	14	140	15	5	7	12	6	6	5	6	10	9	5	8	12	10	8	5		1		
Females.....	251	73	24	14	9	5	125	14	14	6	15	8	5	10	9	2	5	6	7	8	9	5	2		1		
1. Inflammation of the brain.....	M. 75	23	13	6	4	4	50	8	2	2	2	2	2	1	1		1	1	1	1	1						
F. 65	22	14	7	3			46	4	3	3	3	1	4					1									
2. Meningitis.....	M. 29	6	11	1		1	19	2		1	3	1			1	1				1							
F. 18	5	5	1		1		12	2		1	1				1												
3. Apoplexy.....	M. 23			1	1		2			1			1		1	3	3	1	3	2	2	2	2				
F. 16									1	2			2	2	1	1	1	1	2	2		1	1				
4. Paralysis.....	M. 28										2		2	2	3	4		1	6	5	3	2					
F. 34	1	1	3				5	1		1	1		1	2	1	1	3	3	6	5	2	1		1			
5. Tetanus and trismus nascentium.....	M. 6	2		1			3	1		1				1			1										
F. 6	4						4		1																		
6. Epilepsy.....	M. 10		1		1	1	3		1	3	1	1	1														
F. 4									1	1	2																
7. Convulsions.....	M. 41	30	4	1		3	38			1	1	1				1											
F. 46	32	3	1		1		37	2	2	1	1	1		1					1								
8. Mental diseases.....	M. 3											1			1				1								
F. 41	9	3	2			2	16	3	1	2	3	1			3	2	1	1	3	1		2	1		1		
9. Diseases of the brain.....	M. 37	7	1	1	3	1	13	4	3		3	2		2	3		2				3	2					
F. 11	4	2				2	8	1	1												1						
10. Diseases of the spinal cord.....	M. 14	1		1	3	1	6	1	2		4		1														
F. 6						1	1																				
11. Others of this group.....	M. 8	1				1	2		1					3	1					1	1	1					
F. 8						1	2		1																		
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	153	3		1	2	3	9	5	5	3	7	7	9	7	16	13	5	11	12	15	10	10	7	1			1
Males.....	73	3		1	2	3	9	2	3	1	4	3	4	3	6	4	2	4	3	9	6	4	6				
Females.....	80							3	2	2	3	4	5	4	10	9	3	7	9	6	4	6	1	1			1
1. Angina pectoris.....	M. 5									1					1			1		1	1						
F. 1																											
2. Aneurism.....	M. 67	2		1	2	3	8	2	3		4	3	4	3	5	4	2										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KENTUCKY—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	167	35	21	5		2	63	4	5	4	5	7	5	4	10	8	8	10	4	9	10	1	9				1
Males.....	92	20	15	4		2	41	2	4	1	2	2	1	2	4	5	3	4	4	4	6		6				1
Females.....	75	15	6	1			22	2	1	3	3	5	4	2	6	3	5	6		5	4	1	3				
1. Dentition.....	M. 12 F. 9	3 4	6 5	2		1	12 9																				
2. Angina.....	M. 1 F. 7	1 1					1 2																				
3. Gastritis.....	M. 5 F. 11	1 3	1				2 3				1	1		1	1		1			1	2		1				
4. Other diseases of the stomach.....	M. 14 F. 2	3 2		1			3 1		2	2	1	1		1	1		1		1	2			2				
5. Obstruction of the bowels.....	M. 6 F. 3	1 1					1 1	1						1	2		1										
6. Hernia.....	M. 8 F. 4	1	2				3 1	1	2						1	1			1								
7. Other diseases of the bowels.....	M. 2 F. 6		1	1			1 2				1	1						1		1							
8. Jaundice.....	M. 10 F. 4		1	1			2 1				1	2			1	1		1			1		1				
9. Inflammation and abscess of the liver.....	M. 13 F. 10	1 2	2			1	4 2				1				2	1	1	1		1		2					
10. Other diseases of the liver.....	M. 5 F. 3		1				1 1									1	1	1		1							
11. Peritonitis.....	M. 1 F. 3																	1	1		1	1					
12. Ascites.....	M. 18 F. 8	9 3	2				11 3				1			1	1		1			1	1		1				
13. Others of this group.....	M. 13 F. 8																										
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	56		1		1		2	1			3	2	4	1	2	4	1	7	6	6	7	3	4	1	2		
Males.....	38				1		1				1	1	1		1	4		6	3	6	6	3	3	1	1		
Females.....	18		1				1	1			2	1	3	1	1		1	1	3		1		1		1		
1. Bright's disease.....	M. 13 F. 8		1				1			1	1	1			1	2		1	2	5	1	1					
2. Calculus, urinary.....	M. 2 F. 11																				1	1					
3. Diseases of the kidney.....	M. 6 F. 4				1		1			1	1		1	1				3	1		2	1	1				
4. Diseases of the bladder.....	M. 2 F. 8												1		1		1			1	1		1				
5. Others of this group.....	M. 2 F. 2												1			1		2		1		1	1	1			
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	16								1	1	1	3	3	2			2		1	2							
1. Ovarian tumors.....	F. 2																										
2. Ovarian diseases.....	F. 4									1		1		1			1			1							
3. Uterine tumors.....	F. 10								1		1	2	3				1		1	1							
4. Uterine diseases.....	F. 10																										
5. Others of this group.....	F. 10																										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	62								1	8	17	11	10	8	7												
1. Abortion.....	F. 3										1	1			1												
2. Child-birth.....	F. 53								1	5	13	10	10	8	6												
3. Others of this group.....	F. 6									3	3																
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	27	6	1	2	4	1	14	4	1	2		1		3				1		1							
Males.....	17	4	1	1	2	1	9	2	1	1		1		1				1		1							
Females.....	10	2		1	2		5	2		1				2													
1. Diseases of the spine.....	M. 14 F. 8	4 2	1	1	2	1	9 4	1 2	1			1		1						1							
2. Diseases of the bones.....	M. 2 F. 2				1		1			1																	
3. Diseases of the hip-joint.....	M. 3 F. 3							1		1								1									
4. Others of this group.....	M. 3 F. 3																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
KENTUCKY—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	8	2	2	1			5	1		1					1												
Males.....	4	1	2	1			4								1												
Females.....	4	1					1	1		1					1												
1. Abscess.....	M. 1		1				1																				
F. 3								1		1					1												
2. Carbuncle.....	M. 1																										
F. 1																											
3. Others of this group.....	M. 3	1	1	1			3																				
F. 1	1	1					1																				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	2							1		1																	
Males.....	1							1																			
Females.....	1									1																	
1. Addison's disease.....	M. 1																										
F. 1																											
2. Diseases of the spleen.....	M. 1							1																			
F. 1											1																
3. Others of this group.....	M. 1																										
F. 1																											
XII.—ACCIDENTS AND INJURIES.																											
Total.....	226	21	12	3	9	7	52	25	15	19	20	10	17	14	9	12	8	8	5	2	1	4	2			1	2
Males.....	167	14	7	1	7	2	31	16	9	14	18	8	17	12	7	10	6	8	3	1	1	2	2			1	1
Females.....	59	7	5	2	2	5	21	9	6	5	2	2	2	2	2	2	2	2	2	1	1	2	2			1	1
1. Burns and scalds.....	M. 10		1		5		6	3							1												
F. 24	1	3	2		4		10	7	3						1	1			1			1					
2. Drowned.....	M. 35		2		1		3	7	2	3	4	2	4	4	1	1	2	1	1								
F. 5								2		2					1												
3. Exposure and neglect.....	M. 2	2					2																				
F. 4		1					1		2	1		1	1	1				1									
4. Gunshot wounds.....	M. 8									1	2	1	1	1	1			1									
F. 13																											
5. Homicide.....	M. 1						1																				
F. 4	1	1					1																				
6. Infanticide.....	M. 1																										
F. 4	1						1																				
7. Injuries by machinery.....	M. 6							1						1	2		1		1								
F. 11	6	4	1				11																				
8. Railroad accidents.....	M. 5						5																				
F. 5	4				1																						
9. Suffocation.....	M. 5									1			1		1	1		1									
F. 2											1																
10. Suicide by shooting.....	M. 3																										
F. 1																											
11. Suicide by drowning.....	M. 1																										
F. 7																											
12. Suicide by poison.....	M. 3																										
F. 2																											
13. Other suicides.....	M. 2																										
F. 4																											
14. Sunstroke.....	M. 2																										
F. 2																											
15. Surgical operations.....	M. 4								2	1			1														
F. 6					1		1																				
16. Wounds.....	M. 1																										
F. 50	5				1	1	7	5	5	3	4	2	5	2	2	5	2	1	1	1		2	1			1	1
17. Other accidents and injuries.....	M. 12	1	1		1	1	4		1		1	1		1		1											
F. 12																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
KENTUCKY—GROUP 3.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	447	105	31	12	9	13	170	22	19	14	24	27	27	21	17	20	11	24	9	10	11	6	6	5	1	1	2
Total: Males	244	61	22	7	6	8	104	12	9	5	10	12	15	11	6	5	8	17	4	6	6	5	4	3	1	1	1
Females	203	44	9	5	3	5	66	10	10	9	14	15	12	10	11	15	3	7	5	4	5	1	2	2	1	1	1
Unknown causes.																											
Total	49	30	5	1	1	1	38	1			1	1				1	1	1	1	2				1		1	1
Males	22	14	3			1	18	1										1						1			1
Females	27	16	2	1	1		20				1	1				1	1	1	1	2							
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	111	26	16	6	3	4	55	7	8	2	4	4	6	7	2	1	2	5	2	1	1	2		2			
Males	64	15	13	4	3	2	37	4	3		2	1	3	4	1		2	1	2	1		2		1			
Females	47	11	3	2		2	18	3	5	2	2	3	3	3	1	1		4		1			1				
1. Small-pox	M. 2	1	1				2																				
2. Measles	F. 1						1																				
3. Scarlet fever	M. 3				2	1	3																				
4. Diphtheria	F. 1						1																				
5. Hooping-cough	M. 3						3																				
6. Fever	F. 1						1																				
7. Cerebro-spinal fever	M. 11						11																				
8. Enteric fever	F. 7					1	2																				
9. Diarrhœa	M. 4	2					2																				
10. Dysentery	F. 2						1																				
11. Enteritis	M. 8	2	4	2			8																				
12. Cholera morbus	F. 11	2	1	1			4																				
13. Cholera infantum	M. 5	1	1	1	1		4																				
14. Malarial fever	F. 4																										
15. Erysipelas	M. 9	7	2				9																				
16. Septicæmia	F. 5	4		1			5																				
17. Puerperal septicæmia	M. 17	1	3			1	5	3	2		1		2	1	1		5					1		1			
18. Venereal diseases	F. 9	1				1	2		1	2		1		2				1									
19. Others of this group	M. 1																										
	F. 2			1			1							1													
General diseases—B.																											
Total	6		1	1			2	1			1		2														
Males	4		1	1			2						2														
Females	2							1			1																
1. Worms	M. 1			1			1																				
2. Other parasitic diseases	F. 1							1																			
3. Alcoholism	M. 2												2														
4. Lead poison	F. 1																										
5. Other poisons	M. 1																										
6. Inanition	F. 1		1				1																				
General diseases—C.																											
Total	21	13					13														4		3		1		
Males	14	10					10														1		2		1		
Females	7	3					3													3		1					
1. Premature birth	M. 1	1					1																				
2. Stillborn	F. 8	8					8																				
3. Malformation	M. 1	1					1																				
4. Debility	F. 2	2					2																				
5. Old age	M. 4																				1		2		1		
6. Atrophy	F. 4																				3		1				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KENTUCKY—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	79	3	3	2	1	1	10	4	3	3	9	11	5	7	6	7	1	5	2	2	1		1	1			1
Males.....	40	2	2	1		1	6	3	1	1	2	4	2	3	3	3	1	5	1	2	1		1	1			1
Females.....	39	1	1	1	1		4	1	2	2	7	7	3	4	3	4			1								1
1. Rheumatism.....	M. 2																	1		1							
F. 1								1																			
2. Scrofula and tabes.....	M. 5	1	2				3	1			1																
F. 3		1	1				2					1															
3. Leprosy.....	M. 1																										
F. 1																											
4. Consumption.....	M. 27	1		1			2	1	1	1	1	4	2	3	2	2	1	4	1	1				1			
F. 30				1			1		2	2	6	6	2	3	3	4											1
5. Hydrocephalus.....	M. 1																										
F. 1																											
6. Cancer.....	M. 1													1													
F. 1																											
7. Tumor.....	M. 1																										
F. 1																											
8. Anæmia.....	M. 1																										
F. 1																											
9. Dropsy.....	M. 5					1	1	1							1	1					1						
F. 4							1				1								1								
10. Glycosuria.....	M. 1																							1			
F. 1																											
11. Others of this group.....	M. 1																										
F. 1																											
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	33	11	2			1	2	16	3	1	2	3	2	2	1		2	1									
Males.....	23	7	1			1	2	11	1	1	2	2	1	1	1		2	1									
Females.....	10	4	1					5	2			1	1	1													
1. Inflammation of the brain.....	M. 12	6				1	1	8			1		1				1										
F. 2		1	1					2																			
2. Meningitis.....	M. 4	1					1	2				1		1													
F. 1											1																
3. Apoplexy.....	M. 1									1																	
F. 1											1																
4. Paralysis.....	M. 1																	1									
F. 1									1																		
5. Tetanus and trismus nascentium.	M. 1								1																		
F. 1																											
6. Epilepsy.....	M. 1																										
F. 1																											
7. Convulsions.....	M. 1										1																
F. 1																											
8. Mental diseases.....	M. 1																										
F. 1																											
9. Diseases of the brain.....	M. 2		1				1			1																	
F. 3		2					2	1																			
10. Diseases of the spinal cord.....	M. 1																1										
F. 2		1					1							1													
11. Others of this group.....	M. 1																										
F. 1																											
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	18								2		1					5	1	4	1	2	2						
Males.....	5																										
Females.....	13								1		1					5	1	2	1	2							
1. Angina pectoris.....	M. 1																										
F. 1																											
2. Aneurism.....	M. 1																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
KENTUCKY—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	1																	1									
Males.....	1																	1									
Females.....																											
1. Abscess.....	M.																										
	F.																										
2. Carbuncle.....	M.																										
	F.																										
3. Others of this group.....	M.	1																1									
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....																											
Males.....																											
Females.....																											
1. Addison's disease.....	M.																										
	F.																										
2. Diseases of the spleen.....	M.																										
	F.																										
3. Others of this group.....	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	12	3			2	1	6		1			1	1	1						2							
Males.....	9	1			1	1	3		1			1	1	1						2							
Females.....	3	2			1		3																				
1. Burns and scalds.....	M.																										
	F.	2	1			1	2																				
2. Drowned.....	M.	4	1			1	3		1																		
	F.																										
3. Exposure and neglect.....	M.																										
	F.	1	1				1																				
4. Gunshot wounds.....	M.	2												1	1												
	F.																										
5. Homicide.....	M.																										
	F.																										
6. Infanticide.....	M.																										
	F.																										
7. Injuries by machinery.....	M.																										
	F.																										
8. Railroad accidents.....	M.																										
	F.																										
9. Suffocation.....	M.																										
	F.																										
10. Suicide by shooting.....	M.																										
	F.																										
11. Suicide by drowning.....	M.																										
	F.																										
12. Suicide by poison.....	M.																										
	F.																										
13. Other suicides.....	M.	1																		1							
	F.																										
14. Sunstroke.....	M.																										
	F.																										
15. Surgical operations.....	M.	1																		1							
	F.																										
16. Wounds.....	M.																										
	F.																										
17. Other accidents and injuries.....	M.	1										1															
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KENTUCKY—GROUP 4.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	13071	3101	1070	581	316	231	5299	636	402	688	889	622	543	443	387	373	291	300	405	390	419	291	255	139	61	33	105
Total: Males.....	6463	1733	536	289	151	136	2845	293	174	277	363	262	219	173	181	181	219	188	214	199	231	156	122	72	28	12	54
Females.....	6608	1368	534	292	165	95	2454	343	228	411	526	360	324	270	206	192	172	112	191	191	188	135	133	67	33	21	51
Unknown causes.																											
Total.....	978	605	71	31	11	13	731	25	15	19	19	8	10	9	12	6	12	12	13	13	14	16	15	3	3		23
Males.....	499	322	36	16	4	4	382	13	5	7	7	4	3	4	4	4	5	5	6	8	10	11	5	2	2		12
Females.....	479	283	35	15	7	9	349	12	10	12	12	4	7	5	8	2	7	7	7	5	4	5	10	1	1		11
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	3029	601	461	238	135	100	1535	282	120	166	182	117	84	82	53	53	61	32	66	47	45	40	25	16	5	3	15
Males.....	1485	326	226	128	68	55	803	116	45	72	84	60	43	34	22	25	33	21	32	19	23	18	16	8	3	1	7
Females.....	1544	275	235	110	67	45	732	166	75	94	98	57	41	48	31	28	28	11	34	28	22	22	9	8	2	2	8
1. Small-pox.....	M.																										
F.																											
2. Measles.....	M.	67	17	18	5	6	50	6		2	2	2	2	1				1		1							
F.	70	14	13	7	4	1	39	11	1	8	3		1	3		1	2				1						
2. Scarlet fever.....	M.	62	6	7	11	4	38	19	4	1																	
F.	85	8	8	7	11	10	44	24	12	2	2			1													
4. Diphtheria.....	M.	99	17	11	18	15	72	20	6						1												
F.	117	13	20	19	15	11	78	32	4		1	1	1														
5. Hooping-cough.....	M.	113	53	21	17	8	103	8																			1
F.	143	57	41	17	10	8	133	8	1																		1
6. Fever.....	M.	45	12	4	2	1	20	2	1	3	4	3	1	3	1	2			1	1	1	1	1	1	1	1	
F.	48	6	2			1	9	10	1	4	7	3	1	4	2		1	1	2		1		1	1	1		
7. Cerebro-spinal fever.....	M.	28	5	6	3	3	19	2	2	2		1										2					
F.	31	7	8	3	2	1	21	4	4	1				1													
8. Enteric fever.....	M.	236	7	8	4	7	28	16	14	37	41	28	18	11	8	6	7	4	5	2	6	1	2			1	1
F.	214	6	8	6	4	3	27	20	24	39	30	16	9	10	7	9	7	1	7	4	2	1	1	1	1		
9. Diarrhœa.....	M.	78	28	17	6	1	52		1	2	2			1	1	1	1	2	3	1	1	1	2	1	1	1	1
F.	64	12	18	7	3		40	4	1	1		1		1		1	1	1	3	2	1	2	1	1	1	2	
10. Dysentery.....	M.	225	40	50	27	16	144	14	8	6	6	4	2	4	2	4	8	4	5	3	3	4	3	1			1
F.	186	26	41	19	4	3	93	18	6	11	5	3	5	2	4	2	4	7	8	6	6	1	1				
11. Enteritis.....	M.	97	30	10	8	3	52	4	1	7	3	1	2	2	3	1	2	4	2	3	4	2	3	1			
F.	87	22	12	6	3	3	46	5	2	2	1	3	3		5	1	1	7	4	3	1	3					
12. Cholera morbus.....	M.	18	3	1			4	1			1						1	1	3	2	1	1				2	
F.	11	1	1				2	1		1	1			1	1	1				1	2						
13. Cholera infantum.....	M.	136	74	48	12		136																				
F.	120	65	41	11	2	1	120																				
14. Malarial fever.....	M.	213	18	16	12	4	56	23	6	10	20	15	14	9	6	7	6	2	12	7	6	3	4	5	1		1
F.	234	17	16	8	6	3	50	27	19	16	22	13	11	14	3	3	11	2	10	8	6	8	2	4	1	4	
15. Erysipelas.....	M.	34	8	3	3		14	1	1	1	1	1		2		2	4	1	2	1		1	1	1			
F.	35	18	3		1		22			2	1					3	1	1	1			2			1		
16. Septicæmia.....	M.	6		2			2			1	2			1													
F.	16							1		2	5	3	1	1	3												
17. Puerperal septicæmia.....	F.	62								5	19	12	6	10	6	4											
18. Venereal diseases.....	M.	16	4	1			5				1	3	3			1	2								1		1
F.	9	2			2		4				1	1				1	1										
19. Others of this group.....	M.	17	4	3		1	8		1		1	1		1			2					2	1				
F.	12	1	3				4	1				1	2			2				1		1					
General diseases—B.																											
Total.....	127	40	11	13	7	1	72	5	1	2	3	5	2	6	5	3	4	2	3	2	2	5	1	1	1		2
Males.....	74	25	3	3	2	1	34	2	1	1	2	3	2	6	5	3	3	1	2	2	1	5					1
Females.....	53	15	8	10	5		38	3		1	1	2					1	1	1		1	1	1	1	1		1
1. Worms.....	M.	11	1	2	2	2	8	2	1																		
F.	20		7	9	3		19	1																			
2. Other parasitic diseases.....	M.																										
F.																											
3. Alcoholism.....	M.	15								1	1			4	3		1		2	2		1					
F.																											
4. Lead poison.....	M.	1																									
F.																											
5. Other poisons.....	M.	21	2		1		3			1	1	2	2	2	2	3	1	1				2					1
F.	17	2	1		2		5	2		1	1	1					1	1	1		1			1	1		1
6. Inanition.....	M.	26	22	1			23															1	2				
F.	16	13		1			14					1											1				
General diseases—C.																											
Total.....	873	615	3	4			622	2			1		1					1	4	10	32	33	58	48	32	25	4
Males.....	487	365	2	2			369	2			1							1	2	6	18	16	22	25	15	7	3
Females.....	386	250	1	2			253						1					2	4	14	17	36	23	17	18		1
1. Premature birth.....	M.	63	63				63																				
F.	45	45					45																				
2. Stillborn.....	M.	284	284				284																				
F.	186	186					186																				
3. Malformation.....	M.	9	8	1			9																				
F.	8	7	1				8																				
4. Debility.....	M.	39	10	1	2		13	2			1							1	1	4	6	3	3	3	1		1
F.	26	12		2			14							1													

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
KENTUCKY—GROUP 4—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	2973	128	85	57	34	22	326	76	119	275	445	299	246	182	156	144	132	94	114	111	91	67	51	19	7	1	18
Males.....	1197	84	47	23	15	12	181	34	39	72	141	100	83	55	62	54	73	55	63	56	46	39	20	12	3	1	8
Females.....	1776	44	38	34	19	10	145	42	80	203	304	199	163	127	94	90	59	39	51	55	45	28	31	7	4	10	
1. Rheumatism.....	M. 36					1	1	2	4	1	1	1				2	3	3	2	7	2	4	2	1			
	F. 33							3	2	4	2	1	2	2	1	2	2		2	2	2	1	4	1			
2. Scrofula and tabes.....	M. 111	25	19	7	8	3	62	10	13	8	3	1	4	1	1	1		1	2	1		1	1				
	F. 114	16	10	13	5	6	50	13	8	5	13	4	6	3	2	4	2		3								
3. Leprosy.....	M. 1																										
	F. 1																										
4. Consumption.....	M. 817	40	19	7	1	5	72	13	20	59	128	93	71	50	49	44	55	36	41	36	23	16	3	1	1		6
	F. 1361	23	14	15	10	2	64	21	65	188	276	180	144	103	80	62	33	21	30	26	31	10	16	2	1		8
5. Hydrocephalus.....	M. 29	12	4	4	1	3	24	4		1																	
	F. 21	3	8	5			16	2		1	2																
6. Cancer.....	M. 64	1			1		2				2		5	2	4	3	9	4	6	5	10	5	3	3			1
	F. 110	1				1	2				5	4	5	9	4	12	13	13	8	13	5	9	4	3			1
7. Tumor.....	M. 12	2	2	1			5			1	2	1			2	1											
	F. 11		1				1					1	1	3	1	1	1				1						
8. Anæmia.....	M. 4	2			1		3											1									
	F. 3																										
9. Dropsy.....	M. 104	2	2	4	3		11	4	2	1	4	4	3	2	6	2	4	7	11	6	9	11	9	5	2	1	
	F. 110	1	4	1	4	1	11	3	4	1	5	8	5	7	4	9	5	4	10	9	6	7	7	1	3		1
10. Glycosuria.....	M. 18										1	1															
	F. 10									1	2	1				1	2	3	1	1	2	2	2	2			
11. Others of this group.....	M. 2		1				1	1																			
	F. 3		1				1				1																
12. Others of this class.....	M. 21							1			3	8	5	1		2											
	F. 1																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	1420	406	179	84	36	34	739	79	44	38	34	33	28	24	32	36	39	41	38	59	64	38	30	8	4	3	9
Males.....	754	222	90	39	17	21	389	42	26	18	20	21	15	15	19	20	26	25	14	31	34	15	12	3	2	3	4
Females.....	666	184	89	45	19	13	350	37	18	20	14	12	13	9	13	16	13	16	24	28	30	23	18	5	2	5	
1. Inflammation of the brain.....	M. 221	86	44	26	7	7	170	18	12	2	1	3	1	5	1	2	1	1		1	2						1
	F. 202	73	42	26	10	5	156	16	2	7	4	1	3		1	6	1		1	3			1				
2. Meningitis.....	M. 84	24	16	4	3	5	52	7	4	5	3	2		1	2		3	1		1	2						1
	F. 63	23	15	3	4	3	48	6	2			2						1	2								2
3. Apoplexy.....	M. 47	1		1			2		1	1	2		2	3	1	5	6	5	4	7	6		2				
	F. 47		1				1	1	1	3	1	1	2		5	3	6	1	5	5	3	4	4	1			
4. Paralysis.....	M. 109	2	1		1		4		1		2	6	2	2	3	8	6	12	7	14	18	10	8	3	1	2	
	F. 110	1	1	1	2	1	6	1	1	2		2	2	4	2	4	5	7	10	15	20	11	12	4	2		
5. Tetanus and trismus nascentium.....	M. 27	9				5	14	2	3	1	1	3	1	2													
	F. 11	6					6		2	1	1			1													
6. Epilepsy.....	M. 28	2		2	1		5		1	3	5	3	1		3	1	1		2	1		1					
	F. 12		1	1	1	1	4		2	1	3	1	1														
7. Convulsions.....	M. 97	61	14	2	4		81	6		1	3	1	2		1						1						1
	F. 88	59	11	7	1	1	79	1			2	2			1												3
8. Mental diseases.....	M. 5														2	1			1	1							
	F. 6														1												
9. Diseases of the brain.....	M. 78	19	7	1		2	29	6	1	2	2	1	2	2	4	2	8	4		6	3	2	2		1		1
	F. 71	14	13	3		2	32	4	4	3	2	1	3	2	3	2		2	5	4	1	3					
10. Diseases of the spinal cord.....	M. 51	18	8	3	1	2	32	3	3	2		2	2		2	1					1	1					1
	F. 39	8	5	4	1		18	8	2	1	1	1	1	1				1			1	3	1				
11. Others of this group.....	M. 7									1	1		2				1				1	1					
	F. 17								2	2					1		1	2	1	1	4	2					
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	405	24	2	4	1	1	32	7	10	19	17	14	20	22	17	14	30	25	47	37	43	26	13	8	1		3
Males.....	201	15	1	2			18	3	4	8	8	4	8	7	5	4	14	18	28	23							

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KENTUCKY—GROUP 4—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
I.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	25	4	3	1			8			3		1	2	1	3	2	1	1	1		1	1					
Males.....	12	3	1				4			2		1	1		2	1					1						
Females.....	13	1	2	1			4			1			1	1	1	1	1	1				1					
1. Abscess.....	M. 4 F. 6		1	1			2			1		1		1	1	1			1			1					
2. Carbuncle.....	M. 4 F. 1	1					1			1			1	1					1								
3. Others of this group.....	M. 4 F. 6	2	1				3							1	1	1	1				1						
II.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	3	1					1		1							1											
Males.....	2								1							1											
Females.....	1	1					1																				
1. Addison's disease.....	M. 2 F. 1																										
2. Diseases of the spleen.....	M. 2 F. 1								1							1											
3. Others of this group.....	M. 1 F. 1	1					1																				
III.—ACCIDENTS AND INJURIES.																											
Total.....	576	102	26	18	21	9	176	50	33	37	41	38	34	27	26	21	22	12	10	10	12	8	8	3	2	1	5
Males.....	390	65	8	7	8	8	96	28	19	33	35	29	28	22	24	16	16	9	6	6	6	7	5	1	1		3
Females.....	186	37	18	11	13	1	80	22	14	4	6	9	6	5	2	5	6	3	4	4	6	1	3	2	1	1	2
1. Burns and scalds.....	M. 31 F. 71	6	4	4	3	6	23	5			1			1									1				
2. Drowned.....	M. 42 F. 5	1	3	2	1	1	8	3	7	11	3	2	2	1		1		1	2			1					1
3. Exposure and neglect.....	M. 16 F. 10	11					11														1	1	2				1
4. Gunshot wounds.....	M. 62 F. 3				1		1	2	4	8	8	11	13	4	5		3	2			1						
5. Homicide.....	M. 23 F. 4								1	2	4	3	4	3	2		3	1									1
6. Infanticide.....	M. 3 F. 3	3					3																				
7. Injuries by machinery.....	M. 2 F. 13							1			1																
8. Railroad accidents.....	M. 1 F. 26					1			1	1	5				2	2	1				1						
9. Suffocation.....	M. 22 F. 3	18			1	1	20	2					1	1	1		1							1			
10. Suicide by shooting.....	M. 3 F. 3									1	1				1						1						
11. Suicide by drowning.....	M. 3 F. 1														1	1		1									
12. Suicide by poison.....	M. 13 F. 3												2				1										
13. Other suicides.....	M. 13 F. 3										1		1	1		3	1		2	3							
14. Sunstroke.....	M. 4 F. 4		2				2	1									3					1					
15. Surgical operations.....	M. 2 F. 3		1				1				1				2												
16. Wounds.....	M. 11 F. 1									1	1		1	1	3	1		1			1				1		
17. Other accidents and injuries.....	M. 134 F. 58	26	1	1	2		30	15	6	9	11	11	4	10	7	8	4	3	2	3	3	5	2	2		1	1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

LOUISIANA—GROUP 1.

[Exclusive of NEW ORLEANS.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
GRAND TOTAL.....	4151	777	315	222	147	116	1577	310	155	179	265	202	157	197	180	146	109	114	137	83	104	72	48	21	9	22	4	
Total: Males.....	2233	406	170	120	77	58	831	165	78	100	129	97	78	115	99	94	98	73	79	46	63	43	20	8	8	8	1	
Females.....	1918	371	145	102	70	58	746	145	77	79	136	105	79	82	81	52	71	41	58	37	41	29	28	13	1	14	3	
Unknown causes.																												
Total.....	252	88	23	13	9	8	141	13	5	9	6	6	7	5	9	7	12	6	10	2	7	4	2		1			
Males.....	138	51	13	7	3	4	78	8	3	7	3		4	4	4	4	7	5	5		4	1	1					
Females.....	114	37	10	6	6	4	63	5	2	2	3	6	3	1	5	3	5	1	5	2	3	3	1		1			
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total.....	1223	181	129	108	84	52	554	150	69	63	62	60	40	43	32	23	28	23	28	16	15	13	4					
Males.....	662	93	71	53	53	25	295	79	38	34	40	29	21	25	22	14	11	15	11	9	10	8	1					
Females.....	561	88	58	55	31	27	259	71	31	29	22	31	19	18	10	9	17	8	17	7	5	5	3					
1. Small-pox.....	M. 6				1		1	4									1											
F. 9		1			1		2	3	4																			
2. Measles.....	M. 13	3	2	1	3	1	10	2				1																
F. 21	6	4	4				14	4	2		1																	
3. Scarlet fever.....	M. 5			2	1	1	4	1																				
F. 1							1	1																				
4. Diphtheria.....	M. 34	4	6	4	8	3	25	4	1		3							1										
F. 31	5	3	4	1			13	11	3	1		1		1		1												
5. Hooping-cough.....	M. 28	14	4	1	5	1	25	3																				
F. 31	15	4	5	5	1		30																					
6. Fever.....	M. 47	8	7	3	7	1	26	7	6	2	1	1		1		1			1									
F. 46	8	6	7	3	1		25	11	1	2	1		2	1		2		1										
7. Cerebro-spinal fever.....	M. 1	1					1	1																				
F. 3	1						1	1																				
8. Enteric fever.....	M. 85	5	3	5	2	5	20	15	13	11	6	5	1	3	5	1	1		2	1			1					
F. 57	3	4	5	2	4		18	5	5	9	4	3	2		2	2	2		2		1							
9. Diarrhœa.....	M. 53	11	10	6	6	2	35	2	1		2	1		2	2	1		1		2	1	1	2					
F. 38	6	12	6	2			26		1			3		2					2	2		1	1					
10. Dysentery.....	M. 52	4	9	4	3	1	21	5		1				3	4	3	1		3	1	3	3	2					
F. 42	4	4	4	3	3		18	2			1	1	3		1	2	3	1	5	2	2	1						
11. Enteritis.....	M. 42	11	3	4	4	1	23	5		2	5	1	1	1	1		1		1			1						
F. 45	6	4	3				15	5	2	2	2	2	2	1	1		5	2	3	2		1						
12. Cholera morbus.....	M. 10	2				1	3		1	1				1		2		1										
F. 2							2	2																				
13. Cholera infantum.....	M. 20	11	7	2			20																					
F. 20	13	3	2	2			20																					
14. Malarial fever.....	M. 152	10	11	14	11	4	50	23	8	11	10	10	5	7	5	4	3	5	1	2	5	3						
F. 122	13	10	9	8	11		51	18	4	5	3	14	3	6	2	2	4	2	3	1	2	2						
15. Erysipelas.....	M. 4	2					2								1													
F. 3	2						2																					
16. Septicæmia.....	M. 1																1											
F. 2										1																		
17. Puerperal septicæmia.....	F. 14										3	1	5	3	1	1												
18. Venereal diseases.....	M. 8	2	2	1			5			1		1		1			1											
F. 2		1					1																					
19. Others of this group.....	M. 101	5	7	6	2	4	24	8	8	5	13	7	11	7	5	3	2	4	3	1								
F. 72	5	3	6	4	5		23	8	8	8	7	6	2	4	2	1		1	1									
General diseases—B.																												
Total.....	105	26	14	14	10	9	73	8		1	1	2	2	6		4	3	1	3	1								
Males.....	62	15	8	9	2	6	40	4		1		2	1	6		3	1		3	1								
Females.....	43	11	6	5	8	3	33	4			1		1			1	2	1										
1. Worms.....	M. 25	3	6	6	1	6	22	3																				
F. 19		6	2	5	2		15	4																				
2. Other parasitic diseases.....	M. 13																											
F. 13										1			1	5		2	1		2	1								
3. Alcoholism.....	M. 1																											
F. 1																												
4. Lead poison.....	M. 8		1	2			3	1																				
F. 10		1		1	2	1	5																					
5. Other poisons.....	M. 15	12	1	1	1		15																					
F. 14	10		2	1			13																					
6. Inanition.....	M. 14																											
F. 14	10																											
General diseases—C.																												
Total.....	212	100	8				168	4	1		2	2																

LOUISIANA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	566	20	16	12	6	9	63	18	16	26	55	43	40	48	47	40	41	32	32	13	20	12	10	5	1	2	2
Males.....	286	9	10	8	1	5	33	11	5	15	18	19	13	24	25	25	23	19	18	9	12	7	7	2	1	—	—
Females.....	280	11	6	4	5	4	30	7	11	11	37	24	27	24	22	15	18	13	14	4	8	5	3	3	—	2	2
1. Rheumatism.....	M. 21 F. 13	—	—	—	—	1	1	—	1	—	1	—	—	—	—	3	2	3	1	3	2	1	2	1	—	—	—
2. Scrofula and tabes.....	M. 8 F. 7	1	—	—	—	—	1	1	1	1	—	1	—	—	—	1	—	1	—	—	1	—	1	—	—	—	—
3. Leprosy.....	M. — F. —	—	1	2	—	—	3	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Consumption.....	M. 157 F. 159	2	4	1	—	3	7	4	2	11	18	13	10	18	18	15	14	10	8	3	2	4	—	2	—	1	1
5. Hydrocephalus.....	M. 8 F. 3	4	1	1	—	—	6	—	—	—	—	—	—	1	—	—	7	5	4	1	1	3	—	—	1	—	
6. Cancer.....	M. 15 F. 30	1	—	—	—	—	1	—	—	—	—	1	2	2	5	6	3	4	1	1	1	—	1	—	—	1	1
7. Tumor.....	M. 1 F. 3	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
8. Anæmia.....	M. 1 F. 1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
9. Dropsy.....	M. 70 F. 62	—	4	6	—	4	14	6	1	3	—	4	2	3	4	5	6	4	4	2	7	2	2	1	—	—	—
10. Glycosuria.....	M. 3 F. 1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
11. Others of this group.....	M. 2 F. 1	1	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12. Others of this class.....	M. 1 F. —	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	386	144	17	7	5	12	185	33	13	16	19	10	10	9	12	8	15	9	12	15	9	8	1	—	—	2	—
Males.....	202	72	8	4	2	6	92	18	7	7	10	5	6	3	5	6	8	6	9	9	6	3	—	—	—	2	—
Females.....	184	72	9	3	3	6	93	15	6	9	9	5	4	6	7	2	7	3	3	6	3	5	1	—	—	—	—
1. Inflammation of the brain.....	M. 25 F. 27	4	1	3	—	3	11	3	2	3	1	—	—	1	—	—	1	1	1	1	—	—	—	—	—	—	—
2. Meningitis.....	M. 11 F. 11	3	—	—	—	—	3	2	1	2	1	—	—	—	1	1	—	—	—	2	—	1	—	—	—	—	—
3. Apoplexy.....	M. 17 F. 17	—	—	—	—	—	—	—	—	1	—	—	1	—	—	3	2	2	1	2	3	1	—	—	—	1	—
4. Paralysis.....	M. 19 F. 13	—	1	—	—	—	1	—	—	1	1	—	1	—	—	1	1	—	5	5	1	2	—	—	—	1	—
5. Tetanus and trismus nascentium.....	M. 59 F. 56	48	1	—	—	1	50	3	1	—	—	—	2	1	1	1	—	—	1	2	2	1	1	—	—	—	—
6. Epilepsy.....	M. 4 F. 4	—	1	—	—	—	1	1	—	1	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
7. Convulsions.....	M. 24 F. 26	13	4	—	—	1	18	3	2	—	2	1	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—
8. Mental diseases.....	M. 3 F. 2	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9. Diseases of the brain.....	M. 35 F. 24	3	1	—	2	1	7	6	1	—	5	1	2	1	2	1	3	3	2	—	1	—	—	—	—	—	—
10. Diseases of the spinal cord.....	M. 3 F. —	1	1	—	—	3	2	3	4	—	1	1	1	1	—	—	2	2	—	1	—	1	—	—	—	—	—
11. Others of this group.....	M. 2 F. 4	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	104	3	1	—	—	—	4	3	2	6	4	6	3	8	7	6	12	9	9	10	8	4	2	—	—	1	—
Males.....	56	2	1	—	—	—	3	1	—	4	1	3	1	2	3	3	8	6	5	7	4	2	2	—	—	1	—
Females.....	48	1	—	—	—	—	1	2	2	2	3	3	2	6	4	3	4	3	4	3	4	2	—	—	—	—	—
1. Angina pectoris.....	M. 1 F. 1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
2. Aneurism.....	M. 4 F. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—
3. Diseases of the heart.....	M. 49 F. 46	—	1	—	—	—	1	1	—	4	1	3	1	2	3	2	7	4	5	6	4	2	2	—	—	1	—
4. Others of this group.....	M. 2 F. —	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	573	111	44	31	19	13	218	18	17	17	53	26	21	25	38	19	35	18	24	13	12	6	7	1	2	2	1
Males.....	342	65	25	20	11	7	128	9	10	9	27	13	12	18	24	15	25	11	17	5	8	3	3	1	2	1	1
Females.....	231	46	19	11	8	6	90	9	7	8	26	13	9	7	14	4	10	7	7	8	4	3	4	—	—	—	—
1. Croup.....	M. 47 F. 40	29	7	6	3	1	46	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Laryngitis.....	M. 2 F. 3	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Bronchitis.....	M. 28 F. 18	11	2	1	1	—	15	2	—	2	1	1	—	1	—	—	1	2	—	1	1	1	—	—	—	—	—
4. Pneumonia.....	M. 221 F. 140	20	14	11	6	6	57	3	10	6	25	10	7	15	21	9	17	8	15	4	6	1	2	1	2	1	1
5. Pleurisy.....	M. 28 F. 19	2	1	2	1	—	6	2	—	—	1	2	4	—	—	5	5	—	2	—	1	—	—	—	—	—	—
6. Asthma.....	M. 3 F. 5	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
7. Others of this group.....	M. 13 F. 6	3	—	—	—	—	3	—	—	1	—	—	1	2	2	1	1	1	—	—	—	—	—	—	—	—	—

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

LOUISIANA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	289	71	54	25	5	7	162	21	6	6	5	11	5	10	9	12	7	8	5	2	9	7	3			1	
Males.....	151	39	27	14	1	4	85	11	5	4	1	4	1	7	4	6	3	6	4		4	5	1				
Females.....	138	32	27	11	4	3	77	10	1	2	4	7	4	3	5	6	4	2	1	2	5	2	2			1	
1. Dentition.....	M. 47	17	22	6	1		46	1																			
F. 52	18	21	10	2	1		52																				
2. Angina.....	M. 21	7	3	4		1	15	5	1																		
F. 20	5	3		2	1		11	7				1				1											
3. Gastritis.....	M. 2												1								1						
F. 3										1	1				1												
4. Other diseases of the stomach.....	M. 6	1				1	2		1						1	1	1										
F. 4												1	1				1										
5. Obstruction of the bowels.....	M. 4	1					1	1	1					1								1					
F. 2												1		1													
6. Hernia.....	M. 8	1					1							1					1		2	2	1				
F. 2													1							1							
7. Other diseases of the bowels.....	M. 4		1			1	2			1						1											
F. 5	2						2	1		1	1																
8. Jaundice.....	M. 3	1				1	2			1																	
F. 1							1																				
9. Inflammation and abscess of the liver.....	M. 10		1				1			2				3	1			1	1			1					
F. 6		1					1									2	1					1	1				
10. Other diseases of the liver.....	M. 14	2					2	2	1		1	1		1		1		2	1		1	1					
F. 15						1	1	1					1	2		3	2	1		1	2		1				
11. Peritonitis.....	M. 4							1	1									1									
F. 5											1	1			2												
12. Ascites.....	M. 4			1			1							1	1		1										
F. 9											1	3	1		1		1	1			1						
13. Others of this group.....	M. 24	9		3			12	1				3			1	2	1	2	1			1					
F. 14	6	2	1				9	1	1					1						1	1						
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	33	2		1		1	4		1		2	2	1	4	1	5	1	1	2	2	3	1	1	2			
Males.....	25	1		1		1	3		1		1	2	1	3	1	3	1		2	2	2	1		2			
Females.....	8	1					1				1			1		2		1			1		1				
1. Bright's disease.....	M. 6								1			1		2		2											
F. 3																											
2. Calculus, urinary.....	M. 1			1			1														1	1					
F. 1		1					1																				
3. Diseases of the kidney.....	M. 7	1				1	2						1	1		1	1							1			
F. 4											1			1		2											
4. Diseases of the bladder.....	M. 4																			2	1			1			
F. 2																					1						
5. Others of this group.....	M. 5										1	1			1			2									
F. 1																		1									
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	20								2	3	2	1	1	2	5	2			2								
1. Ovarian tumors.....	F. 2														1	1											
2. Ovarian diseases.....	F. 1																										
3. Uterine tumors.....	F. 1																										
4. Uterine diseases.....	F. 5									1			1	1	1				1								
5. Others of this group.....	F. 12								2	2	2	1		1	3	1											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	77								5	11	19	14	8	10	7	2											1
1. Abortion.....	F. 10									1	1	1	3	2		1											
2. Child-birth.....	F. 59								4	9	14	11															

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

LOUISIANA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	12	2			1		3		1	1			1	1		1	2	1			1						
Males.....	8	2			1		3			1				1		1		1			1						
Females.....	4								1				1				2										
1. Abscess.....	4	1			1		2			1											1						
2. Carbuncle.....	3								1					1		1	1										
3. Others of this group.....	2												1				1										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	2								1						1												
Males.....																											
Females.....	2								1						1												
1. Addison's disease.....																											
2. Diseases of the spleen.....	1														1												
3. Others of this group.....	1								1																		
XII.—ACCIDENTS AND INJURIES.																											
Total.....	293	29	8	11	7	5	60	40	17	20	35	19	17	26	11	16	11	3	7	6	1	3		1			
Males.....	207	15	4	4	2		25	20	9	18	28	19	17	22	11	14	10	3	3	4	1	3					
Females.....	86	14	4	7	5	5	35	20	8	2	7			4		2	1		4	2			1				
1. Burns and scalds.....	10		2	1			3			1	1			3		1				1							
2. Drowned.....	45		3	3	3	2	11	11	2	1				2													
3. Exposure and neglect.....	14			1	2		3	7	4	3	5	5	3	7	3	2	3										
4. Gunshot wounds.....	26						3	3	3		2					1			1	1							
5. Homicide.....	11		4	1	1		6	1			1					1			1	1							
6. Infanticide.....	3									4	5	3	3	5	3	1	1	1									
7. Injuries by machinery.....	22								1	1						1			1								
8. Railroad accidents.....	5								2	1	1								1								
9. Suffocation.....	5		3	1			4	1																			
10. Suicide by shooting.....	3				1		5									1		1									
11. Suicide by drowning.....																											
12. Suicide by poison.....																											
13. Other suicides.....	4											1					2	1									
14. Sunstroke.....	7		1				1	1		2						1				1		1					
15. Surgical operations.....	1					1	1																				
16. Wounds.....	5		1				1				1			1		1											
17. Other accidents and injuries.....	69	6		1			7	11	3	4	11	5	7	5	2	4	3		2	2	1	2			1		
	16	6		1			7	1	1	2				2			1		1								

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

LOUISIANA—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	1471	284	122	76	46	49	577	92	50	53	78	78	64	71	63	43	43	30	72	40	40	24	25	4	8	13	3
Total: Males.....	759	148	51	36	25	24	284	47	20	25	44	38	32	36	33	24	29	17	43	24	22	14	13	3	3	6	2
Females.....	712	136	71	40	21	25	293	45	30	28	34	40	32	35	30	19	14	13	29	16	18	10	12	1	5	7	1
Unknown causes.																											
Total.....	122	54	11	9	5	8	87	9	4	2	1	3	1		3		1		4	4	1	1	1				
Males.....	62	30	6	3	2	4	45	5	2	1	1		1		1		1		2	3							
Females.....	60	24	5	6	3	4	42	4	2	1		3		2				2	1	1	1	1					
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	349	52	48	30	17	17	164	31	9	12	15	16	12	9	9	9	7	8	14	10	8	6	6		1	2	1
Males.....	178	30	18	15	12	8	83	15	5	5	6	6	4	5	6	7	4	5	8	5	5	4	3			2	
Females.....	171	22	30	15	5	9	81	16	4	7	9	10	8	4	3	2	3	3	6	5	3	2	3		1		1
1. Small-pox.....	M. 8	1		3			4	1	1	1						1											
2. Measles.....	F. 2	1					1								1												
3. Scarlet fever.....	M. 5		1	1	1		3	1														1					
4. Diphtheria.....	F. 4					1	1	2									1										
5. Hooping-cough.....	M. 3	2				1	3																				
6. Fever.....	F. 7	2	2	2			6	1				1							1	1	1	1				1	1
7. Cerebro-spinal fever.....	M. 25	9	4	2	3		18				1			1					1	1	1	1					
8. Enteric fever.....	F. 22	2	7	3	1	2	15	2			1			1						1			1				
9. Diarrhœa.....	M. 4	1		1		1	3	1												1							
10. Dysentery.....	F. 15		1		1		2	1	2	3	2	2			1				1				1				
11. Enteritis.....	M. 17		1	4			5			2	2	2	3		1				2								
12. Cholera morbus.....	F. 14	2	3	1		1	7	1			1					1			1	2	1		1				
13. Cholera infantum.....	M. 11	3	3		1	1	8				1							2									
14. Malarial fever.....	F. 20	3	1	1	2		7		1	1	1			1		1	3	2	2	1							
15. Erysipelas.....	M. 12	2	1	2		1	6	1	1						1			1				1					
16. Septicæmia.....	F. 7	1	1		1		3	1			1	1	1	1	1												
17. Puerperal septicæmia.....	M. 15	4	2				6	1		1	1	1	1	1			2					1					
18. Venereal diseases.....	F. 3	1					1								1				1								
19. Others of this group.....	M. 2																										
F. 2																			1								
General diseases—B.																											
Total.....	33	11	7	3	4	1	26	4					1		1			1									
Males.....	11	3	2	2	1		8	1					1					1									
Females.....	22	8	5	1	3	1	18	3							1												
1. Worms.....	M. 6		2	2	1		5	1																			
2. Other parasitic diseases.....	F. 13	2	5	1	2	1	11	2																			
3. Alcoholism.....	M. 2												1					1									
4. Lead poison.....	F. 2																										
5. Other poisons.....	M. 3				1		1								1												
6. Inanition.....	F. 3	3					3																				
General diseases—C.																											
Total.....	85	43	1	2			46		2					1	1		3	1	1	2	5	3	4		5	11	
Males.....	40	26		1			27		1								2	1	1						2	4	
Females.....	45	17	1	1			19		1					1	1		1			2	5	3	2		3	7	
1. Premature birth.....	M. 4	4					4																				
2. Stillborn.....	F. 1	1					1																				
3. Malformation.....	M. 17	17					17																				
4. Debility.....	F. 8	8					8																				
5. Old age.....	M. 1	1					1																				
6. Atrophy.....	F. 10	4		1			5		1								2	1	1								
.....	M. 21	8	1	1			10		1					1	1		1			2	4		1				
.....	F. 8																										
.....	M. 15																				1	3	1				
.....	F. 15																										
.....	M. 15																										
.....	F. 15																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

LOUISIANA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
<i>General diseases—D.</i>																											
Total.....	204	3	10	4	2	3	22	11	11	9	11	23	12	22	22	9	9	9	15	6	6	4	3				
Males.....	89	1	4	2	1	2	10	8	2	6	2	8	6	9	9	4	3	2	7	4	4	2	3				
Females.....	115	2	6	2	1	1	12	3	9	3	9	15	6	13	13	5	6	7	8	2	2	2					
1. Rheumatism.....	M. 5			2			2									1	1						1				
	F. 4									1								1									
2. Scrofula and tabes.....	M. 1										1											1					
	F. 1	1					1																				
3. Leprosy.....	M. 1																										
	F. 1																										
4. Consumption.....	M. 60					1	1		1	6	1	8	6	8	9	2	1	2	7	3	3		2				
	F. 69		2			1	3		7	2	6	14	5	6	9	2	2	5	5	2	1						
5. Hydrocephalus.....	M. 1	1					1																				
	F. 1	1					1																				
6. Cancer.....	M. 3							2						1													
	F. 12												1	3	3	2	1	1				1					
7. Tumor.....	M. 1																										
	F. 1																										
8. Anæmia.....	M. 1											1															
	F. 19		4		1	1	6	6	1							1	1			1	1	2					
9. Dropsy.....	M. 26		4	2	1		7	3	2		3			3	1	1	2		3		1						
	F. 1													1													
10. Glycosuria.....	M. 1																										
	F. 1																										
11. Others of this group.....	M. 1																										
	F. 1																										
12. Others of this class.....	M. 1																										
	F. 1																										
<i>II.—DISEASES OF THE NERVOUS SYSTEM.</i>																											
Total.....	157	57	9	9	9	5	89	11	4	8	4	2	5	8	1	3	8		4	3	1	1	4	1			
Males.....	84	31	3	5	5	2	46	5	3	3	4	1	3	4	1	1	6		2	2		1	1	1			
Females.....	73	26	6	4	4	3	43	6	1	5		1	2	4		2	2		2	1	1		3				
1. Inflammation of the brain.....	M. 6	2		2			4				1		1														
	F. 3		1				1	1		1																	
2. Meningitis.....	M. 9	3			2		5	2		1	1																
	F. 5		1		1		2	1					1	1	1												
3. Apoplexy.....	M. 13												1	1	1		4		2	1		1	1	1			
	F. 5									1						1			1		1						
4. Paralysis.....	M. 7								2	1	1					1	1			1							
	F. 6			1			1						1			1	1										
5. Tetanus and trismus nascentium.....	M. 15	13					13					1					1						2				
	F. 9	9					9																				
6. Epilepsy.....	M. 4							1		1	1			1													
	F. 3							1		1									1								
7. Convulsions.....	M. 20	13	3		2	2	20																				
	F. 29	16	4	2	2	2	26		1	1				1													
8. Mental diseases.....	M. 1																										
	F. 5			2			2	2						1													
9. Diseases of the brain.....	M. 9	1		1	1	1	4	3						1						1							
	F. 3								1					1	1												
10. Diseases of the spinal cord.....	M. 2																										
	F. 3																										
11. Others of this group.....	M. 2			1	1		2																				
	F. 3									1		1					1										
<i>III.—DISEASES OF THE CIRCULATORY SYSTEM.</i>																											
Total.....	39								2	1	3	1	6	1	1	2	2	3	5	6	3		2	1			
Males.....	25								1		2		3	1		1	2	2	5	5	1		1	1			
Females.....	14								1	1	1	1	3		1	1		1		1	2		1				
1. Angina pectoris.....	M. 2																										
	F. 1																										
2. Aneurism.....	M. 2																			1							
	F. 1																										
3. Diseases of the heart.....	M. 23								1		2		3	1		1	1	2	5	4	1		1	1			
	F. 13								1	1	1	1	2		1	1		1		1	2		1				
4. Others of this group.....	M. 1																										
	F. 1																										
<i>IV.—DISEASES OF THE RESPIRATORY SYSTEM.</i>																											
Total.....	217	29	16	11	2	3	61	7	11	10	22	10															

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

LOUISIANA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	83	17	15	5	5	7	49	3	2	2	1	3	1	1	4	4	4	1	3		3	1					1
Males.....	48	4	9	1	2	6	22	2	2	1		3		1	3	2	4	1	3		2	1					1
Females.....	35	13	6	4	3	1	27	1		1	1		1		1	2					1						
1. Dentition.....	M. 8	1	6				7																				1
F. 11	5	3	2	1			11																				
2. Angina.....	M. 1		1				1																				
F. 4	2		1				3														1						
3. Gastritis.....	M. 1											1															
F. 1																											
4. Other diseases of the stomach.....	M. 5	1		1		1	3	1	1																		
F. 3				1	1	1	3																				
5. Obstruction of the bowels.....	M. 1		1				1																				
F. 4																											
6. Hernia.....	M. 1											1		1					2								
F. 1															1												
7. Other diseases of the bowels.....	M. 6				1	3	4	1	1																		
F. 2	1						1																				
8. Jaundice.....	M. 1					1	1																				
F. 1																											
9. Inflammation and abscess of the liver.....	M. 5											1				1	2				1						
F. 2																											
10. Other diseases of the liver.....	M. 3																1	1	1								
F. 1																											
11. Peritonitis.....	M. 1														1												
F. 3					1		1			1						1											
12. Ascites.....	M. 2				1		1															1					
F. 2		1					1	1																			
13. Others of this group.....	M. 11	2	2			1	5			1					2	1	1				1						
F. 6	5	1					6																				
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	13									1		1		1		2	1	1	2	1	3						
Males.....	7									1						2			1		3						
Females.....	6												1		1		1	1	1	1							
1. Bright's disease.....	M. 1															1											
F. 4																	1	1	1								
2. Calculus, urinary.....	M. 1																										
F. 1																											
3. Diseases of the kidney.....	M. 4									1											1						
F. 1																											
4. Diseases of the bladder.....	M. 1																										
F. 1																											
5. Others of this group.....	M. 2																				2						
F. 1												1															
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	6								1			1	1	2	1												
1. Ovarian tumors.....	F. 1														1												
2. Ovarian diseases.....	F. 1																										
3. Uterine tumors.....	F. 1																										
4. Uterine diseases.....	F. 1																										
5. Others of this group.....	F. 4								1			1	1	1													
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	32									1	7	7	7	6	3	1											
1. Abortion.....	F. 1																										
2. Child-birth.....	F. 29									1	6	7	6	5	3	1											
3. Others of this group.....	F. 3										1		1	1													
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	3	1					1	1								1											
Males.....	2	1					1	1																			
Females.....	1															1											
1. Diseases of the spine.....	M. 1	1					1																				
F. 1																											
2. Diseases of the bones.....	M. 1																										
F. 1																											
3. Diseases of the hip-joint.....	M. 1																										
F. 1																											
4. Others of this group.....	M. 1							1																			
F. 1																1											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

LOUISIANA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	4	1		2			3														1						
Males.....	2	1					1														1						
Females.....	2			2			2																				
1. Abscess.....	1																				1						
2. Carbuncle.....																											
3. Others of this group.....	1	1					1																				
	2			2			2																				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....																											
Males.....																											
Females.....																											
1. Addison's disease.....																											
2. Diseases of the spleen.....																											
3. Others of this group.....																											
XII.—ACCIDENTS AND INJURIES.																											
Total.....	124	16	5	1	2	5	29	15	4	7	14	11	10	4	8	4	3	2	5	2	2	2		1	1		
Males.....	84	7	2	1	1	1	12	5	3	3	13	10	10	4	8	3	3	1	2	2	2				1		
Females.....	40	9	3		1	4	17	10	1	4	1	1				1		1	3					1			
1. Burns and scalds.....	4	1	2				3			1																	
2. Drowned.....	7	1	1		1	3	6	8		1						1			1						1		
3. Exposure and neglect.....	2	2					2																				
4. Gunshot wounds.....	15					1	1		1	1	4	3	3	1	1		1										
5. Homicide.....	11						1				3	3	3		1						1						
6. Infanticide.....	3										1	1	1														
7. Injuries by machinery.....	1																		1								
8. Railroad accidents.....	1								1																		
9. Suffocation.....	2	2					2																				
10. Suicide by shooting.....	4	4					4																				
11. Suicide by drowning.....																											
12. Suicide by poison.....																											
13. Other suicides.....	2														2												
14. Sunstroke.....	2												1		1												
15. Surgical operations.....																											
16. Wounds.....	3										1		1		1												
17. Other accidents and injuries.....	35	2		1	1	1	5	2		1	5	4	2	3	2	3	1	1	2	1	1	2		1			
	7	2	1				3	1										1	1								

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

LOUISIANA—GROUP 3.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	3286	694	218	153	91	80	1236	229	124	148	243	192	160	129	126	113	98	89	107	87	68	46	46	15	10	20	
Total: Males.....	1742	399	123	75	44	34	675	126	60	65	129	96	85	54	65	59	53	53	62	58	31	24	27	9	4	7	
Females.....	1544	295	95	78	47	46	561	103	64	83	114	96	75	75	61	54	45	36	45	29	37	22	19	6	6	13	
Unknown causes.																											
Total.....	287	137	15	16	7	4	179	23	10	11	8	8	6	4	7	6	2	5	3	7	2	2	1	1	1	1	
Males.....	143	77	9	8	2	1	97	8	3	2	4	1	3	1	3	4	2	4	1	5	1	2	1	1	1		
Females.....	144	60	6	8	5	3	82	15	7	9	4	7	3	3	4	2		1	2	2	1		1		1		
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	751	120	80	60	44	37	341	90	43	35	36	28	28	25	15	13	11	15	18	14	19	12	4	2	2		
Males.....	377	66	46	31	24	14	181	46	22	18	21	13	15	13	5	2	4	5	7	9	6	4	4	1	1		
Females.....	374	54	34	29	20	23	160	44	21	17	15	15	13	12	10	11	7	10	11	5	13	8		1	1		
1. Small-pox.....	M. F.																										
2. Measles.....	M. F.	3 6	 2		1 2		1 4	1 1					 1								 1						
3. Scarlet fever.....	M. F.	 1	 1				 1																				
4. Diphtheria.....	M. F.	23 23	5 4	5	1 2	4 3	15 13	6 3	1 2	 1			 1		 1	 2		 1									
5. Hooping-cough.....	M. F.	19 14	9 3	3 4	3 5	 1	18 13	1							 1					 1	 1						
6. Fever.....	M. F.	39 32	9 10	5 2	3 1	5 3	22 18	6 6	4 3	4		 2			 1		 1	 1	 1						 1		
7. Cerebro-spinal fever.....	M. F.	5 5	1 1	 1		 1	2 3				 1	 1	 1					 1									
8. Enteric fever.....	M. F.	35 50	1	3 2	 4	1 2	5 11	7 3	3 4	4 5	2 2	4 4	1 2	4 1	 2	 4	 2	 2	 4		 3	 1	 2	 1	 1		
9. Diarrhœa.....	M. F.	21 11	4 2	4 1	2	1	11 4	1			 1	 1	 1	 1	 1	 1		 1	 1		 1	 1			 1	 1	
10. Dysentery.....	M. F.	45 51	6 6	12 9	3 2	3 5	26 25	3	 1	 1	 1	 1	 1	 1	 2	 1	 1	 1	 3	 2	 5	 3	 1	 1	 1		
11. Enteritis.....	M. F.	31 30	9 6	3 2	4 1	1 3	18 13	2 2	 3	 1		 1	 1	 1		 1	 1	 2	 1		 2	 2					
12. Cholera morbus.....	M. F.	9 2	1				2	3 1					 1	 1				 1									
13. Cholera infantum.....	M. F.	15 16	6 9	6 6	1 1	1	15 16																				
14. Malarial fever.....	M. F.	121 106	13 10	5 5	12 11	8 5	44 37	16 24	8 7	8 6	11 7	9 3	7 2	3 3	2 1	1 2	1 2	2 3	4 1	2 2	 4	 1	 2	 1	 1		
15. Erysipelas.....	M. F.	7 4	1				1 1							 1	 1			 1									
16. Septicæmia.....	M. F.	2 3												 2	 1				 1								
17. Puerperal septicæmia.....	M. F.	18								 3	 4	 2	 3	 3	 3												
18. Venereal diseases.....	M. F.																										
19. Others of this group.....	M. F.	2 2	1	 1			1 1	 1																			
General diseases—B.																											
Total.....	66	22	8	8	4	1	43	7			2	2	1	5		1	1		2	1	1						
Males.....	43	16	5	3		1	25	5			2	2	1	3		1			2	1	1						
Females.....	23	6	3	5	4		18	2						2			1										
1. Worms.....	M. F.	15 16	3 3	4 3	3 5	 2	11 13	4 2						 1													
2. Other parasitic diseases.....	M. F.																										
3. Alcoholism.....	M. F.	10 1									 1	 1	 1	 2		 1			 2	 1	 1						
4. Lead poison.....	M. F.																										
5. Other poisons.....	M. F.	7 2	2	1			3 2	1			 1	 1		 1													
6. Inanition.....	M. F.	11 4	11 3				11 3								 1												
General diseases—C.																											
Total.....	156	95	1			1	97			1								1	1	5	4	6	18	7	4	12	
Males.....	92	65					65											1	1	2		2	10	5	1	5	
Females.....	64	30	1			1	32			1										3	4	4	8	2	3	7	
1. Premature birth.....	M. F.	8 5	8 5				8 5																				
2. Stillborn.....	M. F.	46 22	46 22				46 22																				
3. Malformation.....	M. F.	1 1	1 1				1 1																				
4. Debility.....	M. F.	13 9	10 2	 1		 1	10 4			 1								 1		 2	 2		 1		 1		
5. Old age.....	M. F.	24 27																	 1		 3	 2	 2	 10	 5	 1	 5
6. Atrophy.....	M. F.																										

LOUISIANA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	403	7	12	11	5	6	41	16	11	13	54	47	29	32	28	27	24	17	20	11	12	8	10		1	2	...
Males.....	190	4	7	6	3	3	23	9	7	4	20	21	11	11	14	11	11	12	14	8	6	1	5		1	1	...
Females.....	213	3	5	5	2	3	18	7	4	9	34	26	18	21	14	16	13	5	6	3	6	7	5		...	1	...
1. Rheumatism.....	M. 11 F. 2	1	...	1	...	...	2	...	...	2	1	1	...	...	...	...	1	2	1	1	...	...	...	...	...	...	...
2. Scrofula and tabes.....	M. 4 F. 2	2	2	...	...	...	4	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...
3. Leprosy.....	M. 1 F. 1	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Consumption.....	M. 99 F. 116	1	1	2	1	2	7	1	2	7	15	15	10	5	12	8	9	5	4	4	1	2	...	2	...	1	...
5. Hydrocephalus.....	M. 2 F. 2	...	1	1	...	...	2	...	...	...	24	18	12	17	9	4	4	3	3	2	4	1	2	...	...	...	...
6. Cancer.....	M. 8 F. 23	...	...	...	...	1	1	...	...	...	1	1	...	2	4	4	6	1	1	2	1	...	...	1	...	1	...
7. Tumor.....	M. 1 F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
8. Anæmia.....	M. 1 F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Dropsy.....	M. 64 F. 67	...	3	2	2	...	7	8	6	2	3	4	1	6	2	1	2	6	7	1	3	1	3	...	1	...	...
10. Glycosuria.....	M. 1 F. 1	...	...	...	...	...	10	5	3	2	9	7	5	2	1	7	2	1	2	1	2	6	2	...	...	...	...
11. Others of this group.....	M. 1 F. 1	...	1	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
12. Others of this class.....	M. 1 F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	325	97	21	15	15	13	161	27	12	13	13	10	5	11	12	11	9	7	5	10	10	4	4		1	...	...
Males.....	181	61	9	4	7	6	87	16	8	7	6	5	4	5	5	9	3	6	1	7	6	3	3		...	...	...
Females.....	144	36	12	11	8	7	74	11	4	6	7	5	1	6	7	2	6	1	4	3	4	1	1	...	1	...	...
1. Inflammation of the brain.....	M. 24 F. 26	3	5	1	3	1	13	1	...	2	2	...	...	1	2	2	...	1	...	...	...	...	...	...	...	...	...
2. Meningitis.....	M. 12 F. 11	1	2	1	2	...	4	...	...	2	1	2	...	2	1	...	...	...	...	...	1	...	...	...	...	...	...
3. Apoplexy.....	M. 4 F. 7	...	...	...	...	1	1	...	...	...	1	...	...	...	3	1	1	1	...	...	1	...	...	...	...	...	...
4. Paralysis.....	M. 19 F. 17	...	...	...	...	...	...	...	1	...	...	...	1	...	...	1	1	1	...	6	5	1	2	...	...	...	...
5. Tetanus and trismus nascentium.....	M. 26 F. 13	22	...	...	...	...	22	1	1	2	...	1	...	...	2	1	1	...	2	2	3	1	1	...	1	...	...
6. Epilepsy.....	M. 2 F. 2	1	...	1	...	...	2	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
7. Convulsions.....	M. 45 F. 32	30	2	1	1	2	36	4	1	...	2	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...
8. Mental diseases.....	M. 1 F. 1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Diseases of the brain.....	M. 34 F. 24	2	1	1	...	2	6	8	3	2	3	1	2	...	...	3	2	2	1	...	...	1	...	...	...	...	...
10. Diseases of the spinal cord.....	M. 10 F. 11	3	1	...	1	...	5	1	1	...	1	...	...	1	1	...	1	1	1	...	1	...	...	...	...	...	...
11. Others of this group.....	M. 4 F. 1	...	...	...	...	...	...	...	1	...	1	...	...	...	1	1	...	...	...	...	...	1	...	...	...	...	...
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	79	...	2	...	...	...	2	3	4	4	6	5	3	5	4	5	5	9	10	10	2	1	1		...	...	...
Males.....	45	...	2	...	...	...	2	3	2	3	3	1	1	3	3	3	1	4	5	5	7	2	1	1		...	...
Females.....	34	...	...	...	...	...	...	...	2	1	3	4	2	2	1	2	4	5	5	3	...	...	...	...	...	...	...
1. Angina pectoris.....	M. 1 F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Aneurism.....	M. 1 F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the heart.....	M. 44 F. 34	...	2	...	...	...	2	3	2	3	3	1	1	3	3	3	1	4	5	5	7	2	...	1	...	...	...
4. Others of this group.....	M. 1 F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	743	147	53	26	6	6	238	26	23	40	75	59	57	18	34	35	24	24	34	20	14	6	7	4	1	4	...
Males.....	437	78	35	14	3	5	135	17	11	20	47	39	36	8	22	18	18	14	21	13	6	6	4	1	...	1	...
Females.....	306	69	18	12	3	1	103	9	12	20	28	20	21	10	12	17	6	10	13	7	8	...	3	3	1	3	...
1. Croup.....	M. 39 F. 46	25	6	3	2	...	36	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Laryngitis.....	M. 1 F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Bronchitis.....	M. 13 F. 17	3	2	1	...	...	6	...	1	1	...	...	1	...	1	...	1	...	1	1	...	...	...	...	...	...	...
4. Pneumonia.....	M. 374 F. 236	49	25	10	1	5	90	14	9	19	46	39	35	7	20	17	17	13	19	11	6	6	4	1	...	1	...
5. Pleurisy.....	M. 2 F. 3	...	...	1	...	...	1	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
6. Asthma.....	M. 1 F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
7. Others of this group.....	M. 9 F. 4	1	2	...	...	...	3	...	...	1	...	...	...	1	1	...	1	1	1	...	...	...	...	...	...	...	...

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

LOUISIANA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	143	36	18	8	2	2	66	7	1	6	7	4	6	5	6	5	10	3	6	3	2	4	1	1			
Males.....	67	16	5	3	2		26	3		4	3	2	4	3	2	4	3	3	3	2	1	3		1			
Females.....	76	20	13	5		2	40	4	1	2	4	2	2	2	4	1	7		3	1	1	1	1				
1. Dentition.....	M. 9	4	4	1			9																				
F. 16	7	7	2				16																				
2. Angina.....	M. 7							2		1				1				1				2					
F. 7		2				1	3	1	1		1		1														
3. Gastritis.....	M. 2																1							1			
F. 1																											
4. Other diseases of the stomach.....	M. 7				1		1	1				1				1	1	1		1							
F. 10	1						1	2		1		2			1	1			2								
5. Obstruction of the bowels.....	M. 4	2					2								1		1										
F. 4																											
6. Hernia.....	M. 4																	1	1	1		1					
F. 1	1						1																				
7. Other diseases of the bowels.....	M. 6	2		1			3			1	1										1						
F. 3	2	1					3																				
8. Jaundice.....	M. 4	2			1		3					1															
F. 6				1		1	2				1						2						1				
9. Inflammation and abscess of the liver.....	M. 3												2						1								
F. 3																	1					1					
10. Other diseases of the liver.....	M. 6	1					1				1		1	1		2			1			1					
F. 6							1	1			1				2												
11. Peritonitis.....	M. 2									1							1										
F. 2											1																
12. Ascites.....	M. 1									1																	
F. 1																											
13. Others of this group.....	M. 12	5	1	1			7						1	1	1	1			1								
F. 20	9	3	1				13			1				1			3			1	1						
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	23	1				1	2	2	1	2				2	1		1	2	4	2	2	2					
Males.....	21					1	1	2	1	1				2	1		1	2	4	2	2	2					
Females.....	2	1					1			1																	
1. Bright's disease.....	M. 3							1												2							
F. 1										1																	
2. Calculus, urinary.....	M. 1																					1					
F. 1																											
3. Diseases of the kidney.....	M. 9					1	1		1					2	1		1	1	2								
F. 5																											
4. Diseases of the bladder.....	M. 5																	1	2		2						
F. 1	1						1																				
5. Others of this group.....	M. 3							1		1												1					
F. 3																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	22									1	1	5	1	6	4	1		2								1	
1. Ovarian tumors.....	F. 1																										
2. Ovarian diseases.....	F. 1																										
3. Uterine tumors.....	F. 1																										
4. Uterine diseases.....	F. 9					1	1		1					2	1		1	1	2								
5. Others of this group.....	F. 5																										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	62								1	14	14	9	12	7	3	2											
1. Abortion.....	F. 3												3														
2. Child-birth.....	F. 54									14	11	8	9	7	3	2											
3. Others of this group.....	F. 5								1		3	1															
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	1																			1							
Males.....	1																										
Females.....																											
1. Diseases of the spine.....	M. 1																										
F. 1																											
2. Diseases of the bones.....	M. 1																										
F. 1																											
3. Diseases of the hip-joint.....	M. 1																			1							
F. 1																											
4. Others of this group.....	M. 1																										
F. 1																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
LOUISIANA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	8	1	1			1	3				2				1			1		1							
Males.....	2										1							1									
Females.....	6	1	1			1	3				1				1					1							
1. Abscess.....	{ M. F.	2 4					1				1				1			1			1						
2. Carbuncle.....	{ M. F.	1 1				1	1																				
3. Others of this group.....	{ M. F.	1 1		1			1																				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	3			1			1								1					1							
Males.....	2			1			1								1												
Females.....	1																			1							
1. Addison's disease.....	{ M. F.																										
2. Diseases of the spleen.....	{ M. F.	2 1			1		1								1												
3. Others of this group.....	{ M. F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	214	31	7	8	7	9	62	28	18	8	25	15	12	9	10	7	11	3	4	1		1					
Males.....	141	16	5	5	3	3	32	17	6	6	22	12	10	5	9	7	10	1	3	1							
Females.....	73	15	2	3	4	6	30	11	12	2	3	3	2	4	1		1	2	1		1						
1. Burns and scalds.....	{ M. F.	15 31		3 1	4 2	2 4	10 12	3 8	2 7		1 1	1 1			1 1												
2. Drowned.....	{ M. F.	16 4				1	1	6 1	1 2	2 1	1 1	1 1	1 1				1			1							
3. Exposure and neglect.....	{ M. F.	3 3	1 1				1 1		1								1										
4. Gunshot wounds.....	{ M. F.	32 2				1	1	1		2	8	5	5	3	2	1	4		1								
5. Homicide.....	{ M. F.	13 5									1 1	2 1	2 1		4 1		2		2								
6. Infanticide.....	{ M. F.																										
7. Injuries by machinery.....	{ M. F.																										
8. Railroad accidents.....	{ M. F.																										
9. Suffocation.....	{ M. F.	12 8	10 7	1			11 8	1																			
10. Suicide by shooting.....	{ M. F.											1	1														
11. Suicide by drowning.....	{ M. F.																										
12. Suicide by poison.....	{ M. F.																										
13. Other suicides.....	{ M. F.	3 1									3 1																
14. Sunstroke.....	{ M. F.																										
15. Surgical operations.....	{ M. F.	1													1												
16. Wounds.....	{ M. F.																										
17. Other accidents and injuries.....	{ M. F.	46 17	5 6	1 1	1		2 1	9 8	6 2	2 3	2 9	4	2	1	2	6	2	1 2									

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MAINE—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	6492	704	240	201	151	127	1423	337	217	266	391	313	233	208	227	224	200	271	307	359	428	422	349	203	80	32	2
Total: Males.....	3207	379	137	88	64	62	730	177	108	103	150	121	99	95	110	110	96	154	177	216	242	221	158	94	32	12	2
Females.....	3285	325	103	113	87	65	693	160	109	163	241	192	134	113	117	114	104	117	130	143	186	201	191	109	48	20	...
Unknown causes.																											
Total.....	180	61	5	4	5	2	77	3	1	8	4	7	1	1	9	6	7	5	9	7	15	7	7	5	...	1	...
Males.....	89	39	2	...	2	...	43	3	1	3	1	1	...	1	5	3	1	2	5	2	9	2	4	2	...	1	...
Females.....	91	22	3	4	3	2	34	...	...	5	3	6	1	...	4	3	6	3	4	5	6	5	3	3	...	...	...
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	1351	194	116	115	94	81	600	221	122	60	53	37	18	25	21	13	19	22	19	20	25	36	16	19	2	2	1
Males.....	675	97	68	51	43	40	299	113	58	27	22	12	11	11	12	9	11	15	14	11	12	17	7	10	1	2	1
Females.....	676	97	48	64	51	41	301	108	64	33	31	25	7	14	9	4	8	7	5	9	13	19	9	9	1	...	...
1. Small-pox.....	M. 2	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
F. 14	4	4	2	...	2	...	12	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Measles.....	M. 10	4	1	2	...	1	8	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 125	6	17	26	14	16	...	79	28	10	2	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Scarlet fever.....	M. 128	8	17	21	20	11	77	40	6	1	1	...	...	...	2	...	...	1	...	...	...	...	...	...	...	...	...
F. 194	11	18	14	15	24	...	82	59	33	4	5	2	5	...	...	2	...	1	...	...	...	...	...	...	...	...	1
4. Diphtheria.....	M. 216	6	13	20	28	22	89	64	36	12	3	5	2	2	...	1	...	...	1	...	...	...	...	1	...	...	...
F. 16	10	2	...	...	...	...	12	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Hooping-cough.....	M. 11	7	1	3	...	...	11	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 10	1	1	1	...	...	...	3	1	...	...	2	...	...	...	...	...	1	...	...	...	...	3	...	...	...	...	...
6. Fever.....	M. 7	...	...	1	...	...	1	...	1	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
F. 6	...	1	1	1	...	...	3	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
7. Cerebro-spinal fever.....	M. 9	1	1	1	...	...	3	3	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 80	1	1	3	2	...	...	7	3	11	12	11	2	3	3	3	2	4	3	4	4	4	2	1	1	...	...	...
8. Enteric fever.....	M. 78	...	1	...	2	...	3	5	14	14	8	1	1	5	5	2	4	1	1	3	2	8	1	...	...	...	...
F. 24	8	2	2	...	...	...	12	...	...	1	...	...	...	...	...	1	...	...	2	2	1	1	1	...	...	...	...
9. Diarrhoea.....	M. 19	4	1	1	2	...	8	...	...	...	3	...	...	1	...	...	...	...	2	2	...	2	3	...	...	...	...
F. 15	4	3	...	1	1	...	9	1	...	...	1	...	...	...	...	...	...	...	1	1	2	1	1	...	...	...	...
10. Dysentery.....	M. 18	4	1	2	...	1	8	1	...	...	...	...	...	...	...	...	...	...	1	1	2	2	1	1	...	...	...
F. 43	3	3	1	1	1	1	9	2	4	2	3	1	1	1	3	...	1	2	3	3	2	3	2	2	...	...	...
11. Enteritis.....	M. 34	8	...	1	1	...	10	4	2	1	3	2	1	3	...	1	...	2	2	...	1	1	...	...	...	...	...
F. 19	2	3	...	...	...	...	5	2	...	1	2	...	...	...	1	1	1	2	...	3	...	1	...	...	...	...	...
12. Cholera morbus.....	M. 5	...	...	...	...	...	...	2	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 57	38	11	6	1	1	1	57	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
13. Cholera infantum.....	M. 72	51	12	5	3	1	72	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 9	1	...	...	...	...	...	1	...	...	3	...	1	1	...	...	...	...	1	1	...	1	...	...	...	...	...	...
14. Malarial fever.....	M. 11	1	...	1	...	...	2	...	...	...	1	...	...	1	1	...	1	...	...	...	2	1	2	...	...	...	...
F. 18	2	...	...	...	...	...	2	...	1	1	...	1	...	...	...	2	1	1	2	1	2	3	...	1	...	...	...
15. Erysipelas.....	M. 18	3	...	...	...	...	3	...	...	...	1	...	...	...	2	...	1	1	2	...	3	2	...	3	...	...	...
F. 8	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	1	1	2	...	...	...	...	...	...	...	...	...
16. Septicæmia.....	M. 12	1	...	...	...	...	1	1	...	1	3	1	...	...	1	...	...	2	...	...	1	1	...	...	...	...	...
F. 12	...	...	...	...	...	...	...	...	...	...	2	3	5	2	...	...	...	...	...	...	...	...	...	...	...	...	...
17. Puerperal septicæmia.....	M. 3	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 4	...	...	...	...	...	...	...	...	...	...	2	...	1	1	...	...	1	...	...	...	...	...	...	...	...	...	...
18. Venereal diseases.....	M. 31	3	2	...	2	...	7	...	...	1	2	1	1	4	2	...	2	1	...	1	1	4	1	2	1	...	...
F. 13	1	...	1	...	...	...	2	...	...	1	...	...	...	1	...	...	1	...	2	...	1	2	2	2	1	...	...
19. Others of this group.....	M. 31	3	2	...	2	...	7	...	...	1	2	1	1	4	2	...	2	1	...	1	1	4	1	2	1	...	...
F. 13	1	...	1	...	...	...	2	...	...	1	...	...	...	1	...	...	1	...	2	...	1	2	2	2	1	...	...
General diseases—B.																											
Total.....	38	9	1	...	5	3	18	1	1	...	1	1	1	1	...	2	2	2	2	1	1	3	1	...	...	...	...
Males.....	24	7	1	...	1	2	11	1	1	...	...	...	1	1	...	2	2	2	1	1	1	...	...	...	...	...	...
Females.....	14	2	...	...	4	1	7	...	...	...	1	1	...	...	...	...	...	...	1	...	...	3	1	...	...	...	...
1. Worms.....	M. 3	...	...	3	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Other parasitic diseases.....	M. 4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 1	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Alcoholism.....	M. 2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 9	...	1	...	...	...	2	4	1	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...
4. Lead poison.....	M. 5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Other poisons.....	M. 9	...	1	...	1	2	4	1	1	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...
F. 9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Inanition.....	M. 9	7	...	...	...	...	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 5	2	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	1	1	1	1	...	...	...	...	...
General diseases—C.																											
Total.....	410	142	1	...	...	1	144	2	1	2	3	...	...	...	2	2	...	4	2	6	13	29	68	69	39	24	...
Males.....	190	71	1	...	...	...	72	1	...	1	1	...	...	...	...	1	...	2	1	4	7	12	31	35	14	8	...
Females.....	220	71	...	...	...	1	72	1	1	1	2	...	...	...	2	1	...	2	1	2	6	17	37	34	25	16	...
1. Premature birth.....	M. 4	4	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 12	12	...	...	...	...	...	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Stillborn.....	M. 47	47	...	...	...	...	47	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 45	45	...	...	...	...	...	45	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Malformation.....	M. 7	7	...	...	...	...	7	...	...	...	...	...	...	...	...	...											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MAINE—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases.—D.																											
Total.....	1861	54	28	20	4	4	110	29	36	124	228	180	137	103	94	96	87	104	105	115	127	102	54	20	8	1	1
Males.....	775	31	12	10	1	2	56	12	14	32	79	65	48	38	34	44	34	56	49	62	66	53	16	13	3	1	1
Females.....	1086	23	16	10	3	2	54	17	22	92	149	115	89	65	60	52	53	48	56	53	61	49	38	7	5	1	1
1. Rheumatism.....	M. 18									2				2		1	1	1	1	4	1	3	1	1			
F. 19				1			1	3	1		1				1	2	1	2	1			1	3		2		
2. Scrofula and tabes.....	M. 19	4	2	1			7	1	2	1	3			2	1			1	1								
F. 16			3	2			5	2	1			1				2	1				3	1					
3. Leprosy.....	M. 505	18	3	3		1	25	4	9	27	74	61	45	31	30	36	23	32	22	31	25	19	5	5	1		
F. 777	10	8	2	1	1	1	22	6	18	91	143	111	80	52	45	30	28	23	29	18	30	29	18	3	1		
5. Hydrocephalus.....	M. 23	8	6	4			18	4																			
F. 20	7	5	1	1	1	1	15	4																			
6. Cancer.....	M. 115		1				1	1			1	1	1	2	2	5	7	11	21	21	19	15	4	3	1		
F. 129	2		2	1			5				1	1	4	4	8	12	13	14	17	20	13	5	10	1	1		
7. Tumor.....	M. 8	1		1			2					1		2	4	2	4	1	3	3	3	4	1				
F. 32	1		1				2					2	1	2	4	2	4	1	3	3	4	1					
8. Anæmia.....	M. 2																								1		1
F. 5											1			2					1	1							
9. Dropsy.....	M. 68			1	1		2	1	2		2		2		1	2	2	7	2	6	17	14	4	4			
F. 75	3		1				4		1		2		4	3	2	1	5	7	5	11	11	9	6	3	1		
10. Glycosuria.....	M. 16					1	1	1	1	2		1		1			1	1	1		4	2					
F. 13								2	1	1	1			2		3	1	1	1								
11. Others of this group.....	M. 1																										
F. 1																											
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	818	80	41	23	13	10	167	23	16	16	15	14	9	16	32	37	23	39	49	63	68	94	82	39	15	1	1
Males.....	415	34	21	12	5	5	77	9	8	10	11	6	3	10	20	14	14	20	29	38	37	57	31	16	5		
Females.....	403	46	20	11	8	5	90	14	8	6	4	8	6	6	12	23	9	19	20	25	31	37	51	23	10	1	1
1. Inflammation of the brain.....	M. 45	7	4	4		2	17	5	2	7	2	3	1		1	1			1	1		3	1				
F. 39	6	6	5	3	1	1	21	1	4	2	1		2			3		1	1		1	1					
2. Meningitis.....	M. 18	3	4	1	1		9	3	1		1		1		1		2										
F. 25	8	3	3	2			16	3	1	2		2	1														
3. Apoplexy.....	M. 67	1		1			2				2		1	1	3	2	4	5	8	10	7	14	3	3	2		
F. 56								1		1				2	3	4	1	2	5	5	9	8	9	3	1	1	
4. Paralysis.....	M. 159	1		1			2		1		1	1		4	8	6	6	9	14	16	24	30	23	11	3		
F. 163				1	1		2				1	1	1	2	6	6	5	13	9	16	13	24	38	18	8		
5. Tetanus and trismus nascentium.....	M. 2									1																	
F. 11																											
6. Epilepsy.....	M. 11	1					1			1	2			2						2		2	1				
F. 11			2				2		1	1	1	2			1						2				1		
7. Convulsions.....	M. 25	13	6	2			21		2			1						1									
F. 36	24	3	1	1	2		31	3			1			1													
8. Mental diseases.....	M. 14									2					2	3		2		2	1	1	1				
F. 15									1			2			1	2	2	2	1	1		2		1			
9. Diseases of the brain.....	M. 71	8	6	3	4	3	24	1	1		2			2	5	2	2	3	6	7	5	7	2	2			
F. 51	7	6	2	1	1	1	17	6				2		1	1	7	1	1	3	2	6	2	1	1			
10. Diseases of the spinal cord.....	M. 3																										
F. 7																											
11. Others of this group.....	M. 3		1				1					1		1													
F. 7	1						1		1										1	1							
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	334	13			1	2	16	4	4	7	11	9	6	6	10	14	15	25	32	41	51	36	37	8	1	1	1
Males.....	187	10			1	2	13	3	3	4	4	3	1	3	6	5	6	10	17	29	35	17	25	3			
Females.....	147	3					3	1	1	3	7	6	5	3	4	9	9	15	15	12	16	19	12	5	1	1	1
1. Angina pectoris.....	M. 4														1			1				2					
F. 3															1					1		1					
2. Aneurism.....	M. 1																										

MAINE—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
7.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	247	27	3	3	1	1	35	4	4	6	10	6	11	9	12	12	9	18	16	20	29	18	16	8	4		
Males.....	130	16	2	1	1	1	21	2	4	2	2	3	4	3	5	4	4	12	12	14	16	13	4	2	3		
Females.....	117	11	1	2			14	2		4	8	3	7	6	7	8	5	6	4	6	13	5	12	6	1		
1. Dentition.....	M. 4 F. 7	2 5	1 1	1			4 6		1																		
2. Angina.....	M. 2 F. 2					1	1															1					
3. Gastritis.....	M. 8 F. 14			1			2	1	1	1		1		2	1				2	1		2		2	1		
4. Other diseases of the stomach.....	M. 12 F. 23	1 1					1 1	1					1	1			2			2	1	2			1		
5. Obstruction of the bowels.....	M. 4 F. 4	1					1											1	1	1							
6. Hernia.....	M. 17 F. 4												2			1	2	2	1	3	2		2	1	1		
7. Other diseases of the bowels.....	M. 8 F. 7	1					1		1							1		1	1		2	1					
8. Jaundice.....	M. 6 F. 7	3 2					3 2											1	1		1						
9. Inflammation and abscess of the liver.....	M. 8 F. 6	1					1								2			1		3	1						
10. Other diseases of the liver.....	M. 31 F. 24	2 1			1		3 1		2		1	2	1	1	2	1		3	6	3	5	1	1				
11. Peritonitis.....	M. 12 F. 15	3					3			1	2	1	3	1	2		1	3	1		1	4					
12. Ascites.....	M. 1 F. 3						1						1	1						1							
13. Others of this group.....	M. 17 F. 7	2 —	1 —				3 1					1		1	1	1		3		1	2	2	1	1	1		
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	151	2					2	2	2	4	4	8	6	6	6	6	3	9	14	21	21	20	10	5	2		
Males.....	125	1					1	2	1	3	2	5	3	5	3	5	1	8	13	19	19	18	10	5	2		
Females.....	26	1					1		1	1	2	3	3	1	3	1	2	1	1	2	2						
1. Bright's disease.....	M. 48 F. 20							1	1	2	1	3	1	3	1	5	1	2	3	6	9	7	2				
2. Calculus, urinary.....	M. 2 F. 2											1											1				
3. Diseases of the kidney.....	M. 39 F. 6	1 1					1 1	1		1	1	1	1	1	2			3	5	7	3	6	4	1	1		
4. Diseases of the bladder.....	M. 21 F. 21												1					2	4	3	5	2	2	2			
5. Others of this group.....	M. 15 F. 15													1				1	1	3	2	3	2	1	1		
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	17									1		2	1		3	1	3	2	1		2						
1. Ovarian tumors.....	F. 3												1		1				1								
2. Ovarian diseases.....	F. 4																										
3. Uterine tumors.....	F. 2																										
4. Uterine diseases.....	F. 2																										
5. Others of this group.....	F. 8									1		1			2	1	1			1		1					
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	43									5	9	9	8	8	4												
1. Abortion.....	F. 36										5	7	7	6	7	4											
2. Child-birth.....	F. 7										2	2	2	1													
3. Others of this group.....	F. 7																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	21	1		1			2	3		2	6			3			1		1	1			1	1			
Males.....	10	1					1	3		1	2						1			1			1				
Females.....	11			1			1			1	4			3					1					1			
1. Diseases of the spine.....	M. 7 F. 8	1					1 1	2		1	1						1			1							
2. Diseases of the bones.....	M. 1 F. 1									1																	
3. Diseases of the hip-joint.....	M. 3 F. 3																										
4. Others of this group.....	M. 3 F. 2							1			1			1									1				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MAINE—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	13	1					1			1	1			1			2		3	1			2	1			
Males.....	5																2		1	1			1				
Females.....	8	1					1			1	1			1				2	2				1	1			
1. Abscess.....	M. 3 F. 5		1				1				1	1			1		2		1								
2. Carbuncle.....	M. 2 F. 1																			1			1				
3. Others of this group.....	M. 1 F. 2																							1			
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	4							1						2								1					
Males.....	1							1																			
Females.....	3													2								1					
1. Addison's disease.....	M. 1 F. 1													1													
2. Diseases of the spleen.....	M. 1 F. 2							1							1												
3. Others of this group.....	M. 1 F. 1																				1						
XII.—ACCIDENTS AND INJURIES.																											
Total.....	275	12	2	6	2	8	30	20	17	16	22	24	27	16	19	13	11	13	11	4	10	9	9	3	1		
Males.....	212	8	1	4		3	16	14	14	14	15	19	23	16	18	11	10	12	10	3	5	6	4	1	1		
Females.....	63	4	1	2	2	5	14	6	3	2	7	5	4		1	2	1	1	1	1	5	3	5	2			
1. Burns and scalds.....	M. 2 F. 10				1		1	1																			
2. Drowned.....	M. 61 F. 14		1	1			2	12	10	6	1	9	5	6	5	3		2		1	1						
3. Exposure and neglect.....	M. 6 F. 2	1		1			2			2	2	2	2			1			1		1		1				
4. Gunshot wounds.....	M. 4 F. 1			1			1			1					1	1											
5. Homicide.....	M. 2 F. 1													1		1											
6. Infanticide.....	M. 1 F. 1																										
7. Injuries by machinery.....	M. 1 F. 1																										
8. Railroad accidents.....	M. 5 F. 2									1	1	1	1	1													
9. Suffocation.....	M. 4 F. 5	1					1										1	1	1								
10. Suicide by shooting.....	M. 2 F. 1										1						1				1						
11. Suicide by drowning.....	M. 2 F. 2											1				1		1									
12. Suicide by poison.....	M. 2 F. 1																		1	1							
13. Other suicides.....	M. 21 F. 6									1	1		1		3	1	3	2	3		3	2			1		
14. Sunstroke.....	M. 3 F. 1										1	1						1									
15. Surgical operations.....	M. 2 F. 1													1						1							
16. Wounds.....	M. 5 F. 1									1					1		1	1					1				
17. Other accidents and injuries.....	M. 91 F. 19	6				3	9	1	2	5	11	8	14	7	9	4	4	4	4	1	1	4	2	1			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MAINE—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	92	4	2	2		2	10	1	4	1	4	3	2	3	3	2	7	8	11	7	6	17	2	1			
Males.....	50	3		1		1	5		3		2	1		1	1	1	4	5	9	4	2	11		1			
Females.....	42	1	2	1		1	5	1	1	1	2	2	2	2	2	1	3	3	2	3	4	6	2				
1. Dentition.....	{ M. 2 F. 2	2	2				2																				
2. Angina.....	{ M. 2 F. 2			1	1		2						1														
3. Gastritis.....	{ M. 4 F. 4								1					1			1		1	1		1					
4. Other diseases of the stomach.....	{ M. 6 F. 8						1					1	1		1		1	1	1		1	2					
5. Obstruction of the bowels.....	{ M. 3 F. 3								1									1		1		1					
6. Hernia.....	{ M. 4 F. 3	1		1			2			1						1	1		1		1						
7. Other diseases of the bowels.....	{ M. 2 F. 3						1									1	1		1			1					
8. Jaundice.....	{ M. 2 F. 2																			1		1					
9. Inflammation and abscess of the liver.....	{ M. 3 F. 4																			1		2					
10. Other diseases of the liver.....	{ M. 13 F. 5				1		1			1					1	1		1	3	1		3		1			
11. Peritonitis.....	{ M. 3 F. 6					1	1		2		2	1					1					2					
12. Ascites.....	{ M. 1 F. 1																										
13. Others of this group.....	{ M. 10 F. 3										1			1			1	2	2	1		2					
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	60									1	1	2	2	3	1	1	3	4	7	12	16	6		1			
Males.....	52									1	1	1	2	3		1	2	4	6	11	13	6		1			
Females.....	8												1			1		1		1	1	3					
1. Bright's disease.....	{ M. 20 F. 1										1		2	2			1	2	2	4	5	1					
2. Calculus, urinary.....	{ M. 4 F. 2												1						2	1		1					
3. Diseases of the kidney.....	{ M. 13 F. 5									1		1				1	1	2		2	2	2		1			
4. Diseases of the bladder.....	{ M. 8 F. 8													1					1	1	2	1					
5. Others of this group.....	{ M. 7 F. 7																		2		4	1					
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	13									2		2	2	1	3		2		1								
1. Ovarian tumors.....	F. 7									1		1	1	1	1		2										
2. Ovarian diseases.....	F. 1																										
3. Uterine tumors.....	F. 3									1		1							1								
4. Uterine diseases.....	F. 2														2												
5. Others of this group.....	F. 2																										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	27									3	5	6	3	6	4												
1. Abortion.....	F. 3									1		2															
2. Child-birth.....	F. 23									2	5	4	2	6	4												
3. Others of this group.....	F. 1												1														
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	11	1	1	1			3		2	1		1	1	1	1			1									
Males.....	6	1					1		2	1			1		1												
Females.....	5		1	1			2					1		1				1									
1. Diseases of the spine.....	{ M. 3 F. 4	1		1			1			1			1														
2. Diseases of the bones.....	{ M. 1 F. 1								1																		
3. Diseases of the hip-joint.....	{ M. 1 F. 1																										
4. Others of this group.....	{ M. 2 F. 2								1						1												

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MAINE—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	10								1		1	1	1				1		3		1	1					
Males	5												1				1		2			1					
Females	5								1		1	1						1	1		1						
1. Abscess.....	2																		2								
2. Carbuncle.....	1								1		1	1							1			1					
3. Others of this group	2												1				1										
	1																				1						
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease																											
2. Diseases of the spleen																											
3. Others of this group																											
XII.—ACCIDENTS AND INJURIES.																											
Total	121	9	2	8	2		21	10	6	6	13	9	3	7	5	5	5	4	6	4	5	8	1	2	1		
Males	90	5	1	4	2		12	6	3	5	13	9	3	6	4	5	4	1	5	4	4	4		2			
Females	31	4	1	4			9	4	3	1				1	1		1	3	1		1	4	1		1		
1. Burns and scalds	4	1		1	1		3															1					
2. Drowned	17			1			1	4	2	1	1	3	1		2		2									1	
3. Exposure and neglect	4		1	1			2		2																		
4. Gunshot wounds	1				1		1																				
5. Homicide	2										1			1													
6. Infanticide	1																	1									
7. Injuries by machinery	4									1	1	1							1								
8. Railroad accidents	3										2										1						
9. Suffocation	4	3					3												1								
10. Suicide by shooting	2	2					2																				
11. Suicide by drowning	1																1										
12. Suicide by poison	2										1					1											
13. Other suicides	7									1		1		1		2			2								
14. Sunstroke.....	3																1	1									
15. Surgical operations	2													1										1			
16. Wounds.....	1																										
17. Other accidents and injuries	41	1	1	2			4	2	1	2	7	4	2	3	2	2	1	2	1	3	3	3		1			
	13	1		1			2	3	1						1				1			4	1				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MARYLAND—GROUP 1.

[Exclusive of BALTIMORE.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	6851	1640	514	304	195	176	2829	365	211	273	297	290	261	223	224	198	214	213	241	265	268	174	162	76	26	24	17
Total: Males.....	3436	878	268	153	100	90	1489	169	103	130	131	130	106	95	105	91	110	129	127	150	138	99	71	31	14	11	7
Females	3415	762	246	151	95	86	1340	196	108	143	166	160	155	128	119	107	104	84	114	115	130	75	91	45	12	13	10
Unknown causes.																											
Total.....	485	282	37	16	12	11	358	10	2	7	6	6	4	7	11	9	7	11	7	14	11	6	7	1			1
Males	248	151	20	10	7	7	195	5		2	3	1		4	2	4	2	7	1	9	6	4	3				
Females	237	131	17	6	5	4	163	5	2	5	3	5	4	3	9	5	5	4	6	5	5	2	4	1			1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	1868	543	257	143	86	82	1111	188	86	85	66	46	38	33	26	15	23	24	23	27	32	17	14	8	3		3
Males	915	267	135	70	40	44	556	85	35	47	31	21	17	12	14	5	15	14	13	14	17	10	7	1	1		
Females	953	276	122	73	46	38	555	103	51	38	35	25	21	21	12	10	8	10	10	13	15	7	7	7	2		3
1. Small-pox.....	(M. 3 F. 2)								2	1					1												
2. Measles.....	(M. 19 F. 26)	3	4	4		1	12	2		1	3	1			1												
3. Scarlet fever.....	(M. 59 F. 64)	6	10	2	5	9	32	15	4	4		1	2	1	1												
4. Diphtheria.....	(M. 107 F. 133)	14	6	18	13	17	68	22	8	5		1	1							1		1			1		
5. Hooping-cough.....	(M. 82 F. 92)	34	22	11	2	3	72	5	1		1				2				1								1
6. Fever.....	(M. 5 F. 4)	2	1				3	1			1																
7. Cerebro-spinal fever.....	(M. 139 F. 121)	2	2	9	4		19	10	10	25	19	11	5	3	5	2	6	7	3	5	6	2	1				
8. Enteric fever.....	(M. 41 F. 58)	19	7	1		1	28	1	1				2		1		1	2	1	1	2	1	1	2	1		
9. Diarrhoea.....	(M. 109 F. 83)	27	16	12	3	4	62	11	3	5	2	3	1	1	1	1	3	3	3	1	3	3	2	1			
10. Dysentery.....	(M. 83 F. 33)	6	4	2	1		13	4	2		1		1	1	1	1	1	2	6	1	3	2	1	1			
11. Enteritis.....	(M. 22 F. 10)	7	1	2		1	11	2					1	3			2		3	1	1	1	1	1			
12. Cholera morbus.....	(M. 6 F. 212)	1				2	212			1						1			1		1		1				1
13. Cholera infantum.....	(M. 206 F. 75)	140	55	12	3	2	206																				
14. Malarial fever.....	(M. 87 F. 14)	9	5	4	5	3	30	9	3	6	4	3	4	4	1		2	1	1	3	1		2		1		
15. Erysipelas.....	(M. 14 F. 3)	6		1			7		1	1			1	1		1	1	1	1	1	2	1	2				
16. Septicæmia.....	(M. 3 F. 24)	1					1				1			1			1										1
17. Puerperal septicæmia.....	(M. 2 F. 5)	1					1			2	6	4	5	4	1	3											
18. Venereal diseases.....	(M. 2 F. 3)	1					2						1		1				1								
19. Others of this group.....	(M. 2 F. 3)	1					1					1			1					1							
General diseases—B.																											
Total.....	57	32	3	3	1	1	40	5	1		1	2			2	1	1		2			2					
Males	31	23	1	1	1		26	1				1			2							1					
Females	26	9	2	2		1	14	4	1		1	1				1	1		2			1					
1. Worms.....	(M. 1 F. 8)	1	2	2			5	1	2	1																	
2. Other parasitic diseases.....	(M. 1 F. 1)														1												
3. Alcoholism.....	(M. 1 F. 1)											1															
4. Lead poison.....	(M. 1 F. 1)																										
5. Other poisons.....	(M. 8 F. 9)	4		1	1		6					1			1												
6. Inanition.....	(M. 21 F. 8)	19	1				20									1	1		2			1					
General diseases—C.																											
Total.....	371	177	6	2	3	1	189	1				1		1		3	3		3	4	17	27	62	26	14	19	1
Males	180	106	3	1	1	1	112									3	2		1		6	11	21	9	7	8	
Females	191	71	3	1	2		77	1				1		1			1		2	4	11	16	41	17	7	11	1
1. Premature birth.....	(M. 21 F. 16)	21					21																				
2. Stillborn.....	(M. 69 F. 42)	69					69																				
3. Malformation.....	(M. 1 F. 1)	1					1																				
4. Debility.....	(M. 34 F. 32)	15	3	1	1	1	21									3	2		1		1	1	2	2	1		
5. Old age.....	(M. 55 F. 100)																		2	4	5	10	19	7	6	8	
6. Atrophy.....	(M. 1 F. 1)																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MARYLAND—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	1384	68	37	28	18	11	162	45	48	97	136	141	113	83	89	66	74	74	74	71	51	30	16	11	1	1	1
Males.....	602	37	22	13	10	2	84	15	25	34	45	61	39	27	44	26	29	40	39	40	22	19	6	5	1	1	1
Females.....	782	31	15	15	8	9	78	30	23	63	91	80	74	56	45	40	45	34	35	31	29	11	10	6	1	1	1
1. Rheumatism.....	M. 14									1	1	1		1	2		1		2	1	2	2					
	F. 14	1					1			1	2	1	1	1			1	2	1			1	2				
2. Scrofula and tabes.....	M. 27	8	1	2	1	1	13	2	2	3		2	1	1	1				1	1							
	F. 23	5	3	1	1	1	11	1	3	1	1	1		2		1	1	1									
3. Leprosy.....	M. 1																										
	F. 1																										
4. Consumption.....	M. 404	18	12	8	5	1	44	10	18	27	43	55	32	22	29	20	18	28	21	21	6	5	1	3			1
	F. 580	15	9	10	6	6	46	20	19	60	84	73	68	42	35	26	30	15	24	11	13	6	4	3	1		
5. Hydrocephalus.....	M. 21	9	6	2	1		18	1																			
	F. 13	8	1	1	1	1	11	2																			
6. Cancer.....	M. 49			1			1				1		2		5	2	6	4	7	7	5	5	2	2			
	F. 65												2	5	4	9	11	10	7	10	6	1					
7. Tumor.....	M. 3		1				1					1							1								
	F. 8														1	1		1		4							
8. Anæmia.....	M. 1						1									1											
	F. 1																										
9. Dropsy.....	M. 73	2	2		3		7	2	5	3		3	3	4	2	4	6	8	9	6	7	3				1	
	F. 76	2	2	3	1	1	9	7	1	1	4	5	3	5	5	3	2	4	3	8	6	3	4	3			
10. Glycosuria.....	M. 7											2	1		1				1		2						
	F. 3													1				1		1							
11. Others of this group.....	M. 3															1				1	1						
	F. 3																										
12. Others of this class.....	M. 1																										
	F. 1																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	791	259	51	41	19	21	391	35	18	19	11	14	18	19	20	18	20	26	31	40	41	32	15	12	4	1	6
Males.....	423	144	24	19	10	10	207	19	11	9	6	7	12	13	7	9	9	16	19	28	16	17	9	3	3	1	3
Females.....	368	115	27	22	9	11	184	16	7	10	5	7	6	6	13	9	11	10	12	12	25	15	6	9	1	1	3
1. Inflammation of the brain.....	M. 64	22	9	9	5	2	47	5	1	3		1	1	1		2		1			1	1					1
	F. 57	22	11	4	2	4	43	6		3		1							1		2						
2. Meningitis.....	M. 23	8	2	2	2	1	15	1	1	1		1	1					1	1	1							
	F. 16	6		2			8	2		2				1													
3. Apoplexy.....	M. 36	1				1	1							2		3	2	2	3	11	5	5	1				1
	F. 30	1					1	1			1	1	1	1	1	3	3	3	3	6	3	1	1				
4. Paralysis.....	M. 71	2	1				3	2		2		1	1	3	3		3	8	12	11	6	7	5	2	2		
	F. 72				1	2	3			1	1			1	4	2	5	5	4	8	14	10	5	7	1	1	
5. Tetanus and trismus nascentium.....	M. 14	8					8	2	1		1		1														1
	F. 5	3					3	1																			
6. Epilepsy.....	M. 12				1		1	1	2	1	1	1	1	1		1				2							
	F. 8			1	1		2		2		2	2															
7. Convulsions.....	M. 116	88	5	7	1	5	106	4	1	1	3		1	1	3	4	2		1		1						2
	F. 115	68	8	8	5	5	94	2	1	2																	
8. Mental diseases.....	M. 16											1	2	3	1	1	1		1	1	2	1	1	1			
	F. 10											2	1	1	2	2			1								
9. Diseases of the brain.....	M. 56	14	6	1	1	1	23	3	4			1	4	1	3	2	3	3	1	3	1	2			1		1
	F. 44	13	8	6			27	1	3	1	1	1	2		2			1	1	1	2	1					
10. Diseases of the spinal cord.....	M. 9	1	1				2	1	1	1	1		1	1													
	F. 8	2		1			3	3		1								1									
11. Others of this group.....	M. 6	1					1					1		1					1		1						
	F. 3									1				1													
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	266	17		1	1	1	20	5	4	7	7	9	8	16	15	15	16	16	30	32	34	11	14	2	3	1	1
Males.....	131	7		1			8	1	2	4	2	3	2	6	4	6	10	11	14	18	24	6	7		2		1
Females.....	135	10			1	1	12	4	2	3	5	6	6	10	11	9	6	5	16	14	10	5	7	2	1	1	
1. Angina pectoris.....	M. 3																1			1	1						
	F. 4																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MARYLAND—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	15	4	1		1		6			1	1						2	1		1	2	1					
Males.....	8	1	1		1		3				1						1			1	2						
Females.....	7	3					3			1							1	1				1					
1. Abscess.....	3		1				1				1									1							
2. Carbuncle.....	5	1			1		2										1				2	1					
3. Others of this group.....	1																1										
	4	2					2			1								1									
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1													1													
Males.....	1													1													
Females.....																											
1. Addison's disease.....																											
2. Diseases of the spleen.....	1													1													
3. Others of this group.....																											
XII.—ACCIDENTS AND INJURIES.																											
Total.....	296	38	14	11	8	13	84	25	22	16	19	18	23	12	6	10	13	8	6	8	12	4	3				2
Males.....	211	22	9	8	4	8	51	15	12	15	18	16	20	11	4	9	13	7	1	6	9	1	2				1
Females.....	85	16	5	3	4	5	33	10	10	1	1	2	8	1	2	1		1	5	2	3	3	1				1
1. Burns and scalds.....	26	2	6	3	2	5	18	2	1	1		1					1			1	1						
2. Drowned.....	34			2		1	3	3	3	3	4	4	4	3	1		3			2	1						
3. Exposure and neglect.....	4	1		1			2																				1
4. Gunshot wounds.....	12								1	3	2		2			1	1	1		1							
5. Homicide.....	3								1				1														
6. Infanticide.....																											
7. Injuries by machinery.....																											
8. Railroad accidents.....	15				1		1		2	1	2	1	1	2		1	2			1			1				
9. Suffocation.....	9	6	1				7											1					1				
10. Suicide by shooting.....	2										2																1
11. Suicide by drowning.....																											
12. Suicide by poison.....	1																1										
13. Other suicides.....	6											2					1		1		2						
14. Sunstroke.....	7			1			1				1	1	1		1			2		1							
15. Surgical operations.....	1										1		1						1		2						
16. Wounds.....	4		1				1		1		1					1				1							
17. Other accidents and injuries.....	87	13	2	1	1	2	19	9	5	7	5	6	12	6	1	5	3	3		2	3	1					
	23	7			1		8	1	1				3		2		1	2	1	1	2	1					

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MARYLAND—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	1720	391	101	61	36	30	619	84	49	53	76	81	59	63	56	37	59	53	78	65	102	79	57	25	13	5	7
Total: Males.....	890	233	49	35	20	15	352	43	23	23	40	38	25	28	34	21	24	26	36	30	56	42	27	14	4	2	2
Females.....	830	158	52	26	16	15	267	41	26	30	36	43	34	35	22	16	35	27	42	35	46	37	30	11	9	3	5
Unknown causes.																											
Total.....	59	28	12		1	2	43	2		1					1		1		2		5	2	2				
Males.....	34	16	6			2	24	1									1		1		4	2	1				
Females.....	25	12	6		1		19	1		1					1				1		1		1				
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	336	100	31	25	11	13	180	39	24	7	14	15	6	9	3	4	5	1	7	5	4	7	3	1	1		1
Males.....	169	62	13	13	7	6	101	17	8	3	9	7	3	4	1	3	3		2	1	2	3		1			1
Females.....	167	38	18	12	4	7	79	22	16	4	5	8	3	5	2	1	2	1	5	4	2	4	3		1		
1. Small-pox.....	M.																										
F.																											
2. Measles.....	M.																										
F.	1										1																
3. Scarlet fever.....	M.	14	1	2	2	1	8	5	1																		
F.	17	3	1	1	1	1	7	7	3																		
4. Diphtheria.....	M.	25	2	2	3	4	14	8	3																		
F.	37	2	2	7	1	4	16	11	9	1																	
5. Hooping-cough.....	M.	10	9	1			10																				
F.	14	6	4	1	2	1	14																				
6. Fever.....	M.	2										1					1										
F.	1		1				1																				
7. Cerebro-spinal fever.....	M.	2	1			1	2																				
F.	1							1																			
8. Enteric fever.....	M.	24		2	1	1	5		1	3	6	4	1	2			1		1								
F.	20							2	4	3	1	3		1			1		2	1	2						
9. Diarrhoea.....	M.	4	2	1			3														1						
F.	10	2	1	1			4							1	1		1		1	1		1					
10. Dysentery.....	M.	5	3				3															1		1			
F.	7	4	2				6														1						
11. Enteritis.....	M.	16	8				8	2	2				1	2	1												
F.	13	3	2	1			6				1	1				1		1				1	2				
12. Cholera morbus.....	M.	1	1				1																				
F.	6	2					2						1							1				1			
13. Cholera infantum.....	M.	41	30	5	5		40																				1
F.	22	16	5	1			22																				
14. Malarial fever.....	M.	6	1		1		2	1			1					1			1								
F.	3					1	1	1														1					
15. Erysipelas.....	M.	6								2	2	1															
F.	1																		1								
16. Septicæmia.....	M.	1														1											
F.	2																										
17. Puerperal septicæmia.....	F.	10									2	3	2	2	1												
18. Venereal diseases.....	M.	2	2				2																				
F.																											
19. Others of this group.....	M.	10	2		1		3	1	1							1	1		1		1	1					
F.	2																	1									
General diseases—B.																											
Total.....	12	7	1				8		1				1			1		1									
Males.....	9	5	1				6		1				1			1											
Females.....	3	2					2											1									
1. Worms.....	M.																										
F.																											
2. Other parasitic diseases.....	M.																										
F.																											
3. Alcoholism.....	M.	2											1			1											
F.																											
4. Lead poison.....	M.																										
F.	1																		1								
5. Other poisons.....	M.	3	2				2		1																		
F.																											
6. Inanition.....	M.	4	3	1			4																				
F.	2	2					2																				
General diseases—C.																											
Total.....	154	90					90							1					3	3	5	13	19	10	5	5	
Males.....	88	57					57												2	1	3	8	9	6		2	
Females.....	66	33					33							1					1	2	2	5	10	4	5	3	
1. Premature birth.....	M.	9	9				9																				
F.	5	5					5																				
2. Stillborn.....	M.	38	38				38																				
F.	19	19					19																				
3. Malformation.....	M.	1	1				1																				
F.	3	3					3																				
4. Debility.....	M.	16	9				9												1	1	2	1	1	1			
F.	15	6					6							1					1	1		3	1	1			
5. Old age.....	M.	24																	1		1	7	8	5		2	
F.	24																										
6. Atrophy.....	M.																										
F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MARYLAND—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	348	19	10	5	3	3	40	7	6	27	24	36	30	24	21	11	18	16	22	16	21	15	7	5			2
Males.....	151	11	3	1	1	1	17	5	2	11	12	18	11	9	12	6	4	4	8	7	11	7	4	3			2
Females.....	197	8	7	4	2	2	23	2	4	16	12	18	19	15	9	5	14	12	14	9	10	8	3	2			2
1. Rheumatism.....	M. 6							1			1							1	1	1	1						
F. 9						1	1			1				2			1	1	1			2					
2. Scrofula and tabes.....	M. 5	3					3			1										1							
F. 9	4	2	1				7						1														
3. Leprosy.....	M. 1																										
F. 1																											
4. Consumption.....	M. 100	3	2	1	1		7	3		4	10	17	11	8	11	4	3	3	3	3	6	5	2				
F. 128	3	3	1	2			9	2	4	15	12	18	18	10	7	3	6	6	4	5	3	3	2	1			
5. Hydrocephalus.....	M. 7	3				1	4		1	2																	
F. 2		1	1				2																				
6. Cancer.....	M. 8							1		1					1	1	1			1		1		1			
F. 25														1	1	1	6	2	6	1	4	2		1			
7. Tumor.....	M. 3															1	1										
F. 1																											
8. Anæmia.....	M. 1										1																
F. 1																											
9. Dropsy.....	M. 19	1	1				2			2		1		1		1			3	2	2	1	2	2			
F. 18	1	1	1			1	4							2	1			2	2	2	1	1					
10. Glycosuria.....	M. 4	1					1		1	1								1	1								
F. 2																											
11. Others of this group.....	M. 1																		1								
F. 1																											
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	248	79	11	7	8	3	108	9	3	4	4	7	1	7	5	5	6	7	14	14	17	16	15	2	3		1
Males.....	120	45	5	4	4		58	4	1	2	2	1		5	2	2		4	7	5	10	9	5	1	1		1
Females.....	128	34	6	3	4	3	50	5	2	2	2	6	1	2	3	3	6	3	7	9	7	7	10	1	2		
1. Inflammation of the brain.....	M. 21	9	3		2		14	1		1				2					2		1						
F. 23	8	3	1	1	2		15	2	1						2		1	1	1								
2. Meningitis.....	M. 6	2	1	2			5		1																		
F. 5	1						1		1	1	1	1															
3. Apoplexy.....	M. 20													1				4	3	1	4	3	2	1	1		
F. 15											2						2	1	1	3	1	2	3				
4. Paralysis.....	M. 21							1		1	2				2				2	3	3	4	2			1	
F. 31					1		1							1	1	1	1	1	4	4	5	4	6	1	2		
5. Tetanus and trismus nascentium.....	M. 3	3					3																				
F. 2	1						1										1										
6. Epilepsy.....	M. 3							1								1						1					
F. 2																											
7. Convulsions.....	M. 30	28		1	1		30									1											
F. 33	23	2	1	2			28	3						2													
8. Mental diseases.....	M. 2													1						1							
F. 3												2								1							
9. Diseases of the brain.....	M. 10	3	1	1	1		6				1					1				1		1					
F. 9	1						2					1				1	1			1		1					
10. Diseases of the spinal cord.....	M. 1							1																			
F. 4		1	1				2			1											1						
11. Others of this group.....	M. 3													1							1						
F. 1																											
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	65	3	1				4	2	4		2		3	1	2	3	5	6	8	4	11	7	1	2			
Males.....	38	3	1				4	2	1					1	2	1	2	4	4	2	9	5	1				
Females.....	27								3		2		3			2	3	2	4	2	2	2		2			
1. Angina pectoris.....	M. 1												1														
F. 1																											
2. Aneurism.....	M. 1																				1						
F. 1																											
3. Diseases of the heart.....	M. 35	1	1				2	2	1					1	2	1	2	4	4	2	8	5	1				
F. 24									3		2		2			2	3	2	4	2	2	1		1			
4. Others of this group.....	M. 2	2					2																				
F. 2																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	246	50	30	20	10	4	114	15	4	2	7	5	4	7	5	3	6	11	10	10	22	10	6	2	3		
Males.....	135	26	16	13	6	2	63	10	4	1	2	2	3	4	5	3	5	5	4	5	8	4	4	1	2		
Females.....	111	24	14	7	4	2	51	5		1	5	3	1	3			1	6	6	5	14	6	2	1	1		
1. Croup.....	M. 24	4	4	5	4	2	19	4	1																		
F. 14	6	2	2	1	1		12	2																			
2. Laryngitis.....	M. 1												1														
F. 2	1						1																				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MARYLAND—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	65	7	4	1			12	4		2		2	3	1	2	4	9	4	3	5	6	3	2	2	1		
Males.....	37	4	4	1			9	1		1		1	1		2	3	5	2	2	4	3		1	1	1		
Females.....	28	3					3	3		1		1	2	1		1	4	2	1	1	3	3	1	1			
1. Dentition.....	M. 3	1	2				3																				
	F. 1																										
2. Angina.....	M. 1							1																			
	F. 1																										
3. Gastritis.....	M. 1																1										
	F. 3																1	1				1					
4. Other diseases of the stomach.....	M. 7		1				1	1				1			1					1		1			1		
	F. 3																1				1						
5. Obstruction of the bowels.....	M. 3	1					1									1		1									
	F. 3																										
6. Hernia.....	M. 3	1	1				2										1										
	F. 1																										
7. Other diseases of the bowels.....	M. 1																										
	F. 1																										
8. Jaundice.....	M. 1	1					1										1										
	F. 1																										
9. Inflammation and abscess of the liver.....	M. 4												1		1		1	1									
	F. 3							1											1								
10. Other diseases of the liver.....	M. 5			1			1									2					1			1			
	F. 5	2					2										1	1						1			
11. Peritonitis.....	M. 1																			1							
	F. 3									1			1	1													
12. Ascites.....	M. 2																			1	1						
	F. 1																					1					
13. Others of this group.....	M. 7	1					1			1							1		1	1	1			1			
	F. 8							1				1	1			1					2	1		1			
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	49	1				1	2	1		3	2	2	3	2	5		3	6	2	5	8	3	2				
Males.....	30					1	1	1		1	1	1	2	1	4		1	5	1	3	5	1	2				
Females.....	19	1					1			2	1	1	1	1	1		2	1	1	2	3	2					
1. Bright's disease.....	M. 14							1		1	1	1		1	2		1	5		1							
	F. 16									1	1	1	1	1	1		2	1	1	2	3	1					
2. Calculus, urinary.....	M. 4												1							1	1		1				
	F. 1																										
3. Diseases of the kidney.....	M. 4					1	1						1							1							
	F. 1									1																	
4. Diseases of the bladder.....	M. 3																				2		1				
	F. 3																										
5. Others of this group.....	M. 5														2						2	1					
	F. 2	1					1															1					
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	8									1	1		2			1	2				1						
1. Ovarian tumors.....	F. 1												1														
2. Ovarian diseases.....	F. 1																										
3. Uterine tumors.....	F. 1																										
4. Uterine diseases.....	F. 1																										
5. Others of this group.....	F. 7									1	1		1			1	2				1						
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	22										3	5	1	6	4	2											
1. Abortion.....	F. 1													1													
2. Child-birth.....	F. 14										2	1	1	4	4	1											
3. Others of this group.....	F. 7										1	4		1		1											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	7				1		1	1	1	1		1							1	1							
Males.....	4				1		1		1			1								1							
Females.....	3							1		1									1								
1. Diseases of the spine.....	M. 2											1									1						
	F. 2							1		1																	
2. Diseases of the bones.....	M. 1																										
	F. 1																										
3. Diseases of the hip-joint.....	M. 1									1																	
	F. 1																										
4. Others of this group.....	M. 1				1		1																				
	F. 1																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MARYLAND—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	4										1			1					1	1							
Males.....	3										1			1					1								
Females.....	1																			1							
1. Abscess..... { M.	3										1			1					1								
{ F.	1																			1							
2. Carbuncle..... { M.																											
{ F.																											
3. Others of this group..... { M.																											
{ F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....																											
Males.....																											
Females.....																											
1. Addison's disease..... { M.																											
{ F.																											
2. Diseases of the spleen..... { M.																											
{ F.																											
3. Others of this group..... { M.																											
{ F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total.....	97	7	1	3	2	4	17	4	6	5	18	8	5	4	8	3	4	2	4	1	2	3		1			2
Males.....	72	4		3	1	3	11	2	5	4	13	7	4	3	6	2	3	2	4	1	1	3		1			
Females.....	25	3	1		1	1	6	2	1	1	5	1	1	1	2	1	1				1						2
1. Burns and scalds..... { M.	7			2		2	4	1	1		1																
{ F.	14				1	1	2	1	1	1	4	1		1	1	1											1
2. Drowned..... { M.	10			1	1	1	3	1	1			2		1	1	1											
{ F.	1		1				1																				
3. Exposure and neglect..... { M.	3	1					1										1					1					
{ F.																											
4. Gunshot wounds..... { M.	3								1				1		1												
{ F.	1										1																
5. Homicide..... { M.	1											1															
{ F.																											
6. Infanticide..... { M.																											
{ F.																											
7. Injuries by machinery..... { M.																											
{ F.																											
8. Railroad accidents..... { M.	7									1	2	3			1												
{ F.																											
9. Suffocation..... { M.	3	2					2								1												
{ F.	4	3					3	1																			
10. Suicide by shooting..... { M.	2																	1		1							
{ F.																											
11. Suicide by drowning..... { M.																											
{ F.																											
12. Suicide by poison..... { M.	1												1														
{ F.																											
13. Other suicides..... { M.	4										2							1	1								
{ F.	2												1		1												
14. Sunstroke..... { M.																											
{ F.																											
15. Surgical operations..... { M.																											
{ F.																											
16. Wounds..... { M.	3										1			1			1										
{ F.																											
17. Other accidents and injuries..... { M.	28	1					1		2	3	7	1	2	1	2	1	1		3		1	2		1			1
{ F.	3													1													1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MASSACHUSETTS—GROUP 1.

[Exclusive of BOSTON, CAMBRIDGE, FALL RIVER, LAWRENCE, LOWELL, and LYNN.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	12068	2161	543	321	236	196	3457	535	222	393	583	520	468	481	420	394	438	459	542	663	706	712	569	343	130	27	6
Total: Males.....	6001	1223	277	167	133	95	1895	270	108	165	251	213	204	231	201	200	228	237	308	350	350	353	248	135	43	5	6
Females.....	6067	938	266	154	103	101	1562	265	114	228	332	307	264	250	219	194	210	222	234	313	356	359	321	208	87	22	...
Unknown causes.																											
Total.....	227	78	5	2	3	5	93	10	2	4	6	7	4	6	4	5	8	9	10	14	13	19	9	2	...	1	1
Males.....	132	43	3	2	2	2	52	6	1	2	6	3	3	3	3	3	4	5	6	9	8	11	4	1	...	1	1
Females.....	95	35	2	...	1	3	41	4	1	2	...	4	1	3	1	2	4	4	4	5	5	8	5	1	...	...	...
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	2250	556	244	171	115	110	1196	322	98	72	68	58	40	44	35	31	27	25	31	48	49	52	36	12	3	1	2
Males.....	1131	302	130	92	60	53	637	145	40	34	29	22	16	19	14	17	16	10	15	29	26	32	19	7	2	...	2
Females.....	1119	254	114	79	55	57	559	177	58	38	39	36	24	25	21	14	11	15	16	19	23	20	17	5	1	1	...
1. Small-pox.....	M.																										
F.																											
2. Measles.....	M.	11	4	1	1	1	7	2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F.	3	...	1	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Scarlet fever.....	M.	108	16	13	20	20	9	26	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F.	92	6	18	15	11	7	57	23	4	2	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
4. Diphtheria.....	M.	308	12	42	49	27	32	102	25	5	4	2	1	4	1	...	...	...	...	...	...	...	...	...	...	...	2
F.	351	10	40	46	36	41	173	118	39	6	4	3	2	2	1	...	2	1	...	...	...	...	...	...	...	...	...
5. Hooping-cough.....	M.	37	19	11	5	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F.	43	26	8	4	1	...	39	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Fever.....	M.	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
7. Cerebro-spinal fever.....	M.	20	4	1	2	1	...	2	2	...	2	1	...	...	...	2	...	...	...	1	1	1	...	...	...	...	...
F.	27	1	1	2	2	1	5	8	1	2	1	...	2	1	...	...	...	...	1	2	1	...	...	...	...	...	...
8. Enteric fever.....	M.	121	1	...	2	1	1	4	5	21	18	11	9	5	8	9	6	2	3	7	2	5	1	...	...	...	...
F.	97	2	...	1	...	4	7	10	9	18	15	10	4	4	3	2	...	2	4	3	5	...	...	...	...	...	
9. Diarrhoea.....	M.	55	21	1	...	1	24	1	...	...	1	...	...	...	2	1	...	2	3	4	6	4	2	3	...	...	...
F.	41	17	6	1	...	...	24	1	...	...	...	4	...	...	2	1	...	...	2	1	1	4	1	...	...	...	
10. Dysentery.....	M.	92	19	17	6	6	2	5	...	1	2	4	1	2	...	...	1	...	2	3	6	8	6	1	...	...	...
F.	82	15	9	6	1	2	33	5	1	1	1	1	2	1	3	2	4	3	4	3	9	2	4	1	1	1	...
11. Enteritis.....	M.	40	14	3	1	2	20	...	1	2	1	...	1	2	...	...	1	4	2	2	2	...	...	...	...	...	...
F.	47	11	1	...	...	...	12	2	1	3	1	1	1	1	6	3	2	2	3	1	1	4	3	...	...	...	...
12. Cholera morbus.....	M.	16	3	1	...	...	4	1	...	...	...	...	1	...	...	...	...	2	1	2	1	3	...	...	...	...	...
F.	21	3	1	...	...	...	4	1	1	...	...	...	...	1	1	2	...	3	1	3	2	...	...	...	...	...	...
13. Cholera infantum.....	M.	204	160	37	4	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F.	174	144	23	3	4	...	174	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
14. Malarial fever.....	M.	14	1	...	...	...	3	...	...	1	1	3	...	...	1	...	...	...	1	1	2	1	...	...	...	...	...
F.	11	...	1	...	...	1	2	...	1	2	...	...	1	1	...	...	...	2	...	1	1	...	...	...	...	...	...
15. Erysipelas.....	M.	38	12	1	1	...	14	...	...	...	...	...	1	2	1	1	2	...	2	3	3	6	3	...	...	...	...
F.	26	7	2	...	...	...	9	1	...	...	...	...	...	...	...	2	1	3	2	3	1	1	2	...	...	...	...
16. Septicæmia.....	M.	18	1	...	1	...	5	1	2	2	...	...	...	...	2	1	1	3	...	1	1	...	...	...	...	...	...
F.	21	...	1	...	...	1	2	3	...	3	10	11	5	11	2	1	1	...	...	...	...	...	...	...	...	...	...
17. Puerperal septicæmia.....	M.	44	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F.	13	9	1	...	...	...	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
18. Venereal diseases.....	M.	13	8	1	...	...	9	...	...	...	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F.	33	6	1	...	...	...	7	...	...	2	...	...	1	1	...	...	...	1	1	4	2	4	6	2	2	...	...
19. Others of this group.....	M.	33	6	1	...	...	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F.	25	4	1	1	...	...	6	...	...	1	1	...	1	...	1	...	...	1	1	2	3	5	1	2	...	...	...
General diseases—B.																											
Total.....	75	25	...	1	...	4	30	...	...	...	2	4	5	4	8	5	5	5	5	5	1	...	...	1	...	...	...
Males.....	46	12	...	...	...	1	13	...	...	...	1	3	3	4	5	3	5	4	3	1	...	...	...	1	...	...	...
Females.....	29	13	...	1	...	3	17	...	...	...	1	1	2	...	3	2	...	1	2	...	...	...	...	...	...	...	...
1. Worms.....	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F.	2	...	...	1	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Other parasitic diseases.....	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Alcoholism.....	M.	23	...	...	...	...	...	...	...	...	1	2	2	3	3	3	4	1	3	1	...	...	...	...	...	...	...
F.	5	...	...	...	...	...	...	...	...	...	1	1	1	...	...	1	...	1	...	...	...	...	...	...	...	...	...
4. Lead poison.....	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Other poisons.....	M.	11	1	...	...	1	2	...	...	...	...	1	1	1	2	...	1	2	...	...	...	...	...	...	...	...	...
F.	6	...	...	...	...	2	2	...	...	...	...	...	...	...	2	1	...	...	1	...	...	...	...	...	...	...	...
6. Inanition.....	M.	11	11	...	...	...	11	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F.	16	13	...	...	...	...	13	...	...	...	...	...	1	...	1	...	...	...	1	...	...	...	...	...	...	...	...
General diseases—C.																											
Total.....	1611	816	17	2	2	1	838	3	1	1	3	3	3	2	4	7	2	3	16	20	56	128	213	195	91	22	...
Males.....	787	475	6	1	1	...	483	1	...	1	2	1	...	1	...	5	1	1	6	9	33	56	84	67	32	4	...
Females.....	824	341	11	1	1	1	355	2	1	...	1	2	3	1	4	2	1	2	10	11	23	72	129	128	59	18	...
1. Premature birth.....	M.	74	74	...	...	...	74	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F.	62	62	...	...	...	...	62	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Stillborn.....	M.	267	267	...	...	...	267	...	...</																		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MASSACHUSETTS—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	2831	121	50	30	19	12	232	29	42	214	322	291	224	206	179	156	164	129	158	162	148	110	51	12	2		
Males.....	1234	70	30	16	9	7	132	11	16	71	125	112	88	95	77	67	76	63	87	74	68	45	21	5	1		
Females.....	1597	51	20	14	10	5	100	18	26	143	197	179	136	111	102	89	88	66	71	88	80	65	30	7	1		
1. Rheumatism.....	M. 23								3	1	2	1		1	1	1	2	1		3	3	3	1				
F. 20					1		1	2	4	1								2	1	5	1	2	1				
2. Scrofula and tabes.....	M. 14	7	1	1		1	10				2	1						1									
F. 14	3	1				1	5		1	2						1		1	1		2		1				
3. Leprosy.....	M. 1																										
F. 1																											
4. Consumption.....	M. 895	29	12	4	2	3	50	3	7	66	120	106	85	88	08	58	56	40	45	40	33	19	8	2	1		
F. 1099	21	8	6	3			38	7	17	135	193	163	122	88	66	49	51	28	26	35	38	28	13	2			
5. Hydrocephalus.....	M. 73	29	15	10	6	2	62	7	2											1							
F. 64	24	11	7	6	4		52	6	3	1		1										1					
6. Cancer.....	M. 115	1					1	1	1		1	2	2	2	4	13	12	25	14	17	11	6	2				
F. 248									1			3	10	9	25	31	28	30	27	29	24	20	9	2			
7. Tumor.....	M. 14	1					1		1	1		1			1	1	1	1	3	1	2						
F. 35											1			5	6	5	3	1	5	3	3	2		1			
8. Anæmia.....	M. 10	2					2		1			1	1			1			1	1		2					
F. 22	2			1			3			1	2	5	1	4		1			2	1		2					
9. Dropsy.....	M. 76		2	1	1		4		1	1		1		2	4	1	4	5	12	13	11	10	6	1			
F. 79								2		3	1	3	3	3	4	2	5	3	7	14	11	10	5	2	1		
10. Glycosuria.....	M. 12									2					1	1	1		3	1	1	2					
F. 13												4		2	1		1	1	1	1	1	1					
11. Others of this group.....	M. 2	1				1	2																				
F. 3	1						1	1											1								
12. Others of this class.....	M. 1																	1									
F. 1																	1										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	1528	211	88	48	33	19	399	33	18	14	31	21	30	44	57	49	56	86	95	129	161	140	102	48	13	1	1
Males.....	758	114	37	23	20	6	200	24	14	9	13	6	14	24	32	28	27	46	60	57	72	63	46	20	2		1
Females.....	770	97	51	25	13	13	199	9	4	5	18	15	16	20	25	21	29	40	35	72	89	77	56	28	11	1	
1. Inflammation of the brain.....	M. 31	6	2	2	4	2	16	2	3	1	1	1		1	1	1	1			2							1
F. 35	9	6	1	1	4		21	3	1	1	1	1	1	1			2	1	1								
2. Meningitis.....	M. 74	21	10	7	5	4	47	9	4	2	1	1		2	2			3		1	2						
F. 81	17	12	11	8	3		51	4	2		7	2	1	3	1	2	1	1		2	2	1		1			
3. Apoplexy.....	M. 149	1					1					1	3	4	5	10	11	17	17	15	24	21	16	3	1		
F. 171	1		1				2					3	4	9	8	8	10	14	9	26	22	24	15	11	5	1	
4. Paralysis.....	M. 199										4		6	2	12	7	9	15	25	24	28	32	20	14	1		
F. 234	1	1					2				1	3	3	3	8	7	8	11	17	33	48	38	33	15	4		
5. Tetanus and trismus nascentium.....	M. 9	3					3	2	1		2												1				
F. 5	4						4																				
6. Epilepsy.....	M. 8							1		1					3				1	1		1					
F. 14						1	1			1	2		3	1				1	1		2	2					
7. Convulsions.....	M. 109	66	11	11	9		97	4	1	1		1		2				1									
F. 96	54	25	7	4	5		95		1																		
8. Mental diseases.....	M. 38										1	1	3	8	4	4	2	1	3	4	5		1	1			
F. 36										1	2	3	2	2	1	2	3	4	2	2	4	3	3	1	1		
9. Diseases of the brain.....	M. 132	17	14	3	2		36	6	5	3	3	1	2	5	4	6	4	8	12	13	9	8	5	2			
F. 87	11	7	4				22	2		2	3	3	1		7	1	3	7	5	6	10	9	5		1		
10. Diseases of the spinal cord.....	M. 5									1	1				1				2								
F. 4											1					1											
11. Others of this group.....	M. 4																				1	2	1				
F. 7			1				1				1		1				1			3							
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	781	44	3	2	1	4	54	11	10	10	22	21	19	33	34	31	49	57	62	92	95	103	49	22	4	1	2
Males.....	415	24	2	2	1	3	32	3	3	5	12	8	7	18	11	15	25	32	41	56	55	62	16	11	1		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MASSACHUSETTS—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	449	65	14	7	4	1	91	4	6	14	20	24	15	19	16	19	35	27	27	42	37	30	17	4	2		
Males	214	37	4	5	2		48	1	4	8	7	13	6	5	10	11	18	11	11	20	16	12	10	3			
Females	235	28	10	2	2	1	43	3	2	6	13	11	9	14	6	8	17	16	16	22	21	18	7	1	2		
1. Dentition	M. 20 F. 22	13 14	4 7	3 1			20 22																				
2. Angina	M. 1 F. 1																										
3. Gastritis	M. 17 F. 24	1 2		1 1		1	2 4			1		1			1	3	1	2	2	1	1	4	1	3			
4. Other diseases of the stomach	M. 29 F. 29	3 1			1		4 3				2	1	2	2	1	1	1	2	2	6	2	2	3		1		
5. Obstruction of the bowels	M. 12 F. 19	2				1	2 1		1	1		1		1		1	1	2	1	1	3	4	3	1			
6. Hernia	M. 11 F. 9	2					2			1	3						1		1	3	2	1					
7. Other diseases of the bowels	M. 14 F. 13	2					2 1		1			2				1	2	1	2	1	1		1				
8. Jaundice	M. 11 F. 3	6 1					6 1													2	2	1	1				
9. Inflammation and abscess of the liver	M. 1 F. 1																										
10. Other diseases of the liver	M. 55 F. 59	2 3		1			3 4		1		1	4	3		5	2	7	5	5	8	4	6		1			
11. Peritonitis	M. 33 F. 47	3 4					3 5		1	1	5	3	4	1	2	2	4	1	1	2			1				
12. Ascites	M. 2 F. 7			1			1						1	1		1	1	2				1					
13. Others of this group	M. 10 F. 3	3 2					3 2								1	1	2	1						2			
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	318		2	2	2	1	7	4	9	7	17	11	19	13	16	16	17	23	23	45	32	31	19	8	1		
Males	208		2	1	1		4	4	4	3	8	3	11	8	12	6	9	14	15	37	24	23	16	6	1		
Females	110			1	1	1	3		5	4	9	8	8	5	4	10	8	9	8	8	8	8	3	2			
1. Bright's disease	M. 97 F. 68		1	1			2 1	2	3	3	3	2	8	6	9	4	7	10	5	15	7	6	3	2			
2. Calculus, urinary	M. 3 F. 1							1											1			1					
3. Diseases of the kidney	M. 58 F. 28		1		1		2 1	1	1		4	1	2	1	2	1	2	2	3	10	8	9	8	1			
4. Diseases of the bladder	M. 29 F. 4														1	1		1	6	7	5	3	2	2	1		
5. Others of this group	M. 21 F. 10										1		1	1				1	1	4	4	5	2	1			
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	18										4	1	1	1	1	1	1	2	3			3					
1. Ovarian tumors	F. 5																1	2	2								
2. Ovarian diseases	F. 1																		1								
3. Uterine tumors	F. 1																										
4. Uterine diseases	F. 2																					2					
5. Others of this group	F. 10										4	1	1	1	1	1						1					
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	63							3		1	10	12	18	13	5	1											
1. Abortion	F. 4											1	2		1												
2. Child-birth	F. 35									1	5	7	10	9	2	1											
3. Others of this group	F. 24							3			5	4	6	4	2												
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	29		1		1		2	1	1	1	4	2	1	1	1	1	1	2	6	1	3		1				
Males	11				1		1	1		1					1	1		2	2		1		1				
Females	18		1				1		1		4	2	1	1			1		4	1	2						
1. Diseases of the spine	M. 9 F. 16				1		1 1			1					1			2	2		1		1				
2. Diseases of the bones	M. 2 F. 2							1								1											
3. Diseases of the hip-joint	M. 1 F. 1										1								1								
4. Others of this group	M. 1 F. 1																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MASSACHUSETTS—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	35	5	1	1	1	1	6	3	2	2	1	3	1	1	1	1	3	3	2	3	4						
Males.....	18	4	1	1	1	1	4	3	2	1	1	3	1	1	1	1	1	1	1	1	2						
Females.....	17	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	2	2	2	2	2						
1. Abscess.....	M. 17	4	1	1	1	1	4	3	1	1	1	3	1	1	1	1	1	1	1	1	2						
	F. 12	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	2						
2. Carbuncle.....	M. 1																										
	F. 4																										
3. Others of this group.....	M. 1																										
	F. 1																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	2													1						1							
Males.....																											
Females.....	2													1						1							
1. Addison's disease.....	M. 2													1						1							
	F. 2																										
2. Diseases of the spleen.....	M. 1																										
	F. 1																										
3. Others of this group.....	M. 1																										
	F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	423	22	12	7	9	10	60	38	21	21	33	31	39	25	24	25	17	13	21	20	8	11	10	3	2	1	
Males.....	340	9	8	4	7	9	37	31	19	21	29	27	33	21	20	22	15	10	20	17	4	8	3	2	1		
Females.....	83	13	4	3	2	1	23	7	2	4	4	4	6	4	4	3	2	3	1	3	4	3	7	1	1	1	
1. Burns and scalds.....	M. 16		3	3	2	1	9	1	1	1	1	1	1	1	1	1											
	F. 14	1	3	3	1	1	6	3	1	1	1	1	1	1	1	1											
2. Drowned.....	M. 87		2	1	3	3	9	18	6	9	8	6	6	5	4	2	4	3	1	4		2					
	F. 10		2				2	1	1	1	1	1	1	1	1	1											
3. Exposure and neglect.....	M. 2																										
	F. 2	1					1																				
4. Gunshot wounds.....	M. 5									1	1		2						1								
	F. 1										1																
5. Homicide.....	M. 1																										
	F. 1																										
6. Infanticide.....	M. 1																										
	F. 1																										
7. Injuries by machinery.....	M. 1																										
	F. 1																										
8. Railroad accidents.....	M. 35		1				1	2	1	5	3	5	2	3		4	3		2	2	1	1					
	F. 3										2																
9. Suffocation.....	M. 17	5	1			3	9		3			1	2			1		1									
	F. 7	4					4	1				1															
10. Suicide by shooting.....	M. 4														1				2	1							
	F. 1																										
11. Suicide by drowning.....	M. 1																										
	F. 1																										
12. Suicide by poison.....	M. 3															2			1								
	F. 1																										
13. Other suicides.....	M. 31									1	4	3	2	1	2	3	4		4	3	2	2					
	F. 5													2	1	1											
14. Sunstroke.....	M. 3								1			1							1								
	F. 1	1					1																				
15. Surgical operations.....	M. 2													1						1							
	F. 1																										
16. Wounds.....	M. 1																										
	F. 1																										
17. Other accidents and injuries.....	M. 133	4	1		2	2	9	10	7	4	12	11	18	11	13	9	3	3	9	7			1	3	1	1	
	F. 39	6	2		1		9	2				2	3	2	1	1		3	2	3	3	5	1	1	1	1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MASSACHUSETTS—GROUP 2.

[Exclusive of WORCESTER.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
GRAND TOTAL	7115	1269	337	226	176	138	2146	314	151	268	361	280	242	296	226	216	219	281	318	366	404	412	336	181	66	30	2	
Total: Males	3524	725	174	118	76	67	1160	156	74	102	153	129	104	118	118	84	102	147	175	193	217	207	166	81	26	11	1	
Females	3591	544	163	108	100	71	986	158	77	166	208	151	138	178	108	132	117	134	143	173	187	205	170	100	40	19	1	
Unknown causes.																												
Total	58	25			1		26	2	1	2	2	2	2	3		1	2	2		4	5	2	1	1				
Males	26	14					14		1							1	2			2	4	1	1					
Females	32	11			1		12	2		2	2	2	2	3				2		2	1	1		1				
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total	1471	366	142	117	100	88	813	181	66	54	40	32	32	28	26	20	22	22	25	29	26	22	20	9	3	1		
Males	718	188	70	59	40	39	396	88	29	27	15	14	19	9	13	9	12	11	17	18	13	14	9	3	2			
Females	753	178	72	58	60	49	417	93	37	27	25	18	13	19	13	11	10	11	8	11	13	8	11	6	1	1		
1. Small-pox	M. 3		2			2	2						1															
F. 6		1			1	2	4		1	1																		
2. Measles	M. 15	5	2	4		11	11	1	1	1						1												
F. 25	3	7	3	3		16	2	3	3				1															
3. Scarlet fever	M. 123	14	16	24	17	12	83	30	6	1	2										1							
F. 136	9	12	21	24	15	81	39	5	5	1	1	1	1	1				1			1							
4. Diphtheria	M. 141	9	16	19	16	19	79	43	10	2	2	1	2	1														
F. 158	9	21	19	22	28	99	36	13	1	2		2	2			1	1		2							1		
5. Hooping-cough	M. 12	10	2			12	12																					
F. 37	22	8	1	2	1	34	3																					
6. Fever	M. 1					1	1																					
F. 1	1					1	1																					
7. Cerebro-spinal fever	M. 17		1	1	2	2	6	4	2	3						1			1									
F. 13	1		2		2	5	5	4		1		1				1		1										
8. Enteric fever	M. 101	5	2		2	4	13	7	6	13	8	5	10	5	5	3	3	7	7	2	3	3	1	1				
F. 78	2	1		1		4	4	6	9	11	8	6	6	8	2	3	3	2	1	1	3	3	3	1	1			
9. Diarrhœa	M. 26	14	3			17	17						1		1	1					1	1	1	1	1			
F. 19	11	1				12	12				1			1		1				1	1	1	1	1	1			
10. Dysentery	M. 30	10	3	2	2	1	18										2		1	2	1	3	3	1	1			
F. 32	13	1	2			16	16				1				1	2	2	2	1	3	3	3	3	1	1			
11. Enteritis	M. 53	19	4	3		26	26	1	3	4	1	3	1	1	2	1	2	1	3	4	2	1						
F. 56	10	6	3	2		21	21	1	4	2	4	2	1		1	3	2	4	4	4	2	2	1					
12. Cholera morbus	M. 11	2	1			3	3	1				2	1								2	1	1	1				
F. 12	3					3	3	1	1			1	1		2	1					1	1	1					
13. Cholera infantum	M. 117	93	18	5	1	117	117																					
F. 105	86	12	5		2	105	105																					
14. Malarial fever	M. 18		1			2	2		1	2	1		1		1		3	2	3			1	1					
F. 14	1	1		3		5	5										2	2			1	1						
15. Erysipelas	M. 25	4				4	4				1	2		2	3		1		1	5	2	1	3					
F. 17	4		1			5	5	1			1	1		1		2		1	1	2	1	1	1					
16. Septicæmia	M. 4					1	1									1			1									
F. 4			1			1	1									1			1									
17. Puerperal septicæmia	M. 23									2	6	3	2	7	3													
F. 2						2	2							1														
18. Venereal diseases	M. 5	3				3	3							1	1													
F. 1						1	1																					
19. Others of this group	M. 16	1				1	1						2		1		1	1		1	1	3	3	1	1			
F. 12		1				2	2		1	1	1				1					2	3		1					
General diseases—B.																												
Total	38	10		2	1	1	14					2	3	1	5	1	4	2		1	3	1	1					
Males	26	6		1	1		8					1	2	1	5	1	3	1			2	1	1					
Females	12	4				1	6					1	1				1	1		1	1							
1. Worms	M. 1			1		1	1																					
F. 1				1		1	1																					
2. Other parasitic diseases	M. 1																											
F. 1																												
3. Alcoholism	M. 11										1	2	1	5			2											
F. 1																												
4. Lead poison	M. 2																				1	1						
F. 1																												
5. Other poisons	M. 5				1		1									1	1	1			1							
F. 4						1	1					1					1	1										
6. Inanition	M. 7	6				6	6																1					
F. 7	4					4	4						1							1	1							
General diseases—C.																												
Total	865	365	3	3	3	1	375		1	2	1	3	1	4	4	2	5	7	6	20	51	87	131	93	49	23		
Males	451	233	1	1		1	236					1			1	1	1	1	5	9	21	46	62	40	19	7		
Females	414	132	2	2	3		139		1	1	1	2	1	4	3	1	4	6	1	11	30	41	69	53	30	16		
1. Premature birth	M. 22	22					22																					
F. 15	15						15																					
2. Stillborn	M. 129	129					129																					
F. 58	58						58																					
3. Malformation	M. 6	6					6																					
F. 2	2						2																					
4. Debility	M. 112	76	1	1		1	79			1		1			1	1	1	1	3	6	3	8	4	3				
F. 106	57	2	2	3		64	64		1	1	1	2	1	4	3	1	4	6		2	3	18	38	58	37	19	7	
5. Old age	M. 182			</																								

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MASSACHUSETTS—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	1632	80	26	24	13	4	147	25	24	135	196	154	115	110	99	81	82	83	94	89	77	68	40	11	2		
Males.....	677	37	14	13	6	4	74	12	9	34	79	70	41	41	45	22	30	38	41	43	43	34	16	4	1		
Females.....	955	43	12	11	7		73	13	15	101	117	84	74	69	54	59	52	45	53	46	34	34	24	7	1		
1. Rheumatism.....	M. 10								1	1			1	1		1			1	2	1	1					
F. 20								1	1					2		1	1	3	3		4	2	1				
2. Scrofula and tabes.....	M. 14	5	1		1		7			2	1	2	1		1												
F. 20	5			1			6	2	1	1	2			1		2	2	1		2							
3. Leprosy.....	M. 1																	1									
F. 1																											
4. Consumption.....	M. 462	10	3	2		1	16	3	5	30	76	64	38	37	41	11	24	26	25	24	21	15	6				
F. 646	15	4	4	4			27	5	11	93	111	83	65	51	36	30	26	17	20	28	14	15	9	4	1		
5. Hydrocephalus.....	M. 45	19	9	9	3	1	41	3	1																		
F. 49	18	8	5	3			34	3		2										1							
6. Cancer.....	M. 65	1					1	2				1		1	1	4	4	6	6	9	13	11	4	2			
F. 119											2		5	7	11	15	15	11	22	9	8	7	5	2			
7. Tumor.....	M. 5	1					1				1		1						1	1							
F. 18															2	3	3	2		2	1	1	2	1			
8. Anæmia.....	M. 8	1		1			2				1					1		1	1	1			1				
F. 15	2						2		2	2			1	2	2		2	1	1		1						
9. Dropsy.....	M. 58		1		2	2	5	4	1	1		1		1	2	5	2	3	7	6	7	5	5	2	1		
F. 68	3						3			2	1		2	5	3	8	5	7	6	6	4	9	7				
10. Glycosuria.....	M. 9								1			2		1				2			1	2					
F. 7			1				1	2		1		1		1					1								
11. Others of this group.....	M. 1			1			1																				
F. 1																		1									
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	907	152	61	31	18	12	274	34	13	13	24	17	20	28	16	31	22	48	56	56	92	83	54	23	3		
Males.....	438	84	32	15	4	4	139	17	7	7	11	9	10	14	8	11	10	29	32	21	48	27	23	13	2		
Females.....	469	68	29	16	14	8	135	17	6	6	13	8	10	14	8	20	12	19	24	35	44	56	31	10	1		
1. Inflammation of the brain.....	M. 31	7	4	3	1		15	6	4			1	2						1			1	1				
F. 39	11	1	4	2	1		19	4	4		4	1	2		1				1	1			1				
2. Meningitis.....	M. 30	12	5	1	2	1	21	3	2	1		1		1						1							
F. 26	5	5	2	3	2		17	4		2	2										1						
3. Apoplexy.....	M. 80							2			1	1	2	3	3	3	2	6	16	8	15	7	7	3	1		
F. 91	1	1		1			3				1	1	2	3	2	6	4	7	9	11	14	18	6	3	1		
4. Paralysis.....	M. 106							1			1	1	1	3	1	3	6	15	9	9	21	13	11	10	1		
F. 120	2						2	1	1	1		2	4	3	1	3	3	5	8	12	18	30	20	6			
5. Tetanus and trismus nascentium.....	M. 2									1								1									
F. 1																											
6. Epilepsy.....	M. 11									2	3	2				2											
F. 8													1	1		1	1				3	1					
7. Convulsions.....	M. 85	47	15	8	1	2	73	3	1	1	2				1			1	1		1	1					
F. 85	36	15	9	7	2		69	5		2	1	2			1	1	1			1	2						
8. Mental diseases.....	M. 5														1					1		1	2				
F. 12														1	1	5	1			2	1						
9. Diseases of the brain.....	M. 73	18	8	3		1	30	2		1	2	3	3	3	1	3	2	5	4	2	8	3	1				
F. 54	11	7		1	2		21	2			3			2	1	1	1	4	3	6	5	3	2				
10. Diseases of the spinal cord.....	M. 9										2			3	1			1			1	1					
F. 14	2		1		1		4	1	1	1			1	2	1			1		1		1					
11. Others of this group.....	M. 6									1					1				1		2		1				
F. 19											1	2		1	1	2	1	2	1	2	1	2	2	1			
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	365	23	3	1		1	28	8	6	8	12	9	8	22	12	16	13	26	40	44	38	45	19	9	1	1	
Males.....	178	16	2				18	3	1	4	5	2	2	10	5	6	5	13	19	25	16	29	10	4		1	
Females.....	187	7	1	1		1	10	5	5	4	7	7	6	12	7	10	8	13	21	19	22	16	9	5	1		
1. Angina pectoris.....	M. 2																	1		1							
F. 4		</																									

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MASSACHUSETTS—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	14	3					3			1	2	1		1		1	1		1	1				2			
Males.....	6	1					1							1					1	1				2			
Females.....	8	2					2			1	2	1				1	1										
1. Abscess.....	M. 2													1						1							
	F. 5									1	2	1					1										
2. Carbuncle.....	M. 1																										
	F. 4																										
3. Others of this group.....	M. 4	1					1												1				2				
	F. 3	2					2									1											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1																1										
Males.....																											
Females.....	1																1										
1. Addison's disease.....	M. 1																										
	F. 1																										
2. Diseases of the spleen.....	M. 1																1										
	F. 1																										
3. Others of this group.....	M. 1																										
	F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	275	11	3	3	8	4	29	16	21	16	25	22	14	19	14	12	15	15	12	18	13	5	6	1		1	1
Males.....	214	9	2	2	4	4	21	12	18	13	20	19	14	11	11	8	11	12	11	14	9	2	6	1		1	1
Females.....	61	2	1	1	4		8	4	3	3	5	3		8	3	4	4	3	1	4	4	3					
1. Burns and scalds.....	M. 4			1	2		3				1																
	F. 7				3		3	2			1				1												
2. Drowned.....	M. 45		1	1		3	5	6	11	3	4	3	2		2	3	1	1	1		2		1				
	F. 12						1	1	3	1	1				1		2	2		1							
3. Exposure and neglect.....	M. 1	1					1																				
	F. 1																										
4. Gunshot wounds.....	M. 6										1	2		2				1									
	F. 3		1		1		2	1																			
5. Homicide.....	M. 4							1			1						1			1							
	F. 1																										
6. Infanticide.....	M. 1																										
	F. 1																										
7. Injuries by machinery.....	M. 3									1	1							1									
	F. 1																										
8. Railroad accidents.....	M. 34		1				1		4	2	6	6	7	4						1	2			1			
	F. 5									1		2		1							1						
9. Suffocation.....	M. 10	6			1		7				1	1	1			1							2				
	F. 3	1					1												1								
10. Suicide by shooting.....	M. 4																1										
	F. 1																										
11. Suicide by drowning.....	M. 1																										
	F. 1																										
12. Suicide by poison.....	M. 1																1										
	F. 1																										
13. Other suicides.....	M. 29										3	2	1		2	1	2	4	5	6	1	1	1				
	F. 5															1	1	1	1	1							
14. Sunstroke.....	M. 5									1	1						1	1		1							
	F. 1																										
15. Surgical operations.....	M. 1																										
	F. 1																										
16. Wounds.....	M. 4											1					1	2									
	F. 1																										
17. Other accidents and injuries.....	M. 65	2			1	1	4	5	3	5	2	5	2	7	5	3	4	2	5	5	4	1	2				1
	F. 23	1		1			2			1	2	1		6	1	2	1		2	1	3						

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MICHIGAN—GROUP 1.

[Exclusive of DETROIT.]

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MICHIGAN—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	1405	80	42	16	11	2	151	28	30	110	150	130	93	76	80	103	82	63	85	71	65	52	23	8		1	4
Males.....	651	44	25	12	8	1	90	14	13	37	57	52	33	30	35	50	41	29	51	41	34	29	11	2		2	2
Females.....	754	36	17	4	3	1	61	14	17	73	93	78	60	40	45	53	41	34	34	30	31	23	12	6		1	2
1. Rheumatism.....	M. 26	1	1	...	1	...	3	2	4	3	3	1	1	...	...	1	1	1	1	3	1	2	1	...	...	...	...
F. 15	...	1	1	...	...	...	2	2	1	...	1	...	...	...	...	1	1	...	...	3	1	3	...	...	...	...	...
2. Scrofula and tabes.....	M. 13	6	3	1	...	1	11	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
F. 16	3	2	1	...	...	...	6	1	...	1	...	2	...	1	...	2	1	1	1	...	...	...	...	...	...	...	...
3. Leprosy.....	M. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Consumption.....	M. 440	22	12	4	2	...	40	4	6	28	51	45	30	26	28	39	35	15	28	18	20	17	7	1	...	2	2
F. 525	15	9	...	1	1	1	26	8	14	67	91	72	50	38	33	33	22	13	21	12	13	8	1	2	...	1	1
5. Hydrocephalus.....	M. 35	14	8	7	3	...	32	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 23	12	5	2	2	...	...	21	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Cancer.....	M. 49	...	...	...	...	...	...	...	1	1	1	1	1	...	3	3	3	7	10	10	2	5	...	1	...	...	...
F. 78	1	...	...	...	...	...	1	...	...	1	...	3	3	4	9	10	10	14	4	4	4	4	3	3	...	1	1
7. Tumor.....	M. 5	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	2	2	2	...	...	...	...	...	...	...	...
F. 17	1	...	...	...	...	...	1	...	1	1	...	...	2	1	2	1	2	1	2	1	2	...	...	...	...	...	...
8. Anæmia.....	M. 1	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Dropsy.....	M. 59	1	...	...	2	...	3	4	...	1	1	2	...	2	1	4	2	5	10	8	9	4	3	...	...	...	...
F. 75	4	...	...	...	...	...	4	1	1	3	1	1	4	1	1	6	4	5	5	9	11	8	8	1	...	1	...
10. Glycosuria.....	M. 21	...	...	...	...	...	...	1	1	3	1	2	1	2	2	2	1	...	...	2	2	1	...	...	...	...	...
F. 3	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11. Others of this group.....	M. 2	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
F. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
12. Others of this class.....	M. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	737	282	50	33	17	11	393	33	20	15	19	19	14	16	9	15	19	19	21	36	33	25	18	9		1	3
Males.....	398	160	23	19	9	4	215	19	7	7	10	9	6	9	7	7	10	9	10	19	20	16	9	6		1	2
Females.....	339	122	27	14	8	7	178	14	13	8	9	10	8	7	2	8	9	10	11	17	13	9	9	3		...	1
1. Inflammation of the brain.....	M. 68	30	9	7	2	...	48	4	2	...	2	2	...	3	...	...	3	1	...	3	...	...	...	...	...	...	...
F. 68	28	11	3	4	3	...	49	8	3	1	1	2	...	1	1	...	1	...	...	1	...	...	...	...	...	...	...
2. Meningitis.....	M. 16	3	2	...	3	...	8	4	...	...	1	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 14	2	...	1	1	1	...	5	1	1	3	...	1	...	1	...	...	...	...	...	1	...	...	...	...	...	1	1
3. Apoplexy.....	M. 38	1	...	...	1	...	2	...	...	...	1	...	1	...	1	1	2	3	5	7	3	6	2	3	...	1	...
F. 30	...	1	1	...	1	...	3	...	...	...	1	1	1	1	...	1	2	5	5	2	3	2	3	1	...	...	...
4. Paralysis.....	M. 59	...	2	...	...	...	2	2	1	1	1	...	1	3	4	3	2	1	4	4	12	8	7	2	...	1	1
F. 51	...	1	...	...	...	...	1	1	...	1	1	1	...	1	1	2	3	2	3	12	9	6	6	1	...	...	...
5. Tetanus and trismus nascentium.	M. 3	...	1	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 2	2	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Epilepsy.....	M. 14	3	...	...	...	...	3	...	2	1	2	3	...	...	1	...	...	...	...	1	1	...	...	...	...	...	...
F. 10	1	...	...	...	...	...	1	...	1	...	1	1	2	1	...	...	...	2	...	...	...	...	...	...	...	...	...
7. Convulsions.....	M. 120	99	6	4	2	2	113	2	2	1	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	1	1
F. 83	61	6	5	1	...	...	73	2	2	2	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
8. Mental diseases.....	M. 3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...
F. 6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Diseases of the brain.....	M. 52	16	5	4	...	2	27	4	...	1	1	1	2	1	1	2	2	2	1	3	2	1	...	1	...	...	...
F. 43	15	7	3	1	1	...	27	1	4	1	...	1	...	2	...	2	3	...	2	...	...	...	...	...	...	...	...
10. Diseases of the spinal cord.....	M. 21	7	1	1	1	...	10	3	1	2	2	...	1	...	...	...	1	...	...	1	...	...	...	...	...	...	...
F. 26	12	1	1	1	1	1	16	1	2	...	1	2	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11. Others of this group.....	M. 4	1	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	1	...	...	1	...	...	...	...	...	...
F. 6	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	1	1	...	1	...	...	...	...	...	...
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	262	17	2	2	3	1	25	5	5																		

MICHIGAN—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	353	96	32	14	6	5	153	9	4	7	16	7	7	8	13	10	22	16	21	16	20	12	7	1			4
Males.....	185	53	16	8	4	1	82	3	..	3	9	5	5	3	5	5	11	11	15	6	9	8	1	1			3
Females.....	168	43	16	6	2	4	71	6	4	4	7	2	2	5	8	5	11	5	6	10	11	4	6			1	
1. Dentition.....	M. 29	12	14	2	1		29																				
	F. 23	12	11				23																				
2. Angina.....	M. 10	5		2	1		8						1				1										
	F. 13	5		1	1	2	9	3			1																
3. Gastritis.....	M. 5														1			2			1						
	F. 8							1						1		1	2				2						
4. Other diseases of the stomach.....	M. 22	5	1			1	7			1	1				1		4		4	2		2					
	F. 18	2	1				3		1		1	1			1	1	1	2	1		2	2					
5. Obstruction of the bowels.....	M. 9	3					3						1						1	1	2						
	F. 5	2					2		1					1	1												
6. Hernia.....	M. 17	4					4				1	2				1		2	2	1		2	1			1	
	F. 8														2	1		1		1	1						
7. Other diseases of the bowels.....	M. 6	2			1		3				1						2										
	F. 8	3		1			4			1					1					1							
8. Jaundice.....	M. 7	2	1				3										2		1							1	
	F. 5	2					2										1										
9. Inflammation and abscess of the liver.....	M. 14	1					1				2	1				2		2	3		1						
	F. 12		1			1	2		1						1		1	1		4	1	1					
10. Other diseases of the liver.....	M. 19	2					2			1		2		1	1	1		4	2	1	2	2					
	F. 30	3	1	1	1	1	7	1		1	2		1	1	2	1	4		2	3	4		1			1	
11. Peritonitis.....	M. 8	1			1		2					1	1			1				1							
	F. 12								1	2	1	1	1	2		1	1		1		1						
12. Ascites.....	M. 7		2				2	2											1	1						1	
	F. 7		1	1			2	1					1				1		1	1							
13. Others of this group.....	M. 32	16		2			18				2	1		2	2		2		1	1	2			1			
	F. 19	14	1	2			17											1			1						
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	93	5		1	1	2	9	7	2	2	4	1	4	7	2	4	4	2	8	10	10	8	5	3			1
Males.....	71	4			1	2	7	7		1	1	1	2	5	2	2	1	2	7	8	9	8	5	3			
Females.....	22	1		1			2		2	1	3		2	2		2	3		1	2	1						
1. Bright's disease.....	M. 25							3		1	1		1	3	1	1			4	3	4	1		2			
	F. 7												2	1		2			1								
2. Calculus, urinary.....	M. 9														1					2	2		3	1			
	F. 9																										
3. Diseases of the kidney.....	M. 22	3			1	2	6	3					1			1	1	1	1	3	1	3	1				
	F. 12	1		1			2		1	1	2			1		1	1		1	1							
4. Diseases of the bladder.....	M. 8											1		1					2		2						
	F. 1																										
5. Others of this group.....	M. 7	1					1	1						1				1			2	1					
	F. 2										1										1						
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	19									2	2		3	3	4	1	3	1									
1. Ovarian tumors.....	F. 4														2		1	1									
2. Ovarian diseases.....	F. 1																										
3. Uterine tumors.....	F. 1																										
4. Uterine diseases.....	F. 7									2	1		1	1	2												
5. Others of this group.....	F. 7										1		2	2		1	1										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	140									16	34	31	22	25	7	5											
1. Abortion.....	F. 14										1	4	2	4	2	1											
2. Child-birth.....	F. 113									12	29	24	20	19	5	4											
3. Others of this group.....	F. 13									4	4	3		2													
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	17	4	1				5	2	4				1			1		1	1	1	1						
Males.....	12	3	1				4	1	4							1			1	1							
Females.....	5	1					1	1						1				1			1						
1. Diseases of the spine.....	M. 5	3	1				4									1											
	F. 2	1					1																				
2. Diseases of the bones.....	M. 3								1										1	1							
	F. 2							1													1						
3. Diseases of the hip-joint.....	M. 4							1	3																		
	F. 1																	1									
4. Others of this group.....	M. 1																										
	F. 1																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MICHIGAN—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																										
Total.....	20	2	1			3	2		1		1		3	2	2	1	1	1		1		2				
Males.....	11	1				1	1		1				2	2		1		1		1		1				
Females.....	9	1	1			2	1				1		1		2		1					1				
1. Abscess.....	M. 8						1		1				2	2		1						1				
F. 5							1				1		1		1							1				
2. Carbuncle.....	M. 1		1			1																				
F. 1																										
3. Others of this group.....	M. 3	1				1												1		1						
F. 3	1					1									1		1									
XI.—DISEASES OF THE ABSORBENT SYSTEM.																										
Total.....	3	1				1				1						1										
Males.....	2									1						1										
Females.....	1	1				1																				
1. Addison's disease.....	M. 1															1										
F. 1																										
2. Diseases of the spleen.....	M. 1																									
F. 1																										
3. Others of this group.....	M. 1								1																	
F. 1	1	1				1																				
XII.—ACCIDENTS AND INJURIES.																										
Total.....	520	41	19	17	15	9	101	49	28	29	48	41	42	32	28	27	20	23	13	12	10	8	4	1	2	1
Males.....	425	22	11	8	10	7	58	37	20	23	47	36	41	31	27	27	17	21	8	12	7	7	3	1	1	1
Females.....	95	19	8	9	5	2	43	12	8	6	1	5	1	1	1	3	3	5	1	3	1	1	1	1	1	1
1. Burns and scalds.....	M. 21		5	5	4		14	1		1						2				1			1			1
F. 20	1	4	3	3	2		13	5		2																
2. Drowned.....	M. 109		4	2	4	4	14	23	10	7	10	12	12	7	6	3	3	2								
F. 10		1	4				5	2	1			1						1								
3. Exposure and neglect.....	M. 10	8	1				9												1							
F. 10	8				1		9									1										
4. Gunshot wounds.....	M. 21				1		1	1	2	3	1	2	3	4	2		2									
F. 4									3			1														
5. Homicide.....	M. 12											3	2			2	1	3		1						
F. 4									1			1	1					1								
6. Infanticide.....	M. 1																									
F. 1																										
7. Injuries by machinery.....	M. 3										2	1														
F. 1																										
8. Railroad accidents.....	M. 33					1	1		2	1	5	2	8	4	1	2	1	4		1		1				
F. 2		1					1									1										
9. Suffocation.....	M. 13	9	1				10		1	2																
F. 8	4	1	1				6	1			1															
10. Suicide by shooting.....	M. 8								1	1	1		2	1		2										
F. 1																										
11. Suicide by drowning.....	M. 3										1				2											
F. 2									1					1												
12. Suicide by poison.....	M. 2													1						1						
F. 1											1															
13. Other suicides.....	M. 31								4	1			4	3		4	4	4	4	1	1				1	
F. 1									1																	
14. Sunstroke.....	M. 4				1		1			1											1					
F. 1					1		1																			
15. Surgical operations.....	M. 4									1			1							2						
F. 1																										
16. Wounds.....	M. 3									1									1		1					
F. 2																		1		1						
17. Other accidents and injuries.....	M. 148	5		1	1	1	8	12	5	5	25	12	13	11	13	14	6	8	4	5	1	4	1		1	
F. 30	6	1	1				8	4	3	2	1		1			1	2	2	2	2	1	1	1	1	1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MICHIGAN—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	9984	1847	534	355	280	222	3238	711	411	417	505	390	348	384	298	292	313	365	403	469	467	394	310	174	40	16	39
Total: Males.....	5201	1039	321	189	152	110	1811	392	201	177	216	155	140	154	135	160	163	200	235	266	263	217	182	94	18	6	16
Females.....	4783	808	213	166	128	112	1427	319	210	240	289	235	208	230	163	132	150	165	168	203	204	177	128	80	22	10	23
Unknown causes.																											
Total.....	376	219	15	5	2	1	242	9	4	6	8	5	5	5	2	4	2	12	8	17	14	12	11	7	1		2
Males.....	201	120	9	3		1	133	7	2		5	1	4		2	2	1	6	3	7	9	6	7	4	1		
Females.....	175	99	6	2	2		109	2	2	6	3	4	1	5		2	1	6	5	10	5	6	4	3			
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	2997	579	284	209	187	144	1403	550	285	126	112	72	52	52	41	22	41	35	37	37	46	28	33	9	7	2	7
Males.....	1531	312	178	106	103	67	766	288	137	60	41	29	22	21	17	13	20	22	17	16	18	12	16	8	3	1	4
Females.....	1466	267	106	103	84	77	637	262	148	66	71	43	30	31	24	9	21	13	20	21	28	16	17	1	4	1	3
1. Small-pox.....	M. 2	1					1							1													
F. 1																											
2. Measles.....	M. 42	14	9	1	1		25	8	3	2		2		1													1
F. 33	5	4	2	6	2		19	4	1	1	4	1		2		1											
3. Scarlet fever.....	M. 98	11	19	10	7	8	55	31	10			1										1					
F. 87	6	7	13	10	10		46	27	10	3	1																
4. Diphtheria.....	M. 590	26	43	63	66	47	245	206	100	23	9	2		1					1		2						1
F. 556	23	34	49	51	50		207	202	105	17	7	5	3	1	3		1	1			2		1				1
5. Hooping-cough.....	M. 78	45	23	3	3	1	75	1				1									2						1
F. 70	44	13	5	5			67	1	1																		1
6. Fever.....	M. 45	11	10	4	6		31	5	1	3				1	2			2									
F. 43	7	5	5	1	3		21	4	7	1	3	3	1	1	1				1								
8. Enteric fever.....	M. 157	2	2	1	5	4	14	19	8	18	25	12	10	5	8	4	8	9	6	2	4	2	2		1		
F. 150	1	4	3	1	3		12	11	16	23	21	9	5	7	8	2	8	5	6	7	7	1	1		1		
9. Diarrhœa.....	M. 43	19	7	3			29	1		1			1		1	1	2		2		4				1		
F. 33	16	6	1	1			24	1	1				1	1					1	1		2			1		
10. Dysentery.....	M. 49	20	12	7	3	1	43	1	1	1	1	1	1				4		1	1	2	2	2		1		
F. 60	22	11	6	2	3		44	8	8	10	3	8	2	5	3	3	7	2	2	5	4	1	3				1
11. Enteritis.....	M. 114	26	7	1	5		39	8	8	10	3	8	2	5	3	3	7	2	2	5	4	1	3				1
F. 85	22		2		1		25	5	2	6	9	4	4	2	2	1	1	4	5	4	4	4	2				1
12. Cholera morbus.....	M. 14	3	1		1		5	3	1		1							2		1			1				
F. 10		1					1	1			1		2					1	1	1			1				
13. Cholera infantum.....	M. 167	114	37	12	3	1	167											1	1	1							
F. 133	99	19	6	7	2		133																				
14. Malarial fever.....	M. 72	10	4	1	2	5	22	5	4	2	4	1	1	2	2	4	2	5	3	4		3	3	4		1	
F. 100	9	2	9		3		23	2	4	6	7	3	4	3	3	4	4	1	3	6	12	7	6	1		1	
15. Erysipelas.....	M. 39	8	3		1		12	1			3	3	7	4		1		2	2	2	1	3	4				
F. 36	10		2				12	2						3	2	1	1	1	2	1	1	2	1		1		
16. Septicæmia.....	M. 7								2	1	1	1	1	1	1												
F. 10											2			4	2		1		1								
17. Puerperal septicæmia.....	M. 48									6	12	14	9	5	2												
F. 48																											
18. Venereal diseases.....	M. 2	1					1							1			1										
F. 3										1																	
19. Others of this group.....	M. 12	1	1				2													2		2	2	3	1		
F. 8	3						3			1				1	1						1		1				
General diseases—B.																											
Total.....	85	27	1	4	3		35	1	1	2	5		6	1	7	4	4	2	6	3	4	2	1	1			
Males.....	48	10		2	1		13	1		1	1		3		5	4	4	2	4	3	4	1	1	1			
Females.....	37	17	1	2	2		22		1	1	4		3	1	2				2			1					
1. Worms.....	M. 2				1		1		1																		
F. 1																											
2. Other parasitic diseases.....	M. 17									1			1		3	2	3	1	2	1	2	1					
F. 17																											
3. Alcoholism.....	M. 23	5		1	1		7	1		1		2		2	2	2	1	1	1	2	1		1	1			
F. 18	3	1	2	1			7			1	4		2	1	1				1			1					
4. Lead poison.....	M. 8	5		1			6												1		1						
F. 8																											
5. Other poisons.....	M. 17	14					14						1		1				1								
F. 17																											
General diseases—C.																											
Total.....	677	328	4	1	1		334	1			2					3	2	1	4	16	32	70	105	77	20	10	
Males.....	361	187	1		1		189	1								2		1		7	17	33	58	42	8	3	
Females.....	316	141	3	1			145				2					1	2		4	9	15	37	47	35	12	7	
1. Premature birth.....	M. 25	25					25																				
F. 20	20						20																				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MICHIGAN—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	2060	143	41	22	13	8	227	31	36	134	203	148	138	135	116	119	113	120	122	129	119	110	29	18	2		11
Males.....	917	80	22	13	9	4	128	20	11	36	75	44	53	50	44	52	51	63	62	67	73	64	14	6	1		3
Females.....	1143	63	19	9	4	4	99	11	25	98	128	104	85	85	72	67	62	57	60	62	46	46	15	12	1		8
1. Rheumatism.....	M. 25 F. 25	1	1				2		2	2				2	1	1	2	1	3	2	3	1					
2. Scrofula and tabes.....	M. 22 F. 17	4	2	1	2		9			1			1	1	2	3	2	3	1	2	1		1				
3. Leprosy.....	M. 17 F. 17	7	2		1	1	11				2	1	1				1			1							
4. Consumption.....	M. 628 F. 794	56	13	9	3	2	83	13	4	30	66	40	45	41	39	42	31	39	29	39	38	37	8	2			2
5. Hydrocephalus.....	M. 19 F. 19	10	4	1	2		17	2																			
6. Cancer.....	M. 104 F. 152	1		1			2	1	2		3		3	3	4	5	9	14	20	12	9	15		1			1
7. Tumor.....	M. 12 F. 26	1			1		2			1			2	3	5	5	1	2	6	2							
8. Anæmia.....	M. 2 F. 4	1				1	2																				
9. Dropsy.....	M. 83 F. 101	5	1	1			9	4	2	1	6	5	6	6	3	3	8	10	5	7	16	11	6	2			1
10. Glycosuria.....	M. 21 F. 5	1	1		1		3	1	1	1	2	2	1			2	1	2	1	2	3						
11. Others of this group.....	M. 1 F. 1	1					1																				
12. Others of this class.....	M. 1 F. 1	1					1																				
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	996	228	74	27	17	21	367	23	12	21	28	23	13	31	30	25	32	57	42	68	89	55	45	24	3	1	7
Males.....	539	141	37	11	12	12	213	14	5	10	13	11	4	8	18	11	13	29	27	45	44	24	32	13	1		4
Females.....	457	87	37	16	5	9	154	9	7	11	15	12	9	23	12	14	19	28	15	23	45	31	13	11	2		3
1. Inflammation of the brain.....	M. 78 F. 56	33	9	3	4	4	53	2	1	3	2	3		1	1	2			1	5	2	1	1				
2. Meningitis.....	M. 22 F. 16	6	3	1	4	2	16	2	1				1					2	1								
3. Apoplexy.....	M. 70 F. 62	3					3			1			1	3	3	3	10	7	12	13	2	9	1	1			
4. Paralysis.....	M. 149 F. 126	2	3			1	6	1		1		1		2	4	2	6	13	12	26	24	20	20	9			2
5. Tetanus and trismus nascentium.....	M. 3 F. 3	1					1			2																	
6. Epilepsy.....	M. 16 F. 23	1	2				3	1	2	2	2	2	1	2				1									
7. Convulsions.....	M. 87 F. 82	60	11	3	2	2	78	2		1	3	2			1												
8. Mental diseases.....	M. 3 F. 9																										
9. Diseases of the brain.....	M. 85 F. 64	30	8	4	2	1	45	3		1	3	2	1	1	6	3	2	1	4	2	4	1	2				2
10. Diseases of the spinal cord.....	M. 17 F. 12	5	1			2	8	3	1	1	1	1						1	1								1
11. Others of this group.....	M. 9 F. 7														3			2	2								
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	502	21	5	3	1		30	5	13	11	16	18	12	22	30	26	31	34	54	71	48	43	25	4	2		7
Males.....	257	14	2	2	1		19	4	4	6	7	6	4	12	8	17	14	16	32	36	28	26	14	2			2
Females.....	245	7	3	1			11	1	9	5	9	12	8	10	22	9	17	18	22	35	20	17	11	2			5
1. Angina pectoris.....	M. 10 F. 7											1		1	1		1		2	1	2	1					
2. Aneurism.....	M. 1 F. 1									1								1		2							
3. Diseases of the heart.....	M. 241 F. 231	10	2	2	1		15	4	4	5	7	6	3	11	7	17	13	16	30	34	26	25	14	2			2
4. Others of this group.....	M. 5 F. 6	4					4								2				1								
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	1027	184	74	54	38	26	376	47	25	33	34	25	36	39	21	29	39	41	64	58	60	40	32	19	4	1	4
Males.....	607	111	49	33	16	12	221	27	14	23	21	14	16	16	14	21	27	24	44	35	31	24	19	11	3		2
Females.....	420	73	25	21	22	14	155	20	11	10	13	11	20	23	7	8	12	17	20	23	29	16	13	8	1		2
1. Croup.....	M. 112 F. 74	29	21	20	11	8	89	19	4																		
2. Laryngitis.....	M. 2 F. 3	1	1				2																				
3. Bronchitis.....	M. 43 F. 34	17	3			1	21	1			1	2	1	1	1	2	1	1	3	5		1	1				
4. Pneumonia.....	M. 362 F. 224	42	19	10	4	2	77	3	8	20	19	7	13	15	10	19	21	20	35	27	23	20	12	10	2		1
5. Pleurisy.....	M. 3 F. 13		1			1	2		2								1		2	1	1						
6. Asthma.....	M. 8 F. 4		1				1					1	1				1			2	2						
7. Others of this group.....	M. 77 F. 68	22	4	3	1	1	31	4	2	3	1	4	1		3		3	3	8	2	4	6			1		1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MICHIGAN—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	37	3	1				4	1		3	6	6	1	4	2	5	1	1	1			1		1			
Males.....	23	2	1				3	1		2	4	3		1	1	3	1	1	1			1		1			
Females.....	14	1					1			1	2	3	1	3	1	2											
1. Abscess.....	M. 18 F. 13	1	1				2	1		2	3	3		1	1	2	1		1						1		
2. Carbuncle.....	M. 3 F. 1						1				1			1				1				1					
3. Others of this group.....	M. 2 F. 2	1					1									1											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	8		1	2			3				1	1					1			1	1						
Males.....	4		1	1			2										1			1							
Females.....	4			1			1				1	1								1							
1. Addison's disease.....	M. 3 F. 2						1										1			1							
2. Diseases of the spleen.....	M. 2 F. 1			1			1				1									1							
3. Others of this group.....	M. 1 F. 2		1				1					1									1						
XII.—ACCIDENTS AND INJURIES.																											
Total.....	491	36	17	17	11	18	99	26	22	39	47	49	32	40	20	13	17	17	24	16	12	4	6	6	1	1	
Males.....	377	21	9	10	5	11	56	19	20	29	43	42	27	33	14	11	15	13	20	14	9	3	4	3	1	1	
Females.....	114	15	8	7	6	7	43	7	2	10	4	7	5	7	6	2	2	4	4	2	3	1	2	3			
1. Burns and scalds.....	M. 18 F. 20	3	2	3	2	4	14				2					1							1				
2. Drowned.....	M. 53 F. 13		2	4	2	2	11	6	5	7	10	6	1	5					2								
3. Exposure and neglect.....	M. 3 F. 5	3					3																				
4. Gunshot wounds.....	M. 31 F. 6							2	3	8	4	4	1	2	4	1	1			1							
5. Homicide.....	M. 5 F. 5		1			1	3				1	1	1	1		1							1				
6. Infanticide.....	M. 11 F. 1																										
7. Injuries by machinery.....	M. 16 F. 5																										
8. Railroad accidents.....	M. 6 F. 1																										
9. Suffocation.....	M. 16 F. 5	5	1			1	7		1				2	1		1			2	1			1				
10. Suicide by shooting.....	M. 6 F. 1									2			2	1		1											
11. Suicide by drowning.....	M. 2 F. 7														1			1									
12. Suicide by poison.....	M. 5 F. 20									2	1	1		1			1		1	2	1						
13. Other suicides.....	M. 2 F. 7												3	1	1	3		5	1	2							
14. Sunstroke.....	M. 1 F. 2	1					1				1			1	2		1					1					
15. Surgical operations.....	M. 2 F. 1										1						1										
16. Wounds.....	M. 5 F. 1												1	1				1									
17. Other accidents and injuries.....	M. 192 F. 55	9	4	2	1	4	20	10	10	10	20	25	13	18	7	4	10	7	14	8	8	2	1	3	1	1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MINNESOTA—GROUP 1.

[Exclusive of MINNEAPOLIS and SAINT PAUL.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	2336	587	150	81	53	52	923	160	102	106	115	83	76	83	70	81	83	79	59	75	81	68	43	20	12	6	11
Total: Males.....	1309	351	82	47	31	23	534	91	44	47	59	43	44	46	36	45	51	50	39	50	44	38	24	5	6	5	8
Females.....	1027	236	68	34	22	29	389	69	58	59	56	40	32	37	34	36	32	29	20	25	37	30	19	15	6	1	3
Unknown causes.																											
Total.....	190	114	5	4	1	3	127	6	5	2	1	7	3	1	4	2	6	4		2	3	5	2	5		2	2
Males.....	103	61	3	3		1	68	3	4	1	1	6			2	1	4	2		1	2	3	1	1		2	1
Females.....	87	53	2	1	1	2	59	3	1	1		1	3	1	2	1	2	2		2	1	2	1	4			1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	616	153	62	40	30	30	315	90	62	43	31	13	12	7	6	2	6	2	6	7	6	3	1	1	1		2
Males.....	309	87	36	22	17	14	176	44	20	17	15	5	7	1	2	1	2	1	4	4	5	3		1			1
Females.....	307	66	26	18	13	16	139	46	42	26	16	8	5	6	4	1	4	1	2	3	1		1		1		1
1. Small-pox.....	M. 1																										
F. 17	3	3	1	1	2	10			1	3	2	1															
2. Measles.....	M. 7	2	1			3																					
F. 18	2	2	5	2	1	12			5	1																	
3. Scarlet fever.....	M. 10	2				4			5	1																	
F. 93	10	5	9	11	11	46			27	14	4	2															
4. Diphtheria.....	M. 128	8	6	13	10	14	51		33	33	7	1			2												
F. 4	4					4																					
5. Hooping-cough.....	M. 12	8	3			11																					
F. 1						1																					
6. Fever.....	M. 6		1			1																					
F. 37	2					3			4	1	6	9	4	4	1	1											
8. Enteric fever.....	M. 44	2				4			4	3	14	9	4	2	2												
F. 27	12	8	2			22																					
9. Diarrhoea.....	M. 22	14	3	1	1	19																					
F. 20	11	4				16			1																		
10. Dysentery.....	M. 16	5	4	1		10			1	3																	
F. 29	10	1	1	1		13			2	3	2	1															
11. Enteritis.....	M. 8	2	1	1		4			1	1																	
F. 6	4					5																					
12. Cholera morbus.....	M. 40	26	12	1		39																					
F. 26	19	7				26																					
13. Cholera infantum.....	M. 2	1				1																					
F. 5	1	1				3																					
14. Malarial fever.....	M. 3	1				1																					
F. 6	2					3																					
15. Erysipelas.....	M. 3	1				1																					
F. 4	1					1																					
16. Septicæmia.....	M. 11																										
F. 11																											
17. Puerperal septicæmia.....	M. 2																										
F. 2																											
18. Venereal diseases.....	M. 2																										
F. 2																											
19. Others of this group.....	M. 2																										
F. 2																											
General diseases—B.																											
Total.....	16	3	1	1		1	6	2	1			1	4			2											
Males.....	10	1	1	1		3	3	1					4			2											
Females.....	6	2				1	3	1	1			1															
1. Worms.....	M. 1																										
F. 1																											
2. Other parasitic diseases.....	M. 3																										
F. 3																											
3. Alcoholism.....	M. 3																										
F. 3																											
4. Lead poison.....	M. 5		1	1		2																					
F. 4						1																					
5. Other poisons.....	M. 1	1				1																					
F. 2	2					2																					
6. Inanition.....	M. 1																										
F. 2																											
General diseases—C.																											
Total.....	165	110		1			111		1						2				4		5	10	14	9	7	2	
Males.....	103	74		1			75		1						2				2		2	5	9	3	2	2	
Females.....	62	36																									

MINNESOTA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	.	.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	360	21	11	2	1		35	7	7	18	40	24	18	37	23	19	25	27	15	16	21	14	8		2	1	3
Males.....	178	12	5				17	7	5	6	18	6	7	19	11	7	16	18	10	11	4	7	4		2		3
Females.....	182	9	6	2	1		18		2	12	22	18	11	18	12	12	9	9	5	5	17	7	4		1		
1. Rheumatism.....	M. 10 F. 7								1		2						1	1	1	2			1		1		
2. Scrofula and tabes.....	M. 10 F. 3								1	1	1			1	1	2	1				1		1				
3. Leprosy.....	M. 1 F. 1																										
4. Consumption.....	M. 103 F. 118	8	2				10	4	3	5	13	5	7	16	8	3	5	9	5	6	1	1					2
5. Hydrocephalus.....	M. 6 F. 4	3	3	1			6		1	12	22	15	10	12	8	9	4	3	2		6	3				1	
6. Cancer.....	M. 23 F. 21		1				1				1			2	3	1	3	2	1	1	4	1	1				1
7. Tumor.....	M. 4 F. 5							1					1			1	1	1			2	1					
8. Anæmia.....	M. 1 F. 1																										
9. Dropsy.....	M. 19 F. 21	1					1	1			1	1		1	1		2	1	3	1	2	3	1		1		
10. Glycosuria.....	M. 3 F. 2				1			1						1	1	1	2	3	2	3	3	2	1				
11. Others of this group.....	M. 1 F. 1																			1							
12. Others of this class.....	M. 1 F. 1							1																			
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	223	71	26	7	2	5	111	11	5	7	3	4	2	5	5	12	9	12	4	9	9	9	5				1
Males.....	136	41	15	5	2		63	7	2	4	1	4	1	4	3	9	7	6	4	6	7	5	2				1
Females.....	87	30	11	2		5	48	4	3	3	2		1	1	2	3	2	6		3	2	4	3				
1. Inflammation of the brain.....	M. 34 F. 18	8	7	5			20	3		1		1			1	1	2		1	1	1						
2. Meningitis.....	M. 19 F. 5	5	3		2		10	3			1	1			1	1	1		1								
3. Apoplexy.....	M. 12 F. 9	1					1									3		3	1	1	3						
4. Paralysis.....	M. 16 F. 12											1		3			1	1	2	4	2	1	1				
5. Tetanus and trismus nascentium.....	M. 1 F. 1						1									1											
6. Epilepsy.....	M. 3 F. 4	1					1		1														1				
7. Convulsions.....	M. 28 F. 22	21	4				25	1		1				1				1									1
8. Mental diseases.....	M. 1 F. 1																										
9. Diseases of the brain.....	M. 18 F. 7	3	1				4	1	1	2		1	1		1	3	1				1	2					
10. Diseases of the spinal cord.....	M. 4 F. 7	2					2								1		1										
11. Others of this group.....	M. 1 F. 2															1											
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	97	6	1				7	3	1	5	3	2	4	3	5	6	11	7	5	11	11	7	6				
Males.....	54	3					3	1		3	1	2	3	3	3	3	5	5	2	8	5	3	4				
Females.....	43	3	1				4	2	1	2	2		1		2	3	6	2	3	3	6	4	2				
1. Angina pectoris.....	M. 1 F. 1																1										
2. Aneurism.....	M. 1 F. 1													1													
3. Diseases of the heart.....	M. 50 F. 42	1					1	1		3	1	2	3	3	2	3	4	5	2	8	5	3	4				
4. Others of this group.....	M. 2 F. 1						2												1								
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	276	50	30	15	15	10	120	22	7	12	7	2	10	6	8	13	10	11	10	14	13	7	1	2	1		
Males.....	165	39	14	8	8	6	75	15	4	7	5	1	6	3	3	7	7	8	5	6	8	4			1		
Females.....	111	11	16	7	7	4	45	7	3	5	2	1	4	3	5	6	3	3	5	8	5	3	1	2			
1. Croup.....	M. 37 F. 27	11	3	4	5	3	26	8	3																		
2. Laryngitis.....	M. 1 F. 1																										
3. Bronchitis.....	M. 19 F. 9	7	3	2	1		13				2			1	1	1		1	1	1	1						
4. Pneumonia.....	M. 82 F. 52	15	6	2	2	2	27	5	1	5	2	1	5	3	3	5	4	6	1	5	6	2			1		
5. Pleurisy.....	M. 4 F. 4							1		2						2	1		1								
6. Asthma.....	M. 7 F. 3	2					2									1	1		1		1	1	1				
7. Others of this group.....	M. 16 F. 16	4	2			1	7	1			1		1			1	1	1	2		1	1		2			

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	136	41	10	2	1		54	4	1	1	5	7	4	8	3	11	5	7	6	3	4	7	1	2	1		2
Males.....	73	23	5	1	1		30	2			3	5	1	3	2	8	2	3	4	2	3				1		1
Females.....	63	18	5	1			24	2	1	1	2	2	3	5	1	3	3	4	2	1	1	4	1	2			1
1. Dentition.....	M. 5 F. 8	2 4	3 4				5 8																				
2. Angina.....	M. 1 F. 3			1			1	2																			
3. Gastritis.....	M. 3 F. 2			1			1				1	1				1						1			1		
4. Other diseases of the stomach.....	M. 6 F. 5	1					1	1			1			1			2	1			1	1					
5. Obstruction of the bowels.....	M. 1 F. 3															1		1				1					
6. Hernia.....	M. 3 F. 2																	1		1		1					
7. Other diseases of the bowels.....	M. 1 F. 6	1					1						1					1						1			
8. Jaundice.....	M. 2 F. 2		1				1														1						
9. Inflammation and abscess of the liver.....	M. 7 F. 4										1	2	1			1		1	2			1					
10. Other diseases of the liver.....	M. 13 F. 7		1		1		2				2		1	1	1	3	2	1		2		1				1	1
11. Peritonitis.....	M. 7 F. 6	1					1				1	1		1	2	1		1	1	1	1						
12. Ascites.....	M. 1 F. 1																1										
13. Others of this group.....	M. 25 F. 16	17	1				18	1						2		1			2			1					
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	31					1	1	1	1	1	2	1	2	1	2	4		2		5	3	2	2			1	
Males.....	25					1	1		1		2	1	1	1		4		1		5	3	2	2			1	
Females.....	6							1		1			1		2			1									
1. Bright's disease.....	M. 8 F. 3								1		1		1			3		1		1							
2. Calculus, urinary.....	M. 1 F. 1																			1							
3. Diseases of the kidney.....	M. 9 F. 2				1		1				1	1			1					1	3	1	1				
4. Diseases of the bladder.....	M. 7 F. 1													1		1				2		1	1			1	
5. Others of this group.....	M. 1 F. 1														1												
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	6									1		1				3	1										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MINNESOTA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	7	1	1				2					2	1				1				1						
Males.....	6	1	1				2					2	1								1						
Females.....	1																1										
1. Abscess.....	M. 5 F. 1	1					1					2	1					1			1						
2. Carbuncle.....	M. 1 F. 1																										
3. Others of this group.....	M. 1 F. 1		1				1																				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	3	1					1		1		1																
Males.....	1	1					1																				
Females.....	2								1		1																
1. Addison's disease.....	M. 1 F. 1																										
2. Diseases of the spleen.....	M. 1 F. 1										1																
3. Others of this group.....	M. 1 F. 1	1					1		1																		
XII.—ACCIDENTS AND INJURIES.																											
Total.....	179	15	3	9	3	2	32	12	10	13	14	14	14	12	10	3	9	7	9	7	5	3	3	1			1
Males.....	141	8	2	6	3	1	20	10	7	9	13	10	13	11	8	2	8	6	8	7	4	2	2				1
Females.....	38	7	1	3		1	12	2	3	4	1	4	1	1	2	1	1	1	1		1	1	1	1			
1. Burns and scalds.....	M. 6 F. 7		1	2	1		4							1									1				
2. Drowned.....	M. 26 F. 4		1	3	1		5	3	2	1	3	2	3	2			1	1	2		1						
3. Exposure and neglect.....	M. 3 F. 3	1					1	1													1						
4. Gunshot wounds.....	M. 6 F. 1							1			2	2	1														
5. Homicide.....	M. 2 F. 1										1				1												
6. Infanticide.....	M. 1 F. 1	1					1																1				
7. Injuries by machinery.....	M. 1 F. 1																										
8. Railroad accidents.....	M. 10 F. 1									1	3		3		1		1						1				
9. Suffocation.....	M. 5 F. 2	2		1	1		4		1						1												
10. Suicide by shooting.....	M. 4 F. 1										1	1		1		1											
11. Suicide by drowning.....	M. 2 F. 1											1						1	1								
12. Suicide by poison.....	M. 1 F. 1																										
13. Other suicides.....	M. 5 F. 2										2				1		1	1		1							
14. Sunstroke.....	M. 3 F. 1	1					1											1	1								
15. Surgical operations.....	M. 1 F. 1										1																
16. Wounds.....	M. 1 F. 1																										
17. Other accidents and injuries.....	M. 67 F. 16	3				1	4	5	5	7	3	2	6	7	5	1	5	2	4	6	2	2					1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MINNESOTA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	663	37	13	11	6	4	71	19	16	48	74	61	45	40	25	38	47	36	49	24	32	20	11	2		2	3
Males.....	308	21	5	7	3		36	6	8	15	25	23	19	21	12	15	28	19	24	17	19	13	6	1		1	1
Females.....	355	16	8	4	3	4	35	13	8	33	49	38	26	19	13	23	19	17	25	7	13	7	5	1		2	2
1. Rheumatism.....	M. 13							1		1	1			1	1		3	1		2		2					
F. 9		1					1		1		1			1			2		1								
2. Scrofula and tabes.....	M. 12		2	2	2		7			2	2						1			1							
F. 12		2	1	2		1	6			2		1					1	2									
3. Leprosy.....	M. 2												1	1													
F. 1																											
4. Consumption.....	M. 186	8	1	3			12		7	9	17	20	15	16	8	13	12	11	14	9	12	8	1	1		1	1
F. 239		8	3	2		2	15	8	5	29	47	32	22	13	9	15	7	10	11	1	5	5	3			2	
5. Hydrocephalus.....	M. 16	10	2	1	1		14	1											1								
F. 11		3	3				6	4								1											
6. Cancer.....	M. 37	2					2	1		1	1		1	1	1	2	9	6	8	2	1		1				
F. 44					1		1			1		1	2	3	3	6	8	1	10	4	4						
7. Tumor.....	M. 5			1			1			1										1	1		1				
F. 9		1	1		1		3				1							2		1					1		
8. Anæmia.....	M. 25							2	1	1	2	2	1	2	2		2			2	3	2	3				
F. 30		1			1	1	3	1	2	1		2	1	2	1	1	1	2	3	2	2	2	2	1		1	
10. Glycosuria.....	M. 8									2							1		1	2	1	1					
F. 4								1			1	1						1									
11. Others of this group.....	M. 4																										
F. 1		1					1																				
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	376	122	37	23	10	4	196	8	5	15	14	9	10	8	3	8	12	11	15	14	21	14	5	4	1		3
Males.....	202	71	20	12	4	4	111	6	3	5	5	5	4	5		7	5	8	7	3	10	8	3	4	1		2
Females.....	174	51	17	11	6		85	2	2	10	9	4	6	3	3	1	7	3	8	11	11	6	2			1	
1. Inflammation of the brain.....	M. 37	15	7	4	2	3	31	1			2		1	1				1									
F. 32		10	10	6	1		27			3	1		1														
2. Meningitis.....	M. 12	6		1	1		8	1				1	1				1										
F. 11		6		1			7	2												1							
3. Apoplexy.....	M. 22										2			1		2		5	2		4	3	1				
F. 16		2					2		1	1	1	1	2	1			4	1		2	1	1					
4. Paralysis.....	M. 27	1	1				2		1							3	4		3	1	4	5	1	3	1		
F. 32		1					2			1			1		1		2	1	2	8	7	5	2				
5. Tetanus and trismus nascentium.....	M. 7	4	1				5		1				1														
F. 3		3					3																				
6. Epilepsy.....	M. 5	2	1				3			1		1															
F. 13		2	1				3		1	1	1	3				1			1	1						1	
7. Convulsions.....	M. 53	35	7	3	1		46		1	2	1							1									
F. 30		17	3	3	2		25			2				1						2						2	
8. Mental diseases.....	M. 8									1		2		2			1				1			1			
F. 4										1			1							1							
9. Diseases of the brain.....	M. 23	7	4	3			14	2	1	1	1					1		1		1		1					
F. 18		9	2	1			12			3			1					1	1		1						
10. Diseases of the spinal cord.....	M. 6	2		1		1	4	1						1													
F. 9					3		3				1				1					1	2						
11. Others of this group.....	M. 2																		2								
F. 6		1</																									

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	229	76	22	3		1	102	6	9	4	9	9	7	8	4	6	9	13	11	10	6	8	4	2		2	
Males.....	122	42	10	2		1	55	1	7		5	3	3	5	3	1	4	9	7	8	4	5		2		2	
Females.....	107	34	12	1			47	5	2	4	4	6	4	3	1	5	5	4	4	2	2	3	4				
1. Dentition.....	M. 9	4	5				9																				
	F. 10	2	8				10																				
2. Angina.....	M. 4	2	1				3		1																		
	F. 6	2	1	1			4	1		1								1									
3. Gastritis.....	M. 3								1				1					1									
	F. 4										3							1	1								
4. Other diseases of the stomach.....	M. 16	1	1				2				3	1	1	2				1	1	2	2	1					
	F. 3	1	1				2				1																
5. Obstruction of the bowels.....	M. 9	3					3		1		2						1	1					1				
	F. 3	1					1														1						
6. Hernia.....	M. 7	2		1			3			1								1	1	1	1	1	1				
	F. 5																1										
7. Other diseases of the bowels.....	M. 9	3		1			4	1										2	1	1							
	F. 10	4	2				6						1			1			1				2				
8. Jaundice.....	M. 3	1					1								1					1							
	F. 5															1	1					1		1			
9. Inflammation and abscess of the liver.....	M. 6	1					1						1					1		1		1					
	F. 13	1					1		2			1		2	1		1	1	1								
10. Other diseases of the liver.....	M. 14	1					1	1			1	1		1		2	1	3	2		1	2					
	F. 8	2	1			1	4		1				1	1	1												
11. Peritonitis.....	M. 13								2	2		4	2			1		1					1				
	F. 2																1										
12. Ascites.....	M. 5							1						1	1	1						1					
	F. 34	23	2				25		1			1			1	1	1		2	2	3						
13. Others of this group.....	M. 28	22					22	2						1			1				1	1					
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	47	1		1			2	1		3	3	4	1	2	1		3	2	4	5	9	2	3			1	1
Males.....	35	1					1	1		2	2	2		2	1		2	1	3	5	8	1	3			1	
Females.....	12			1			1			1	1	2	1				1	1	1		1	1					1
1. Bright's disease.....	M. 10									2		2		2			1		1	1	1						
	F. 3											1							1								
2. Calculus, urinary.....	M. 4													1			1			1	1						
	F. 1																										
3. Diseases of the kidney.....	M. 16	1					1	1			1							1	2	3	4		3				
	F. 9			1			1			1	1	1					1	1		1	1						
4. Diseases of the bladder.....	M. 4									1											2	1					
	F. 1																										
5. Others of this group.....	M. 1																										
	F. 1																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	12									3	2	1	4	1								1					
1. Ovarian tumors.....	F. 2									2																	
2. Ovarian diseases.....	F. 2																										
3. Uterine tumors.....	F. 2										1	1			1							1					
4. Uterine diseases.....	F. 2																										
5. Others of this group.....	F. 6											1	1	4													
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	64									3	13	8	14	11	11	3											1
1. Abortion.....	F. 1																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MINNESOTA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	4	1				1	2				1	1															
Males.....	4	1				1	2				1	1															
Females.....																											
1. Abscess.....	M. 4	1				1	2				1	1															
	F.																										
2. Carbuncle.....	M.																										
	F.																										
3. Others of this group.....	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1													1													
Males.....	1													1													
Females.....																											
1. Addison's disease.....	M.																										
	F.																										
2. Diseases of the spleen.....	M.																										
	F.																										
3. Others of this group.....	M.	1												1													
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	251	24	7	12	6	7	56	13	16	23	19	22	13	14	21	14	8	9	8	6	3	3	1				2
Males.....	188	12	5	5	2	6	30	9	10	19	16	22	10	12	18	10	5	9	6	4	3	3	1				1
Females.....	63	12	2	7	4	1	26	4	6	4	3		3	2	3	4	3		2	2							1
1. Burns and scalds.....	M. 12	3	2	1		3	9	1						1							1						
	F. 10	1	1	2	2	1	7	1		1									1								
2. Drowned.....	M. 23		1	1			2	3	2	4	4	4		1	3												
	F. 7		1	2	1		4	2		1																	
3. Exposure and neglect.....	M. 5	2		1			3					1								1							
	F. 3	2					2			1																	
4. Gunshot wounds.....	M. 13					1	1			5	1	3		2	1												
	F. 4							1	1		1					1											
5. Homicide.....	M. 8									1		2	2			1	1		1								
	F.																										
6. Infanticide.....	M.																										
	F.																										
7. Injuries by machinery.....	M. 1																	1									
	F.																										
8. Railroad accidents.....	M. 15					1	1			1	5	4	1			1		1		1							
	F.																										
9. Suffocation.....	M. 8	3	2				5	1	1											1							
	F. 7	6					6				1																
10. Suicide by shooting.....	M. 5									1			1	1		1											1
	F.																										
11. Suicide by drowning.....	M.																										
	F.																										
12. Suicide by poison.....	M. 1													1													
	F. 2													2													
13. Other suicides.....	M. 10													3	1	1	1	2		1		1					
	F. 5														2	2	1										
14. Sunstroke.....	M. 4										1	2			1												
	F. 1															1											
15. Surgical operations.....	M.																										
	F. 1																										
16. Wounds.....	M. 4										1					2	1										
	F. 2				1		1		1																		
17. Other accidents and injuries.....	M. 79	4		2	2	1	9	4	7	7	6	6	4	3	12	4	2	5	5	1	1	2	1				1
	F. 21	3		2	1		6		4	1	1		3				2		1	2							

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MINNESOTA—GROUP 3.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	495	143	41	26	20	15	245	28	16	17	33	27	14	22	18	15	15	6	10	5	10	9	2	1	1	1	
Total: Males	266	77	24	12	13	10	136	14	8	4	16	15	6	8	9	12	11	3	6	2	6	6	1	1	1	1	
Females	229	66	17	14	7	5	109	14	8	13	17	12	8	14	9	3	4	3	4	3	4	3	1	1	1	1	
Unknown causes.																											
Total	33	23	1	1	1	1	27				1	1	1		1					1		1					
Males	17	13		1	1		15				1	1															
Females	16	10	1			1	12						1		1					1		1					
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	143	50	21	14	9	5	99	20	5	4	2		1	3	2	1	3	1	1	1							
Males	76	28	14	5	5	5	57	8	2		2				2	1	3	1									
Females	67	22	7	9	4		42	12	3	4			1	3				1	1								
1. Small-pox	M.																										
	F.																										
2. Measles	M.	5	1	1	1	1	5																				
	F.	2	1		1		2																				
3. Scarlet fever	M.	9	1	4		1	7	1	1																		
	F.	8	1	2	1	1	5							1													
4. Diphtheria	M.	14	2	3		1	9	5																			
	F.	16	3	1	3	1	8	5	1	2																	
5. Hooping-cough	M.	5	4			1	5																				
	F.	3	1		1	1	3																				
6. Fever	M.																										
	F.																										
7. Cerebro-spinal fever	M.																										
	F.																										
8. Enteric fever	M.	6						2	1		1						2										
	F.	6		1		1	2	1	1				1						1								
9. Diarrhœa	M.	8	2	3	1	1	7											1									
	F.	5	2	1	1	1	4	1																			
10. Dysentery	M.	3	1	1	1		3																				
	F.	3	2				2	1																			
11. Enteritis	M.	6	2	1			3				1				2												
	F.	4	2				2	1								1			1								
12. Cholera morbus	M.	4	3				3									1											
	F.																										
13. Cholera infantum	M.	11	8	1	2		11																				
	F.	13	9	2	2		13																				
14. Malarial fever	M.																										
	F.	1							1																		
15. Erysipelas	M.	2	2				2																				
	F.	1	1				1																				
16. Septicæmia	M.																										
	F.																										
17. Puerperal septicæmia	F.	3								1				2													
18. Venereal diseases	M.																										
	F.																										
19. Others of this group	M.	3	2				2										1										
	F.	2						1		1																	
General diseases—B.																											
Total	8	3			2		5					1		1	1												
Males	5				2		2					1		1	1												
Females	3	3					3																				
1. Worms	M.	2				2	2																				
	F.																										
2. Other parasitic diseases	M.																										
	F.																										
3. Alcoholism	M.																										
	F.																										
4. Lead poison	M.																										
	F.																										
5. Other poisons	M.	3										1		1	1												
	F.																										
6. Inanition	M.																										
	F.	3	3				3																				
General diseases—C.																											
Total	15	9					9												1			4			1		
Males	12	7					7															3			1		
Females	3	2					2												1			1			1		
1. Premature birth	M.	1	1				1																				
	F.																										
2. Stillborn	M.	4	4				4																				
	F.	2	2				2																				
3. Malformation	M.	1	1				1																				
	F.																										
4. Debility	M.	3	1				1															1					
	F.																										
5. Old age	M.	3																				2			1		
	F.	1																				1					
6. Atrophy	M.																										
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MINNESOTA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
<i>General diseases—D.</i>																											
Total.....	97	9	4	1		3	17	2	3	7	12	9	3	10	6	8	4	1	3	1	7	3	1				
Males.....	50	5	3	1		1	10	2	2	1	5	4		3	3	6	2		3	1	5	2	1				
Females.....	47	4	1			2	7		1	6	7	5	3	7	3	2	2	1			2	1					
1. Rheumatism.....	M. 3											1										1	1				
F. 1																											
2. Scrofula and tabes.....	M. 4	2	1	1			4														1						
F. 1									1																		
3. Leprosy.....	M. 1																										
F. 1																											
4. Consumption.....	M. 29	3	1				4	2	2	1	5	3		1	3	2	1		1		3	1					
F. 33	2	1			1		4			5	7	5	2	7	2		1										
5. Hydrocephalus.....	M. 1		1				1																				
F. 1	1						1																				
6. Cancer.....	M. 8													2		3	1				2						
F. 3													1		1												
7. Tumor.....	M. 1					1	1																				
F. 1	1	1					1																				
8. Anæmia.....	M. 1																										
F. 1																											
9. Dropsy.....	M. 1																		1								
F. 7						1	1			1						2		1			1	1					
10. Glycosuria.....	M. 3															1			1	1							
F. 1																											
11. Others of this group.....	M. 1																										
F. 1																											
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	32	12	1	6	1		20	2	1		2				1	2		1			1	2					
Males.....	18	7	1	3	1		12	2			1					2						1					
Females.....	14	5		3			8		1		1				1			1			1	1					
1. Inflammation of the brain.....	M. 8	4	1	1	1		7	1																			
F. 5	1			1			2		1		1				1												
2. Meningitis.....	M. 1			1			1																				
F. 3																											
3. Apoplexy.....	M. 1																										
F. 3																2						1					
4. Paralysis.....	M. 2																										
F. 2																		1					1				
5. Tetanus and trismus nascentium.....	M. 1																										
F. 1																											
6. Epilepsy.....	M. 1																										
F. 1																											
7. Convulsions.....	M. 2	1					1																				
F. 4	4	4					4																				
8. Mental diseases.....	M. 1																										
F. 1																											
9. Diseases of the brain.....	M. 4	2		2			4																				
F. 1	1			1			1																				
10. Diseases of the spinal cord.....	M. 1										1																
F. 1																											
11. Others of this group.....	M. 1																				1						
F. 1																											
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	17	4				1	5						1	3	2	2	1	2	1								
Males.....	10	2					2						1	2		1	1	2	1								
Females.....	7	2				1	3							1	2	1											
1. Angina pectoris.....	M. 1																										
F. 1																											
2. Aneurism.....	M. 1																										
F. 1																											
3. Diseases of the heart.....	M. 10	2					2						1	2		1	1	2	1								
F. 6	1					1	2							1	2	1											
4. Others of this group.....	M. 1																										
F. 1	1	1					1																				
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	50	15	7	4	3	2	31		2	2	2	3		1		2	2	1	2	1	1						
Males.....	25	6	2	2	3	2	15		1	1		2		1		2	2				1						
Females.....	25	9	5	2			16		1	1	2	1						1	2	1							
1. Croup.....	M. 3		1		2		3																				
F. 5	2	3					5																				
2. Laryngitis.....	M. 1																										
F. 1																											
3. Bronchitis.....	M. 3	2		1			3																				
F. 5	2	1	1				4																				
4. Pneumonia.....	M. 14	1	1	1	1	1	5		1	1		2		1		1	2				1						
F. 10	4	1					5		1		2								1	1							
5. Pleurisy.....	M. 1															1											
F. 1																											
6. Asthma.....	M. 1																										
F. 1																											
7. Others of this group.....	M. 4	3				1	4																				
F. 5	1		1				2			1								1	1								

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MINNESOTA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	40	16	5		3	1	25	2	1		1	3	1	2		1		2	1							1	
Males	19	7	3		1	1	12	2				1	1			1		1								1	
Females	21	9	2		2		13		1		1	2		2				1	1	1							
1. Dentition	{ M. 3	2	1				3																				
F. 2	2						2																				
2. Angina	{ M. 1	1					1																				
F. 1	1						1																				
3. Gastritis	{ M. 1					1	1																				
F. 1	1																										
4. Other diseases of the stomach	{ M. 2	1					1	1																			
F. 3	3		1		1		2					1															
5. Obstruction of the bowels	{ M. 1																										
F. 1	1																										
6. Hernia	{ M. 1																										
F. 1	1																		1								
7. Other diseases of the bowels	{ M. 1																										
F. 1	1																										
8. Jaundice	{ M. 1				1		1																				
F. 1	1											1															
9. Inflammation and abscess of the liver	{ M. 2		1				1						1														
F. 4	4	1					1		1		1									1							
10. Other diseases of the liver	{ M. 1																										
F. 1	1																										
11. Peritonitis	{ M. 3				1		1					1		1													
F. 1	1																										
12. Ascites	{ M. 1																										
F. 1	1																										
13. Others of this group	{ M. 7	3	1				4	1									1		1								
F. 7	7	5	1				6							1													
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	4	1					1		1		1									1							
Males	3	1					1		1											1							
Females	1										1																
1. Bright's disease	{ M. 1																										
F. 1	1																										
2. Calculus, urinary	{ M. 1								1																		
F. 1	1																										
3. Diseases of the kidney	{ M. 1	1					1																				
F. 1	1										1																
4. Diseases of the bladder	{ M. 1																										
F. 1	1																										
5. Others of this group	{ M. 1																										
F. 1	1																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	4										1	2					1										
1. Ovarian tumors	F. 1																										
2. Ovarian diseases	F. 1																										
3. Uterine tumors	F. 1																										
4. Uterine diseases	F. 1																1										
5. Others of this group	F. 3										1	2															
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	10									2	3		3	1	1												
1. Abortion	F. 1																										
2. Child-birth	F. 10									2	3		3	1	1												
3. Others of this group	F. 1																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total																											
Males																											
Females																											
1. Diseases of the spine	{ M. 1																										
F. 1	1																										
2. Diseases of the bones	{ M. 1																										
F. 1	1																										
3. Diseases of the hip-joint	{ M. 1																										
F. 1	1																										
4. Others of this group	{ M. 1																										
F. 1	1																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MINNESOTA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	3								1			1			1												
Males.....	1								1																		
Females.....	2											1			1												
1. Abscess.....	M. 1 F. 2								1			1			1												
2. Carbuncle.....	M. 1 F. 1																										
3. Others of this group.....	M. 1 F. 1																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	2		1			1	2																				
Males.....																											
Females.....	2		1			1	2																				
1. Addison's disease.....	M. 1 F. 1																										
2. Diseases of the spleen.....	M. 1 F. 1																										
3. Others of this group.....	M. 1 F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	37	1	1		1	1	4	2	2	2	8	7	4	1	3		3										1
Males.....	30	1	1			1	3		1	2	7	6	4	1	3		2										1
Females.....	7				1		1	2	1		1	1					1										
1. Burns and scalds.....	M. 2 F. 9										1	1															
2. Drowned.....	M. 1 F. 2		1				1			2	4	2															
3. Exposure and neglect.....	M. 1 F. 1				1		1																				
4. Gunshot wounds.....	M. 4 F. 2								1			1			2												
5. Homicide.....	M. 1 F. 1																1										1
6. Infanticide.....	M. 1 F. 1																										
7. Injuries by machinery.....	M. 1 F. 1																										
8. Railroad accidents.....	M. 3 F. 1											1	1		1												
9. Suffocation.....	M. 1 F. 1	1					1																				
10. Suicide by shooting.....	M. 2 F. 1										2																
11. Suicide by drowning.....	M. 1 F. 1												1														
12. Suicide by poisoning.....	M. 1 F. 1																										
13. Othersuicides.....	M. 2 F. 1												1				1										
14. Sunstroke.....	M. 1 F. 1																										
15. Surgical operations.....	M. 1 F. 1																										
16. Wounds.....	M. 1 F. 1																										
17. Other accidents and injuries.....	M. 6 F. 2					1	1				1	2	1	1													

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MISSISSIPPI—GROUP 1.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MISSISSIPPI—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	39	3			1		4					11	6	6	4	1	2	2			1				1		1
Males.....	21	2			1		3					6	2	3		1	2	2			1				1		1
Females.....	18	1					1					5	4	3	4												1
1. Rheumatism.....	M.																										
	F.																										
2. Scrofula and tabes.....	M.	2					2																				
	F.	2	1				1					1															
3. Leprosy.....	M.																										
	F.																										
4. Consumption.....	M.	15										5	2	3		1	1	1			1				1		1
	F.	11										3	4	1	2												
5. Hydrocephalus.....	M.																										
	F.																										
6. Cancer.....	M.	1										1															
	F.	4										1		2	1												
7. Tumor.....	M.																										
	F.																										
8. Anæmia.....	M.																										
	F.																										
9. Dropsy.....	M.	3			1		1										1	1									
	F.	1													1												
10. Glycosuria.....	M.																										
	F.																										
11. Others of this group.....	M.																										
	F.																										
12. Others of this class.....	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	19	5		1			6			1		1		1		1			2	3	2	1	1				
Males.....	12	2		1			3			1				1		1			1	2	2	1					
Females.....	7	3					3					1							1	1			1				
1. Inflammation of the brain.....	M.																										
	F.																										
2. Meningitis.....	M.																										
	F.	1	1				1																				
3. Apoplexy.....	M.	5												1					1	2	1						
	F.																										
4. Paralysis.....	M.	3			1		1			1												1					
	F.	3																	1	1			1				
5. Tetanus and trismus nascentium.	M.											1															
	F.	1																									
6. Epilepsy.....	M.																										
	F.																										
7. Convulsions.....	M.	2	2				2																				
	F.	2	2				2																				
8. Mental diseases.....	M.	1																			1						
	F.																										
9. Diseases of the brain.....	M.	1														1											
	F.																										
10. Diseases of the spinal cord.....	M.																										
	F.																										
11. Others of this group.....	M.																										
	F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	13												1		3	3	1		1	1		1	1				1
Males.....	7												1		1	2	1						1				1
Females.....	6														2	1			1	1		1					
1. Angina pectoris.....	M.	1															1										
	F.																										
2. Aneurism.....	M.																										
	F.																										
3. Diseases of the heart.....	M.	6											1		1	2								1			1
	F.	6													2	1			1	1		1					
4. Others of this group.....	M.																										
	F.																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	16	3	1	2	1		7			2	1		2					1	3								
Males.....	8	2	1	1	1		5												3								
Females.....	8	1		1			2			2	1		2					1									
1. Croup.....	M.																										
	F.																										
2. Laryngitis.....	M.																										
	F.																										
3. Bronchitis.....	M.	1	1				1																				
	F.																										
4. Pneumonia.....	M.	7	1	1	1	1	4												3								
	F.	7	1		1		2			2	1		1					1									
5. Pleurisy.....	M.																										
	F.																										
6. Asthma.....	M.																										
	F.																										
7. Others of this group.....	M.																										
	F.	1											1														

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MISSISSIPPI—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	15		2		1		3	2		1	1			1	2		1	1	2							1	
Males.....	8				1		1	1		1				1	2			1	1								
Females.....	7		2				2	1			1						1		1						1		
1. Dentition.....	M. 1				1		1																				
	F. 2		2				2																				
2. Angina.....	M. 1							1																			
	F. 1																										
3. Gastritis.....	M. 1													1													
	F. 2																1		1								
4. Other diseases of the stomach.....	M. 3									1					1				1								
	F. 1																										
5. Obstruction of the bowels.....	M. 1																										
	F. 1																										
6. Hernia.....	M. 1																										
	F. 1																										
7. Other diseases of the bowels.....	M. 1																										
	F. 1																										
8. Jaundice.....	M. 1																	1									
	F. 1																										
9. Inflammation and abscess of the liver.....	M. 1							1																			
	F. 1																										
10. Other diseases of the liver.....	M. 1																										
	F. 1																										
11. Peritonitis.....	M. 1										1																
	F. 1																										
12. Ascites.....	M. 1																										
	F. 1																										
13. Others of this group.....	M. 1														1												
	F. 1																										
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	2																				1	1					
Males.....	2																				1	1					
Females.....																											
1. Bright's disease.....	M. 1																				1						
	F. 1																										
2. Calculus, urinary.....	M. 1																										
	F. 1																										
3. Diseases of the kidney.....	M. 1																										
	F. 1																										
4. Diseases of the bladder.....	M. 1																					1					
	F. 1																										
5. Others of this group.....	M. 1																										
	F. 1																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....																											
1. Ovarian tumors.....	F. 1													</													

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MISSISSIPPI—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
GRAND TOTAL.....	10707	2594	816	520	319	238	4487	607	393	495	697	527	466	398	401	290	275	265	358	281	281	188	167	51	27	43	10	
Total: Males.....	5446	1449	454	274	175	126	2478	298	202	230	304	219	184	154	168	137	135	150	200	169	148	119	89	28	9	20	5	
Females.....	5261	1145	362	246	144	112	2009	309	191	265	393	308	282	244	233	153	140	115	158	112	133	69	78	23	18	23	5	
Unknown causes.																												
Total.....	1173	540	99	61	38	19	757	69	27	28	41	30	28	13	20	17	19	22	17	14	24	14	20	6	1	4	2	
Males.....	579	281	52	32	18	11	394	32	16	17	16	12	8	5	8	8	7	13	8	7	7	9	7	5	1	4	2	
Females.....	594	259	47	29	20	8	363	37	11	11	25	18	20	8	12	9	12	9	9	7	17	5	13	1	1	4	2	
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total.....	2483	510	323	203	119	89	1244	223	131	120	149	89	67	71	69	48	42	39	61	50	33	17	14	7	2	5	2	
Males.....	1241	277	177	102	63	50	669	111	73	55	56	32	30	29	26	26	21	16	30	28	13	12	9	2	1	1	2	
Females.....	1242	233	146	101	56	39	575	112	58	65	93	57	37	42	43	22	21	23	31	22	20	5	5	5	2	4	2	
1. Small-pox.....	M. 53	13	7	5	5	3	33	5	4	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 51	13	7	8	2	1	1	31	3	5	3	2	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	
2. Measles.....	M. 4	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3. Scarlet fever.....	M. 70	23	11	9	8	8	59	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 69	14	8	9	4	7	42	18	5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
4. Diphtheria.....	M. 138	81	28	12	8	3	132	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 119	65	19	17	7	3	111	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
5. Hooping-cough.....	M. 49	16	6	5	3	3	33	2	2	3	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 53	14	6	5	2	2	29	1	2	5	5	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
6. Fever.....	M. 20	2	1	2	1	1	6	1	3	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 13	4	1	1	1	1	1	6	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
7. Cerebro-spinal fever.....	M. 134	10	9	3	3	1	26	13	16	12	17	11	7	6	3	2	4	1	6	4	3	2	1	1	1	1	1	
F. 150	6	3	6	3	4	22	13	15	19	14	7	7	12	8	7	4	7	7	3	3	1	1	1	1	1	1	1	
8. Enteric fever.....	M. 75	16	11	5	3	1	36	2	1	1	2	1	3	2	4	4	5	2	7	3	1	1	1	1	1	1	1	
F. 50	10	11	2	3	1	26	6	2	1	3	5	2	5	4	4	4	1	4	3	1	4	1	1	1	1	1	1	
9. Diarrhœa.....	M. 116	13	29	13	12	5	72	6	2	1	3	5	2	5	4	4	4	5	2	5	4	1	1	2	1	1	1	
F. 119	23	19	18	6	6	72	3	4	5	5	2	2	2	4	1	2	5	5	4	1	1	2	2	2	1	1	1	
10. Dysentery.....	M. 105	18	13	9	5	4	49	8	11	6	3	1	2	3	1	4	3	1	2	4	2	2	2	2	2	1	1	
F. 94	18	20	6	3	2	49	9	6	4	4	4	4	2	3	3	1	3	1	1	4	2	1	1	1	1	1	1	
11. Enteritis.....	M. 10	4	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 9	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
12. Cholera morbus.....	M. 68	35	20	13	1	1	68	56	30	21	16	11	12	8	10	8	5	6	10	9	6	6	3	2	1	1	1	
F. 57	22	29	4	2	2	57	57	17	13	24	19	5	11	11	8	9	6	9	7	10	3	2	2	2	1	1	1	
13. Cholera infantum.....	M. 336	34	30	20	15	19	118	56	30	21	16	11	12	8	10	8	5	6	10	9	6	6	3	2	1	1	1	
F. 321	30	18	22	24	11	105	57	17	13	24	19	5	11	11	8	9	6	9	7	10	3	2	2	2	1	1	1	
14. Malarial fever.....	M. 26	9	3	2	1	1	14	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 18	6	1	1	1	1	8	8	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
15. Erysipelas.....	M. 7	1	1	1	1	1	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 7	1	1	1	1	1	1	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
16. Septicæmia.....	M. 87	15	3	2	1	1	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 15	3	2	1	1	1	1	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
17. Puerperal septicæmia.....	M. 14	5	3	1	1	1	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 14	5	3	1	1	1	1	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
18. Venereal diseases.....	M. 22	6	1	1	1	1	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 10	2	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
19. Others of this group.....	M. 10	2	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 10	2	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
General diseases—B.																												
Total.....	156	57	16	13	10	7	103	16	4	5	4	3	6	1	1	5	1	4	1	4	1	2	1	1	1	1	1	1
Males.....	104	38	11	8	7	2	66	9	4	3	3	3	5	1	1	4	1	3	1	1	1	1	1	1	1	1	1	
Females.....	52	19	5	5	3	5	37	7	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
1. Worms.....	M. 34	6	8	5	5	1	25	7	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 24	2	5	4	3	4	18	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2. Other parasitic diseases.....	M. 18	1	1	1	1	1	18	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3. Alcoholism.....	M. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
4. Lead poison.....	M. 17	2	3	2	1	1	8	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 12	2	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
5. Other poisons.....	M. 34	32	1	1	1	1	33	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 15	15	1	1	1	1	1	15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
6. Inanition.....	M. 15	15	1	1	1	1	15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 15	15	1	1	1	1	1	15	1	1	1	1																	

MISSISSIPPI—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total	1569	58	46	31	24	12	171	54	48	108	174	174	141	101	113	80	71	65	87	61	49	37	26	4	4	1	
Males	645	34	28	15	13	4	94	27	20	28	53	62	52	28	36	32	30	35	45	35	32	21	12	3			
Females	924	24	18	16	11	8	77	27	28	80	121	112	89	73	77	48	41	30	42	26	17	16	14	1	4	1	
1. Rheumatism	M. 29 F. 18		2				2	1	1	2	3	1	2	1	2	2	1		3	2	1	3	2				
2. Scrofula and tabes	M. 47 F. 49	8	6	2	3	1	20	7	6	1	1	3	1	1	1	1	1		1	3	1		2				
3. Leprosy	M. 1 F. 12																										
4. Consumption	M. 352 F. 582	12	7	3	3	1	26	5	6	15	44	53	35	22	28	22	17	23	23	9	10	8	4	2			
5. Hydrocephalus	M. 9 F. 8	2	1	1	1		5	2	1	1																	
6. Cancer	M. 32 F. 81									1		1	3	1	1	3	3	5	4	6	3	2	4		1		
7. Tumor	M. 1 F. 12				1		1										2	2	2	1	1						
8. Anæmia	M. 1 F. 2		1				1						1						1								
9. Dropsy	M. 162 F. 164	11	11	8	5	2	37	12	6	6	5	5	11	3	4	5	8	7	13	14	14	6	5	1			
10. Glycosuria	M. 9 F. 2																										
11. Others of this group	M. 3 F. 6	1	1	1			3																				
12. Others of this class	M. 2 F. 2	1					1								1			1									
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total	961	280	79	57	45	32	493	89	46	37	40	17	20	20	27	20	15	25	31	19	18	21	16	1	4		2
Males	545	168	40	29	24	19	280	42	26	26	27	7	10	9	17	10	8	18	21	10	9	14	9				2
Females	416	112	39	28	21	13	213	47	20	11	13	10	10	11	10	10	7	7	10	9	9	7	7	1	4		
1. Inflammation of the brain	M. 72 F. 56	14	12	5	4	3	38	6	4	4	7	2	1	1	3	1		2			1	1	1				
2. Meningitis	M. 68 F. 44	14	4	4	3	6	31	7	6	5	6	2	4		1	3		2		1							
3. Apoplexy	M. 39 F. 25		1				1				4	1		2	1	3	1	4	10	4	3	3	2				
4. Paralysis	M. 52 F. 43	2		1			3	2		1	2			1	3	3	2	6	8	2	5	8	5				1
5. Tetanus and trismus nascentium	M. 20 F. 11	15		1			16	1	1	2					1												
6. Epilepsy	M. 16 F. 17	1	1		1		3	1	3	1	1	1	1	1	3		1			1							
7. Convulsions	M. 126 F. 101	88	11	9	6	2	116	2	2	3			1	1	2	1	1			1					1		
8. Mental diseases	M. 3 F. 4							1			1			1													
9. Diseases of the brain	M. 137 F. 94	33	11	8	9	8	69	21	10	10	6	1	1	3	5		3	3	2	1		2					
10. Diseases of the spinal cord	M. 7 F. 15	1	2	1	1		3	1					1		1		2		1					1			1
11. Others of this group	M. 5 F. 6												1	1				1	1	2	1		1				
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total	296	11	1		1	2	15	11	10	10	18	17	20	17	16	20	17	23	23	21	27	18	8	3	1	1	
Males	138	6	1		1		8	6	5	3	3	5	4	8	8	7	10	13	12	13	18	9	4	2			
Females	158	5				2	7	5	5	7	15	12	16	9	8	13	7	10	11	8	9	9	4	1	1	1	
1. Angina pectoris	M. 2 F. 1																	1			1						
2. Aneurism	M. 2 F. 1																	1	1								
3. Diseases of the heart	M. 133 F. 156	5	1		1		7	6	5	3	3	5	4	8	8	7	10	11	11	13	17	9	4	2			
4. Others of this group	M. 1 F. 1	1					1																	1	1	1	
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total	1895	430	139	89	36	41	735	71	62	101	154	82	78	81	77	50	66	56	74	65	68	29	35	9	1		1
Males	1049	235	84	55	21	21	416	37	27	61	87	48	36	41	40	27	34	33	43	41	37	16	20	3	1		1
Females	846	195	55	34	15	20	319	34	35	40	67	34	42	40	37	23	32	23	31	24	31	13	15	6			
1. Croup	M. 168 F. 145	113	19	16	5	5	158	7	2			1															
2. Laryngitis	M. 7 F. 7	1	1	1	1	1	4	1										1									
3. Bronchitis	M. 69 F. 59	14	11	3	3	3	34	1	2	3	2	1	2	2	2	1		5	2	2	8	3				1	
4. Pneumonia	M. 750 F. 567	99	50	33	12	12	206	23	20	55	82	45	33	36	37	23	33	27	39	30	27	12	18	3	1		
5. Pleurisy	M. 20 F. 17	2	1		1		2	3	1	2				2		1		1	6	1	1	1					
6. Asthma	M. 3 F. 15															2		1	1		2	3	4				
7. Others of this group	M. 32 F. 38	6	3	2		1	12	2	3	2	1		1	1	1	1	1	1	4	1							

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MISSISSIPPI—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	487	117	66	31	15	11	240	25	18	16	15	22	16	18	11	15	17	10	18	23	10	8	2	1	1	1	1
Males.....	264	65	33	15	10	5	128	11	7	6	9	15	6	8	8	11	8	6	11	17	5	6	1	1	1	1	1
Females.....	223	52	33	16	5	6	112	14	11	10	6	7	10	10	3	4	9	4	7	6	5	2	1	1	1	1	1
1. Dentition.....	M. 44	13	20	9	2		44																				
F. 40	14	22	4				40																				
2. Angina.....	M. 9	4	2				6	1				1		1													
F. 17	6	1	2	1	2		12	4								1											
3. Gastritis.....	M. 11	2	1				3	2	1			2			1												
F. 9	4						4					1				1		1	2								
4. Other diseases of the stomach.....	M. 30	5	3	3	1	1	13	3	1	1	1	1	2	1	1	2	1	1		2	1	1					
F. 31	5		2	2			9	1	1	4	2	3	2	2		1	1	1		2							
5. Obstruction of the bowels.....	M. 7				1	1	2		2	1		1				1					1						
F. 9		1					1	3				1	2			1								1			
6. Hernia.....	M. 7	1	1				2					1	1		1				1		1						
F. 29	9	1		4			14	1	1	2		1	1		2	2		1	2		1	1					
7. Other diseases of the bowels.....	M. 17	3	2	3	1	1	10	2	1										1	1	2						
F. 9	1	1	1				4					1	1				1			1							
8. Jaundice.....	M. 5	2					2		1																		
F. 16	3						3	2			1		1			1		1	3	2	1	1					
9. Inflammation and abscess of the liver.....	M. 5	1					1			1				2			1										
F. 27	4		1	1			6	1	1		4	4		2	1	1	1	1	1	4							
10. Other diseases of the liver.....	M. 23		1	1	1	2	5	2	1	2	2	1		1	2		1		3	2		1					
F. 8	2	1					3		1	2		1	5	1	1				1								1
11. Peritonitis.....	M. 12	1		1			2																				
F. 9			1	1			2		1										1	2		1			1		
12. Ascites.....	M. 4																										
F. 58	21	3				2	26	1		1	1	4		3	2	4	4	3	3	5		1					
13. Others of this group.....	M. 51	16	6	3		1	26		7	2	1			4		1	4	2	1	1		1	1				
F. 2																											
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	93	2		2		2	6	2	1	2	3	4	4	3	2	9	3	6	11	10	8	10	4	2	1	2	
Males.....	73	2		1		2	5			2	2	2	2	1		7	3	6	8	8	8	10	4	2	1	2	
Females.....	20			1			1	2	1		1	2	2	2	2	2			3	2							
1. Bright's disease.....	M. 17									1			2			3	1		3	1	2	3	1				
F. 8													1	2	2	1			1	1							
2. Calculus, urinary.....	M. 10																		1	3		2		1			
F. 27	1					1	2			1	1	2		1		1		4	3	3	4	1	2		1	1	
3. Diseases of the kidney.....	M. 9			1			1	1			1	2	1						2	1							
F. 10	1						1				1						1		1	1	1	3		1			
4. Diseases of the bladder.....	M. 1																										
F. 9			1				2									1	1	2			1	1					
5. Others of this group.....	M. 2							1	1																		
F. 2																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	90					1	1	1	1	5	7	7	10	14	15	8	3	6	6		5				1		
1. Ovarian tumors.....	F. 6							1						1				1		3							
2. Ovarian diseases.....	F. 2													1					1								
3. Uterine tumors.....	F. 4													1				1			1						
4. Uterine diseases.....	F. 16									1	1	1		3	5	1		2	1					1			
5. Others of this group.....	F. 62					1	1		1	4	6	6	10	8	10	6	3	2	4		1						
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	185								2	27	31	37	37	28	16	5	1										1
1. Abortion.....	F. 22									5	4	4	6	2	1												
2. Child-birth.....	F. 146								1	19	25	29	28	23	14	5	1										1
3. Others of this group.....	F. 17								1	3	2	4	3	3	1												
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	23	1					1	3	3	1	1	1	2	1	1	4	2			1		1					1
Males.....	10	1					1	1	1	1			1			2	1				1		1				
Females.....	13							2	2		1	1	1	1	1	2	1										1
1. Diseases of the spine.....	M. 3															2	1										
F. 5								1						1	1	1											1
2. Diseases of the bones.....	M. 4																										
F. 3								1			1		1								1		1				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSISSIPPI—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	23	9	2	1	2		14		1				1		2		1		2	2							
Males.....	11	3	1	1			5		1				1		2				1	1							
Females.....	12	6	1		2		9										1		1	1							
1. Abscess.....	M. 3			1			1								1				1								
	F. 3	1			1		2												1								
2. Carbuncle.....	M. 3	1					1		1						1												
	F. 1																										
3. Others of this group.....	M. 5	2	1				3						1								1						
	F. 8	5	1		1		7													1							
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	10	1	1	1			3	1	1		1	1	1		1						1						
Males.....	5	1					1	1	1			1									1						
Females.....	5		1	1			2				1		1		1												
1. Addison's disease.....	M. 4	1					1	1	1																		
	F. 4			1			1				1		1		1						1						
2. Diseases of the spleen.....	M. 1											1															
	F. 1		1				1																				
3. Others of this group.....	M. 1																										
	F. 1		1				1																				
XII.—ACCIDENTS AND INJURIES.																											
Total.....	619	125	39	30	28	22	244	41	36	40	57	42	36	25	26	10	9	10	17	6	6	8	4		1	1	
Males.....	406	66	23	16	17	12	134	20	21	31	47	32	30	20	21	7	8	7	15	4	4	4	1				
Females.....	213	59	16	14	11	10	110	21	15	9	10	10	6	5	5	3	1	3	2	2	2	4	3		1	1	
1. Burns and scalds.....	M. 49	4	8	11	11	6	40	3	1	1			1				1		1		1						
	F. 75	4	9	7	6	8	34	15	8	5	3			2	3				1		2		1			1	
2. Drowned.....	M. 36			2	1		3	5	8	7	3	6	1	1	1				1								
	F. 6		2	1			3	1		1		1															
3. Exposure and neglect.....	M. 22	14	3	2	1		20												1				1				
	F. 19	12	1				13	1				2	1	1				1									
4. Gunshot wounds.....	M. 54							2	8	16	6	10	6	3	2					1							
	F. 5			1	1		2	1														1					
5. Homicide.....	M. 26								1	5	5	4	3	2	1	1	1	2	1								
	F. 3								1	1	1																
6. Infanticide.....	M. 1	1					1																				
	F. 1	1					1																				
7. Injuries by machinery.....	M. 14		1				1		1	3	2	1		3	3												
	F. 41	36	3				39	1							1												
9. Suffocation.....	M. 36	29	1	3			33		1		1					1											
	F. 1											1															
10. Suicide by shooting.....	M. 1																										
	F. 1																										
11. Suicide by drowning.....	M. 1																										
	F. 1																										
12. Suicide by poison.....	M. 7									2	1	1			1								1				
	F. 3												2					1									
13. Other suicides.....	M. 12										1	2	3	4	1	1											
	F. 3										1	1															
14. Sunstroke.....	M. 2									1	1																
	F. 15																										
15. Surgical operations.....	M. 7	1	1	1		1	4	1	1	1	2	3	2	1	3				1								
	F. 126	11	8	1	4	6	30	10	8	7	17	7	9	2	6	3	6	4	9	3	2	3					
16. Wounds.....	M. 54	12	2	1	4	1	20	3	4	3	2	3	3	2	1	2	1	2	1	2		3	1		1		
	F. 126	11	8	1	4	6	30	10	8	7	17	7	9	2	6	3	6	4	9	3	2	3					
17. Other accidents and injuries.....	M. 54	12	2	1	4	1	20	3	4	3	2	3	3	2	1	2	1	2	1	2		3	1		1		
	F. 126	11	8	1	4	6	30	10	8	7	17	7	9	2	6	3	6	4	9	3	2	3					

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MISSISSIPPI—GROUP 3.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	3705	835	201	170	140	87	1433	246	152	172	255	204	160	155	153	110	135	79	121	70	79	45	44	18	16	14	44
Total: Males	1980	465	121	94	79	45	804	117	85	86	115	98	86	73	83	61	66	53	72	47	39	28	24	6	6	5	26
Females	1725	370	80	76	61	42	629	129	67	86	140	106	74	82	70	49	69	26	49	23	40	17	20	12	10	9	18
Unknown causes.																											
Total.....	408	168	18	23	17	5	231	28	10	10	19	8	15	9	15	6	10	9	10	6	11	2	2	2			5
Males	217	94	14	8	8	4	128	17	5	2	4	4	10	3	7	5	6	4	5	4	5	2	1	1			
Females	191	74	4	15	9	1	103	11	5	8	15	4	5	6	8	1	4	5	5	2	6	1	1				1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	908	157	71	65	47	40	380	103	57	47	59	44	35	36	23	24	24	14	9	15	12	4	9		1	2	10
Males	506	87	37	40	24	20	208	54	31	25	29	23	21	18	17	13	13	12	9	11	5	3	5			1	8
Females	402	70	34	25	23	20	172	49	26	22	30	21	14	18	6	11	11	2		4	7	1	4		1	1	2
1. Small-pox.....	M. F.																										
2. Measles.....	M. F.	14 8	2 2	3 	1 	2 1	8 4	1 2			1 		1 								1 						
3. Scarlet fever.....	M. F.	1 			1 		1 																				
4. Diphtheria.....	M. F.	24 28	6 1	2 	5 	2 5	15 9	7 12	1 3				2 				1 										
5. Hooping-cough.....	M. F.	34 30	18 13	6 	4 	2 3	30 26	4 2			1 											1 					
6. Fever.....	M. F.	9 31	1 12	3 	3 	3 2	5 22		1 	1 	1 		1 	1 	1 		2 				1 						
7. Cerebro-spinal fever.....	M. F.	4 	1 				1 	1 		2 																	
8. Enteric fever.....	M. F.	25 21	3 	1 	4 	3 	11 2	1 2	2 	2 	2 	2 	2 	1 	1 	1 		1 			1 						
9. Diarrhoea.....	M. F.	24 15	5 	2 	2 	1 	11 6	2 		1 		1 	1 				1 	3 	2 		1 		2 				
10. Dysentery.....	M. F.	46 23	5 	2 	3 	1 	12 12	3 	3 	2 	2 	2 	5 	3 	3 	1 	4 	1 	3 		1 	1 					
11. Enteritis.....	M. F.	41 25	10 	5 	2 	3 	20 10	2 	4 	1 	1 	2 	1 	2 	2 	1 	3 		1 	3 							
12. Cholera morbus.....	M. F.	9 4	4 				4 	2 			1 					1 	1 			1 							
13. Cholera infantum.....	M. F.	24 16	16 	5 	2 	1 	24 16																				
14. Malarial fever.....	M. F.	210 158	12 15	10 	14 	12 8	62 57	27 23	18 15	14 	18 	13 	7 	6 	10 	7 	4 	6 	1 	7 	2 	2 	2 		1 	1 	
15. Erysipelas.....	M. F.	5 5	1 				1 3			1 		1 							2 								
16. Septicæmia.....	M. F.	2 										1 		1 							1 						
17. Puerperal septicæmia.....	M. F.	20 3		1 			3 		2 	3 	6 	2 	5 	1 	1 												
18. Venereal diseases.....	M. F.	3 	1 				1 					1 		1 													
19. Others of this group.....	M. F.	32 14	1 			1 	1 3	4 	2 	1 	3 	3 	4 	5 	2 	2 	3 	1 					1 				
General diseases—B.																											
Total.....	62	14	6	5	12	4	41	5	1	1	2	2	2		2		1	1	3		1						
Males	42	9	2	3	6	3	23	4	1	1	2	2	1		2		1	1	3		1						
Females	20	5	4	2	6	1	18	1					1														
1. Worms.....	M. F.	17 12	4 	1 	3 	5 1	16 11	1 																			
2. Other parasitic diseases.....	M. F.																										
3. Alcoholism.....	M. F.	5 										1 			1 		1 		1 		1 						
4. Lead poison.....	M. F.																										
5. Other poisons.....	M. F.	16 2	1 	1 		1 	3 1	3 	1 	1 	2 	1 	1 		1 			1 	2 								
6. Inanition.....	M. F.	4 6	4 				4 6																				
General diseases—C.																											
Total.....	221	147	7	2	1		157				1			1	2	2	2	2	4	2	8	6	13	5	7	8	
Males	114	82	7	1	1		91				1				1	1		2	2	1	3	2	6	1	2	1	
Females	107	65		1			66							1	1	1	2		2	1	5	4	7	4	5	7	
1. Premature birth.....	M. F.	9 5	9 				9 5																				
2. Stillborn.....	M. F.	66 56	66 				66 56																				
3. Malformation.....	M. F.	4 	2 	2 			4 																				
4. Debility.....	M. F.	20 13	5 	5 	1 	1 	12 4				1 				1 	1 		1 	1 	1 	1 	1 	2 	6 	1 	2 	1
5. Old age.....	M. F.	15 32																1 	1 	1 	1 	2 	6 	1 	4 	6 	
6. Atrophy.....	M. F.		1 				1 																				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MISSISSIPPI—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	483	9	12	9	12	7	49	28	18	25	61	61	29	30	39	26	32	16	28	12	9	7	4	3	2		4
Males.....	210	4	9	3	8	1	25	8	8	9	22	27	15	13	18	12	10	10	14	8	3	4	1	1		2	
Females.....	273	5	3	6	4	6	24	20	10	16	39	34	14	17	21	14	22	6	14	4	6	3	3	2	2		2
1. Rheumatism.....	M. 8										2			1			1		2		1	1					
F. 4								1									1		1								
2. Scrofula and tabes.....	M. 7	2	2				4	1	2																		
F. 11	2					2	4	3	1			2							1								
3. Leprosy.....	M. 1																			1							
F. 1																											
4. Consumption.....	M. 130	1	2	1		1	5	2	3	7	19	23	14	10	13	9	7	7	4	2	1	2					2
F. 170	1	1	2	1	1	1	6	6	7	12	33	25	12	14	17	10	13	3	3	2	2	2	1				2
5. Hydrocephalus.....	M. 4	1		1	2		4																				2
F. 1						1	1																				2
6. Cancer.....	M. 7		1				1								3				3								
F. 20								1			1	1	1	1	3	3	3	1	3				1		1		
7. Tumor.....	M. 2												1				1										
F. 1																											
8. Anæmia.....	M. 1																					1					
F. 1																											
9. Dropsy.....	M. 50		4	1	6		11	5	3	2	1	4	1	2	2	3	2	2	4	5	1		1	1	1		
F. 64	2	2	4	3	2		13	9	2	4	5	6		1	1	1	4	2	6	2	3	1	1	2	1		
10. Glycosuria.....	M. 2																	1	1								
F. 2																											
11. Others of this group.....	M. 1																										
F. 1																											
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	361	134	15	17	13	5	184	27	14	12	9	6	12	9	15	4	12	9	9	7	6	8	6	3	2	1	6
Males.....	190	79	8	7	7	5	106	12	5	7	5	3	6	5	9	2	5	5	4	3	1	4	3	...	1	1	3
Females.....	171	55	7	10	6	...	78	15	9	5	4	3	6	4	6	2	7	4	5	4	5	4	3	3	1	...	3
1. Inflammation of the brain.....	M. 26	5	4		2	1	12	5	1	2			2	1	1			1									1
F. 18	4	1	1				6	5	1			2		1	1							1					
2. Meningitis.....	M. 7	3	1				4	1	2																		
F. 17	3	1	1	2			7	3	2	1																	1
3. Apoplexy.....	M. 9												1			1	2	1				1	1		1		
F. 9													1		2		1	2	1		1						
4. Paralysis.....	M. 17				1		1				1			4		1	1		3		1	2	2			1	
F. 24				2			2			2			1			1		2	3		4	3	3	1	1		
5. Tetanus and trismus nascentium.....	M. 17	14					14	1	1						1												
F. 12	10		1				11		1																		
6. Epilepsy.....	M. 2										1																
F. 4	1						1					1				1			1								
7. Convulsions.....	M. 61	47	2	4	2	2	57	2			1							1									
F. 51	31	2	3	4			40	2	4	1	1			1													2
8. Mental diseases.....	M. 1									1																	
F. 1																											
9. Diseases of the brain.....	M. 47	10	1	3	2	2	18	3		3	2	2	3		6		3	1	1	2		1					2
F. 31	6	3	2				11	4	1	1	3		1	1	1		5				1		1	1			
10. Diseases of the spinal cord.....	M. 2									1																	
F. 2																											
11. Others of this group.....	M. 1																										
F. 2												1			1												
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	85		1	2	1		4	3	5	2	6	8	2	5	7	3	8	4	12	4	4	3	2		1	1	1
Males.....	43			2			2	1	5	2	2	2		3	2	1	5	2	6	2	2	3	1		1		1
Females.....	42		1		1		2	2			4	6	2	2	5	2	3	2	6	2	2		1			1	
1. Angina pectoris.....	M. 1																										
F. 1																											
2. Aneurism.....	M. 3																										
F. 3																											
3. Diseases of the heart.....	M. 41			2			2	1	5	2	2	2		3	2	1	4	2	5	2	2	3	1				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MISSISSIPPI—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	104	58	32	19	9	4	122	2	3	2	5	6	7	8	2	8	2	3	8	1	8	3	1	2			1
Males.....	113	29	19	11	8	3	70	1	2	1	2	1	4	5	1	4	2	2	7		6	3	1				1
Females.....	81	29	13	8	1	1	52	1	1	1	3	5	3	3	1	4		1	1	1	2			2			
1. Dentition.....	M. 34 F. 23	12 9	13 9	6 4	1 1	1	33																				1
2. Angina.....	M. 8 F. 6	3 2			2	1	6			1			1			1											
3. Gastritis.....	M. 2 F. 1						1														1	1					
4. Other diseases of the stomach.....	M. 8 F. 9			1	1		2		1					1		1	1	1	1								
5. Obstruction of the bowels.....	M. 4 F. 1												1				1	1			1	1					
6. Hernia.....	M. 5 F. 1	2					2					1	1	1								1					
7. Other diseases of the bowels.....	M. 1 F. 1																										
8. Jaundice.....	M. 3 F. 1	1					1	1						1													
9. Inflammation and abscess of the liver.....	M. 10 F. 8				2		2					1	2		1	1			3		1				2		
10. Other diseases of the liver.....	M. 11 F. 1		1			1	2		1		2	1	1		1				1		3						
11. Peritonitis.....	M. 3 F. 1	2					2												1								
12. Ascites.....	M. 1 F. 3			1			1					1	1														
13. Others of this group.....	M. 27 F. 24	10 15	5 2	3 1	2		20 19	1		1				1		1			2				1				
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	33		1		1		2	2			4	2		1	1	1	1	3	3	6	2	1	1	1	1	1	
Males.....	25		1				1				3	1			1	1	1	2	2	6	2	1	1	1	1	1	
Females.....	8				1		1	2			1	1		1				1	1								
1. Bright's disease.....	M. 7 F. 5										2					1				4							
2. Calculus, urinary.....	M. 3 F. 1										1			1			1		1						1		
3. Diseases of the kidney.....	M. 5 F. 3		1				1					1			1			1		1				1			
4. Diseases of the bladder.....	M. 4 F. 1				1		1											1	1	1		1					
5. Others of this group.....	M. 6 F. 1										1	1						1			1	1				1	
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	15							1	1	3		2				1	5		1		1						
1. Ovarian tumors.....	F. 1												1														
2. Ovarian diseases.....	F. 1																										
3. Uterine tumors.....	F. 1																1										
4. Uterine diseases.....	F. 3										1						1				1						
5. Others of this group.....	F. 10							1	1	2		1				1	3		1								
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	77									16	17	11	12	10	5	3											
1. Abortion.....	F. 8									2	1	1		2	2												
2. Child-birth.....	F. 60									10	14	9	10	8	3	3											
3. Others of this group.....	F. 9									4	2	1	2														
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	3										1						1	1									
Males.....	1																	1									
Females.....	2										1						1										
1. Diseases of the spine.....	M. 1 F. 1																	1									
2. Diseases of the bones.....	M. 1 F. 1																										
3. Diseases of the hip-joint.....	M. 1 F. 1																										
4. Others of this group.....	M. 2 F. 1										1						1										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSISSIPPI—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	1								1						...												
Males.....	1								1																		
Females.....																											
1. Abscess.....	M.																										
	F.																										
2. Carbuncle.....	M.	1							1																		
	F.																										
3. Others of this group.....	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....																											
Males.....																											
Females.....																											
1. Addison's disease.....	M.																										
	F.																										
2. Diseases of the spleen.....	M.																										
	F.																										
3. Others of this group.....	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	284	47	5	12	14	12	90	24	16	24	25	29	17	15	12	11	3	2	9	...	3	1	1				2
Males.....	197	25	4	9	9	3	50	13	13	21	20	23	12	11	11	11	2	2	4	...	2	1					1
Females.....	87	22	1	3	5	9	40	11	3	3	5	6	5	4	1		1		5	...	1	1					1
1. Burns and scalds.....	M.	14	3		3	2	11	2				1															
	F.	31	2		3	6	14	7	2		1	3	2				1		1								
2. Drowned.....	M.	27						6	3	5	4	4	2	1		1			1								
	F.	4						2						1													1
3. Exposure and neglect.....	M.	15	5	1	2	3	11	1		1									1			1					
	F.	12	6			2	8				1		1	1					1								
4. Gunshot wounds.....	M.	47				2	2		5	5	7	9	5	6	3	3	1										1
	F.	7				1	1		1		2	1	1	1	1												
5. Homicide.....	M.	23								2	4	7	1	1	1	5		1	1								
	F.	4								1			1					2									
6. Infanticide.....	M.																										
	F.																										
7. Injuries by machinery.....	M.																										
	F.																										
8. Railroad accidents.....	M.	3								2											1						
	F.	1									1																
9. Suffocation.....	M.	7	7				7																				
	F.	11	10	1			11																				
10. Suicide by shooting.....	M.	1													1												
	F.																										
11. Suicide by drowning.....	M.																										
	F.																										
12. Suicide by poison.....	M.																										
	F.																										
13. Other suicides.....	M.	2								1					1												
	F.																										
14. Sunstroke.....	M.	2						1									1										
	F.	3						1		1		1															
15. Surgical operations.....	M.	1													1												
	F.																										
16. Wounds.....	M.	3							1		1		1														
	F.	1																									
17. Other accidents and injuries.....	M.	52	10	3	4	1	19	3	4	5	4	2	3	3	4	2		1	1		1						
	F.	13	4			1	6	1		1		1		1	1						1		1				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSOURI—GROUP 1.

[Exclusive of SAINT LOUIS.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	5400	1235	426	218	123	77	2079	269	184	276	395	295	240	239	203	190	184	138	187	161	149	102	44	29	9	5	22
Total: Males.....	2881	660	232	103	59	40	1094	152	92	137	182	129	115	128	114	105	128	89	109	112	84	57	24	16	4	10	
Females.....	2519	575	194	115	64	37	985	117	92	139	213	166	125	111	89	85	56	49	78	49	65	45	20	13	5	12	
Unknown causes.																											
Total.....	329	195	20	8	3	2	228	13	5	6	12	9	6	5	7	3	8	5	6	5	4	5		2			
Males.....	158	97	7	4	1	1	110	7	2	2	6	1	2	2	4	3	3	3	5	3	3	1		1			
Females.....	171	98	13	4	2	1	118	6	3	4	6	8	4	3	3		5	2	1	2	1	4		1			
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	1603	333	239	112	62	37	783	110	72	94	102	71	65	61	42	33	26	30	35	25	24	15	3	4	1	7	
Males.....	847	173	141	53	26	18	411	66	36	46	48	34	30	30	25	17	17	20	23	19	13	5	1	2	1	3	
Females.....	756	160	98	59	36	19	372	44	36	48	54	37	35	31	17	16	9	10	12	6	11	10	2	2		4	
1. Small-pox.....	M. 1	1					1																				
F. 47	11	12	4	2	2	2	31	3	4	2	6										1						
2. Measles.....	M. 43	9	8	2	3	3	25	4	1	2	1	5	3		2												
F. 8	2	2	1		2	2	7	1	1																		
3. Scarlet fever.....	M. 10	1	2		2	2	7	1	1		1																
F. 47	5	11	6	5	5	5	32	10	2	1	1	1															
4. Diphtheria.....	M. 36	6	3	9	8	5	31	3	1		1																
F. 29	15	3	4	4	1	1	27	2																			
5. Hooping-cough.....	M. 24	9	7	4	2		22	1											1								
F. 4	3						3																				
6. Fever.....	M. 17	3	4	1			8	2	2	1		2	1														
F. 16	1	2	1	3			7	1	1	1	1																
7. Cerebro-spinal fever.....	M. 105	3	4	2	3	2	14	13	5	9	14	12	8	6	6	2		4	8	1	1	1				1	
F. 97	1	1	4	1			7	5	15	20	8	5	7	8	5	4	1	4	5	1	2						
8. Enteric fever.....	M. 69	19	23	4	2		48	1		2	1	2				1	2	1	4	5	2						
F. 52	22	11	4	2	1		40			1	1					1	1	2			1	2					
9. Diarrhœa.....	M. 67	14	23	5			42	2		1	1		2	3	3	1	2	2	1		4	1		1		1	
F. 60	19	9	8	3			39	2		1			1		1	1	1	2	1		4	1		1		1	
10. Dysentery.....	M. 86	27	12	4	1		44	5	2	6	4	4		4	4	3	1	2	3		1	1		1			
F. 49	12	13	2	2	1		30	4	2	2	3	2		1		1	1		2		1						
11. Enteritis.....	M. 18	2	1	1			4	3		1	2	1	2	1		1		1									
F. 8	1	1					2	2	1	1				1				1									
12. Cholera morbus.....	M. 87	46	30	9	2		87																				
F. 92	48	26	14	3	1		92																				
13. Cholera infantum.....	M. 198	8	13	9	5	5	40	25	20	15	16	11	11	12	10	7	6	9	4	7	4					1	
F. 161	20	14	8	6	6		54	19	13	14	13	7	12	7	3	6	4		1	1	3	3				1	
14. Malarial fever.....	M. 50	13	3	1	1	1	19			3	2	1	3	2	2	1	5	1	2	6	1	1					
F. 27	9	1	1				11				3	2	1	4	1		1	1	1	2							
15. Erysipelas.....	M. 5	1					2			2				1													
F. 4											1	2		1													
16. Septicæmia.....	M. 58									7	20	11	9	5	3		1									2	
F. 1	1						1																				
17. Puerperal septicæmia.....	M. 2	1					1				1																
F. 9		1	1				2			3			2	1		1											
18. Venereal diseases.....	M. 10						1	1	1			1	1		1			2		1							
F. 10																											
19. Others of this group.....	M. 10						1																				
F. 10																											
General diseases—B.																											
Total.....	54	24	4	2	3	1	34	2			3		1	2		3	3	2	2		1	1					
Males.....	39	15	2	1	3	1	22	2			1		1	1		3	3	2	2		1	1					
Females.....	15	9	2	1			12				2			1													
1. Worms.....	M. 5	1	1		1	1	4	1																			
F. 3	1	2					3																				
2. Other parasitic diseases.....	M. 8										1		1	1			3	1			1						
F. 1											1																
3. Alcoholism.....	M. 9	1	1	1	2		5	1								2											
F. 4	1						2				1			1													
4. Lead poison.....	M. 17	13					13									1		1	2								
F. 7	7						7																				
5. Other poisons.....	M. 17	13					13									1		1	2								
F. 7	7						7																				
6. Inanition.....	M. 19	19					19																				
F. 18	18						18																				
2. Stillborn.....	M. 79	79					79																				
F. 62	62						62																				
3. Malformation.....	M. 1	1																									

MISSOURI—GROUP 1—Continued.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MISSOURI—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	198	45	14	6	5		70	9	5	6	9	11	10	10	18	7	7	7	7	7	7	5	1		1		1
Males.....	109	26	4	4	3		37	5	3	4	4	5	4	5	12	6	5	3	3	4	4	3	1		1		
Females.....	89	19	10	2	2		33	4	2	2	5	6	6	5	6	1	2	4	4	3	3	2					1
1. Dentition.....	{ M. F.	7 13	2 6	3 7	1 1	1 1	7 13																				
2. Angina.....	{ M. F.	6 4	1 1	1 1	1 1	1 1	3 3			1	1				1												
3. Gastritis.....	{ M. F.	10 5	3				3						1	2	1	1			1		1		1				
4. Other diseases of the stomach.....	{ M. F.	9 9	1				1	2			1		1	2	1	1			1		2	1					
5. Obstruction of the bowels.....	{ M. F.	10 5	1		1		2	1	1			1		2	1							1			1		
6. Hernia.....	{ M. F.	2 3	1				1									1											
7. Other diseases of the bowels.....	{ M. F.	2 4			1		1			1											1	1					
8. Jaundice.....	{ M. F.	5 4	4				4										1										
9. Inflammation and abscess of the liver.....	{ M. F.	18 7	1			1	2		2			4			4	1	1	1	1	2							
10. Other diseases of the liver.....	{ M. F.	14 6	3				3				1		3	1	1	1	1	1	2								
11. Peritonitis.....	{ M. F.	6 13	1				1	1		1						1				1	2						
12. Ascites.....	{ M. F.	4 1						1		1			1		1												
13. Others of this group.....	{ M. F.	16 15	9 5	1	2		9 8				1			1	1		1	1			1	1					1
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	43	4		1			5	1		1	4	2	1	1	2	1	1	3	5	4	4	4	3	1			
Males.....	27							1		1		1	1	1	1		1	1	4	4	3	4	3	1			
Females.....	16	4		1			5				4	1			1	1		2	1		1						
1. Bright's disease.....	{ M. F.	3 5						1		1							1										
2. Calculus, urinary.....	{ M. F.	1 1													1												
3. Diseases of the kidney.....	{ M. F.	10 7	2		1		3				1	1	1	1	1			1	1	2	1		1				
4. Diseases of the bladder.....	{ M. F.	11 1																	3	1	2	2	2	1			
5. Others of this group.....	{ M. F.	3 2	1				1				1									1		2					
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	16									1	5	2	1	1	1		1		2	1		1					
1. Ovarian tumors.....	F.	1																	1								
2. Ovarian diseases.....	F.																										
3. Uterine tumors.....	F.																										
4. Uterine diseases.....	F.	3									2		1														
5. Others of this group.....	F.	12								1	3	2		1	1		1		1	1		1					
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	80									13	23	15	12	5	8	1	1										2
1. Abortion.....	F.	9								1	1	3		2	1		1										
2. Child-birth.....	F.	53								9	16	9	9	2	6	1											1
3. Others of this group.....	F.	18								3	6	3	3	1	1												1
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	11							1	1	3		2	1	1							2						
Males.....	8							1		3			1	1							2						
Females.....	3								1			2															
1. Diseases of the spine.....	{ M. F.	4 1								1				1							2						
2. Diseases of the bones.....	{ M. F.	1 1								1																	
3. Diseases of the hip-joint.....	{ M. F.	3 1						1		1			1														
4. Others of this group.....	{ M. F.	1 1										1															

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSOURI—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	16	1					1	1	1	1		1	5	2	2	1					1						
Males.....	10	1					1		1			1	3	1	2						1						
Females.....	6							1		1			2	1		1											
1. Abscess.....	M. 7 F. 5	1					1		1				2	1	2												
2. Carbuncle.....	M. 2 F. 1									1			1	1		1					1						
3. Others of this group.....	M. 1 F. 1											1															
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	4										2	1									1						
Males.....	2										2																
Females.....	2											1									1						
1. Addison's disease.....	M. 1 F. 2																				1						
2. Diseases of the spleen.....	M. 2 F. 1										2																
3. Others of this group.....	M. 1 F. 1											1															
XII.—ACCIDENTS AND INJURIES.																											
Total.....	184	13	4	6	2	3	28	12	19	14	19	16	9	11	8	6	11	9	10	4	3	2	1	1	1	1	1
Males.....	137	9	1	3	1	2	16	6	16	12	13	13	8	10	7	5	9	8	8	2	3	1	1	1	1	1	1
Females.....	47	4	3	3	1	1	12	6	3	2	6	3	1	1	1	1	2	1	2	2	1	1	1	1	1	1	
1. Burns and scalds.....	M. 6 F. 23			1	1	2	4	1				1															1
2. Drowned.....	M. 19 F. 2			1			1	1	9	1	3	1	2		1		1		1	2							
3. Exposure and neglect.....	M. 3 F. 4		1				1								1				1								
4. Gunshot wounds.....	M. 22 F. 1		2				2	2		4	6	6	1	1			1	1									
5. Homicide.....	M. 2 F. 2										1			1			1										
6. Infanticide.....	M. 1 F. 1											1															
7. Injuries by machinery.....	M. 1 F. 1											1															
8. Railroad accidents.....	M. 8 F. 1								2		1	1		2		1	1										
9. Suffocation.....	M. 5 F. 1	4	1				5																				
10. Suicide by shooting.....	M. 1 F. 1																										
11. Suicide by drowning.....	M. 1 F. 1																		1								
12. Suicide by poison.....	M. 3 F. 1									1						1					1						
13. Other suicides.....	M. 4 F. 1																1	2	1								
14. Sunstroke.....	M. 3 F. 1									1					1		1		1								
15. Surgical operations.....	M. 3 F. 1										1		1				1				1						
16. Wounds.....	M. 7 F. 1							1					2	2	1		1										
17. Other accidents and injuries.....	M. 50 F. 11	4		1			5	1	5	5	2	3	2	4	3	3	3	5	5	2	1	1		1		1	

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSOURI—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	9058	2161	922	448	247	169	3947	488	302	433	573	433	387	350	318	266	267	235	268	187	185	129	97	45	12	11	65
Total: Males.....	4561	1189	476	244	131	81	2121	232	154	220	255	172	159	147	159	118	142	138	152	112	90	67	51	26	5	6	35
Females.....	4497	972	446	204	116	88	1826	256	148	213	318	261	228	203	159	148	125	97	116	75	95	62	46	19	7	5	30
Unknown causes.																											
Total.....	661	410	47	17	10	8	492	21	8	14	13	11	8	13	14	5	9	6	9	3	10	6	10	1	1		7
Males.....	374	249	27	8	6	1	291	9	5	9	7	2	3	5	6	1	4	4	7	2	5	2	7		1		
Females.....	287	161	20	9	4	7	201	12	3	5	6	9	5	8	8	4	5	2	2	1	5	4	3	1			3
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	3064	638	508	251	129	74	1600	223	134	199	178	128	96	86	65	61	61	48	48	33	37	25	9	7		5	21
Males.....	1479	326	248	139	65	36	814	111	61	89	83	46	37	32	32	28	31	23	25	19	13	12	3	4		4	12
Females.....	1585	312	260	112	64	38	786	112	73	110	95	82	59	54	33	33	30	25	23	14	24	13	6	3		1	9
1. Small-pox.....	M. 97	22	14	11	5	4	56	8	7	6	9	3	1	1	1	1	1	1	1								1
2. Measles.....	F. 102	21	11	8	7	4	51	7	4	4	4	11	4	8	1	5		2									1
3. Scarlet fever.....	M. 37	5	7	9	8	2	31	6																			
4. Diphtheria.....	F. 37	3	9	5	6	4	27	7	1	1				1													
5. Hooping-cough.....	M. 74	12	12	13	13	7	57	10	1	1	1			2	1			1	2								
6. Fever.....	F. 72	16	12	9	10	5	52	11	5			1					1	2									
7. Cerebro-spinal fever.....	M. 61	37	13	6		1	57	3	1																		
8. Enteric fever.....	F. 55	29	14	6	4		53	2																			
9. Diarrhoea.....	M. 18	6	1	1		1	9	1		1	1	2	1	1						2		1	1				
10. Dysentery.....	F. 22	7	2	4		1	14	1		1	1	1								1		1	1				1
11. Enteritis.....	M. 43	11	8	1	2	1	23	5	1	5	1		3		1	3						1					
12. Cholera morbus.....	F. 34	8	7	5	2		22	4	5	1	1											1					
13. Cholera infantum.....	M. 271	10	10	9	6	5	40	26	32	43	37	21	15	5	9	7	8	7	11	5	2	1				1	1
14. Malarial fever.....	F. 264	10	10	11	8	4	43	21	27	52	27	19	13	10	8	10	8	5	7	2	6	3		1			2
15. Erysipelas.....	M. 110	46	30	11	2	1	90	3	2	2	1	1	1	1	1					1	2	2	1				1
16. Septicæmia.....	F. 107	32	47	10	2		91	1	1	1	2	1		1	1		4		1	1	1	2	1				1
17. Puerperal septicæmia.....	M. 135	31	38	26	10	3	108	5		2	1		3		2	1	2	4	2		3		1				
18. Venereal diseases.....	F. 135	34	42	14	7	2	99	5	1		1	2	3	3	2	1	1	4	2	2	5	1	2	1			
19. Others of this group.....	M. 99	21	20	10	5	2	58	5	6	4	2	3		4	2	3	3	1	2	5							
	F. 113	23	10	8	3	3	47	13	4	7	5	5	4	3	7	4	3	2	4	2	1						
	M. 7	1		1			2	1								2											
	F. 15	1	5	1		1	8		1		1		1			1	1		1								
	M. 162	73	74	12	1	1	161																				
	F. 176	87	64	17	5	2	175																				
	M. 278	28	18	25	11	4	86	34	10	20	27	15	11	13	12		16	7	5	2	2	4	2	2			
	F. 285	22	23	13	9	12	79	36	22	30	13	17	18	12	3	8	9	7	9	4	9	4	2	1			
	M. 65	19	3	4		3	29	4	1	3	1			3	3	6		2	4	2	4	1		1			
	F. 42	14	2	1	1		18	1	1		2	4	1	1	1	2	2	3		2	1	2	1				
	M. 9	1					1			1			1	1			1			2	2						
	F. 14	1	1				2			3	5	1		1							1						
	M. 94									12	32	16	11	14	8	1											
	F. 4	2					2																				
	M. 5	2					2			1	1		1	1													
	F. 9	1			2	1	4			1	1							1			1						
	M. 9	1				1	4			1	1																
	F. 13	2	1				3	3	1		2		2	1		1											
General diseases—B.																											
Total.....	72	24	8	8	2	4	46	3	2	1	4	3	1	3	2	1	2	1	2	1							
Males.....	36	13	4			3	20	1	1	1	1	2	1	2	2	1		1	2	1							
Females.....	36	11	4	8	2	1	26	2	1		3	1		1			2										
1. Worms.....	M. 5	1	3			1	5																				
2. Other parasitic diseases.....	F. 16	2	3	6	2	1	14	1	1																		
3. Alcoholism.....	M. 4										1			1	1				1								
4. Lead poison.....	F. 1																										
5. Other poisons.....	M. 17	4	1			2	7	1		1	1	1	1	1	1	1			1	1							
6. Inanition.....	F. 10			2			2	1			3	1		1			2										
	M. 9	8					8		1																		
	F. 10	9	1				10																				
General diseases—C.																											
Total.....	413	337	2			1	340			1	2		1		1		1	1	2	6	4	9	22	14	5	4	
Males.....	222	187	1				188				1				1					4	2	4	11	8	1	2	
Females.....	191	150	1			1	152			1	1		1				1	1	2	2	2	5	11	6	4		
1. Premature birth.....	M. 36	36					36																				
2. Stillborn.....	F. 118	118					118																				
3. Malformation.....	M. 107	107					107																				
4. Debility.....	F. 12	12					12																				

MISSOURI—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	1063	43	29	22	10	8	112	27	23	85	129	103	89	64	76	60	59	59	55	39	37	17	5	5	1	1	8
Males.....	439	20	13	12	5	5	55	10	8	27	38	36	34	27	33	27	24	37	26	20	18	8	5	4	1	1	2
Females.....	624	23	16	10	5	3	57	17	15	58	91	67	55	37	43	42	35	22	29	19	19	9	1	1	1	1	6
1. Rheumatism.....	M. 17		1				1	1	2				3	1	1		1	1		2	2	1					1
	F. 19							3	2		1	2	2	1	1		4			1					1		1
2. Scrofula and tabes.....	M. 31	7	6	3	3		19	1	1	4	2	1	1			1	1										
	F. 29	6	7	3			16	1	2	2	3	1			1	2			1								
3. Leprosy.....	M. 1																										
	F. 1																										
4. Consumption.....	M. 286	6	3	3		2	14	3	3	19	33	31	25	24	25	22	17	29	16	8	9	2	4				1
	F. 410	5	6	4	1		16	4	8	47	79	54	39	25	26	28	25	16	15	11	10	3					4
5. Hydrocephalus.....	M. 10	5	1	3	1		10																				
	F. 15	8	2		2		12	2	1																		
6. Cancer.....	M. 28	1	1				1			1	1		1	1	1	2	1	3	6	4	1	3		3			
	F. 50	1	1	2			4	2		1	5	2	1	7	7	1	3	5	5	3	2		1		1		
7. Tumor.....	M. 5	1					1	1			1	1				1	2				1						
	F. 11					1	1				1	3	2			1	2										
8. Anæmia.....	M. 1																			1							
	F. 5																										
9. Dropsy.....	M. 52	1		2	1	2	6	4	2	3	2	2	2	1	5	2	4	4	3	4	5	2	1				
	F. 76	3		1	1	2	7	5	1	4	6	4	8	6	7	3	3	3	7	2	5	4					1
10. Glycosuria.....	M. 7			1		1	2			1			1		1					1	1						
	F. 5				1		1		1	1									1								
11. Others of this group.....	M. 2		1				1												1								
	F. 4									1	1		1			1											
12. Others of this class.....	M. 1					1	1																				
	F. 3		1				1			1			1														
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	858	260	145	45	33	28	511	77	31	18	34	15	15	16	10	12	11	17	25	14	17	14	9	5	1	1	5
Males.....	461	139	81	23	22	14	279	39	22	8	18	7	9	8	7	2	6	8	15	6	7	6	7	4	1	1	2
Females.....	397	121	64	22	11	14	232	38	9	10	16	8	6	8	3	10	5	9	10	8	10	8	2	1	1	1	3
1. Inflammation of the brain.....	M. 143	59	30	5	7	4	105	9	7	3	5	3	1	3	2	1		2	1	1							
	F. 127	49	28	7	4	4	92	16	4	4	3	1		1	2	2			1								1
2. Meningitis.....	M. 41	8	10	4	1	3	26	7	4	1	1		2														
	F. 30	4	6	4	3	3	20	3		2	2	1						1		1							
3. Apoplexy.....	M. 15	1	1				2	1		1							1	1	2		1	1	2	1	1		
	F. 15		2		1		3					1		2		1		2	2	2	1	1					
4. Paralysis.....	M. 35		2		1	1	4					4	1				2	3	6	2	4	2	5	2			
	F. 46	2				1	3	5		2	1	2				3	1	3	5	3	8	7	1	1		1	
5. Tetanus and trismus nascentium.....	M. 9	4					4		1		1			1			1			1							
	F. 5	4					4																				
6. Epilepsy.....	M. 12	2	1		1	1	5			1		1		2			1	1	3	2		2		1			1
	F. 12	1	1	2			4	1				2				1	1		2	1	1						
7. Convulsions.....	M. 38	21	6	2	3	1	33	3		2		1	1	1													
	F. 40	23	3	4	2		32			2	1	1	1	1				1									1
8. Mental diseases.....	M. 2									1		1															
	F. 2																										
9. Diseases of the brain.....	M. 106	27	18	6	4	2	57	10	7	3	8	4	1	2	2	1	1	1	3	2		2		1			1
	F. 74	24	19	3		2	48	7	4	1	3	2		3			1	2		1	1						1
10. Diseases of the spinal cord.....	M. 55	15	13	5	5	2	40	6	3		3				1		1	1	2			1					
	F. 36	12	5	2	1	4	24	6	1						1		1										
11. Others of this group.....	M. 7	2		1			3	3											1								
	F. 10	2					2			1	1	1		1		2	1						1				
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	203	18				1	19	13	7	14	12	6	18	7	14	5	13	9	21	9	14	10	6		2		4
Males.....	82	7				1	8	6	4	5	1	3	2	3	5	2	4	3	15	7	4	5	3				2
Females.....	121	11					11	7	3	9	11	3	16	4	9	3	9	6	6	2	10	5	3		2		2
1. Angina pectoris.....	M. 2											1								1							
	F. 3													2											1		
2. Aneurism.....	M. 1												1														
	F. 1																										
3. Diseases of the heart.....	M. 75	3				1	4	6	4	5	1	2	2	3	5	2	4	3	15	5	4	5	3				2
	F. 107	2					2	7	3	9	11	3	15	4	6	3	9	6	6	2	10	5	3		1		2
4. Others of this group.....	M. 5	4					4								1					1							
	F. 10	9					9																				
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	1651	304	121	71	40	31	567	63	41	89	112	84	87	77	77	67	78	61	73	54	49	32	22	7			11
Males.....	917	174	71	40	22	17	324	22	18	44	67	40	46	46	43	34	52	41	41	35	28	20	7	2			7
Females.....	734	130	50	31	18	14	243	41	23	45	45	44	41	31	34	33	26	20	32	19	21	12	15	5			4
1. Croup.....	M. 161	104	22	13	11	8	158	2	1																		
	F. 150	77	23	17	7	6	130	17	1	2																	
2. Laryngitis.....	M. 5	1	1			1	3	1							1												
	F. 2	1	1				2																				
3. Bronchitis.....	M. 43	9	7	1		1	18	1	1	1	3	1	1	2		1	3	3	1	3	3	2	1		1		
	F. 51	14	2	2	1	1	20			1	3	2	4	1	1		3	3	2	1	3	2	2		2		
4. Pneumonia.....	M. 642	50	36	26	10	7	129	13	14	39	59	36	42	40	42	30	47	37	36	24	17	5	2				6
	F. 490	34	23	11	9	7	84	20	21	33	41	36	39	30	33	29	23	15	27	15	15	9	12	4			4
5. Pleurisy.....	M. 10	1	1				2	2								1	1	1		2	1						
	F. 9	1		1			2			2		1			1					1	1	1					
6. Asthma.....	M. 6																		2	2		1	1				
	F. 4																										
7. Others of this group.....	M. 50	9	4		1		14	3	2	4	5	3	3	4		2	1		2</								

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSOURI—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	12	4	1	3			8				1	1		1							1						
Males.....	4	1	1	2			4																				
Females.....	8	3		1			4				1	1		1							1						
1. Abscess.....	M. 1 F. 7		1				1					1	1		1												
2. Carbuncle.....	M. 2 F. 2				2		2																				
3. Others of this group.....	M. 1 F. 1		1				1														1						
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	8	2	1	1	1		5					1								1							1
Males.....	5	1		1	1		3					1															1
Females.....	3	1	1				2													1							
1. Addison's disease.....	M. 2 F. 2						1					1															
2. Diseases of the spleen.....	M. 2 F. 2		1				1													1							
3. Others of this group.....	M. 3 F. 1		1		1		2																				1
XII.—ACCIDENTS AND INJURIES.																											
Total.....	446	49	21	17	12	7	106	41	36	38	39	34	28	34	19	19	13	13	10	4	3	2	3	1	1		2
Males.....	293	32	10	10	7	2	61	20	24	28	27	24	18	21	15	14	11	12	5	4	2	1	3		1		2
Females.....	153	17	11	7	5	5	45	21	12	10	12	10	10	13	4	5	2	1	5	1	1	1		1			
1. Burns and scalds.....	M. 17 F. 27	2	7	3	2		14	2																1			
2. Drowned.....	M. 20 F. 14		1	1			2	5	1	2	2	1	1	2	2	1		1									
3. Exposure and neglect.....	M. 4 F. 7	3					3			1																	
4. Gunshot wounds.....	M. 26 F. 2			1			1	1	4	2	6	2	2	5	1		1	1									
5. Homicide.....	M. 20 F. 1					1	1			1	6	1	4	4	2	1		1									
6. Infanticide.....	M. 3 F. 1																										
7. Injuries by machinery.....	M. 3 F. 1								1					1						1							
8. Railroad accidents.....	M. 18 F. 1							1	1	3	2	4	1	2	2	1		1									
9. Suffocation.....	M. 16 F. 13	10		1			11		1				1	1				1									1
10. Suicide by shooting.....	M. 4 F. 1						10		1			2		1				1									
11. Suicide by drowning.....	M. 1 F. 1										1																
12. Suicide by poison.....	M. 1 F. 1												1														
13. Other suicides.....	M. 8 F. 3									1		1	1	1	1	2	1			1							
14. Sunstroke.....	M. 3 F. 3										1	1				1											
15. Surgical operations.....	M. 3 F. 3									1		1			1												
16. Wounds.....	M. 5 F. 2		1		1		2			1										1							1
17. Other accidents and injuries.....	M. 145 F. 80	17	1	4	4	2	28	11	16	17	9	11	9	2	6	8	9	6	3	3	2	1	2		1		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MISSOURI—GROUP 3.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	6021	1438	638	301	160	102	2639	305	142	293	365	283	217	227	181	166	174	145	184	177	195	131	83	45	17	10	42
Total: Males	3138	800	341	159	81	57	1438	173	71	127	173	105	94	92	87	87	88	78	114	108	111	85	45	21	7	6	28
Females	2883	638	297	142	79	45	1201	132	71	166	192	178	123	135	94	79	86	67	70	69	84	46	38	24	10	4	14
Unknown causes.																											
Total	248	158	9	4	4		175	5	3	3	6	7	6	1	2	4	4	4	2	1	9	7	1		1	1	6
Males	119	81	4	2	2		89	2	1		4	2	2	1	1			1			3	6				1	6
Females	129	77	5	2	2		86	3	2	3	2	5	4		1	4	4	3	2	1	6	1	1		1		
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	1860	422	343	147	73	47	1032	144	57	98	92	80	46	65	36	25	24	25	27	27	34	22	10	5		1	10
Males	921	229	172	74	28	27	530	69	28	42	45	33	22	28	13	8	11	14	18	15	17	12	6	3		1	6
Females	939	193	171	73	45	20	502	75	29	56	47	47	24	37	23	17	13	11	9	12	17	10	4	2			4
1. Small-pox	M.																										
F.																											
2. Measles	M.	74	19	11	4	4	42	6	5	2	4	6	2	3	1	1	1										
F.	74	11	7	4	5	5	32	9	2	5	7		2	9	2		4	1	1								
3. Scarlet fever	M.	22	3	2	4	2	12	7																			
F.	34	1	7	5	3	3	19	10	1	4																	
4. Diphtheria	M.	73	12	8	12	8	11	51	17	3			1														1
F.	67	9	11	16	7	2	45	18	2		1			1													
5. Hooping-cough	M.	57	25	19	5	3	2	54	3																		
F.	86	39	23	8	6	3	79	7																			
6. Fever	M.	7	3	1			4	1																			
F.	8	2			1		3	1							1												
7. Cerebro-spinal fever	M.	34	10	10	4		2	26	1	1	2		1			1											
F.	33	8	7	4		3	22	3	2	2	1		1	1													
8. Enteric fever	M.	137		6	4	3	13	10	11	16	26	15	9	10	2	1	2	7	3	3	6	2	1				
F.	118	1	3	6	4		14	9	17	18	4	13	4	7	4	6	4	6	1	4	2	3	2				
9. Diarrhoea	M.	58	20	20	3		43																				
F.	47	10	21	3	1		35	1																			
10. Dysentery	M.	68	17	32	8	1	1	59	2																		
F.	63	19	18	8	1		46																				
11. Enteritis	M.	61	27	5	8		40	5	1	4																	
F.	52	15	8	2	2		27	2	2	3	1																
12. Cholera morbus	M.	8	1				1																				
F.	6																										
13. Cholera infantum	M.	128	70	47	11		128																				
F.	129	57	60	6	6		129																				
14. Malarial fever	M.	140	11	11	6	5	4	37	13	6	11	13	5	2	10	7	4	3	3	4	6	4	6	1	1		4
F.	108	9	5	8	8	4	34	9	3	12	9	5	4	3	5	4	2	2	4	2	6	2	1				1
15. Erysipelas	M.	39	9		4	1	1	15	1																		
F.	28	11	1	1			13	2																			
16. Septicæmia	M.	6	1				1	1	1																		
F.	12	1					2																				
17. Puerperal septicæmia	F.	69																									
18. Venereal diseases	M.	1	1				1																				
F.																											
19. Others of this group	M.	8			1	1	3																				
F.	5						2																				
General diseases—B.																											
Total	47	22	6	2		1	31	4		1	2	1	1		2	3		2									
Males	26	8	5			1	14	3		1	2		1		1	3		1									
Females	21	14	1	2			17	1																			
1. Worms	M.	2						2																			
F.	2		1	1			2																				
2. Other parasitic diseases	M.																										
F.																											
3. Alcoholism	M.	2																									
F.																											
4. Lead poison	M.																										
F.																											
5. Other poisons	M.	14	1	4		1	6	1																			
F.	6	2		1			3	1																			
6. Inanition	M.	8	7	1			8																				
F.	13	12					12																				
General diseases—C.																											
Total	369	278					278								2				1	3	13	17	22	17	10	6	
Males	207	165					165</																				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSOURI—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	888	39	33	15	7	2	96	18	19	77	120	85	71	68	68	54	42	30	44	34	25	18	9	4	2		4
Males.....	377	17	17	10	5	1	50	14	9	26	46	18	26	20	33	25	18	13	21	20	14	13	4	3	1		3
Females.....	511	22	16	5	2	1	46	4	10	51	74	67	45	48	35	29	24	17	23	14	11	5	5	1	1		1
1. Rheumatism.....	M. 23	1					1	4	3	3	3	1			2	2		1	2	1			1	1			
F. 7									2												1						
2. Scrofula and tabes.....	M. 26	5	5	4	2		16	4		1	2			1					1	1							
F. 25	3	6	1	1			11	1	2	1	2	2		1				1	1								
3. Leprosy.....	M. 1														1												
F. 1																											
4. Consumption.....	M. 240	6	4	4	1		15	2	2	21	39	16	24	18	23	20	10	9	11	14	4	7	2				3
F. 389	8	5	2			1	16		6	50	69	63	41	33	29	23	13	11	15	8	5	3	2	1			1
5. Hydrocephalus.....	M. 13	4	5	2	2		13																				
F. 14	9	2	1	1			13	1																			
6. Cancer.....	M. 25								1		1		1		1	3	5	2	5	2	2	2					
F. 37													1	9	1	4	7	2	5	4	1	1	2				
7. Tumor.....	M. 4						1								1	2		1									
F. 5							2						1								1						
8. Anæmia.....	M. 2	1	1				2																				
F. 2																											
9. Dropsy.....	M. 34		2			1	3	2	1		1	1		1	6		1	1	1	2	7	4	1	2	1		
F. 31	2	2	1				5	2			3	1		3	3		3	2	2	1	3	1	1		1		
10. Glycosuria.....	M. 7							1		1			1		1		1		1		1						
F. 7																											
11. Others of this group.....	M. 2								2																		
F. 1																				1							
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	662	214	92	41	16	12	375	34	19	15	23	13	12	8	4	10	14	15	21	24	26	21	14	5	3	1	5
Males.....	376	122	53	24	6	8	213	23	10	8	10	5	8	5	2	4	4	9	11	16	15	16	9	3	1	1	3
Females.....	286	92	39	17	10	4	162	11	9	7	13	8	4	3	2	6	10	6	10	8	11	5	5	2	2		2
1. Inflammation of the brain.....	M. 75	33	13	10		3	59	7	2	1	2			1		1	1		1								
F. 69	27	14	10	4	2		57	5	1		1	2		1			2										
2. Meningitis.....	M. 36	9	4	4		4	21	8	2	2	1			1						1							
F. 19	8	3	1	2			14	2			2																
3. Apoplexy.....	M. 25	1	1				2				1	1	2					1	2	4	3	6	1			1	1
F. 15	1	1					2			1	2					4		1	3	1					1		
4. Paralysis.....	M. 55	3			1		4	1			1	2	2		1	1	2	5	4	7	7	9	6	2	1		
F. 43		2					2	2			2					1	4	4	4	6	8	3	4	2	1		
5. Tetanus and trismus nascentium.....	M. 6	5	1				6																				
F. 6	4	1					5																				
6. Epilepsy.....	M. 7								1		1			2			1						1				1
F. 9	1						1		2		3	2			1												
7. Convulsions.....	M. 55	38	10	3	1		52	1							1	1											
F. 36	26	2		1			29			1	1		2	1													2
8. Mental diseases.....	M. 3										1										1			1			
F. 3											2			1													
9. Diseases of the brain.....	M. 71	21	11	5	2	1	40	4	5	3	2	1	3			1		2	3	1	3	1	1				1
F. 60	18	15	4	3			40	2	2	3	2		1		1		2		1	2	2	2					
10. Diseases of the spinal cord.....	M. 38	11	13	2	2		28	2		2	1			2						3							
F. 21	7		2			2	11		2	2	2		1			1	2										
11. Others of this group.....	M. 5	1					1				1							1	1		1						
F. 5		1					1		1									1	2								
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	183	40	6		1	2	49	8	6	11	5	6	11	7	1	6	15	11	12	16	8	5	2	1			3
Males.....	105	21	5		1	2	29	6	4	7	1	3	4	2	1	3	7	6	7	13	4	4	1	1			2
Females.....	78	19	1				20	2	2	4	4	3	7	5		3	8	5	5	3	4	1	1				1
1. Angina pectoris.....	M. 2																	1			1						
F. 1																											
2. Aneurism.....	M. 2																		1								
F. 2																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSOURI—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	288	53	28	12	4		97	23	10	8	17	15	8	8	11	13	14	12	12	13	14	5	5	1			2
Males.....	163	32	20	8	3		63	14	6	5	7	7	3	4	5	6	8	8	9	6	8	1	3				
Females.....	125	21	8	4	1		34	9	4	3	10	8	5	4	6	7	6	4	3	7	6	4	2	1			2
1. Dentition.....	M. 9	2	7				9																				
F. 9	2	7					9																				
2. Angina.....	M. 13	4	4	1	1		10	1	1			1															
F. 12	3		2				5	2	2						1	1											
3. Gastritis.....	M. 8	2		2			4				1							1	1	1							
F. 7	1						1			1		2												1		1	
4. Other diseases of the stomach.....	M. 24	5	5	1			11		2				1	1	1	2	2	1	1	1	1						
F. 19	3						3	1		3	1	2		2	1	2	1			1	2	1	1				
5. Obstruction of the bowels.....	M. 21	3		1			4	6		2	1	1	2		1		1	1	1								
F. 7	1			1			2						1			2		1	1								
6. Hernia.....	M. 7	2	1				3							2					1		1						
F. 3												1			1												
7. Other diseases of the bowels.....	M. 17	2	1		1		4	4			1	2					2	1			2						
F. 7	1						1			1	1			2		1				1							
8. Jaundice.....	M. 3																			1			1				
F. 2																				1							
9. Inflammation and abscess of the liver.....	M. 19	2		1			3	1	2	1	1	1			1	3	1	1		2	1		1				
F. 19	2		2				4	2			2	1		1	2		2	2			3						
10. Other diseases of the liver.....	M. 9							1			2					1	1	1	1	1	2						
F. 6									1							1	1	1				1					1
11. Peritonitis.....	M. 10	2		2			4		1	2	1				1				1								
F. 16								2	1		4	4	1	1						3							
12. Ascites.....	M. 3				1		1	1										1									
F. 3								1																			
13. Others of this group.....	M. 20	8	2				10					2		1			1	1	3	1			1				
F. 15	8	1					9	1		1					1		1					1	1				
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	69			1	1	1	3	1		3	3	4		3	3	3	5	4	11	7	5	8	1	5			
Males.....	57			1			1	1		1	3	2		3	3	2	4	3	9	7	5	7	1	5			
Females.....	12				1	1	2			2						1	1	1	2			1					
1. Bright's disease.....	M. 18			1			1				1	2		1	1		2	1	2	2	1	4					
F. 5										1		1				1	1	1									
2. Calculus, urinary.....	M. 12							1			1			1		1	1		2	3			1	1			
F. 1																											
3. Diseases of the kidney.....	M. 14									1	1				1	1	1	1	1	1	3	1		2			
F. 6					1	1	2			1		1							1			1					
4. Diseases of the bladder.....	M. 7																		1	1	1	1		2			
F. 1																			1	1							
5. Others of this group.....	M. 6													1	1				3			1					
F. 1																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	25									3	1	6	1	3	3	2	4	1		1							
1. Ovarian tumors.....	F. 4											1					1	1		1							
2. Ovarian diseases.....	F. 1											1															
3. Uterine tumors.....	F. 6																										
4. Uterine diseases.....	F. 6									2	1	1					2										
5. Others of this group.....	F. 14									1		3	1	3	3	2	1										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	77									6	25	8	15	16	6												1
1. Abortion.....	F. 12										5		4	3													
2. Child-birth.....	F. 55									4	18	7	9	12	5												
3. Others of this group.....	F. 10									2	2	1	2	1	1												1
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	15	3				1	4			1		3		1		1	1		2	1	1						
Males.....	11	2				1	3					1		1		1	1		2	1	1						
Females.....	4	1					1			1		2															
1. Diseases of the spine.....	M. 5	2					2					1		1		1											
F. 2	1						1					1															
2. Diseases of the bones.....	M. 3					1	1												1		1						
F. 1												1															
3. Diseases of the hip-joint.....	M. 3																										
F. 1																											
4. Others of this group.....	M. 3																1		1	1							
F. 1										1																	

MISSOURI—GROUP 3—Continued.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSOURI—GROUP 4—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	1270	48	33	26	10	15	132	29	39	127	169	125	99	90	72	64	69	51	52	52	38	25	12	3	1		12
Males.....	545	25	18	16	6	8	73	16	12	35	62	46	32	42	33	30	35	26	26	27	18	16	10	1			5
Females.....	725	23	15	10	4	7	59	13	27	92	107	79	67	57	39	34	34	25	26	25	20	9	2	2	1		7
1. Rheumatism.....	M. 19				1	1	2	1	2	1	2	1	1	1	2		1	2		1	2	1					
	F. 20	1					1	2	1		2	1	3	1		1	3	2		1	2						
2. Scrofula and tabes.....	M. 31	3	1	5	2	3	14	4	2	3	2			1	1		2		1	1							
	F. 41	9	3	6		2	20	2	5	2	4		4	1	1				1	1							
3. Leprosy.....	M.																										
	F.																										
4. Consumption.....	M. 365	10	7	4	2	1	24	4	6	24	56	44	29	35	26	23	19	15	19	16	11	5	3	1			5
	F. 522	4	7	2	2	2	17	5	19	86	95	71	49	50	27	24	20	13	13	13	9	4	2				5
5. Hydrocephalus.....	M. 14	6	6	1			13	1																			5
	F. 11	6	3	1	1		11																				
6. Cancer.....	M. 33			1	1		2			2	1			3		4	7	5		1	2	4	1				
	F. 53					2	2					2	1	3	8	5	9	4	3	6	5	3					2
7. Tumor.....	M. 5									1			1		1		1			1							
	F. 14	2	1				3			1	1	1	1			3			2	1	1						
8. Anæmia.....	M. 5	2					2	1								1						1					
	F. 7							1				3	1	1			1										
9. Dropsy.....	M. 61	4	4	5		3	16	4	1	4	1	1		2	2	2	4	3	3	6	2	5	5				
	F. 50				1	1	2	3	2	3	4		6	1	3	1	1	6	7	3	3	2		2	1		
10. Glycosuria.....	M. 11							1	1			1	1					1	2	2	1		1				
	F. 2		1	1			2																				
11. Others of this group.....	M. 1																1										
	F. 5	1					1				1	1	2														
12. Others of this class.....	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	792	209	93	53	31	16	402	50	35	26	32	26	14	17	20	25	18	22	30	18	21	23	7	4		1	1
Males.....	427	112	58	27	16	10	223	24	20	13	19	18	6	7	7	15	8	19	14	9	13	10	2				
Females.....	365	97	35	26	15	6	179	26	15	13	13	8	8	10	13	10	10	3	16	9	8	13	5	4		1	1
1. Inflammation of the brain.....	M. 80	29	17	7	3	4	69	2	4	3		2	2			2		2		1	2						
	F. 79	27	9	11	4	2	53	11	3	3	3	1	1	1	1					1			1				
2. Meningitis.....	M. 65	12	9	4	4	2	31	11	5	2	5	4	1		1		1	2	1	1							
	F. 46	19	6	2	4		31	3	1	2			2	2		2	1			1							1
3. Apoplexy.....	M. 31	1	1	1		1	4				2	2	1	2		3	2	7	1	1	4	2					
	F. 31	2	1		1		4		1		1	3	2		4	3	3	1	4	1	1	2	1				
4. Paralysis.....	M. 53	3	1	1		1	6	4	1		1	1		3	4	7	1	3	5	4	4	7	2				
	F. 43	1	1				2	1	1		1				3	1	1	1	7	5	4	9	3	3		1	
5. Tetanus and trismus nascentium.....	M. 16	6			1		7	1	2	2	1	1	1				1										
	F. 6		1				1			1			1	1		1				1							
6. Epilepsy.....	M. 13	1		1	2		4			1	1	2		1	2				2								
	F. 10	1			1		2	1		2	1		1	1	1							1					
7. Convulsions.....	M. 70	34	20	4	1	2	61	2	1	1	1	2				1		1									
	F. 63	34	8	4	3	3	52	1	2	1	3	1			1	1			1								
8. Mental diseases.....	M. 6										3	1							2								
	F. 5										1	1	1														
9. Diseases of the brain.....	M. 79	23	8	9	5		45	4	6	4	4	2	1	1			2	3	2	1	3	1					
	F. 70	12	9	8	1	1	31	9	6	1	4			5	3	1	5	1	1	1	2						
10. Diseases of the spinal cord.....	M. 9	3					3		1		1	1				2		1									
	F. 6			1	1		2		1	2			1														
11. Others of this group.....	M. 5		2				2										1		1	1							
	F. 6	1					1					1				1			3								
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	235	19	4	3	2	2	30	7	10	8	15	12	9	8	10	16	14	13	14	31	22	9	3	1		1	2
Males.....	127	12	1	3	1	2	19	5	6	5	7	6	4	4	4	6	8	9	6	18	12	6	1	1			
Females.....	108	7	3		1		11	2	4	3	8	6	5	4	6	10	6	4	8	13	10	3	2			1	2
1. Angina pectoris.....	M. 2															1	1			</							

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MISSOURI—Group 4—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	333	81	22	17	7	2	129	12	15	8	20	14	14	20	6	14	18	10	15	16	9	7	3	2	1		
Males.....	158	44	9	9	5		67	6	4	5	8	2	6	8	4	7	11	3	5	6	7	4	2	2	1		
Females.....	175	37	13	8	2	2	62	6	11	3	12	12	8	12	2	7	7	7	10	10	2	3	1				
1. Dentition.....	M. 7 F. 12	1 5	3 4	3 3			7 12																				
2. Angina.....	M. 13 F. 9	3 4	4 1	1 2	2		10 7	1 2				1 1	1 1			1 1			1 1				1 1				
3. Gastritis.....	M. 9 F. 20	4 1	1 2	2 1			7 2		1 1	1 1	2 2	1 1	1 1	2 3	1 1	1 1	2 2	1 1		4 2							
4. Other diseases of the stomach.....	M. 19 F. 29	2 4	2 2		1 1		2 6	3 2	1 3		1 1	2 2	1 1	3 3	1 1	1 1	2 2	2 2	1 1	2 2	2 1	1 1					
5. Obstruction of the bowels.....	M. 12 F. 4	2 2	1 1				3 1				1 1	1 1	2 1	1 1	2 1		2 1	1 1		1 1							
6. Hernia.....	M. 3 F. 2						1 1			1 1									1 1					1 1			
7. Other diseases of the bowels.....	M. 20 F. 27	7 3		1 2	2 1	1	10 9	1 1	1 2	2 2	1 2	1 2	1 2			1 1	2 1			2 2				1 1			
8. Jaundice.....	M. 5 F. 2	3 1		1 1	1 1		5 1											1 1									
9. Inflammation and abscess of the liver.....	M. 13 F. 8	1 1		1 1			2 1				1 1	1 1		2 2	1 1	2 1			2 1	1 1			1 1				
10. Other diseases of the liver.....	M. 17 F. 20	2 3					2 5		1 2	1 1		1 2	1 1	1 1	1 1		4 3	1 1	1 4	1 1	3 1	2 1					
11. Peritonitis.....	M. 7 F. 13	1 1					1 2				1 1					1 1	1 1										
12. Ascites.....	M. 1 F. 1										1 1																
13. Others of this group.....	M. 32 F. 29	20 21					20 23	1 1	1 1		2 1		1 2						1 1	3 3	2 1	1 1					
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	87	4		1			5	3	2	1	5	3	7	3	2	2	5	5	8	10	9	9	5	2	1		
Males.....	63	1					1	1	1	1	3	1	5	3	1		4	5	7	9	8	5	5	2	1		
Females.....	24	3		1			4	2	1		2	2	2		1	2	1		1	1	1	4					
1. Bright's disease.....	M. 17 F. 9		1				1		1	1			4	1			1		1	1	3	2	2				
2. Calculus, urinary.....	M. 5 F. 1						1				1						1		1	1		1					
3. Diseases of the kidney.....	M. 28 F. 12	1 1					1 2				2 2		1 2	2			2	3	5	3	3	3	2	1			
4. Diseases of the bladder.....	M. 7 F. 1							1				1						1		4							
5. Others of this group.....	M. 6 F. 2														1			1			2			1	1		
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	23									2	5	1	4	3	2	1	1	1	2	1							
1. Ovarian tumors.....	F. 1																	1									
2. Ovarian diseases.....	F. 2									1										1							
3. Uterine tumors.....	F. 1																										
4. Uterine diseases.....	F. 4										1			1	1				1								
5. Others of this group.....	F. 16									1	4	1	4	2	1	1	1		1								
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	78								1	8	18	22	10	12	5	2											
1. Abortion.....	F. 14									2	2	5	2	2	1												
2. Child-birth.....	F. 53								1	5	11	15	8	8	4	1											
3. Others of this group.....	F. 11									1	5	2		2		1											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	22		2	1	2	1	6	1	2	2	4	2	1	1						1	1	1					
Males.....	18		2	1	1	1	5		2	2	4	2	1							1	1						
Females.....	4				1		1	1						1								1					
1. Diseases of the spine.....	M. 12 F. 1		2	1	1	1	5		2		3	1								1							
2. Diseases of the bones.....	M. 2 F. 5				1		1																				
3. Diseases of the hip-joint.....	M. 2 F. 2									2		1	1		1						1						
4. Others of this group.....	M. 1 F. 1																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSOURI—GROUP 4—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	34	7	2				9	3	1	2	5	2	1		2		3	1	1	4							
Males.....	17	3	1				4	2	1	2	1				1		2	1		3							
Females.....	17	4	1				5	1			4	2	1		1		1		1	1							
1. Abscess.....	M. 17	3	1				4	2	1	2	1				1		2	1		3							
	F. 12	2	1				3	1			2	2	1		1		1		1								
2. Carbuncle.....	M.																										
	F.																										
3. Others of this group.....	M.																										
	F. 5	2					2				2									1							
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....																											
Males.....																											
Females.....																											
1. Addison's disease.....	M.																										
	F.																										
2. Diseases of the spleen.....	M.																										
	F.																										
3. Others of this group.....	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	324	38	13	10	6	10	77	16	20	27	35	27	17	23	12	17	14	9	9	8	4	3		1			5
Males.....	224	24	8	5	1	3	41	4	10	19	31	25	14	19	10	16	10	6	5	6	2	2					4
Females.....	100	14	5	5	5	7	36	12	10	8	4	2	3	4	2	1	4	3	4	2	2	1		1			1
1. Burns and scalds.....	M. 12	4	2	1		3	10		1							1											
	F. 25		3	3	3	3	12	5	2	1			1		1		1			1	1						
2. Drowned.....	M. 11		2	1			3		2	1	2	2															
	F. 4							1	1				1						1								
3. Exposure and neglect.....	M. 7	5	1				6													1							
	F. 10	6		1			7			1				1					1								
4. Gunshot wounds.....	M. 35				1		1			3	5	9	2	5	3	4	1	1									1
	F. 5					1	1			1	3																
5. Homicide.....	M. 14									1	1	4	1	2		1	1		2	1							
	F. 1														1												
6. Infanticide.....	M.																										
	F.																										
7. Injuries by machinery.....	M.																										
	F.																										
8. Railroad accidents.....	M. 21									2	6	2	2	2	1	3	1	1									1
	F. 1																	1									
9. Suffocation.....	M. 9	8		1			9																				
	F. 6	3		1	1	1	6																				
10. Suicide by shooting.....	M. 4												1		1		1					1					
	F.																										
11. Suicide by drowning.....	M.																										
	F.																										
12. Suicide by poison.....	M.																										
	F.																										
13. Other suicides.....	M. 10										1		3	1			3	1	1								1
	F. 2													1													
14. Sunstroke.....	M. 6		1				1				2			1	1	1											
	F. 2													1					1								
15. Surgical operations.....	M.																										
	F. 1																1										
16. Wounds.....	M. 1																										
	F. 1																										
17. Other accidents and injuries.....	M. 94	7	2	2			11	4	6	11	11	11	3	10	4	6	3	3	2	4	2	1					2
	F. 42	5	2		1	2	10	6	6	3	4	2	1	1		1	1	2	1	1	1			1			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MONTANA—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	18	1					1	1			2	2	2	6	2	2											
Total: Males.....	18	1					1	1			2	2	2	6	2	2											
Females.....																											
Unknown causes.																											
Total.....																											
Males																											
Females																											
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	3											1		2													
Males.....	3											1		2													
Females																											
1. Small-pox.....	M.																										
	F.																										
2. Measles.....	M.																										
	F.																										
3. Scarlet fever.....	M.																										
	F.																										
4. Diphtheria.....	M.																										
	F.																										
5. Hooping-cough.....	M.																										
	F.																										
6. Fever.....	M.																										
	F.																										
7. Cerebro-spinal fever.....	M.																										
	F.																										
8. Enteric fever.....	M.	2										1		1													
	F.																										
9. Diarrhœa.....	M.																										
	F.																										
10. Dysentery.....	M.																										
	F.																										
11. Enteritis.....	M.																										
	F.																										
12. Cholera morbus.....	M.																										
	F.																										
13. Cholera infantum.....	M.																										
	F.																										
14. Malarial fever.....	M.	1												1													
	F.																										
15. Erysipelas.....	M.																										
	F.																										
16. Septicæmia.....	M.																										
	F.																										
17. Puerperal septicæmia.....	F.																										
18. Venereal diseases.....	M.																										
	F.																										
19. Others of this group.....	M.																										
	F.																										
General diseases—B.																											
Total.....																											
Males.....																											
Females																											
1. Worms.....	M.																										
	F.																										
2. Other parasitic diseases.....	M.																										
	F.																										
3. Alcoholism.....	M.																										
	F.																										
4. Lead poison.....	M.																										
	F.																										
5. Other poisons.....	M.																										
	F.																										
6. Inanition.....	M.																										
	F.																										
General diseases—C.																											
Total.....																											
Males.....																											
Females																											
1. Premature birth.....	M.																										
	F.																										
2. Stillborn.....	M.																										
	F.																										
3. Malformation.....	M.																										

MONTANA—Group 1—Continued.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MONTANA—GROUP 1—Continued.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MONTANA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
I.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....																											
Males.....																											
Females.....																											
1. Abscess.....	M.																										
	F.																										
2. Carbuncle.....	M.																										
	F.																										
3. Others of this group.....	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....																											
Males.....																											
Females.....																											
1. Addison's disease.....	M.																										
	F.																										
2. Diseases of the spleen.....	M.																										
	F.																										
3. Others of this group.....	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	8	1					1	1			1	1	1	2		1											
Males.....	8	1					1	1			1	1	1	2		1											
Females.....																											
1. Burns and scalds.....	M.	1						1																			
	F.																										
2. Drowned.....	M.																										
	F.																										
3. Exposure and neglect.....	M.	1	1				1																				
	F.																										
4. Gunshot wounds.....	M.	3									1			1		1											
	F.																										
5. Homicide.....	M.																										
	F.																										
6. Infanticide.....	M.																										
	F.																										
7. Injuries by machinery.....	M.																										
	F.																										
8. Railroad accidents.....	M.																										
	F.																										
9. Suffocation.....	M.																										
	F.																										
10. Suicide by shooting.....	M.	2											1	1													
	F.																										
11. Suicide by drowning.....	M.																										
	F.																										
12. Suicide by poison.....	M.																										
	F.																										
13. Other suicides.....	M.																										
	F.																										
14. Sunstroke.....	M.																										
	F.																										
15. Surgical operations.....	M.																										
	F.																										
16. Wounds.....	M.																										
	F.																										
17. Other accidents and injuries.....	M.	1										1															
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MONTANA—GROUP 2.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MONTANA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	30	4					4				5	4	4	1	4	4	3		1								
Males.....	15	2					2				3	3	1	1	1	2	2										
Females.....	15	2					2				2	1	3		3	2	1		1								
1. Rheumatism.....	M. 1																										
F. 2																											
2. Scrofula and tabes.....	M. 1										1																
F. 2		2					2																				
3. Leprosy.....	M. 1																										
F. 1																											
4. Consumption.....	M. 11	1					1				2	3	1		1	1	2										
F. 6											2	1	2		1												
5. Hydrocephalus.....	M. 1	1					1																				
F. 1																											
6. Cancer.....	M. 2																1	1									
F. 2																											
7. Tumor.....	M. 1														1												
F. 1																											
8. Anæmia.....	M. 2													1													
F. 2																											
9. Dropsy.....	M. 3												1	1		1				1							
F. 3																											
10. Glycosuria.....	M. 1														1												
F. 1																											
11. Others of this group.....	M. 1																										
F. 1																											
12. Others of this class.....	M. 1																										
F. 1																											
III.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	26	5	3				8						1		3	4	2		1	3	1	1					2
Males.....	19	3	1				4						1		3	3	2		1	2		1					2
Females.....	7	2	2				4									1				1	1						
1. Inflammation of the brain.....	M. 1		1				1																				
F. 3		1	2				3																				
2. Meningitis.....	M. 1														1	1					1						
F. 1																											
3. Apoplexy.....	M. 2														1				1								
F. 1																											
4. Paralysis.....	M. 3	1					1										1					1					
F. 1																											
5. Tetanus and trismus nascentium.	M. 1	1					1									1											
F. 1																											
6. Epilepsy.....	M. 1																										
F. 1																											
7. Convulsions.....	M. 3	1					1						1														1
F. 1		1					1																				
8. Mental diseases.....	M. 1																1										
F. 1																											
9. Diseases of the brain.....	M. 5														1	2					1						1
F. 1																											
10. Diseases of the spinal cord.....	M. 1																				1						
F. 1																					1						
11. Others of this group.....	M. 1																										
F. 1																											
III — DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	9	1					1	1	1	1				1	1		2		1								
Males.....	7	1					1			1				1	1		2		1								
Females.....	2							1	1																		
1. Angina pectoris.....	M. 1																										
F. 1																											
2. Aneurism.....	M. 1																										
F. 1																											
3. Diseases of the heart.....	M. 6									1				1	1		2		1								
F. 2								1	1																		
4. Others of this group.....	M. 1	1					1																				
F. 1																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	38	8	3	1			12		1		1	3	2	4	5	1	5		2	1	1						
Males.....	25	7	3				10		1		1	1	1	4	3	1	2			1							
Females.....	13	1		1			2					2	1		2		3		2		1						
1. Croup.....	M. 1	1					1																				
F. 1				1			1																				
2. Laryngitis.....	M. 1																										
F. 1																											
3. Bronchitis.....	M. 3	1	1				2		1																		
F. 1																											
4. Pneumonia.....	M. 20	5	2				7				1	1		4	3	1	2			1							
F. 11		1					1					2	1		2		2		2		1						
5. Pleurisy.....	M. 1																										
F. 1																											
6. Asthma.....	M. 1																										
F. 1																											
7. Others of this group.....	M. 1												1														
F. 1																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
MONTANA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	14		1	1			2		1	2		1	2	2			2	2									
Males.....	11		1				1		1	1			2	2			2	2									
Females.....	3			1			1			1		1															
1. Dentition.....	M. 1		1				1																				
	F.																										
2. Angina.....	M.																										
	F.																										
3. Gastritis.....	M. 2									1			1														
	F.																										
4. Other diseases of the stomach.....	M. 1																1										
	F.																										
5. Obstruction of the bowels.....	M. 1													1													
	F.																										
6. Hernia.....	M. 1																	1									
	F.																										
7. Other diseases of the bowels.....	M.																										
	F.																										
8. Jaundice.....	M.																										
	F.																										
9. Inflammation and abscess of the liver.....	M. 4								1				1	1				1									
	F.																										
10. Other diseases of the liver.....	M.																										
	F.																										
11. Peritonitis.....	M.									1		1															
	F. 2																										
12. Ascites.....	M. 1																1										
	F.																										
13. Others of this group.....	M.			1			1																				
	F. 1																										
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	3												1				1							1			
Males.....	3												1				1							1			
Females.....																											
1. Bright's disease.....	M. 3												1				1							1			
	F.																										
2. Calculus, urinary.....	M.																										
	F.																										
3. Diseases of the kidney.....	M.																										
	F.																										
4. Diseases of the bladder.....	M.																										
	F.																										
5. Others of this group.....	M.																										
	F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	2										1	1															
1. Ovarian tumors.....	F.																										
2. Ovarian diseases.....	F. 2										1	1															
3. Uterine tumors.....	F.																										
4. Uterine diseases.....	F.																										
5. Others of this group.....	F.																										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	2									1				1													
1. Abortion.....	F.																										
2. Child-birth.....	F. 2									1				1													
3. Others of this group.....	F.																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....																											
Males.....																											
Females.....																											
1. Diseases of the spine.....	M.																										
	F.																										
2. Diseases of the bones.....	M.																										
	F.																										
3. Diseases of the hip-joint.....	M.																										
	F.																										
4. Others of this group.....	M.																										
	F.																										

MONTANA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	2														1	1											
Males.....	2														1	1											
Females.....																											
1. Abscess.....	M.																										
	F.																										
2. Carbuncle.....	M.	2													1	1											
	F.																										
3. Others of this group.....	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....																											
Males.....																											
Females.....																											
1. Addison's disease.....	M.																										
	F.																										
2. Diseases of the spleen.....	M.																										
	F.																										
3. Others of this group.....	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	47	1			1		2	1		1	6	5	9	6	4	5	6				1					1	
Males.....	41	1			1		2			1	5	4	9	6	4	4	5				1						
Females.....	6							1			1	1				1	1									1	
1. Burns and scalds.....	M.																										
	F.	1						1																			
2. Drowned.....	M.	5			1		1				2	1	1														
	F.	1															1										
3. Exposure and neglect.....	M.	1	1				1																				
	F.																										
4. Gunshot wounds.....	M.	9					1			1			3	2		1	2										
	F.	1															1										
5. Homicide.....	M.	4												1		2	1										
	F.																										
6. Infanticide.....	M.																										
	F.																										
7. Injuries by machinery.....	M.																										
	F.																										
8. Railroad accidents.....	M.	1											1														
	F.																										
9. Suffocation.....	M.	1									1																
	F.																										
10. Suicide by shooting.....	M.	3											2								1						
	F.																										
11. Suicide by drowning.....	M.																										
	F.																										
12. Suicide by poison.....	M.	1														1											
	F.	1										1															
13. Other suicides.....	M.	6									1	2	1	1	1												
	F.																										
14. Sunstroke.....	M.																										
	F.																										
15. Surgical operations.....	M.																										
	F.																										
16. Wounds.....	M.	1													1												
	F.																										
17. Other accidents and injuries.....	M.	9									1	1	1	1	2	1	2										
	F.	2									1															1	

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	4062	996	394	269	219	170	2048	517	230	128	167	133	111	109	79	72	66	72	89	84	57	45	24	10	3	2	16
Total: Males	2116	554	227	144	111	83	1119	251	110	59	81	63	47	44	36	46	38	40	52	42	32	25	11	6	2	1	11
Females	1946	442	167	125	108	87	929	266	120	69	86	70	64	65	43	26	28	32	37	42	25	20	13	4	1	1	5
Unknown causes.																											
Total	258	168	17	6	8	2	201	7	8	3	6	2	3	1	6	2	2	2	3	5	3	3	1				
Males	134	85	13	3	5	1	107	5	3	1	2				3	2	1	2	2	3	1	2					
Females	124	83	4	3	3	1	94	2	5	2	4	2	3	1	3		1		1	2	2	1	1				
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	1861	321	219	170	152	131	993	407	173	54	46	39	29	26	10	15	9	14	8	9	10	10	4		2		3
Males	941	172	122	91	79	61	525	196	80	22	23	18	16	11	3	8	7	9	2	6	4	6	2		1		2
Females	920	149	97	79	73	70	468	211	93	32	23	21	13	15	7	7	2	5	6	3	6	4	2		1		1
1. Small-pox	M. 6									2		2	2														
	F. 1																										
2. Measles	M. 31	9	8	2	2		21	5	1		3	1															
	F. 40	7	10	3	4	1	25	6	6		1			1													1
3. Scarlet fever	M. 156	14	19	24	21	14	92	49	13			1	1														
	F. 153	15	19	22	16	17	89	47	12	4	1																
4. Diphtheria	M. 407	25	43	51	48	41	268	128	51	8	6	2	1	2													1
	F. 389	27	32	40	44	43	186	139	56	2	2	2			1					1							
5. Hooping-cough	M. 9	7	2				9																				
	F. 11	4	1	2	2		9	2																			
6. Fever	M. 4	2	1		1		4																				
	F. 1																			1							
7. Cerebro-spinal fever	M. 9	7	1			1	9					1					1										
	F. 13	3	1		2	2	8	2	1																		
8. Enteric fever	M. 80	2	3		1	3	9	5	7	8	11	10	7	6	2	5	4	1	1	1	1	1					1
	F. 79	1	1	5	3	4	14	8	11	16	7	7	5	1	1	5		1	1		1		1				
9. Diarrhoea	M. 23	7	9	3			19	1									1	2									
	F. 26	14	5	2			21	1	1				1										2				
10. Dysentery	M. 14	8	2	1	1	1	13														2				1		
	F. 13	7	2	1			10											1			2						
11. Enteritis	M. 52	19	4	3	2	1	29	3	4	3	1		1	2	1		1	1		1	2	2	1				
	F. 37	13	4	1		2	20	2	2	1	1		2	1	2		1		1	2	1	1					
12. Cholera morbus	M. 8							1	1					1						2	1	1	1				
	F. 7	3					3	1	2																		
13. Cholera infantum	M. 95	62	28	4	1		95																				
	F. 73	51	20	1		1	73																				
14. Malarial fever	M. 32	3	2	3	2		10	4	1	1	2	1	4			2	1	2		2		2					
	F. 29		2	2	1		5	3	1	4	2	2	1	2	1	2		3	2	1							
15. Erysipelas	M. 12	5					5		2							1		3	1								
	F. 11	3			1		4			1		2	1						2						1		
16. Septicæmia	M. 1																										
	F. 2									1					1												
17. Puerperal septicæmia	F. 32									2	9	7	3	10	1												
18. Venereal diseases	M. 1	1					1																				
	F. 1																										
19. Others of this group	M. 2	1					1					1															
	F. 3	1					1			1										1							
General diseases—B.																											
Total	38	11	7	4	2		24	4			3		1	1				1	2	1	1						
Males	24	6	3	4	1		14	2			3		1					1	2		1						
Females	14	5	4		1		10	2						1						1							
1. Worms	M. 3		1	2			3																				
	F. 1							1																			
2. Other parasitic diseases	M. 1																										
	F. 5										2		1						1		1						
3. Alcoholism	M. 1																										
	F. 1																										
4. Lead poison	M. 1																										
	F. 1																										
5. Other poisons	M. 10		2	2	1		5	2			1							1	1								
	F. 8	1	4		1		6	1						1													
6. Inanition	M. 6	6					6																				
	F. 5	4					4													1							
General diseases—C.																											
Total	186	137					137	1			1		1	1	1				1	4	11	7	13	6	1	1	
Males	109	86					86	1			1									2	3	4	8	3	1		
Females	77	51					51						1	1	1				1	2	8	3	5	3		1	
1. Premature birth	M. 14	14					14																				
	F. 8	8					8																				
2. Stillborn	M. 66	66					66																				
	F. 40	40					40																				
3. Malformation	M. 1	1					1																				
	F. 1	1					1																				
4. Debility	M. 12	6					6	1			1									1	2						
	F. 10	2					2						1	1	1				1	3	1						
5. Old age	M. 17																			1	1	4	8	2	1		
	F. 18																			2	5	2	5	3		1	
6. Atrophy	M. 1																										
	F. 1																										

NEBRASKA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	429	36	16	6	2	2	62	13	10	24	45	42	41	31	18	23	23	22	28	20	10	8	3	2			
Males.....	197	22	10	3	1	2	38	7	4	10	14	19	15	11	7	15	10	9	13	11	5	3		2			
Females.....	232	14	6	3	1		24	6	6	14	31	23	26	20	11	8	13	13	15	9	5	5	3				
1. Rheumatism.....	M. 6		1				1						1					1		2	1						
F. 14					1		1	1		1	2		2				2		2	2			1				
2. Scrofula and tabes.....	M. 12	3	4			1	8		1	1	1							1									
F. 8	3	1					4			1			1		1								1				
3. Leprosy.....	M. 1																										
F. 1																											
4. Consumption.....	M. 127	9	4	1		1	15	3	3	6	13	17	12	8	6	12	7	6	7	5	2	2					
F. 133	6	3	1				10	1	4	8	28	22	15	16	5	2	6	7	5	2		2					
5. Hydrocephalus.....	M. 8	5	1	1			7																				
F. 8	3	2	1				6	1		1																	
6. Cancer.....	M. 10	1					1					2	1	1			1		3	1							
F. 22										2	1		1	2	2	4		3	3			2					
7. Tumor.....	M. 4				1		1			1				1													
F. 5													1	1					1	1							
8. Anæmia.....	M. 1	1					1																				
F. 1												1															
9. Dropsy.....	M. 24	3		1			4	3		2				1	1	1	1	2	3	3	1	1		1			
F. 39	2			1			3	2	2	1			6	1	2	1	3	3	6	4	3	1	1	1			
10. Glycosuria.....	M. 5							1						1		2											
F. 2								1							1												
11. Others of this group.....	M. 1																										
F. 1																											
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	250	99	35	10	9	4	157	11	5	6	4	5	1	6	9	3	5	7	11	8	3	7	1	1			
Males.....	135	53	23	4	2	3	85	5	2	4	1	2		4	8	2	3	4	7	3	1	3		1			
Females.....	115	46	12	6	7	1	72	6	3	2	3	3	1	2	1	1	2	3	4	5	2	4	1				
1. Inflammation of the brain.....	M. 29	13	8	1			22	2	1		1			1	2												
F. 25	12	4	2	3	1		22	3																			
2. Meningitis.....	M. 2		1				1			1																	
F. 4	2	1					3		1																		
3. Apoplexy.....	M. 8	1					1							1	1	1		1	2		1						
F. 6	1						1										1	1									
4. Paralysis.....	M. 19		1				1					1		1	1	1	2	3	3	2		3		1			
F. 23		1		1			2	2		1		2	1	1	1	1	1	1	2	2	2	3	1				
5. Tetanus and trismus nascentium.....	M. 1									1																	
F. 3																											
6. Epilepsy.....	M. 3				1		1					1					1			1							
F. 3																											
7. Convulsions.....	M. 40	29	6	2	1	1	39			1																	
F. 31	23	3	3	1			30				1																
8. Mental diseases.....	M. 2																										
F. 2																											
9. Diseases of the brain.....	M. 27	8	6	1	1	2	18	2	1						4				2	1							
F. 15	6	3	1	1			11		1	1	1								1								
10. Diseases of the spinal cord.....	M. 4	2	1				3	1																			
F. 3	2						2	1																			
11. Others of this group.....	M. 2									1																	
F. 3											1							1	1								
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	90	2	1	2	1		6	4	7	11	7	5	6	5	2	8	6	3	6	6	3	3	1	1			
Males.....	41	1			1		2	3	3	3	4	3	1	1	2	5	2	2	4	2	2	2					
Females.....	49	1	1	2			4	1	4	8	3	2	5	4		3	4	1	2	4	1	1	1	1			
1. Angina pectoris.....	M. 1										1																
F. 1																											
2. Aneurism.....	M. 1																										
F. 1																											
3. Diseases of the heart.....	M. 40	1			1		2	3	3	3	3	3	1	1	2	5	2	2	4	2	2	2					
F. 49	1	1	2				4	1	4	8	3	2	5	4		3	4	1	2	4	1	1	1	1			
4. Others of this group.....	M. 1																										
F. 1																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	532	124	68	50	33	27	302	48	11	12	25	9	12	13	13	11	9	11	12	22	9	6					
Males.....	289	67	37	29	16	15	164	20	6	6	17	5	6	8	7	7	6	6	6	9	8	4					
Females.....	243	57	31	21	17	12	138	28	5	6	8	4	6	5	6	4	3	5	6	13	1	2					
1. Croup.....	M. 94	20	17	19	14	8	78	14					1														
F. 84	16	14	16	14	8		68	14	2																		
2. Laryngitis.....	M. 3					2	2																				
F. 3					1		1																				
3. Bronchitis.....	M. 12	5	4	1			10	1												1							
F. 21	10	1			1	1	13	1			1		2		1					2							
4. Pneumonia.....	M. 140	31	16	5		3	55	1	5	6	14	4	3	5	7	7	6	4	5	7	4	4					
F. 100	19	14	4		3		40	10	1	5	5	2	3	5	4	4	3	4	3	7		2					
5. Pleurisy.....	M. 3										1			1				1									
F. 4											1		1							2							
6. Asthma.....	M. 3										1										2						
F. 1																											
7. Others of this group.....	M. 34	11		4	2	2	19	3	1		2		2	2				1	1	1	2						
F. 30	12	2	1	1			16	1	2	1	1	1	1		1			1	2	2	1						

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEBRASKA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	161	65	19	7	5	3	99	2	6	1	5	4	5	4	5	4	5	6	7	5	2						
Males.....	94	43	11	3	2	1	60	—	4	1	4	1	4	—	1	2	2	3	6	3	2						
Females.....	67	22	8	4	3	2	39	2	2	—	1	3	1	4	4	2	3	3	1	2							
1. Dentition.....	M. 11	7	4				11																				
	F. 6	2	4				6																				
2. Angina.....	M. 12	2	4		2		8		3				1														
	F. 7	2		2	2		6		1																		
3. Gastritis.....	M. 4	1				1	2				1		1														
	F. 2		1			1	2																				
4. Other diseases of the stomach.....	M. 10	6	1	1			8				1								1								
	F. 9	1			1		2	1	1					1	2		1	1									
5. Obstruction of the bowels.....	M. —						—																				
	F. 1						—				1																
6. Hernia.....	M. 4	1					1												1	2							
	F. 1						—								1												
7. Other diseases of the bowels.....	M. 8	5		1			6			1						1											
	F. 3	1	1	1			3																				
8. Jaundice.....	M. 3	2	1				3																				
	F. 2	1					1										1										
9. Inflammation and abscess of the liver.....	M. 7	1					1				1	1			1		1			1	1						
	F. 4						—					1		2					1								
10. Other diseases of the liver.....	M. 9	2					2		1				1				1		3		1						
	F. 3						—						1							2							
11. Peritonitis.....	M. 2	1					1																				
	F. 6		1				1					1		1	1			2									
12. Ascites.....	M. 1						—				1																
	F. 2						—					1															
13. Others of this group.....	M. 23	15	1	1			17						1			1		3	1								
	F. 21	15	1	1		1	18	1								1	1										
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	23	3	1	2			6		1	1			2	1	3		1	1	2		4		1				
Males.....	20	3	1	2			6			1			2		2		1	1	2		4		1				
Females.....	3						—		1					1	1												
1. Bright's disease.....	M. 6						—			1			1				1		1		1		1				
	F. 1						—								1												
2. Calculus, urinary.....	M. 1						—														1						
	F. 1						—		1																		
3. Diseases of the kidney.....	M. 12	3	1	1			5						1		2			1	1		2						
	F. —						—																				
4. Diseases of the bladder.....	M. 1			1			1																				
	F. —						—																				
5. Others of this group.....	M. —						—																				
	F. 1						—							1													
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	7						—			1		1		2	2			1									
1. Ovarian tumors.....	F. 2						—							1				1									
2. Ovarian diseases.....	F. —						—																				
3. Uterine tumors.....	F. —						—																				
4. Uterine diseases.....	F. 2						—								2												
5. Others of this group.....	F. 3						—			1		1		1													
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	42						—			3	9	9	6	8	6	1											
1. Abortion.....	F. 2						—						1														
2. Child-birth.....	F. 36						—			2	8	8	5	7	5	1											
3. Others of this group.....	F. 4						—			1	1		1	1													
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	19	5	1	2	1		9	2	1			2	1	1							2					1	
Males.....	10	1	1		1		3	2	1			1									2					1	
Females.....	9	4		2			6					1	1	1													
1. Diseases of the spine.....	M. 7	1	1				2	2	1												1					1	
	F. 7	4		1			5					1		1													
2. Diseases of the bones.....	M. —						—						1							1							
	F. 2			1			1						1														
3. Diseases of the hip-joint.....	M. —						—																				
	F. —						—																				
4. Others of this group.....	M. 1				1		1																				
	F. —						—																				

NEBRASKA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	4	1	1				2			1								1									
Males	2	1					1			1																	
Females	2		1				1											1									
1. Abscess	{ M. 2	1					1			1									1								
	{ F. 2		1				1											1									
2. Carbuncle	{ M. .																										
	{ F. .																										
3. Others of this group	{ M. .																										
	{ F. .																										
XL.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	1																1										
Males	1																1										
Females																											
1. Addison's disease	{ M. .																										
	{ F. .																										
2. Diseases of the spleen	{ M. 1																1										
	{ F. .																										
3. Others of this group	{ M. .																										
	{ F. .																										
XII.—ACCIDENTS AND INJURIES.																											
Total	161	24	9	10	6	1	50	18	8	11	16	15	3	9	4	5	5	3	9	2	1	1					1
Males	119	14	6	5	3		28	10	7	10	12	14	2	9	3	5	5	3	8	1	1	1					
Females	42	10	3	5	3	1	22	8	1	1	4	1	1		1				1	1						1	
1. Burns and scalds	{ M. 10	1	5	2			8	1	1																		
	{ F. 13	1	2	3	2		8	4			1																
2. Drowned	{ M. 15	1		3	1		5	3	2	2	1					1	1										
	{ F. 1			1			1																				
3. Exposure and neglect	{ M. .																										
	{ F. 3	3					3																				
4. Gunshot wounds	{ M. 18							1	2	5	3	2		3	1		1										
	{ F. 2									1	1																
5. Homicide	{ M. 1										1																
	{ F. 1														1												
6. Infanticide	{ M. .																										
	{ F. .																										
7. Injured by machinery	{ M. 1										1																
	{ F. .																										
8. Railroad accidents	{ M. .																										
	{ F. .																										
9. Suffocation	{ M. 3	2	1				3																				
	{ F. 5	4		1			5																				
10. Suicide by shooting	{ M. 3										1			1				1									
	{ F. .																										
11. Suicide by drowning	{ M. .																										
	{ F. 1											1															
12. Suicide by poison	{ M. .																										
	{ F. .																										
13. Other suicides	{ M. 3											1						1	1								
	{ F. 1										1																
14. Sunstroke	{ M. 2										1							1									
	{ F. .																										
15. Surgical operations	{ M. .																										
	{ F. .																										
16. Wounds	{ M. 4	1					1							1					2								
	{ F. 1																										
17. Other accidents and injuries	{ M. 59	9			2		11	5	2	3	5	10	2	4	2	4	3		5	1	1	1					
	{ F. 14	2	1		1	1	5	4	1		1		1					1									1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEBRASKA—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
GRAND TOTAL	1646	390	160	91	75	43	759	161	76	52	82	60	37	64	42	53	38	36	45	41	30	27	18	5	2	...	18	
Total: Males	804	226	68	49	35	19	397	89	46	22	33	32	17	33	25	28	16	18	26	27	12	15	9	4	...	12		
Females	782	164	92	42	40	24	362	72	30	30	46	28	20	31	17	25	22	18	19	14	18	12	9	1	2	...	6	
Unknown causes.																												
Total	84	40	8	1	4	...	53	2	1	5	8	...	3	3	...	...	...	3	2	...	...	1	...	...	...	...	3	
Males	37	20	3	...	2	...	25	1	...	...	4	...	...	1	...	...	...	...	3	2	...	...	...	...	...	...	1	
Females	47	20	5	1	2	...	28	1	1	5	4	...	3	2	...	...	...	...	...	...	...	1	...	...	...	...	2	
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total	619	120	80	46	49	31	326	121	43	22	19	18	6	10	5	8	5	6	7	8	3	2	4	...	...	...	6	
Males	307	65	33	25	23	13	159	66	22	10	8	9	1	5	1	2	2	4	4	6	2	...	2	...	...	...	4	
Females	312	55	47	21	26	18	167	55	21	12	11	9	5	5	4	6	3	2	3	2	1	2	2	...	...	...	2	
1. Small-pox	M. 12	2	5	...	...	...	7	2	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
2. Measles	M. 23	3	8	1	2	1	15	4	1	1	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...		
3. Scarlet fever	M. 32	4	3	6	4	1	18	11	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
4. Diphtheria	M. 110	2	6	14	17	9	48	45	12	1	1	...	...	...	...	1	...	...	...	...	...	1	1	...	...	1		
5. Hooping-cough	M. 109	6	9	11	15	9	50	34	14	4	...	...	...	3	1	...	...	...	...	...	...	1	1	...	...	1		
6. Fever	M. 10	5	1	2	1	...	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
7. Cerebro-spinal fever	M. 8	5	2	1	...	...	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
8. Enteric fever	M. 6	4	...	...	...	1	5	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
9. Diarrhoea	M. 1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
10. Dysentery	M. 28	1	...	...	...	1	2	2	3	5	3	6	1	2	...	...	...	1	1	1	...	...	...	...	...	1		
11. Enteritis	M. 20	2	...	...	...	...	2	3	1	4	2	1	...	...	2	2	1	...	1	...	...	...	...	...	...	1		
12. Cholera morbus	M. 13	7	3	...	...	...	10	...	...	1	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...		
13. Cholera infantum	M. 12	7	2	...	...	1	10	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...		
14. Mal rial fever	M. 10	5	3	1	...	...	9	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
15. Erysipelas	M. 10	4	1	2	1	...	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
16. Septicæmia	M. 14	8	1	1	...	...	10	1	...	...	1	1	2	...	...	...	...	1	...	...	...	...	...	...	...	1		
17. Puerperal septicæmia	M. 14	2	4	1	1	...	8	1	...	...	1	1	2	...	...	...	...	...	1	1	...	...	...	...	...	...		
18. Venereal diseases	M. 4	1	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...		
19. Others of this group	M. 4	...	...	...	...	...	...	1	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
General diseases—B.																												
Total	14	3	...	...	...	...	3	1	1	1	1	...	2	1	...	1	...	2	1	...	...	...	...	...	...	...	...	
Males	9	2	...	...	...	...	2	1	...	...	1	...	1	...	...	1	...	2	1	...	...	...	...	...	...	...	...	
Females	5	1	...	...	...	...	1	...	1	1	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	
1. Worms	M. 31	21	8	1	1	...	31	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
2. Other parasitic diseases	M. 31	18	12	1	...	...	31	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
3. Alcoholism	M. 22	2	1	...	...	...	3	2	2	1	2	2	...	3	1	1	1	2	...	1	1	...	...	...	...	...	...	
4. Lead poison	M. 16	2	3	...	...	1	6	1	1	1	3	1	...	1	...	1	...	1	2	1	1	...	...	...	...	...	...	
5. Other poisons	M. 9	2	2	...	...	...	4	...	...	...	...	...	...	...	...	...	...	1	2	1	1	...	...	...	...	...	...	
6. Inanition	M. 7	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	...	...	1	1	...	1	1	...	...	...	...	
General diseases—C.																												
Total	82	66	1	...	...	...	67	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	3	5	2	2	...	...
Males	48	41	1	...	...	...	42	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	3	1	...	...	
Females	34	25	...	...	...	...	25	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2	2	2	1	2	...	...
1. Premature birth	M. 9	9	...	...	...	...	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
2. Stillborn	M. 5	5	...	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
3. Malformation	M. 25	25	...	...	...	...	25	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
4. Debility	M. 15	15	...	...	...	...	15	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
5. Old age	M. 3	3	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
6. Atrophy	M. 5	4	1	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	
	M. 7	5	...	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	
	M. 6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	M. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	M. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	M. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	M. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	M. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	M. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	M. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	M. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	M. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	M. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	M. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	M. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	M. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	M. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	M. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	M. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	M. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	M. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	M. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	M. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	M. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	M. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	M. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	M. 7	...	...	...																								

NEBRASKA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total	202	12	9	1	3		25	4	5	8	27	17	12	18	20	12	9	11	5	10	9	5	3				2
Males	101	6	4	1			11	2	5	3	13	10	8	8	10	6	2	5	3	4	6	3	1				1
Females	101	6	5		3		14	2		5	14	7	4	10	10	6	7	6	2	6	3	2	2				1
1. Rheumatism	M. 3			1			1			1				1													
	F. 3											1					1		1								
2. Scrofula and tabes	M. 3	2					2						1														
	F. 3		1				1				1					1											
3. Leprosy	M. 1																										
	F. 1																										
4. Consumption	M. 68	2	2				4	1	2	2	13	10	6	4	9	6	1		3	2	2	2					1
	F. 62	3	1				4			5	12	6	4	10	5	4	3	2	1	3	1		2				
5. Hydrocephalus	M. 4	2	1				3		1																		
	F. 8	3	2		2		7																				1
6. Cancer	M. 6													2			1	2			1						
	F. 9														3	1	2	2		1							
7. Tumor	M. 2																	2									
	F. 1							1																			
8. Anæmia	M. 1								1																		
	F. 1										1																
9. Dropsy	M. 13		1				1	1	1					1	1			1		2	3	1	1				
	F. 13		1				1	1									1	2		2	2	2					
10. Glycosuria	M. 1												1														
	F. 1																										
11. Others of this group	M. 1				1		1																				
	F. 1																										
12. Others of this class	M. 1																										
	F. 1																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total	163	56	20	5	2	1	84	9	5	6	7	2	1	4	3	5	3	7	8	4	3	6	4	1			1
Males	90	35	7	5	1		48	6	2	3	2	1		4	3	3	1	2	4	3	1	3	2	1			1
Females	73	21	13		1	1	36	3	3	3	5	1	1			2	2	5	4	1	2	3	2				
1. Inflammation of the brain	M. 17	4	2	3	1		10	2		2				1	1				1								
	F. 21	9	6				15	3	1		1					1											
2. Meningitis	M. 5	3	1				4	1																			
	F. 2		1		1		2																				
3. Apoplexy	M. 7														1	2			2	1	1						
	F. 7									1	1						1	1	2		1						
4. Paralysis	M. 8	1					1											1	1			3	1	1			
	F. 14		1				1											4	2	1	1	3	2				
5. Tetanus and trismus nascentium.	M. 2							1						1													
	F. 1																										
6. Epilepsy	M. 7	2					2			1				2				1		1							
	F. 3	2					2		1																		
7. Convulsions	M. 18	14	1				15		1		1											1					
	F. 10	7	1				8				2																
8. Mental diseases	M. 1										1																
	F. 1																										
9. Diseases of the brain	M. 21	9	3	1			13	1	1		1	1			1		1			1							1
	F. 10	2	4				6			1		1	1			1	1										
10. Diseases of the spinal cord	M. 4	1		1			2	1								1											
	F. 5	1				1	2		1	1	1																
11. Others of this group	M. 1	1					1																				
	F. 1																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total	47	3	1				4	1	3		4	2	2	4	1	6	4	3	5	4	1	3					
Males	19	1	1				2	1	1		1		1	2	1	2	2		1	2		3					
Females	28	2					2		2		3	2	1	2		4	2	3	4	2	1						
1. Angina pectoris	M. 1																										
	F. 1	1					1																				
2. Aneurism	M. 1																										
	F. 18		1				1	1	1		1		1	2	1	2	2		1	2		3					
3. Diseases of the heart	M. 26								2		3	2	1	2		4	2	3	4	2	1						
	F. 1	1					1																				
4. Others of this group	M. 1	1					1																				
	F. 1	1					1																				
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total	265	63	33	30	14	9	149	15	4	3	6	8	4	10	7	12	7	6	8	11	5	7					3
Males	151	37	16	13	8	5	79	9	3		3	5	3	6	5	10	5	4	3	8	1	4					3
Females	114	26	17	17	6	4	70	6	1	3	3	3	1	4	2	2	2	2	5	3	4	3					
1. Croup	M. 25	3	4	8	4	3	22	3																			
	F. 35	9	4	10	4	4	31	4																			
2. Laryngitis	M. 1		1				1																				
	F. 1				1		1																				
3. Bronchitis	M. 10	4	2	1			7											1		1							1
	F. 3	1					1												1								
4. Pneumonia	M. 88	22	9	4	3	2	40	3	2		3	4	3	4	4	7	5	3	2	3	1	3					1
	F. 66	13	13	7	1		34	2	1	3	3	2	1	4	1	1	2	2	3	2	3	2					
5. Pleurisy	M. 1																		1								
	F. 2															1			1								
6. Asthma	M. 2															1											1
	F. 2	1					1															1					
7. Others of this group	M. 24	8			1		9	3	1			1		2	1	2				4		1					
	F. 5	2					2					1			1												

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEBRASKA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	60	13	3	5	2		23	3	3	1	3	2	1	4		2	6	1	3	1	5	1		1			
Males.....	32	8		4	1		13		3	1	1	1	1	3		1	1	1	2	1	1		1		1		
Females.....	28	5	3	1	1		10	3			2	1		1		1	5		1		4						
1. Dentition.....	M. 1	1					1																				
	F. 2		2				2																				
2. Angina.....	M. 6	1		2	1		4		1					1													
	F. 3		1		1		2	1											1		1						
3. Gastritis.....	M. 3										1								1								
	F. 3																										
4. Other diseases of the stomach.....	M. 5	1					1					1	1							1				1			
	F. 5							1			1			1					1		1						
5. Obstruction of the bowels.....	M. 2								1	1																	
	F. 2	1					1														1						
6. Hernia.....	M. 1	1					1																				
	F. 1																				1						
7. Other diseases of the bowels.....	M. 3	2					2		1																		
	F. 3	1		1			2										1										
8. Jaundice.....	M. 1			1			1																				
	F. 1															1											
9. Inflammation and abscess of the liver.....	M. 4													1		1	1		1								
	F. 1																										
10. Other diseases of the liver.....	M. 3	1		1			2											1									
	F. 3	1					1											2									
11. Peritonitis.....	M. 1													1													
	F. 2							1									1										
12. Ascites.....	M. 1																				1						
	F. 1																										
13. Others of this group.....	M. 2	1					1															1					
	F. 4	2					2				1	1															
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	11	2				1	3		1		2						1		1		1		1	1			
Males.....	8	2				1	3		1										1		1		1	1			
Females.....	3										2						1										
1. Bright's disease.....	M. 2										1						1										
	F. 2																										
2. Calculus, urinary.....	M. 1																										
	F. 1																										
3. Diseases of the kidney.....	M. 3	2				1	3																				
	F. 1										1																
4. Diseases of the bladder.....	M. 5								1										1		1		1	1			
	F. 1																										
5. Others of this group.....	M. 1																										
	F. 1																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	5										1		1		3												
1. Ovarian tumors.....	F. 1																										
2. Ovarian diseases.....	F. 1																										
3. Uterine tumors.....	F. 1																										
4. Uterine diseases.....	F. 1																										
5. Others of this group.....	F. 5										1		1		3												
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	15								1	2	4	4	4														
1. Abortion.....	F. 2											2															
2. Child-birth.....	F. 11									1	2	4	4														
3. Others of this group.....	F. 2								1	1																	
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	2																				1						1
Males.....																											
Females.....	2																				1						1
1. Diseases of the spine.....	M. 1																										
	F. 1																										
2. Diseases of the bones.....	M. 1																										
	F. 1																										
3. Diseases of the hip-joint.....	M. 1																										
	F. 1																										
4. Others of this group.....	M. 1																										
	F. 1																										

NEBRASKA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	1	1				1																					
Males.....	1	1				1																					
Females.....																											
1. Abscess.....	M.																										
	F.																										
2. Carbuncle.....	M.																										
	F.																										
3. Others of this group.....	M.	1	1			1																					
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1													1													
Males.....																											
Females.....	1													1													
1. Addison's disease.....	M.																										
	F.																										
2. Diseases of the spleen.....	M.																										
	F.	1												1													
3. Others of this group.....	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	75	11	5	3	1	1	21	5	10	5	3	6	2	5	5	4	3	4								2	
Males.....	61	8	3	1			12	3	9	5	3	6	2	4	5	3	3	4								2	
Females.....	14	3	2	2	1	1	9	2	1					1		1			4								
1. Burns and scalds.....	M.	5	1	2	1		4								1												
	F.	3			1		1	2																			
2. Drowned.....	M.	8						2	4		1		1														
	F.	2		1		1	2																				
3. Exposure and neglect.....	M.	5	3				3		1	1																	
	F.	1	1				1																				
4. Gunshot wounds.....	M.	6							1	1	3			1													
	F.																										
5. Homicide.....	M.	2											1			1											
	F.																										
6. Infanticide.....	M.																										
	F.																										
7. Injuries by machinery.....	M.																										
	F.																										
8. Railroad accidents.....	M.	3							1	1						1											
	F.																										
9. Suffocation.....	M.	3	3				3																				
	F.																										
10. Suicide by shooting.....	M.	1										1															
	F.																										
11. Suicide by drowning.....	M.																										
	F.																										
12. Suicide by poison.....	M.	1							1																		
	F.																										
13. Other suicides.....	M.	3									1		1	1													
	F.																										
14. Sunstroke.....	M.																										
	F.																										
15. Surgical operations.....	M.																										
	F.																										
16. Wounds.....	M.	1		1			1																				
	F.	1				1	1																				
17. Other accidents and injuries.....	M.	23	1				1	1	2	1		4	1	1	2	2	2		4							2	
	F.	7	2	1	1		4		1					1		1											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEBRASKA—GROUP 3.

[illegible]

NEBRASKA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total	27	1	1				2	3	1	4	1	4	3	3			2	2				2					
Males	12	1					1	2		2		1	2	1				1				2					
Females	15		1				1	1	1	2	1	3	1	2			2	1									
1. Rheumatism	M.																										
	F.																										
2. Scrofula and tabes	M.	2						2																			
	F.																										
3. Leprosy	M.																										
	F.																										
4. Consumption	M.	8								2		1	2	1				1				1					
	F.	13							1	2	1	3	1	2			2	1									
5. Hydrocephalus	M.	1	1				1																				
	F.																										
6. Cancer	M.																										
	F.																										
7. Tumor	M.																										
	F.																										
8. Anæmia	M.																										
	F.																										
9. Dropsy	M.																										
	F.	1		1			1																				
10. Glycosuria	M.	1																				1					
	F.	1						1																			
11. Others of this group	M.																										
	F.																										
12. Others of this class	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total	15	7		2			9				2	1	2										1				
Males	8	3		1			4				2		1										1				
Females	7	4		1			5					1	1														
1. Inflammation of the brain	M.	3	1		1		2						1														
	F.	4	3		1		4																				
2. Meningitis	M.																										
	F.																										
3. Apoplexy	M.	1																					1				
	F.	1											1														
4. Paralysis	M.																										
	F.																										
5. Tetanus and trismus nascentium	M.	1									1																
	F.																										
6. Epilepsy	M.	1	1				1																				
	F.																										
7. Convulsions	M.	1	1				1																				
	F.																										
8. Mental diseases	M.																										
	F.	1										1															
9. Diseases of the brain	M.	1									1																
	F.	1	1				1																				
10. Diseases of the spinal cord	M.																										
	F.																										
11. Others of this group	M.																										
	F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total	3											1	1	1													
Males	2											1	1														
Females	1													1													
1. Angina pectoris	M.																										
	F.																										
2. Aneurism	M.																										
	F.																										
3. Diseases of the heart	M.	2										1	1														
	F.	1												1													
4. Others of this group	M.																										
	F.																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total	35	8	1	3	4	1	17	1	2		1	1	2	1	2	1		3	2	2							
Males	24	5	1	2	2	1	11		1		1	1	1	1	1	1		3	1	2							
Females	11	3		1	2		6	1	1				1		1				1								
1. Croup	M.	4		1	1	1	4																				
	F.	3			1	1	2	1																			
2. Laryngitis	M.																										
	F.																										
3. Bronchitis	M.																										
	F.																										
4. Pneumonia	M.	16	5		1	1	7		1		1	1				1		2	1	2							
	F.	7	2			1	3		1				1		1				1								
5. Pleurisy	M.	1												1													
	F.																										
6. Asthma	M.																										
	F.																										
7. Others of this group	M.	3											1		1			1									
	F.	1	1				1																				

NEBRASKA—GROUP 3—Continued.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEBRASKA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....																											
Males.....																											
Females.....																											
1. Abscess.....	M.																										
	F.																										
2. Carbuncle.....	M.																										
	F.																										
3. Others of this group.....	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....																											
Males.....																											
Females.....																											
1. Addison's disease.....	M.																										
	F.																										
2. Diseases of the spleen.....	M.																										
	F.																										
3. Others of this group.....	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	30	1	2			1	4		1	1	8	10	1	2	2	1											
Males.....	26	1				1	2		1	1	8	9	1	2	1	1											
Females.....	4		2				2					1			1												
1. Burns and scalds.....	M.	2	1				1								1												
	F.	2		2			2																				
2. Drowned.....	M.	2				1	1							1													
	F.																										
3. Exposure and neglect.....	M.																										
	F.																										
4. Gunshot wounds.....	M.	8								1	3	4															
	F.																										
5. Homicide.....	M.	10									4	4	1			1											
	F.																										
6. Infanticide.....	M.																										
	F.																										
7. Injuries by machinery.....	M.																										
	F.																										
8. Railroad accidents.....	M.	2									1			1													
	F.																										
9. Suffocation.....	M.																										
	F.																										
10. Suicide by shooting.....	M.																										
	F.																										
11. Suicide by drowning.....	M.																										
	F.																										
12. Suicide by poison.....	M.																										
	F.																										
13. Other suicides.....	M.																										
	F.																										
14. Sunstroke.....	M.																										
	F.																										
15. Surgical operations.....	M.																										
	F.																										
16. Wounds.....	M.																										
	F.																										
17. Other accidents and injuries.....	M.	2								1			1														
	F.	2										1			1												

NEVADA—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	78	3	2	1			6	3	3	5	3	7	5	8	10	9	8	5	3	2			1				
Males.....	62	3	1	1			5		1	3	2	5	4	7	8	8	8	5	3	2			1				
Females.....	16		1				1	3	2	2	1	2	1	1	2	1											
1. Rheumatism.....	M. 3 F. 1												1		2								1				
2. Scrofula and tabes.....	M. 1 F. 1														1												
3. Leprosy.....	M. 1 F. 1																										
4. Consumption.....	M. 47 F. 12	3	1				4		1	3	2	4	3	5	6	5	8	3	2	1							
5. Hydrocephalus.....	M. 1 F. 1			1			1																				
6. Cancer.....	M. 3 F. 1		1				1									1		1		1							
7. Tumor.....	M. 1 F. 1																										
8. Anæmia.....	M. 1 F. 1																										
9. Dropsy.....	M. 7 F. 1								1			1	1		1	2		1	1								
10. Glycosuria.....	M. 1 F. 1																										
11. Others of this group.....	M. 1 F. 1																										
12. Others of this class.....	M. 1 F. 1																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	55	9	6	1		3	19	3	1		1	1	6	7	4	3	2	4	1			1					2
Males.....	41	5	4	1		2	12	2	1		1	1	4	5	4	2	2	4	1			1					1
Females.....	14	4	2			1	7	1					2	2		1											1
1. Inflammation of the brain.....	M. 6 F. 2	1	1				2	1	1		1		1														
2. Meningitis.....	M. 2 F. 2	1		1			2							1													
3. Apoplexy.....	M. 4 F. 1												1		1		1	1									1
4. Paralysis.....	M. 6 F. 4					1	1						1		1	1		1	1			1					
5. Tetanus and trismus nascentium.....	M. 2 F. 1													1	1												
6. Epilepsy.....	M. 1 F. 1															1											
7. Convulsions.....	M. 4 F. 3	3	1				4																				
8. Mental diseases.....	M. 5 F. 1												1	1	2			1									
9. Diseases of the brain.....	M. 8 F. 4	1	1			1	2	1				1		3				1									1
10. Diseases of the spinal cord.....	M. 2 F. 1		1			1	2																				
11. Others of this group.....	M. 1 F. 1																1										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	33	1					1	1	1	1		2	3	5	4	6	2	2	1	3	1						
Males.....	27	1					1		1	1			2	4	4	6	2	2	1	3							
Females.....	6							1				2	1	1						1							
1. Angina pectoris.....	M. 1 F. 1															1											
2. Aneurism.....	M. 2 F. 1												1							1							
3. Diseases of the heart.....	M. 24 F. 6	1					1		1	1			1	4	4	5	2	2	1	2							
4. Others of this group.....	M. 1 F. 1																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	174	29	5	3	2	1	40	3	2	2	9	11	10	17	18	30	17	4	4	5	1						1
Males.....	138	15	2	2	1		20	1	2		8	11	9	14	15	27	17	4	4	4	1						1
Females.....	36	14	3	1	1	1	20	2		2	1		1	3	3	3				1							
1. Croup.....	M. 4 F. 3	4	1				4																				
2. Laryngitis.....	M. 1 F. 1																										
3. Bronchitis.....	M. 9 F. 1	3	1	2			6									1	2										
4. Pneumonia.....	M. 116 F. 31	7	1		1		9	1	2		8	11	9	13	14	23	15	4	3	2	1						1
5. Pleurisy.....	M. 2 F. 1													1						1							
6. Asthma.....	M. 1 F. 1															1											
7. Others of this group.....	M. 6 F. 2	1					1								1	2			1	1							

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEVADA—Continued.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEVADA—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	2															1	1										
Males	2															1	1										
Females																											
1. Abscess	1																1										
2. Carbuncle																											
3. Others of this group	1															1											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease																											
2. Diseases of the spleen																											
3. Others of this group																											
XII.—ACCIDENTS AND INJURIES.																											
Total	111	4	1	2		2	9	1	5	2	8	16	18	14	21	7	6			1							3
Males	103	2	1	1		1	5	1	5	2	8	14	17	14	21	7	5			1							3
Females	8	2		1		1	4					2	1				1										
1. Burns and scalds	6						1				1	1	1	2	1												
2. Drowned	6	1				1	3			1	1		1			1											
3. Exposure and neglect	2	1					1								1												
4. Gunshot wounds	29	1					1																				1
5. Homicide	4									1				1		1											1
6. Infanticide																											
7. Injuries by machinery																											
8. Railroad accidents	4								2				1		1												
9. Suffocation	3										1		1			1											
10. Suicide by shooting	4											1		1		1	1										
11. Suicide by drowning																											
12. Suicide by poison	1													1													
13. Other suicides	5								1			1	2				1										
14. Sunstroke																											
15. Surgical operations																											
16. Wounds	2										1					1											
17. Other accidents and injuries	37	1				1	1	1	2	1	2	5	9	4	6	2	3										1
	2			1		1	2																				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEW HAMPSHIRE—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	3709	470	134	89	70	67	830	170	93	141	169	134	154	143	117	117	117	159	171	229	247	263	230	128	73	18	6
Total: Males.....	1825	267	79	50	45	33	474	78	40	50	71	68	67	60	41	53	57	80	91	132	126	141	101	55	31	7	2
Females.....	1884	203	55	39	25	34	356	92	53	91	98	66	87	83	76	64	60	79	80	97	121	122	129	73	42	11	4
Unknown causes.																											
Total.....	86	26	5			2	33	2	2	1	2	3	2	2	1	6	3	3	3	2	12	4	2	1	1	1	
Males.....	34	10	1				11	1	1		1	1		1				2	2	2	7	3		1	1		
Females.....	52	16	4			2	22	1	1	1	1	2	2	1	1	6	3	1	1		5	1	2			1	
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	760	183	61	47	40	47	378	115	48	34	30	14	16	12	10	8	7	6	8	15	14	15	13	7	8		2
Males.....	397	101	38	26	27	21	213	50	21	16	14	13	5	3	5	7	3	3	6	9	8	7	6	3	4		1
Females.....	363	82	23	21	13	26	165	65	27	18	16	1	11	9	5	1	4	3	2	6	6	8	7	4	4		1
1. Small-pox.....	M. 1		1				1																				
	F. 1									1																	
2. Measles.....	M. 17	3	7	3	1		14	1									1			1							
	F. 12	4	1				5		2	1			4														
3. Scarlet fever.....	M. 55	4	4		6	12	26	17	4	1	4	2															1
	F. 58	5	4	5	5	7	26	21	5	4	1									1							
4. Diphtheria.....	M. 114	9	3	20	14	9	55	25	14	8	4	5	1		1	1											
	F. 106	6	7	9	7	15	44	38	12	5			3		1						3						
5. Hooping-cough.....	M. 7	4	1		1		6	1																			
	F. 6	4	1				5	1																			
6. Fever.....	M. 5	4					4														1						
	F. 2																										
7. Cerebro-spinal fever.....	M. 2						1	1		1																	
	F. 2			1					1																		
8. Enteric fever.....	M. 37							2	1	5	5	5	4	1	1	5		1	4	1	2						
	F. 36			1	1		2	2	4	5	7	1		4		1	4			1	1	2	1		2		1
9. Diarrhoea.....	M. 13	5					5			1				1							1	1		1			
	F. 13	5	2				7								2				1	1			1		1		
10. Dysentery.....	M. 11	2	3	1	1		7				1									1	1		1		1		
	F. 16	2				1	3		2	2	1			1								1	4	1	1		
11. Enteritis.....	M. 11	1	2				3								2	1				2			1				
	F. 11	1	1			2	4		1					2	1			1				1		1			
12. Cholera morbus.....	M. 6	1			1		2	1							1							2					
	F. 6			1			1	1			1											1	1	1			
13. Cholera infantum.....	M. 74	54	16	2	2		74																				
	F. 62	50	7	4		1	62																				
14. Malarial fever.....	M. 7							2									1	1	1	1		1					
	F. 7																										
15. Erysipelas.....	M. 7	5					5																2				
	F. 10	4					4			1				1				1			1				1		
16. Septicæmia.....	M. 5	2			1		3			1											1						
	F. 7							1			1		1	1						2	1						
17. Puerperal septicæmia.....	M. 6										2		3		1												
	F. 3	2					2														1						
18. Venereal diseases.....	M. 3										2										1						
	F. 3																	1			1		2	3	2	2	
19. Others of this group.....	M. 22	5	1				6		1					1					1	1	3	2	3	2	2	2	
	F. 8	1					1	1										1	1			2		1	1		
General diseases—B.																											
Total.....	28	14					14			1			2	1	1	3	1		1	2	1	1					
Males.....	16	8					8						2	1		2				2		1					
Females.....	12	6					6			1					1	1	1		1		1						
1. Worms.....	M. 6																										
	F. 6																										
2. Other parasitic diseases.....	M. 6																										
	F. 6																										
3. Alcoholism.....	M. 6																										
	F. 6																										
4. Lead poison.....	M. 6																										
	F. 6																										
5. Other poisons.....	M. 1																										
	F. 2																										
6. Inanition.....	M. 9	8					8																				
	F. 10	6					6																				
General diseases—C.																											
Total.....	306	100	1		1		102		3	1						1	1	1	3	5	14	28	50	52	34	11	
Males.....	128	53			1		54		1										1	2	6	16	17	17	10	4	
Females.....	178	47	1				48		2	1						1	1	1	2	3	8	12	33	35	24	7	
1. Premature birth.....	M. 14	14					14																				
	F. 7	7					7																				
2. Stillborn.....	M. 29	29					29																				
	F. 20	20					20																				
3. Malformation.....	M. 4	4					4																				
	F. 6	6					6																				
4. Debility.....	M. 21	6			1		7		1										1	1	3	6	2	2	10	4	
	F. 35	14	1				15		2	1						1	1		2	3	2	4	15	17	10	4	
5. Old age.....	M. 60																										
	F. 110																	1			6	8	31	33	24	7	
6. Atrophy.....	M. 60																										
	F. 110																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW HAMPSHIRE—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	914	29	13	12	5	3	62	8	20	71	89	72	71	66	47	40	38	69	53	67	51	51	25	7	4		3
Males.....	360	18	10	7	1	2	38	2	11	14	32	29	30	26	13	10	13	28	25	30	24	20	8	4	3		3
Females.....	554	11	3	5	4	1	24	6	9	57	57	43	41	40	34	30	25	41	28	37	27	31	17	3	1		3
1. Rheumatism.....	M. 3					1	1								1								1				
	F. 7	1					1	1						1				1				1	1				
2. Scrofula and tabes.....	M. 5							1	1	1	1			1													
	F. 11	3		1	1		5				2					1		2		1							
3. Leprosy.....	M. 1																										
	F. 1																										
4. Consumption.....	M. 239	9	3	4			16		7	11	28	29	28	23	9	7	6	18	16	15	11	6	4	2	3		1
	F. 381	5	1	2	3	1	12	2	9	55	55	40	36	33	23	19	14	18	14	21	10	10	7	2			
5. Hydrocephalus.....	M. 18	7	6	3	1	1	18																				
	F. 6	1		1			2	3																			1
6. Cancer.....	M. 27														1	2	2	4	4	6	3	3	1	1			
	F. 83									1	1		3	1	5	7	9	11	6	11	12	11	3	1		1	
7. Tumor.....	M. 6									1	1					1		1		1	1						
	F. 9														1		1	3	1		2	1					
8. Anæmia.....	M. 8									1										1	3	1					
	F. 4														1				1		1	1					
9. Dropsy.....	M. 41	2	1				3		1		1			2	2	2	2	4	5	5	4	9	2	1			
	F. 42		2	1			3						2	2	4	2	1	3	5	4	2	7	6		1		
10. Glycosuria.....	M. 13							1	2		1		2	2	4		1	1		2	2	1					
	F. 9									1	1		3			1		1	2								
11. Others of this group.....	M. 2	1					1																				
	F. 2																										
12. Others of this class.....	M. 1																										
	F. 1																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	509	40	29	9	6	2	86	11	3	10	9	9	18	19	17	11	23	28	26	57	41	51	55	24	7	4	
Males.....	282	26	21	4	5	2	58	5		5	4	5	10	11	4	7	15	16	16	36	15	29	30	13	2	1	
Females.....	227	14	8	5	1		28	6	3	5	5	4	8	8	13	4	8	12	10	21	26	22	25	11	5	3	
1. Inflammation of the brain.....	M. 13	2	2		1		5				1	1	1				1			1	1	2					
	F. 13	1	1	1			3	1	1	1			1		2	1			1		1		1				
2. Meningitis.....	M. 20	4	5	3	2	1	15	1		1		1			1		1										
	F. 12	2	2		1		5	4		1			1														
3. Apoplexy.....	M. 64									1		1			2	4	5	6	8	13	3	10	8	3			
	F. 51									2	1	2		4	1	1	7	4	10	4	8	6	1				
4. Paralysis.....	M. 86	1	1				2	1				3	5		2	4	4	5	18	7	10	15	8	1	1		
	F. 76								1	2		2	1	2		4	2	3	5	16	8	13	9	5	3		
5. Tetanus and trismus nascentium.....	M. 6									2			2						1								
	F. 11	1					1	1			1		2	3			1	1		1							
6. Epilepsy.....	M. 8								1		1	2					1	1		1		1					
	F. 29	14	9			1	24				2	1	1														
7. Convulsions.....	M. 26	10	5	2			17			1	1	2	4	1										1			
	F. 4												1					1				1					
8. Mental diseases.....	M. 4												1					1			1		1				
	F. 4																	1				1					
9. Diseases of the brain.....	M. 44	4	4	1	2		11	2		1	2			2	1	1	3	3	2	3	2	6	4	1			
	F. 31			2			2	1		1				3	3	1	1	1	2	3	5	3	5				
10. Diseases of the spinal cord.....	M. 1																										
	F. 1																										
11. Others of this group.....	M. 5																	1			1		2		1		
	F. 6	1					1				1				1	1				1	1						
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	243	6					6	3	6	2	5	5	4	11	10	17	11	15	21	23	37	35	23	7	2		
Males.....	132	6					6	2	2	2	2	3	2	4	2	10	8	7	13	17	17	19	10	5	1		
Females.....	111							1	4		3	2	2	7	8	7	3	8	8	6	20	16	13	2	1		
1. Angina pectoris.....	M. 5										1	1								2				1			
	F. 4													1		3											
2. Aneurism.....	M. 1																		1								
	F. 115	2				</																					

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEW HAMPSHIRE—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	150	12	6	2	2	3	25	5	1	3	5	2	8	7	8	10	5	10	12	10	10	16	6	6	1		
Males.....	73	7	2		1	2	12	2		2	3	1	4	2	3	5	3	4	7	5	7	8	3	2			
Females.....	77	5	4	2	1	1	13	3	1	1	2	1	4	5	5	5	2	6	5	5	3	8	3	4	1		
1. Dentition.....	M. 5 F. 6	3 2	1 4		1		5 6																				
2. Angina.....	M. 4 F. 4					1	1																				
3. Gastritis.....	M. 4 F. 9					1	1										1		2								
4. Other diseases of the stomach.....	M. 9 F. 12	1			1	1	1 2	1					1	1	1	1		1		1	1		1	1	1		
5. Obstruction of the bowels.....	M. 1 F. 4															1											
6. Hernia.....	M. 4 F. 5	1				1	2									1								1			
7. Other diseases of the bowels.....	M. 19 F. 11	1	1				2 3	1		1	3		1	2	1	2	1	1	1	1	3	2					
8. Jaundice.....	M. 2 F. 2													1									1				
9. Inflammation and abscess of the liver.....	M. 2 F. 14																					2					
10. Other diseases of the liver.....	M. 14 F. 14	1					1					1	1	1	1	1	1	1	3	3	3	1	1	1			
11. Peritonitis.....	M. 7 F. 13					1	1	1	1				1	2	1			2	1		1	2	1	1	1		
12. Ascites.....	M. 2 F. 4														1								1				
13. Others of this group.....	M. 7 F. 3															1	1	1	2	1	1						
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	90	1			1	1	3	1		1	1	3	3	4		5	4	7	9	7	7	16	10	7	1		1
Males.....	68	1					1	1		1		2	2	2		4	2	5	4	7	7	14	9	5	1		1
Females.....	22				1	1	2				1	1	1	2		1	2	2	5			2	1	2			
1. Bright's disease.....	M. 29 F. 16				1	1	2	1				1	2	2		4	1	3	4	2	3	1	3	2			
2. Calculus, urinary.....	M. 20 F. 5																										
3. Diseases of the kidney.....	M. 20 F. 5	1					1			1		1						1		2		9	3	1	1		
4. Diseases of the bladder.....	M. 15 F. 1																1		3	2	4	3	1			1	
5. Others of this group.....	M. 4 F. 4																	1		2			1				
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	12										1			1	2	2		1	1	3		1					
1. Ovarian tumors.....	F. 11													1	2	2		1	1	3		1					
2. Ovarian diseases.....	F. 1																										
3. Uterine tumors.....	F. 1																										
4. Uterine diseases.....	F. 1																										
5. Others of this group.....	F. 1										1																
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	19									1	4	5	7	2													
1. Abortion.....	F. 2													2													
2. Child-birth.....	F. 14									1	3	5	3	2													
3. Others of this group.....	F. 3										1		2														
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	18	1					1			3	1		1	1			4	1	1	2	2			1			
Males.....	12	1					1			2	1		1	1			1	1		2	1			1			
Females.....	6									1							3		1		1						
1. Diseases of the spine.....	M. 11 F. 5	1					1			1	1		1	1			1	1		2	1			1			
2. Diseases of the bones.....	M. 1 F. 1									1																	
3. Diseases of the hip-joint.....	M. 1 F. 1									1																	
4. Others of this group.....	M. 1 F. 1																										

NEW HAMPSHIRE—GROUP 1—Continued.

Cause of death.	Total	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	13		1				1				1	1	1	1			1		2	1	1	2		1			
Males.....	7		1				1					1		1			1				1	2					
Females.....	6										1		1					2	1					1			
1. Abscess.....	M. 7 F. 4		1				1					1		1			1		1		1	2			1		
2. Carbuncle.....	M. 1 F. 1																		1								
3. Others of this group.....	M. 1 F. 1																			1							
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....																											
Males.....																											
Females.....																											
1. Addison's disease.....	M. 1 F. 1																										
2. Diseases of the spleen.....	M. 1 F. 1																										
3. Others of this group.....	M. 1 F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	144	8	1	1	5	5	20	9	7	6	13	7	13	5	9	2	9	6	7	4	11	4	4	4	3	1	
Males.....	100	5	1	1	3	3	13	7	4	4	10	7	8	3	6	2	7	6	5	4	8	1	1	1	2	1	
Females.....	44	3			2	2	7	2	3	2	3		5	2	3		2		2		3	3	3	3	1		
1. Burns and scalds.....	M. 3 F. 11				1	1	3		1	1				1					1			1					
2. Drowned.....	M. 22 F. 3		1	1	1	3	6	4	1	1	5			1	3		1		1					1			
3. Exposure and neglect.....	M. 1 F. 1	1					1																				
4. Gunshot wounds.....	M. 4 F. 1									2	1				1												
5. Homicide.....	M. 2 F. 1											2															
6. Infanticide.....	M. 1 F. 1												1														
7. Injuries by machinery.....	M. 1 F. 1																										
8. Railroad accidents.....	M. 1 F. 1																										
9. Suffocation.....	M. 3 F. 3	3	2				3							1													
10. Suicide by shooting.....	M. 2 F. 1											1			1												
11. Suicide by drowning.....	M. 1 F. 1																										
12. Suicide by poison.....	M. 1 F. 1																										
13. Other suicides.....	M. 10 F. 8										1	2	1	1	1		2	2	1								
14. Sunstroke.....	M. 1 F. 1									1				1	1				1		2						
15. Surgical operations.....	M. 1 F. 1									1																	
16. Wounds.....	M. 2 F. 1																1			1							
17. Other accidents and injuries.....	M. 49 F. 18	1			1		2	3	2		3	2	6	2	2	2	3	4	4	3	8		1	1	2	1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEW HAMPSHIRE—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
GRAND TOTAL.....	1875	200	46	42	29	19	336	91	63	72	80	61	62	68	42	61	50	88	99	134	147	157	135	79	34	12	4	
Total: Males.....	944	110	28	18	11	9	176	45	34	34	40	25	18	35	20	27	27	44	52	74	70	85	75	42	9	9	3	
Females	931	90	18	24	18	10	160	46	29	38	40	36	44	33	22	34	23	44	47	60	77	72	60	37	25	3	1	
Unknown causes.																												
Total.....	47	18	1		1	1	21	1	1		1	1		3	1			2	3	3	4	4	2					
Males.....	30	12	1			1	14	1			1	1		1				2	2	2	2	2	2					
Females	17	6			1		7		1					2	1				1	1	2	2						
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total.....	349	51	23	24	16	13	127	63	34	18	13	11	10	9	7	7	4	5	4	8	2	7	7	5	5	2	1	
Males.....	168	28	15	8	5	5	61	28	17	6	8	2	3	3	3	2	3	4	2	7	1	6	6	3	1	1	1	
Females	181	23	8	16	11	8	66	35	17	12	5	9	7	6	4	5	1	1	2	1	1	1	1	2	4	1		
1. Small-pox.....	{ M. F.	1	1				1																					
2. Measles.....	{ M. F.	3 5	2 2				2 3	 1				 2				 1												
3. Scarlet fever.....	{ M. F.	8 17	2 1	 1	1 5	3 3	3 12	 2	 3	 1					 1													
4. Diphtheria.....	{ M. F.	54 70	2 2	5 2	4 7	3 5	19 19	22 26	6 14	1 3			 1	 2	1 1	 1											 1	
5. Hooping-cough.....	{ M. F.	2	2				2																					
6. Fever.....	{ M. F.	 2				 1	 1			 1																		
7. Cerebro-spinal fever.....	{ M. F.	5 	1 	 	 	 	1 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	
8. Enteric fever.....	{ M. F.	21 23	 	1 2	 	 	1 3	 3	2 2	4 3	4 1	 5	 	 2	 1	 2	 1	 	 	 	 	 	 	 	 	 	 	
9. Diarrhœa.....	{ M. F.	5 7	 3	 	1 1	 	1 4	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	
10. Dysentery.....	{ M. F.	13 8	2 	4 1	 	1 1	7 3	 1	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	
11. Enteritis.....	{ M. F.	18 6	3 1	 	 	 	3 1	 1	3 	1 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	
12. Cholera morbus.....	{ M. F.	1 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	
13. Cholera infantum.....	{ M. F.	15 14	8 10	5 2	1 2	1 	15 14	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	
14. Malarial fever.....	{ M. F.	7 3	1 	 	 	 	1 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	
15. Erysipelas.....	{ M. F.	5 8	3 3	 	 	 	3 3	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	
16. Septicæmia.....	{ M. F.	1 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	
17. Puerperal septicæmia.....	{ M. F.	6 1	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	
18. Venereal diseases.....	{ M. F.	1 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	
19. Others of this group.....	{ M. F.	8 5	1 1	 	1 	 	2 1	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	
General diseases—B.																												
Total.....	8	3					3	1				1		1					2									
Males.....	5	2					2	1						1					1									
Females	3	1					1												1									
1. Worms.....	{ M. F.	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	
2. Other parasitic diseases.....	{ M. F.	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	
3. Alcoholism.....	{ M. F.	1 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	
4. Lead poison.....	{ M. F.	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	
5. Other poisons.....	{ M. F.	2 1	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	
6. Inanition.....	{ M. F.	2 2	2 1	 	 	 	2 1	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	
General diseases—C.																												
Total.....	187	51					51		1							4	1	1		2	10	17	31	36	22	10	1	
Males.....	88	21					21									3				2	4	8	17	19	5	8	1	
Females	99	30					30		1							1	1	1			6	9	14	17	17	8		
1. Premature birth.....	{ M. F.	3 3	3 3	 	 	 	3 3	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	
2. Stillborn.....	{ M. F.	14 18	14 18	 	 	 	14 18	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	
3. Malformation.....	{ M. F.	2 2	2 2	 	 	 	2 2	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	
4. Debility.....	{ M. F.	9 14	2 7	 	 	 	2 7	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	
5. Old age.....	{ M. F.	60 62	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	
6. Atrophy.....	{ M. F.	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEW HAMPSHIRE—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	91	4					4	2	1	3	9	5	2	4	5	9	2	12	3	9	7	5	7	2			
Males.....	45	1					1	2	1	3	4	2		1	6	2	7	1	5	2	2	6	2				
Females.....	46	3					3				5	3	2	4	4	3	2	5	2	4	5	3	1				
1. Dentition.....	M.																										
	F.																										
2. Angina.....	M.																										
	F.																										
3. Gastritis.....	M.	6									1					2		1					1	1			
	F.	12	2				2				1	2		1				1	1	2	1	1					
4. Other diseases of the stomach.....	M.	8							1		1					2		1		1		1	1				
	F.	2									1							1									
5. Obstruction of the bowels.....	M.	1																1									
	F.																										
6. Hernia.....	M.	4						1		2								1									
	F.	1																									
7. Other diseases of the bowels.....	M.	2									1		1	1				1					1				
	F.	5										1															
8. Jaundice.....	M.	3	1				1							1							1	1					
	F.	3	1				1							1						1							
9. Inflammation and abscess of the liver.....	M.	5									1					1		1		1			1				
	F.	2													2												
10. Other diseases of the liver.....	M.	7									1							3		1				2			
	F.	9									1				1	1	2			1	2		1				
11. Peritonitis.....	M.	8						1		1	1								1	1	1			1			
	F.	9									2			1	1	1		1			2	1					
12. Ascites.....	M.																										
	F.																										
13. Others of this group.....	M.	1												1													
	F.	3											1			1			1								
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	56								1	1	2	2	3	2		2	2	4	3	6	8	11	6	8			
Males.....	46								1			2	3	2		1	2	4	3	4	7	9	6	2			
Females.....	10									1	2					1				2	1	2		1			
1. Bright's disease.....	M.	20							1			2	2	2		1	1	2	1	2	1	4	1				
	F.	6								1	1					1				1		1		1			
2. Calculus, urinary.....	M.																										
	F.																										
3. Diseases of the kidney.....	M.	14																2	1	1	3	3	2	2			
	F.	4									1									1	1	1					
4. Diseases of the bladder.....	M.	5																		1	1	1	2				
	F.																										
5. Others of this group.....	M.	7											1				1		1		2	1	1				
	F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	9											1	1	1	1	1		1	1	1				1			
1. Ovarian tumors.....	F.	3												1						1			1				
2. Ovarian diseases.....	F.																										
3. Uterine tumors.....	F.	2											1					1									
4. Uterine diseases.....	F.	1																	1								
5. Others of this group.....	F.	3										1			1	1											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	16									2	4	2	4	1	2	1											
1. Abortion.....	F.	4								1	2	1															
2. Child-birth.....	F.	10								1	2	1	3		2	1											
3. Others of this group.....	F.	2											1	1													
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	8			1			1		2		2	1								1					1		
Males.....	6			1			1		1		1	1								1				1			
Females.....	2								1		1																
1. Diseases of the spine.....	M.	6			1		1		1		1	1								1					1		
	F.	1							1																		
2. Diseases of the bones.....	M.																										
	F.	1									1																
3. Diseases of the hip-joint.....	M.																										
	F.																										
4. Others of this group.....	M.																										
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEW HAMPSHIRE—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	8	3					3		1	1				1			1	1									
Males.....	4	2					2			1							1										
Females.....	4	1					1		1					1				1									
1. Abscess.....	{ M. 2	1					1			1																	
	{ F. 3	1					1		1									1									
2. Carbuncle.....	{ M. 1																										
	{ F. 1																										
3. Others of this group.....	{ M. 2	1					1										1										
	{ F. 1													1													
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	2																		1		1						
Males.....	1																		1								
Females.....	1																			1							
1. Addison's disease.....	{ M. 1																										
	{ F. 1																										
2. Diseases of the spleen.....	{ M. 1																		1								
	{ F. 1																										
3. Others of this group.....	{ M. 1																										
	{ F. 1																				1						
XII.—ACCIDENTS AND INJURIES.																											
Total.....	90	3	1	2	4	1	11	8	7	8	10	3	1	3	1	3	3	1	6	6	5	3	5	4	2		
Males.....	65	2	1	1	2	1	7	5	7	8	9	3	1	2	1	3	2	1	4	5	4	1	1	1	1		
Females.....	25	1		1	2		4	3			1			1			1		2	1	1	2	4	4	1		
1. Burns and scalds.....	{ M. 3		1		2		3																				
	{ F. 7				2		2	2															3				
2. Drowned.....	{ M. 11			1			1	3	2	1	3				1												
	{ F. 1							1																			
3. Exposure and neglect.....	{ M. 1																										
	{ F. 1																										
4. Gunshot wounds.....	{ M. 4									3						1											
	{ F. 1																										
5. Homicide.....	{ M. 1																										
	{ F. 1																										
6. Infanticide.....	{ M. 1																										
	{ F. 1																										
7. Injuries by machinery.....	{ M. 5								1	1	2	1															
	{ F. 1																										
8. Railroad accidents.....	{ M. 6								1	2		2								1							
	{ F. 1																										
9. Suffocation.....	{ M. 1	1					1																				
	{ F. 1																										
10. Suicide by shooting.....	{ M. 3										3																
	{ F. 1																										
11. Suicide by drowning.....	{ M. 1																										
	{ F. 1																										
12. Suicide by poison.....	{ M. 1																										
	{ F. 1																										
13. Other suicides.....	{ M. 7																	1	1	1	3	1					
	{ F. 1																				1						
14. Sunstroke.....	{ M. 1																										
	{ F. 1																										
15. Surgical operations.....	{ M. 1																										
	{ F. 1																										
16. Wounds.....	{ M. 1																										
	{ F. 1																										
17. Other accidents and injuries.....	{ M. 26	2				1	3	2	3	1	1		1	2		2	2		3	3	1		1		1		
	{ F. 14			1			1				1			1		1		1	1		2	1	4	1			

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	8011	1945	410	287	189	135	2966	331	169	213	348	308	307	291	270	260	287	294	362	356	370	353	273	139	51	17	46
Total: Males	4031	1052	202	142	100	76	1572	157	85	91	156	129	145	148	141	136	158	172	203	176	188	160	113	56	19	3	23
Females	3980	893	208	145	89	59	1394	174	84	122	192	179	162	143	129	124	129	122	159	180	182	193	160	83	32	14	23
Unknown causes.																											
Total	67	25	4	2	1		32	2			1		2		3	1	1	4	6	6	3	2			1		3
Males	31	15	1	1			17	2					2		2			1	4	2	1						
Females	36	10	3	1	1		15				1				1	1	1	3	2	4	2	2			1		3
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	1548	568	146	110	55	48	927	130	59	36	39	39	39	17	29	18	19	29	32	32	31	31	20	11	5		5
Males	775	298	73	54	35	26	486	47	33	13	19	16	16	6	14	11	10	17	22	16	21	12	9	4			3
Females	773	270	73	56	20	22	441	83	26	23	20	23	23	11	15	7	9	12	10	16	10	19	11	7	5		2
1. Small-pox	M. 1						2						1														
	F. 2	1					7																				
2. Measles	M. 7			4	3		7																				
	F. 8	2	4			1	7	1																			
3. Scarlet fever	M. 72	5	9	11	12	12	49	16	6						1												
	F. 87	9	6	19	8	9	51	25	5		2	2	1														1
4. Diphtheria	M. 89	5	12	16	11	9	53	20	14	1			1														
	F. 86	8	8	10	7	7	40	38	4	3						1											
5. Hooping-cough	M. 22	16	5				21																1				
	F. 29	17	6	4			27	2																			
6. Fever	M. 1																										
	F. 1																										
7. Cerebro-spinal fever	M. 21	11	1		1		13	1		3	1	2	1														
	F. 13	5	2			1	8	1	2			1		1													
8. Enteric fever	M. 69	1	1				2	3	6	5	13	9	7	3	6	3		4	5		2	1					
	F. 55			1		1	2	2	8	10	6	4	3	3	2	1	2	3	2	3	1	2	1				
9. Diarrhœa	M. 42	21	2	2			25	1		1							2	1	2	3	3	1	2	1			
	F. 32	13	3	2	1		19	1	1		1		1		1			1	2	3	1	1	2	1	1		
10. Dysentery	M. 53	20	5	5	4	2	36	2		1			2		2		1	1	1		4	1	1	1	1		
	F. 31	13	1	1			15	2				1	2				2		1	1	1	4	1	2	1		
11. Enteritis	M. 55	24	1	5	3	1	34	1	3	2		2		1	1		1	2	3	1	2	1	1	1	1		
	F. 51	18	6	2			26	1	1		1	1	1	1	1	1	2	2	2	1	4	2	2	2	2		
12. Cholera morbus	M. 16	4		1			5	1	1					2			2	1	1	3							
	F. 10	1					1	1	1		1				1									1	1		
13. Cholera infantum	M. 217	171	36	9	1		217																				
	F. 209	164	29	12	2	2	209																				
14. Malarial fever	M. 55	7		1		2	10		3		1	2	3		4	2	2	6	5	5	3	5	1				3
	F. 75	8	7	3			18	8	4	5	1	5		4	6	3	3	2	1	5	2	3	4				1
15. Erysipelas	M. 23	9	1				10	1			1	1				2	2	1	3		1		1				
	F. 22	9	1	1	1		12	1		1					1			2	2	2	1	1	1	1	1		
16. Septicæmia	M. 14	1					1	1			3					1	1	1	2	1	1	1					
	F. 17	1		1		1	3				1		4	1	3			1	1	1	2	1					
17. Puerperal septicæmia	F. 30									4	6	8	11	1													
18. Venereal diseases	M. 2	2					2																				
	F. 5	1					1					1				1		1				1					
19. Others of this group	M. 17	1					1					1				1	1			3	5	3	2				
	F. 10																	2				3	3		2		
General diseases—B.																											
Total	91	62	4	2	1	1	70	1			2		1	5	2	5	1			1	2	1					
Males	50	30	2	2			34	1			2		1	4	1	4	1				1	1					
Females	41	32	2		1	1	36							1	1	1				1	1						
1. Worms	M. 1							1																			
	F. 1																										
2. Other parasitic diseases	M. 1																										
	F. 9										1		1	3		3					1						
3. Alcoholism	M. 2																										
	F. 2																										
4. Lead poison	M. 10	1	2	2			5				1				1	1	1										
	F. 4	1			1	1	3																				
5. Other poisons	M. 30	29					29								1						1						
	F. 35	31	2				33								1					1							
General diseases—C.																											
Total	781	360	24	10	6	2	402	2	2	1	3	1	3	4	4	5	5	8	11	20	46	60	101	61	28	12	2
Males	377	204	12	5	4	1	226	1	2	1				2	3	3	2	4	6	11	18	28	34	21	11	2	2
Females	404	156	12	5	2	1	176	1			3	1	3	2	1	2	3	4	5	9	28	32	67	40	17	10	
1. Premature birth	M. 52	52					52																				
	F. 53	53					53																				
2. Stillborn	M. 14	14					14																				
	F. 8	8					8																				
3. Malformation	M. 13	12	1				13																				
	F. 8	8					8																				
4. Debility	M. 220	124	11	5	4	1	145	1	2	1				2	3	3	2	4	5	9	11	15	8	4	3		2
	F. 189	87	12	5	2	1	107	1			3	1	3	2	1	2	3	4	5	7	14	8	16	8	1	3	
5. Old age	M. 76																										
	F. 146																			2	14	24	51	32	16	7	
6. Atrophy	M. 2	2					2																				
	F. 2																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW JERSEY—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	1626	98	31	14	15	7	165	28	20	94	171	156	133	122	105	99	99	82	108	70	60	55	30	15	3	1	10
Males.....	738	54	15	3	8	4	84	14	7	32	67	64	65	51	53	43	51	43	53	28	29	32	13	2	2	1	4
Females.....	888	44	16	11	7	3	81	14	13	62	104	92	68	71	52	56	48	39	55	42	31	23	17	13	1		6
1. Rheumatism.....	M. 3																1		1				1				
F. 9								1		1		1	1	1		1	1										
2. Scrofula and tabes.....	M. 18	11					11	1		1	2	1				1				1	1						
F. 15	5		1	2			8	3		1		1			1		1										
3. Leprosy.....	M. 3																										
F. 1																											
4. Consumption.....	M. 534	12	1	1	1	2	17	3	4	29	64	63	65	49	44	33	42	31	32	16	17	16	6				3
F. 630	15	2	6	1	1	1	25	6	9	57	100	86	65	59	42	39	25	18	34	20	13	8	13	5			6
5. Hydrocephalus.....	M. 57	27	14	2	4	1	48	7	1																		
F. 43	17	10	4	3	2		36	3		1	1	1		1													
6. Cancer.....	M. 70						1																				
F. 110	2	1					3	1				3		8	8	12	19	12	16	13	8	4	1	2			
7. Tumor.....	M. 6						1								1												
F. 11														2		1		2	1	1	1	3					
8. Anæmia.....	M. 6	3					3	1																			
F. 11	3	1					4		1	1	1		1					1									
9. Dropsy.....	M. 37	1			1	1	3	1	2		1				3	1	3	1	6	1	2	5	4	2		1	1
F. 49	1	1					3		3	1	2					3	2	5	3	6	9	6	2	4			
10. Glycosuria.....	M. 5														1				1	1							
F. 5																											
11. Others of this group.....	M. 2							1																			
F. 5	1	1					2						1														
12. Others of this class.....	M. 2																										
F. 5																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	1264	378	78	60	28	22	566	40	21	23	15	19	22	27	18	35	40	43	57	78	82	79	49	28	6	4	3
Males.....	644	203	38	31	13	13	298	22	12	9	4	10	11	16	8	18	30	27	26	39	42	31	21	17	4		2
Females.....	617	175	40	29	15	9	268	18	9	14	11	9	11	11	10	17	19	16	31	39	40	48	28	11	2	4	1
1. Inflammation of the brain.....	M. 24	4	2	3	1	1	11	2	1	2	1			1	1		1		3								1
F. 28	9	6			1	1	17		1		1		2	1	1		1		2		1						
2. Meningitis.....	M. 75	30	13	10	3	1	57	8	3		1	1			2					2	1						
F. 63	20	6	10	2	3		41	7	3	2	1	1	1	1	1		1	1			1						1
3. Apoplexy.....	M. 96	4		1			5		2			1		4	2	8	14	11	11	15	9	8	4	2			
F. 103	4						5			1	1	1	1	4	3	5	11	8	6	16	14	15	8	2			2
4. Paralysis.....	M. 106	2	1		1		4				3	1	2	1	4	9	9	6	14	15	12	14	8	4			
F. 112	3	1	1				5	1		1	1	3	1	1	1	6	1	3	12	16	17	18	14	8	2	1	
5. Tetanus and trismus nascentium.	M. 16	8					8		2	2				2		1					1						
F. 9	4						4	2				1							1								
6. Epilepsy.....	M. 12	1					1	1	1	2			2	1		1				2		1					
F. 10									1	2	3		1		1	1				1							
7. Convulsions.....	M. 169	119	12	11	6	7	155	7			2	2				1				1							
F. 159	106	20	10	7	2		145	6	1	3	2		1														
8. Mental diseases.....	M. 6									1							1				2		1	1			
F. 5														1	1				1			2					

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEW JERSEY—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	391	64	14	6	7	1	92	14	14	8	18	17	17	13	19	17	25	22	24	31	28	18	7	5			2
Males.....	191	39	8	4	3		54	9	7	5	10	1	8	5	8	9	12	13	12	10	12	10	3	1			2
Females.....	200	25	6	2	4	1	38	5	7	3	8	16	9	8	11	8	13	9	12	21	16	8	4	4			
1. Dentition.....	M. 3	2	1				3																				
F. 6	3	3					6																				
2. Angina.....	M. 12	1	3	1	1		6	2					1			1		1		1							
F. 7	1		2				3	2	1														1				
3. Gastritis.....	M. 27	4	1	1			6	1	1		1		1		1		2	3	5	1	3	2					
F. 16	1	1					2		1			1	2				1	2		4	1			2			
4. Other diseases of the stomach.....	M. 9	2					2	1					1					2		1		2					
F. 16	1				1		2	1						2	1	3	2	1	2		1	1					
5. Obstruction of the bowels.....	M. 14	2			1		3	1	1	1	2			1		1			2	1	1						
F. 14	2						1	1		1								2	2	2	2	1					
6. Hernia.....	M. 2	1					1										1										
F. 4																				1	1	1					
7. Other diseases of the bowels.....	M. 5	2	1				3										1			1							
F. 11	3				1		4				1	1		1				1	1			1		1			
8. Jaundice.....	M. 10	6					6		1								1	1		1							
F. 6	5						5																	1			
9. Inflammation and abscess of the liver.....	M. 20	3					3		1	2			1	1	3			2		2	1	3	1				
F. 20	1						1					2				2	4	2	1	2	5	1					
10. Other diseases of the liver.....	M. 30	4		1			5	1			1		2		4	4	4	3	2	2	1						1
F. 22	2			1	1		4		1				1		1		1	1	2	8	2	1					
11. Peritonitis.....	M. 37	3	1		1		5	3	3	2	6	1		2		2	3	1	1	1	2	3	1				1
F. 63	3						3	1	3	3	6	12	6	6	6	4	1		4	2	5		1				
12. Ascites.....	M. 5												1														
F. 6		1					1		1							1		1				1		1			
13. Others of this group.....	M. 17	9	1	1			11						1	1				1		1		1	1	1			
F. 9	3	1			1		5							1			1				1	1					
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	200	2	1	1	3	2	9	13	7	7	8	8	12	11	12	13	9	14	16	17	17	15	11	1			
Males.....	119			1	1	1	3	6	2	3	4	4	6	5	8	9	3	12	13	13	9	8	10	1			
Females.....	81	2	1		2	1	6	7	5	4	4	4	6	6	4	4	6	2	3	4	8	7	1				
1. Bright's disease.....	M. 69			1	1	1	3	3	2	3	3	1	3	3	6	3	3	12	8	8	3	2	3				
F. 41	1			1	1	1	3	5	2	3	2	4	2	5	1		4	1	2	1	4	2					
2. Calculus, urinary.....	M. 20							2			1	2	2	1	1	4			2	1	1	1	2				
F. 27	1	1		1			3		2	1	1		4	1	2	3	1	1		3	3	2					
3. Diseases of the kidney.....	M. 15														1			2	2	3	2	4	1				
F. 4															1	1				1		1					
4. Diseases of the bladder.....	M. 15							1				1	1	1		2			1	2	3	1					
F. 9								2	1		1						1		1			3					
5. Others of this group.....	M. 15											1	1	1		2											
F. 9																	1		1								
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	25								1	2	1	4	4	5	3		1		1		1						2
1. Ovarian tumors.....	F. 7													2	2				1								2
2. Ovarian diseases.....	F. 1																										
3. Uterine tumors.....	F. 7									1																	
4. Uterine diseases.....	F. 7										1	3	2				1										
5. Others of this group.....	F. 10								1	1		1	2	3	1						1						
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	43									2	11	10	9	8	1	1											1
1. Abortion.....	F. 6										1	3	1	1													
2. Child-birth.....	F. 22									1	5	3	6	5	1												1
3. Others of this group.....	F. 15									1	5	4	2	2		1											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	18			1	3		4	3	3	1	1	3			1			1				1					
Males.....	12			1	2		3	2	3	1	1	1						1									
Females.....	6				1		1	1				2			1							1					
1. Diseases of the spine.....	M. 9			1	2		3	2	2	1		1															
F. 4				1			1	1				2															
2. Diseases of the bones.....	M. 1										1																
F. 1																											
3. Diseases of the hip-joint.....	M. 1																										
F. 1																											
4. Others of this group.....	M. 1																	1									
F. 2																						1					

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEW JERSEY—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	25	3	1	1			5	2	1	1	1		2	1	1	1		2	1	3	3	1					
Males.....	9	1	1				2	1		1					1				1	2	1						
Females.....	16	2		1			3	1	1		1		2	1		1		2		1	2	1					
1. Abscess.....	M. 7	1	1				2	1							1				1	1	1						
F. 13	2			1			3	1	1		1		2	1		1				1	2						
2. Carbuncle.....	M. 2									1										1							
F. 2																		2									
3. Others of this group.....	M. 1																					1					
F. 1																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	2																1					1					
Males.....																											
Females.....	2																1					1					
1. Addison's disease.....	M. 1																										
F. 1																											
2. Diseases of the spleen.....	M. 1																										
F. 2																	1					1					
3. Others of this group.....	M. 1																										
F. 1																											
XII.—ACCIDENTS AND INJURIES.																											
Total.....	371	39	3	6	9	7	64	28	19	18	39	21	22	30	21	13	18	12	14	12	8	8	7		1		15
Males.....	279	23	1	3	4	6	37	17	13	16	33	18	19	28	19	8	16	9	13	10	7	4	3				9
Females.....	92	16	2	3	5	1	27	11	6	2	6	3	3	2	2	5	2	3	1	2	1	4	4		2		6
1. Burns and scalds.....	M. 16	1		2	2	2	7	2			1			2			1			3							
F. 28				1			1	7	5	1	2		2	2	1	1					1	2	1				1
2. Drowned.....	M. 69	1		1		3	5	8	4	7	14	5	5	8	4		2		4								3
F. 17	2	2	2	1			7	3			2	2				1											2
3. Exposure and neglect.....	M. 2																2										
F. 1																											
4. Gunshot wounds.....	M. 19							3	3		3	1	3	1			1	1		1	1						1
F. 2								1	1																		
5. Homicide.....	M. 2													1							1						
F. 1																											
6. Infanticide.....	M. 1																										
F. 1																											
7. Injuries by machinery.....	M. 45	1			1		2		2	3	6	3	2	5	4	1	5	4	3	2		3					
F. 6											1					1	1	1		1			1				
8. Railroad accidents.....	M. 19	8			1		9		1	1	1			2					1								4
F. 17	11			1			12				1	1	1		1						1	1		1			2
9. Suffocation.....	M. 6																										
F. 1																											
10. Suicide by shooting.....	M. 3												1	1		1											
F. 2																		1	1								
11. Suicide by drowning.....	M. 2												1														
F. 1																											
12. Suicide by poison.....	M. 12													1	5	1		1	1	2	1						
F. 1																											
13. Other suicides.....	M. 8	1					1		1	1		1	1	1		1						1					
F. 1																		1									
14. Sunstroke.....	M. 1																										
F. 1																											
15. Surgical operations.....	M. 1												1														
F. 1																											
16. Wounds.....	M. 9		1				1		1		1	3	1				1		1								
F. 1					1		1																				
17. Other accidents and injuries.....	M. 66	11				1	12	4	1	3	7	4	3	6	6	4	3	3	3	1	3		2				1
F. 16	3			2	1		6									2				1	2	2			2		1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEW JERSEY—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	696	42	13	6	5	3	69	16	13	42	80	62	53	54	51	36	39	34	37	29	29	16	12	6	1	2	15
Males.....	332	26	8	6	3	3	46	13	4	17	33	25	22	29	22	13	19	19	16	16	13	7	7	2	1	1	7
Females.....	364	16	5	2	2	3	23	3	9	25	47	37	31	25	29	23	20	15	21	13	16	9	5	4	1	1	8
1. Rheumatism.....	M. 5								1								1			2	1						
F. 4																	1		1								
2. Scrofula and tabes.....	M. 11	2	1	2			5		1	1					1				1		2						1
F. 9	3	1					4		1					1				1		1		1					
3. Leprosy.....	M. 32																										
F. 223	9	2	2	3	2	18	4	1	15	28	22	22	26	19	8	14	13	10	7	4	4	2	1				5
4. Consumption.....	M. 259	4	2			7	3	5	23	46	36	27	19	22	18	7	8	12	7	6	4	1	3				5
F. 23	11	5	2			18	4		1																		5
5. Hydrocephalus.....	M. 9	6	2			8			1																		
F. 32										2	1		1	2	3	2	6	3	4	3	2				1	1	1
6. Cancer.....	M. 43												2	3	4	2	9	4	7	3	4	2	1			2	
F. 3														1						1	1						
7. Tumor.....	M. 4								1											1	1						
F. 6	4					1	5						1							1							
8. Anæmia.....	M. 3	2				2																					
F. 20								4						1													
9. Dropsy.....	M. 28				1	1			1		1		1	2	2	3	3	2	1	1	3	1	3	1		1	1
F. 7								1	1		2	1								1							
10. Glycosuria.....	M. 3									2		1															
F. 2																											
11. Others of this group.....	M. 2	1				1									1				1								
F. 1																	1										
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	583	121	36	27	13	4	201	21	11	7	6	8	11	10	14	22	26	26	28	42	40	43	42	13	4		8
Males.....	310	67	17	16	10		110	13	7	4	5	6	6	7	7	13	15	14	18	21	24	19	10	4	1		6
Females.....	273	54	19	11	3	4	91	8	4	3	1	2	5	3	7	9	11	12	10	21	16	24	32	9	3		2
1. Inflammation of the brain.....	M. 14	1	1	5			7	3	1		1					1		1									
F. 5				1			2						1			2											
2. Meningitis.....	M. 24	7	6	2	2		17	4										1	1	1							
F. 19	8	5	1		2	16	2																				
3. Apoplexy.....	M. 55						1							1	1	4	5	4	7	10	10	6	4		1		2
F. 55	1					3	1							1	1	1	6	1	7	6	11	13	1	1		2	
4. Paralysis.....	M. 59			1	2		3		1			1		3	4	3	3	4	5	4	11	8	6	3			
F. 56								1								3	3	2	4	8	8	13	5	1			
5. Tetanus and trismus nascentium.....	M. 9	3					3						1														1
F. 1	1					1																					
6. Epilepsy.....	M. 6			1			1				1	1	1					1		1					1		
F. 69	46	5	5	5		61	5				1								1								1
7. Convulsions.....	M. 59	36	10	5	3	1	55	1			1																
F. 13													2	1		1	3	1	2		1						1
8. Mental diseases.....	M. 19													1		4	1	3	2	3	1		1	2	1		
F. 47	10	5	3	1		19	1	1	1	1	2	2		1	3	2	1	1	4	2	4		1		1		1
9. Diseases of the brain.....	M. 40	7	4	3		1	15	3	1	1	2	1		2	1	1	1	1	1	2	2	4	3	1	1		
F. 7																											
10. Diseases of the spinal cord.....	M. 8																										
F. 8																											
11. Others of this group.....	M. 8													2	1				1								
F. 5									2			1		1					1								
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	217	20	1				21	3	5	3	6	6	6	8	12	17	4	16	17	20	21	23	20	3			6
Males.....	106	7					7	2	2	1	4	5	3	5	7	8	1	10	9	9	12	10	6				5
Females.....	111	13	1				14	1	3	2	2	1	3	3	5	9	3	6	8	11	9	13	14	3			1
1. Angina pectoris.....	M. 5															1		2	1		1						
F. 1																											
2. Aneurism.....	M. 1																										1
F. 1																											
3. Diseases of the heart.....	M. 93	3					3	1	2	1	3	5	3	5	7	7</											

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEW JERSEY—Group 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	185	22	7	4	4		37	5	1	5	5	7	5	9	8	12	13	10	11	22	10	9	13	2			1
Males.....	90	9	3	2	2		16	3		2	3	4	3	5	3	6	8	6	7	9	5	5	5				
Females.....	95	13	4	2	2		21	2	1	3	2	3	2	4	5	6	5	4	4	13	5	4	8	2			1
1. Dentition.....	M. 1		1				1																				
	F. 1		1				1																				
2. Angina.....	M. 2	1			1		2																				
	F. 2		1	1			2																				
3. Gastritis.....	M. 7	2	1				3									1				1	1	1	1				
	F. 13				1		1		1				1	1		1				1	1	2	3	1			
4. Other diseases of the stomach.....	M. 14		1	1			2	1						1	2	1	2		2	1	1	1	1				
	F. 8				1		1							1	1	1	1	1	1	2	1						
5. Obstruction of the bowels.....	M. 7										1	1	1	1	1	1	1							2			
	F. 6	1					1							1						1							
6. Hernia.....	M. 7											1	3			1				1	1						
	F. 5														1	2	1			1	1						
7. Other diseases of the bowels.....	M. 4															1			2	1							
	F. 2	2					2																				
8. Jaundice.....	M. 3	1					1															1	1				
	F. 4											1		1				1						1			
9. Inflammation and abscess of the liver.....	M. 8			1			1	1		1		1			1			1			1	1	1				
	F. 2									1					1												
10. Other diseases of the liver.....	M. 9	2					2							1					2	4							
	F. 14	1	1				2				1					3	2		2	3	1						
11. Peritonitis.....	M. 13				1		1				3	1	1			2	2	1	1								
	F. 20	2	1				3	1		2	1	3		2	1				1	2		1	2				1
12. Ascites.....	M. 3																		1								
	F. 5																1		1		1						
13. Others of this group.....	M. 12	3					3			1		1			1		2	1	1			1	1				
	F. 13	7		1			8	1								1				1		1	1				
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	87		1		2		3	3		2	4	1	1	4	2	3	6	4	12	11	13	7	9	1	1		
Males.....	52		1		1		2			1	2	1		1	1	1	2	2	7	6	11	5	8	1	1		
Females.....	35				1		1	3		1	2		1	3	1	2	4	2	5	5	2	2	1				
1. Bright's disease.....	M. 22				1		1			1	2			1			2	1	5	3	5	1					
	F. 16				1		1	2			1		1	2	1	1	1	2	1	2			1				
2. Calculus, urinary.....	M. 2																		1				1				
	F. 2																										
3. Diseases of the kidney.....	M. 3											1									1		1				
	F. 5									1				1		1				1	1						
4. Diseases of the bladder.....	M. 11														1			1	1		3	1	4				
	F. 5																2		1	1	1						
5. Others of this group.....	M. 14		1				1									1				3	2	3	2	1	1		
	F. 9							1			1						1		3	1		2					
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	13									1	2	1	2	1			1	1	1	2							1
1. Ovarian tumors.....	F. 2																	1		1							
2. Ovarian diseases.....	F. 2																1		1								
3. Uterine tumors.....	F. 1																			1							
4. Uterine diseases.....	F. 5									1	1	1	1														1
5. Others of this group.....	F. 3										1		1	1													
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	20									2	4	1	3	4	6												
1. Abortion.....	F. 3									1			1		1												
2. Child-birth.....	F. 10										2	1	2	2	3												
3. Others of this group.....	F. 7									1	2			2	2												
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	7			1			1		2		1				1			1		1							
Males.....	4			1			1		2		1																
Females.....	3														1			1		1							
1. Diseases of the spine.....	M. 2			1			1				1																
	F. 3														1			1		1							
2. Diseases of the bones.....	M. 1																										
	F. 1																										
3. Diseases of the hip-joint.....	M. 2								2																		
	F. 1																										
4. Others of this group.....	M. 1																										
	F. 1																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW JERSEY—Group 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	9	4					4		1					1			1	2									
Males.....	7	3					3		1					1				2									
Females.....	2	1					1										1										
1. Abscess.....	M. 3								1					1				1									
	F. 1																1										
2. Carbuncle.....	M. 1																	1									
	F. 1																										
3. Others of this group.....	M. 3	3					3																				
	F. 1	1					1																				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	3										1							1						1			
Males.....	2										1													1			
Females.....	1																	1									
1. Addison's disease.....	M. 1										1																
	F. 1																	1									
2. Diseases of the spleen.....	M. 1																										
	F. 1																										
3. Others of this group.....	M. 1																							1			
	F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	176	18	1	4	6	1	25	11	10	15	13	6	10	6	7	12	5	4	11	6	5	6	5	2	1		10
Males.....	132	8		4	3	1	16	7	8	14	11	6	13	4	6	8	5	3	9	6	2	3	3		1		7
Females.....	44	5	1		3		9	4	2	1	2		3	2	1	4		1	2		3	3	2	2			3
1. Burns and scalds.....	M. 8			3		1	4	1	1		2																
	F. 13				2		2	3	2	1	1		1			1				1	1						
2. Drowned.....	M. 19				2		2	3	2	2	3		1			2	1		1						1		1
	F. 5		1				1						1					1	1								1
3. Exposure and neglect.....	M. 1																										
	F. 1																										
4. Gunshot wounds.....	M. 3							1		2																	
	F. 2							1			1																
5. Homicide.....	M. 1																										
	F. 1	1					1																				
6. Infanticide.....	M. 1																										
	F. 1	1					1																				
7. Injuries by machinery.....	M. 24								2	5	2	2	4	3					4								2
	F. 3												1						1				1				
8. Railroad accidents.....	M. 9	6					6													1							2
	F. 7	4			1		5									1											1
9. Suffocation.....	M. 1										1																
	F. 1																										
10. Suicide by shooting.....	M. 2															1	1										
	F. 3												1		1	1											
11. Suicide by drowning.....	M. 1																										
	F. 1																										
12. Suicide by poison.....	M. 2																										
	F. 1																										
13. Other suicides.....	M. 1										1					1											
	F. 1															1											
14. Sunstroke.....	M. 2															1	1										
	F. 1																										
15. Surgical operations.....	M. 9											1	2	1	1	1											
	F. 2												1						1	1			1				
16. Wounds.....	M. 49	2		1	1		4	2	3	5	3	2	5		3	2	2	3	3	4	2	2	3	2			1
	F. 9														1	1				1	1		2	2			1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEW MEXICO—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	736	191	74	53	36	20	374	44	20	32	43	42	30	39	26	24	8	10	20	4	6	3	3	2	3	3	
Total: Males.....	427	101	41	30	21	13	206	29	10	12	30	27	18	23	14	18	4	9	10	2	5	3	3	2	1	3	
Females.....	309	90	33	23	15	7	168	15	10	20	13	15	12	16	12	6	4	1	10	2	1			2	2	3	
Unknown causes.																											
Total.....	90	46	5	5	2	3	61	2		3	2	3	2	3	3	1	4	1	3		1			1			
Males.....	47	24	3	2		3	32	2		2	2	1	2	1	1		1		2		1						
Females.....	43	22	2	3	2		29			1		2		2	2	1	3	1	1					1			
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	324	103	49	35	27	10	224	24	10	10	12	4	5	7	5	7		3	6	1	2	2	1	1			
Males.....	182	59	28	19	18	6	130	16	6	1	5	2	2	5	3	2		3	1	1	2	2	1				
Females.....	142	44	21	16	9	4	94	8	4	9	7	2	3	2	2	5			5					1			
1. Small-pox.....	M. 3					2	2			1																	
	F. 1		1				1																				
2. Measles.....	M. 27	8	3	6	6	1	24	3																			
	F. 17	8	3	3		1	15	1	1																		
3. Scarlet fever.....	M. 14	3		1	4	1	9	3	1				1														
	F. 11	5	3	1			9			1			1														
4. Diphtheria.....	M. 1	1					1																				
	F. 2		1	1			2																				
5. Hooping-cough.....	M. 27	13	6	2	2	2	25	2																			
	F. 27	16	6	4			26		1																		
6. Fever.....	M. 87	30	14	8	4	1	57	7	4		2	2	1	5	1	2		1		1	1	2	1				
	F. 66	13	6	6	6	3	34	5	1	6	4	1	2	1	1	5			5					1			
7. Cerebro-spinal fever.....	M. 1	1					1																				
	F. 1						1																				
8. Enteric fever.....	M. 4		2				2	1			1																
	F. 7	1		1	1		3		1	1				1	1												
9. Diarrhœa.....	M. 1						1																				
	F. 1						1																				
10. Dysentery.....	M. 3		1				1								2												
	F. 1						1		1																		
11. Enteritis.....	M. 3			1			1											1	1								
	F. 1						1																				
12. Cholera morbus.....	M. 1						1																				
	F. 1						1																				
13. Cholera infantum.....	M. 1	1					1																				
	F. 1						1																				
14. Malarial fever.....	M. 2						1																				
	F. 1						1		1																		
15. Erysipelas.....	M. 2			1			1																				
	F. 1						1																				
16. Septicæmia.....	M. 1						1																				
	F. 1						1																				
17. Puerperal septicæmia.....	M. 5						2																				
	F. 3	1	1				2				1	3	1					1									
18. Venereal diseases.....	M. 1						1																				
	F. 1						1																				
19. Others of this group.....	M. 4	1	1			1	3														1						
	F. 4	1	1		2		4																				
General diseases—B.																											
Total.....	7	1			1		2	1	1					1		2											
Males.....	7	1			1		2	1	1					1		2											
Females.....																											
1. Worms.....	M. 1				1		1																				
	F. 1						1																				
2. Other parasitic diseases.....	M. 1						1																				
	F. 1						1																				
3. Alcoholism.....	M. 1						1							1													
	F. 1						1																				
4. Lead poison.....	M. 1						1																				
	F. 1						1																				
5. Other poisons.....	M. 4						2		1	1						2											
	F. 1						1																				
6. Inanition.....	M. 1	1					1																				
	F. 1						1																				
General diseases—C.																											
Total.....	10	9					9																	1			
Males.....	4	3					3																	1			
Females.....	6	6					6																				
1. Premature birth.....	M. 3	3					3																				
	F. 5	5					5																				
2. Stillborn.....	M. 1						1																				
	F. 1						1																				
3. Malformation.....	M. 1						1																				
	F. 1						1																				
4. Debility.....	M. 1						1																				
	F. 1	1					1																				
5. Old age.....	M. 1						1																				
	F. 1						1																				
6. Atrophy.....	M. 1						1																				
	F. 1						1																				

NEW MEXICO—GROUP 1—Continued.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEW MEXICO—Group 1—Continued.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW MEXICO—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	3									1				1					1								
Males.....	1													1													
Females.....	2									1								1									
1. Abscess.....	M.																										
	F.																										
2. Carbuncle.....	M.																										
	F.																										
3. Others of this group.....	M.	1												1													
	F.	2								1								1									
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....																											
Males.....																											
Females.....																											
1. Addison's disease.....	M.																										
	F.																										
2. Diseases of the spleen.....	M.																										
	F.																										
3. Others of this group.....	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	81	1	2		1	2	6	1	1	5	20	19	8	6	2	4	2		3	1	1		1			1	
Males.....	75	1	1		1	1	4	1		5	20	18	7	6	2	4	2		3	1			1			1	
Females.....	6		1			1	2		1			1	1							1							
Burns and scalds.....	M.	1				1	1																				
	F.	1							1																		
Drowned.....	M.	3			1		1							1												1	
	F.	1				1	1																				
Exposure and neglect.....	M.	1		1			1																				
	F.																										
Gunshot wounds.....	M.	29								1	11	11	1	4					1								
	F.	1										1															
Homicide.....	M.	24									6	6	4	2	1	2	2		1								
	F.																										
Infanticide.....	M.																										
	F.																										
Injuries by machinery.....	M.																										
	F.																										
Railroad accidents.....	M.	1									1																
	F.																										
Suffocation.....	M.	1	1				1																				
	F.	1																									
Micide by shooting.....	M.	1										1															
	F.																										
Micide by drowning.....	M.																										
	F.																										
Micide by poison.....	M.																										
	F.																										
Over suicides.....	M.																										
	F.																										
Stroke.....	M.	1								1																	
	F.																										
Surgical operations.....	M.																										
	F.																										
Wounds.....	M.	1								1																	
	F.	1		1			1																				
Other accidents and injuries.....	M.	12						1		2	2		1		1	2			1	1			1				
	F.	1																		1							

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEW MEXICO—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	1700	373	153	123	76	46	771	122	48	74	81	101	82	58	58	61	44	33	55	29	29	11	13	7	2	5	16
Total: Males.....	920	203	69	69	36	23	400	51	27	28	49	61	52	36	34	44	28	17	30	18	11	8	8	5	1	2	10
Females	780	170	84	54	40	23	371	71	21	46	32	40	30	22	24	17	16	16	25	11	18	3	5	2	1	3	6
Unknown causes.																											
Total.....	181	89	21	10	6	7	133	4	4	5	3	5	3	4	3	3	1	2	2	1	1	1	3	2			1
Males.....	91	50	6	5	2	5	68	1	3	1	1	2	2	1	2	1	1		1	1	1	1	2	1			
Females	90	39	15	5	4	2	65	3	1	4	2	3	1	3	1	2		2	1				1	1			
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	747	208	95	86	52	28	469	72	21	20	26	24	19	12	13	12	16	8	19	6	4	2	2				2
Males.....	391	115	52	45	29	15	254	35	10	4	16	13	8	5	4	8	11	4	9	4	1	2	2				1
Females	356	93	43	41	23	15	215	37	11	16	10	11	11	7	9	4	5	4	10	2	3						1
1. Small-pox	M. 18	3	2	4	4	2	15	3																			
	F. 17	2	1	8	2	1	14	1	1		1																
2. Measles	M. 45	14	6	6	7	2	35	6	2		2																
	F. 53	19	7	3	9	6	44	8		1																	
3. Scarlet fever	M. 50	20	6	9	2		37	4	3	1	1	1					1		1			1					
	F. 43	4	5	8	3	1	21	3	7	3	1	2	3	1	1	1											
4. Diphtheria	M. 1												1														
	F. 2							2																			
5. Hooping-cough	M. 62	25	16	8	5	2	56	5	1																		
	F. 55	19	13	7	3	3	45	9	1																		
6. Fever	M. 79	30	10	5	6	2	53	6	3	1	2	2	1	1	2	2	1	2	1	2		1					
	F. 82	27	9	8	3	1	48	5		4	5	4	2	2	2	1	2	1	3	1	1						
7. Cerebro-spinal fever	M. 1																										
	F. 2																										
8. Enteric fever	M. 19			3	2		5	1			3	3			1		1		2	1	1		1				
	F. 18	2		3			5			2		1	3		2	1		1	3								
9. Diarrhœa	M. 3			1		1	2						1														
	F. 2	2					2																				
10. Dysentery	M. 1			1			1			1																	
	F. 1																										
11. Enteritis	M. 6		1				1						1	2			2										
	F. 3	1		1			2	1																			
12. Cholera morbus	M. 1							1																			
	F. 1							1																			
13. Cholera infantum	M. 9	3	3	2		1	9																				
	F. 8	5	1	1		1	8																				
14. Malarial fever	M. 87	18	8	6	2	3	37	9	1	2	7	6	4		2	6	5	2	4	1			1				
	F. 55	8	6	2	3	2	21	4	1	5	2	1	2	3	4	1	3	1	4	1	2						
15. Erysipelas	M. 5	2					2							2					1								
	F. 5	3	1				4																				
16. Septicæmia	M. 1																										
	F. 1																										
17. Puerperal septicæmia	M. 5									1	1	2	1														
	F. 2														1		1										
18. Venereal diseases	M. 2																										
	F. 2																										
19. Others of this group	M. 3				1		1				1	1		1													
	F. 4	1					1	3																			
General diseases—B.																											
* Total.....	5			1			1					1		2	1												
Males.....	5			1			1					1		2	1												
Females																											
1. Worms	M. 1																										
	F. 1																										
2. Other parasitic diseases	M. 1																										
	F. 1																										
3. Alcoholism	M. 4											1		2	1												
	F. 1																										
4. Lead poison	M. 1																										
	F. 1																										
5. Other poisons	M. 1			1			1																				
	F. 1																										
6. Inanition	M. 1																										
	F. 1																										
General diseases—C.																											
Total.....	42	18					18									1			2	5	3	2	3	2		5	
Males.....	21	9					9												1	3	1	1	2	2		2	
Females	21	9					9									1			1	2	2	1	1		1	3	
1. Premature birth	M. 1	1					1																				
	F. 1																										
2. Stillborn	M. 5	5					5																				
	F. 6	6					6																				
3. Malformation	M. 1	1					1																				
	F. 1																										
4. Debility	M. 5	3					3																2				
	F. 6	2					2																				
5. Old age	M. 10																										
	F. 8																										
6. Atrophy	M. 1																										
	F. 1																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEW MEXICO—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	113	5	2	2	4	1	14	7	1	4	5	4	8	9	7	6	8	10	11	6	9	2	1	..	1	..	..
Males.....	55	4	1	2	1	1	9	2	..	1	..	2	6	6	3	4	2	5	6	3	4	1	..	..	1	..	..
Females.....	58	1	1	..	3	..	5	5	1	3	5	2	2	3	4	2	6	5	5	3	5	1	1	..	..	..	..
1. Rheumatism.....	M. 5	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	1	2	..	..	..	..	..	..	..	..
F. 6	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	1	1	2	..	..	1	..	..	..	..	..	..
2. Scrofula and tabes.....	M. 2	..	1	..	1	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
F. 2	..	1	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
3. Leprosy.....	M. 2	2	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
F. 2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
4. Consumption.....	M. 22	..	..	1	..	..	1	1	..	1	..	1	5	4	1	3	..	..	1	2	2	..	..	..	..	..	..
F. 21	..	..	..	..	..	..	1	2	1	1	3	1	1	1	4	1	3	1	1	1	..	..	..	..	..	..	..
5. Hydrocephalus.....	M. 1	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
F. 2	..	..	..	..	1	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
6. Cancer.....	M. 6	..	..	1	..	..	1	1	1	..	..	..	1	1	..	..	..	..	..	1	1	..	..	..	..	..	..
F. 6	..	..	..	..	1	..	1	1	..	..	..	..	..	..	..	..	..	1	1	..	1	..	..	..	..	..	..
7. Tumor.....	M. 3	1	..	..	..	1	2	..	..	..	..	..	1	..	..	..	..	..	1	1	1	..	..	..	..	..	..
F. 1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
8. Anæmia.....	M. 14	..	..	..	..	..	..	..	..	..	1	..	1	..	1	..	2	4	3	1	..	..	..	..	1	..	..
F. 20	1	..	..	..	1	..	2	1	..	1	1	1	..	1	..	..	2	1	3	2	3	1	1	..	..	..	..
10. Glycosuria.....	M. 1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
F. 1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
11. Others of this group.....	M. 1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
F. 1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
12. Others of this class.....	M. 1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
F. 1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	50	6	3	4	..	..	13	5	4	2	4	2	2	2	2	2	2	2	1	1	2	2	..	2	..	..	..
Males.....	22	3	1	2	..	..	6	1	2	..	1	..	1	..	2	2	2	1	..	1	..	1	..	2	..	..	..
Females.....	28	3	2	2	..	..	7	4	2	2	3	2	1	2	..	..	..	1	1	..	2	1	..	..	..	..	..
1. Inflammation of the brain.....	M. 5	1	1	..	..	..	2	..	..	..	..	..	..	..	..	1	1	..	..	1	..	..	..	..	..	..	..
F. 3	..	..	..	1	..	..	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
2. Meningitis.....	M. 4	1	..	..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	1	..	..	..
F. 3	1	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..
3. Apoplexy.....	M. 5	1	..	1	..	..	2	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..
F. 8	..	1	1	..	..	..	1	1	..	1	1	1	1	1	..	..	..	..	..	1	1	..	..	..	..	..	..
4. Paralysis.....	M. 3	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
F. 5	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
5. Tetanus and trismus nascentium.	M. 8	..	1	..	..	..	1	1	..	1	1	1	1	1	..	..	..	..	..	1	1	..	..	..	..	..	..
F. 3	..	..	1	..	..	..	1	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
6. Epilepsy.....	M. 1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..
F. 1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
7. Convulsions.....	M. 1	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
F. 2	1	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
8. Mental diseases.....	M. 1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..
F. 1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..
9. Diseases of the brain.....	M. 4	..	1	..	..	..	2	1	1	1	..	..	..	1	1	..	1	..	1	..	..	..	..	..	..	..	..
F. 7	1	1	1	..	..	..	2	1	1	1	1	..	..	1	1	..	1	1	..	..	..	..	..	..	..	..	..
10. Diseases of the spinal cord.....	M. 1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
F. 1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
11. Others of this group.....	M. 1	..	..	..	..	..	..	..	1	..	..																

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEW MEXICO—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	70	6	5	1	1	1	14	5	5	7	1	4	4	1	5	4	3	1	3	2	5	1	1				4
Males	30	4	1	1	1		7	3	2	2		2	1	1	1	2	2		1	1	2	1				2	
Females	40	2	4			1	7	2	3	5	1	2	3		4	2	1	1	2	3		1				2	
1. Dentition	M. 1		1				1																				
	F. 1		1				1																				
2. Angina	M. 5	1			1		2	1		1										1							
	F. 6	1					1	2	1	1					1												
3. Gastritis	M. 1															1											
	F. 1																		1								
4. Other diseases of the stomach	M. 1	1					1																				
	F. 3	1					1						1			1											
5. Obstruction of the bowels	M. 1																										
	F. 1																										
6. Hernia	M. 2														1		1										
	F. 2																										
7. Other diseases of the bowels	M. 2	1					1					1															
	F. 9		1				1			1			1		2				1	1	2						
8. Jaundice	M. 2							1					1														
	F. 1					1	1																				
9. Inflammation and abscess of the liver	M. 1																										
	F. 2									1			1														
10. Other diseases of the liver	M. 4	1					1			1				1							1						
	F. 1																				1						
11. Peritonitis	M. 2									1			1														
	F. 2		1				1				1																
12. Ascites	M. 2									1									1								
	F. 6									2		1			1	1	1										
13. Others of this group	M. 7			1			1								1	1	1		1		1					2	
	F. 8		1				1		1		1		1				1	1				1				2	
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	8								1			1				2	1	1		1			1				
Males	4															1	1	1					1				
Females	4								1			1				1				1							
1. Bright's disease	M. 1																										
	F. 1																										
2. Calculus, urinary	M. 2															1						1					
	F. 1																										
3. Diseases of the kidney	M. 1																	1									
	F. 4								1			1				1			1								
4. Diseases of the bladder	M. 1																1										
	F. 1																										
5. Others of this group	M. 1																										
	F. 1																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	4									1			1		2												
1. Ovarian tumors	F. 1														1												
2. Ovarian diseases	F. 1																										
3. Uterine tumors	F. 1																										
4. Uterine diseases	F. 1																										
5. Others of this group	F. 3									1			1		1												
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	30									8	6	9	4	1	2												
1. Abortion	F. 2									1				1													
2. Child-birth	F. 28									7	6	9	4		2												
3. Others of this group	F. 1																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	1													1													
Males	1													1													
Females																											
1. Diseases of the spine	M. 1													1													
	F. 1																										
2. Diseases of the bones	M. 1																										
	F. 1																										
3. Diseases of the hip-joint	M. 1																										
	F. 1																										
4. Others of this group	M. 1																										
	F. 1																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW MEXICO—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	4					1	1				1	2															
Males.....	1					1	1																				
Females.....	3										1	2															
1. Abscess.....	M.																										
F.																											
2. Carbuncle.....	M.																										
F.																											
3. Others of this group.....	M.	1				1	1																				
F.	3										1	2															
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1	1					1																				
Males.....																											
Females.....	1	1					1																				
1. Addison's disease.....	M.																										
F.																											
2. Diseases of the spleen.....	M.																										
F.																											
3. Others of this group.....	M.	1					1																				
F.	1	1					1																				
XII.—ACCIDENTS AND INJURIES.																											
Total.....	240	4	4	3	3	7	21	13	10	18	25	35	30	19	13	22	12	6	4	1	1		1				9
Males.....	197	1	1	1		3	6	6	9	17	23	31	28	18	13	22	9	4	2	1	1		1				6
Females.....	43	3	3	2	3	4	15	7	1	1	2	4	2	1			3	2	2								3
1. Burns and scalds.....	M.	1				1	1																				
F.	4		1	1			2	1									1										
2. Drowned.....	M.	4			1	1	2		1		1																
F.	3	1		1		1	3																				
3. Exposure and neglect.....	M.	2	1				1					1															
F.																											
4. Gunshot wounds.....	M.	33						3			8	5	4	5	4	2											2
F.	3											1					2										
5. Homicide.....	M.	130		1			1	2	5	14	12	22	22	11	8	16	6	3	2		1		1				4
F.	27	2	2		2	2	8	6	1	1	2	2	2	1			2										2
6. Infanticide.....	M.																										
F.																											
7. Injuries by machinery.....	M.																										
F.																											
8. Railroad accidents.....	M.	1									1																
F.																											
9. Suffocation.....	M.																										
F.	1																			1							
10. Suicide by shooting.....	M.	2									1			1													
F.																											
11. Suicide by drowning.....	M.																										
F.																											
12. Suicide by poison.....	M.																										
F.																											
13. Other suicides.....	M.																										
F.																											
14. Sunstroke.....	M.	1															1										
F.																											
15. Surgical operations.....	M.																										
F.																											
16. Wounds.....	M.	1					1			1																	
F.	1					1	1																				
17. Other accidents and injuries.....	M.	22				1	1	1	2	3		3	2	1	1	4	2	1		1							1
F.	4						1					1							1								

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEW YORK—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	1097	66	10	10	12	5	103	8	19	67	84	86	81	78	79	74	67	65	79	74	63	34	18	10	5		3
Males.....	541	41	5	7	5	2	60	5	11	30	42	41	36	37	31	31	26	38	39	46	35	15	9	6	1		2
Females.....	556	25	5	3	7	3	43	3	8	37	42	45	45	41	48	43	41	27	40	28	28	19	9	4	4		1
1. Rheumatism.....	M. 8											1	1			1			1	1	2		1				
	F. 5																2		1	1			1				
2. Scrofula and tabes.....	M.																										
	F.																										
3. Leprosy.....	M.																										
	F.																										
4. Consumption.....	M. 397	21	2	6	4	1	34	2	8	29	37	38	31	34	28	24	20	23	23	29	22	8	5	2			
	F. 387	16	4	3	3	2	28	2	6	35	40	41	42	34	36	28	20	15	17	11	12	11	3	2	3		1
5. Hydrocephalus.....	M. 21	12	2	1		1	16	2	2																		1
	F. 10	7	1				9		1																		
6. Cancer.....	M. 53	1					2			1	2		2	2	1	3	3	10	8	9	5	4	1				
	F. 87	1					2	1		1	1	2	2	5	6	10	11	5	14	9	10	3	4			1	
7. Tumor.....	M. 5										1							1	1	1	1						
	F. 15	1				1	2					1	1	2	2		2	2	2		1						
8. Anæmia.....	M. 4	2					2											1									
	F. 2									1																	
9. Dropsy.....	M. 43	5	1				6	1	1		2	1	2	1	1	2	1	3	6	3	4	2	1	4	1		1
	F. 48					1	2		1		1	2			3	3	7	5	6	5	6	4	1	2			
10. Glycosuria.....	M. 9											1					2					1	1				
	F. 2													1	1					3							
11. Others of this group.....	M. 1														1												
	F.																										
12. Others of this class.....	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	709	158	47	28	19	12	264	21	15	6	12	14	21	27	17	24	35	28	39	34	41	40	46	15	6	2	2
Males.....	393	82	26	16	12	7	143	15	6	6	7	7	8	16	7	15	26	18	24	17	19	25	25	7	1	1	
Females.....	316	76	21	12	7	5	121	6	9		5	7	13	11	10	9	9	10	15	17	22	15	21	8	5	1	2
1. Inflammation of the brain.....	M. 33	8	2		1		11	4	3		1	3				1	2	1	1		2	1	3				
	F. 19	5	1		2	2	10	1							1		2			2		1				1	1
2. Meningitis.....	M. 44	11	1	3	6	3	24	4	1	2	1		3	1	1	2	3		1	1							
	F. 20	9	2	2	1		14		3			1				1		1									
3. Apoplexy.....	M. 55	1			1	1	3			1	1	1		3	1	1	5	6	7	6	6	6	8				
	F. 42	2					2						3	2	3	3	2	4	4	4	5	4	6				
4. Paralysis.....	M. 91	3		2			5	1		1		2	3	6	2	6	6	3	8	7	9	12	13	6	1		
	F. 83	4					4		2			2	2	2	4	1	1	3	9	9	12	8	13	7	4		
5. Tetanus and trismus nascentium.	M. 16	6				1	7	1		1	1			1	1	1		3									
	F. 6	3					3					1	1														1
6. Epilepsy.....	M.																										
	F.																										
7. Convulsions.....	M. 86	39	22	7	3	1	72	3	1	1	1			1			1	1	2			1	1			1	
	F. 78	37	15	7	1		60	3	2		2	2	4	2			1	1						1			
8. Mental diseases.....	M. 2																			1							
	F. 12										2	1		2	2	1	3	1									
9. Diseases of the brain.....	M. 66	14	1	4	1	1	21	2	1		2	1	2	4	2	3	9	4	4	3	2	5		1			
	F. 56	16	3	3	3	3	28	2	2		1		3	3		2		1	2	2	5	2	2		1		
10. Diseases of the spinal cord.....	M.																										
	F.																										
11. Others of this group.....	M.																										
	F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	259	16	1	2	2		21	6	9	6	5	8	6	11	13	16	16	25	27	28	28	16	8	9	1		
Males.....	135	10	1	2	2		15	1	2	1	3	6	5	5	6	7	12	10	12	13	20	5	4	8			
Females.....	124	6					6	5	7	5	2	2	1	6	7	9	4	15	15	15	8	11	4	1	1		
1. Angina pectoris.....	M.																										
	F.																										
2. Aneurism.....	M.	2																			2						
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEW YORK—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	214	54	6	6	1	2	69	5	4	5	9	3	3	12	7	8	15	9	17	17	12	11	5	2			1
Males	112	23	1	2	1	1	33	3	3	3	5	1	2	6	5	4	8	3	7	12	6	7	2	2			
Females	102	26	5	4		1	36	2	1	2	4	2	1	6	2	4	7	6	10	5	6	4	3				1
1. Dentition	M. 8 F. 19	7 13		1 3			8 19																				
2. Angina	M. 2 F. 3													1								1					
3. Gastritis	M. 12 F. 15	2 4		1		1	3 6		1		1		1	1	1		2		1	1	1	2	1	1			
4. Other diseases of the stomach	M. 4 F. 2	1					1		1									2									
5. Obstruction of the bowels	M. 5 F. 5	1 2					1 2		1	1			1						1	1							
6. Hernia	M. 14 F. 3										1			2			2		1	6	1	1	1				
7. Other diseases of the bowels	M. 15 F. 7	8 3	1				9 3			1	1				1		1	1			1						
8. Jaundice	M. 4 F. 5	2 2				1	3 3									1		1									
9. Inflammation and abscess of the liver	M. F.																										
10. Other diseases of the liver	M. 30 F. 21	3		1			4 1					1	1	2	2	2	3		5	4	3	2		1			
11. Peritonitis	M. 12 F. 17	2					2		1	1	2	1		1	1	1				1	1	1					
12. Ascites	M. 2 F. 1										1																
13. Others of this group	M. 4 F. 4	2					2				1						1					1					1
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	164	1	1	2	1		5	1	1	5	7	5	6	10	5	8	17	16	25	13	13	14	7	6			
Males	105	1		1			2		1	1	7	3	3	6	1	6	6	11	17	12	9	9	7	4			
Females	59		1	1	1		3		1	4		2	3	4	4	2	11	5	8	1	4	5		2			
1. Bright's disease	M. 60 F. 42			1			1		1		6	1	2	4	1	6	3	7	10	10	5	3					
2. Calculus, urinary	M. 5 F. 1										1	1		1					1					1			
3. Diseases of the kidney	M. 20 F. 13	1					1					1					3	2	5	1	1	4	2				
4. Diseases of the bladder	M. 19 F. 2						2		1				1	1			2			1	3	2	5	3			
5. Others of this group	M. 1 F. 1																		1								
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	1													1													
1. Ovarian tumors	F.																										
2. Ovarian diseases	F.																										
3. Uterine tumors	F.																										
4. Uterine diseases	F. 1													1													
5. Others of this group	F.																										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	30									2	3	7	6	7	4	1											
1. Abortion	F. 1													1													
2. Child-birth	F. 29									2	3	7	5	7	4	1											
3. Others of this group	F.																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	12	3					3		1	1	1			2	1			1			1	1					
Males	8	1					1		1					2	1			1			1	1					
Females	4	2					2			1	1																
1. Diseases of the spine	M. 5 F. 4	1 2					1 2		1		1			1	1							1					
2. Diseases of the bones	M. 3 F.													1				1			1						
3. Diseases of the hip-joint	M. F.																										
4. Others of this group	M. F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEW YORK—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	22	3	1				4	2		1	2	1	1		2			1	2	2	3	1					
Males.....	14	2					2			1	1	1	1		1				2	2	3						
Females.....	8	1	1				2	2			1				1			1			1						
1. Abscess.....	M. 12	1					1			1	1	1	1		1				1	2	3						
F. 6	1	1	1				2	2							1							1					
2. Carbuncle.....	M. 1																										
F. 1																											
3. Others of this group.....	M. 2	1					1												1								
F. 1	1										1																
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1															1											
Males.....	1															1											
Females.....																											
1. Addison's disease.....	M. 1																										
F. 1																											
2. Diseases of the spleen.....	M. 1															1											
F. 1																											
3. Others of this group.....	M. 1																										
F. 1																											
XII.—ACCIDENTS AND INJURIES.																											
Total.....	185	4	1	1	4	4	14	14	8	10	10	12	13	19	11	16	14	10	8	7	3	4	1	5			6
Males.....	144	3			1	3	7	9	7	8	9	9	11	18	9	13	14	7	6	5	3	3		1			5
Females.....	41	1	1	1	3	1	7	5	1	2	1	3	2	1	2	3	3	3	2	2		1	1	4			1
1. Burns and scalds.....	M. 5	1				1	2			2												1					
F. 14			1	1	2	1	5	3				1		1		1		1				1	1				
2. Drowned.....	M. 40	1			1	1	3	6	3	4	2	3	1	7	2	3	2	1	1	1							1
F. 1								1																			
3. Exposure and neglect.....	M. 1																										
F. 1																											
4. Gunshot wounds.....	M. 1																										
F. 1																											
5. Homicide.....	M. 4											1		1		1						1					
F. 1																											
6. Infanticide.....	M. 1																										
F. 1																											
7. Injuries by machinery.....	M. 1																										
F. 1																											
8. Railroad accidents.....	M. 21									1		1	3	4	1		2	1	1	2							4
F. 3	1						1																	1			1
9. Suffocation.....	M. 1																										
F. 1																											
10. Suicide by shooting.....	M. 9									1	1			1	1	2	1	1	1								
F. 1																											
11. Suicide by drowning.....	M. 1																										
F. 1																											
12. Suicide by poison.....	M. 1												1														
F. 1										1																	
13. Other suicides.....	M. 15												2		2	2	3	1	2		3						
F. 1																				1							
14. Sunstroke.....	M. 2													1			1										
F. 1																											
15. Surgical operations.....	M. 1																										
F. 1																											
16. Wounds.....	M. 1																										
F. 1																											
17. Other accidents and injuries.....	M. 47	1				1	2	3	3	1	5	4	4	4	3	5	5	3	1	2		1		1			
F. 21					1		1	1	1	1	1	2	2		2	2		2	2	1				3			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEW YORK—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	834	23	9	5	3	2	42	8	21	62	66	70	58	69	45	40	36	52	51	55	69	45	25	17	1	1	1
Males.....	368	15	8	3	2	1	29	7	6	25	25	17	21	27	13	16	15	19	28	35	35	28	14	7	1	1	1
Females.....	466	8	1	2	1	1	13	1	15	37	41	53	37	42	32	24	21	33	23	20	34	17	11	10	1	1	1
1. Rheumatism.....	M. 15							2	1				1	1	1			1		3	3	2					
	F. 6													2			1		1		2						
2. Scrofula and tabes.....	M. 6								1		1			1				1			1	1					
	F. 3									1										1	1						
3. Leprosy.....	M. 3																										
	F. 3																										
4. Consumption.....	M. 235	8	6	2		1	17	3	3	24	23	16	20	21	8	10	11	13	11	19	17	7	8	3		1	
	F. 321	5			1		6	1	13	35	39	49	35	31	18	16	10	17	14	10	10	8	4	4	1		
5. Hydrocephalus.....	M. 6	4	1	1			6																				
	F. 2		1				1		1																		
6. Cancer.....	M. 48											1		1	3	4	2	3	9	5	6	11	2	1			
	F. 76										1	1	1	6	10	7	6	10	4	5	10	5	4	5			1
7. Tumor.....	M. 6	1					1	1								1			1	1	1						
	F. 11			1			1			1	1	2					2	1	1	1							
8. Anæmia.....	M. 1																										
	F. 1																										
9. Dropsy.....	M. 39	1	1		2		4	1						1		1	1		7	6	6	6	4	2			
	F. 45	3		1		1	5		1			1	1	3	3	1	2	5	2	3	11	3	3	1			
10. Glycosuria.....	M. 13	1					1		1	1	1			2	1		1	1		1	1	1		1			
	F. 1																										
11. Others of this group.....	M. 1																										
	F. 1																										
12. Others of this class.....	M. 1																										
	F. 1																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	460	82	37	14	6	4	143	19	11	12	9	13	17	13	11	17	8	10	18	21	36	45	32	19	3	3	
Males.....	237	45	28	6	3		82	12	3	2	2	6	7	8	5	4	5	5	11	7	20	30	17	6	2	3	
Females.....	223	37	9	8	3	4	61	7	8	10	7	7	10	5	6	13	3	5	7	14	16	15	15	13	1		
1. Inflammation of the brain.....	M. 33	9	8	1	1		19	6	1	1	1		1		2			1					1				
	F. 26	5	2	2	1	1	11	4	3	1	1	1			1	3							1				
2. Meningitis.....	M. 13	4	5	2			11	1							1												
	F. 9	1	2	2		1	6	1		1		1															
3. Apoplexy.....	M. 41									1		3	1	1	1		1	1	2	2	8	11	8	1			
	F. 33									1	1		4		2	1	1	2	5	2	3	7	4				
4. Paralysis.....	M. 61	1	1				2				1		1		2	1	3	1	3	6	4	10	16	4	4	2	2
	F. 63	1					1			1		2	3	3	6	1	3	4	6	10	8	7					
5. Tetanus and trismus nascentium.....	M. 3	1					1																				
	F. 2										1	1															
6. Epilepsy.....	M. 5	1					1													1							
	F. 7	1					1		1		1						1		1	1							
7. Convulsions.....	M. 32	24	4				28	1				1	2	2													
	F. 39	21	2	2	1		26	1	2	2	1	2	2	2			1	1									
8. Mental diseases.....	M. 4										1	1	1				1					1					
	F. 6										1	1	1			2											
9. Diseases of the brain.....	M. 35	5	8	2			15	3	1			1	2		1		1		3		1	2	3	1		1	
	F. 25	8	3	1	1	1	14	1	1	1	1								1	1	1	2		1	1		
10. Diseases of the spinal cord.....	M. 9		2	1	1		4	1	1					1						1							
	F. 5			1			1			2																	
11. Others of this group.....	M. 1				1		1																				
	F. 8					1	1		1	1			1							1	2	1					
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	227	9	2				11	1	5	7	5	2	7	9	14	12	8	17	23	19	35	30	11	9	2		
Males.....	116	4					4	1	4	2	3		6	4	7	5	2	7	14	10	23	16	5	2	1		
Females.....	111	5	2				7		1	5	2	2	1	5	7	7	6	10	9	9	12	14	6	7	1		
1. Angina pectoris.....	M. 4														1						3						
	F. 1																										
2. Aneurism.....	M. 1																					1					
	F. 1		1				1																				
3. Diseases of the heart.....	M. 109	2					2																				

NEW YORK—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	11		1				1				1	1	2	1	1	1				1		2					
Males.....	10		1				1				1	1	1	1	1	1				1		2					
Females.....	1												1														
1. Abscess.....	{ M. F.	7 1	1				1				1	1	1	1	1	1											
2. Carbuncle.....	{ M. F.																										
3. Others of this group.....	{ M. F.	3																		1		2					
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	4										2				1							1					
Males.....																											
Females.....	4										2				1							1					
1. Addison's disease.....	{ M. F.	1																				1					
2. Diseases of the spleen.....	{ M. F.	2									1				1												
3. Others of this group.....	{ M. F.	1									1																
XII.—ACCIDENTS AND INJURIES.																											
Total.....	159	17	7	10	2	5	41	10	9	10	11	18	5	3	6	8	2	7	8	4	5	4	4	2		2	
Males.....	118	10	6	6	1	2	25	7	8	8	9	12	4	3	6	8	2	5	8	3	2	3	3	1		1	
Females.....	41	7	1	4	1	3	16	3	1	2	2	6	1					2		1	3	1	1	1		1	
1. Burns and scalds.....	{ M. F.	13 9		4	5	1	10 6	1			2																
2. Drowned.....	{ M. F.	25			2	1	2	4	3	2	3	3	3		1	2	1		3								
3. Exposure and neglect.....	{ M. F.	3 1	1				1 1		1									1									
4. Gunshot wounds.....	{ M. F.	3 1					1 1			1	1		1														
5. Homicide.....	{ M. F.																										
6. Infanticide.....	{ M. F.																										
7. Injuries by machinery.....	{ M. F.																										
8. Railroad accidents.....	{ M. F.																										
9. Suffocation.....	{ M. F.	7 5	6 5				6 5												1								
10. Suicide by shooting.....	{ M. F.	4								1		1	1								1						
11. Suicide by drowning.....	{ M. F.	1 1																					1				
12. Suicide by poison.....	{ M. F.	1 1																1			1						
13. Other suicides.....	{ M. F.	6 1									1 1								2	2			1				
14. Sunstroke.....	{ M. F.	1											1						1								
15. Surgical operations.....	{ M. F.	1 1	1				1					1															
16. Wounds.....	{ M. F.																										
17. Other accidents and injuries.....	{ M. F.	53 21	2 1	2 2	1		2 3	2 3	3	4 1	3	7 6		3	5	6	1	3 2	1	1	1 2	3 1	1 1	1 1		1 1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEW YORK—GROUP 3.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	3942	587	203	145	116	82	1133	265	134	136	169	134	124	125	130	131	145	149	191	200	234	208	194	77	31	13	10
Total: Males.....	2026	316	109	84	65	40	614	138	67	66	69	63	54	64	62	72	78	71	100	109	135	112	86	32	18	7	9
Females.....	1916	271	94	61	51	42	519	127	67	70	100	71	70	61	68	59	67	78	91	91	99	96	108	45	13	6	10
Unknown causes.																											
Total.....	101	35	4		2		41	2	4	2	1	2		4	4	2	2	4	4	7	10	3	2	1		6	
Males.....	54	18	2				20	2	1	1				4	4	1	1	2	1	6	6	2				3	
Females.....	47	17	2		2		21		3	1	1	2				1	1	2	3	1	4	1	2	1		3	
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	974	193	95	87	73	55	503	173	72	22	32	16	22	10	13	11	9	13	15	12	15	13	11	8	2	1	1
Males.....	501	99	55	47	42	29	272	84	33	12	12	7	11	5	6	4	6	7	8	10	7	7	3	3	2	1	1
Females.....	473	94	40	40	31	26	231	89	39	10	20	9	11	5	7	7	3	6	7	2	8	6	8	5			
1. Small-pox.....	M. 10	1	3	2	1	2	9				1																
F. 11	1	3	3				7				3	1															
2. Measles.....	M. 95	6	12	10	16	12	56	29	6	2			2														
F. 93	5	9	12	10	17	17	53	28	10	1				1													
3. Scarlet fever.....	M. 142	10	21	19	18	9	77	45	16	3																1	
F. 139	9	7	19	12	7	54	52	24	5	1				1	1												
4. Diphtheria.....	M. 26	15	4	3	1	1	24	1	1																		
F. 28	20	5		1		26	2																				
5. Hooping-cough.....	M. 1										1																
F. 1																											
6. Fever.....	M. 3																										
F. 2	1		1				2																				
7. Cerebro-spinal fever.....	M. 45							3	2	6	8	3	3	2	1	3	3	2	3	3							
F. 39							5	2	1	1	7	3	5		1	2	1	2	1	1	3	2	1	1			
8. Enteric fever.....	M. 13	3	2		1	1	7			1		1				1											
F. 13	3	3					7																				
9. Diarrhoea.....	M. 21	5	4	1		1	11	2				1	2	1													
F. 14	6	1					7	1																			
10. Dysentery.....	M. 27	7	2	1	2	1	13	1	4				3					3	1	1							
F. 23	6		2	2			10	1	1	1	1	1						1	2								
11. Enteritis.....	M. 6	1					1	1						1	2												
F. 2								1																			
12. Cholera morbus.....	M. 58	45	7	4	2		58																				
F. 54	41	10	2	1		54																					
13. Cholera infantum.....	M. 29	2					7	2	1		2	1		1	3		1	1	2	1	3	1	2	1			
F. 29		1	1				3	2	2	1	4	2	2	2	2		1	1	2				3	1			
14. Malarial fever.....	M. 15	4		1	1		6		1			1	1				1	1					2	1			
F. 4	1	1					2																				
15. Erysipelas.....	M. 4						1																				
F. 4																											
16. Septicæmia.....	M. 14																										
F. 14																											
17. Puerperal septicæmia.....	M. 1	1					1																				
F. 1																											
18. Venereal diseases.....	M. 6																										
F. 6																											
19. Others of this group.....	M. 7																										
F. 7																											
General diseases—B.																											
Total.....	26	12	2	1			15	2	1		1	1		1			1	1					3				
Males.....	16	6		1			7	1	1		1	1		1			1	1					2				
Females.....	10	6	2				8	1														1					
1. Worms.....	M. 2		1				1	1																			
F. 2																											
2. Other parasitic diseases.....	M. 2																										
F. 2																											
3. Alcoholism.....	M. 1																										
F. 1																											
4. Lead poison.....	M. 6			1			1																				
F. 2							1																				
5. Other poisons.....	M. 7	6					6																				
F. 6	6						6																				
6. Inanition.....	M. 6																										
F. 6																											
General diseases—C.																											
Total.....	267	82	1	1		1	85	1			1				1	1	1		2	6	22	33	52	33	21	8	
Males.....	138	46				1	47				1				1		1		1	3	15	16	25	13	11	4	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—Group 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	872	35	16	9	4	1	65	11	11	59	77	66	56	49	56	50	58	58	61	62	50	36	34	6	3		4
Males.....	385	18	9	4	3		34	8	3	18	22	30	21	21	19	25	27	22	33	31	27	23	14	4	2		1
Females.....	487	17	7	5	1	1	31	3	8	41	55	36	35	28	37	25	31	36	28	31	23	13	20	2	1		3
1. Rheumatism.....	M. 7							1				2				2			1		1						
F. 15														1	4	2	2	2	2	1		1					
2. Scrofula and tabes.....	M. 8	3	1	1			5			1						1					1						
F. 5	3						3									1				1							
3. Leprosy.....	M. 1																										
F. 1																											
4. Consumption.....	M. 258	6	2	2			10	4	1	15	20	27	20	17	17	17	19	17	20	18	15	12	7		1		1
F. 315	7	4	3				14	1	7	38	54	34	34	17	18	13	13	14	14	18	10	4	8	1			3
5. Hydrocephalus.....	M. 21	9	5	1	1		16	1	2	1	1																
F. 13	4	2	2	1	1	1	10	1	1																		
6. Cancer.....	M. 43									1	1	1	1	1	1	2	6	4	6	9	3	5		2	1		
F. 84	1						1			1		1		4	13	6	9	14	7	9	9	4	4	1	1		
7. Tumor.....	M. 5				1		1	1								1				1							
F. 7										1				1		1	1	1	2								
8. Anæmia.....	M. 1																										
F. 3	1						1							2		1											
9. Dropsy.....	M. 33		1		1		2	1		1					1	1	2	1	4	3	5	4	5	2			
F. 42	1						1	1		2		2		2	2	2	5	5	3	2	4	4	7				
10. Glycosuria.....	M. 10																										
F. 3		1					1							1								1					
11. Others of this group.....	M. 1																										
F. 1																											
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	472	84	30	11	12	7	144	17	6	6	7	10	5	16	7	15	18	19	22	37	48	45	32	14	1	1	2
Males.....	246	47	16	8	2	1	74	10	4	3	2	5	4	8	3	8	11	9	13	17	30	23	14	7			1
Females.....	226	37	14	3	10	6	70	7	2	3	5	5	1	8	4	7	7	10	9	20	18	22	18	7	1	1	1
1. Inflammation of the brain.....	M. 25	8	3	4			15	1	2			1		3		1		1			1						
F. 12	2	3		1	1		7	2						1		1		1									
2. Meningitis.....	M. 13	3	5				8	2	1						1			1									
F. 16	6	2			3		11	1	1		2										1						
3. Apoplexy.....	M. 41							1					1	1	2	1	5	2	5	4	6	4	6	2			1
F. 37										1	1			1		4	3	4	2	8	8	3	1				
4. Paralysis.....	M. 68							1		1	1			3		2	4	4	4	6	16	15	6	5			
F. 69			1	1			2	2	1						2	1	2	1	5	9	6	18	14	5			1
5. Tetanus and trismus nascentium.....	M. 4	1					1			1	1	1												1			
F. 2						1	1																				
6. Epilepsy.....	M. 5	2		1			3										1			1							
F. 3										1								1		1							
7. Convulsions.....	M. 41	29	6	1	2		38	2								1											
F. 47	27	8	2	4	1		42			1	2			2													
8. Mental diseases.....	M. 5																		1	1	2						
F. 7															1					1	1						1
9. Diseases of the brain.....	M. 34	4	2			1	7	3	1	1		3	1	1		2		1	2	4	3	4	1				
F. 22	2	1		4			7	1				3		4				1		2	2</						

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	12								2		1	1	1	1				1	3		1	1					
Males.....	5										1								3			1					
Females.....	7								2			1	1	1				1		1							
1. Abscess.....	4										1								2			1					
2. Carbuncle.....	7								2			1	1	1				1			1						
3. Others of this group.....	1																		1								
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	3	1					1		1				1														
Males.....	2								1				1														
Females.....	1	1					1																				
1. Addison's disease.....	1												1														
2. Diseases of the spleen.....	1								1																		
3. Others of this group.....	1	1					1																				
XII.—ACCIDENTS AND INJURIES.																											
Total.....	162	8	5	5	2	2	22	13	14	15	17	10	10	9	6	8	5	7	3	8	3	3	2	2	2	3	
Males.....	124	4	2	2	2	1	11	12	13	15	15	8	6	9	5	5	5	5	1	6	2	3	2	2	2	1	
Females.....	38	4	3	3		1	11	1	1		2	2	4		1	3		2	2	2	1		2	2		2	
1. Burns and scalds.....	5		2	1	2		5																				
2. Drowned.....	7			2		1	3	1	1				1														
3. Exposure and neglect.....	24					1	1	7	5	4	1		2	1			1	1		1							
4. Gunshot wounds.....	3		1				1											1	1								
5. Homicide.....	3						3																				
6. Infanticide.....	3		2				2																				
7. Injuries by machinery.....	6							1	1	2	1	1															
8. Railroad accidents.....	1								1																		
9. Suffocation.....	1																										
10. Suicide by shooting.....	27								1	2	2	5	4	3	4	1	2	1				1					1
11. Suicide by drowning.....	4																			2							
12. Suicide by poison.....	1	1					1																				
13. Other suicides.....	2		1	1			2																				
14. Sunstroke.....	1																										
15. Surgical operations.....	7												1	1			1	1		2	1						1
16. Wounds.....	2																										
17. Other accidents and injuries.....	43						1	3	4	6	6	2	3	4	3	2	2	2	1	2	1	1		2	2		1
	15	1	1	1			3					1	2		1	1		1			1		2	2			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 4.

[Exclusive of BUFFALO and ROCHESTER.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	6363	874	238	185	125	75	1497	259	154	246	301	290	213	211	211	229	255	294	329	380	420	446	302	198	70	31	27
Total: Males.....	3305	494	131	101	68	45	839	142	76	96	106	134	90	92	100	116	130	180	171	206	247	244	163	102	38	15	18
Females	3058	380	107	84	57	30	658	117	78	150	195	156	123	119	111	113	125	114	158	174	173	202	139	96	32	16	9
Unknown causes.																											
Total.....	185	67	8	9	1		85	2	2	6	6	4	4	3	5	4	6	5	6	11	5	11	10	5	4	1	
Males.....	88	32	4	5	1		42	1	2	3	2	1	3		1	2	2	3	4	6	1	6	5	2	2		
Females	97	35	4	4			43	1		3	4	3	1	3	4	2	4	2	2	5	4	5	5	3	2	1	
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	1236	236	101	87	68	48	540	142	79	60	51	43	29	27	32	23	26	30	29	34	30	26	14	10	3	4	4
Males.....	660	121	54	40	40	29	284	80	33	34	22	23	14	15	17	13	11	25	17	16	18	18	7	6	1	3	3
Females	576	115	47	47	28	19	256	62	46	26	29	20	15	12	15	10	15	5	12	18	12	8	7	4	2	1	1
1. Small-pox.....	M. 2			1			1											1									
F. 25	10	2	3	1	3		19	3	1	1		1															
2. Measles.....	M. 25	7	3	3	1		14	3	2	2	1		1	1	1												
F. 25	7	3	3	1			14	3	2	2	1		1	1	1												
3. Scarlet fever.....	M. 106	9	15	12	16	12	64	29	10		2																
F. 82	7	8	15	12	9		51	17	10	1	2	1															
4. Diphtheria.....	M. 115	7	6	6	15	11	45	37	12	12	4	2		1							2						
F. 116	6	11	11	12	7		47	36	23	5	2		1	1								1					
5. Hooping-cough.....	M. 28	20	4	1		1	26	1		1																	
F. 25	15	5	2	2			24										1										
6. Fever.....	M. 4						4										1										
F. 4	1		1				2														1						
7. Cerebro-spinal fever.....	M. 12		2	1			3	3	1		1				1												
F. 17	3	1	3				7		3	2																	
8. Enteric fever.....	M. 92			1	1		2	3	5	8	10	10	9	8	4	6	5	11	4	1	3	3					
F. 58	1		1				2	2	5	5	11	6	4	5	1	2	3	1	2	4	3	1		1			
9. Diarrhœa.....	M. 32	6	4		1		11																				
F. 17	5	2					7		2																		
10. Dysentery.....	M. 32	4	5	6	1		16																				
F. 31	10	1	3		1		15																				
11. Enteritis.....	M. 53	4	1	3	2		10	1	2	4	4	4	1	2	3	2	3	3	3	3	3	3	1	1			
F. 39	3	4	2	1			10	2	1	2	1	2	2		2	2	1	2	3	3	1	2	1	1			
12. Cholera morbus.....	M. 12	4					4																				
F. 6	1						1																				
13. Cholera infantum.....	M. 70	49	13	4	3	1	70																				
F. 67	49	11	6				68																				
14. Malarial fever.....	M. 31	1	1	2			4	2	1	2	2		1	1	2	2		3	3	2		4	1		1		
F. 19	1						2	1		4	2	2			3	1	2					1					
15. Erysipelas.....	M. 20	3	1	1			5	1																			
F. 22	3						4	1		1																	
16. Septicæmia.....	M. 8								1	4																	
F. 9																											
17. Puerperal septicæmia.....	M. 21									2	4	7	2	4	1	1											
F. 6	2						2																				
18. Venereal diseases.....	M. 4	1					1																				
F. 12	2						2																				
19. Others of this group.....	M. 14	2	1				3				1	1		1	1		2		3	2							
F. 14	2	1					3																				
General diseases—B.																											
Total.....	64	13	4	6	1		24	1		2		2	2	3	6		4	2	5	6	3	1					
Males.....	45	9	1	5			15						2	2	3	5		2	2	3	5	3	1				
Females	19	4	3	1	1		9	1		2					1		2		2	1							
1. Worms.....	M. 1			1			1																				
F. 5	1	2	1				4	1																			
2. Other parasitic diseases.....	M. 18																										
F. 1																											
3. Alcoholism.....	M. 1																										
F. 8																											
4. Lead poison.....	M. 8						4																				
F. 8							1																				
5. Other poisons.....	M. 17	9	1				10																				
F. 6	3	1					4																				
6. Inanition.....	M. 17	9	1				10																				
F. 6	3	1					4																				
General diseases—C.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 4—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	1508	50	20	5	7	6	88	22	19	104	147	144	87	91	74	83	90	86	105	96	119	86	40	16	3		8
Males.....	614	29	10	4	4	2	49	7	7	24	36	58	34	36	26	33	38	43	50	42	62	34	17	13		5	
Females.....	894	21	10	1	3	4	39	15	12	80	111	86	53	55	48	50	52	43	55	54	57	52	23	3	3		3
1. Rheumatism.....	M. 22							1		1	1				1	1	1	1	2		9	2	1				1
	F. 19								1	1	1		1		1			2	2	3	1	4	2				
2. Scrofula and tabes.....	M. 13	2				1	3	1					2			1	2	1		3							
	F. 18	3	1			1	5	1		3	2	1	1			1	1		1		2						
3. Leprosy.....	M. 1																										
	F. 1																										
4. Consumption.....	M. 374	12	3	2	1		18	2	2	21	34	54	30	33	18	20	25	20	34	21	23	10	6	3			2
	F. 558	7	3	1	2	2	15	9	7	74	104	80	42	43	26	26	23	13	20	21	23	20	9		1		1
5. Hydrocephalus.....	M. 23	11	5	1	1		18	1		1	1					1											1
	F. 17	6	5		1	1	13	2	1																		1
6. Cancer.....	M. 82	1		1			2					1		1		5	5	14	9	5	16	10	5	7			2
	F. 139	2					2	1				2	2	9	14	18	20	16	17	13	14	7	3	1			
7. Tumor.....	M. 5	1					1	1	2								1	1	2	4							
	F. 13											1				1											
8. Anæmia.....	M. 1																	1									
	F. 5											1	1	1		1				1							
9. Dropsy.....	M. 69	2	1		1		4		3				1	1	4	4	4	4	4	9	12	11	4	3			1
	F. 114	2	1				3	1	1	2	4	1	3	2	7	3	6	10	11	12	16	20	8	2	2		
10. Glycosuria.....	M. 18		1				1			1		2	1	1	2	1		1	1	4	1	1	1				
	F. 10	1				1	1	1	2				2				1				1	1	1				
11. Others of this group.....	M. 7				1	1	2	1				1			1			1			1						
	F. 1												1														
12. Others of this class.....	M. 1																										
	F. 1																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	823	141	36	25	14	7	223	29	13	15	15	18	11	17	20	35	31	42	51	51	57	94	60	26	10	2	3
Males.....	451	77	23	16	7	5	128	11	8	7	8	11	7	10	11	18	17	24	20	28	35	54	32	14	5	1	2
Females.....	372	64	13	9	7	2	95	18	5	8	7	7	4	7	9	17	14	18	31	23	22	40	28	12	5	1	1
1. Inflammation of the brain.....	M. 44	8	4	6	4	2	24	3	3		2		1	1	1	2		2	2	1	1						
	F. 38	9	2	5	1		17	7	2	4	1					2	1	1			1				1	1	
2. Meningitis.....	M. 22	10	5	2			17	2		1						1											1
	F. 15	5	1		1	1	8	3		1	1																
3. Apoplexy.....	M. 72											2		1	4	6	5	6	4	10	7	15	7	5			
	F. 65										1	1		1	3	4	5	6	11	8	7	9	7	1	1		
4. Paralysis.....	M. 136	1	2				3			1	1	2	2	2	3	9	9	9	10	10	16	26	22	5	4	1	1
	F. 129				1		1			1	1	2	1	1	3	8	5	9	16	11	14	24	19	11	2		
5. Tetanus and trismus nascentium.....	M. 3										2																
	F. 1	1					1																				
6. Epilepsy.....	M. 14	1					1	1		2	1	2	1					3		1	1		1				
	F. 7	1					1		1			1		1					1			1	1				
7. Convulsions.....	M. 67	46	8	4	1	2	61	1	2		1	1		2													
	F. 61	41	6	4	2		53	3			1	1	1							1		1					
8. Mental diseases.....	M. 12											1		1	1		1		2	3		2	1				
	F. 2																										
9. Diseases of the brain.....	M. 67	8	2	4	2		16	3	2	1	1	4	3	2	2		1	4	2	2	10	9	2	3			
	F. 43	6	2		2	1	11	5	2	1	2	1	2	2	2	2	1	2	1	2		5			1		1
10. Diseases of the spinal cord.....	M. 9	1	2			1	4	1	1		2						1										
	F. 5		2				2																				
11. Others of this group.....	M. 5	2					2							1						1		1					
	F. 6	1					1			1				1		1						1					
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	419	15	2			2	19	7	7	8	13	11	8	11	8	20	21	34	37	57	60	57	24	14	1		2
Males.....	230	9	1			2	12	3	3	4	6	7	2	3	3	11	9	20	19	32	40	33	14	6	1	..	2
Females.....	189	6	1				7	4	4	4	7	4	6	8	5	9	12	14	18	25	20	24	10	8			
1. Angina pectoris.....	M. 2													1						1	1						

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEW YORK—GROUP 4—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	264	30	10	3	6	3	52	5	5	9	6	9	7	5	13	12	18	18	21	25	22	21	9	5	1		1
Males	139	17	6	2	3	2	30	4	3	5	2	4	3	2	5	6	11	9	13	12	9	12	7	1	1		..
Females	125	13	4	1	3	1	22	1	2	4	4	5	4	3	8	6	7	9	8	13	13	9	2	4		..	1
1. Dentition.....	M. 12	6	5	1			12																				
	F. 5	2	3				5																				
2. Angina.....	M. 3	1				1	2	1																			
	F. 6	1	1		1		3	1														1	1				
3. Gastritis.....	M. 8										1		1			1				2	1						
	F. 17				1		1				1	2	1		1	1		1	1	1	3	2		2			
4. Other diseases of the stomach.....	M. 11				1		1								1	1	2	2	1	1	2	1					
	F. 10	1					1				1				1			1	2	1	1	1		1			
5. Obstruction of the bowels.....	M. 7					1	1			1					1				1	3							
	F.																										
6. Hernia.....	M. 11		1				1		1			2	1		1		1		1	2				1			
	F. 8																			2	1	2					
7. Other diseases of the bowels.....	M. 7	1		1			2						1	1					1		1	1					
	F. 6	1					1			1										1	1	1		1			
8. Jaundice.....	M. 4																3										
	F. 6	1					1					1					1	1	1	1							
9. Inflammation and abscess of the liver.....	M. 11									1					1			2	2	2	1	1	1	1			
	F. 5																1	1		2	2			1			
10. Other diseases of the liver.....	M. 26	1					1	1							1	2	3	2	5	2	3	3	3				
	F. 20									2				1	2		1	3	2	4	2						
11. Peritonitis.....	M. 18				1		1		1	2	1	2	1	1	2		1	1	3	2		1	2				
	F. 23	3		1			4		2	1	3	1	2	1	2	2	2	1	2								
12. Ascites.....	M. 2							1																			
	F. 4																										
13. Others of this group.....	M. 19	8			1		9	1	1	1						1	2			1	1	2					
	F. 15	4			1	1	6							1	1	1	1	1		2	2						
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	176	5					5	1	3	2	2	3	11	11	7	6	10	9	20	25	24	17	12	7			1
Males	137	3					3	1	2		1	1	6	7	5	4	4	7	17	20	22	17	12	7			1
Females	39	2					2		1	2	1	2	5	4	2	2	6	2	3	5	2						
1. Bright's disease.....	M. 51	1					1				1	1	3	2	4	3	2	5	2	10	7	5	3	1			1
	F. 19								1	2	1	1	3	1	2		3	1	2	1	1						
2. Calculus, urinary.....	M. 4																		1		1	1					
	F.																										
3. Diseases of the kidney.....	M. 46							1	1				2	5			1	2	9	5	6	3	7	4			
	F. 12	2					2						1	3			2		3	1							
4. Diseases of the bladder.....	M. 23												1				1		5	4	4	5	1	2			
	F. 5											1				2	1		1								
5. Others of this group.....	M. 13	2					2		1						1					1	4	3	1				
	F. 3												1						1								
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	24										1	5	2	2	1	6	2	1	1	2		1					
1. Ovarian tumors.....	F. 6											1				1	1	1	1	1							
2. Ovarian diseases.....	F. 1													1													
3. Uterine tumors.....	F. 4												1		1	2											
4. Uterine diseases.....	F. 3											3															
5. Others of this group.....	F. 10										1	1	1	1		3	1			1		1					
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	56									6	13	8	15	9	3	2											
1. Abortion.....	F. 4									1		1	1	1													
2. Child-birth.....	F. 45									5	8	7	13	8	2	2											
3. Others of this group.....	F. 7										5		1		1												
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	15	1	1				2	1		1		4		1	1		2			1		2					
Males	9	1					1	1				1		1			2			1		2					
Females	6		1				1			1		3			1												
1. Diseases of the spine.....	M. 5	1					1							1			2					1					
	F. 2									1					1												
2. Diseases of the bones.....	M. 2																			1		1					
	F.																										
3. Diseases of the hip-joint.....	M. 2							1				1															
	F. 3																										
4. Others of this group.....	M.																										
	F. 1		1				1																				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 4—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	17	4					4	1		1		1	1	2			3			2	1	1					
Males.....	11	4					4						1				3			2		1					
Females.....	6							1		1		1		2							1						
1. Abscess.....	M. 9	3					3						1				3			2							
	F. 5							1		1		1		2													
2. Carbuncle.....	M. 1																										
	F. 1																										
3. Others of this group.....	M. 2	1					1															1					
	F. 1																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	2										1									1							
Males.....	2										1									1							
Females.....																											
1. Addison's disease.....	M. 1										1																
	F. 1																										
2. Diseases of the spleen.....	M. 1																			1							
	F. 1																										
3. Others of this group.....	M. 1																										
	F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	314	21	6	8	5		40	24	13	12	27	23	20	12	20	19	15	20	20	13	12	12	6	5	1		
Males.....	246	13	3	5	3		24	18	11	8	22	20	12	11	20	17	13	18	17	12	9	8	2	4			
Females.....	68	8	3	3	2		16	6	2	4	5	3	8	1		2	2	2	3	1	3	4	4	1	1		
1. Burns and scalds.....	M. 12	1	1	1	2		5	3				2				1		1									
	F. 19	1	3		1		5	4	1	3	1					1	1		2				1				
2. Drowned.....	M. 36			2	1		3	7	5	3	3	4	2	3	2			1	2	1							
	F. 3			2			2				1																
3. Exposure and neglect.....	M. 3														2					1							
	F. 1																										
4. Gunshot wounds.....	M. 3										1	1								1							
	F. 3																										
5. Homicide.....	M. 5									1	2							1	1								
	F. 2												1					1									
6. Infanticide.....	M. 1																										
	F. 1																										
7. Injuries by machinery.....	M. 1																										
	F. 1																										
8. Railroad accidents.....	M. 36			1			1	2	3	1	5	6	2	4	1	2	4	1	1	2	1						
	F. 3											1															
9. Suffocation.....	M. 18	11	1				12	2								1		1		1	1						
	F. 10	3		1			4				1	1	4														
10. Suicide by shooting.....	M. 3																2										
	F. 1											1															
11. Suicide by drowning.....	M. 3															1		1		1							
	F. 1																										
12. Suicide by poison.....	M. 5										1	1			1			1					1				
	F. 1																										
13. Other suicides.....	M. 25											1	3	1	4	5	1	3	6			1					
	F. 1																										
14. Sunstroke.....	M. 3												1	1			1										
	F. 2															1											
15. Surgical operations.....	M. 2											1						1									
	F. 1																										
16. Wounds.....	M. 4												1		1				1		1						
	F. 1																										
17. Other accidents and injuries.....	M. 88	1	1	1			3	4	3	3	9	4	4	2	8	7	5	7	6	5	6	6	2	4			
	F. 24	4			1		5	2	1		2		2	1			1		1		2	4	3				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 5.

[Exclusive of ALBANY, SYRACUSE, and TROY.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	19666	2510	751	502	381	328	4472	999	557	713	933	838	700	700	664	717	752	876	1055	1185	1340	1329	1006	480	204	78	68
Total: Males.....	10120	1418	398	276	178	165	2435	519	304	327	430	372	312	328	327	337	378	487	560	642	726	692	542	241	97	30	34
Females.....	9546	1092	353	226	203	163	2037	480	253	386	503	466	388	372	337	380	374	389	495	543	614	637	464	239	107	48	34
Unknown causes.																											
Total.....	247	61	7	5	4	6	83	7	1	3	9	5	5	2	8	5	9	10	15	19	19	19	12	9	2	...	5
Males.....	126	39	5	3	1	2	50	5	1	1	3	4	1	...	1	2	4	6	9	10	6	8	5	5	2	...	3
Females.....	121	22	2	2	3	4	33	2	...	2	6	1	4	2	7	3	5	4	6	9	13	11	7	4	...	...	2
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	4231	678	305	276	206	195	1660	641	329	169	175	135	107	108	79	67	73	82	116	112	104	119	84	33	17	8	13
Males.....	2117	360	162	138	99	98	857	314	166	80	83	56	47	37	38	29	37	47	66	59	58	70	40	17	8	4	4
Females.....	2114	318	143	138	107	97	803	327	163	89	92	79	60	71	41	38	36	35	50	53	46	49	44	16	9	4	9
1. Small-pox.....	M. 8 F. 7	1	...	...	...	...	1	1	2	...	...	...	...	...	...	1	...	3	...	...	...	...	...	...	...	...	...
2. Measles.....	M. 46 F. 60	10	8	4	1	...	23	5	6	3	3	2	1	...	2	...	1	...	1	...	1	...	...	...	...	...	...
3. Scarlet fever.....	M. 220 F. 253	29	33	34	22	23	141	49	17	7	2	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1
4. Diphtheria.....	M. 621 F. 570	54	53	59	52	60	278	199	94	22	11	6	6	1	...	...	...	1	...	1	...	2	...	...	...	...	1
5. Hooping-cough.....	M. 51 F. 62	31	5	7	3	3	49	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Fever.....	M. 25 F. 32	4	1	1	...	...	6	1	...	1	1	2	1	...	...	...	...	4	2	1	2	1	...	1	1	...	...
7. Cerebro-spinal fever.....	M. 35 F. 53	5	1	4	1	1	12	4	2	6	1	...	2	1	...	...	1	1	3	1	1	...	...	...	...	...	...
8. Enteric fever.....	M. 245 F. 236	9	3	3	3	3	21	8	18	24	33	22	21	11	8	9	9	10	16	14	4	12	2	...	...	1	2
9. Diarrhoea.....	M. 116 F. 98	21	5	2	1	...	29	3	4	3	2	6	2	...	7	5	4	6	8	7	9	7	6	4	2	1	...
10. Dysentery.....	M. 95 F. 95	15	9	7	2	2	35	2	4	1	2	2	...	2	1	3	2	7	1	7	13	6	8	4	3	1	...
11. Enteritis.....	M. 200 F. 169	38	6	5	4	2	55	19	13	9	14	4	5	7	9	5	8	1	9	12	7	5	10	8	3	2	1
12. Cholera morbus.....	M. 29 F. 18	1	1	1	...	...	3	5	1	...	1	2	...	...	...	...	...	1	3	4	1	3	2	1	...	...	...
13. Cholera infantum.....	M. 167 F. 169	121	34	8	2	2	167	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
14. Malarial fever.....	M. 104 F. 86	8	1	1	5	2	17	9	7	3	8	3	3	2	2	...	2	3	8	5	4	9	6	3	...	...	...
15. Erysipelas.....	M. 85 F. 76	8	2	2	1	...	13	4	5	1	2	2	2	2	6	3	5	8	7	7	5	6	2	3	1	...	1
16. Septicæmia.....	M. 16 F. 32	1	...	...	1	...	2	3	...	...	1	...	1	...	...	...	2	1	1	...	1	1	1	2	...	...	...
17. Puerperal septicæmia.....	M. 71 F. 5	...	3	1	...	2	6	3	2	...	3	12	16	12	21	5	1	...	...	...	...	...	...	...	...	...	1
18. Venereal diseases.....	M. 7 F. 49	2	1	...	...	...	3	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
19. Others of this group.....	M. 49 F. 20	3	...	1	1	...	4	1	...	...	2	...	...	3	1	...	...	1	3	6	6	8	9	3	2	...	...
General diseases—B.																											
Total.....	161	38	4	4	3	1	50	5	1	1	5	11	9	7	16	7	8	9	9	3	5	9	4	...	1	...	1
Males.....	100	24	1	3	2	1	31	5	...	...	2	9	7	3	10	6	6	5	2	2	4	5	2	...	1	...	...
Females.....	61	14	3	1	1	...	19	...	1	1	3	2	2	4	6	1	2	4	7	1	1	4	2	...	...	...	...
1. Worms.....	M. 4 F. 3	...	1	1	1	1	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Other parasitic diseases.....	M. 40 F. 9	...	...	...	...	...	...	...	...	...	1	4	4	1	9	4	4	5	1	2	1	2	1	...	1	...	...
3. Alcoholism.....	M. 9 F. 9	...	...	...	...	...	...	...	...	...	...	1	1	...	2	...	...	3	...	1	1	...	...	...	...	...	...
4. Lead poison.....	M. 20 F. 21	...	1	1	1	...	3	3	...	...	1	2	3	2	...	2	...	...	1	...	2	1	...	...	...	...	1
5. Other poisons.....	M. 36 F. 28	24	...	1	...	...	25	1	...	...	3	...	...	1	...	2	...	1	...	...	1	2	1	...	...	...	...
6. Inanition.....	M. 28 F. 28	11	1	...	...	...	12	...	...	2	...	1	2	1	...	1	3	2	1	...	2	1	...	...	...	...	...
General diseases—C.																											
Total.....	1219	484	4	2	1	2	493	4	4	1	7	7	2	8	8	8	7	6	18	36	65	115	190	122	78	37	3
Males.....	616	279	1	1	1	2	284	...	3	1	1	3	1	3	3	3	4	4	7	20	31	50	100	54	30	12	2
Females.....	603	205	3	1	...	...	209	4	1	...	6	4	1	5	5	5	3	2	11	16	34	65	90	68	48	25	1
1. Premature birth.....	M. 43 F. 34	43	...	...	...	...	43	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Stillborn.....	M. 182 F. 130	182	...	...	...	...	182	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Malformation.....	M. 9 F. 7	8	...	...	...	...	8	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Debility.....	M. 143 F. 128	46	1	1	1	2	51	...	3	...	1	3	1	3	3	3	4	4	3	9	11	12	17	10	...	...	...
5. Old age.....	M. 239 F. 304	...	...	...	...	...	38	4	1	...	6	4	1	5	5	5	3	2	5	8	10	15	6	7	27	12	...
6. Atrophy.....	M. 304 F. 304	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	6	8	24	50	84	61	46	25	...

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEW YORK—GROUP 5—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	4557	198	70	32	30	21	351	64	54	260	371	373	269	269	230	223	233	269	311	319	346	307	189	73	29	4	13
Males.....	2089	111	35	18	17	12	193	33	29	87	159	131	106	117	99	95	109	128	154	158	181	147	100	38	17	2	6
Females.....	2468	87	35	14	13	9	158	31	25	173	212	242	163	152	131	128	124	141	157	161	165	160	89	35	12	2	7
1. Rheumatism.....	M. 72	1	1	1	1	1	2	2	2	5	1	4	3	2	2	4	5	2	6	15	11	3	2	1	1	1	1
F. 59	1	1	1	1	1	1	2	2	2	1	3	1	2	3	3	3	4	6	6	9	5	9	3	3	1	1	2
2. Scrofula and tabes.....	M. 43	11	4	1	1	1	17	3	3	1	3	1	2	1	6	1	3	4	6	3	1	1	5	2	1	1	1
F. 63	12	4	1	2	1	1	19	3	3	1	3	1	2	2	3	6	3	1	1	5	4	2	5	2	1	1	1
3. Leprosy.....	M. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4. Consumption.....	M. 1330	57	12	11	10	5	95	13	14	66	148	120	94	98	74	61	64	79	94	90	84	73	41	16	4	1	2
F. 1624	45	21	7	5	6	84	18	24	161	192	219	138	129	89	77	66	71	83	75	69	75	29	14	6	1	4	4
5. Hydrocephalus.....	M. 38	16	8	2	4	30	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 29	11	6	4	1	1	23	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6. Cancer.....	M. 255	10	3	2	2	2	15	3	3	2	1	2	2	6	9	17	23	27	34	26	33	24	20	4	4	4	1
F. 333	4	1	1	1	1	6	2	2	2	3	11	9	13	19	27	32	38	40	41	37	29	15	7	2	2	2	
7. Tumor.....	M. 37	5	1	1	1	1	8	1	1	1	1	1	2	1	1	2	5	1	3	3	4	2	1	1	1	1	1
F. 34	1	2	1	1	1	3	1	1	1	1	1	1	2	1	4	2	3	3	4	3	5	1	1	1	1	1	1
8. Anæmia.....	M. 17	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
9. Dropsy.....	M. 232	9	6	2	2	1	17	7	2	9	5	2	4	4	2	10	12	13	14	23	30	26	32	12	5	1	2
F. 287	12	1	2	3	1	19	2	1	7	6	4	10	5	10	12	17	20	23	29	41	39	28	8	4	1	1	1
10. Glycosuria.....	M. 63	3	1	1	2	2	7	4	3	2	3	3	2	2	5	1	1	2	3	6	10	8	1	2	1	1	1
F. 26	1	1	1	1	1	2	3	1	1	3	3	3	2	2	4	4	2	2	1	3	1	1	1	1	1	1	1
11. Others of this group.....	M. 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
12. Others of this class.....	M. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	2564	360	98	52	42	21	573	68	34	51	65	51	51	61	76	98	99	128	160	213	261	247	195	94	22	11	6
Males.....	1362	197	54	34	17	12	314	36	19	26	35	24	26	39	35	45	48	72	77	114	145	140	99	51	10	4	3
Females.....	1202	163	44	18	25	9	259	32	15	25	30	27	25	22	41	53	51	56	83	99	116	107	96	43	12	7	3
1. Inflammation of the brain.....	M. 125	22	16	3	2	2	45	7	2	4	3	2	1	4	2	5	2	7	5	8	7	10	6	4	1	1	1
F. 116	27	7	7	6	1	48	4	3	7	4	6	3	2	2	1	6	2	8	5	4	5	4	1	1	1	1	1
2. Meningitis.....	M. 89	25	5	6	2	1	39	7	3	2	4	1	4	3	2	5	2	5	4	4	3	1	1	1	1	1	1
F. 73	19	8	3	6	1	36	8	1	1	5	3	1	2	2	1	4	3	1	2	3	1	1	1	1	1	1	1
3. Apoplexy.....	M. 330	12	3	3	1	1	15	1	1	8	9	8	3	7	14	16	18	26	29	37	50	46	29	11	2	2	2
F. 293	11	1	1	1	1	15	4	4	5	7	4	3	5	10	19	11	24	32	30	36	30	31	14	3	1	1	
4. Paralysis.....	M. 426	4	1	2	1	1	9	2	4	4	7	5	10	17	10	9	13	20	33	50	67	73	57	25	7	2	2
F. 421	5	4	1	2	1	12	3	4	6	8	7	4	10	14	24	17	35	50	59	60	51	20	7	6	6	6	
5. Tetanus and trismus nascentium.....	M. 12	2	1	1	1	2	2	1	2	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6. Epilepsy.....	M. 173	103	16	13	8	5	145	11	1	1	3	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 121	76	16	6	5	1	104	11	1	1	1	1	2	2	1	2	1	1	1	1	1	2	1	1	1	1	1	1
7. Convulsions.....	M. 15	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
F. 25	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
8. Mental diseases.....	M. 136	24	14	7	4	2	51	6	5	4	5	4	4	3	2	4	2	7	2	9	12	9	4				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NEW YORK—GROUP 5—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	896	126	42	10	5	10	193	22	14	21	23	32	25	21	25	44	59	55	73	70	69	63	58	15	6	4	4
Males	469	77	18	5	2	4	106	9	8	9	10	17	9	9	16	21	30	30	36	38	40	34	31	8	3	2	3
Females	427	49	24	5	3	6	87	13	6	12	13	15	16	12	9	23	29	25	37	32	29	29	27	7	3	2	1
1. Dentition	M. 23 F. 13	13 4	9 9	1			23 13																				
2. Angina	M. 25 F. 15	5 2			1		6 3	2		2		3			1		2	2	1		3	1	4				
3. Gastritis	M. 32 F. 53	4 5	1 4	1			5 10	1	1	1	1	1	1	1	1	2	3	1	3	4	3	1	4	6	1	1	1
4. Other diseases of the stomach	M. 44 F. 45	6 9	1 5	1		1	7 11	2	1	2	2	1	1	1	1	2	1	4	3	6	4	5	2	3			
5. Obstruction of the bowels	M. 31 F. 20	5 2	2	1		1	9 4		3		1	1	1	2	2	1	2	1	2	1	2	2	1	1	2		
6. Hernia	M. 33 F. 18	3 1				1	3 2	1				1	1	1	1	2	4	2	5	4	4	2	2		1		
7. Other diseases of the bowels	M. 29 F. 17	6 1	2			1	9 4		1	1	2				2	1	1	1	1	1	2	6	1	1		1	
8. Jaundice	M. 24 F. 27	4 4				2	6 3	1	1	1	1		2	1	1	1	1	1	1	3	3	1	2	2			1
9. Inflammation and abscess of the liver	M. 18 F. 17	1 2					1 2		1	1		2	3	1	2	2	1	1	2	3	3	1	1				
10. Other diseases of the liver	M. 77 F. 78	9 3			1	1	10 8	1		1		1		3	4	5	10	8	7	4	5	8	6	2	2	1	
11. Peritonitis	M. 61 F. 62	3 3	2	1		1	6 7	1	1	3	2	4	4	1	3	5	4	3	6	4	5	7	5	6	1		1
12. Ascites	M. 1 F. 7																		1	1	2	2					
13. Others of this group	M. 71 F. 55	18 13	1 6	2		2	23 20	1 2	1		2	4	1	2	1	2	4	7	6	5	5	2	3	1			1
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	624	22	3	5	3	1	34	14	11	22	27	21	20	20	18	29	21	41	52	59	82	73	45	25	8	1	1
Males	405	15	2	3	3	1	24	9	7	13	13	11	9	11	9	20	12	29	35	42	60	46	33	16	4	1	1
Females	219	7	1	2			10	5	4	9	14	10	11	9	9	9	9	12	17	17	22	27	12	9	4		
1. Bright's disease	M. 152 F. 103					1	1 1	2 3	1 2	6 5	8 10	4 5	7 4	7 5	5 6	10 6	5 4	14 5	22 9	16 7	20 10	12 12	6 4	5 3	1 2		
2. Calculus, urinary	M. 16 F. 7									1		2		1		1		2		3	3						
3. Diseases of the kidney	M. 157 F. 70	11 5	2 1	2	3		18 6	3	3	4	5	2	2	2	3	8	5	9	11	17	24	21	11	7	1	1	
4. Diseases of the bladder	M. 42 F. 16	3 2		1			4 3			2	1	3		1		1	1	4		4	8	7	4	1	2		
5. Others of this group	M. 33 F. 23	1 2					1 2	4 1	1 1	1		2			1	1	1	1	2	2	5	3	12	3	2	1	
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	47									3	4	4	2	4	8	9	5	5	1		1			1			
1. Ovarian tumors	F. 12									1			1	1	3	1	2	1	1					1			
2. Ovarian diseases	F. 12										1	2			1	3	2	3									
3. Uterine tumors	F. 4										1		1		1	1											
4. Uterine diseases	F. 19									2	2	2		3	3	4	1	1		1							
5. Others of this group	F. 19																										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	156									9	44	27	37	21	13	4											1
1. Abortion	F. 14									1	4	4	1	2	2												1
2. Child-birth	F. 120									4	34	20	30	16	11	4											
3. Others of this group	F. 22									4	6	3	6	3													
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	96	7	3	1	1	2	14	7	5	3	5	3	2	2	5	7	7	3	5	11	7	6	2			2	
Males	53	3	1	1	1	1	7	7	3	2	2	3	1	2	5	3	2	1	1	4	4	4	1		1		
Females	43	4	2			1	7		2	1	3		1			4	5	2	4	7	3	2	1		1		
1. Diseases of the spine	M. 41 F. 35	3 4	1 2	1	1	1	7 7	7		1	2		1	1	5	2	1	1	1	4	3	3	1		1		
2. Diseases of the bones	M. 5 F. 1									1	1		1				1				1						
3. Diseases of the hip-joint	M. 7 F. 7									2		2		1		1					1	1					
4. Others of this group	M. 7 F. 7									1	1	1					2			1							

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 5—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	80	11					11	3	1	2	6	5	2	8	4	4	2	7	5	6	5	5	4				
Males.....	45	7					7	1	1	2	2	5	2	3	3	2	1	4	1	5	2	2	2				
Females.....	35	4					4	2			4			5	1	2	1	3	4	1	3	3	2				
1. Abscess.....	M. 39	5					5	1	1	2	2	5	2	2	3	1	1	4	1	5	1	1	2				
	F. 30	2					2	2			4			4	1	2	1	2	3	1	3	3	2				
2. Carbuncle.....	M. 2													1				1			1	1					
	F. 2													1				1									
3. Others of this group.....	M. 4	2					2							1		1											
	F. 3	2					2											1									
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1												1														
Males.....													1														
Females.....	1																										
1. Addison's disease.....	M. 1												1														
	F. 1																										
2. Diseases of the spleen.....	M. 1																										
	F. 1																										
3. Others of this group.....	M. 1																										
	F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	1098	63	27	20	28	14	152	57	47	68	81	74	66	50	50	70	60	61	59	53	43	48	22	23	4	4	6
Males.....	773	36	19	12	13	7	87	40	38	56	64	55	52	40	39	49	42	47	41	37	30	27	9	11	3	3	3
Females.....	325	27	8	8	15	7	65	17	9	12	17	19	14	10	11	21	18	14	18	16	13	21	13	12	1	1	3
1. Burns and scalds.....	M. 34	3	6	5	3	2	19	5	1				1	1	1	1		2		2		1					
	F. 44		3	3	6	4	16	4	3		2	3			1	2	3	2	3	1	1	1	2				
2. Drowned.....	M. 108	1	3	3	8	1	16	19	14	8	10	5	5	4	6	7	3	3	3	3	1	1					
	F. 24				5		5		3	3	3			1	1		2	2	1		2	1					
3. Exposure and neglect.....	M. 11	4					4	1		1		2	1	1		1						2					
	F. 5									1		1		1													
4. Gunshot wounds.....	M. 20	1			1		2		2	4	4	2	2	2	1	1											
	F. 12						2	2				2		1	3					1	2	1					
5. Homicide.....	M. 13		2				2				4		1	3			2				1						
	F. 4							1								1	1	1									
6. Infanticide.....	M. 1																										
	F. 1																										
7. Injuries by machinery.....	M. 1																										
	F. 1																										
8. Railroad accidents.....	M. 112		1	1			2	1	4	11	15	9	10	9	8	9	8	5	9	5	3	1	2	1			
	F. 19			1			1	1		2				1	1	4		2	3	1	1	1	1				1
9. Suffocation.....	M. 30	11	2				13	1	1		1	1	1	1			1		2	1	1	1	2				3
	F. 19	8					8	2			2	1	2		1	1	1		1			2					1
10. Suicide by shooting.....	M. 13									2	2	1	4		1		2					1					
	F. 1																			1							
11. Suicide by drowning.....	M. 5												2		1	1											
	F. 2																										
12. Suicide by poison.....	M. 3																										
	F. 3																										
13. Other suicides.....	M. 55									1	5	2	4	2	1	2	6	8	10	4	4	2	1	2	1		
	F. 13									1	4			1		1	3		1	1			1		1		
14. Sunstroke.....	M. 17					1	1					2	2	1	2	2	2		1			2		1			
	F. 3					1	1												1			1					
15. Surgical operations.....	M. 2									2																	
	F. 3																										
16. Wounds.....	M. 22	1		1			2			1	4	3	1	1		3	1			2	1	1					1
	F. 7	1					1																				
17. Other accidents and injuries.....	M. 333	15	5	2	1	3	26	13	14	19	22	27	22	17	17	19	15	27	22	18	21	18	3	8	3	2	
	F. 164	18	5	4	4	2	33	7	3	5	5	8	9	4	4	9	6	8	10	8	9	14	8	11	1	1	1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NORTH CAROLINA—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	7163	1693	687	498	289	178	3345	477	231	239	325	246	219	217	174	192	214	169	240	197	212	163	132	61	29	39	42
Total: Males.....	3570	958	373	238	136	88	1793	253	118	106	131	90	79	78	77	88	93	96	124	108	108	92	65	32	11	9	19
Females.....	3593	735	314	260	153	90	1552	224	113	133	194	156	140	139	97	104	121	73	116	89	104	71	67	29	18	30	23
Unknown causes.																											
Total.....	1035	512	90	56	33	18	709	49	18	18	18	12	25	19	12	20	15	11	21	15	23	10	17	13	3	2	5
Males.....	521	285	43	25	13	7	373	24	12	8	9	4	7	9	6	8	2	5	9	7	11	6	8	8	2	1	2
Females.....	514	227	47	31	20	11	336	25	6	10	9	8	18	10	6	12	13	6	12	8	12	4	9	5	1	1	3
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	2184	494	349	255	146	95	1339	229	97	70	79	49	42	35	31	29	32	18	26	29	22	17	15	12	1	1	11
Males.....	1102	269	191	123	71	49	703	119	45	26	33	17	20	11	16	16	11	12	15	20	13	7	8	6	1	1	4
Females.....	1082	225	158	132	75	46	636	110	52	44	46	32	22	24	15	13	21	6	11	9	9	10	7	6	1	1	7
1. Small-pox.....	M. 88	29	21	10	4	1	65	11	1	4	4	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2. Measles.....	F. 76	11	17	12	9	2	51	5	2	5	4	4	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
3. Scarlet fever.....	M. 5	1	3	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4. Diphtheria.....	F. 140	25	17	20	15	13	90	36	8	3	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5. Hooping-cough.....	M. 133	66	33	14	6	2	121	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6. Fever.....	F. 120	51	27	19	6	6	109	8	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
7. Cerebro-spinal fever.....	M. 26	6	2	3	1	3	15	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
8. Enteric fever.....	F. 31	10	4	5	2	2	21	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
9. Diarrhoea.....	M. 9	2	1	1	1	1	5	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
10. Dysentery.....	F. 129	11	8	6	7	3	35	12	11	13	14	9	8	3	1	4	1	3	3	4	6	1	1	1	1	1	1
11. Enteritis.....	M. 123	12	6	5	4	7	34	15	13	16	16	3	1	6	3	2	5	2	1	2	1	2	1	1	1	1	1
12. Cholera morbus.....	F. 116	32	26	21	11	1	91	3	3	1	3	1	3	1	1	1	1	1	1	5	1	1	1	1	1	1	1
13. Cholera infantum.....	M. 86	22	16	13	6	2	59	3	1	2	1	3	1	3	1	3	2	1	4	1	2	4	1	1	1	1	1
14. Malarial fever.....	F. 40	9	8	6	2	2	27	3	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
15. Erysipelas.....	M. 56	12	11	11	5	1	40	1	1	1	1	1	1	3	3	3	3	1	1	1	1	1	2	1	1	1	1
16. Septicæmia.....	F. 26	6	7	2	3	3	18	1	1	1	1	3	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1
17. Puerperal septicæmia.....	M. 29	9	5	3	1	1	19	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
18. Venereal diseases.....	F. 7	2	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
19. Others of this group.....	M. 110	46	44	15	3	1	109	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
General diseases—B.																											
Total.....	140	18	23	26	19	9	95	20	5	2	2	1	1	1	1	2	4	3	2	1	1	1	1	1	1	1	1
Males.....	78	10	13	13	7	4	47	14	1	2	2	1	1	1	1	2	3	1	2	2	1	1	1	1	1	1	1
Females.....	62	8	10	13	12	5	48	6	4	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1
1. Worms.....	M. 43	2	10	12	7	3	34	9	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2. Other parasitic diseases.....	F. 45	1	9	12	10	5	37	5	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3. Alcoholism.....	M. 11	1	1	1	1	1	11	2	1	1	1	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	1
4. Lead poison.....	F. 11	1	1	1	1	1	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5. Other poisons.....	M. 12	1	2	1	1	1	4	3	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6. Inanition.....	F. 11	1	1	1	2	1	5	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
General diseases—C.																											
Total.....	345	239	4	7	1	1	250	1	1	1	1	3	1	1	1	1	1	1	4	4	12	12	15	7	12	20	1
Males.....	180	140	1	5	1	1	146	1	1	1	1	1	1	1	1	1	1	1	3	6	5	5	2	5	5	1	1
Females.....	165	99	3	2	1	1	104	1	1	1	1	2	1	1	1	1	1	1	1	4	6	7	10	5	7	15	1
1. Premature birth.....	M. 26	26	1	1	1	1	26	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2. Stillborn.....	F. 25	25	1	1	1	1	25	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3. Malformation.....	M. 101	101	1	1	1	1	101	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4. Debility.....	F. 60	60	1	1	1	1	60	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5. Old age.....	M. 7	5	1	2	1	1	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6. Atrophy.....	F. 4	3	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NORTH CAROLINA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	1065	27	38	28	11	3	110	36	33	52	101	94	65	75	61	74	67	56	60	46	48	36	26	12	2	5	.6
Males.....	455	13	21	11	6	1	52	20	17	22	35	35	23	28	19	25	28	34	30	19	20	20	16	8	1	3	
Females.....	610	14	17	17	8	2	58	16	16	30	66	59	42	47	42	49	39	22	30	27	28	16	10	4	2	4	3
1. Rheumatism.....	M. 16										3		1	1			1	3	2	2	2	1					
F. 15											2	1	1	1	3	1	1	1	1	3	1				1		
2. Scrofula and tabes.....	M. 33	3	6	2	2		13	5	1	1	5			3			1	1			1	1					
F. 40	2	6	6	3			17	3	2	1	2	3	1	2		1	1		1	2	3						1
3. Leprosy.....	M. 1																							1			
F. 1																											
4. Consumption.....	M. 215	6	5	3	1		15	1	1	11	21	28	17	19	10	15	15	17	17	11	7	6	1	2		1	
F. 330	3	4	3	2			12	5	5	22	52	43	35	27	22	27	24	8	14	10	10	6	3	1		2	2
5. Hydrocephalus.....	M. 13	3	3	3	2	1	12							1													
F. 9	4	1					5	1					2														
6. Cancer.....	M. 18												1		3	1		1	2	4	3	1	1	1			
F. 64			1				1			2		2	2	4	7	10	7	9	7	5	2	2	2	1		1	
7. Tumor.....	M. 3	1	1				2											1									
F. 10	1						1					1			2	1	1	1	1		2						
8. Anæmia.....	M. 2									1		1															
F. 2					1		1								1												
9. Dropsy.....	M. 148		6	3	1		10	14	14	9	6	5	4	4	6	9	10	11	9	1	7	10	13	4		1	1
F. 138	4	6	6	2	2		20	7	9	5	10	9	1	14	9	7	5	4	5	7	9	8	5	2	1	1	
10. Glycosuria.....	M. 5									1		1					1			1		1					
F. 1																											
11. Others of this group.....	M. 1						1												1								1
F. 2				1																							
12. Others of this class.....	M. 3	1					1								1					1							
F. 1																					1						
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	607	139	35	30	22	17	243	54	24	20	9	9	9	16	12	11	26	23	34	26	27	28	16	5	3	4	8
Males.....	308	85	17	12	12	9	135	31	17	7	3	3	4	4	9	6	10	11	14	13	10	17	7	1	1	6	
Females.....	299	54	18	18	10	8	108	23	7	13	6	6	5	12	3	5	16	12	20	13	17	11	9	5	2	4	2
1. Inflammation of the brain.....	M. 61	12	5	6	3	5	31	10	7	1	3	2	1	1		1	1	1		1	1						
F. 42	2	5	7	2	4		20	10	2	5		1				1	1		2								
2. Meningitis.....	M. 18	3	2	1	2		8	6		1					1			1									1
F. 18	2	2	2	1	2		9	4		3		1															1
3. Apoplexy.....	M. 35	1					1	1		1		1	2	1	1	2	3	5	3	6		5	1				2
F. 17	1						1			1				1		2	1	2	3	3	1				1	1	
4. Paralysis.....	M. 55	2			1		3	2	4					1	4	1	5	3	5	5	6	12	3		1		
F. 77								1		1		1		4	1	2	6	8	10	8	12	9	5	5	2	2	2
5. Tetanus and trismus nascentium.....	M. 27	21					21		1	1					1				1								
F. 16	15						15					1															
6. Epilepsy.....	M. 4	1				1	2						1								1						
F. 8	3		1				4			1				1	1											1	
7. Convulsions.....	M. 56	32	6	3	4	1	46	5	2	1								1	1								
F. 64	26	6	3	5	1		41	3		1	3	2	3	1			4		3	1	1		1				
8. Mental diseases.....	M. 3								1													2					
F. 4											1			2				1									
9. Diseases of the brain.....	M. 43	13	3	2	2	2	20	7	2	1				1	2	2	1		3	1	1		1				1
F. 47	4	5	5	2	1		17	5	4	1	1		1	3	1		5	2	3	1	1	1	1				
10. Diseases of the spinal cord.....	M. 2				2		2																				
F. 5	1						1	1																			
11. Others of this group.....	M. 4		1				1												1		1						
F. 1																											
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	258	5	1	1	2	1	10	7	7	5	17	6	7	6	15	11	19	17	31	26	29	17	18	6	2		2
Males.....	116	3		1	1	1	6	3	5	3	3	3	2	4	2	4	8	10	11	19	12	7	9	4			1
Females.....	142	2	1		1		4	4	2	2	14	3	5	2	13	7	11	7	20	7	17	10	9	2	2		1
1. Angina pectoris.....	M. 3											1								2			1				
F. 3																		1									

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NORTH CAROLINA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																										
Total.....	316	68	60	20	8	6	162	14	3	4	13	6	13	8	7	8	15	7	17	11	8	12	5			3
Males.....	169	40	37	6	3	3	89	7	2	3	5	1	6	2	4	6	9	3	11	5	4	9	3			
Females.....	147	28	23	14	5	3	73	7	1	1	8	5	7	6	3	2	6	4	6	6	4	3	2			3
1. Dentition.....	M. 35 F. 24	6 5	25 15	2 4	2		35 24																			
2. Angina.....	M. 4 F. 9	2 1	1			1	4 7																			
3. Gastritis.....	M. 6 F. 10	1 1		2	1	1	3 4				1		1	1		1	1				1					
4. Other diseases of the stomach.....	M. 2 F. 5	1					1 5	1								1	1		1							
5. Obstruction of the bowels.....	M. 5 F. 4			1			1 4	1		1	1				1	1										1
6. Hernia.....	M. 10 F. 1	1		1			2		1							2	1	1	2	1						
7. Other diseases of the bowels.....	M. 20 F. 13	7 5	5 1				12 9	1	1	2			1	1							2					
8. Jaundice.....	M. 7 F. 8	1 2				1	2 5	1			1					1						1				
9. Inflammation and abscess of the liver.....	M. 5 F. 5					1	1 5	1		1	1					1	1									
10. Other diseases of the liver.....	M. 23 F. 26	2 3	2 1			1	5 4	1		2	3	2	3	2	1	2	4	3	1	2	1	2				
11. Peritonitis.....	M. 3 F. 12			1			1			2	1	1	2	1				1			1					
12. Ascites.....	M. 5 F. 4				1		1	1		2				1				1	1	1						
13. Others of this group.....	M. 44 F. 26	19 14	4 1		1		24 17					4		1	3	2	1	3	1	1	3	1				
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																										
Total.....	72		1	1	1		3	2		2	3	2	2	2	4	5	2	9	9	6	7	4	4	2	1	1
Males.....	53		1	1	1		3	1		2	1		1	1	3	4	1	6	7	5	6	4	4	2	1	1
Females.....	19							1		2	2	1	1	2	1	1	1	3	2	1	1					
1. Bright's disease.....	M. 5 F. 11							1			2		1			1		2		1	1					
2. Calculus, urinary.....	M. 18 F. 1			1			1			1							1	2	1	2	1	3	3	1	1	1
3. Diseases of the kidney.....	M. 15 F. 7		1	1			2			1		1	1	2	2	2		3	2		1					
4. Diseases of the bladder.....	M. 6 F. 1							1			1							1	1	2	1					
5. Others of this group.....	M. 9 F. 9								1						1	1			1	1	2		1	1		
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																										
Total: Females.....	29									3	1	1	5	5	3	2	4	1		2				1	1	
1. Ovarian tumors.....	F. 2														1	1										
2. Ovarian diseases.....	F. 1													1												
3. Uterine tumors.....	F. 1									1																
4. Uterine diseases.....	F. 7									2			2			1			2							
5. Others of this group.....	F. 18									1	1	3	5	2	1	2	1						1	1		
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																										
Total: Females.....	90									11	26	17	16	16		4										
1. Abortion.....	F. 7										2	1	3		1											
2. Child-birth.....	F. 75									9	22	13	15	13		3										
3. Others of this group.....	F. 8									2	4	2														
IX.—DISEASES OF THE BONES AND JOINTS.																										
Total.....	14	1	1		1		3	3		1	2					1	1		1		2					
Males.....	9	1			1		2	1		1						1			1		2					
Females.....	5		1				1	2		1							1									
1. Diseases of the spine.....	M. 4 F. 3	1 1			1		2 1				1								1		1					
2. Diseases of the bones.....	M. 2 F. 2							1									1									
3. Diseases of the hip-joint.....	M. 2 F. 2																									
4. Others of this group.....	M. 5 F. 5							1		1	1					1					1					

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NORTH CAROLINA—GROUP 1—Continued.

[illegible]

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NORTH CAROLINA—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	1 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	11788	2863	1191	675	351	272	5352	604	364	545	593	452	378	351	265	311	310	240	353	354	384	308	267	131	56	57	113
Total: Males.....	5706	1593	635	350	188	137	2903	260	162	220	237	188	134	116	82	121	160	114	194	187	196	158	114	73	21	17	49
Females.....	6082	1270	556	325	163	135	2449	344	202	325	356	264	244	235	183	190	150	126	159	167	188	150	153	58	35	40	64
Unknown causes.																											
Total.....	1517	810	143	86	32	24	1095	40	24	25	30	29	16	20	18	15	14	10	29	21	35	24	30	11	7	5	19
Males.....	786	455	73	49	18	15	610	14	11	13	15	8	6	7	6	5	6	5	17	9	16	11	13	5		1	8
Females.....	731	355	70	37	14	9	485	26	13	12	15	21	10	13	12	10	8	5	12	12	19	13	17	6	7	4	11
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	3525	708	612	312	179	147	1958	316	175	165	165	106	80	57	49	56	64	53	58	36	61	41	28	22	2	5	28
Males.....	1705	390	331	146	91	71	1029	128	68	73	79	54	38	18	13	23	29	24	30	19	30	15	7	12	1	2	13
Females.....	1820	318	281	166	88	76	929	188	107	92	86	52	42	39	36	33	35	29	28	17	31	26	21	10	1	3	15
1. Small-pox.....	M. 77	27	12	9	2	2	52	3	2	4	1	5	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2. Measles.....	F. 85	22	11	12	5	1	51	3	5	5	4	2	4	1	1	4	1	2	2	1	1	1	1	1	1	1	1
3. Scarlet fever.....	M. 36	3	6	6	4	5	24	8	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
4. Diphtheria.....	F. 40	7	8	9	4	3	31	7	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
5. Hooping-cough.....	M. 294	54	45	38	34	36	207	56	22	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
6. Fever.....	F. 286	15	30	37	36	37	155	88	31	2	3	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	
7. Cerebro-spinal fever.....	M. 173	86	47	9	13	4	159	11	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
8. Enteric fever.....	F. 186	87	47	22	6	6	168	15	2	1	1	2	1	1	1	1	1	2	2	2	2	2	2	2	2	2	
9. Diarrhœa.....	M. 29	3	4	4	2	1	14	2	1	2	1	2	1	1	1	1	1	2	2	2	2	2	2	2	2	2	
10. Dysentery.....	F. 38	6	1	1	1	1	10	4	5	5	1	4	1	1	1	1	1	3	3	1	1	1	1	1	1	1	
11. Enteritis.....	M. 15	1	3	1	1	2	7	1	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
12. Cholera morbus.....	F. 16	2	1	1	1	3	6	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
13. Cholera infantum.....	M. 280	8	15	6	6	8	43	16	27	39	52	28	15	9	2	8	12	7	6	6	4	2	1	2	1	1	
14. Malarial fever.....	F. 332	11	11	14	5	9	50	35	33	42	44	28	16	12	14	11	12	8	5	7	4	4	2	3	2	2	
15. Erysipelas.....	M. 127	43	34	14	2	2	95	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
16. Septicæmia.....	F. 114	28	31	14	4	2	79	2	2	2	2	1	1	1	4	1	1	2	2	1	6	3	7	3	1	1	
17. Puerperal septicæmia.....	M. 170	40	57	24	7	3	131	5	1	2	3	1	1	1	1	3	1	4	3	2	5	1	2	3	1	3	
18. Venereal diseases.....	F. 209	42	54	28	9	5	138	7	3	4	4	3	3	3	3	4	3	7	7	1	7	6	7	2	2	3	
19. Others of this group.....	M. 30	13	4	1	1	1	19	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
20. Cholera morbus.....	F. 37	7	5	4	1	1	16	1	1	2	1	3	2	2	1	1	2	3	3	2	1	1	1	1	1	1	
21. Cholera infantum.....	M. 33	4	8	3	1	1	16	1	1	2	2	1	1	1	1	1	3	3	3	2	1	2	1	1	1	1	
22. Malarial fever.....	F. 16	1	4	2	1	1	7	1	1	2	1	1	1	1	1	1	1	1	2	2	2	2	1	1	1	1	
23. Erysipelas.....	M. 169	77	75	11	5	1	169	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
24. Septicæmia.....	F. 149	64	63	18	3	1	149	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
25. Puerperal septicæmia.....	M. 218	15	17	20	11	5	68	22	10	13	17	11	13	5	5	10	8	9	6	5	8	5	1	1	1	1	
26. Venereal diseases.....	F. 235	15	12	5	14	8	54	21	22	23	17	5	10	13	10	9	8	7	5	4	6	9	3	3	1	1	
27. Others of this group.....	M. 19	10	1	1	1	1	11	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1	
28. Premature birth.....	F. 21	7	1	1	1	1	7	1	2	1	1	1	1	1	1	1	2	1	2	2	1	2	1	1	1	1	
29. Stillborn.....	M. 3	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
30. Malformation.....	F. 5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
31. Debility.....	M. 27	2	2	2	2	2	4	1	2	8	5	3	6	2	1	1	1	1	1	1	1	1	1	1	1	1	
32. Old age.....	F. 9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
33. Atrophy.....	M. 21	3	1	1	2	2	8	1	1	1	1	1	1	1	1	2	1	1	1	2	2	2	2	2	2	2	
34. Premature birth.....	F. 15	4	3	1	1	1	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
35. Stillborn.....																											
36. Malformation.....																											
37. Debility.....																											
38. Old age.....																											
39. Atrophy.....																											
40. Premature birth.....																											
41. Stillborn.....																											
42. Malformation.....																											
43. Debility.....																											
44. Old age.....																											
45. Atrophy.....																											
46. Premature birth.....																											
47. Stillborn.....																											
48. Malformation.....																											
49. Debility.....																											
50. Old age.....																											
51. Atrophy.....																											
52. Premature birth.....																											
53. Stillborn.....																											
54. Malformation.....																											
55. Debility.....																											
56. Old age.....																											
57. Atrophy.....																											
58. Premature birth.....																											
59. Stillborn.....																											
60. Malformation.....																											
61. Debility.....																											
62. Old age.....																											
63. Atrophy.....																											
64. Premature birth.....																											
65. Stillborn.....																											
66. Malformation.....																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NORTH CAROLINA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total	2142	72	49	48	33	24	226	84	81	200	226	183	160	143	101	121	92	66	88	113	86	63	43	27	11	4	24
Males	828	42	34	25	17	14	132	36	30	61	68	67	47	35	29	38	44	23	43	50	43	31	18	13	7	...	13
Females	1314	30	15	23	16	10	94	48	51	139	158	116	113	108	72	83	48	43	45	63	43	32	25	14	4	4	11
1. Rheumatism	M. 16	1	1	...	...	...	2	...	...	1	...	...	...	1	...	1	2	1	...	4	1	3	...	...	...	...	...
F. 19	...	...	...	...	...	1	1	1	1	...	...	...	1	...	1	1	...	1	...	3	3	3	...	...	1	...	1
2. Scrofula and tabes	M. 80	7	11	6	5	4	33	7	3	11	5	...	8	2	2	1	3	...	1	1	...	...	1	...	...	...	...
F. 80	7	2	8	4	2	23	12	9	4	6	7	2	3	1	3	3	1	1	1	1	1	...	...	...	...	...	
3. Leprosy	M. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Consumption	M. 473	15	12	13	5	4	49	12	20	39	57	63	34	29	20	25	29	10	24	25	14	7	2	4	2	...	8
F. 841	13	8	8	8	3	40	15	33	122	131	101	90	80	44	44	27	23	23	28	15	5	11	3	1	1	4	
5. Hydrocephalus	M. 14	9	3	...	1	...	13	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 10	6	1	...	...	...	8	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
6. Cancer	M. 41	...	...	...	1	1	2	...	1	1	...	...	1	...	2	2	3	7	2	4	8	1	5	1	...	...	1
F. 106	...	...	...	...	...	1	1	...	...	3	...	7	5	12	19	10	7	8	9	5	9	3	4	1	2	1	
7. Tumor	M. 15	2	...	1	1	...	4	1	...	1	...	1	1	...	2	...	1	2	1	2	1	...	...	...	...	...	
F. 17	1	...	...	...	...	2	1	...	...	1	...	1	2	1	...	...	1	2	2	1	...	2	1	...	...	...	
8. Anæmia	M. 3	...	1	...	...	...	1	...	...	1	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...
F. 6	1	...	...	...	...	...	1	...	...	1	...	...	1	...	...	...	...	1	1	...	...	...	...	...	...	...	
9. Dropsy	M. 172	7	4	4	3	5	23	15	5	7	5	3	2	3	5	7	7	4	12	11	19	19	11	7	5	...	2
F. 224	2	4	5	4	...	15	16	7	10	16	8	10	17	13	15	6	9	10	19	19	14	9	6	1	1	3	
10. Glycosuria	M. 8	...	...	...	1	...	1	1	...	1	...	...	1	...	...	...	1	...	2	1	...	...	...	...	...	...	...
F. 4	...	...	...	...	...	...	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	
11. Others of this group	M. 6	1	2	1	...	...	4	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...
F. 7	...	...	2	...	1	3	1	...	...	1	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
12. Others of this class	M. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total	843	188	48	44	19	16	315	44	18	19	14	21	18	18	21	33	37	26	40	59	49	43	41	16	1	4	6
Males	424	89	31	19	11	9	159	24	11	14	8	10	8	9	8	18	19	10	20	30	25	25	14	9	1	...	2
Females	419	99	17	25	8	7	156	20	7	5	6	11	10	9	13	15	18	16	20	29	24	18	27	7	...	4	4
1. Inflammation of the brain.....	M. 77	18	9	8	4	3	42	9	2	5	...	2	4	2	1	2	3	1	2	...	...	...	...	...	1	...	1
F. 69	24	6	7	4	5	46	4	2	2	2	1	1	...	1	2	2	2	...	2	1	...	...	...	...	...	1	
2. Meningitis	M. 36	13	6	1	1	...	21	5	1	2	2	...	1	...	1	...	1	...	1	...	...	1	...	...	...	...	...
F. 31	10	1	8	2	...	21	3	1	...	1	...	...	...	...	...	1	...	2	...	1	...	...	...	...	...	1	
3. Apoplexy	M. 41	...	1	...	...	...	1	...	...	2	...	2	...	1	1	4	5	3	2	7	4	5	1	3	...	...	...
F. 44	1	...	...	...	...	1	...	...	...	3	1	2	2	1	6	6	5	6	4	3	3	1	...	...	...	...	
4. Paralysis	M. 111	...	1	1	1	2	4	1	2	2	1	1	2	2	1	4	7	3	11	20	19	15	11	5	...	...	
F. 116	3	1	1	...	...	5	3	...	...	2	1	1	1	5	6	8	4	12	16	12	13	20	4	...	2	2	
5. Tetanus and trismus nascentium.	M. 6	1	1	1	...	...	2	...	2	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	
F. 5	2	1	...	...	...	3	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
6. Epilepsy	M. 23	...	2	...	...	2	3	3	1	2	2	...	1	2	1	1	1	1	...	1	1	...	1	...	...	...	
F. 22	5	2	1	1	...	9	...	...	...	1	2	1	3	1	...	...	...	1	1	2	...	1	...	...	...	...	
7. Convulsions	M. 78	47	9	8	2	2	68	3	...	2	1	...	...	1	...	...	1	...	...	...	...	1	...	...	...	1	
F. 68	47	1	5	1	...	54	2	1	2	...	2	2	...	2	1	...	...	...	...	...	...	1	...	...	...	1	
8. Mental diseases	M. 4	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...
F. 2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Diseases of the brain	M. 35	9	3	...	3	2	17	3	1	...	1	1	1	...	1	3	...	1	2	...	1	2	1	...	...	...	
F. 45	6	5	3	...	2	16	7	2	1	...	1	3	3	...	2	2	2	1	2	...	1	1	...	...	...	1	
10. Diseases of the spinal cord.....	M. 4	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...
F. 3	1	...	...	...	...	1	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	
11. Others of this group	M. 9	...	1	...	...	1	...	...	...	1	...	1	...	2	1	1	1	...	...	...	1	...	...	...	...	...	...
F. 14	...	...	...	...	...	...	...	...	...	1																	

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	494	104	80	25	6	4	219	11	9	18	15	15	14	17	9	18	24	14	30	21	18	24	8	3	1	2	4
Males	261	61	42	14	4	1	122	7	4	7	9	9	1	10	4	7	16	9	13	16	10	11	3	1	2	2	4
Females	233	43	38	11	2	3	97	4	5	11	6	6	13	7	5	11	8	5	17	5	8	13	5	2	1	2	4
1. Dentition	M. 48	17	27	4			48																				
	F. 40	14	19	7			40																				
2. Angina	M. 11	3	2	1	1		7	1	1											1				1			
	F. 10	3	3	1			7									2						1					
3. Gastritis	M. 8		1		1		2				1						2	1	1			1					
	F. 10		1				1										1		1								
4. Other diseases of the stomach	M. 16	2	1	2			5	2			1			1			1		1	1	3	1					
	F. 7			1			1		2		1						1		1		1						
5. Obstruction of the bowels	M. 12	3		1			4		1		1						2	2		1							
	F. 5																			2	1						1
6. Hernia	M. 13	1					1		1	1	2			1	1		1		1	2	1	1					
	F. 1	1					1																				
7. Other diseases of the bowels	M. 27	8	7	3			18	3	1	3		1							1								
	F. 26	8	5	1		1	15			1	2	1		1				1	1	1	1	2					
8. Jaundice	M. 7	2		1	1		4					1		1								1					
	F. 9	1	1			1	3	1	1				1						1			1	1				
9. Inflammation and abscess of the liver	M. 10										1	1		1			1	1	1	1	1	2					
	F. 14												2				1	4	1	1	1	1		1		2	
10. Other diseases of the liver	M. 35	5	1	1	1	1	9	1			1	2		1	1	6	3	3		5	1	2		1			
	F. 29	2	1		1	1	5	2		1		1	4		1	2		2	5	1	1	2	1	1			
11. Peritonitis	M. 7	1	1				2			1		1						1		1	1						
	F. 13								2	5	1	2	1	1							1						
12. Ascites	M. 8													2	1				2	2		1					
	F. 12				1		1						2	4	1	1		1	1		1						
13. Others of this group	M. 59	19	2	1			22			2	2	2	1	3	1		6	1	7	3	2	2	3			2	1
	F. 57	14	8	1			23	1		2	2	1	1	1	2	5	2		6	1	1	6	2				1
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	126	5	3	6	1	1	16	2	4	1	4	4	3	6	2	4	6	6	16	13	12	12	9	4			2
Males	101	5	1	4			10	1	3	1	3	2	3	5	1	2	5	6	14	12	11	10	6	4			2
Females	25		2	2	1	1	6	1	1		1	2		1	1	2	1		2	1	1	2	3				
1. Bright's disease	M. 15		1				1		1	1	1	1		2	1	1		2	3		1						
	F. 3												1						1	1							
2. Calculus, urinary	M. 28	1					1		1					1			1	2	2	7	3	3	2	3	2		
	F. 5		1		1		2		1								1						1				
3. Diseases of the kidney	M. 30	1		2			3	1	1		1		2	2			2	1	2	4	3	6	1			1	
	F. 13		1	1			2	1			1	1		1	1	1	1		1		1	2					
4. Diseases of the bladder	M. 11	3		1			4										1		1	1	2	2					
	F. 1																					1					
5. Others of this group	M. 17			1			1				1	1		1					1	1	4	2	2	2			1
	F. 3			1		1	2															1					
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	45									2	4	5	5	7	2	6	7	2	1	1		1	1				1
1. Ovarian tumors	F. 4														1		2		1								
2. Ovarian diseases	F. 1																										
3. Uterine tumors	F. 1													1													
4. Uterine diseases	F. 7											1		1		2	2										1
5. Others of this group	F. 33									2	4	4	5	5	1	4	3	2		1		1	1				
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	136									20	34	20	24	23	10	2											3
1. Abortion	F. 8																										
2. Child-birth	F. 116									16	29	20	21	16	9	2											3
3. Others of this group	F. 12									4	4			1	2	1											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	33	4	4	2	2	1	13	3	1	1		3	1			1		3		3	1	1					2
Males	16	3	1	1	2		7	1				1						2		3		1					1
Females	17	1	3	1		1	6	2	1	1		2	1			1		1			1						1
1. Diseases of the spine	M. 15	3	1	1	2		7	1				1						2		3							
	F. 13		3	1		1	5	1	1	1		2	1					1			1						1
2. Diseases of the bones	M. 1																					1					
	F. 2																1										
3. Diseases of the hip-joint	M. 1								1																		
	F. 1																										
4. Others of this group	M. 1	1					1																				
	F. 1																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NORTH CAROLINA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	20	6	1				7	1				1				1	2		3		1	1	1		1		1
Males.....	9	1					1					1					1		2		1	1	1		1		
Females.....	11	5	1				6	1								1	1		1								1
1. Abscess.....	M. 2 F. 3						1	1								1			1			1					
2. Carbuncle.....	M. 3 F. 2						2												1		1				1		
3. Others of this group.....	M. 4 F. 6						1					1					1		1				1				1
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	3	1			1		2				1																
Males.....	3	1			1		2				1																
Females.....																											
1. Addison's disease.....	M. 1 F. 1										1																
2. Diseases of the spleen.....	M. 1 F. 1				1		1																				
3. Others of this group.....	M. 1 F. 1		1				1																				
XII.—ACCIDENTS AND INJURIES.																											
Total.....	402	89	30	26	19	16	180	35	19	24	23	19	14	11	9	5	6	6	7	10	9	9	6	1	1	3	5
Males.....	249	44	14	16	12	8	94	16	13	19	21	15	11	9	5	5	6	6	7	7	6	7	1			1	
Females.....	153	45	16	10	7	8	86	19	6	5	2	4	3	2	4					3	3	2	5	1	1	2	5
1. Burns and scalds.....	M. 53 F. 63	8	7	11	7	6	39	8	1	1		1			1		1		1								
2. Drowned.....	M. 19 F. 1		1	2		1	4	15	4	2	1	1		1	1					2	1	3		1		1	
3. Exposure and neglect.....	M. 14 F. 15	7	2	1	3		13						1								1						
4. Gunshot wounds.....	M. 21 F. 2			1			1	4		3	5	2	2	2	1	1			1							2	1
5. Homicide.....	M. 9 F. 3								1		2	1	1				1	1	1		1						1
6. Infanticide.....	M. 2 F. 2		2				2																				
7. Injuries by machinery.....	M. 12 F. 1									1	2	2	2	2		1		1	1								
8. Railroad accidents.....	M. 27 F. 24	21	2		1		24	1					1						1			1					
9. Suffocation.....	M. 1 F. 1																										
10. Suicide by shooting.....	M. 1 F. 1															1											
11. Suicide by drowning.....	M. 1 F. 1																		1								
12. Suicide by poison.....	M. 5 F. 1									1	1			1				1	1								
13. Other suicides.....	M. 2 F. 2						2					1								1							
14. Sunstroke.....	M. 1 F. 2																				1						
15. Surgical operations.....	M. 5 F. 5															1	1		1	1						1	
16. Wounds.....	M. 77 F. 40	6	2	2	1	1	12	3	7	9	6	7	5	4	2	1	2	3		5	4	6	1				
17. Other accidents and injuries.....	M. 13 F. 1						18	2	1	2	1	2	2	1	2					3	1		2	1			2

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
NORTH CAROLINA—GROUP 3.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	2596	663	219	144	88	37	1151	115	80	105	126	85	81	89	59	77	73	50	75	83	119	68	79	44	28	9	
Total: Males.....	1317	397	117	73	50	14	651	55	41	42	61	40	32	30	20	27	29	25	43	47	61	39	36	25	11	2	
Females	1279	266	102	71	38	23	500	60	39	63	65	45	49	59	39	50	44	25	32	36	58	29	43	19	17	7	
Unknown causes.																											
Total.....	210	129	13	6	4		152	9	1	2	3	2	6	3		2	1	3		1	12	4	5	1	2	1	
Males.....	128	88	10	4	3		105	2			1	1	3	1		1	1	2		1	5	2	3				
Females	82	41	3	2	1		47	7	1	2	2	1	3	2		1		1			7	2	2	1	2	1	
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	680	110	131	80	48	22	391	65	40	28	31	13	18	9	7	12	4	2	13	7	13	6	10	9	2		
Males.....	324	59	73	37	26	5	200	30	19	12	12	5	8	2	2	4		2	8	2	6	2	3	6	1		
Females	356	51	58	43	22	17	191	35	21	16	19	8	10	7	5	8	4		5	5	7	4	7	3	1		
1. Small-pox.....	M. 1																										
F. 1																											
2. Measles.....	M. 11	4					4	1	1	1	1	1							1		1						
F. 13	5	2					7	2	1		1		1														
3. Scarlet fever.....	M. 12	3	2	2			7	5																			
F. 11	2	1	1	1	3		8	2	1																		
4. Diphtheria.....	M. 53	8	11	2	8	4	33	13	5	2																	
F. 81	9	7	9	9	10		44	21	11	2		2			1												
5. Hooping cough.....	M. 20	12	1	2	2	1	18	2																			
F. 20	5	7	2	2	1		17	1		1	1																
6. Fever.....	M.																										
F.																											
7. Cerebro-spinal fever.....	M. 2	1	1				2																				
F. 3	2		1				3																				
8. Enteric fever.....	M. 50	1	4	1	1		7	3	11	6	7	3	5	1	1	2		1	1								
F. 49	1	2	1	2			6	3	6	10	5	2	3	2	2	4			1	2	2						
9. Diarrhoea.....	M. 28	5	11	1	2		19												1	1							
F. 34	4	11	5	2			22		1		1																
10. Dysentery.....	M. 64	6	22	17	5		50	2	1		1		1		1	1			2	1	1	2					
F. 63	9	12	13		3		37	4		1	2	1		1		3	1		3	3	3	2					
11. Enteritis.....	M. 15	2		1	4		7		1	1	2								2								
F. 12	3	2	1	1			7																				
12. Cholera morbus.....	M. 4																										
F.																											
13. Cholera infantum.....	M. 47	13	21	9	4		47																				
F. 38	11	13	9	5			38																				
14. Malarial fever.....	M. 5									1	1																
F. 3			1				1		1																		
15. Erysipelas.....	M. 5	3		1			4																				
F. 4		1					1		1																		
16. Septicæmia.....	M. 1									1																	
F. 2																											
17. Puerperal septicæmia.....	M. 21								1	2	8	1	6	2	1												
F. 5	1						1					1	1														
18. Venereal diseases.....	M. 1																										
F. 1																											
19. Others of this group.....	M. 2			1			1																				
F.																											
General diseases—B.																											
Total.....	41	14	5	7	1	2	29	2	1	2	2	1							1	2	1						
Males.....	27	8	3	4	1	2	18	2		2	1	1							1	1	1						
Females	14	6	2	3			11		1		1																
1. Worms.....	M. 12	2	3	2	1	2	10	2																			
F. 7	2	2	3				7																				
2. Other parasitic diseases.....	M.																										
F.																											
3. Alcoholism.....	M. 2											1							1								
F.																											
4. Lead poison.....	M.																										
F.																											
5. Other poisons.....	M. 6			1			1			2	1									1	1						
F. 3									1		1																
6. Inanition.....	M. 7	6		1			7																				
F. 4	4						4																				
General diseases—C.																											
Total.....	216	153	1	1	1		156	1																			

NORTH CAROLINA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	495	13	10	11	3	3	40	7	16	32	47	38	31	43	26	32	30	22	21	22	39	18	20	7	3	1	
Males.....	198	9	3	5	1	2	20	3	7	7	21	18	10	11	8	12	6	10	11	12	16	9	12	3	2		
Females.....	297	4	7	6	2	1	20	4	9	25	26	20	21	32	18	20	24	12	10	10	23	9	8	4	1	1	
1. Rheumatism.....	M. 6 F. 6													1		1	1			1	1			1			
2. Scrofula and tabes.....	M. 22 F. 15	6	1	2	1	1	11	1	2	2	4	1		1			1				2						
3. Leprosy.....	M. 1 F. 1																										
4. Consumption.....	M. 88 F. 163	1	1	2			4	1	1	1	14	14	9	7	7	6	4	1	5	5	4	2	2	1			
5. Hydrocephalus.....	M. 2 F. 3	1	1			1	2																				
6. Cancer.....	M. 12 F. 33		1				1		1	1			3	3	3	2	4	3	1	1	1	3	1	1	1		
7. Tumor.....	M. 2 F. 7		1				1				1			2	3							1	1				
8. Anæmia.....	M. 1 F. 1								1																		
9. Dropsy.....	M. 58 F. 66	1	1	1			3		4	3	3	3		2	1	1	1	4	6	5	9	5	5	1	2		
10. Glycosuria.....	M. 7 F. 1							1		1						2	4	6	5	8	2	4	2	2		1	
11. Others of this group.....	M. 1 F. 2		1	1			2										1					1					
12. Others of this class.....	M. 1 F. 1																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	165	23	12	10	5		50	4	4	9	7	4	7	2	2	4	7	4	7	15	9	12	7	6	4	1	
Males.....	86	13	8	7	3		31	2	4	6	4	2	4	1	1	2	2	3	3	6	4	5	2	4			
Females.....	79	10	4	3	2		19	2		3	3	2	3	1	1	2	5	1	4	9	5	7	5	2	4	1	
1. Inflammation of the brain.....	M. 16 F. 14	1	3	3	1		8	1		1	1		1	1		1			1		1						
2. Meningitis.....	M. 8 F. 1			2	1		4	1	2									1									
3. Apoplexy.....	M. 7 F. 5								1	1			1									1	1	2			
4. Paralysis.....	M. 21 F. 33				1		1				1		1		1	1		1	2	3	3	4	1	2			
5. Tetanus and trismus nascentium.....	M. 8 F. 7	1	1	1			3			1	1	2					1										
6. Epilepsy.....	M. 7 F. 3				1		1	2		1	1				1		1										
7. Convulsions.....	M. 16 F. 8	10	3				13		1		1	1					1			1	1						
8. Mental diseases.....	M. 3 F. 2						4			2								1									
9. Diseases of the brain.....	M. 5 F. 9		1	1			2			1			2			2	1	1	1	1							
10. Diseases of the spinal cord.....	M. 1 F. 1																										
11. Others of this group.....	M. 2 F. 1										1						1		1								
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	66	3					3	1	1	1	1	3	2	2	3	4	3	5	8	5	11	4	4	4	1		
Males.....	31	2					2	1		1	1	2		1			1	4	3	4	5	3	1	1	1		
Females.....	35	1					1		1			1	2	1	3	4	2	1	5	1	6	1	3	3			
1. Angina pectoris.....	M. 1 F. 1																										
2. Aneurism.....	M. 1 F. 1																										
3. Diseases of the heart.....	M. 31 F. 35	2					2	1		1	1	2		1			1	4	3	4	5	3	1	1	1		
4. Others of this group.....	M. 1 F. 1																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	432	179	39	23	20	9	270	16	9	17	16	7	5	9	11	6	12	8	11	9	11	3	9	1	1	1	
Males.....	230	105	17	13	11	4	150	6	4	10	7	4	1	4	5	1	9	3	7	5	5	3	3	1	1	1	
Females.....	202	74	22	10	9	5	120	10	5	7	9	3	4	5	6	5	3	5	4	4	6						
1. Croup.....	M. 120 F. 102	83	14	9	9	3	118	2																			
2. Laryngitis.....	M. 1 F. 5	1					1																				
3. Bronchitis.....	M. 18 F. 13	4	2	1	1	1	9		1	1	1						1	1	1	1	1			1			
4. Pneumonia.....	M. 89 F. 75	17	1	3	1		22	4	3	9	6	4	1	4	5	1	8	3	6	3	4	2	1	1		1	
5. Pleurisy.....	M. 4 F. 4				1		1				1					1		1									
6. Asthma.....	M. 1 F. 1																										
7. Others of this group.....	M. 2 F. 3		1				1													1		1					

NORTH CAROLINA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	88	14	5	1	1		21	3	1		4	2	2	4	4	5	5	2	7	6	12	5	3	2			
Males.....	51	8	2				10	2			3	1	2	2	2		3	1	5	4	10	3	1	2			
Females.....	37	6	3	1	1		11	1	1		1	1		2	2	5	2	1	2	2	2	2	2				
1. Dentition.....	M. 1 F. 3		1				1																				
2. Angina.....	M. 1 F. 3			1										1		2											
3. Gastritis.....	M. 4 F. 1		1				1	1												1	1						
4. Other diseases of the stomach.....	M. 1 F. 1																				1						
5. Obstruction of the bowels.....	M. 2 F. 1										1	1															
6. Hernia.....	M. 4 F. 1										1										2		1				
7. Other diseases of the bowels.....	M. 1 F. 1															1											
8. Jaundice.....	M. 2 F. 5	1				1	1												1		1						
9. Inflammation and abscess of the liver.....	M. 1 F. 1																										
10. Other diseases of the liver.....	M. 16 F. 18	5					5	1			1			1	2				3	2	1						
11. Peritonitis.....	M. 1 F. 1																1										
12. Ascites.....	M. 2 F. 4																			1					1		
13. Others of this group.....	M. 17 F. 3	2					2				2			1	1	1	2	1	2		4	3		1			
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	34										2		1	2		2	2		2	6	7	4	3	3			
Males.....	32										2			2		2	1		2	6	7	4	3	3			
Females.....	2												1				1										
1. Bright's disease.....	M. 6 F. 1													1		1	1			1	1			1			
2. Calculus, urinary.....	M. 19 F. 1										1			1		1				3	5	4	3	1			
3. Diseases of the kidney.....	M. 5 F. 2													1			1		2	2	1						
4. Diseases of the bladder.....	M. 2 F. 1										1												1				
5. Others of this group.....	M. 1 F. 1																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	17			1			1				1	2	1	2	2	1	3	1	2		1						
1. Ovarian tumors.....	F. 1																										
2. Ovarian diseases.....	F. 1																										
3. Uterine tumors.....	F. 1																										
4. Uterine diseases.....	F. 1																										
5. Others of this group.....	F. 17			1			1				1	2	1	2	2	1	3	1	2		1						
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	25									6	4	6	1	5	1	2											
1. Abortion.....	F. 2										1			1													
2. Child-birth.....	F. 23									6	3	6	1	4	1	2											
3. Others of this group.....	F. 1																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	14	2	2	2	1		7				1			2		1		1	1				1				
Males.....	7	1	1	1	1		4							1		1			1								
Females.....	7	1	1	1			3				1			1				1					1				
1. Diseases of the spine.....	M. 7 F. 6	1	1	1	1		4							1		1			1								
2. Diseases of the bones.....	M. 1 F. 1																										
3. Diseases of the hip-joint.....	M. 1 F. 1																										
4. Others of this group.....	M. 1 F. 1																										

NORTH CAROLINA—GROUP 3—Continued.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OHIO—GROUP 1.

[Exclusive of CLEVELAND and TOLEDO.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	3389	586	143	142	86	65	1022	210	117	118	156	141	113	129	95	96	108	142	151	186	170	185	134	73	24	10	9
Total: Males	1752	325	75	67	45	38	550	100	57	49	61	51	52	57	45	47	58	73	104	96	94	108	86	37	15	5	7
Females	1637	261	68	75	41	27	472	110	60	69	95	90	61	72	50	49	50	69	47	90	76	77	48	36	9	5	2
Unknown causes.																											
Total	129	67	5	2	1		75	2	2	1	2	5	1	4		3		5	6	4	5	5	5	3	1		
Males	72	43	4	1			48			1	1	3				2		1	4		1	5	4	1	1		
Females	57	24	1	1	1		27	2	2		1	2	1	4		1		4	2	4	4		1	2			
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	869	188	65	62	57	42	414	137	76	33	33	15	13	19	9	13	7	15	16	13	15	19	15	4	1	1	1
Males	441	103	34	27	32	25	221	62	32	18	9	3	5	7	6	9	5	8	10	10	6	14	11	2	1	1	1
Females	428	85	31	35	25	17	193	75	44	15	24	12	8	12	3	4	2	7	6	3	9	5	4	2			
1. Small-pox	M.																										
F.																											
2. Measles	M.	6	1	1			2	2	1									1									
F.	11	1	3	1		2	7	2	1					1													
3. Scarlet fever	M.	47	9	5	6	7	32	14	1																		
F.	36	3	4	4	10	2	23	6	4	1	2																
4. Diphtheria	M.	120	3	12	11	15	54	41	20	4			1														
F.	132	3	6	19	9	11	48	54	17	6	2	3		2													
5. Hooping-cough	M.	17	12	1	3	1	17																				
F.	16	9	4		1	1	15	1																			
6. Fever	M.																										
F.																											
7. Cerebro-spinal fever	M.	13	1		2	2	7		2	1			1	1	1			1		1	1						
F.	22	8		3			11	4	3				1	1	1												
8. Enteric fever	M.	58	2	2	1	1	7	3	3	4	7	2	4	4	3	3	2	1	4	3	1	4	1		1		1
F.	61		3	2	3	1	9	6	9	6	11	1	5	1	1	3	1	2	3		2		1				
9. Diarrhoea	M.	14	2			2	4									3	1			2	1	1	1	1			
F.	6	2					2												1			2					
10. Dysentery	M.	18	9	1	1	2	13								1				1		1		2				
F.	15	4		1	1		6		1		1							1			2	1	2	1			
11. Enteritis	M.	33	10		1		12	1	4	3		1		1	1	1	1	2	1	2	1	2					
F.	19	4					4	1	5			3	1	1		1				2	1						
12. Cholera morbus	M.	2																	1								
F.	2																			1							
13. Cholera infantum	M.	56	43	10	2	1	56																				
F.	58	43	11	4			58																				
14. Malarial fever	M.	30	3	2		1	9	1	1	3	1			2	1	1	1	3				4	3				
F.	16	2			1		3		2		2	2				1	2		1	2		2	1				
15. Erysipelas	M.	17	6				6			1									2			2	2	1			1
F.	12	5		1			6		1					2				1		2							
16. Septicæmia	M.	1	1				1																				
F.	7							1	1	1	2				1			1									
17. Puerperal septicæmia	M.	10									3	2	1	3													
F.																											
18. Venereal diseases	M.	5	1				1			2	1								1								
F.	2	1					1					1															
19. Others of this group	M.	4														1			1			1	1				
F.	3													1				1									
General diseases—B.																											
Total	33	14		1	1		16			1	1			5	1	1	1			1	1	2	3				
Males	16	4					4							5	1	1	1			1	1	1	1				
Females	17	10		1	1		12			1	1											1	2				
1. Worms	M.																										
F.																											
2. Other parasitic diseases	M.																										
F.																											
3. Alcoholism	M.	6												2	1	1			1				1				
F.																											
4. Lead poison	M.																										
F.																											
5. Other poisons	M.	7	2				2							3			1					1					
F.	8	2		1	1		4		1	1												1	1				
6. Inanition	M.	3	2				2														1						
F.	9	8					8																				
General diseases—C.																											
Total	228	102					102	1	1	2	2	1		1	1	1	1	1		6	1						

OHIO—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	736	29	10	5	1	2	47	12	7	35	68	67	54	48	34	42	45	50	51	52	48	34	23	13	3	...	3
Males.....	318	12	5	1	1	2	21	3	3	6	26	17	26	19	11	17	25	23	36	22	25	19	11	5	2	...	1
Females.....	418	17	5	4	...	...	26	9	4	29	42	50	28	29	23	25	20	27	15	30	23	15	12	8	1	...	2
1. Rheumatism.....	M. 13 F. 4	...	...	...	...	...	...	1	1	...	...	...	1	3	...	...	1	...	2	...	...	1	1	1	1	...	1
2. Scrofula and tabes.....	M. 6 F. 6	3	2	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	1
3. Leprosy.....	M. ... F. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Consumption.....	M. 197 F. 280	8	1	1	...	...	5	2	2	5	24	16	23	9	8	13	16	15	21	11	10	12	3	1	1	...	...
5. Hydrocephalus.....	M. 3 F. 7	2	1	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Cancer.....	M. 43 F. 56	2	1	...	...	1	3	...	...	...	2	1	...	2	2	4	5	6	6	4	7	1	2	1	...	1	
7. Tumor.....	M. 7 F. 11	...	...	1	...	...	1	...	...	...	...	...	...	3	1	1	...	9	4	7	...	1	...	...	...	...	...
8. Anæmia.....	M. 1 F. 2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	1	...	...	2	...	...	...	...	...
9. Dropsy.....	M. 38 F. 48	1	1	...	1	1	4	...	...	1	1	...	1	2	...	3	2	7	5	6	3	3	...	...	...	...	...
10. Glycosuria.....	M. 10 F. 3	...	...	1	...	...	1	1	...	1	...	...	...	...	...	...	...	...	...	2	2	2	1	1	...	...	...
11. Others of this group.....	M. ... F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
12. Others of this class.....	M. ... F. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	363	77	20	16	5	6	124	10	8	2	10	6	6	7	6	11	13	17	23	33	26	32	17	7	3	1	1
Males.....	198	50	8	8	1	1	68	5	3	2	7	4	4	4	4	7	4	7	11	17	16	18	11	2	2	1	1
Females.....	165	27	12	8	4	5	56	5	5	...	3	2	2	3	2	4	9	10	12	16	10	14	6	5	1	...	...
1. Inflammation of the brain.....	M. 27 F. 18	6	4	5	...	...	15	4	1	...	2	...	2	...	...	...	1	1	...	1	...	...	...	...	...	...	...
2. Meningitis.....	M. 4 F. 6	1	...	...	1	...	2	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Apoplexy.....	M. 27 F. 21	1	...	1	...	1	2	2	1	...	1	...	1	1	1	1	...	...	3	6	5	4	2	...	1	...	
4. Paralysis.....	M. 50 F. 50	1	...	...	...	...	1	...	...	1	1	...	1	...	2	1	3	6	8	6	10	6	1	2	...	...	
5. Tetanus and trismus nascentium.	M. 2 F. 2	1	...	...	...	...	1	...	1	...	...	...	1	1	1	7	2	6	7	4	8	5	3	1	...	...	
6. Epilepsy.....	M. 25 F. 11	11	2	...	...	...	13	1	...	1	2	1	1	1	2	...	1	...	...	1	2	...	...	...	...	...	
7. Convulsions.....	M. 19 F. 21	18	3	2	2	...	18	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
8. Mental diseases.....	M. 1 F. 6	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	2	1	1	...	...	...	...	...	...	
9. Diseases of the brain.....	M. 37 F. 28	11	2	2	...	1	15	...	1	1	1	...	...	1	2	1	1	3	1	2	3	2	1	1	...	1	
10. Diseases of the spinal cord.....	M. ... F. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11. Others of this group.....	M. 6 F. 2	...	...	...	...	1	1	...	1	...	1	...	...	...	...	1	1	...	...	1	...	2	...	...	...	...	...
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	173	4	3	5	...	...	12	3	2	8	4	3	9	8	8	7	11	12	9	19	23	13	12	8	...	2	...
Males.....	93	1	2	2	...	...	5	2	2	2	1	1	5	2	4	4	4	6	7	10	17	7	9	4	...	1	...
Females.....	80	3	1	3	...	...	7	1	...	6	3	2	4	6	4	3	7	6	2	9	6	6	3	4	...	1	...
1. Angina pectoris.....	M. 4 F. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	2	...	...	...	...	...	...
2. Aneurism.....	M. ... F. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the heart.....	M. 89 F. 77	1	2	2	...	...	5	2	2	2	1	1	5	2	3	4	4	6	6	10	15	7	9	4	...	1	...
4. Others of this group.....	M. ... F. 3	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	417	68	30	35	15	12	160	28	8	15	11	12	7	11	14	8	11	14	19	25	20	29	17	4	2	...	2
Males.....	233	38	18	16	9	9	90	15	5	9	4	8	4	6	5	4	7	9	15	12	8	12	12	4	2	...	2
Females.....	184	30	12	19	6	3	70	13	3	6	7	4	3	5	9	4	4	5	4	13	12	17	5	...	...	...	...
1. Croup.....	M. 54 F. 35	11	4	8	8	7	38	13	2	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Laryngitis.....	M. 1 F. ...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Bronchitis.....	M. 10 F. 10	2	1	2	...	...	5	...	...	...	...	...	...	1	...	...	...	...	1	1	1	1	2	...	...	...	...
4. Pneumonia.....	M. 107 F. 93	13	6	4	...	1	24	2	3	9	3	5	3	3	5	2	6	5	9	7	3	6	6	4	...	...	2
5. Pleurisy.....	M. 3 F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	...	...	...	...
6. Asthma.....	M. 2 F. 6	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	2	...	1	...	...	...	...	...
7. Others of this group.....	M. 56 F. 39	12	6	2	1	1	22	...	...	1	3	1	...	1	...	1	1	4	4	4	3	5	4	...	2	...	...

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OHIO—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	130	20	5	4			29	3	2	2	6	2	3	6	5	6	5	10	8	16	7	15	4	1			
Males	68	11	3	2			16	2	1		2	1		2	3	1	1	7	6	7	6	9	4				
Females	62	9	2	2			13	1	1	2	4	1	3	4	2	5	4	3	2	9	1	6		1			
1. Dentition.....	M. 1	1					1																				
	F. 2	1	1				2																				
2. Angina.....	M. 4	2		1			3	1																			
	F. 2	1					1													1							
3. Gastritis.....	M. 4			1			1														1	2					
	F. 4	1					1		1		1	1															
4. Other diseases of the stomach.....	M. 6											1		1					1	1		2	1				
	F. 8	1					1			1		1	1			1			1			1		1			
5. Obstruction of the bowels.....	M. 1								1																		
	F. 5			1			1			1	1							1				1					
6. Hernia.....	M. 11	2	1				3							1				3		1		1	2				
	F. 6	1		1			2						1				1	1		1							
7. Other diseases of the bowels.....	M. 5	1					1						1		1	1				1							
	F. 4	1					1												1		2						
8. Jaundice.....	M. 3													1	1												
	F. 3																										
9. Inflammation and abscess of the liver.....	M. 2										1							1									
	F. 18							1						1	3		1	2	2	5	2	1					
10. Other diseases of the liver.....	M. 13													1			2		4		4						
	F. 3															2	2					1					
11. Peritonitis.....	M. 4							1		1				1		1											
	F. 4																										
12. Ascites.....	M. 16	5	2				7				2							1	2	1	2	1					
	F. 8	3	1				4											1	3								
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	58	1					1		1	1	4	3	4	1	2	1	4	5	7	6	5	3	8	2			
Males	44								1	1	2	2	3	1	2		4	2	6	6	5	2	6	1			
Females	14	1					1				2	1	1			1		3	1			1	2	1			
1. Bright's disease.....	M. 18								1	1		1	3	1			2	1	2	3	2		1				
	F. 1																					1					
2. Calculus, urinary.....	M. 1																										
	F. 1																										
3. Diseases of the kidney.....	M. 21										2	1			1		1	1	3	2	2	2	5	1			
	F. 12	1					1			2	1				1		3	1				2	1				
4. Diseases of the bladder.....	M. 2													1		1											
	F. 3																										
5. Others of this group.....	M. 3																		1	1	1						
	F. 1												1														
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	8									1	2		1	1		1				1	1						
1. Ovarian tumors.....	F. 1																										
2. Ovarian diseases.....	F. 1																										
3. Uterine tumors.....	F. 2										1										1						
4. Uterine diseases.....	F. 4												1	1		1				1							
5. Others of this group.....	F. 2									1	1																
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	35									6	3	13	4	5	4												
1. Abortion.....	F. 7									1	1	3			2												
2. Child-birth.....	F. 28									5	2	10	4	5	2												
3. Others of this group.....	F. 1																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	17	6		1	1	1	9	3							1		1				1	1		1			
Males	3	1					1	1							1												
Females	14	5		1	1	1	8	2									1				1	1		1			
1. Diseases of the spine.....	M. 1	1					1																				
	F. 11	5		1	1		7	1									1				1	1					
2. Diseases of the bones.....	M. 1														1												
	F. 1																										
3. Diseases of the hip-joint.....	M. 1							1																			
	F. 3					1	1	1																1			
4. Others of this group.....	M. 1																										
	F. 1																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
OHIO—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	15										1	1	3	3			1	4				2					
Males.....	5										1			1				2				1					
Females.....	10											1	3	2			1	2				1					
1. Abscess.....	4										1			1				1				1					
M.....	4										1			1				1				1					
F.....	10											1	3	2			1	2				1					
2. Carbuncle.....	1																	1									
M.....	1																	1									
F.....																											
3. Others of this group.....																											
M.....																											
F.....																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....																											
Males.....																											
Females.....																											
1. Addison's disease.....																											
M.....																											
F.....																											
2. Diseases of the spleen.....																											
M.....																											
F.....																											
3. Others of this group.....																											
M.....																											
F.....																											
XII.—ACCIDENTS AND INJURIES.																											
Total.....	178	10	5	11	5	2	33	11	10	11	9	13	8	10	10	2	8	9	12	10	4	6	2	4	3	1	2
Males.....	134	5	1	10	2	1	19	10	9	8	7	11	5	10	8	1	6	8	9	8	3	4	1	2	2	1	2
Females.....	44	5	4	1	3	1	14	1	1	3	2	2	3	2	2	1	2	1	3	2	1	2	1	2	1		
1. Burns and scalds.....	9	1		4		1	6	1	1	1																	
M.....	9	1		4		1	6	1	1	1																	
F.....	10	2	3		1		6			1		1					1							1			
2. Drowned.....	17		1	1	1		3	1	1	2	2	2		3	2					1							
M.....	17		1	1	1		3	1	1	2	2	2		3	2					1							
F.....	3			1	2		3																				
3. Exposure and neglect.....																											
M.....																											
F.....																											
4. Gunshot wounds.....																											
M.....																											
F.....																											
5. Homicide.....	2											1						1									
M.....	2											1						1									
F.....																											
6. Infanticide.....																											
M.....																											
F.....																											
7. Injuries by machinery.....																											
M.....																											
F.....																											
8. Railroad accidents.....	18			1			1		2	1	1	1			3	1	2	4									2
M.....	18			1			1		2	1	1	1			3	1	2	4									2
F.....	1																										
9. Suffocation.....	6	2		2			4	2																			
M.....	6	2		2			4	2																			
F.....	4																										
10. Suicide by shooting.....	1													1													
M.....	1													1													
F.....																											
11. Suicide by drowning.....																											
M.....																											
F.....																											
12. Suicide by poison.....	1																		1								
M.....	1																		1								
F.....																											
13. Other suicides.....	8									1		2		1					3	1							
M.....	8									1		2		1					3	1							
F.....	3														2	1											
14. Sunstroke.....	1																							1			
M.....	1																						1				
F.....	2		1				1																				
15. Surgical operations.....																											
M.....																											
F.....																											
16. Wounds.....	1																1										
M.....	1																1										
F.....																											
17. Other accidents and injuries.....	70	2		2	1		5	6	5	3	4	5	5	5	3		3	3	5	7	2	4	1	1	2	1	
M.....	70	2		2	1		5	6	5	3	4	5	5	5	3		3	3	5	7	2	4	1	1	2	1	
F.....	20	3				1	4	1		1	2	1	3				1	2	1	1	1	1	1				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OHIO—GROUP 2.

[Exclusive of CINCINNATI and DAYTON.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	12008	2417	711	460	236	189	4013	572	344	521	702	586	445	431	363	361	389	378	468	534	611	497	431	223	88	34	17
Total: Males.....	6152	1322	374	241	118	99	2151	269	159	232	309	219	183	197	186	201	221	194	26	311	365	258	245	123	38	14	6
Females.....	5856	1095	337	219	118	90	1862	303	185	289	393	367	262	234	177	160	168	184	200	223	246	239	186	100	50	20	11
Unknown causes.																											
Total.....	628	362	26	16	8	4	416	12	9	12	12	7	16	7	11	7	11	8	12	21	19	20	17	9	2	...	...
Males.....	329	203	12	5	6	4	230	9	6	6	3	3	3	3	8	4	5	2	8	9	10	6	8	6	...	...	...
Females.....	299	159	14	11	2	...	186	3	3	6	9	4	13	4	3	3	6	6	4	12	9	14	9	3	2	...	...
A.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	2778	648	333	211	116	118	1426	343	123	128	134	98	59	63	52	26	26	40	40	41	48	54	34	25	8	6	4
Males.....	1365	328	179	118	54	62	741	154	53	53	68	39	21	29	27	9	13	20	21	29	28	19	18	15	4	2	2
Females.....	1413	320	154	93	62	56	685	189	70	75	66	59	38	34	25	17	13	20	19	12	20	35	16	10	4	4	2
1. Small-pox.....	M. 44	9	16	7	2	2	36	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 40	14	5	6	1	4	...	30	3	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Measles.....	M. 156	19	24	22	21	21	110	33	11	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 182	14	22	20	20	26	...	102	61	11	1	1	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Scarlet fever.....	M. 179	9	11	29	22	17	88	64	17	4	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 182	7	10	21	17	13	...	63	71	30	5	2	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Diphtheria.....	M. 65	23	19	11	3	2	53	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 58	28	12	2	8	3	...	53	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Hooping-cough.....	M. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 26	2	4	5	...	2	...	13	6	2	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Fever.....	M. 21	5	3	...	2	3	13	3	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 219	3	3	4	3	3	...	16	13	8	35	47	22	11	14	13	3	3	8	6	7	7	4	...	...	...	...	...
7. Cerebro-spinal fever.....	M. 225	6	2	5	3	2	18	20	16	48	33	21	13	7	12	8	2	4	3	3	5	7	2	...	...	...	...
F. 75	24	4	1	1	1	...	31	1	1	1	1	1	2	2	5	1	3	1	2	4	1	5	5	4	1	2	1
8. Enteric fever.....	M. 57	23	9	2	...	...	34	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 57	10	10	6	...	1	...	27	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Diarrhoea.....	M. 78	11	6	10	3	1	31	6	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 114	27	12	3	1	2	...	45	9	8	5	7	3	2	5	4	2	...	...	...	...	...	...	...	...	...	...	...
10. Dysentery.....	M. 86	23	13	7	1	...	44	3	1	2	3	2	1	3	2	1	5	3	3	1	3	6	1	2	...	...	...
F. 28	2	2	1	...	1	...	6	1	...	1	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11. Enteritis.....	M. 23	2	1	...	...	...	3	5	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 275	181	65	21	1	4	...	275	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
12. Cholera morbus.....	M. 245	158	64	18	3	2	245	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 54	4	3	3	...	3	...	13	11	3	2	7	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
13. Cholera infantum.....	M. 73	7	4	1	3	2	17	7	1	5	4	4	2	4	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 33	10	5	...	...	...	...	15	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
14. Malarial fever.....	M. 41	12	2	...	...	...	14	1	2	...	2	1	4	2	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 14	1	...	2	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15. Erysipelas.....	M. 8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 64	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
16. Septicæmia.....	M. 13	4	1	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 16	9	...	1	1	...	...	11	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
17. Puerperal septicæmia.....	M. 13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 16	9	...	1	1	...	...	11	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
18. Venereal diseases.....	M. 13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 13	1	1	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
19. Others of this group.....	M. 13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 13	1	1	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
General diseases—B.																											
Total.....	137	60	8	6	5	1	80	2	1	...	...	1	3	5	1	7	7	8	4	6	4	7	...	1	...	...	...
Males.....	90	32	4	2	4	1	43	1	1	...	...	1	3	4	...	6	7	7	4	5	4	4	...	...	...	...	...
Females.....	47	28	4	4	1	...	37	1	...	...	...	...	...	1	1	1	...	1	...	1	...	3	...	1	...	...	...
1. Worms.....	M. 8	2	1	1	2	...	6	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 7	...	3	4	...	...	...	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Other parasitic diseases.....	M. 28	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Alcoholism.....	M. 19	2	1	1	2	1	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 10	3	1	...	1	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Lead poison.....	M. 35	28	2	...	...	...	30	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 29	25	...	...	...	...	...	25	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Other poisons.....	M. 19	2	1	1	2	1	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 10	3	1	...	1	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Inanition.....	M. 35	28	2	...	...	...	30	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 29	25	...	...	...	...	...	25	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
General diseases—C.																											
Total.....	936	562	3	1	2	...	568	1	1	1	1	2	1	2	2	1	2	3	10	14	40	60	102	61	44	19	1
Males.....	517	335	3	...	...	...	338	...	1	...	1	1	...	1	2	...	1	1	5	4	21	31	61	30	13	5	1
Females.....	419	227	...	1	2	...	230	1	...	1	...	1	1	1	...	1	1	2	5	10	19	29	41	31	14	...	...
1. Premature birth.....	M. 52	52	...	...	...	...	52	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 37	37	...	...	...	...	...	37	...	...	...																	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
OHIO—Group 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	2906	98	49	35	12	9	203	39	86	230	369	298	224	189	150	146	163	135	155	142	157	105	76	28	6	2	3
Males.....	1268	53	26	15	6	2	102	18	29	88	128	95	84	85	65	71	80	59	84	72	90	54	45	14	4	1	...
Females.....	1638	45	23	20	6	7	101	21	57	142	241	203	140	104	85	75	83	76	71	70	67	51	31	14	2	1	3
1. Rheumatism.....	M. 41	1	...	...	...	...	1	1	2	3	5	2	1	3	1	...	2	2	3	3	6	2	4	...	...	...	...
F. 31	1	...	...	...	...	...	1	1	3	...	1	1	1	1	...	1	3	1	4	7	...	3	1	1	...	...	
2. Scrofula and tabes.....	M. 51	11	11	4	2	1	29	6	4	1	2	1	1	1	1	...	1	1	...	2	2	...	1	...	...	...	
F. 59	15	7	4	1	2	...	29	1	5	6	4	4	2	...	1	1	...	1	...	2	...	1	...	...	...	1	
3. Leprosy.....	M. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
4. Consumption.....	M. 889	25	11	6	2	...	44	4	17	75	117	87	77	75	58	57	59	43	52	35	41	27	15	4	1	1	
F. 1177	15	8	10	1	3	...	37	12	39	131	226	192	129	90	59	51	58	37	28	35	24	16	9	2	1	...	
5. Hydrocephalus.....	M. 24	12	3	4	1	1	21	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	
F. 22	9	5	3	2	1	...	20	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	
6. Cancer.....	M. 93	...	...	...	...	...	...	1	...	1	...	2	1	2	4	6	11	8	14	11	12	4	9	5	2	...	
F. 147	...	...	...	...	...	...	1	1	...	2	...	2	1	4	14	13	14	20	21	12	12	16	11	3	...	...	
7. Tumor.....	M. 14	...	1	...	...	...	1	1	...	...	1	...	...	...	...	...	1	1	4	3	1	1	...	...	...	...	
F. 39	1	...	...	...	...	1	2	...	1	1	3	1	2	3	3	3	1	3	5	6	3	3	...	...	...	...	
8. Anæmia.....	M. 2	1	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
F. 5	...	...	...	...	...	...	...	1	1	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	
9. Dropsy.....	M. 120	2	1	...	...	...	3	3	5	5	3	3	2	2	1	4	7	4	8	15	20	18	13	3	1	...	
F. 143	3	3	3	...	...	...	9	4	5	1	4	2	3	7	5	7	8	12	13	11	20	15	7	8	...	...	
10. Glycosuria.....	M. 29	...	...	...	...	...	...	1	1	1	...	...	...	2	1	1	...	1	3	3	8	2	3	2	...	...	
F. 14	1	...	...	...	...	...	2	1	2	...	2	1	...	2	...	1	...	3	...	...	...	...	...	...	...	...	
11. Others of this group.....	M. 5	1	...	...	...	...	2	...	...	1	...	...	1	...	...	1	...	...	3	...	...	...	...	...	...	...	
F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
12. Others of this class.....	M. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	
F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	1525	336	141	75	38	19	609	62	33	33	35	32	26	40	39	43	42	49	70	96	106	85	80	29	9	5	2
Males.....	819	191	68	37	20	12	328	33	14	21	22	8	12	23	24	26	24	28	35	50	60	43	44	13	6	4	1
Females.....	706	145	73	38	18	7	281	29	19	12	13	24	14	17	15	17	18	21	35	46	46	42	36	16	3	1	1
1. Inflammation of the brain.....	M. 145	54	39	13	3	3	112	12	4	1	2	2	1	3	...	1	1	2	2	1	...	1	...	...	...	...	...
F. 137	47	33	13	5	3	...	101	11	7	4	...	3	1	3	...	2	2	2	2	...	...	...	...	...	...	...	
2. Meningitis.....	M. 48	18	5	6	9	2	40	3	...	...	...	...	2	...	1	2	...	...	...	...	...	...	...	...	...	...	
F. 44	14	9	7	4	...	...	34	3	1	1	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	
3. Apoplexy.....	M. 98	1	...	...	...	...	1	...	...	2	...	2	1	8	5	7	9	10	10	7	16	9	9	...	2	...	
F. 62	...	2	...	...	...	...	2	...	...	1	2	2	1	4	3	4	6	7	8	7	8	5	1	1	...	...	
4. Paralysis.....	M. 192	3	2	...	...	...	5	5	1	3	...	...	1	4	4	6	3	10	15	31	37	22	28	9	3	4	1
F. 207	1	1	...	1	1	...	4	2	1	2	3	7	2	1	7	9	4	10	21	27	31	28	31	13	2	1	1
5. Tetanus and trismus nascentium.....	M. 15	4	...	...	...	...	6	1	1	2	1	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	
F. 7	1	1	...	...	...	...	2	1	1	...	...	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	
6. Epilepsy.....	M. 35	1	1	1	...	...	3	1	...	5	10	1	3	1	6	1	1	1	1	1	1	...	...	...	...	...	
F. 16	1	...	1	...	...	...	2	...	2	2	2	2	1	2	1	...	...	...	1	...	...	...	...	...	...	...	
7. Convulsions.....	M. 102	77	6	5	2	1	91	3	3	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
F. 98	57	14	10	3	3	...	87	3	3	...	1	1	1	2	...	...	...	...	...	...	...	...	...	...	...	...	
8. Mental diseases.....	M. 11	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
F. 9	...	...	...	...	...	...	...	1	...	...	1	2	1	3	...	...	...	1	...	2	2	1	1	1	...	...	
9. Diseases of the brain.....	M. 109	22	7	7	1	3	40	4	4	4	5	1	4	3	4	4	6	2	4	6	3	8	5	1	1	...	
F. 78	15	9	6	3	...	...	33	4	3	2	2	3	3	2	1	3	3	3	3	4	4	4	...	...	...	...	
10. Diseases of the spinal cord.....	M. 47	12	6	3	4	2	27	4	1	1	2	...	...	2	1	2	3	1	1	...	...	...	...	...	...	...	
F. 37	9	4	1	2	...	...	16	3	1	1	2	2	2	3	...	2	1	...	...	1	2	1	...	...	...	...	
11. Others of this group.....	M. 17	3	...	...	...	...	3	...	...	1	...	...	...	...	2	2	...	2	1	2	1	1	2	...	...	...	
F. 11	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	...	3	...	...	4	...	...	...	...	...	...	
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....</																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OHIO—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	532	77	24	18	7	5	131	20	15	12	17	20	18	20	18	27	25	26	36	51	42	25	15	9	3		2
Males.....	281	35	12	11	3	2	63	13	10	4	6	8	8	6	11	21	14	15	19	30	24	13	8	6	2		2
Females.....	251	42	12	7	4	3	68	7	5	8	11	12	10	14	7	6	11	11	17	21	18	12	7	3	1		2
1. Dentition.....	M. 9	3	3	3			9																				
F. 12	5	6		1			12																				
2. Angina.....	M. 12	1		5	1		7	1		1			1			1		1									
F. 11	2			2	1		5	1	2	1									1								
3. Gastritis.....	M. 18	1	1	1			3	2				1			1	2	1		2		4		1		1		
F. 23	2	1	2	1			6			1		2	2				1	3		3	3	1					
4. Other diseases of the stomach.....	M. 40	4	2	1			7	1	1			1	1	1	1	4	1	2	2	9	6	1		2	1		
F. 56	12						12	1	1	2	5	4	2	2	5		1	1	3	3	5	5	2	1			1
5. Obstruction of the bowels.....	M. 10	2					2	1				2				1	2		1	1							
F. 4		1					1	1						1				1									
6. Hernia.....	M. 13	2					2			1				2				2	1	3	1			1			
F. 11			1				1							1					2	5		1					
7. Other diseases of the bowels.....	M. 20	5		1	1	1	8		2	1						2	2	1	3	1							
F. 15	4	1	2				7	1	1				1			1		1	2								
8. Jaundice.....	M. 17	6				1	7								1		1	1	3		1		2				
F. 11	2		1			1	4									1	2	1			1	1	1				
9. Inflammation and abscess of the liver.....	M. 29		1				2	1		1		2	1	1	1	4	1	3	4	5	2	2	2	1			
F. 20						1	5							2		2	2	3	2	2	2	2					
10. Other diseases of the liver.....	M. 41	2	3				5					3	1	2	7	4	5	1	2	5	4	1		1			
F. 32	1		1				2	1	1		1	1	1	3	1	2	3	2	4	2	3	2	3				
11. Peritonitis.....	M. 23				1		1					1	1	1					1	3	1	2					
F. 18		1					1			2	4	3	3	3	1		1										
12. Ascites.....	M. 4																1	1			1	1					
F. 9	1						1			1		1	1					1		3				1			
13. Others of this group.....	M. 45	9	3				12	1		1	5	1	2			3		3	1	3	3	6	3	1			
F. 29	13	1					14	1		1		1				2	1		3	3	1			1	1		
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	194	6	2		1	1	10	2		4	6	6	4	7	6	10	10	9	18	28	23	27	10	10	3	1	
Males.....	154	4			1		5	2		3	3	6	2	4	3	4	6	7	15	25	22	24	10	9	3	1	
Females.....	40	2	2			1	5			1	3		2	3	3	6	4	2	3	3	1	3		1			
1. Bright's disease.....	M. 43							1		2	1	3	1		1	1	3	2	6	10	5	5	2				
F. 17	1					1	2			2				1	2	3	1	2	2		1		1				
2. Calculus, urinary.....	M. 23	1					1			1					1			1		3	4	6	3	2	1		
F. 1																											
3. Diseases of the kidney.....	M. 47	3					3	1		1	1	3	1	3	1	2	2	3	4	4	4	7	3	1	2	1	
F. 15		2					2			1		1	1	1	1				2	1	1						
4. Diseases of the bladder.....	M. 29													1		1	1	1	2	6	7	5	1	4			
F. 4										1						1			1		1						
5. Others of this group.....	M. 12				1		1												3	2	2	1	1	2			
F. 4	1						1						1	1					1								
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	51									2	5	6	3	8	5	4	2	6	3	1	2	4					
1. Ovarian tumors.....	F. 14										2			1	1	1	1	4	1	1		2					
2. Ovarian diseases.....	F. 3														1			2									
3. Uterine tumors.....	F. 2													1	1												
4. Uterine diseases.....	F. 8									2	2			1		1			1			1					
5. Others of this group.....	F. 24									2	3	2	3	5	2	2	1		1		2	1					
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	74									7	12	15	12	17	9		1										1
1. Abortion.....	F. 9									2	2	2		1	2												
2. Child birth.....	F. 52									2	6	11	9	15	7		1										1
3. Others of this group.....	F. 13									3	4	2	3	1													
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	23	2	1		1	2	6	1	2	2	2	2	2	1	1		1				1	1	1				
Males.....	16		1			2	3	1	1	1	2	2	1	1			1				1	1	1				
Females.....	7	2			1		3		1	1			1		1												
1. Diseases of the spine.....	M. 7		1			1	2				1	1		1			1					1					
F. 4	2						2							1													
2. Diseases of the bones.....	M. 6							1	1	1		1	1							1							
F. 1									1																		
3. Diseases of the hip-joint.....	M. 1																										
F. 1																											
4. Others of this group.....	M. 3				1		1				1												1				
F. 2				1			1			1																	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
OHIO—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	27	3	1			1	5	2		1	2	1	1		3		4	2	2	1	1	2					
Males.....	11	2	1				3	1		1	1				2		2					1					
Females.....	16	1				1	2	1			1	1	1		1		2	2	2	1	1	1					
1. Abscess.....	M. 8 F. 10	1					1	1		1	1				2		1					1					
2. Carbuncle.....	M. 3 F. 3																	1	2								
3. Others of this group.....	M. 3 F. 3	1	1				2										1										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	9											1					3	1	1		1	1	1				
Males.....	6											1					3	1			1						
Females.....	3																	1		1		1					
1. Addison's disease.....	M. 1 F. 3																					1					
2. Diseases of the spleen.....	M. 3 F. 3											1					1	1									
3. Others of this group.....	M. 2 F. 2																2		1	1		1					
XII.—ACCIDENTS AND INJURIES.																											
Total.....	539	40	14	16	7	9	86	21	43	38	52	44	38	17	23	29	17	25	18	27	20	10	15	8	6	2	
Males.....	408	21	7	11	5	5	49	14	29	33	47	38	32	14	20	21	14	18	16	23	14	7	9	5	4	1	
Females.....	131	19	7	5	2	4	37	7	14	5	5	6	6	3	3	8	3	7	2	4	6	3	6	3	2	1	
1. Burns and scalds.....	M. 20 F. 41	1	1	3	4	4	13	1	1			3					1	1	1			2					
2. Drowned.....	M. 57 F. 8		2	3			5	4	12	6	12	3	2	4	2	1	1	2	1	1	1		2		1		
3. Exposure and neglect.....	M. 6 F. 4	3	1	1			3	1	3	1						1				1			1		1		
4. Gunshot wounds.....	M. 21 F. 4	1					1		2	5	1	1	2			1	2	3	1	1						1	
5. Homicide.....	M. 18 F. 4							1	1	1	1	4	2		2	1	2	1	2		1						
6. Infanticide.....	M. 1 F. 1	1					1																				
7. Injuries by machinery.....	M. 55 F. 2		2				2	1	1	5	13	6	4	2	2	4	1	1	2	4	3	1	3				
8. Railroad accidents.....	M. 13 F. 11	10	1				11				2							1									
9. Suffocation.....	M. 9 F. 1									1	1	1	2	1	2		1				1						1
10. Suicide by shooting.....	M. 2 F. 2											1	1														
11. Suicide by drowning.....	M. 4 F. 1											1			2					1							
12. Suicide by poison.....	M. 20 F. 6									2			3	1	3	5	1	2		3					1		
13. Other suicides.....	M. 2 F. 3											1				1			1								
14. Sunstroke.....	M. 3 F. 2											1				1				1							
15. Surgical operations.....	M. 3 F. 2											1				1	1										
16. Wounds.....	M. 177 F. 42	5	1	5	1	1	13	7	13	13	17	17	15	7	7	9	6	8	8	12	10	3	5	5	2		
17. Other accidents and injuries.....	M. 42 F. 42	8	1	1		2	12		2	1		1	2	1		1		4	1	3	4	3	3	3	1		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OHIO—GROUP 3.

[Exclusive of COLUMBUS.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	16888	3538	928	609	401	294	5770	964	523	668	850	733	593	572	498	461	500	538	703	807	823	817	558	286	95	33	96
Total: Males.....	8580	1965	487	316	191	158	3117	457	234	296	352	305	212	258	217	223	271	287	384	441	441	461	307	155	45	14	43
Females.....	8308	1573	441	293	210	136	2653	507	289	372	498	428	351	314	251	238	229	251	319	366	382	356	251	131	50	19	53
Unknown causes.																											
Total.....	715	387	15	14	12	8	436	13	11	11	9	10	11	7	18	17	17	20	18	27	12	28	17	21	1		11
Males.....	364	207	9	11	6	6	239	5	7	7	3	3	4	3	9	5	8	10	9	13	5	15	6	9	1		3
Females.....	351	180	6	3	6	2	197	8	4	4	6	7	7	4	9	12	9	10	9	14	7	13	11	12			8
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	4264	1004	413	306	195	161	2079	577	241	186	186	142	105	84	67	54	54	55	76	93	74	78	55	30	7	3	18
Males.....	2035	535	223	148	86	84	1076	259	94	73	74	54	34	33	26	24	28	28	43	46	41	47	32	13	2	1	7
Females.....	2229	469	190	158	109	77	1003	318	147	113	112	88	71	51	41	30	26	27	33	47	33	31	23	17	5	2	11
1. Small-pox.....	M. 2																										
	F. 25	5	6	5	1	2	19	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2. Measles.....	M. 38	7	5	2	4	1	19	12	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	F. 155	7	12	21	23	15	78	47	17	5	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3. Scarlet fever.....	M. 125	11	14	18	18	11	72	35	12	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	F. 155	7	12	21	23	15	78	47	17	5	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4. Diphtheria.....	M. 401	39	47	59	44	60	249	180	33	13	2	2	2	1	2	1	2	1	1	1	1	1	1	1	1	1	3
	F. 584	25	43	76	56	50	250	200	86	24	7	5	2	3	3	1	1	1	1	1	1	1	1	1	1	1	2
5. Hooping-cough.....	M. 85	52	20	5	4	1	82	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	F. 109	59	25	15	4	1	104	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6. Fever.....	M. 23	8	1	3	1	1	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	F. 27	7	1	1	1	1	8	5	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
7. Cerebro-spinal fever.....	M. 42	9	3	6	4	3	25	2	6	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	F. 44	9	6	5	3	1	24	6	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
8. Enteric fever.....	M. 275	6	7	7	2	3	25	17	22	29	43	30	23	13	7	3	6	10	18	10	7	6	1	2	1	1	2
	F. 208	4	3	4	4	3	18	15	23	53	50	33	23	9	10	10	11	9	8	14	4	5	2	1	1	1	1
9. Diarrhoea.....	M. 94	33	14	3	1	1	51	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	F. 67	19	13	5	1	1	38	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
10. Dysentery.....	M. 73	23	13	9	1	1	45	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	F. 64	12	5	3	1	1	21	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
11. Enteritis.....	M. 149	38	15	6	4	1	64	7	6	8	5	2	4	1	6	1	4	1	7	6	9	8	4	5	1	1	1
	F. 143	39	5	4	1	2	51	6	8	4	9	7	6	11	6	4	2	8	3	3	4	3	3	2	1	1	3
12. Cholera morbus.....	M. 24	4	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	F. 24	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
13. Cholera infantum.....	M. 355	265	68	18	3	1	355	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	F. 312	234	57	14	4	2	311	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
14. Malarial fever.....	M. 145	15	10	7	4	1	37	9	10	9	9	5	2	6	6	4	5	5	7	9	4	7	9	1	1	1	1
	F. 156	18	7	5	8	1	38	15	5	12	7	6	9	6	3	7	5	4	7	7	7	6	5	5	1	1	1
15. Erysipelas.....	M. 61	20	2	1	1	1	25	2	2	3	6	2	1	1	1	5	1	4	3	3	1	1	1	1	1	1	1
	F. 64	23	4	1	1	1	28	2	1	2	1	2	1	1	3	1	3	1	5	6	5	4	2	1	1	1	1
16. Septicæmia.....	M. 25	3	1	1	1	1	4	1	1	1	1	2	1	3	1	2	2	1	2	3	1	1	2	1	1	1	1
	F. 17	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
17. Puerperal septicæmia.....	M. 93	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	F. 93	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
18. Venereal diseases.....	M. 12	3	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	F. 6	2	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
19. Others of this group.....	M. 31	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	F. 26	4	2	2	2	2	8	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
General diseases—B.																											
Total.....	137	34	8	8	4	2	56	4	1	1	6	6	7	7	8	5	10	4	6	9	2	1	3	2	1	1	1
Males.....	86	17	3	5	3	1	28	1	1	1	2	5	6	6	6	3	8	4	4	7	1	1	2	2	1	1	1
Females.....	51	17	5	3	1	1	28	4	1	1	4	1	1	1	2	2	2	2	2	2	1	1	1	1	1	1	1
1. Worms.....	M. 3	1	1	2	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	F. 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2. Other parasitic diseases.....	M. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3. Alcoholism.....	M. 33	1	1	1	1	1	1	1	1	1	1	3	2	3	3	2	6	2	3	5	1	1	1	1	1	1	1
	F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4. Lead poison.....	M. 31	6	2	1	3	1	12	1	1	1	1	2	3	3	3	1	1	1	1	1	1	1	1	1	1	1	1
	F. 29	5	2	3	1	2	13	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5. Other poisons.....	M. 18	10	1	1	1	1	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	F. 18	11	2	1	1	1	13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
General diseases—C.																											
Total.....	1212	782	4	1	1	1	788	2	1	1	1	3	1	1	1	3	1	4	6	11	37	70	137	91	38		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
OHIO—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases - D.																											
Total	3304	141	58	28	20	7	254	48	72	226	355	311	239	222	189	165	146	157	216	200	195	172	73	37	11	1	15
Males	1467	81	30	15	9	5	140	24	21	71	132	117	95	92	88	72	67	79	107	96	104	91	40	21	3	7	
Females	1837	60	28	13	11	2	114	24	51	155	223	194	144	130	101	93	79	78	109	104	91	81	33	16	8	1	8
1. Rheumatism	M. 44	1	2	1			4	3	4	3	1	1			2	1	1	4	4	6	3	3	3	1			
F. 39			1	2			3	3	6	4		1	1	1		3	1	2	5	2	3	2	2				
2. Scrofula and tabes	M. 65	17	9	4	2	1	33	5	3	1	7	1	2		4	1	1	2	1	1	1	1	2				
F. 54		20	5	4	2		31	2	2	4	4	3	2		1		1		1	2		1					
3. Leprosy	M. 1						1																				
F. 1							1																				
4. Consumption	M. 912	31	8	5	3		47	8	7	57	115	108	79	83	62	55	49	47	55	43	39	41	10	4			3
F. 1228		18	12	3	5	1	39	13	34	141	209	174	126	102	74	47	38	29	55	47	37	37	12	6	1	1	6
5. Hydrocephalus	M. 44	20	6	5	2	1	34	2	2	1									1		4						
F. 34		14	7	5	2	1	29	2	1	1					1												
6. Cancer	M. 159	2	3			2	7			2	2	5	8	4	7	5	7	13	26	18	19	14	15	3	3		1
F. 224		2					2							7	12	13	27	31	28	26	20	19	5	4	4		1
7. Tumor	M. 33	3	2		1		6	1		1	1	1	1	4	1	7	4	5	3	5	2	3	1	1	2		
F. 40									1		1	2	1	4	1		4	5	3	5	2	3	1				
8. Anæmia	M. 8	3					3		1										1		1	1					1
F. 9		1					1		1			3	1	1			1	1									
9. Dropsy	M. 142	3					3	4	2	3	1	1	4	4	5	7	5	7	11	20	27	22	7	8			1
F. 183		4	3				7	3	6	3	7	6	5	6	10	9	9	9	14	19	28	19	13	6	3		1
10. Glycosuria	M. 55	1				1	2	1	2	3	4	1	1	1	3	3	2	4	4	4	8	8	1	3			1
F. 19										1	2	2	1	2	1	2	1	3	3	1							
11. Others of this group	M. 5				1		1				1				1					1	1						
F. 7		1	1				2	1		1		1		2													
12. Others of this class	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total	2194	533	172	84	45	39	873	80	49	44	41	43	39	48	59	50	65	74	108	137	156	166	102	35	7	7	11
Males	1141	305	86	38	20	21	470	46	23	23	18	17	14	27	29	24	36	36	55	79	75	86	58	16	3	3	3
Females	1053	228	86	46	25	18	403	34	26	21	23	26	25	21	30	26	29	38	53	58	81	80	44	19	4	4	8
1. Inflammation of the brain	M. 198	72	38	14	7	6	137	19	6	6	7	3		2	4	2	3	2		2	2	2	1				
F. 156		50	28	21	4	7	110	17	2	4	3	3	4	3	1	2	2	1		1	1	2					
2. Meningitis	M. 33	13	6	2	1	2	24	1	1			1		2	1			1				1					1
F. 56		27	5	2	1	1	36	4	2	2	3	1	2	1	1			1									1
3. Apoplexy	M. 145	5					5			1	2	3		5	4	9	5	14	21	29	22	13	8	2	2		
F. 126		1		1	1		3		1	1	1	1	3	1	8	7	9	11	14	16	17	17	5	8		1	2
4. Paralysis	M. 250	3	1	2			6			1		1	1	5	8	5	11	13	22	33	39	52	36	13	1	3	
F. 265		3	3				6		2		2	4	7	4	4	6	9	15	31	33	43	51	30	9	3	3	3
5. Tetanus and trismus nascentium	M. 10					1	1	1		4		1		1			1				1						
F. 7		3	1				4	1	1				1														
6. Epilepsy	M. 27	6	1			1	8		1	3		1	1	3	1		1	1		3	1	2					
F. 23		1		1	2	1	5		2		2	4	2	2	2		1				1	2					
7. Convulsions	M. 184	142	14	6	5	4	171	4	2	1	3																
F. 144		96	14	9	7	1	127	1	1	2	6	1	1	1	1					1							2
8. Mental diseases	M. 12						12				1			1	2	2	1		1	2			1				1
F. 17							17				1	1	1		3		2	2	2	1	3		1				
9. Diseases of the brain	M. 187	46	19	8	4	4	81	9	8	6	1	4	7	7	4	2	10	3	7	9	7	11	9	1			1
F. 141		34	19	6	3		62	6	3	1	3	8	2	4	8	8	4	3	1	4	10	7	4	2	1		
10. Diseases of the spinal cord	M. 75	17	7	6	3	3	36	12	4	1	3	2	3	1	3	1	1	1	2	1	2	1	1				
F. 82		13	13	6	7	6	45	4	12	8	1	2	1	1	1	1	1	3	2		1						
11. Others of this group	M. 20	1					1		1			1	2		2	1	2	1	2		1	4	2				
F. 36		1	2			2	5	1		3	1	1	1	4	1	1	2	3	3	1	5	1	3				
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total	781	67	4	3		3	77	19	14	13	18	28	18	31	24	21	53	59	72								

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
OHIO—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	763	126	25	12	14	9	186	30	24	17	31	37	22	27	19	25	47	48	45	63	46	43	28	10	3	1	11
Males.....	399	75	14	5	8	4	106	16	19	7	14	17	4	11	10	7	29	31	23	35	20	21	16	5	2	6	
Females.....	364	51	11	7	6	5	80	14	5	10	17	20	18	16	9	18	18	17	22	28	26	22	12	5	1	5	
1. Dentition.....	M. 10 F. 8	3 5	7 3				10 8																				
2. Angina.....	M. 19 F. 16	3 3	3 1	1 2	3 1	1 2	11 9	3 4	2 1		1									1 1	1			1			
3. Gastritis.....	M. 32 F. 27	5 1	1 1	1 1			6 4	2 1		1	3	1	1	1				2	1	5	3	2	2		1	1	
4. Other diseases of the stomach.....	M. 73 F. 64	12 8	1 1		4	1	17 10	2 1		1	2	1	2	1	1	12	8	5	8	4	4	4	4	1		1	
5. Obstruction of the bowels.....	M. 27 F. 21	7 2		1			7 3	6 2	2	1	1	1	1	2	2		4	3	4	1	1	4	3	2	1		
6. Hernia.....	M. 21 F. 20	1 1			1		2 1		2		1	1		1	1	1	1	2	3	3	2	1	3	1	1		
7. Other diseases of the bowels.....	M. 34 F. 24	13 5	1	1		1	16 6	2 1	2	1	4	3	1	2	1		1	1	3	3	1					1	
8. Jaundice.....	M. 20 F. 16	5 4		1	2	1	6 8					1		1		2		1	3	2		1	3			1	
9. Inflammation and abscess of the liver.....	M. 22 F. 26	1 2		1			1 3	1 1	1		2		1	1	4	1	5	1	2	1	1	1	2			1	
10. Other diseases of the liver.....	M. 52 F. 58	3 4	1	1		1	6 8	2 1	2	1	1	1	1	2	3	1	5	7	4	5	5	7	1				
11. Peritonitis.....	M. 26 F. 36	1 1	1				2 2	1 2	4	3	4	1	5	1	1	1	3	1	1	1	1	1	1			2	
12. Ascites.....	M. 8 F. 10												1		1		1	1	1	1	1	1	1			1	
13. Others of this group.....	M. 55 F. 38	21 15	1 3				22 18	1 1	3	1		4	1	2		1	1	3	3	7	3	1	1	1	1	1	
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	296	9	3	4	3	5	24	6	1	7	9	8	8	8	9	10	11	14	24	29	36	40	31	15	2	1	3
Males.....	221	5		1	1	3	10	3		5	3	3	3	4	5	8	9	12	20	25	32	34	29	13	1	1	
Females.....	75	4	3	3	2	2	14	3	1	2	6	5	5	4	4	2	2	2	4	4	4	6	2	2	1	2	
1. Bright's disease.....	M. 60 F. 26	2 1				1	2 3	1		2	2	3	2	2	1	2	3	3	8	6	9	7	3	3	1		
2. Calculus, urinary.....	M. 22 F. 22																	1	1	1	2	4	2	9	2		
3. Diseases of the kidney.....	M. 72 F. 35	2 3		1		1	4 6	2 1		2	1	3	2	4	2	3	5	3	5	10	7	12	10	5	1	1	
4. Diseases of the bladder.....	M. 32 F. 4				1		1 2			1						1		2		4	4	10	7	2		1	
5. Others of this group.....	M. 35 F. 10	1 2				2	3 3							2	1		2	1	1	6	3	5	5	5	1	1	
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	71								2	8	9	10	6	11	5	7	4	4	3			2					
1. Ovarian tumors.....	F. 17									1	2	1		1	2	3	1	3	1			2					
2. Ovarian diseases.....	F. 4									1	1				1	1											
3. Uterine tumors.....	F. 1												1														
4. Uterine diseases.....	F. 11								1		3	2	1	1		1	1	1									
5. Others of this group.....	F. 38								1	6	3	7	4	9	2	2	2	2									
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	156									11	47	37	24	23	9	3											2
1. Abortion.....	F. 12									1	6	1	1	2	1												
2. Child-birth.....	F. 108									6	31	29	18	17	5	2											
3. Others of this group.....	F. 36									4	10	7	5	4	3	1											2
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	46	2		1	3	1	7	3	6	4	4	3	2	2	2	1	3	2	2	3	1	1					
Males.....	32			1	1	1	3	2	4	4	3	2		1	1		3	2	2	3	1	1					
Females.....	14	2			2		4	1	2		1	1	2	1	1	1											
1. Diseases of the spine.....	M. 13 F. 8			1	1	1	3 3		2	1	2						1	1	1	1		1					
2. Diseases of the bones.....	M. 8 F. 2				1		1		1	1				1	1		1	1	1								
3. Diseases of the hip-joint.....	M. 7 F. 2							1		2	1	2									1						
4. Others of this group.....	M. 4 F. 2								1								1			2							

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OHIO—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	34	2		2			4	3	2	1	1	2	1	4	3	4	3	2			1	1	1		1		
Males	21	1		1			2	2		1		2	1		2	3	3	2			1		1		1		
Females	13	1		1			2	1	2		1			4	1	1						1					
1. Abscess	M. 15	1		1			2	1		1		2	1		2		3	2			1						
F. 9				1			1	1	1		1			2	1	1						1					
2. Carbuncle	M. 5							1								3							1				
F. 3		1					1		1					1													
3. Others of this group	M. 1																								1		
F. 1														1													
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	13	1	1				2	1	1		1	1	4		1				1		1						
Males	8	1	1				2	1	1			1	1		1				1								
Females	5										1		3								1						
1. Addison's disease	M. 1													1													
F. 1													1														
2. Diseases of the spleen	M. 4		1				1		1			1			1												
F. 3											1		2														
3. Others of this group	M. 3	1					1	1											1								
F. 1																					1						
XII.—ACCIDENTS AND INJURIES.																											
Total	739	76	32	19	21	11	159	48	45	58	70	44	36	42	29	37	24	13	26	28	23	23	17	9	5		3
Males	561	48	15	16	12	5	96	33	36	47	61	41	31	36	21	35	20	11	23	20	12	19	11	4	1		3
Females	178	28	17	3	9	6	63	15	9	11	9	3	5	6	8	2	4	2	3	8	11	4	6	5	4		
1. Burns and scalds	M. 29		3	9	8	3	23	1			3											1					1
F. 52		4	9	1	5	5	24	10	4	3	1	2		3	1					1	1	1	1				
2. Drowned	M. 42	1	5	2	1		9	9	6	6	5	4			1	1			1								
F. 9		1	3				4	3	1				1														
3. Exposure and neglect	M. 10	6					6	1	1						1						1						
F. 9		3			1		4				1		1	1									1				
4. Gunshot wounds	M. 30				1		1	1	4	4	6	4	2	3	1	2	1		1								
F. 2					1		1			1																	
5. Homicide	M. 9									2	2			3		1				1							
F. 2										2																	
6. Infanticide	M. 1																										
F. 1																											
7. Injuries by machinery	M. 4			1			1	1	1		1																
F. 1									1																		
8. Railroad accidents	M. 77							1	5	11	13	12	8	5	5	6	3		2		1	1	3	1			
F. 7			1		1		2				1				2												
9. Suffocation	M. 41	27	2				29		2					2		3		1		2		1					1
F. 17		10	2	1		1	14				1									2							
10. Suicide by shooting	M. 11										2	2	1	3	1	1		1									
F. 1																											
11. Suicide by drowning	M. 2												1		1												
F. 3													1	1	1												
12. Suicide by poison	M. 3									1	2		1	1													
F. 3																											
13. Other suicides	M. 43									3	7	3	1	5	2	6	3	2	3	5	1	2					
F. 5										2		1				1											
14. Sunstroke	M. 5									1					1	1	1	1									
F. 1																											
15. Surgical operations	M. 6															1	1	2		2							
F. 2																	1										
16. Wounds	M. 15		1				1	1	1	2		1		1	1	2	1	1		1		1					1
F. 4		2					2																				
17. Other accidents and injuries	M. 236	14	4	4	2	2	25	18	16	19	21	14	18	13	8	11	10	3	16	8	9	11	10	4	1		
F. 63		8	2	1	1		12	2	3	2	3		1	2	4	2	2	1	2	3	8	3	4	5	4		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OREGON—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	444	83	34	23	15	17	172	31	26	25	33	24	16	22	15	21	19	8	8	6	5	4	3	1	1	5	
Total: Males.....	248	50	15	14	4	9	92	14	9	8	21	16	10	13	8	17	13	6	7	2	2	4	1	1	1	4	
Females.....	196	33	19	9	11	8	80	17	17	17	12	8	6	9	7	4	6	2	1	4	3	2	2	2	1	1	
Unknown causes.																											
Total.....	32	16	2				18	2	1	3	1		1	1		1			2		1					1	
Males.....	14	6	1				7				1		1			1			2		1						
Females.....	18	10	1				11	2	1	3				1													
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	158	22	24	16	13	13	88	25	16	10	5	4	1	1		2	3	1			1					1	
Males.....	78	16	11	11	4	6	48	12	5	3	3	2				1	2	1			1						
Females.....	80	6	13	5	9	7	40	13	11	7	2	2	1	1		1	1									1	
1. Small-pox.....	M. 2						2																				
F. 1							1																				
2. Measles.....	M. 2		2				2																				
F. 1							1																				
3. Scarlet fever.....	M. 2			1	1		2																				
F. 1							1																				
4. Diphtheria.....	M. 41	3	5	8	2	5	23	10	5	3																	
F. 46	2	4	3	8	7		24	11	7	4																	
5. Hooping-cough.....	M. 2	2					2																				
F. 1							1																				
6. Fever.....	M. 1						1									1											
F. 1							1																				
7. Cerebro-spinal fever.....	M. 1						1																				
F. 1							1																				
8. Enteric fever.....	M. 11		1	1	1		3	2		3	1						1				1						
F. 9				1			1	1	2	1	2	1					1										
9. Diarrhœa.....	M. 4	2	1			1	4																				
F. 1							1																				
10. Dysentery.....	M. 2	1					1																				
F. 1							1																				
11. Enteritis.....	M. 1	1					1																				
F. 4		1	1		1		3			1																	
12. Cholera morbus.....	M. 1						1																				
F. 1							1																				
13. Cholera infantum.....	M. 6	4	2				6																				
F. 5			5				5																				
14. Malarial fever.....	M. 3	2					2										1										
F. 4		1	1				2			1																	
15. Erysipelas.....	M. 2	1					1											1									
F. 1		1					1																				
16. Septicæmia.....	M. 1			1			1																				
F. 1							1																				
17. Puerperal septicæmia.....	F. 1						1			1																	
18. Venereal diseases.....	M. 1						1										1										
F. 1							1																			1	
19. Others of this group.....	M. 1						1							1													
F. 1							1																				
General diseases—B.																											
Total.....	8		1			1	2	1			1			1	1	1	1										
Males.....	6					1	1	1						1	1	1	1										
Females.....	2		1				1			1																	
1. Worms.....	M. 1						1																				
F. 1							1																				
2. Other parasitic diseases.....	M. 1						1																				
F. 1							1																				
3. Alcoholism.....	M. 4						4							1	1	1	1										
F. 1							1																				
4. Lead poison.....	M. 1						1																				
F. 1							1																				
5. Other poisons.....	M. 2					1	1	1																			
F. 1							1																				
6. Inanition.....	M. 1		1				1																				
F. 1							1																				
General diseases—C.																											
Total.....	25	20					20							1		1					2		1				
Males.....	14	13					13																1				
Females.....	11	7					7							1		1				2							
1. Premature birth.....	M. 3	3					3																				
F. 2		2					2																				
2. Stillborn.....	M. 9	9					9																				
F. 3		3					3																				
3. Malformation.....	M. 1	1					1																				
F. 1		1					1																				
4. Debility.....	M. 1	1					1																				
F. 4		1					1									1					1						
5. Old age.....	M. 1						1																1				
F. 1							1																				
6. Atrophy.....	M. 1						1																				
F. 1							1																				

OREGON—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	63	2		1			3		4	5	7	6	2	8	8	4	8	1	1	2		3				1	
Males.....	35			1			1		2	2	6	4		3	3	3	6		1			3				1	
Females.....	28	2					2		2	3	1	2	2	5	5	1	2	1		2							
1. Rheumatism.....	M. 3																					2			1		
	F. 1														1												
2. Scrofula and tabes.....	M. 1																										
	F. 1																										
3. Leprosy.....	M. 1																										
	F. 1																										
4. Consumption.....	M. 19			1			1				4	4		3	2	1	3		1								
	F. 24	1					1		2	2	1	2	2	5	4	1	1		1	2							
5. Hydrocephalus.....	M. 2									1																	
	F. 1	1					1																				
6. Cancer.....	M. 4										1					2						1					
	F. 1																										
7. Tumor.....	M. 1																1										
	F. 1																										
8. Anæmia.....	M. 1																										
	F. 1																										
9. Dropsy.....	M. 4								1	1							2										
	F. 3									1					1		1										
10. Glycosuria.....	M. 1								1																		
	F. 1																										
11. Others of this group.....	M. 1																										
	F. 1																										
12. Others of this class.....	M. 1																										
	F. 1																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	32	7	3		1		11	2	1		4	2	3	1		2		1	2	1				1			1
Males.....	17	5	1				6				2	1	2	1		2		1	1								1
Females.....	15	2	2		1		5	2	1		2	1	1						1	1			1				
1. Inflammation of the brain.....	M. 6	4	1				5						1														
	F. 5	2	1				3	1	1																		
2. Meningitis.....	M. 1																										
	F. 1				1		1																				
3. Apoplexy.....	M. 1													1													
	F. 1																										
4. Paralysis.....	M. 4										2					1			1								
	F. 5											1	1						1	1			1				
5. Tetanus and trismus nascentium.	M. 1											1															
	F. 1																										
6. Epilepsy.....	M. 1												1														
	F. 1																										
7. Convulsions.....	M. 1																	1									
	F. 1										1																
8. Mental diseases.....	M. 1																										
	F. 1																										
9. Diseases of the brain.....	M. 2	1					1									1											
	F. 3		1				1	1			1																
10. Diseases of the spinal cord.....	M. 1																										1
	F. 1																										
11. Others of this group.....	M. 1																										
	F. 1																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	16								2				2	1	1	3	2	4				1					
Males.....	9								1				2			3		3									
Females.....	7								1					1	1		2	1			1						
1. Angina pectoris.....	M. 1																										
	F. 1																										
2. Aneurism.....	M. 1																										
	F. 1																										
3. Diseases of the heart.....	M. 9								1				2			3		3									
	F. 6								1					1			2	1			1						
4. Others of this group.....	M. 1														1												
	F. 1																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	44	14	4	3		3	24		1		4	5	1			1	5	1		1							
Males.....	27	9	2			2	13				2	4	1			1	4	1		1							
Females.....	17	5	2	3		1	11		1		2	1					1						1				
1. Croup.....	M. 4	2	1			1	4																				
	F. 4	2	1	1			4																				
2. Laryngitis.....	M. 1																										
	F. 1																										
3. Bronchitis.....	M. 4		1				1					1					2										
	F. 2		1				1				1																
4. Pneumonia.....	M. 17	6					6				2	3	1			1	2	1		1							
	F. 9	2		2		1	5		1			1					1						1				
5. Pleurisy.....	M. 1																										
	F. 1																										
6. Asthma.....	M. 1																										
	F. 1																										
7. Others of this group.....	M. 2	1				1	2																				
	F. 2	1					1				1																

OREGON—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	7	1		1			2				1		1	1		1				1							
Males.....	4			1			1						1	1		1											
Females.....	3	1					1				1									1							
1. Dentition.....	M.																										
	F.	1	1				1																				
2. Angina.....	M.																										
	F.																										
3. Gastritis.....	M.	2											1	1													
	F.																										
4. Other diseases of the stomach.....	M.	1			1		1																				
	F.																										
5. Obstruction of the bowels.....	M.																										
	F.																										
6. Hernia.....	M.	1														1											
	F.																										
7. Other diseases of the bowels.....	M.																										
	F.																										
8. Jaundice.....	M.																										
	F.																										
9. Inflammation and abscess of the liver.....	M.																										
	F.																										
10. Other diseases of the liver.....	M.																										
	F.	1									1																
11. Peritonitis.....	M.																										
	F.																										
12. Ascites.....	M.																										
	F.																										
13. Others of this group.....	M.																										
	F.	1																		1							
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	4												1	1	1					1							
Males.....	3													1	1					1							
Females.....	1												1														
1. Bright's disease.....	M.	1																		1							
	F.																										
2. Calculus, urinary.....	M.	1													1												
	F.																										
3. Diseases of the kidney.....	M.	1												1													
	F.	1											1														
4. Diseases of the bladder.....	M.																										
	F.																										
5. Others of this group.....	M.																										
	F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	2												1		1												
1. Ovarian tumors.....	F.																										
2. Ovarian diseases.....	F.	1													1												
3. Uterine tumors.....	F.																										
4. Uterine diseases.....	F.	1											1														
5. Others of this group.....	F.																										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	4									2	2																
1. Abortion.....	F.																										
2. Child birth.....	F.	4								2	2																
3. Others of this group.....	F.																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....																											
Males.....																											
Females.....																											
1. Diseases of the spine.....	M.																										
	F.																										
2. Diseases of the bones.....	M.																										
	F.																										
3. Diseases of the hip-joint.....	M.																										
	F.																										
4. Others of this group.....	M.																										
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
OREGON—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	1																					1					
Males.....	1																					1					
Females.....																											
1. Abscess.....	1																					1					
2. Carbuncle.....																											
3. Others of this group.....																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....																											
Males.....																											
Females.....																											
1. Addison's disease.....																											
2. Diseases of the spleen.....																											
3. Others of this group.....																											
XII.—ACCIDENTS AND INJURIES.																											
Total.....	48	1	2	1			4	1	1	5	8	7	3	6	3	5			3								2
Males.....	40	1	1				2	1	1	3	7	5	3	6	3	4			3								2
Females.....	8		1	1			2			2	1	2				1											
1. Burns and scalds.....	2		1				1					1															
2. Drowned.....	6									1	2					1			2								
3. Exposure and neglect.....	1															1											
4. Gunshot wounds.....	8							1	1	2	1	1	1			1											
5. Homicide.....	4										1	1			2												
6. Infanticide.....	1															1											
7. Injuries by machinery.....																											
8. Railroad accidents.....																											
9. Suffocation.....	2	1					1																				1
10. Suicide by shooting.....	1													1													
11. Suicide by drowning.....																											
12. Suicide by poison.....	2													2													
13. Other suicides.....	3												2														1
14. Sunstroke.....	1									1																	
15. Surgical operations.....																											
16. Wounds.....																											
17. Other accidents and injuries.....	11			1			1				3	2		3	1	1			1								

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
OREGON—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	1420	265	84	61	40	30	480	91	65	87	92	90	64	66	46	46	63	41	36	45	31	30	18	9	4	1	15
Total: Males.....	786	147	34	38	21	16	256	41	23	41	49	42	34	38	27	33	50	27	28	28	24	14	13	5	4		9
Females.....	634	118	50	23	19	14	224	50	42	46	43	48	30	28	19	13	13	14	8	17	7	16	5	4		6	
Unknown causes.																											
Total.....	43	30	2				32		2		2					1	1	1	1		1			1			1
Males.....	18	11	1				12									1	1				1			1			1
Females.....	25	19	1				20		2		2							1									
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	459	92	46	35	30	20	223	69	36	30	25	14	10	5	7	6	7	5	2	10	3	2	2	1			3
Males.....	227	56	14	23	17	11	121	26	15	14	11	5	7	2	3	3	5	2	1	5	3		2	1			1
Females.....	232	36	32	12	13	9	102	43	21	16	14	9	3	3	4	3	2	3	1	5		2					1
1. Small-pox.....	M.																										
.....	F.																										
2. Measles.....	M.	6	3		1		4	1		1																	
.....	F.	4		1	1		3	1																			
3. Scarlet fever.....	M.	18		1	3	5	10	5	3																		
.....	F.	26	1	1	2	3	9	12	3	1	1																
4. Diphtheria.....	M.	47	3		8	5	22	16	7	1	1																
.....	F.	51	1	5	4	6	20	20	8	1	2																
5. Hooping-cough.....	M.	14	8	1	2	1	12	1																			
.....	F.	12	9		2		11																				
6. Fever.....	M.																										
.....	F.																										
7. Cerebro-spinal fever.....	M.	3	1		1		2				1																
.....	F.	3		1			1																				
8. Enteric fever.....	M.	39	1		1	1	4	3	2	6	6	4	4	2	2	1	2	1	1								
.....	F.	44	1	2			3	6	9	11	4	3		1		1	2			2		2					
9. Diarrhœa.....	M.	6	3	1			4				1																
.....	F.	2					2																				
10. Dysentery.....	M.	11	4	3	2	1	11																				
.....	F.	10	3	3	1	2	9																				
11. Enteritis.....	M.	18	4	2	4		10		1	1	1		1			1	1				1			1			
.....	F.	14	5	2		1	8					1	1		1			1	1	1							
12. Cholera morbus.....	M.	3																									
.....	F.	6			1		1	2			1		1		1												
13. Cholera infantum.....	M.	39	27	6	3	2	39																				
.....	F.	26	9	15	2		26																				
14. Malarial fever.....	M.	10	2		1		3			2		1															
.....	F.	14	2	1		1	5		1	2		1		1	1	1											
15. Erysipelas.....	M.	1																									
.....	F.	5	2				2	1																			
16. Septicæmia.....	M.	5																									
.....	F.	5	1	1			2	1		1																	
17. Puerperal septicæmia.....	M.	6																									
.....	F.	6																									
18. Venereal diseases.....	M.	5																									
.....	F.	1																									
19. Others of this group.....	M.	2																									
.....	F.	2																									
General diseases—B.																											
Total.....	7	2					2				1			1		1					2						
Males.....	5	1					1																				
Females.....	2	1					1																				
1. Worms.....	M.																										
.....	F.																										
2. Other parasitic diseases.....	M.																										
.....	F.																										
3. Alcoholism.....	M.	2																									
.....	F.																										
4. Lead poison.....	M.																										
.....	F.																										
5. Other poisons.....	M.	1																									
.....	F.																										
6. Inanition.....	M.	2	1				1																				
.....	F.	2	1				1																				
General diseases—C.																											
Total.....	95	62	1		1		64					2						2	1		7	7	5	4	1	1	1
Males.....	57	37	1				38					2															

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
OREGON—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	244	8	6	2		1	17	3	8	26	33	36	20	21	17	14	18	7	9	7	3	1					4
Males.....	127	5	2	1			8	2	1	12	15	15	8	9	8	11	14	6	8	4	3					3	
Females.....	117	3	4	1		1	9	1	7	14	18	21	12	12	9	3	4	1	1	3		1				1	
1. Rheumatism.....	M. 4									2		1				1											
F. 5							1	1	1								1										
2. Scrofula and tabes.....	M. 6	2		1			2						1				1		1			1					
F. 6																											
3. Leprosy.....	M. 89	1					1			9	14	1	8	8	5	8	11	2	6	2	1						2
F. 94			2			1	3		6	13	18	20	10	10	8	1	1	1		2							1
4. Consumption.....	M. 5	3	2				5																				
F. 3	1	1					2	1																			
5. Hydrocephalus.....	M. 9									1					2	1		1	1	1	1						
F. 5												1		1	1	1											
6. Cancer.....	M. 5	1					1				1			1	1	1		1	1								
F. 3										1			1														
7. Tumor.....	M. 9													1	1	1	2	2		1	1						
F. 3																	1										
8. Anæmia.....	M. 9													1	1	1	2	2		1	1						
F. 3																											
9. Dropsy.....	M. 1																										
F. 2																	2										
10. Glycosuria.....	M. 1																										
F. 2																	2										
11. Others of this group.....	M. 1		1				1																				
F. 1																											
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	148	24	14	6	5	4	53	8	8	7	5	3	4	8	4	5	8	5	7	8	3	5	4		2		1
Males.....	77	13	7	3	2	2	27	5	4	3	3	2	1	4	3	1	6	2	3	4	2	1	3		2		1
Females.....	71	11	7	3	3	2	26	3	4	4	2	1	3	4	1	4	2	3	4	4	1	4	1				
1. Inflammation of the brain.....	M. 13	4	1	2	2	2	11	1	1																		
F. 13	1	5	1	1			8	2	1		1	1															
2. Meningitis.....	M. 8	5		1			6	1	1																		
F. 5	2		1				3			2																	
3. Apoplexy.....	M. 6											1	1				1	2									
F. 5														2			1	1									
4. Paralysis.....	M. 14									1				1	1		1		1	3	2		3		1		
F. 16								1					1		1	3	1	2	1	3		3					
5. Tetanus and trismus nascentium.....	M. 1	1					1																				
F. 1																											
6. Epilepsy.....	M. 4									2				1	1												
F. 1									1																		
7. Convulsions.....	M. 8	2	3				5			1	1																
F. 7	4		1	2			7																				
8. Mental diseases.....	M. 4												1				1		1	1							
F. 2													1	1		1											
9. Diseases of the brain.....	M. 13	1	2				3	2	1		1		1	1	1	2		1									
F. 13	3	1				1	5		1	2	1			1					1			1	1				
10. Diseases of the spinal cord.....	M. 5		1				1	1	1								1										
F. 2		1					2																				
11. Others of this group.....	M. 1									1																	
F. 7	1						1		1				1			1			2	1							
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	67	2		1	1		4		2	1		2	5	7	4	8	7	3	10	4	4	6					
Males.....	52	1					1		1			2	4	4	4	7	7	3	9	4	2	4					
Females.....	15	1		1	1		3		1	1			1	3		1			1		2	2					
1. Angina pectoris.....	M. 1															1											
F. 2																											
2. Aneurism.....	M. 2																2										
F. 1																											
3. Diseases of the heart.....	M. 49	1					1		1		2	4	4	4	4	7	3	9	4	2	4						
F. 13	1		1				2		1	1		1	2		1		1		1		2	2					
4. Others of this group.....	M. 1													1													
F. 1																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	119	25	9	8	1	3	46	4	3	6	6	9	6	6	3	1	3	7	2	8	1	3	3				2
Males.....	72	14	5	4		2	25	3		2	5	4	4	6	3		1	4	2	6	1	3	2				1
Females.....	47	11	4	4	1	1	21	1	3	4	1	5	2			1	2	3		2							1
1. Croup.....	M. 7	2	2			1	5	2																			
F. 2							2																				

OREGON—GROUP 2—Continued.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
OREGON—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	10	2					2	2	1			2	2					1									
Males.....	5							1				2	1					1									
Females.....	5	2					2	1	1			1	1														
1. Abscess.....	4							1				2	1														
2. Carbuncle.....	3	1					1	1	1																		
3. Others of this group.....	1												1														
{ M.	4											2	1														
{ F.	3	1					1	1	1																		
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	2												1			1											
Males.....	1															1											
Females.....	1												1														
1. Addison's disease.....	1																										
2. Diseases of the spleen.....	1															1											
3. Others of this group.....	1												1														
{ M.	1																										
{ F.	1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	108	8	4	3	2	1	18	3	1	9	13	10	7	11	5	4	9	4	3	1	4	2	3	1			
Males.....	90	4	2	3	2		11	3	1	6	12	9	6	10	4	3	9	4	3	1	3	2	3				
Females.....	18	4	2			1	7			3	1	1	1	1	1	1					1		1				
1. Burns and scalds.....	4	1	1				2											1		1							
2. Drowned.....	20			1	1		2	3		5	1	1	2	2	1	1	2										
3. Exposure and neglect.....	4	1				1	2			1					1												
4. Gunshot wounds.....	8	3		1			4							1								2	1				
5. Homicide.....	11										5	1	2	2	1												
6. Infanticide.....	1											1															
7. Injuries by machinery.....	1											1															
8. Railroad accidents.....	1																										
9. Suffocation.....	1									1																	
10. Suicide by shooting.....	3	1					1			1	1			1													
11. Suicide by drowning.....	2														1												
12. Suicide by poison.....	1												1														
13. Other suicides.....	10									2	1	3	1	1		1	2	1									
14. Sunstroke.....	2																			1							
15. Surgical operations.....	1										1																
16. Wounds.....	2										1						1										
17. Other accidents and injuries.....	25		1	1	1		3			3	2		3	1	1	3	1	3		3		2		1			
{ M.	6	2					2					1		1						1							
{ F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

PENNSYLVANIA—GROUP 1.

[Exclusive of SCRANTON.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	21675	4162	1515	1098	833	678	8286	1869	815	787	833	755	626	697	518	589	675	714	816	864	891	826	611	292	112	57	42
Total: Males.....	11571	2269	849	624	459	345	4646	935	406	365	401	340	290	348	262	321	383	399	460	490	509	447	321	146	52	35	15
Females.....	10104	1793	666	474	374	333	3640	934	409	422	432	415	336	349	256	268	292	315	356	374	382	379	290	146	60	22	27
Unknown causes.																											
Total.....	676	367	29	15	6	7	424	21	5	12	4	4	9	16	9	12	12	21	18	21	32	30	9	14		1	2
Males.....	362	188	17	10	2	3	220	11	4	5	4	2	4	9	6	7	7	10	9	11	23	15	5	8	..	1	
Females.....	314	179	12	5	4	4	204	10	1	7		2	5	7	3	5	5	11	9	10	9	15	4	6			1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	6721	1139	783	651	584	491	3648	1365	489	234	162	120	89	74	41	56	56	68	82	46	64	59	35	15	9	1	8
Males.....	3387	618	433	374	309	241	1975	647	204	99	66	51	38	24	15	29	39	38	46	28	31	30	19	11	3		3
Females.....	3334	521	350	277	275	250	1673	718	285	135	96	69	51	50	26	27	26	30	36	18	33	29	16	4	6	1	5
1. Small-pox.....	M. 65	22	11	7	10	5	55	3	2		3	1															
F. 80	14	15	13	7	6	55	12	2	4	2	1	1	1	1													
2. Measles.....	M. 638	59	102	119	87	70	437	163	26	6	3	2															
F. 570	36	68	69	92	78	343	162	39	11	5	5	1	2														
3. Scarlet fever.....	M. 1327	74	139	182	174	148	717	425	139	26	8	4	2	1													
F. 1388	67	112	138	143	150	610	491	204	47	12	5	4	2	3	1	1	4	1	1								
4. Diphtheria.....	M. 58	40	9	2	2		53	3	1	1																	
F. 63	31	13	8	7	2		61	2																			
5. Hooping-cough.....	M. 43	10	3	6	2	1	22	8	3	3	3		2														
F. 34	5	1	3	3	1	13	6	3	5				1		2	1	1										
6. Fever.....	M. 247	4	3	8	4	3	22	16	19	41	29	34	16	9	5	5	7	11	14	7	8	4					
F. 216	4	5	1	2	5	17	15	20	36	25	22	14	13	8	12	7	4	7	3	4	6	2	1				
7. Cerebro-spinal fever.....	M. 106	38	19	6	3		66	4		2	1		2	1	1	1	5	5	3	2	3	5	2	1	1		
F. 74	25	14	1	1	1	42	1	1	3	2	2	1															
8. Enteric fever.....	M. 75	20	23	7	4	4	58	1							1												
F. 89	23	24	8	3	1	64	4	1																			
9. Diarrhœa.....	M. 166	43	19	9	5	7	83	6	6	12	11	4	4														
F. 136	41	12	11	4	3	71	10	6	5	3	3																
10. Dysentery.....	M. 36	7	1	1			9	5	1																		
F. 23	4		1				5	2	1		1	1															
11. Enteritis.....	M. 392	265	94	26	6	1	392																				
F. 337	234	77	19	6	1	337																					
12. Cholera morbus.....	M. 106	17	7		9	2	35	10	4	5	5	2	2														
F. 100	8	5	3	7	2	25	9	5	7	10	5	6	1	2													
13. Cholera infantum.....	M. 47	13	3	1	1		18			1	1	2	1														
F. 55	17	2	1				20	2	1	2	5	1	4	1													
14. Malarial fever.....	M. 20	1					1	1	1	1		2	2	2													
F. 25	1	1					2			1	6	6	2	3	1	2											
15. Erysipelas.....	M. 97																										
F. 10	2						2																				
16. Septicæmia.....	M. 14	4	1				5	1																			
F. 51	3						5	2	2	1	1		5	1	1	4											
17. Puerperal septicæmia.....	M. 33	2		1			3	1	1	3	2		1	1	1	2	2	2	4		5	1	1	1	2		
F. 33																											
General diseases—B.																											
Total.....	175	81	6	7		3	97	5	2	6	4	3	6	7	7	4	4	4	12	4	5	2		1		1	1
Males.....	101	39	2	4		1	46	2		4	2	3	5	7	4	3	3	3	9	4	3	1				1	1
Females.....	74	42	4	3		2	51	3	2	2	2		1		3	1	1	1	3		2	1		1			
1. Worms.....	M. 4	1	2			1	4																				
F. 4						1	3																				
2. Other parasitic diseases.....	M. 29																										
F. 2																											
3. Alcoholism.....	M. 2																										
F. 2																											
4. Lead poison.....	M. 20	2		4			6	1		3	1		3	1	2												
F. 17	2	2				1	5	2	2	1	1		1		3	1	1										
5. Other poisons.....	M. 46	36					36	1																			
F. 51	40	2	1				43																				
General diseases—C.																											
Total.....	1564	815	27	4	3	4	853	2	1	5	3	4	8	8	2	6	7	5	22	37	63	125	202	113	56	40	2
Males.....	858	483	11	3	1	2	500	1		1	1	2	3	3	2	1	4	2	14	20	29	69	101	57	25	21	2
Females.....	706	332	16	1	2	2	353	1	1	4	2	2	5	5		5	3	3	8	17	34	56	101	56	31	19	
1. Premature birth.....	M. 65	65					65																				
F. 40	40						40																				
2. Stillborn.....	M. 296	296					296																				
F. 190																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
PENNSYLVANIA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	3568	144	59	31	19	16	269	53	68	202	308	314	240	258	192	198	218	220	247	237	215	161	93	46	12	3	14
Males.....	1618	83	34	20	12	13	162	32	30	58	100	99	94	114	78	97	94	118	124	126	117	82	54	25	6	3	5
Females.....	1950	61	25	11	7	3	107	21	38	144	208	215	146	144	114	101	124	102	123	111	79	39	21	6	0	0	9
1. Rheumatism.....	M. 51 F. 64	1					1	3	4	2	2	2	1	2	2	2	2	2	4	5	8	4	3		1	1	
2. Scrofula and tabes.....	M. 50 F. 49	17	4	3		1	25	9	4	2	3	3	3	2	5	3	3	3	7	5	8	1	3	2			
3. Leprosy.....	M. 1 F. 1																										
4. Consumption.....	M. 1002 F. 1239	24	14	4	6	3	51	9	9	50	88	91	81	95	67	61	61	80	64	63	59	41	17	9		1	5
5. Hydrocephalus.....	M. 53 F. 31	23	13	6	4	3	49	3	1	1	1	1								1							
6. Cancer.....	M. 165 F. 262	5	1			1	6			3	1	1	4	9	5	18	15	15	28	19	19	8	9	3	2		2
7. Tumor.....	M. 26 F. 26	2	1			1	4	1	1		1	1	1	1	2	2	1	1	1	2	4	1		1			
8. Anæmia.....	M. 9 F. 18	3					3	1					3	3	1		2	1		1		2	1				
9. Dropsy.....	M. 224 F. 252	7	2	5	1	4	19	9	9	1	3	2	3	6	4	8	11	13	22	29	29	25	19	12	3	1	2
10. Glycosuria.....	M. 30 F. 11	1					1		3	1	2	1	3	3	1	2	2	3	2	6	1	4	4				
11. Others of this group.....	M. 5 F. 4			2	1		3								1				1								
12. Others of this class.....	M. 1 F. 1						1												2	1							
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	2453	692	192	99	51	33	1067	93	55	45	43	41	39	38	40	69	76	101	114	152	174	164	93	39	11	8	
Males.....	1392	410	110	58	36	18	692	51	37	29	27	22	22	26	30	20	35	45	70	85	103	86	51	17	6	7	
Females.....	1061	282	82	41	15	15	435	42	18	16	16	19	17	12	10	40	41	56	44	67	71	78	42	22	5	1	
1. Inflammation of the brain.....	M. 132 F. 91	39	22	15	9	2	87	13	7	6	1	4	3	1	1	2	1	2		1		2				1	
2. Meningitis.....	M. 84 F. 75	28	20	8	3	5	64	12	4	3	5	3	2		2	1	1	1		1							
3. Apoplexy.....	M. 195 F. 176	1	1				2	1	1	3	4	1	4	4	4	13	13	27	26	34	30	20	4				
4. Paralysis.....	M. 261 F. 225	1	1	4		1	7	1	3	1	1	3	1	7	7	5	8	14	22	44	53	40	23	10	6	5	
5. Tetanus and trismus nascentium.....	M. 25 F. 4	4	1			1	6	2	6		1	3	3	1			1	1				1					
6. Epilepsy.....	M. 53 F. 21	13			2	1	16	3	4	2	6	3	2		2	3	4	1	1	2	1	1	1				
7. Convulsions.....	M. 387 F. 291	271	40	25	13	6	355	14	4	3	2	2				1	1	1	2		1						
8. Mental diseases.....	M. 20 F. 17						2				1	1	2	1		2		2	1	2							
9. Diseases of the brain.....	M. 189 F. 126	46	22	6	7	2	83	11	6	3	5	7	5	8	5	3	6	3	12	8	8	11	3	2			
10. Diseases of the spinal cord.....	M. 22 F. 17	6	3		1		10	2	1		1	1		3			1	2		1							
11. Others of this group.....	M. 24 F. 18	2					2	1	1	2			1		1	1	2	4	3				2				
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	901	74	6	5	5	2	92	17	23	36	28	26	34	48	39	40	53	72	82	103	78	81	33	8	7		1
Males.....	469	40	3	3	4	1	51	9	11	21	16	8	10	23	24	23	28	42	39	58	40	43	15	4	4		
Females.....	432	34	3	2	1	1	41	8	12	15	12	18	24	25	15	17	25	30	43	45	38	38	18	4	3		1
1. Angina pectoris.....	M. 18 F. 11											1		2		1	2	3	1	3	2	2	1				
2. Aneurism.....	M. 10 F. 3												1	1				2	3	1		2					
3. Diseases of the heart.....	M. 413 F. 395	20	3	3	4	1	31	9	11	21	15	7	10	19	22	25	37	35	52	37	38	14	4	4			
4. Others of this group.....	M. 28 F. 23	20	3	1	1	1	26	8	12	15	12	17	21	23	15	17	24	25	43	42	34	37	17	3	3		1
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	2882	620	321	229	118	93	1381	191	58	56	76	49	55	77	60	79	104	90	119	130	117	118	80	30	7		5
Males.....	1599	364	174	119	64	59	771	100	36	30	47	29	32	40	35	47	72	48	66	74	67	64	35	13	3		
Females.....	1283	256	147	110	54	43	610	91	22	26	29	20	33	37	25	32	32	42	53	56	50	54	45	17	4		5
1. Croup.....	M. 320 F. 255	76	69	55	32	36	268	47	4						1												
2. Laryngitis.....	M. 9 F. 2						4				1								1	1	2						
3. Bronchitis.....	M. 155 F. 140	69	17	7	10	1	104	7	2		1		3		3	4	1	1	4	10	10	3	2				
4. Pneumonia.....	M. 933 F. 728	178	82	48	19	11	338	39	26	25	38	24	16	29	28	36	59	40	52	57	46	43	26	9	2		
5. Pleurisy.....	M. 25 F. 26	2	1				3	1			2	1	3	4	2		1	1	2	3	3	1	2	1			
6. Asthma.....	M. 35 F. 24	1					2				1	1	1		2	1	5	2	6	4	1	6	4	1			
7. Others of this group.....	M. 122 F. 107	37	6	7	2	2	54	6	4	5	5	2	2	4	2	7	4	4	5	6	5	3	2	1	1		2

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
PENNSYLVANIA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total.....	795	133	44	17	17	6	217	26	20	31	24	31	23	30	26	32	47	54	51	59	57	31	21	9	2	1	3	
Males.....	451	92	29	10	8	3	142	17	9	14	15	15	9	18	11	17	23	37	29	26	35	17	13	1	2	1	3	
Females.....	344	41	15	7	9	3	75	9	11	17	9	16	14	12	15	15	24	17	22	33	22	14	8	8	1	1	3	
1. Dentition.....	M. 28	13	11	2	—	2	28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F. 19	10	8	1	—	—	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Angina.....	M. 19	5	2	4	3	—	14	2	1	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
	F. 4	2	—	—	1	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Gastritis.....	M. 31	5	—	—	1	—	6	—	—	2	—	—	—	1	2	—	2	2	1	2	7	2	3	—	1	—	—	
	F. 51	2	1	—	—	1	5	2	2	5	1	1	—	4	—	1	4	7	3	4	5	4	—	2	—	—	1	
4. Other diseases of the stomach.....	M. 36	2	2	2	2	—	8	2	—	1	2	—	2	1	—	—	3	8	3	1	2	1	2	—	—	—	—	
	F. 29	3	1	3	1	—	8	1	1	2	—	—	1	—	2	1	3	1	1	1	2	1	3	1	—	—	—	
5. Obstruction of the bowels.....	M. 14	4	—	—	—	—	4	—	1	—	—	1	—	—	—	1	1	2	—	2	—	1	1	—	—	—	—	
	F. 18	3	—	—	—	—	3	1	3	—	—	2	1	—	3	1	3	—	—	1	—	—	—	—	—	—	—	
6. Hernia.....	M. 30	3	—	—	—	—	3	—	—	—	1	—	—	3	2	1	2	3	2	3	4	4	1	—	—	—	—	
	F. 21	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	2	3	5	4	2	3	—	1	—	—	—	
7. Other diseases of the bowels.....	M. 13	4	2	—	—	—	6	—	1	1	—	—	2	1	—	—	1	—	1	1	2	1	—	—	—	—	—	
	F. 15	1	1	1	—	—	3	—	—	—	—	2	2	—	—	—	—	1	1	2	1	—	1	—	—	—	—	
8. Jaundice.....	M. 28	13	1	—	—	—	14	1	—	—	1	1	—	—	—	—	2	—	2	1	4	1	—	1	—	—	—	
	F. 20	6	—	—	4	—	10	—	1	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	
9. Inflammation and abscess of the liver.....	M. 36	3	1	—	1	1	6	—	—	2	2	1	1	2	2	1	—	7	3	4	1	2	3	1	—	—	—	
	F. 22	1	—	—	—	—	1	1	1	2	—	—	2	1	2	—	—	2	—	4	3	1	1	1	—	—	—	
10. Other diseases of the liver.....	M. 83	9	5	1	—	—	15	4	1	1	1	5	—	4	4	8	6	7	10	6	8	1	2	—	—	—	—	
	F. 53	2	—	—	1	1	4	—	1	—	1	—	3	2	3	6	6	1	5	10	8	1	1	1	—	—	—	
11. Peritonitis.....	M. 45	4	—	1	1	—	6	5	2	6	5	5	2	4	1	1	3	2	2	1	—	—	—	—	—	—	—	
	F. 40	2	1	1	1	—	5	2	1	4	4	8	4	1	3	3	3	—	1	—	—	—	—	—	—	—	—	
12. Ascites.....	M. 4	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	
	F. 12	—	—	—	—	—	—	—	—	—	1	1	1	1	—	2	—	—	2	2	1	—	1	—	—	—	—	
13. Others of this group.....	M. 84	27	5	—	—	—	32	3	2	1	2	1	4	2	—	3	4	6	5	5	7	4	2	—	1	—	—	
	F. 40	9	2	1	—	1	13	1	1	1	2	2	—	3	2	—	3	2	4	3	—	1	—	1	—	—	—	
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																												
Total.....	328	5	5	4	3	5	22	9	5	11	13	8	12	13	10	10	22	21	27	36	42	34	22	8	3	—	—	
Males.....	245	3	2	3	2	1	11	7	4	6	4	5	9	7	4	5	19	15	22	30	37	31	20	7	2	—	—	
Females.....	83	2	3	1	1	4	11	2	1	5	9	3	3	6	6	5	3	6	5	6	5	3	2	1	1	—	—	
1. Bright's disease.....	M. 78	—	1	3	1	—	5	—	1	2	2	3	7	3	2	2	10	7	8	10	6	3	5	1	1	—	—	
	F. 49	—	1	—	—	—	1	—	1	4	8	3	2	3	5	3	2	4	5	3	3	—	1	1	—	—	—	
2. Calculus, urinary.....	M. 26	—	—	—	—	—	—	—	1	2	1	—	—	1	—	—	1	1	1	4	5	7	2	—	—	—	—	
	F. 2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	
3. Diseases of the kidney.....	M. 66	2	1	—	1	1	5	3	2	2	1	—	2	1	—	2	3	5	7	3	14	8	4	4	—	—	—	
	F. 21	2	—	—	—	3	5	1	—	1	1	—	—	1	1	1	1	1	3	—	3	1	—	1	—	—	—	
4. Diseases of the bladder.....	M. 43	—	—	—	—	—	—	1	—	—	—	—	—	1	2	1	2	5	8	8	4	1	—	—	—	—	—	
	F. 4	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
5. Others of this group.....	M. 32	1	—	—	—	—	1	3	—	—	—	2	—	1	—	—	3	—	1	5	4	5	5	1	1	—	—	
	F. 7	—	2	1	1	1	5	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																												
Total: Females.....	61	—	—	—	—	—	—	—	—	5	4	5	4	5	11	8	2	4	6	1	5	1	—	—	—	—	—	—
1. Ovarian tumors.....	F. 24	—	—	—	—	—	—	—	—	—	2	1	1	—	4	3	1	3	3	1	4	1	—	—	—	—	—	—
2. Ovarian diseases.....	F. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
3. Uterine tumors.....	F. 8	—	—	—	—	—	—	—	—	—	—	—	2	1	2	3	—	—	—	—	—	—	—	—	—	—	—	
4. Uterine diseases.....	F. 10	—	—	—	—	—	—	—	—	3	1	1	—	1	1	2	—	1	—	—	—	—	—	—	—	—	—	
5. Others of this group.....	F. 18	—	—	—	—	—	—	—	—	2	1	3	1	3	4	—	1	1	1	—	1	—	—	—	—	—	—	
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																												
Total: Females.....	173	—	—	—	—	—	—	—	—	20	35	32	27	36	18	2	—	1	1	—	—	—	—	—	—	—	—	1
1. Abortion.....	F. 13	—	—	—	—	—	—	—	—	2	—	3	3	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Child-birth.....	F. 129	—	—	—	—	—	—	—	—	13	27	22	21	30	12	2	—	1	—	—	—	—	—	—	—	—	—	1
3. Others of this group.....	F. 31	—	—	—	—	—	—	—	—	5	8	7	3	4	3	—	—	—	1	—	—	—	—	—	—	—	—	—
IX.—DISEASES OF THE BONES AND JOINTS.																												
Total.....	58	7	3	2	2	1	15	5	3	6	5	3	2	3	1	2	1	3	2	1	4	—	2	—	—	—	—	
Males.....	28	1	3	1	1	1	7	3	1	2	4	2	1	2	—	1	1	—	1	1	1	—	1	—	—	—	—	
Females.....	30	6	—	1	1	—	8	2	2	4	1	1	1	1	1	1	—	3	1	—	3	—	1	—	—	—	—	
1. Diseases of the spine.....	M. 20	1	2	1	1	1	6	1	1	1	2	2	1	1	—	1	1	—	1	1	1	—	—	—	—	—	—	
	F. 24	6	—	1	1	—	8	1	2	4	1	1	1	1	1	—	—	2	—	—	2	—	—	—	—	—	—	
2. Diseases of the bones.....	M. 2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
	F. 3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
3. Diseases of the hip-joint.....	M. 5	—	1	—	—	—	1	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F. 3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
4. Others of this group.....	M. 1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F. —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
PENNSYLVANIA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	40	7					7	4	1	2		1	3		4	2	1	4	3	3	1	1	1	1	1		
Males.....	24	4					4	4		1			2		2	1	1	2	3	2		1	1				
Females.....	16	3					3		1	1		1	1		2	1		2		1	1			1	1		
1. Abscess.....	M. 16 F. 8	1					1	3		1			2		2	1	1	2	3								
2. Carbuncle.....	M. 1 F. 1																										
3. Others of this group.....	M. 8 F. 8	3					3	1										1		2	1	1	1		1		
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	9	2			1		3				1			1	1	2					1						
Males.....	5	2			1		3				1			1													
Females.....	4														1	2				1							
1. Addison's disease.....	M. 1 F. 2										1				1	1											
2. Diseases of the spleen.....	M. 2 F. 1	1					1							1													
3. Others of this group.....	M. 2 F. 1	1			1		2									1					1						
XII.—ACCIDENTS AND INJURIES.																											
Total.....	1270	76	40	34	24	17	191	77	85	116	123	114	75	83	57	76	72	46	30	34	33	19	20	8	4	2	5
Males.....	1031	42	31	19	19	11	122	50	70	104	114	102	71	74	51	70	66	39	28	25	23	8	6	3	1	1	2
Females.....	239	34	9	15	5	6	69	27	15	12	9	12	4	9	6	6	6	7	2	9	10	11	14	5	3	1	2
1. Burns and scalds.....	M. 63 F. 67	1	14	7	9	5	36	3	1	6	1	2	2	3		4	2	1							1	1	1
2. Drowned.....	M. 82 F. 15	2	6	3	4	2	17	20	14	8	1	8	2	2	3	2		2		1	1		1				
3. Exposure and neglect.....	M. 19 F. 8	7	2				9		1	1	1						1				4	1	1	1			
4. Gunshot wounds.....	M. 21 F. 4					1	1		3	2	4	1	5	2				1	1		1						
5. Homicide.....	M. 10 F. 3									2	6	1		1										1			
6. Infanticide.....	M. 1 F. 1																										
7. Injuries by machinery.....	M. 3 F. 1								1		1				1					1							
8. Railroad accidents.....	M. 188 F. 8		2				2	9	16	16	38	24	13	7	10	9	15	6	7	5	6	1	2				2
9. Suffocation.....	M. 36 F. 20	19	1	3		1	24	1	1		1	2	1	2		1	1	1	1								
10. Suicide by shooting.....	M. 5 F. 1						16	2		2		1		2													1
11. Suicide by drowning.....	M. 1 F. 1																										
12. Suicide by poison.....	M. 1 F. 2															1				1							
13. Other suicides.....	M. 40 F. 10								1	3		5	3	2	4	4	2	2	6	5	1	2					
14. Sunstroke.....	M. 7 F. 4			1			1		2		1				2	2	1	2	1		1						
15. Surgical operations.....	M. 8 F. 1									3		1			1	3					1						
16. Wounds.....	M. 8 F. 1	1					1				1	3	1	1					1								
17. Other accidents and injuries.....	M. 540 F. 95	12	6	6	6	2	32	16	32	61	60	55	44	52	32	45	43	25	12	13	9	4	2	2		1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

PENNSYLVANIA—GROUP 2.

[Exclusive of ALLEGHENY, PHILADELPHIA, PITTSBURGH, and READING.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
GRAND TOTAL.....	19610	3726	1109	780	548	479	6642	1333	643	727	884	713	630	579	607	558	657	609	761	938	1030	966	736	339	124	62	81	
Total: Males.....	10360	2177	602	422	285	244	3730	697	308	352	417	308	283	250	308	315	347	338	420	509	584	528	382	154	63	20	47	
Females.....	9259	1549	507	358	263	235	2912	636	335	375	467	405	347	329	299	243	310	271	341	429	446	438	354	185	61	42	34	
Unknown causes.																												
Total.....	433	220	15	6	3	6	250	11	6	5	7	4	3	9	2	8	14	11	11	19	22	18	15	6	2	2	8	
Males.....	261	138	12	2	1	3	156	8	3	4	2	3	1	4	1	6	7	9	6	10	13	12	9	6	2	2	5	
Females.....	172	82	3	4	2	3	94	3	3	1	5	1	2	5	1	2	7	2	5	9	9	6	6	2	2	2	3	
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total.....	5168	1033	490	435	335	305	2598	916	390	211	185	113	81	61	69	50	56	62	61	67	77	76	52	24	4	1	14	
Males.....	2648	564	255	232	176	153	1380	455	176	96	90	57	38	19	35	29	31	35	31	37	43	46	26	10	2	1	10	
Females.....	2520	469	235	203	159	152	1218	461	214	115	95	56	43	42	34	21	25	27	30	30	34	30	24	14	2	1	4	
1. Small-pox.....	M. 38	10	10	9	3	1	33	3	1																		1	
F. 37	8	10	4	6	2		30	4		1		1															1	
2. Measles.....	M. 393	25	38	56	48	42	209	67	20	1	3	1															2	
F. 278	17	34	46	30	37		164	81	17	9	2	3	1	1														
3. Scarlet fever.....	M. 916	60	74	101	103	97	437	337	108	35	15	8	1							1	1						3	
F. 971	52	69	81	102	102		406	341	155	43	12	1	2	6	1	2		2										
4. Diphtheria.....	M. 60	34	13	4	2	4	57	2																			1	
F. 66	30	18	8	4	3		63	1	1																		1	
5. Hooping-cough.....	M. 1																											
F. 1																												
6. Fever.....	M. 30	9	4	4	1	2	20	4	1	2									1	1	1							
F. 25	8		2	3			13	5	1	1	3										1							
7. Cerebro-spinal fever.....	M. 338	2	3	8	1	2	16	17	24	44	55	34	25	9	17	11	17	14	11	11	12	12	6	3				
F. 291	2	5	7	2	3		19	15	27	49	44	25	20	15	14	8	11	13	10	7	8	5	1	1			1	
8. Enteric fever.....	M. 130	48	13	3	2		66	3	3		1	1		3	5	4	5	4	5	5	9	9	5		1		1	
F. 79	33	4	8	1			46				1			1				1	4	7	4	6	5	3	1			
9. Diarrhœa.....	M. 62	23	8	7	4		42	4	2		1	1			1			1		2	2	2	2	1			1	
F. 63	12	12	10		3		37	2			1				2	1		2	3		4	6	2	2				
10. Dysentery.....	M. 119	39	16	13	4	2	74	7	5	10	8	4	4	3	2	4	3	3	4	5	5	4	3	1				
F. 130	33	10	11	1			55	5	9	1	4	10	1	3	3	3	7	5	2	3	7	4	7	1				
11. Enteritis.....	M. 25	4	3	1			8	2	3				1		2			2	1	2		3	1					
F. 17	6	1		1			8	1						1				1	1	2	1	1	1					
12. Cholera morbus.....	M. 373	281	66	22	4		373																					
F. 334	247	66	24	6	1		334																					
13. Cholera infantum.....	M. 57	8	1	3	2	2	16	3	6	3	3	5	1	2	1	4		1	5	3	1	1	2					
F. 62	5	3	1	2			11	4	3	4	7	3	4	3	3	1	3		3	3	3	4	3					
14. Malarial fever.....	M. 60	17	4				21	3		1	1	2	2		2	4	3	6	1	2	2	4	3	2			1	
F. 56	18	2	1	1			22		1	1	3	1	1	1	2		3	1	6	3	4	3	2	2				
15. Erysipelas.....	M. 23							2	3		2		2		2	1	2	2	1	1	3	2						
F. 17		1			1		2			1	3	2	1	2	2	1		1									1	
16. Septicæmia.....	M. 58									5	14	9	12	9	7	2												
F. 58																												
17. Puerperal septicæmia.....	M. 10	3					3						2	1	2					2								
F. 14	7						7				2		1			2				1								
18. Venereal diseases.....	M. 43	1	2	1		1	5	1				1		1	1	1	1	2	2	7	9	6	3	1				
F. 20	1						1	2								1	1		1	4	2	1	2	5				
19. Others of this group.....	M. 20																											
F. 20																												
General diseases—B.																												
Total.....	132	49	5	6	4	1	65	8	2	5	5	3	2	6	8	3	4	3	5	4	2	2	3		1		1	
Males.....	97	32	5	3	4		44	5	2	4	4	1	2	6	6	3	4	2	5	4	2		1		1			
Females.....	35	17		3		1	21	3		1	1	2			2			1				2	2					
1. Worms.....	M. 3	1			1		2			1																		
F. 3				1			1	2																				
2. Other parasitic diseases.....	M. 26							1		1	2	1	2	5	2	2	3	2	2	2	1							
F. 26																												
3. Alcoholism.....	M. 28	1	4	1	2		8	3	2	2	1			1	4	1	1		2	1	1						1	
F. 14	5		2		1		8	1		1	1				1							1	1					
4. Lead poison.....	M. 40	30	1	2	1		34	1			1								1	1			1		1			
F. 18	12						12					2			1			1				1	1					
General diseases—C.																												
Total.....	1573	809	20	4	4	2	839	4	1		1	2	1	4		4	4	6	17	24	72	130	213	140	70	39	2	
Males.....	876	514	8	1	3	1	527	2	1		1	1	1	1		2		3	10	13	39	64	103	62	35	11		
Females.....	697	295	12	3	1	1	312	2				1		3		2	4	3	7	11	33	66	110	78	35	28	2	
1. Premature birth.....	M. 81	81					81																					
F. 57	57						57																					
2. Stillborn.....	M. 316	316					316																					
F. 151	151						151																					
3. Malformation.....	M. 13	13					13																					
F. 12	12						12																					
4. Debility.....	M. 235	104	8	1	3	1	117	2	1		1	1	1	1		2		3	10	13	27	24	23	9				
F. 206	74	12	3	1	1		91	2				1		3		2	4	3	5	8	17	21	25	16	1	6	1	
5. Old age.....	M. 231																		2	3	16	45	85	62	34	22	1	
F. 270																												
6. Atrophy.....	M. 1	1					1																					
F. 1																												

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

PENNSYLVANIA—Group 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	4099	158	61	22	18	19	278	63	72	244	418	356	289	237	261	217	246	220	236	269	258	218	130	45	11	9	23
Males.....	1833	93	32	14	10	10	159	35	31	87	162	130	111	83	120	106	110	110	111	128	134	106	69	19	5	4	13
Females.....	2266	65	29	8	8	9	119	28	41	157	256	226	178	154	141	111	136	110	125	141	124	112	61	26	6	5	9
1. Rheumatism.....	M. 50	1			1		2	1	2	4	2	2			2	5	7	4	3	5	3	2	3	2			1
	F. 58				1		1	9	6	5	3		2	1	3	3	3	2	6	3	2	6	2				1
2. Scrofula and tabes.....	M. 41	12	3	1		1	17	3	5	2	3	1	1	1			1	2	1	1	2						1
	F. 32	8	3	1	2		14	3	2		4	2	1	1	2			2			1						
3. Leprosy.....	M. 1																										
	F. 1																										
4. Consumption.....	M. 1141	44	8	2	3	8	65	13	13	75	150	122	97	71	92	68	65	69	55	60	55	31	27	5	1	2	5
	F. 1462	32	12	2	1	2	49	9	26	146	239	210	158	123	107	59	53	46	54	57	48	48	15	7		1	7
5. Hydrocephalus.....	M. 53	27	16	5	2		50		1						1												
	F. 42	20	11	3	3	2	39	1										1									
6. Cancer.....	M. 200	1					1	1	3	3		1	7	3	15	16	22	13	29	18	25	26	9	2	2		4
	F. 327	1					1	1	1	2	2	8	7	20	17	32	51	37	31	46	29	23	11	5	1	1	1
7. Tumor.....	M. 27	2				1	3	1	1		1		1	3	1	1	2	2	3	3	1	2	2				
	F. 50	1	1	1		1	4			1	2	1	1	3	4	7	6	3	4	4	5	4	1				
8. Anæmia.....	M. 1																			1							
	F. 3												1							1		1					
9. Dropsy.....	M. 287	5	5	3	3		16	16	5	2	5	3	5	4	8	14	12	17	16	37	46	41	26	8	2	2	2
	F. 283	2	2	1		4	9	5	4	2	6	3	8	6	8	8	23	20	29	30	39	30	32	13	5	3	
10. Glycosuria.....	M. 27	1					1		1		1	1				2	2	1	2	4	3	2					
	F. 8				1		1		2	1		1				2			1								
11. Others of this group.....	M. 6			3	1		4			1														1			
	F. 1	1					1																				
12. Others of this class.....	M. 1																										
	F. 1																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	2724	682	197	90	52	42	1063	90	51	42	38	41	48	42	51	66	91	76	154	188	244	208	145	55	15	6	10
Males.....	1505	387	118	51	26	20	602	45	27	25	25	23	26	25	33	35	47	36	86	110	133	112	77	24	10	1	3
Females.....	1219	295	79	39	26	22	461	45	24	17	13	18	22	17	18	31	44	40	68	78	111	96	68	31	5	5	7
1. Inflammation of the brain.....	M. 155	56	24	9	5	4	98	9	10	6	6	2	4	2	3	2	5			3	3	1	1				
	F. 116	38	15	8	6	9	76	11	3	7	1	4	2	1	1	3	1	2		3		1					
2. Meningitis.....	M. 78	31	11	6	6	5	59	6	1	1	1	1	3		1	2						2	1				
	F. 68	24	9	4	2	2	41	9	4	2	3			1	1			2		1	1						
3. Apoplexy.....	M. 280		2	1		2	5	2		3	4		2	8	10	14	9	14	39	33	50	42	26	12	5	1	1
	F. 221	2					2	1	1			4	4	4	3	7	20	17	30	27	33	29	23	15			
4. Paralysis.....	M. 301	1	1		3	1	6	2	3	1	3	1		4	5	6	16	11	34	52	54	50	37	12	4		
	F. 277	3		1			4		2	1	1	3	2	3	5	10	11	5	30	31	53	54	37	14	4	4	3
5. Tetanus and trismus nascentium.....	M. 27	7	1				8	1	4		2	1	4			2	2	2				1					
	F. 14	9	1				10	1	1	1																	
6. Epilepsy.....	M. 26	3					3	1	2		4	4	2	2	2		1			1	2		1				1
	F. 18	2					2	1	2	1	2		2	2	2	1				1	1	1	1				
7. Convulsions.....	M. 331	229	47	22	8	3	309	9		2	1	3		1	1	1	1			1							1
	F. 269	170	36	20	12	5	243	9	2	3	2	2		3	2			1	1	1							
8. Mental diseases.....	M. 20																										
	F. 10																										
9. Diseases of the brain.....	M. 243	51	30	12	2	3	98	14	5	6	3	8	8	6	9	7	7	7	10	15	20	12	7		1		
	F. 155	40	14	5	4	4	67	12	3		3	3	5	3	2	5	4	9	4	10	11	6	5	1	1		1
10. Diseases of the spinal cord.....	M. 28	8	2	1	2	2	15	1	1	4		2		1					1	1							
	F. 37	6	3	1	2	2	14	1	5	1	1			1		1	3	1	2	4							1
11. Others of this group.....	M. 16	1					1		1	2	1	1					1	1	1	1	2	2	1				
	F. 34	1	1				2		1	1		1	2		3	2	4	2		2	7	4	2	1			
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	1007	93	6	6	1	7	113	18	24	30	27	28	30	34	48	41	52	67	86	120	109	103	50	16	6	1	4
Males.....	542	57	5	4	1	1	68	12	10	14	11	13	12	19	26	25	22	39	50	63	56	58	29	10	3		2
</																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
PENNSYLVANIA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	649	108	33	17	7	8	173	14	9	21	15	18	17	19	27	27	40	31	43	64	50	36	31	13	1		
Males.....	361	70	15	12	3	5	105	9	4	15	8	7	5	7	13	16	18	15	28	36	35	18	14	7	1		
Females.....	288	38	18	5	4	3	68	5	5	6	7	11	12	12	14	11	22	16	15	28	15	18	17	6			
1. Dentition.....	M. 21	9	8	4			21																				
	F. 12	4	7	1			12																				
2. Angina.....	M. 5		1	1		1	3									1	1										
	F. 5	2	1			1	4																				
3. Gastritis.....	M. 31	6		2			8	1			1			1	1	3	3		6	2		2	3				
	F. 29	2	3		1		6	2		1				1	3	1	1	2	3	3	3	3					
4. Other diseases of the stomach.....	M. 34	1	2		1		4	1	1		2		1		2	2	2	2	6	6	3	1	1				
	F. 41	2	1	2	2	1	8		1	2	4	1	1	1	2		5	2	3	4	1	3	3	1			
5. Obstruction of the bowels.....	M. 21	7		1			9			2			1	1					1	4	1		2				
	F. 4				1				1	1									1			1					
6. Hernia.....	M. 29	4					4			1	1		1	1			1	2	3	5	6	2	1		1		
	F. 27	7					7						1			2	4	3	2	3	1	1	2	1			
7. Other diseases of the bowels.....	M. 32	9	2		1	1	13	3		3	1	1		1			1	2	1	3	2			2			
	F. 15	3	2				5			1		1					1	1	2	1	1		1				
8. Jaundice.....	M. 26	15				1	16							1				1	2	1	4			1			
	F. 21	7					7						1	1		1	1	3		1	2	2	4				
9. Inflammation and abscess of the liver.....	M. 10									1		2			1	1	2			1	2	1					
	F. 4									1									1	1			1				
10. Other diseases of the liver.....	M. 75	6	2	2		1	11	2	1	3		1		2	3	3	3	5	4	13	10	9	3	2			
	F. 58	4	1	1			6	1	2		1	1	1	1	4	3	5	3	5	11	5	4	2	3			
11. Peritonitis.....	M. 34	2		1			3	2	1	5	3	1	1	2	4	2	1	1	1	2	1	1	3				
	F. 50	2	3	1		1	7	1	1		1	8	7	6	4	3	2	2	2	2	2	3		1			
12. Ascites.....	M. 3														1				1				1				
	F. 4				1		1								1						1		1				
13. Others of this group.....	M. 40	11		1		1	13		1			2	1		1	2	4	2	3	1	6	2	1	1			
	F. 18	5					5	1			1		1	1			2	1	1	2	2	1					
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	320	2		3	3		8	7	2	12	12	11	8	19	13	12	21	20	34	27	43	32	28	6	3	1	1
Males.....	228	2		2			4	3	1	10	5	5	4	10	6	5	14	13	22	22	39	31	23	6	3	1	1
Females.....	92			1	3		4	4	1	2	7	6	4	9	7	7	7	7	12	5	4	1	5				
1. Bright's disease.....	M. 88			2			2	2	1	7	3	1	3	7	4	2	4	8	10	9	13	7	4				1
	F. 46							2	1	2	6	5	1	7	3	3	3	5	1	3		1					
2. Calculus, urinary.....	M. 16														1				1		3	1	6	1			
	F. 1																										
3. Diseases of the kidney.....	M. 91	2					2	1		3	2	2	1	2	1	2	7	5	7	10	16	15	10	2	3		
	F. 40			1	3		4	2				1	3	2	4	2	3	3	7	3	1	1	4				
4. Diseases of the bladder.....	M. 30										1			1		1	1		4	2	6	8	3	3			
	F. 4															1	1	1									
5. Others of this group.....	M. 3																			1	1						1
	F. 1																			1							
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	14											2	2	3	2	2					1		1				1
1. Ovarian tumors.....	F. 3												1			1					1						
2. Ovarian diseases.....	F. 2													1		1											
3. Uterine tumors.....	F. 2													1													
4. Uterine diseases.....	F. 3											1	1		1												
5. Others of this group.....	F. 4											1		1	1							1					
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	163									11	30	35	20	35	21	2											
1. Abortion.....	F. 4										1	2		1													
2. Child-birth.....	F. 141									6	24	30	28	32	19	2											
3. Others of this group.....	F. 18									5	5	3	1	2	2												
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	40	4	2	4	1	2	13	2	3	2	2	2	2	2	3	1		3		2	2	1					
Males.....	25	2	2	3		1	8	2	1			1	2	2	2	1		3		1	1	1					
Females.....	15	2		1	1	1	5		2	2	2	1			1					1	1						
1. Diseases of the spine.....	M. 18	2	1	3		1	7	1				1	1	1	2	1		2		1	1						
	F. 10	2		1	1	1	5				2	1			1					1							
2. Diseases of the bones.....	M. 5		1				1	1						1				1				1					
	F. 1									1																	
3. Diseases of the hip-joint.....	M. 1												1														
	F. 1																										
4. Others of this group.....	M. 1																										
	F. 3									1	1										1						

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
PENNSYLVANIA—Group 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	34	5	1				6	1	1	2	2	2	5	2			2	8	1	2							
Males.....	16	4	1				5			2	1	1	2	1				2	1	1							
Females.....	18	1					1	1	1		1	1	3	1			2	6		1							
1. Abscess.....	M. 15 F. 16	3 1	1				4 1		1		2 1	1 1	2 3	1 1				2 6	1 1	1 1							
2. Carbuncle.....	M. 1 F. 1	1					1																				
3. Others of this group.....	M. 1 F. 2	1					1		1					1													
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	3												1					1		1							
Males.....	2																	1		1							
Females.....	1												1														
1. Addison's disease.....	M. 1 F. 1	1											1							1							
2. Diseases of the spleen.....	M. 1 F. 1	1																									
3. Others of this group.....	M. 1 F. 1	1																1									
XII.—ACCIDENTS AND INJURIES.																											
Total.....	934	63	31	36	28	12	170	73	46	82	90	56	63	49	47	59	37	34	30	22	25	25	9	5	1	1	10
Males.....	717	39	15	22	12	5	93	49	35	66	78	50	54	45	40	54	35	26	25	15	19	17	5	2	1	1	8
Females.....	217	24	16	14	16	7	77	24	11	16	12	6	9	4	7	5	2	8	5	7	6	8	4	3	1	1	2
1. Burns and scalds.....	M. 51 F. 80	5 3	9	9	9	2	34 39	5 14	1 5	1 8	1 3	1 1	3 1	1 1	1 3	1 1	2 4	1 1	1 4								1
2. Drowned.....	M. 96 F. 17	4 7	7	11	11	7	13 11	27 1	9 1	13 1	9 1	5 1	2 1	1 1	4 1	3 1	3 1	1 1	2 1	1 1	1 1				1 1		1
3. Exposure and neglect.....	M. 1 F. 1	1												1													
4. Gunshot wounds.....	M. 30 F. 2				1		1	4	2	5	6	1	2	4		3		1		1	1	1					
5. Homicide.....	M. 4 F. 3					1	1				1		1							1							
6. Infanticide.....	M. 1 F. 1																										
7. Injuries by machinery.....	M. 5 F. 1								2	1			1					1									
8. Railroad accidents.....	M. 128 F. 14			1			1	6	3	10	22	15	9	14	11	11	7	3	5	2	4	2	3				
9. Suffocation.....	M. 30 F. 22	19 14			1		20 17				1		4	1	1			1	1			1	1				1
10. Suicide by shooting.....	M. 8 F. 1								1		1	2	1			1		1			1						
11. Suicide by drowning.....	M. 1 F. 4									1	1							1	1								
12. Suicide by poison.....	M. 2 F. 1										1		1														
13. Other suicides.....	M. 53 F. 3									2	5	4	7	5	2	6	1	4	5	2	3	6					1
14. Sunstroke.....	M. 5 F. 2									1					1	2		1									1
15. Surgical operations.....	M. 3 F. 3									1	2									1							
16. Wounds.....	M. 9 F. 6	1 6	1				2			2			1	1		1			1			1					
17. Other accidents and injuries.....	M. 291 F. 67	14 6	1	5	1	1	22 8	7 5	17 4	30 2	30 5	21 4	23 6	17 2	21 2	26 2	22 1	14 1	10 4	9 3	8 6	7 7	1 3	1 2	1 1	1 1	4

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
RHODE ISLAND.
[Exclusive of PROVIDENCE.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	2443	441	155	100	64	63	823	128	62	74	110	91	96	75	79	79	85	75	112	105	128	119	101	55	31	11	4
Total: Males	1220	224	80	58	30	36	428	66	34	18	48	48	38	37	33	38	52	41	67	52	60	63	53	26	12	3	3
Females	1223	217	75	42	34	27	395	62	28	56	62	43	58	38	46	41	33	34	45	53	68	56	48	29	19	8	1
Unknown causes.																											
Total	54	30				3	33	1		1	2	2		1	1		2		2	2	2	3		2			
Males	31	17				3	20				1	2		1			2				1	2		2			
Females	23	13					13	1		1	1				1				2	2	1	1					
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	595	148	81	62	42	40	373	80	25	18	20	13	8	3	3	1	6	2	11	6	8	8	7	2	1		
Males	291	74	47	39	18	23	201	40	9	3	9	5	2			1	2	2	6	4	2	3	2				
Females	304	74	34	23	24	17	172	40	16	15	11	8	6	3	3		4		5	2	6	5	5	2	1		
1. Small-pox	M. 1						1																				
	F. 1						1																				
2. Measles	M. 82	7	10	20	14	7	58	20	2	1									1								
	F. 78	5	12	8	14	7	46	21	8	3																	
3. Scarlet fever	M. 70	3	14	13	4	13	47	16	4		2		1														
	F. 64	10	9	8	6	8	41	13	4	3	1		2														
4. Diphtheria	M. 6	3	3				6																				
	F. 12	8	2			1	11	1																			
5. Hooping-cough	M. 3						3				1																
	F. 4			1			1							1													
6. Fever	M. 10	5	1	1			7	1	1		1																
	F. 3	2			1		3																				
7. Cerebro-spinal fever	M. 20	1		1		1	3	2	2	1	3	4	1						2		1	1					
	F. 24	1				1	1	3	3	3	7	2	1				2		1					1			
8. Enteric fever	M. 12	3	2				5												1								
	F. 12	1	1				2							1			1		3	1			2		1		
9. Diarrhœa	M. 9	3	5				8				1																
	F. 10	1	1			1	3			1					1				1	1			2		1		
10. Dysentery	M. 8	3					3			1	1	1				1	1										
	F. 17	2	2	2	2		8					3			1		1		1				2				
11. Enteritis	M. 2	1					1																				
	F. 2	1					1																				
12. Cholera morbus	M. 4	1					1						1														
	F. 4	1					1																				
13. Cholera infantum	M. 58	40	12	4		2	58																				
	F. 53	42	7	4			53																				
14. Malarial fever	M. 1																										
	F. 1																										
15. Erysipelas	M. 2	1					1																				
	F. 8							1	1	2					1								2	1			
16. Septicæmia	M. 2																	1				1					
	F. 9																										
17. Puerperal septicæmia	M. 1	1					1																				
	F. 6	4					4																				
18. Venereal diseases	M. 1	1					1																				
	F. 6	4					4																				
19. Others of this group	M. 3																										
	F. 3																										
General diseases—B.																											
Total	23	10	2		2		14					1		2		1		2		1	1						1
Males	13	6			1		7									1		2		1	1						1
Females	10	4	2		1		7					1		2													
1. Worms	M. 1				1		1																				
	F. 1																										
2. Other parasitic diseases	M. 1																										
	F. 1																										
3. Alcoholism	M. 4																	2		1	1						
	F. 1													1													
4. Lead poison	M. 1																										
	F. 1																										
5. Other poisons	M. 1																										1
	F. 3	1					1					1		1		1											
6. Inanition	M. 7	6					6																				
	F. 6	3	2		1		6									1											
General diseases—C.																											
Total	285	113	3	2	2		120	1	3	2	7	6	1	3	5	8	4	7	6	7	11	14	34	19	16	10	1
Males	135	63	2	1	2		68		1	1	2	6	1	1	2	3	3	3	2	2	3	3	16	8	6	3	1
Females	150	50	1	1			52	1	2	1	5			2	3	5	1	4	4	5	8	11	18	11	10	7	
1. Premature birth	M. 4	4					4																				
	F. 5	5					5																				
2. Stillborn	M. 44	44					44																				
	F. 34	34					34																				
3. Malformation	M. 2	2					2																				
	F. 1	1					1																				
4. Debility	M. 53	13	2	1	2		18		1	1	2	6	1	1	2	3	3	3	2		1	1	4	2	1		1
	F. 61	10	1	1			12	1	2	1	5			2	3	5	1	4	3	5		6	3	2	1		
5. Old age	M. 32																										
	F. 49																		1		3	5	15	9	9	7	
6. Atrophy	M. 1																										
	F. 1																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

RHODE ISLAND—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	504	31	9	9	5	6	60	9	12	31	51	44	53	34	40	33	33	26	23	36	26	22	13	9	4	1	1
Males.....	248	14	2	4	4	2	26	2	5	7	26	21	25	15	17	11	17	11	13	17	10	12	6	5	2	...	...
Females.....	316	17	7	5	1	4	34	7	7	27	25	23	28	19	23	22	16	15	10	19	16	10	7	4	2	1	1
1. Rheumatism.....	M. 5	...	...	...	1	...	1	...	...	...	1	...	1	...	1	...	...	...	...	...	...	1	...	...	...	...	...
F. 13	...	...	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	2	2	3	1	1	...	1	...
2. Scrofula and tabes.....	M. 6	1	...	...	...	...	1	...	1	...	...	...	1	...	...	...	...	1	...	...	1	...	...	...	1	...	...
F. 3	...	1	...	...	...	...	1	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Leprosy.....	M. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Consumption.....	M. 161	5	1	1	...	2	9	1	3	7	23	19	21	12	10	10	14	5	10	4	5	6	1	1	...	...	...
F. 220	9	4	3	1	2	19	4	5	27	24	19	25	15	16	15	12	12	4	10	5	2	2	2	1	...	1	...
5. Hydrocephalus.....	M. 14	7	1	2	2	...	12	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 19	7	1	2	...	...	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Cancer.....	M. 22	...	...	...	...	...	...	...	...	...	1	1	3	2	...	1	1	...	4	2	2	3	1	1	...	...	...
F. 30	1	...	...	...	...	1	...	1	1	...	2	...	1	1	3	...	2	3	6	4	3	2	...	...	...	...	...
7. Tumor.....	M. 7	...	...	...	...	...	...	...	...	...	...	...	...	1	...	2	...	1	...	...	2	...	...	...	...	...	...
F. 7	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
8. Anæmia.....	M. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Dropsy.....	M. 37	1	...	1	1	...	3	...	...	2	...	1	...	4	1	2	3	3	9	2	3	2	2	2	...	...	...
F. 27	...	...	...	...	2	2	...	1	1	...	1	2	...	4	1	3	...	3	1	3	1	2	1	1	...	...	...
10. Glycosuria.....	M. 3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 4	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	1	...	...	...	...	...
11. Others of this group.....	M. 2	...	1	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
12. Others of this class.....	M. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	230	55	24	13	5	3	100	7	12	6	5	5	10	9	8	10	13	9	18	15	27	32	22	15	7	...	...
Males.....	176	23	8	7	2	1	41	5	9	2	1	3	3	4	6	5	9	6	15	9	15	20	14	6	3	...	...
Females.....	154	32	16	6	3	2	59	2	3	4	4	2	7	5	2	5	4	3	3	6	12	12	8	9	4	...	...
1. Inflammation of the brain.....	M. 11	2	1	...	1	1	5	1	4	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
F. 10	...	2	1	2	1	6	...	1	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
2. Meningitis.....	M. 11	2	1	1	1	4	...	3	...	...	...	...	...	...	...	...	2	...	...	...	1	1	...	...	...	...	...
F. 8	3	1	1	...	1	6	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
3. Apoplexy.....	M. 32	...	1	...	...	1	...	...	...	1	...	1	...	1	...	2	2	2	4	5	4	6	3	1	...	...	...
F. 26	...	1	...	...	...	1	...	...	...	1	...	1	3	...	2	2	2	2	...	1	2	2	5	3	1	...	...
4. Paralysis.....	M. 52	...	...	...	...	...	...	1	2	...	...	1	2	2	1	3	1	8	4	3	8	5	3	...	...	...	...
F. 38	...	...	...	...	...	...	...	1	1	1	1	2	...	1	1	1	1	3	2	7	8	2	5	2	...	...	...
5. Tetanus and trismus nascentium.....	M. 4	2	...	...	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
F. 2	1	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Epilepsy.....	M. 5	...	...	...	...	...	...	...	1	...	...	1	...	1	...	...	...	1	...	...	1	...	...	...	...	...	...
F. 4	...	...	...	...	...	...	...	...	...	...	1	1	...	1	1	1	1	...	...	...	...	...	...	...	...	...	...
7. Convulsions.....	M. 30	13	5	3	...	21	...	1	...	1	...	...	...	...	1	1	...	...	1	...	2	...	2	...	...	...	...
F. 41	27	7	3	1	...	38	...	1	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...
8. Mental diseases.....	M. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
F. 2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Diseases of the brain.....	M. 25	3	2	2	...	7	...	1	...	...	1	1	1	2	...	1	2	2	...	2	5	...	...	1	1	...	...
F. 18	1	5	1	...	7	...	...	...	...	...	...	2	2	1	...	...	...	...	2	2	1	1	...	...	...	...	...
10. Diseases of the spinal cord.....	M. 2	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
F. 3	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11. Others of this group.....	M. 9	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...
F. 2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	110	4	...	...	1	1	6	2	...	2	4	3	3	4	2	7	8	7	18	15	14	10	4	1	...	...	...
Males.....	58	...	...	...	1	...	1	...	...	1	1	2	1	2	1	3	3	6	13	6	9	6	2	1	...	...	...
Females.....	52	4	...																								

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
RHODE ISLAND—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	85	6	11	3	1		21	1	2		1	1	3	5	4	3	1	7	8	5	13	8	2				
Males.....	45	2	7		1		10		2				1	4	1	2	1	3	5	3	7	4	2				
Females.....	40	4	4	3			11	1			1	1	2	1	3	1		4	3	2	6	4					
1. Dentition.....	M. 8	1	6		1		8																				
F. 8	2		2				8																				
2. Angina.....	M. 3		1				1		2																		
F. 1								1																			
3. Gastritis.....	M. 3													1	1					1							
F. 2														2	2												
4. Other diseases of the stomach.....	M. 7													2		1	1	1			1	1					
F. 3																		1	1								
5. Obstruction of the bowels.....	M. 5	1					1											1	1			1	2				
F. 4																		1			1						
6. Hernia.....	M. 2																		2		3	1					
F. 2																											
7. Other diseases of the bowels.....	M. 4												1	1		1						1					
F. 1																											
8. Jaundice.....	M. 1																				1						
F. 1																											
9. Inflammation and abscess of the liver.....	M. 10														1			1	4	1	2		1				
F. 9																		2	1	2	3						
10. Other diseases of the liver.....	M. 4												1	1					1								
F. 8		1		1			2				1	1	1					1			1	1					
11. Peritonitis.....	M. 1																										
F. 1																											
12. Ascites.....	M. 2	1					1																				
F. 1																											
13. Others of this group.....	M. 1																										
F. 1																											
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	39										1	1	1	1	1	3			4	8	6	7	4	2			
Males.....	29											1	1	1		3			2	5	4	6	4	2			
Females.....	10										1				1				2	3	2	1					
1. Bright's disease.....	M. 14											1		1		3			1	4		2	1	1			
F. 7											1				1				1	2	2						
2. Calculus, urinary.....	M. 1																				1						
F. 1																											
3. Diseases of the kidney.....	M. 5																		1	1		2	1				
F. 3																			1	1		1					
4. Diseases of the bladder.....	M. 3																				1		2				
F. 3																											
5. Others of this group.....	M. 6												1								2	2		1			
F. 1																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	2														1	1											
1. Ovarian tumors.....	F. 1																										
2. Ovarian diseases.....	F. 1																										
3. Uterine tumors.....	F. 1														1												
4. Uterine diseases.....	F. 1															1											
5. Others of this group.....	F. 1																										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	24										4	3	9	2	5				1								
1. Abortion.....	F. 1														1												
2. Child-birth.....	F. 21										4	2	9	2	3				1								
3. Others of this group.....	F. 2											1		1													
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	4					1	1				2											1					
Males.....	3					1	1				1																
Females.....	1											1															
1. Diseases of the spine.....	M. 1																										
F. 1																											
2. Diseases of the bones.....	M. 1																										
F. 1																											
3. Diseases of the hip-joint.....	M. 2					1	1																				
F. 1																											
4. Others of this group.....	M. 1																										
F. 1																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
RHODE ISLAND—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	4								1										2			1					
Males.....	2								1													1					
Females.....	2																		2								
1. Abscess.....	M. 1								1																		
F. 1																			1								
2. Carbuncle.....	M. 1																				1						
F. 1																			1								
3. Others of this group.....	M. 1																										
F. 1																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....																											
Males.....																											
Females.....																											
1. Addison's disease.....	M. 1																										
F. 1																											
2. Diseases of the spleen.....	M. 1																										
F. 1																											
3. Others of this group.....	M. 1																										
F. 1																											
XII.—ACCIDENTS AND INJURIES.																											
Total.....	76	7	1	3	3	2	16	12	6	4	5	6	3	1	3	2	5		5	2	2	2			2		
Males.....	55	6		2		1	9	9	6	3	3	6	2	1	2	2	5		8	2	2						
Females.....	21	1	1	1	3	1	7	3		1	2		1		1				2		2				2		
1. Burns and scalds.....	M. 4							2		1							1										
F. 8		1		1	1	1	4	1		1	1								1								
2. Drowned.....	M. 14							5	3			4	2														
F. 4			1		2		3	1																			
3. Exposure and neglect.....	M. 1			1			1																				
F. 1																											
4. Gunshot wounds.....	M. 1																										
F. 1																											
5. Homicide.....	M. 1																										
F. 1																											
6. Infanticide.....	M. 1																										
F. 1																											
7. Injuries by machinery.....	M. 1																										
F. 1																											
8. Railroad accidents.....	M. 5										1				1		2				1						
F. 1																											
9. Suffocation.....	M. 3	2					2		1																		
F. 1								1																			
10. Suicide by shooting.....	M. 1										1																
F. 1																											
11. Suicide by drowning.....	M. 1																1										
F. 1																											
12. Suicide by poison.....	M. 4														1				2	1							
F. 1																											
13. Other suicides.....	M. 1																										
F. 1																											
14. Sunstroke.....	M. 1																										
F. 1																											
15. Surgical operations.....	M. 1																										
F. 1																											
16. Wounds.....	M. 1																										
F. 1																											
17. Other accidents and injuries.....	M. 23	4		1		1	6	2	2	2	2	2		1		2	1		1	1	1					2	
F. 6															1				1			2			2		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

SOUTH CAROLINA—Group 1.

[Exclusive of CHARLESTON.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	3489	750	313	229	159	110	1561	263	111	124	170	147	118	110	88	96	111	83	130	102	96	72	60	11	15	11	10
Total: Males.....	1712	392	174	113	78	54	811	130	61	45	64	48	43	42	35	47	57	54	62	66	60	38	28	3	5	5	8
Females.....	1777	358	139	116	81	56	750	133	50	79	106	99	75	68	53	49	54	29	68	36	36	34	32	8	10	6	2
Unknown causes.																											
Total.....	374	179	34	21	20	12	266	14	6	6	7	7	4	5	8	3	7	5	3	6	9	7	6		2	2	1
Males.....	200	95	22	13	12	8	150	6	4	2	3	4	2	1	1		2	3	2	5	5	4	4		1	1	1
Females.....	174	84	12	8	8	4	116	8	2	4	4	3	2	4	7	3	5	2	1	1	4	3	2		2	1	
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	995	206	146	110	71	49	582	146	41	29	29	19	15	14	11	18	14	13	20	13	10	7	3	1	3		7
Males.....	485	99	80	51	38	23	291	69	24	9	12	5	5	6	6	8	8	9	8	6	8	3	1		2		5
Females.....	510	107	66	59	33	26	291	77	17	20	17	14	10	8	5	10	6	4	12	7	2	4	2	1	1		2
1. Small-pox.....	M. 1							1																			
F. 27	2	4	8	3	3		20	6						1													
2. Measles.....	M. 29	4	6	3	4	3	20	7	1	1																	
F. 3		1	1	1			3																				
3. Scarlet fever.....	M. 91	9	12	12	15	4	52	25	8	1	1		1							1	1						1
F. 91	15	11	19	8	9		62	19	5	1	1	1						1									1
4. Diphtheria.....	M. 85	27	23	11	7	4	77	7	1																		
F. 92	36	20	13	3	1		73	16	1	1																	1
5. Hooping-cough.....	M. 60	19	7	5	3		34	13	2	1	2	1						1	2		2		1		1		
F. 52	12	6	3	2	2		25	6	2		4	2	3	2		3	3		2								
6. Fever.....	M. 37	3	2	2	1		8	2	2	3	4	1	1	3	1	2	3	1	1	1	1	2					1
F. 45	3	3	1	1	3		11	1	4	6	5	3	3	1	4	2		3	2								
7. Cerebro-spinal fever.....	M. 17	9	4	1	3		17																				
F. 12	4	2	1	2	1		10													2							
8. Enteric fever.....	M. 29	7	10	4		3	24			1					1		1	1		1							
F. 26	7	2	6	1	2		18	3				1						2		1							
9. Dysentery.....	M. 14	2		1	1		4	2		1			1		1		1		1		1						
F. 12	1		5	1			7	2		1								1									
10. Enteritis.....	M. 3		1				1	2																			
F. 1																											
11. Cholera morbus.....	M. 17	9	6	1		1	17																				
F. 18	10	4	4				18																				
12. Cholera infantum.....	M. 88	12	5	6	3	6	32	11	19	3	3	3	1	1	2	3	3	4	4	2	2				1		3
F. 106	14	11	9	6	4		44	22	3	4	3	3	2	2	1	4	3	3	2	2	2	3	2		1		
13. Malarial fever.....	M. 7					1	1																				
F. 7	1						2																				
14. Erysipelas.....	M. 1																										
F. 15																											
15. Septicæmia.....	M. 2						1																				
F. 2							1																				
16. Puerperal septicæmia.....	M. 4						1																				
F. 1																											
17. Venereal diseases.....	M. 4																										
F. 1																											
18. Others of this group.....	M. 1																										
F. 1																											
General diseases—B.																											
Total.....	88	12	15	20	13	10	70	9	2	1	1			2		1	1			1							
Males.....	49	10	9	12	5	3	39	4		1	1			2			1										
Females.....	39	2	6	8	8	7	31	5	2							1											
1. Worms.....	M. 33	4	8	11	5	3	31	2																			
F. 32	2	4	8	7	6		27	4	1																		
2. Other parasitic diseases.....	M. 2																										
F. 2																											
3. Alcoholism.....	M. 8		1	1			2	2		1																	
F. 6		2		1	1		4	1	1					2			1										
4. Lead poison.....	M. 6						6																				
F. 6							6																				
5. Other poisons.....	M. 1																										
F. 1																											
6. Inanition.....	M. 1																										
F. 1																											
General diseases—C.																											
Total.....	255	147	7	5	2		161	3	5	2			3		2	1	3	3	3	6	12	12	23	7	5	4	
Males.....	129	78	5	3	2		88	2	2						1	1		2	2								

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
SOUTH CAROLINA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	567	13	23	10	9	9	64	23	19	28	53	44	41	39	29	30	41	21	48	31	25	13	13	3		2	
Males.....	244	7	9	3	5	6	30	10	9	9	17	9	17	17	12	16	17	13	20	21	12	7	5	1		2	
Females.....	323	6	14	7	4	3	34	13	10	19	36	35	24	22	17	14	24	8	28	10	13	6	8	2			
1. Rheumatism.....	M. 5 F. 15						1					1			1	1	3	2		1	2	2	1				
2. Scrofula and tabes.....	M. 5 F. 10		1				1	1	1					1					3	1							
3. Leprosy.....	M. F.		4	1			5	1	2			1					1										
4. Consumption.....	M. 108 F. 157	2	3		2		7	1	4	5	12	6	12	10	6	10	10	5	7	8	4		1				
5. Hydrocephalus.....	M. 4 F. 5	3					3	1																			
6. Cancer.....	M. 7 F. 20			1		1	1				2			4		3	2	1	2		1	1					
7. Tumor.....	M. 3 F. 1														1	1					1						
8. Anæmia.....	M. F.																										
9. Dropsy.....	M. 109 F. 113	2	4	3	3	5	17	7	4	4	5	1	5	6	4	5	6	5	11	11	6	6	3	1		2	
10. Glycosuria.....	M. 2 F.											1															
11. Others of this group.....	M. 1 F.		1				1																				
12. Others of this class.....	M. F. 1							1																			
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	237	62	18	11	8	5	104	17	12	5	8	8	5	5	3	8	7	9	13	12	6	9	4		1		1
Males.....	132	35	11	4	5	4	59	12	6	3	4	4	2	3	1	4	4	8	4	9	3	3	2		1		1
Females.....	105	27	7	7	3	1	45	5	6	2	4	4	3	2	2	4	3	1	9	3	3	6	2		1		
1. Inflammation of the brain.....	M. 10 F. 10		1	1	1		3	3	1					1		2											
2. Meningitis.....	M. 9 F. 2	2	4		1		7	1	3		1								1								
3. Apoplexy.....	M. 7 F. 8									1				1			3			2							
4. Paralysis.....	M. 23 F. 21							1			1					1	1	6	4	6	1	1	1				
5. Tetanus and trismus nascentium.....	M. 11 F. 8	11					11				1						2	1	2								
6. Epilepsy.....	M. 8 F. 5	1					7	1	1	2		1									1	1					
7. Convulsions.....	M. 37 F. 42	15	3	2	1	3	24	3	2		3	1	1			1		1				1	1				
8. Mental diseases.....	M. 1 F. 1									1											1						
9. Diseases of the brain.....	M. 20 F. 6	1	3	1	2	1	8	2	1		1	1	2	1	1			1		1							
10. Diseases of the spinal cord.....	M. 1 F. 1								1										1								
11. Others of this group.....	M. 5 F. 1	5					5																				
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	65	2		1	1	1	5		2	2	3	5	8	2	4	2	4	9	6	5	2	2	3		1		
Males.....	25	1					1		1			2	2			2	3	5	3	4	1		1				
Females.....	40	1		1	1	1	4		1	2	3	3	6	2	4		1	4	3	1	1	2	2		1		
1. Angina pectoris.....	M. 1 F. 1														1			1									
2. Aneurism.....	M. 2 F.																		2								
3. Diseases of the heart.....	M. 22 F. 39	1			1	1	1		1			2	2		3	2	3	4	3	2	1		1				
4. Others of this group.....	M. F.																					2	2		1		
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	384	56	23	23	17	11	130	21	8	16	20	20	14	18	17	15	15	15	18	14	21	13	7			1	1
Males.....	211	34	16	13	8	4	75	13	5	7	7	10	6	8	7	7	6	10	12	9	17	8	3				1
Females.....	173	22	7	10	9	7	55	8	3	9	13	10	8	10	10	8	9	5	6	5	4	5	4			1	
1. Croup.....	M. 10 F. 12	2	3	4			9	1																			
2. Laryngitis.....	M. F.																										
3. Bronchitis.....	M. 12 F. 10	5	1	1		1	7		1		1		1				1				1	1					
4. Pneumonia.....	M. 165 F. 132	24	12	8	7	4	55	11	3	7	5	10	5	7	6	7	6	8	10	6	12	5	2				
5. Pleurisy.....	M. 12 F. 10	1			1		2	1	1						1		1	1	1	1	2	1	1				
6. Asthma.....	M. 5 F. 6	1				1	1										1	1	1	1	1	1					
7. Others of this group.....	M. 7 F. 3	1					1			1				1			1		1	1							1

SOUTH CAROLINA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	177	45	34	9	4	5	97	3	3	5	5	6	3	6	2	4	7	5	10	6	7	5	1	...	1	1	...
Males.....	89	22	18	5	2	1	48	2	2	3	2	3	2	1	1	2	5	3	4	2	4	2	1	...	1	1	...
Females.....	88	23	16	4	2	4	49	1	1	2	3	3	1	5	1	2	2	2	6	4	3	3	...	...	...	...	
1. Dentition.....	{ M. 21	8	11	2	...	...	21	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	{ F. 22	7	10	4	1	...	22	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Angina.....	{ M. 8	1	4	1	...	...	6	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
	{ F. 3	...	...	...	...	1	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Gastritis.....	{ M. 4	2	...	...	1	...	3	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
	{ F. 6	1	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	2	1	1	...	...	...	...	...	...
4. Other diseases of the stomach.....	{ M. 4	2	...	...	...	...	2	...	...	1	...	...	...	1	...	...	...	...	1	1	...	...	...	...	...	...	...
	{ F. 6	...	2	...	...	1	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Obstruction of the bowels.....	{ M. 3	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...
	{ F. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	1	...	2	...	1	...	1	...	...
6. Hernia.....	{ M. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
	{ F. 4	1	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
7. Other diseases of the bowels.....	{ M. 5	...	3	...	...	1	4	...	...	...	...	...	1	...	...	...	...	1	...	...	1	...	...	...	...	...	...
	{ F. 3	...	...	...	...	...	3	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
8. Jaundice.....	{ M. 3	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...
	{ F. 3	2	...	...	...	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Inflammation and abscess of the liver.....	{ M. 2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...
	{ F. 9	...	...	1	1	...	2	...	...	...	1	...	1	...	1	...	...	1	1	1	...	1	...	...	...	...	...
10. Other diseases of the liver.....	{ M. 12	...	...	...	...	...	...	...	...	...	2	...	...	3	1	...	1	1	1	2	...	2	...	...	...	...	...
	{ F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11. Peritonitis.....	{ M. 8	...	1	...	...	...	1	2	...	...	1	...	...	...	...	...	...	1	...	1	...	1	...	...	...	...	...
	{ F. 2	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
12. Ascites.....	{ M. 16	8	1	1	...	1	11	...	1	1	...	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
	{ F. 27	12	1	...	1	...	14	...	...	1	1	2	...	...	...	2	1	...	3	...	2	1	...	...	...	...	...
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	26	...	...	...	2	...	2	1	3	...	1	2	2	...	2	2	2	1	2	3	2	1	...	...	...	...	...
Males.....	19	...	...	...	...	...	...	...	2	...	1	1	1	...	2	2	2	...	2	3	2	1	...	...	...	...	...
Females.....	7	...	...	...	2	...	2	1	1	...	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...
1. Bright's disease.....	{ M. 3	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	...	...	...	...	...
	{ F. 1	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Calculus, urinary.....	{ M. 8	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	1	...	1	2	1	...	...	...	...	...	...
	{ F. 2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
3. Diseases of the kidney.....	{ M. 3	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	{ F. 3	...	...	...	1	...	1	1	...	...	...	...	1	...	...	...	...	...	...	1	1	1	...	...	...	...	...
4. Diseases of the bladder.....	{ M. 4	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	{ F. 1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Others of this group.....	{ M. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
	{ F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	16	...	...	...	...	...	...	...	...	1	3	2	2	3	...	3	1	1	...	...	...	...	...	...	...	...	...
1. Ovarian tumors.....	F. 3	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Ovarian diseases.....	F. 2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...
3. Uterine tumors.....	F. 2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Uterine diseases.....	F. 11	...	...	...	...	...	...	...	...	...	2	2	1	2	...	2	1	1	...	...	...	...	...	...	...	...	...
5. Others of this group.....	F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	84	...	...	...	...	...	...	...	...	16	21	18	14	10	3	1	...	...	...	...	...	1	...	...	...	...	...
1. Abortion.....	F. 3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...
2. Child-birth.....	F. 79	...	...	...	...	...	...	...	...	16	20	17	13	10	2	1	...	...	...	...	...	...	...	...	...	...	...
3. Others of this group.....	F. 2	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Males.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Females.....	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
1. Diseases of the spine.....	{ M. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	{ F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Diseases of the bones.....	{ M. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	{ F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the hip-joint.....	{ M. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	{ F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Others of this group.....	{ M. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	{ F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
SOUTH CAROLINA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	13	1	1	1			3				2	1				3	1		1		1	1					
Males.....	8	1					1				2					1	1		1		1	1					
Females.....	5		1	1			2				1					2											
1. Abscess.....	M. 5										1					1	1				1	1					
	F. 4		1	1			2					1				1											
2. Carbuncle.....	M. 1																										
	F. 1															1											
3. Others of this group.....	M. 3	1					1				1								1								
	F. 1																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1				1		1																				
Males.....																											
Females.....	1				1		1																				
1. Addison's disease.....	M. 1																										
	F. 1																										
2. Diseases of the spleen.....	M. 1				1		1																				
	F. 1																										
3. Others of this group.....	M. 1																										
	F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	205	27	12	18	11	8	76	25	10	13	17	15	7	5	7	5	8	1	6	5	1	1			2	1	
Males.....	121	10	4	9	1	5	29	12	6	11	15	10	6	4	4	4	8	1	4	4	1	1			1		
Females.....	84	17	8	9	10	3	47	13	4	2	2	5	1	1	3	1			2	1					1	1	
1. Burns and scalds.....	M. 20	1	3	4	1	4	13	6													1						
	F. 47	2	6	6	9	3	26	10	2	1	2	1	1	1					1	1						1	
2. Drowned.....	M. 28			1		1	2	2	3	5	3	3	1		1	2	2		2	2							
	F. 6	2		1			3		1																		
3. Exposure and neglect.....	M. 13	5	1	1			7				1				1		3			1							
	F. 17	9	2		1		12					1		3	1	1											
4. Gunshot wounds.....	M. 16						2	2	1	3	2	2	1		1	1				1							
	F. 1							1																			
5. Homicide.....	M. 4										2	1			1												
	F. 1																										
6. Infanticide.....	M. 1																										
	F. 1																										
7. Injuries by machinery.....	M. 1																										
	F. 1																										
8. Railroad accidents.....	M. 6										2			2				1	1								
	F. 1																										
9. Suffocation.....	M. 3	1		2			3																				
	F. 1	1					1																				
10. Suicide by shooting.....	M. 1										1																
	F. 1																										
11. Suicide by drowning.....	M. 1																										
	F. 1																										
12. Suicide by poison.....	M. 1																										
	F. 1																										
13. Other suicides.....	M. 2									1		1															
	F. 1																										
14. Sunstroke.....	M. 1										1																
	F. 1																										
15. Surgical operations.....	M. 1																										
	F. 1																										
16. Wounds.....	M. 1																										
	F. 1																										
17. Other accidents and injuries.....	M. 27	3		1			4	2	1	4	2	3	3	1	1	1	2		1			1			1		
	F. 11	3		2			5	3		1		1													1		

SOUTH CAROLINA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	48	1	1			1	3	3	3	3	9	4		4	1	2	6	1	4	1	1	1	2				
Males.....	19	1				1	2	3	2	1	3			2		1	1		1	1		1	1				
Females.....	29		1				1		1	2	6	4		2	1	1	5	1	3	1	1		1				
1. Rheumatism.....	2										1								1								
2. Scrofula and tabes.....																											
3. Leprosy.....																											
4. Consumption.....	7							1	1		2			1			1			1							
5. Hydrocephalus.....	18	1					1				4	3		2	1		3		2		1						
6. Cancer.....	1																										
7. Tumor.....	5											1				1	1	1					1				
8. Anæmia.....																											
9. Dropsy.....	7					1	1		1	1				1		1						1	1				
10. Glycosuria.....	6		1				1		1		2						1		1								
11. Others of this group.....	2							2																			
12. Others of this class.....																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	21	4	2	2	1	1	10				3		1			1	1			3		1	1				
Males.....	7	1	1		1		3									1				2			1				
Females.....	14	3	1	2		1	7				3		1				1		1	1	1						
1. Inflammation of the brain.....	2	1	1				2																				
2. Meningitis.....	3		1			1	2				1																
3. Apoplexy.....	1																			1							
4. Paralysis.....	2															1				1							
5. Tetanus and trismus nascentium.....	4	1					1										1			1		1					
6. Epilepsy.....																											
7. Convulsions.....	2	2					2																				
8. Mental diseases.....																											
9. Diseases of the brain.....	2				1		1																1				
10. Diseases of the spinal cord.....	3			2			2				1									1							
11. Others of this group.....	1										1																
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	9											1		1	2	1	1		1		1	1					
Males.....	4														1	1					1	1					
Females.....	5											1		1	1		1		1								
1. Angina pectoris.....																											
2. Aneurism.....																											
3. Diseases of the heart.....	4														1	1					1	1					
4. Others of this group.....	5											1		1	1		1		1								
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	51	13	8	3	2	1	27	3		1	1	2	5		4		1		1		2	2		1	1		
Males.....	26	7	5	2	1		15	1				2	3		2		1		1		1						
Females.....	25	6	3	1	1	1	12	2		1	1		2		2						1	2		1	1		
1. Croup.....	12	6	3	2	1		12																				
2. Laryngitis.....	10	5	3	1		1	10																				
3. Bronchitis.....	2		1				1												1								
4. Pneumonia.....	1														1												
5. Pleurisy.....	10	1	1				2	1				2	3		1						1						
6. Asthma.....	11				1		1	2			1		1		1						1	2		1	1		
7. Others of this group.....	1																1										
	3	1					1			1			1		1												

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
SOUTH CAROLINA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....																											
Males.....																											
Females.....																											
1. Abscess.....	M.																										
	F.																										
2. Carbuncle.....	M.																										
	F.																										
3. Others of this group.....	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1											1															
Males.....	1											1															
Females.....																											
1. Addison's disease.....	M.																										
	F.																										
2. Diseases of the spleen.....	M.	1										1															
	F.																										
3. Others of this group.....	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	21	5		1			6	1	2	1	5	2			1	1	2										
Males.....	14	4					4		1	1	3	2			1	1	1										
Females.....	7	1		1			2	1	1		2						1										
1. Burns and scalds.....	M.	1	1				1																				
	F.	3						1	1		1																
2. Drowned.....	M.																										
	F.																										
3. Exposure and neglect.....	M.	1													1												
	F.	1		1			1																				
4. Gunshot wounds.....	M.	1										1															
	F.	1														1											
5. Homicide.....	M.	3								1	2																
	F.																										
6. Infanticide.....	M.																										
	F.																										
7. Injuries by machinery.....	M.																										
	F.																										
8. Railroad accidents.....	M.																										
	F.																										
9. Suffocation.....	M.																										
	F.	1	1				1																				
10. Suicide by shooting.....	M.																										
	F.																										
11. Suicide by drowning.....	M.																										
	F.																										
12. Suicide by poison.....	M.																										
	F.																										
13. Other suicides.....	M.																										
	F.																										
14. Sunstroke.....	M.	1	1				1																				
	F.																										
15. Surgical operations.....	M.																										
	F.																										
16. Wounds.....	M.	2										1					1										
	F.																										
17. Other accidents and injuries.....	M.	5	2				2		1		1					1											
	F.	1									1																

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
SOUTH CAROLINA—Group 3.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
GRAND TOTAL	10147	2349	1060	573	314	217	4513	584	377	407	535	421	374	330	302	249	294	213	328	209	311	207	202	87	39	47	58	
Total: Males	4866	1272	568	284	160	109	2393	257	173	168	218	156	134	128	111	108	139	108	170	142	158	115	80	40	16	21	31	
Females	5281	1077	492	289	154	108	2120	327	204	239	317	265	240	202	191	141	155	105	158	127	153	92	122	47	23	26	27	
Unknown causes.																												
Total	1096	570	103	52	24	14	763	43	19	18	37	19	21	14	16	12	20	10	22	17	18	13	23	6	1	1	3	
Males	567	317	60	25	14	9	425	18	6	6	17	7	9	5	6	4	11	4	10	12	6	8	9	2	1	1	1	
Females	529	253	43	27	10	5	338	25	13	12	20	12	12	9	10	8	9	6	12	5	12	5	14	4	1	1	2	
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total	2795	544	461	254	134	91	1484	259	165	123	132	89	78	56	51	32	49	41	45	54	48	19	31	8	4	4	23	
Males	1356	278	241	129	70	45	763	120	74	60	61	37	29	24	18	18	22	22	19	23	25	6	16	3	2	2	14	
Females	1439	266	220	125	64	46	721	139	91	63	71	52	49	32	33	14	27	19	26	31	23	13	15	5	4	2	9	
1. Small-pox	M. 89	16	24	14	4	2	60	10	7	6	3	1	2															
F. 82	24	18	7		6	55	2	1	3	5	3	2	4	1		1	1	2									1	
2. Measles	M. 8	1	2	2		5	1	1	1																			
F. 6	1	1	1	1		3	2	1																				
3. Scarlet fever	M. 161	28	33	25	18	14	118	34	6	1	1				1													
F. 166	18	27	18	23	20	106	43	7	5	2				1													2	
4. Diphtheria	M. 133	65	39	14	5	6	129	3	1																			
F. 120	57	29	18	6	3	113	6																					
5. Hooping-cough	M. 62	13	6	6	5	2	32	3	10	3	4	1		1	1	1	1	1			3	1					1	
F. 78	12	8	11	5	1	37	9	4	4	3	4	2	1	1	1	1	1	1	1	5	2	1	2					
6. Fever	M. 9	1	1		2	4	2	2		1	1																	
F. 8	1					2	3	1																				
7. Cerebro-spinal fever	M. 199	10	4	5	5	2	26	13	20	31	30	12	11	9	5	6	9	5	5	5	5		2	1			4	
F. 214	9	8	8	4	3	32	18	37	24	23	17	18	8	11		7	3	6	4	3	1	1					1	
8. Enteric fever	M. 95	20	34	13	2	4	73	2	2		6		1	1	1	1	1	1	1	2	1	2					1	
F. 118	35	29	18	4	1	87	1	1			2	1		2	1			3	4	6	1	2	3				1	
9. Diarrhoea	M. 127	25	31	20	7	2	85	6	3	1	2		3	2	2	2	2	1	4	1	3	2	3	1			3	
F. 129	28	37	15	4	4	88	6	3	1	1	5		2	2	1	3	1	3	4	1	5	1				1		
10. Dysentery	M. 71	16	8	4	3	3	34	2	5	4	2	3	1	1	2	1	2	2	2	4							1	
F. 61	11	12	4	1		28	3	4	1	5	3	2	2	1	1		3	1	4		1	2						
11. Enteritis	M. 12	1	4	1		6	1	1					1	1													1	
F. 12	1					2	2		1	1			1	1														
12. Cholera morbus	M. 103	57	31	10	4	1	103																					
F. 99	51	33	11	4		99																						
13. Cholera infantum	M. 238	14	19	15	13	9	70	39	17	15	17	9	6	6	7	2	7	10	7	9	7	1	8				1	
F. 272	16	16	12	11	6	61	41	31	17	16	15	13	9	4	7	15	5	8	10	5	5	3	1	3	1		2	
14. Malarial fever	M. 20	6	2		1	9	9	2	1	1			1	1		1	2			1	1							
F. 11	1	1	2		1	5	5	2	1						1													
15. Erysipelas	M. 4						1			1			1															
F. 7							1						1	1	1													
16. Septicæmia	M. 40									6	11	7		4	4	6											2	
F. 11	3	1			1		5					2	1		1												2	
17. Puerperal septicæmia	M. 8	1	1				2			1				2	1	1												
F. 14	2	2				4	4	1	1	2																		
18. Venereal diseases	M. 14	2					4																					
F. 7	1					1	1			1	2																1	
19. Others of this group																												
General diseases—B.																												
Total	135	28	19	18	16	7	88	22	1	4	3	2	3	1	5	1	1	2		1							1	
Males	87	16	14	11	7	3	51	15	1	4	1	1	3	1	5	1	1	2		1								
Females	48	12	5	7	9	4	37	7			2	1															1	
1. Worms	M. 40	3	10	7	6	3	29	11																				
F. 30	3	4	6	8	3	24	6																					
2. Other parasitic diseases	M. 12							1		2			2	1	3	1		1		1								
F. 1										1																		
3. Alcoholism	M. 1																											
F. 1																												
4. Lead poison	M. 22	4	4	4	1		13	3	1		1	1																
F. 7		1	1	1	1	1	4	1			2																	
5. Other poisons	M. 12	9					9								2													
F. 11	9						9					1															1	
6. Inanition																												
General diseases—C.																												
Total	556	369	8	4	1		382	2	1		1	1	2	2		1	2	1	2	4	23	20	37	30	16	29		
Males	284	207	5	3			215						1	2			1	1		2	11	10	6	14	9	12		
Females	272	162	3	1	1		167	2	1		1	1				1	1		2	2	12	10	31	16	7	17		
1. Premature birth	M. 33	33					33																					
F. 39	39						39																					
2. Stillborn	M. 156	156					156																					
F. 107	107						107																					
3. Malformation	M. 5	5					5																					
F. 6	5	1					6																					
4. Debility	M. 36	13	5	3			21						1	2						1	3	3	1		1		1	
F. 40	11	2	1	1			15	2	1		1	1							1	1	3	3	4	3		2		
5. Old age	M. 54																			1	8	7	5	14	8	11		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

SOUTH CAROLINA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	1775	68	69	44	34	23	238	56	68	122	172	164	135	127	106	88	96	54	94	57	76	51	33	15	5	4	14
Males.....	655	25	27	17	19	16	104	19	29	42	59	45	38	44	34	29	37	23	45	23	32	28	8	6	2	8	
Females.....	1120	43	42	27	15	7	134	37	39	80	113	119	97	83	72	59	59	31	49	34	44	23	25	9	5	2	6
1. Rheumatism.....	M. 23 F. 17				1	1	2	1	2	1	1		1	1	3	1	1	1	3		2	3	1			1	
2. Scrofula and tabes.....	M. 38 F. 57	6	6	3	1	2	18	4	5	3	3	3			3	4	2	3	1	2	1	1					
3. Leprosy.....	M. 1 F. 1	1					1																				
4. Consumption.....	M. 340 F. 664	6	6	1	9	5	27	5	10	32	48	36	32	34	24	18	24	11	13	7	10	4	1		2	1	4
5. Hydrocephalus.....	M. 14 F. 14	8	5		1	1	14																				
6. Cancer.....	M. 30 F. 85				1	1	1			1	1	2	1	3	1	2	2	2	4	7	4	1	1				
7. Tumor.....	M. 7 F. 16	1	1				2	1			1	1		2	2	4		2	1	1	1				1		
8. Anæmia.....	M. 4 F. 5	4	2	1			4					1															
9. Dropsy.....	M. 189 F. 258	9	12	8	6	6	35	9	11	5	6	4	4	7	5	8	10	7	22	8	15	18	3	6	2	2	4
10. Glycosuria.....	M. 6 F. 6						6			1					1				1			2					
11. Others of this group.....	M. 4 F. 3	1	1				2		1		1																
12. Others of this class.....	M. 1 F. 1						3															1					
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	798	167	74	44	23	21	329	52	38	21	25	18	19	19	21	27	30	21	35	36	31	31	24	6	6	2	7
Males.....	416	90	48	27	15	11	191	21	22	9	9	11	9	7	3	18	15	9	19	17	17	17	10	4	2	2	4
Females.....	382	77	26	17	8	10	138	31	16	12	16	7	10	12	18	9	15	12	16	19	14	14	14	2	4	2	3
1. Inflammation of the brain.....	M. 69 F. 57	15	13	8	4	2	42	4	7	2	2		2	2		1	2	1	1			1		1		1	
2. Meningitis.....	M. 33 F. 31	8	8	4	2	4	26	1	2	2	1				1				1		1						
3. Apoplexy.....	M. 37 F. 41	1		1	1		3		1			2			1	3	5	5	4	3	3	4	1	1			1
4. Paralysis.....	M. 71 F. 63	1			1		2	3	2	1	2	1	2	1	1	7	4	1	8	8	8	11	5	1	1	1	1
5. Tetanus and trismus nascentium.....	M. 9 F. 3	5	1				6	1	2							1	7	4	7	8	2	9	9	2	4		
6. Epilepsy.....	M. 24 F. 8	6	1	1	1	3	12	1		2	1	1	1	1	1	1				1		1	2		1		
7. Convulsions.....	M. 84 F. 82	43	14	8	3	2	70	3	2	2	2		3	2	2	1				1		1					1
8. Mental diseases.....	M. 4 F. 3						7					1				1	1		1								
9. Diseases of the brain.....	M. 68 F. 60	10	8	5	2		25	7	5	2	3	5	1	2		2	2	5	5	3	1						
10. Diseases of the spinal cord.....	M. 8 F. 15	3	2	1	1		6	2	1	1	1			1	1	1				1	1						1
11. Others of this group.....	M. 9 F. 19	1	1				2				1		2		1	2	3	1	2	1	2	3	1	1			
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	287	12	2	1	1		16	4	4	8	13	15	11	12	15	15	22	20	38	26	24	26	11	5	1	2	1
Males.....	139	5	1		1		7	2	3	3	3	6	1	4	4	7	12	11	22	14	12	16	8	1	1	1	1
Females.....	148	7	1	1			9	2	1	5	10	9	10	8	9	8	10	9	16	12	12	10	3	4			
1. Angina pectoris.....	M. 4 F. 6											1		1		1						1					
2. Aneurism.....	M. 129 F. 137	3	1		1		5	1	3	3	3	5	1	4	4	6	9	10	22	14	12	16	7	1	1	1	1
3. Diseases of the heart.....	M. 4 F. 7	2					2	1														1					
4. Others of this group.....	M. 4 F. 7	4					4				1	1															
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	1208	311	141	82	27	26	587	44	37	46	59	45	37	38	32	27	34	30	35	38	45	30	26	8	1	2	7
Males.....	632	183	78	38	12	13	324	17	14	17	29	22	13	13	15	14	21	17	22	26	27	18	13	6	1	1	2
Females.....	576	128	63	44	15	13	263	27	23	29	30	23	24	25	17	13	13	13	13	12	18	12	13	2		1	5
1. Croup.....	M. 128 F. 89	71	25	20	1	5	122	5																			1
2. Laryngitis.....	M. 3 F. 3	1					1				1																
3. Bronchitis.....	M. 63 F. 48	20	13	4		1	38	1				1		1	2	2	1	3	4	3	2	4	2				1
4. Pneumonia.....	M. 375 F. 356	90	37	14	10	7	158	10	11	15	28	18	11	12	12	8	17	12	14	15	13	8	6	5	1	1	
5. Pleurisy.....	M. 30 F. 40		1				1		1	1		1				3	2	3	2	6	5	3	1				1
6. Asthma.....	M. 14 F. 13		1		1		1									1	1	1	1	1	4	2	2	1			
7. Others of this group.....	M. 22 F. 27	2	2				4	1	2	1	1	2	2	1	1	1		2		2	1	2					

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
SOUTH CAROLINA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	563	142	144	33	15	3	337	26	4	6	21	10	15	9	12	15	17	13	24	14	18	7	7	2	3	2	1
Males.....	292	79	73	18	6	2	178	15	1	3	12	5	8	3	4	9	8	9	11	7	8	5	3	1	1	1	1
Females.....	271	63	71	15	9	1	159	11	3	3	9	5	7	6	8	6	9	4	13	7	10	2	4	1	2	2	1
1. Dentition.....	M. 81	24	48	9			81																				
	F. 80	28	47	5			80																				
2. Angina.....	M. 13	6	2	1	1	1	11	1										1									
	F. 15	2	2	4	1		9	3							2					1							
3. Gastritis.....	M. 6												1	1		1		1		1	1						
	F. 7				1		1	1	1												2	1					
4. Other diseases of the stomach.....	M. 18	5	2	1			8	4			2					2		1		1							
	F. 29	3	2	1	3		9	2		1			2	1	2	1	1	1	1	1	4	1	2				
5. Obstruction of the bowels.....	M. 9	2		1		1	4				1				1		1	1			1						
	F. 3							1								1			1								
6. Hernia.....	M. 6	1	1	1			3				1									1		1					
	F. 2	1					1																				
7. Other diseases of the bowels.....	M. 26	7	3	1	2		13	4			1		3				1		1		1	1	1				
	F. 8	1	2	1			4		1										1					1	1		
8. Jaundice.....	M. 21	7	4	1	1		13	1			1	1	3		1		1							1			
	F. 10	5	1		1		7							1				1	1								
9. Inflammation and abscess of the liver.....	M. 14	3	1				4			1				1	2	1	1	1	1	1				1			
	F. 14			1			1		1			3	1	1		1	2		3	1					1		
10. Other diseases of the liver.....	M. 22	2	1	2			5			1	2	2				1	1	3	3	1	2				1		
	F. 28	2	2	1	1	1	7	2			1	1	1	1	2	1	3	1	4	1	3					1	
11. Peritonitis.....	M. 3							1	1	1																	
	F. 11		1				1			1	4		1	2	1			1									
12. Ascites.....	M. 11		2				2	1			2	1								1	2	1	1				
	F. 11				2		2	1		1	1	1	1			1	2		1								
13. Others of this group.....	M. 62	22	9	1	2		34	3			2	1	1	1		4	3	1	6	1	1	2	1				1
	F. 53	21	14	2			37	1			4			1		2	1		1	2	1				1	2	
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	94	1	3	2	1	1	8	2	4	1	1	3	1	8	2	4	6	5	11	15	13	4	4		1	1	
Males.....	73	1	2	1	1		5	1		1	1	1	1	3	2	2	6	5	10	13	13	4	3		1	1	
Females.....	21		1	1		1	3	1	4			2		5		2			1	2			1				
1. Bright's disease.....	M. 17	1	1				2			1	1	1					3	1	2	3	3						
	F. 7							1	1					3		1			1								
2. Calculus, urinary.....	M. 20		1		1		2									1		1	4	4	3	1	3			1	
	F. 18			1			1	1					1	2	1		1	2	2	4	2	1					
3. Diseases of the kidney.....	M. 10		1	1			2		2			1		2		1		1		1	5	1			1		
	F. 11													1			1		1	1					1		
4. Diseases of the bladder.....	M. 7														1	1	1	1	1	1		1					
	F. 4					1	1		1			1							1								
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	60									2	6	3	6	4	9	13	6	5	3	1	1	1					
1. Ovarian tumors.....	F. 4															1	2	1									
2. Ovarian diseases.....	F. 2															1					1						
3. Uterine tumors.....	F. 3															1	1		1								
4. Uterine diseases.....	F. 7												1	2		2			1	1							
5. Others of this group.....	F. 44									2	6	3	5	4	6	8	4	4	1			1					
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	138								2	23	31	28	20	14	11	6	2										1
1. Abortion.....	F. 8									2	1	2		1	2												
2. Child-birth.....	F. 113								1	18	26	20	20	11	9	6	1										1
3. Others of this group.....	F. 17								1	3	4	6		2			1										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	13	4		1			5	2	1			1	1		1	2											
Males.....	7	2		1			3	1	1				1		1												
Females.....	6	2					2	1				1				2											
1. Diseases of the spine.....	M. 4	1		1			2		1						1												
	F. 2	1					1									1											
2. Diseases of the bones.....	M. 1																										
	F. 1																										
3. Diseases of the hip-joint.....	M. 1																										
	F. 1																										
4. Others of this group.....	M. 3	1					1						1														
	F. 3	1					1					1				1											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
SOUTH CAROLINA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																										
Total.....	27	6	2	1	1	10	1	1	1	2	1	2	2	1	1	2	2	1	1	1	1	1	1	1	1	1
Males.....	13	2	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Females.....	14	4	1	1	1	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1. Abscess.....	M. 5 F. 8	1 2	1 1	1 1	1 1	1 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
2. Carbuncle.....	M. 3 F. 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
3. Others of this group.....	M. 5 F. 5	1 2	1 1	1 1	1 1	3 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
XI.—DISEASES OF THE ABSORBENT SYSTEM.																										
Total.....	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Males.....	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Females.....	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1. Addison's disease.....	M. 1 F. 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
2. Diseases of the spleen.....	M. 1 F. 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
3. Others of this group.....	M. 1 F. 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
XII.—ACCIDENTS AND INJURIES.																										
Total.....	596	126	34	37	37	31	265	71	33	32	31	23	24	24	21	4	8	9	17	6	11	5	5	6	1	1
Males.....	342	67	18	13	15	10	123	27	22	23	24	21	20	21	18	4	4	4	12	4	6	3	3	3	1	1
Females.....	254	59	16	24	22	21	142	44	11	9	7	2	4	3	3	4	5	5	5	2	5	2	2	3	1	1
1. Burns and scalds.....	M. 68 F. 136	6 6	8 7	8 19	12 18	5 19	39 69	13 39	5 8	1 6	1 3	1 1	2 1	1 1	2 1	1 1	1 1	1 1	2 1	1 1	1 2	1 1	1 2	1 1	1 1	1 1
2. Drowned.....	M. 22 F. 7	1 1	1 1	1 1	1 1	2 1	3 1	1 2	2 5	3 3	4 1	1 1	3 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
3. Exposure and neglect.....	M. 31 F. 26	19 16	2 3	2 1	1 3	1 3	25 22	4 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
4. Gunshot wounds.....	M. 31 F. 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
5. Homicide.....	M. 33 F. 8	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
6. Infanticide.....	M. 1 F. 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
7. Injuries by machinery.....	M. 4 F. 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
8. Railroad accidents.....	M. 8 F. 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
9. Suffocation.....	M. 34 F. 31	31 28	1 1	1 2	1 1	1 1	32 31	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
10. Suicide by shooting.....	M. 3 F. 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
11. Suicide by drowning.....	M. 1 F. 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
12. Suicide by poison.....	M. 1 F. 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
13. Other suicides.....	M. 7 F. 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
14. Sunstroke.....	M. 3 F. 4	1 1	1 1	1 1	1 1	1 1	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
15. Surgical operations.....	M. 4 F. 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
16. Wounds.....	M. 9 F. 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
17. Other accidents and injuries.....	M. 84 F. 32	11 8	5 2	1 2	1 1	2 1	20 13	6 2	4 2	8 2	3 2	5 2	6 2	5 2	7 1	1 1	3 2	7 1	1 1	3 1	2 1	1 1	1 1	1 1	1 1	1 1

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	7626	2025	658	331	206	128	3348	310	185	362	488	332	287	278	222	212	213	155	237	225	216	234	145	75	32	21	49
Total: Males.....	3660	1141	349	179	108	59	1836	158	86	128	187	119	97	94	84	83	95	75	125	114	107	109	74	46	15	8	20
Females.....	3966	884	309	152	98	69	1512	152	99	234	301	213	190	184	138	129	118	80	112	111	109	125	71	29	17	13	29
Unknown causes.																											
Total.....	503	329	33	20	8	3	393	6	4	6	5	5	3	2	4	4	8	4	10	12	7	9	9	3		1	8
Males.....	267	179	18	11	5	2	215	3	2	2	2	3	1	1	1	1	3	1	5	7	3	5	5				7
Females.....	236	150	15	9	3	1	178	3	2	4	3	2	2	1	3	3	5	3	5	5	4	4	4	3		1	1
1.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	1839	422	293	148	82	59	1004	136	73	82	99	66	49	44	28	28	36	16	44	39	28	29	15	13	4	2	4
Males.....	913	223	170	79	44	23	539	71	27	34	49	27	16	12	11	10	17	6	25	22	13	16	6	7	3	1	1
Females.....	926	199	123	69	38	36	465	65	46	48	50	39	33	32	17	18	19	10	19	17	15	13	9	6	1	1	3
1. Small-pox.....	M. 1																			1							
F. 1																											
2. Measles.....	M. 20	9	4				13		2		3		2														
F. 25	7	6	2	1	3		19		1	2	1	1															1
3. Scarlet fever.....	M. 15	3	3	5		2	13	2																			
F. 8		3	2	2			7	1																			
4. Diphtheria.....	M. 87	7	18	18	16	6	65	21	1																		
F. 83	5	13	9	8	16		51	18	11	1		1				1											
5. Hooping-cough.....	M. 119	67	25	13	4	1	110	7	1		1																
F. 127	59	26	16	7	8		116	8	3		2	2		1	1												
6. Fever.....	M. 35	7	8	1	2	1	19	2	2	4	2	2		1	1				1			1					
F. 36	10	5	6	2			23	3	1	3	2	1		1		1				1							
7. Cerebro-spinal fever.....	M. 17	8	5	2			15		1															1			
F. 8	1	2		2			5	2			1																
8. Enteric fever.....	M. 127	7	6	4	2	3	22	14	10	17	22	17	6	1		4	6	1	1	1	2	3					1
F. 162	6	3	4	4	4		21	14	18	25	22	11	9	5	3	8	5	6	5	5	1	3		3	4	1	
9. Diarrhœa.....	M. 92	21	20	5	4		50	1	1		2	1	1	1	4	1	2	2	7	6	2	3	3	4	1		
F. 68	19	11	5	1	1		37	2	2		1	2	1	4	2	2	2	1	4	2	2	2	1	1	1	1	
10. Dysentery.....	M. 106	20	27	10	8	2	67	10	4	3	3		1	1	3		1	1	3	1	3	2	1		1	1	
F. 80	14	9	7	5	2		37	8		4		3		3	1		4	2	3	5	4	3	2	1			
11. Enteritis.....	M. 60	19	8	4	2	2	35	4		1	2	2	2	3		1	2		3	2	1	1	1				
F. 55	14	10	4	2	1		31			4	3	3	3	3	3	2	1		2	1	2						
12. Cholera morbus.....	M. 10	2	3	1			6											1	1	1		1					
F. 17	7	2	2				11	2					1							1		1	1				
13. Cholera infantum.....	M. 87	37	34	11	2	3	87																				
F. 73	41	24	7	1			73																				
14. Malarial fever.....	M. 91	7	7	5	1	3	23	8	4	9	11	3	2	3	2	3	3	1	4	7	3	3	1				1
F. 89	5	5	4	3	1		18	5	9	4	5	6	6	5	4	3	6	2	5		4	2	3	2			
15. Erysipelas.....	M. 18	3	1				5	1				2	1				1							1	1		
F. 21	5	1	1				7	2			2	1				1			1		2	2	1	1			1
16. Septicæmia.....	M. 5				1		1	1											2					1			
F. 47																											
17. Puerperal septicæmia.....	F. 12	3			1		4			7	11	9	9	7	4												
18. Venereal diseases.....	M. 20	5	2				7			2	1	1	4	1	1		2			1	1						
F. 11	3	1					4		1		2	1	4	3			1		2								
19. Others of this group.....	M. 6	1	1				2				1			1								1	1				
F. 6																											
General diseases—B.																											
Total.....	100	37	18	8	5	2	70	4	1	1	7			2	1	3		4	2	2							3
Males.....	54	18	10	3	3		34	2	1	1	5			1	1	3		3	2	1							3
Females.....	46	19	8	5	2	2	36	2			2							1		1							
1. Worms.....	M. 18	3	8	2	3		16	1	1																		
F. 14	1	5	2	2	2		12	2																			
2. Other parasitic diseases.....	M. 7																										
F. 1																											
3. Alcoholism.....	M. 7														1	3		1	2								
F. 1											1																
4. Lead poison.....	M. 9	1	1				2	1			3			1				1		1							
F. 10	4		2				6				1			1				1		1							
5. Other poisons.....	M. 20	14	1	1			16			1	2							1									
F. 21	14	3	1				18																				3
General diseases—C.																											
Total.....	582	460	6		1		467				1	1	2		2	1			4	4	9	21	31	15	14	10	
Males.....	316	272	1				273						1		2				2	1	2	3	15	8	6	3	
Females.....	266	188	5		1		194				1	1	1			1			2	3	7	16	7	8	8	7	
1. Premature birth.....	M. 53	53					53																				
F. 38	38						38																				
2. Stillborn.....	M. 186	186					186																				
F. 122	122						122																				
3. Malformation.....	M. 16	15	1				16																				
F. 5	4	1					5																				
4. Debility.....	M. 25	18					18						1		2				1	1		1		1			
F. 38	24	4			1		29				1	1	1			1			2	1		2		7	6	3	
5. Old age.....	M. 36																		1		2	2	15	7	6	3	
F. 63																				2	7	16	16	7	8	7	
6. Atrophy.....	M. 63																										
F. 63																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TENNESSEE—Group 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	1788	72	61	31	23	8	195	56	44	163	226	157	146	126	107	93	87	61	77	59	54	63	38	12	6	2	16
Males.....	694	44	33	21	13	5	116	31	21	50	60	48	42	43	34	33	33	29	37	28	26	31	14	8	2	1	7
Females.....	1094	28	28	10	10	3	79	25	23	113	166	109	104	83	73	60	54	32	40	31	28	32	24	4	4	1	9
1. Rheumatism.....	M. 24					1	1	1	1	1	2	1					3		3	3	3	3	1	1			
	F. 26				1		1		1	2			4	3			3	1	2		3	3					
2. Scrofula and tabes.....	M. 97	18	13	9	4	3	47	10	4	11	5	3	5	1	1	3	3		1	1		1					
	F. 80	11	10	6	3	2	32	8	7	9	6	3	2		4	1	3		1			3	1				
3. Leprosy.....	M. 1																										
	F. 1																										
4. Consumption.....	M. 393	13	8	6	1	1	29	9	10	33	50	41	32	36	30	26	18	21	19	16	7	7	1	3			5
	F. 783	12	10	1	4	1	28	13	13	97	152	101	92	64	56	45	38	14	18	16	13	10	4	1	2		6
5. Hydrocephalus.....	M. 23	9	5	3	3		20			1																	
	F. 12	5	4	1	1		11	1																			
6. Cancer.....	M. 40		1				1		2	1		2	2	2	1	1	3	2	4	4	2	6	5	1			1
	F. 72										3	2	2	4	8	6	6	11	8	7	2	7	4		1		1
7. Tumor.....	M. 7	1	1				2	1			1						2										
	F. 9			1			1											1	1			1					
8. Anæmia.....	M. 1		1				1																				
	F. 3									2						1											
9. Dropsy.....	M. 98	3	4	2	3		12	10	3	3	2	1	2	4	2	3	4	5	6	4	12	14	6	2	2	1	
	F. 105		4	1	1		6	2	2	3	4	2	4	12	3	7	4	5	10	7	9	7	11	3	1	1	2
10. Glycosuria.....	M. 11			1	2		3											1	4		2						
	F. 2							1												1							
11. Others of this group.....	M. 2											1															
	F. 1							1														1					
12. Others of this class.....	M. 1																										
	F. 1																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	640	183	74	29	18	16	320	27	15	21	18	17	11	12	13	19	21	11	18	27	27	31	13	8	5		6
Males.....	304	93	36	18	9	7	163	12	9	3	11	7	5	5	4	8	11	4	9	11	13	13	7	5	2		2
Females.....	336	90	38	11	9	9	157	15	6	18	7	10	6	7	9	11	10	7	9	16	14	18	6	3	3		4
1. Inflammation of the brain.....	M. 68	27	11	6	5	2	51	3	4		2	2		2		1		1		1							
	F. 73	24	15	4	3	6	52	4	2	6	1	1	2		3	1											1
2. Meningitis.....	M. 47	20	9	5	2		36	4	1	1	2	1	1									1					
	F. 44	21	7	3	2		33	4	1	3						1	1										1
3. Apoplexy.....	M. 21			1			1					1	2	1	2	1	1		2	2	2	2	2	1			1
	F. 20								1	2	1	2	2	1	1	2	1		2	2	2	2	2				1
4. Paralysis.....	M. 49	3	2			1	6						1			1											
	F. 70	1	3				4	1	1	2		1	1	2	1	2	4	3	4	10	9	13	6	3	3		
5. Tetanus and trismus nascentium.....	M. 4	2					2			1																	
	F. 6	2				1	3	3																			
6. Epilepsy.....	M. 11	4					4		1	1	1							1	1	1	1						
	F. 12	2					2				1	1		1		1		1		1	1						
7. Convulsions.....	M. 51	29	8	2	1	2	42	1			1	1	1	1			2				1	1					1
	F. 48	28	4	1	4	1	38	1		2	3	2	1			1											
8. Mental diseases.....	M. 1																		1								
	F. 1																										
9. Diseases of the brain.....	M. 34	5	4	3	1	1	14	1	1	1	4	1		1	1	3	2	1	1			2		1			
	F. 27	8	3	2		1	14				1	1		2		2	2	1		1	2						1
10. Diseases of the spinal cord.....	M. 10	2	1	1			5	3	1										1								
	F. 18	4	6	1			11	1	1			1		1	1	1			1								
11. Others of this group.....	M. 8	1	1				2				1			1		1			1	1	1						
	F. 17							1				1			3		2	1	2	2	2	3					
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	200	9	1	3	1	1	15	4	8	6	11	9	5	8	12	7	8	13	13	23	20	21	7	6		1	3
Males.....	102	7	1	2	1		11	2	3	2	5	4	3	3	8	5	1	7	5	9	9	14	5	6			
Females.....	98	2		1		1	4	2	5	4	6	5	2	5	4	2	7	6	8	14	11	7	2			1	3
1. Angina pectoris.....	M. 2										1									1							
	F. 1																										
2. Aneurism.....	M. 5															1	1										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
TENNESSEE—Group 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	12	2					2		1		2		1					2	2	1						1	
Males.....	7	1					1		1				1					2		1						1	
Females.....	5	1					1				2								2								
1. Abscess.....	M. 6 F. 4								1				1					2		1						1	
2. Carbuncle.....	M. 1 F. 1																		2								
3. Others of this group.....	M. 1 F. 1	1					1																				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	2												1					1									
Males.....	1																	1									
Females.....	1												1														
1. Addison's disease.....	M. 1 F. 1																										
2. Diseases of the spleen.....	M. 1 F. 1																	1									
3. Others of this group.....	M. 1 F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	297	45	16	11	15	9	96	26	15	29	24	16	16	17	11	7	7	4	7	1	5	5	2	4	2		3
Males.....	196	27	7	6	7	6	53	13	9	22	20	12	13	12	9	5	6	4	7	1	4	1		2	2		1
Females.....	101	18	9	5	8	3	43	13	6	7	4	4	3	5	2	2	1				1	4	2				2
1. Burns and scalds.....	M. 22 F. 32	5	1	5	5	1	17	3			1				1												1
2. Drowned.....	M. 13 F. 8	1	2				3	2	1	2	1		1		1		1				1	1					
3. Exposure and neglect.....	M. 11 F. 12	5	2			1	8				1										1				1		
4. Gunshot wounds.....	M. 27 F. 4							2	1	4	6	5	4	3				1					1				
5. Homicide.....	M. 12 F. 1									3	4	1		1	1		1	1									
6. Infanticide.....	M. 1 F. 2										1																
7. Injuries by machinery.....	M. 12 F. 1					1	1		1	3	1	2		1	2												
8. Railroad accidents.....	M. 15 F. 12	10	1			1	12	1	1			1															
9. Suffocation.....	M. 1 F. 1										1						1					1					
10. Suicide by shooting.....	M. 1 F. 1																										
11. Suicide by drowning.....	M. 1 F. 1																										
12. Suicide by poison.....	M. 1 F. 1																										
13. Other suicides.....	M. 1 F. 4											1		2								1					
14. Sunstroke.....	M. 1 F. 1																1										
15. Surgical operations.....	M. 1 F. 1														1												
16. Wounds.....	M. 1 F. 1																										
17. Other accidents and injuries.....	M. 79 F. 24	6	1	1	1	3	12	4	5	10	5	2	8	6	3	5	3	2	7	1	3			2	1	1	1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
TENNESSEE—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
General diseases—D.																											
Total.....	867	28	32	16	6	6	88	36	41	68	127	92	75	69	53	39	45	30	22	23	32	9	7	2	1	8	
Males.....	328	13	21	10	3	1	48	21	17	29	42	24	15	21	17	12	22	12	11	11	14	4	5	1	1	2	
Females.....	539	15	11	6	3	5	40	15	24	39	85	68	60	48	36	27	23	18	11	12	18	5	2	1	1	6	
1. Rheumatism.....	M. 13 F. 13	1	1				2	1	1	1	1	1				2	2		1	1							
2. Scrofula and tabes.....	M. 40 F. 36	3	6	3	2	1	15	9	5	3	2	2	1	1		2	1			1	4	1					
3. Leprosy.....	M. 1 F. 1																										
4. Consumption.....	M. 204 F. 390	5	7	4			16	6	8	23	34	23	10	17	13	7	12	7	8	6	7	3	2			2	
5. Hydrocephalus.....	M. 8 F. 4	4	2	1			7	1																		4	
6. Cancer.....	M. 9 F. 27						2	1	1					2	1	1			1	1		1				1	
7. Tumor.....	M. 1 F. 4											1	2	2	2	5		4	5	2		1				1	
8. Anæmia.....	M. 1 F. 1		1				1																				
9. Dropsy.....	M. 47 F. 62		3	2	1		6	3	3	2	5	1	2	2	2	6	1	1	3	5	1	1	1				
10. Glycosuria.....	M. 1 F. 4																										
11. Others of this group.....	M. 1 F. 2		1				1										2										
12. Others of this class.....	M. 1 F. 1													1													
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	445	130	52	33	23	9	247	35	15	12	13	13	5	6	10	8	8	12	12	18	12	11	5		1	2	
Males.....	212	70	23	16	9	4	122	15	5	5	7	4	2	2	2	5	4	8	5	9	7	6	3		1		
Females.....	233	60	29	17	14	5	125	20	10	7	6	9	3	4	8	3	4	4	7	9	5	5	2			2	
1. Inflammation of the brain.....	M. 50 F. 48	21	6	4	3	2	36	5	3	1		1		1		1	2										
2. Meningitis.....	M. 36 F. 36	14	5	4	4	1	28			2	1	1		1	1		2										
3. Apoplexy.....	M. 17 F. 11						23	3	2	1	3	2		1				1	2	3	4	1					
4. Paralysis.....	M. 17 F. 32		1	1			1	1				1			1	2	2	1	2	5	1	2					
5. Tetanus and trismus nascentium.....	M. 6 F. 3	3			1		3	2			1							3	4	7	4	2	1				
6. Epilepsy.....	M. 6 F. 9	1					1			2	1					1						1					
7. Convulsions.....	M. 27 F. 45	16	4	3	1	1	25	1	1		2	1				1		1						1		1	
8. Mental diseases.....	M. 1 F. 1																										
9. Diseases of the brain.....	M. 38 F. 38	14	7	3		2	24	5	1		1		1	1				1	1	1	1	1					
10. Diseases of the spinal cord.....	M. 10 F. 7	1	1	1			4	1	1	1	2			1	4				1								
11. Others of this group.....	M. 5 F. 3									1	1						1			2	1					1	
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	112	9	2	1	1		13		3	1	9	1	8	6	10	5	12	3	10	9	13	7	2				
Males.....	51	7		1	1		9		1	1	2	1	3	1	3	2	3	2	5	5	7	4	2				
Females.....	61	2	2				4		2		7		5	5	7	3	9	1	5	4	6	3					
1. Angina pectoris.....	M. 1 F. 1												1														
2. Aneurism.....	M. 1 F. 1	1					1																				
3. Diseases of the heart.....	M. 44 F. 60	2		1	1		4		1	1	2	1	2	1	3	1	3	2	5	5	7	4	2				
4. Others of this group.....	M. 5 F. 1	4					4									1											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	1070	249	80	45	21	20	415	55	30	74	64	53	56	43	38	33	35	36	38	34	27	17	13	5	1	3	
Males.....	603	147	39	29	11	15	241	28	14	41	39	27	38	19	17	16	20	23	19	21	17	10	7	5		1	
Females.....	467	102	41	16	10	5	174	27	16	33	25	26	18	24	21	17	15	13	19	13	10	7	6		1	2	
1. Croup.....	M. 127 F. 80	85	15	12	6	4	122	5																			
2. Laryngitis.....	M. 4 F. 4			2			2	1												1							
3. Bronchitis.....	M. 32 F. 37	11	3	1		3	18			1	2				1	1		1	2	1	4		1				
4. Pneumonia.....	M. 407 F. 325	49	19	12	5	8	93	21	14	39	33	24	34	17	15	14	18	20	16	16	13	9	6	4		1	
5. Pleurisy.....	M. 4 F. 4												1				1		2							2	
6. Asthma.....	M. 3 F. 5		1				1														1		1				
7. Others of this group.....	M. 26 F. 16	2	1	2			5	1		1	4	3	3	2	1	1	2	1	1	1							

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TENNESSEE—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	13	2					2			2	2			3	1		1					2					
Males.....	11	1					1			2	2			3	1		1					1					
Females.....	2	1					1															1					
1. Abscess.....	M. 10 F. 1	1					1			2	2			3	1							1					
2. Carbuncle.....	M. 1 F. 1	1					1																				
3. Others of this group.....	M. 1 F. 1																1										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	4				1		1							1		1							1				
Males.....	2				1		1							1													
Females.....	2															1							1				
1. Addison's disease.....	M. 1 F. 1																										
2. Diseases of the spleen.....	M. 1 F. 1				1		1																				
3. Others of this group.....	M. 1 F. 2													1		1							1				
XII.—ACCIDENTS AND INJURIES.																											
Total.....	219	48	14	8	5	7	82	20	17	16	12	16	12	11	2	2	6	4	3	4	4	3	1	1		1	2
Males.....	138	22	9	5	2	2	40	11	11	14	9	14	9	6	1	2	5	3	2	4	2	2	1				2
Females.....	81	26	5	3	3	5	42	9	6	2	3	2	3	5	1		1	1	1		2	1		1		1	
1. Burns and scalds.....	M. 12 F. 23	3	3	2	1		9	1		1										1							
2. Drowned.....	M. 13 F. 1			1			1	4	2	2	1		1				1						1				1
3. Exposure and neglect.....	M. 7 F. 10	3	1				4								1		1					1					
4. Gunshot wounds.....	M. 16 F. 3			1		1	2	1	1	3	2	4					1	1		1							
5. Homicide.....	M. 9 F. 9							1		1		2	2				2		1								
6. Infanticide.....	M. 1 F. 1																										
7. Injuries by machinery.....	M. 4 F. 1								1	1		1	1														
8. Railroad accidents.....	M. 12 F. 19	9					9						1					1									1
9. Suffocation.....	M. 1 F. 1											1															
10. Suicide by shooting.....	M. 1 F. 1											1															
11. Suicide by drowning.....	M. 1 F. 1																										
12. Suicide by poison.....	M. 1 F. 4												1	1				1									
13. Other suicides.....	M. 1 F. 1										1																
14. Sunstroke.....	M. 2 F. 2										1						1										
15. Surgical operations.....	M. 2 F. 2								1				1														
16. Wounds.....	M. 3 F. 1		1			1	2				1																
17. Other accidents and injuries.....	M. 54 F. 18	7	4	1		1	13	4	6	6	4	6	1	5		2			1	2	2	1		1			1

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TENNESSEE—GROUP 3.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	3776	760	216	164	69	69	1278	181	154	240	318	261	219	237	185	149	134	76	97	64	66	38	29	13	8	6	23
Total: Males.....	2090	414	124	83	43	31	695	87	78	105	159	155	127	138	116	91	87	51	61	39	34	28	18	6	3	3	9
Females	1686	346	92	81	26	38	583	94	76	135	159	106	92	99	69	58	47	25	36	25	32	10	11	7	5	3	14
Unknown causes.																											
Total.....	304	147	32	14	3	7	203	13	2	9	17	11	6	5	6	8	3	1	4	4	6	1	4		1		
Males.....	152	80	14	5	2		101	5		4	3	8	4	2	3	7	3	1	2	3	3	1	2				
Females	152	67	18	9	1	7	102	8	2	5	14	3	2	3	3	1			2	1	3		2		1		
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	1363	144	65	73	28	25	335	79	79	113	144	100	95	109	87	61	50	25	29	16	15	7	4	3			12
Males.....	812	78	37	40	16	13	184	38	48	46	89	67	60	73	55	43	38	17	23	10	9	6	3	1			2
Females	551	66	28	33	12	12	151	41	31	67	55	33	35	36	32	18	12	8	6	6	6	1	1	2			10
1. Small-pox.....	M. F.																										
2. Measles.....	M. F.	4 5		2		1	3 5	1																			
3. Scarlet fever.....	M. F.	10 12	1 2	1 1	4 1	1 1	7 6	3	3																		
4. Diphtheria.....	M. F.	16 5	5 1	2 2	2 1	1 1	9 4	2			1	2						1		1							
5. Hooping-cough.....	M. F.	11 14	6 6	3 1	1 3	1 2	11 12												1								
6. Fever.....	M. F.	5 4	4 1		1		5 2			1				1													
7. Cerebro-spinal fever.....	M. F.	2 2	1 1				1 1			1																	
8. Enteric fever.....	M. F.	38 44			2		2 4	3	6	4	12	3	3	2		1			1			1					
9. Diarrhoea.....	M. F.	38 25	7 6	3 3	3 1	2	13 12	1		1	1	2	3	3	1	2	1		3		1	3	1	1			1
10. Dysentery.....	M. F.	33 29	5 5	5 5	3 1		14 10	1	2		1		4	4	2	1	1		1	1	1		1				1
11. Enteritis.....	M. F.	46 30	12 11	6 2	4 3	4 2	28 18	3		1	2	3		1	2	3	1		2								
12. Cholera morbus.....	M. F.	5 3		1			1 2	1	1				1						1				1				
13. Cholera infantum.....	M. F.	35 24	19 12	9 8	5 3	1 1	35 23																				1
14. Malarial fever.....	M. F.	105 88	8 6	4 8	4 10	6 3	26 29	7	6	11	12	11	2	5	5	2	6	2	4	3	2		1		1		1
15. Erysipelas.....	M. F.	19 9	3 3		2		5 3	1	1		1		1	1	1				2	1		1					1
16. Septicæmia.....	M. F.	2 6					1 1		1		1		1			1				1							
17. Puerperal septicæmia.....	M. F.	23 5					1 1			2	6	4	4	4	3			1									
18. Venereal diseases.....	M. F.	3 3	1 1				1 1				2	1				1	1										
19. Others of this group.....	M. F.	438 225	6 9	4 1	7 3	4 1	24 19	15 11	31 18	29 44	57 28	46 22	44 17	58 15	45 17	31 10	25 5	14 6	10 3	3 1	3 2	3 1	1 1				5
General diseases—B.																											
Total.....	45	13	5	2	3	3	26	3	1		3	2		1	3	2	1		1					1			1
Males.....	28	7	3	1	3	2	16	3			1	1		1	2	1	1		1				1				
Females	17	6	2	1		1	10		1		2	1			1	1											1
1. Worms.....	M. F.	7 5		2 1	1 1	1 1	6 5	1																			
2. Other parasitic diseases.....	M. F.																										
3. Alcoholism.....	M. F.	5 2									1	1			2	1	1										
4. Lead poison.....	M. F.																										
5. Other poisons.....	M. F.	8 4				2	2 1	2			1			1		1			1					1			1
6. Inanition.....	M. F.	8 6	7 4	1			8 4		1						1												
General diseases—C.																											
Total.....	256	196	5	5			206	3		2		2	2	4			2	1	2	2	6	7	5	4	3	5	
Males.....	134	112	2	3			117	1			1	1	3				1		1		2	3		2		2	
Females	122	84	3	2			89	2		2		1	1	1			1	1	1	2	4	4	5	2	3	3	
1. Premature birth.....	M. F.	24 18	24 18				24 18																				
2. Stillborn.....	M. F.	70 45	70 45				70 45																				
3. Malformation.....	M. F.	3 1	3 1				3 1																				
4. Debility.....	M. F.	32 41	15 20	2 3	3 2		20 25	1			1	1	3			1	1		1		2	2		2	1	2	
5. Old age.....	M. F.	5 17																				1	2	1	1	3	
6. Atrophy.....	M. F.																			1	4	4	3				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TENNESSEE—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	547	11	20	15	9	6	61	17	24	51	72	56	50	58	33	28	26	19	14	12	13	3	4	2	2	4	
Males.....	244	5	11	5	6	3	30	5	8	17	28	24	19	28	19	11	14	12	9	8	5	2	2	1	1	2	
Females.....	303	6	9	10	3	3	31	12	16	34	44	32	31	30	14	17	12	7	5	4	8	1	2	1	1	2	
1. Rheumatism.....	M. 8									3					2		1	1					1				
	F. 10									1			2	1						1	2	1	1				
2. Scrofula and tabes.....	M. 18	3	5	2	3		13		4									1									
	F. 27	3	4	5	1		13	4	5	2	1				1			1									
3. Leprosy.....	M. 1																										
	F. 1																										
4. Consumption.....	M. 165	1	5	1	2	2	11	3	3	10	26	22	17	25	13	6	9	5	7	3	2				1	2	
	F. 206	1	3	2		2	8	4	8	29	38	29	25	26	9	14	7	2	1	2	2					2	
5. Hydrocephalus.....	M. 2	1					1					1														2	
	F. 4	1	1				2	1		1																	
6. Cancer.....	M. 5													1		1	1		1			1					
	F. 12				1	1	2						1	1	3		2	1			2						
7. Tumor.....	M. 2															1	1										
	F. 2																										
8. Anæmia.....	M. 1																										
	F. 1																										
9. Dropsy.....	M. 39		1	2	1	1	5	2	1	3	2		2	2	4	2	2	5	1	3	2	2	1				
	F. 40	1		2	1		4	3	2	2	5	3	3	1	1	3	3	2	4	1	1		1		1		
10. Glycosuria.....	M. 5									1		1				1				2	1						
	F. 2													1													
11. Others of this group.....	M. 2		1	1			2																				
	F. 2																										
12. Others of this class.....	M. 1																										
	F. 1																										
III.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	318	93	22	20	12	1																					

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TENNESSEE—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	163	36	34	10	...	4	84	11	3	5	6	6	6	2	7	4	5	8	3	6	3	1	...	1	...	...	2
Males	96	21	24	6	...	3	54	5	1	2	1	4	4	1	5	3	4	3	2	3	1	1	...	...	...	2	
Females	67	15	10	4	...	1	30	6	2	3	5	2	2	1	2	1	1	5	1	3	2	...	1	...	...	...	
1. Dentition	M. 27	7	18	2	...	...	27	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	F. 17	7	8	1	...	...	16	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
2. Angina	M. 7	2	1	1	...	...	4	1	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	
	F. 1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
3. Gastritis	M. 2	...	1	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	
4. Other diseases of the stomach	M. 21	4	2	1	...	1	8	2	1	...	...	1	1	...	3	...	1	1	1	...	1	...	...	...	...	1	
	F. 11	...	2	...	...	1	3	1	1	1	2	...	...	...	2	...	...	1	1	1	...	...	...	...	...	...	
5. Obstruction of the bowels	M. 2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	
	F. 3	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	
6. Hernia	M. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	
	F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
7. Other diseases of the bowels	M. 5	1	...	...	...	...	1	1	...	...	...	...	1	...	...	...	1	...	...	1	...	...	...	...	...	...	
	F. 3	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	
8. Jaundice	M. 4	1	...	...	...	...	1	...	...	...	...	...	1	...	...	1	1	...	...	...	...	...	...	...	...	...	
	F. 2	1	...	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
9. Inflammation and abscess of the liver	M. 5	...	...	...	...	...	...	1	...	1	...	...	1	...	...	...	...	1	...	...	...	1	...	...	...	...	
	F. 2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	
10. Other diseases of the liver	M. 10	2	1	...	...	1	4	...	...	1	...	...	1	...	...	2	1	1	...	1	...	...	...	...	...	...	
	F. 4	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	
11. Peritonitis	M. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	
	F. 4	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	
12. Ascites	M. 4	...	...	2	...	1	3	...	...	...	1	1	...	...	1	...	...	1	...	...	...	...	...	1	...	...	
	F. 4	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	
13. Others of this group	M. 7	4	1	...	...	...	5	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	
	F. 15	6	...	2	...	...	8	1	1	1	...	1	1	1	...	...	...	1	...	...	...	...	...	...	...	...	
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	26	3	...	...	...	...	3	1	2	...	2	1	...	2	3	3	1	2	2	3	1	...	...	...	...	...	
Males	18	2	...	...	...	...	2	1	1	...	1	...	...	2	3	1	1	2	1	2	1	...	...	...	...	...	
Females	8	1	...	...	...	...	1	...	1	...	1	1	...	...	...	2	...	1	1	1	...	...	...	...	...	...	
1. Bright's disease	M. 3	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	
	F. 2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	
2. Calculus, urinary	M. 3	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	
	F. 3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
3. Diseases of the kidney	M. 7	2	...	...	...	...	2	...	...	...	...	...	...	...	1	...	1	1	1	...	1	...	...	...	...	...	
	F. 3	1	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	1	1	1	...	...	...	...	...	...	
4. Diseases of the bladder	M. 2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	
	F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	
5. Others of this group	M. 3	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	...	...	...	...	...	...	
	F. 2	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	12	...	...	...	...	...	...	...	2	...	3	1	1	2	2	...	...	1	...	...	...	...	...	...	...	...	
1. Ovarian tumors	F. 1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
2. Ovarian diseases	F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
3. Uterine tumors	F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
4. Uterine diseases	F. 4	...	...	...	...	...	...	...	...	1	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	
5. Others of this group	F. 7	...	...	...	...	...	...	...	...	1	...	1	...	1	1	2	...	...	1	...	...	...	...	...	...	...	
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	42	...	...	...	...	...	...	...	4	12	11	8	4	3	...	...	...	...	...	...	...	...	...	...	...	...	
1. Abortion	F. 5	...	...	...	...	...	...	...	...	1	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
2. Child-birth	F. 34	...	...	...	...	...	...	...	4	10	9	5	3	3	...	...	...	...	...	...	...	...	...	...	...	...	
3. Others of this group	F. 3	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	5	...	...	...	...	...	...	...	3	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	
Males	3	...	...	...	...	...	...	...	2	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	
Females	2	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	
1. Diseases of the spine	M. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	F. 1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
2. Diseases of the bones	M. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
3. Diseases of the hip-joint	M. 2	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	
	F. 1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	
4. Others of this group	M. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	F. 1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	

'TENNESSEE—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	11	6	1			2	9					1							1								
Males.....	6	4	1				5												1								
Females.....	5	2				2	4					1															
1. Abscess.....	M. 3	2					2					1															
	F. 3																										
2. Carbuncle.....	M. 6	4	1				5																				
	F. 2					2	2												1								
3. Others of this group.....	M. 6																										
	F. 2																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	4								1		1	1	1														
Males.....	3								1		1		1														
Females.....	1											1															
1. Addison's disease.....	M. 3																										
	F. 1																										
2. Diseases of the spleen.....	M. 3								1		1		1														
	F. 1											1															
3. Others of this group.....	M. 3																										
	F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	152	21	5	8	4	3	41	9	7	10	10	17	13	12	12	5	5	4	1	2	2	1				1	
Males.....	104	8	4	4	2	1	19	2	4	8	7	14	11	11	12	3	5	3	1	1	1	1				1	
Females.....	48	13	1	4	2	2	22	7	3	2	3	3	2	1	2	2	2	1		1	1	1					
1. Burns and scalds.....	M. 9	1	3	3		1	8					1															
	F. 18	2	1	3	2	1	9	5			1	1	1								1						
2. Drowned.....	M. 20		1				1	1	2	3	2	1	4	2	3	1											
	F. 3							1	1	1																	
3. Exposure and neglect.....	M. 4	2		1	1		4																				
	F. 3	1				1	2																				
4. Gunshot wounds.....	M. 12							1		2	1	3	2	2					1								
	F. 3			1			1					2		2													
5. Homicide.....	M. 3										1	1		1													
	F. 3																										
6. Infanticide.....	M. 1																										
	F. 1																										
7. Injuries by machinery.....	M. 1											1															
	F. 2																										
8. Railroad accidents.....	M. 2											1					1										
	F. 2																										
9. Suffocation.....	M. 4	4					4																				
	F. 6	6					6																				
10. Suicide by shooting.....	M. 1														1												
	F. 1																										
11. Suicide by drowning.....	M. 1																										
	F. 1																										
12. Suicide by poison.....	M. 2																										
	F. 5																										
13. Other suicides.....	M. 5											1		1		1	1					1					
	F. 5																										
14. Sunstroke.....	M. 13									1	2		5	2	1	2	1		1								
	F. 3							1																			
15. Surgical operations.....	M. 1																1										
	F. 1																										
16. Wounds.....	M. 1																										
	F. 1																										
17. Other accidents and injuries.....	M. 29	1			1		2		2	2	2	1	2	5	5		3		2		1		1				1
	F. 10	4					4			1				1		2		1			1						

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TENNESSEE—GROUP 4.

[Exclusive of NASHVILLE.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	8772	2079	682	411	252	166	3590	510	382	496	577	443	363	319	236	228	239	185	243	209	222	206	127	67	31	29	70
Total: Males.....	4223	1133	345	206	134	84	1902	256	162	214	235	177	145	103	84	92	113	100	135	119	119	109	67	37	13	9	32
Females.....	4549	946	337	205	118	82	1688	254	220	282	342	266	218	216	152	136	126	85	108	90	103	97	60	30	18	20	38
Unknown causes.																											
Total.....	899	487	93	22	16	11	629	33	16	16	25	21	12	20	8	14	20	7	11	9	10	11	10	8	5	2	12
Males.....	439	247	43	11	12	5	318	16	6	8	10	8	2	6	2	5	9	3	8	7	7	5	5	2	4	1	7
Females.....	460	240	50	11	4	6	311	17	10	8	15	13	10	14	6	9	11	4	3	2	3	6	5	6	1	1	5
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	2090	350	261	188	110	81	990	249	152	126	107	96	57	45	31	22	25	24	38	29	33	22	21	6	2	1	14
Males.....	1007	167	114	94	59	42	476	131	67	64	50	44	27	9	9	10	11	16	21	18	15	11	14	2	1	1	11
Females.....	1083	183	147	94	51	39	514	118	85	62	57	52	30	36	22	12	14	8	17	11	18	11	7	4	1	1	3
1. Small-pox.....	M. 19	3	1	5	2		11	5	1	1																	
F. 15	3	1	1	1			6		1	1	1	2		2	1		1										
2. Measles.....	M. 8	1	1	1	4	1	8																				
F. 8	2		1				3	2	2											1							
3. Scarlet fever.....	M. 24	20	22	39	33	31	145	61	16	1																	1
F. 286	16	43	44	40	29		172	63	40	7	2			2													
4. Diphtheria.....	M. 53	24	11	9	2		46	4	1										1								1
F. 82	41	17	11	4	2		75	6	1																		
5. Hooping-cough.....	M. 22	5	1				6	2	1	1	2	1				2	1	2	1	1		1	1				
F. 28	3	1	3				7	2	1	4	3	1	1	2		3	1			1	1		1				
6. Fever.....	M. 13	4	2	2			8			2	1	1	1														
F. 13	3	1	2		2		8			2							1		1								
7. Cerebro-spinal fever.....	M. 192	1		2	3	4	10	20	23	44	33	18	11	3	3	2	3	5	4	7	2	1	2				1
F. 166	3	2	6	3	1		15	17	21	29	20	21	8	8	6	3	4	1	3	2	4	1	1	1			1
8. Enteric fever.....	M. 44	12	10	5			27	3	2	1					1		1		1	1	2	2	1	1			
F. 30	8	11	3				22	1					1	1							2	1	1		1		1
9. Diarrhoea.....	M. 94	12	20	9	4	2	47	10	4	1	3	4	2	1		1	2		5		6	3	4				1
F. 87	15	17	5	1	1		39	8	4	1	3	4	1	1	4	2	1	3	5	2	3	3	1	2			
10. Dysentery.....	M. 71	21	8	6	3		38	5	1	1	2	2	1	2	1	1	3	2	1	3	1	4	1				1
F. 62	19	8	4		1		32	5	1	1	5	2	2	2	1	1	2	1	2	1	2	2					
11. Enteritis.....	M. 7	2	1				3	1	2										1								
F. 11	1	3					4			1	2	1		1				1									1
12. Cholera morbus.....	M. 83	43	32	8			83																				
F. 84	44	32	8				84																				
13. Cholera infantum.....	M. 141	11	4	4	7	4	30	19	15	11	8	16	5	2	2	4	3	5	5	5	1	2	2		1		5
F. 133	13	8	4	2	3		30	11	12	11	12	11	10	9	4	2	2	2	5	2	4	3	2	1			
14. Malarial fever.....	M. 19	1	3	1			5			1	1	1	3			1		1	1	3	1	1					
F. 22	8	1	1				10	2	1			1		3				1		1	1	1	1				
15. Erysipelas.....	M. 2						1																				
F. 4																											
16. Septicæmia.....	M. 36									4	7	7	5	6	5	1											1
F. 6	2	1					3							1													1
17. Puerperal septicæmia.....	M. 4						1																				
F. 4																											
18. Venereal diseases.....	M. 9	5					5	1					2			1											
F. 12	4	1	1				6	1		1				1						1		1					
19. Others of this group.....																											
General diseases—B.																											
Total.....	82	12	10	12	5	6	45	8	2	2		3	1	4	4	5	2	2	1	1	2						
Males.....	42	8	4	5	2	4	23	1	1	1		2		3	4	1	2	1	1		2						
Females.....	40	4	6	7	3	2	22	7	1	1		1	1	1		4		1		1							
1. Worms.....	M. 16	3	2	5	2	3	15					1															
F. 19		5	6	1	1		13	6																			
2. Other parasitic diseases.....	M. 3			1	1		2	1																			
F. 10												1		2	3	1	1	1			1						
3. Alcoholism.....	M. 1																										
F. 1																											
4. Lead poison.....	M. 11	1	1			1	3	1	1	1				1	1		1		1		1						
F. 13		1			1	1	3		1	1			1	1		4				1							
5. Other poisons.....	M. 5	4	1				5																				
F. 4	4						4																				
6. Inanition.....																											
General diseases—C.																											
Total.....	542	401	3	1	1		406	1					1				1	2	2	3	21	21	29	24	14	12	5
Males.....	310	262	2		1		265										1	1			7	6	12	12	3	3	
Females.....	232	139	1	1			141	1					1				1	2	3	14	15	17	12	11	9	5	
1. Premature birth.....	M. 49	49					49																				
F. 27	27						27																				
2. Stillborn.....	M. 202	202					202																				
F. 110	110						110																				
3. Malformation.....	M. 2	2					2																				
F. 2	1	1					2																				
4. Debility.....	M. 20	9	2		1		12										1	1		2	3	1		1		1	
F. 21	1						2	1										1	1	2	4	3		3	1		
5. Old age.....	M. 37																				4	5	12	11	3	2	
F. 72																			1	1	12	11	14	9	10	9	5

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
TENNESSEE—GROUP 4—Continued.

Cause of death.	Total.	Under 1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
General diseases—D.																											
Total.....	2075	87	65	52	35	14	253	89	110	199	270	190	189	136	102	105	95	68	70	54	47	44	21	6	4	3	20
Males.....	760	49	41	28	18	7	143	36	30	53	82	55	59	43	35	31	32	33	35	23	22	25	10	4	2	1	6
Females.....	1315	38	24	24	17	7	110	53	80	146	188	135	130	93	67	74	63	35	35	31	25	19	11	2	2	2	14
1. Rheumatism.....	M. 28			1			1	2	2		2	1	3		1	2	1		3	4	3	2	1				
F. 25		1					1	1	4	1		2			3	2	4	1		3	2	1					
2. Scrofula and tabes.....	M. 100	21	17	9	10	6	63	9	5	4	8	3	3	1	1		1	1	1								
F. 117		14	11	10	6	2	43	18	13	12	9	2	6	2	4		2	1		1			2				2
3. Leprosy.....	M. 1																										
F. 1																											
4. Consumption.....	M. 498	18	15	10	8	1	52	14	20	48	67	50	47	40	30	27	24	24	20	13	7	6	5			1	3
F. 984		16	9	13	10	5	53	26	58	124	173	127	112	78	53	50	43	18	20	16	12	7	5		2		7
5. Hydrocephalus.....	M. 11	3	5	1			9	1			1																
F. 6		4	1				5				1																
6. Cancer.....	M. 24												1		1		1	2	3	2	5	4	1	1	2		1
F. 71								1					5	5	7	12	7	8	9	6	5	2	2		1	1	
7. Tumor.....	M. 5	2					2						1				1	1	1								
F. 8		1	2				3			1																	1
8. Anæmia.....	M. 1																										
F. 2																											
9. Dropsy.....	M. 75	2	4	6			12	9	1	1	3		3	2	2	2	4	5	6	3	5	10	2	3			2
F. 95		2	1	1	1		5	6	5	7	5	4	6	8	1	8	7	3	5	8	4	6	3			1	3
10. Glycosuria.....	M. 14	2					2			1			1				1	1	2			3	1				
F. 6								1					1				1					2					
11. Others of this group.....	M. 4	1		1			2			1										1							
F. 1																											
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	791	262	78	40	25	15	420	34	27	33	32	15	11	19	9	9	25	18	33	27	27	30	10	5	2	4	1
Males.....	426	148	41	18	10	8	225	21	14	19	15	7	9	7	5	4	14	10	20	14	18	14	3	3	2	1	1
Females.....	365	114	37	22	15	7	195	13	13	14	17	8	2	12	4	5	11	8	13	13	9	16	7	2		3	
1. Inflammation of the brain.....	M. 86	39	11	3	1	2	56	5	3	6	6	1	2	1			2	1		2					1		
F. 84		27	18	8	5	4	62	3	2	6	3	3				1	1	1	1				1				
2. Meningitis.....	M. 58	13	9	5	5	5	37	5	4	4	5	1				2											
F. 33		6	3	5	3	2	19	1	3	4	2			1				1			1						
3. Apoplexy.....	M. 26																										
F. 27		1					1				1	1	1	1	4		3	3	2	3	1	2	1				
4. Paralysis.....	M. 55	1		1			2	1	1	1		1	1	3	2	1	5	3	7	7	9	5	2	2	1		1
F. 47								1	1	1	2			1	2	1	3	4	5	4	6	8	3	2		3	
5. Tetanus and trismus nascentium.....	M. 37	20	2				22	3	2	4	1						2	1	1								
F. 14		14					14																				
6. Epilepsy.....	M. 17	5		1	1		7	1	2	2	1	2	1						1								
F. 17					1		1	2	3		2	3		2	1				1			1					
7. Convulsions.....	M. 77	53	9	6		1	69	3					2						1		1					1	
F. 77		53	5	5	3		66	2	1	1	3			2					1				1				
8. Mental diseases.....	M. 7											1			1		2	1	1								
F. 5																											
9. Diseases of the brain.....	M. 54	15	9	2	2		28	3	1	2	1		2	2	1		2	1	2	4	4	1					
F. 49		12	10	3	3	1	29	3	1		3	1	1	1	1		2	2	2	2	3						
10. Diseases of the spinal cord.....	M. 5	1	1		1		3												1								
F. 4		2		1			3	1																			
11. Others of this group.....	M. 4	1					1																				
F. 8									1	1							1		1	3	1						
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	214	10	2	1	1		14	6	7	9	6	14	7	14	8	9	12	19	17	18	24	20	6	3			1
Males.....	125	7	2	1	1		11	6	3	7	3	5	4	4	3	2	7	12	11	12	17	11	5	2			
Females.....	89	3					3		4	2	3	9	3	10	5	7	5	7	6	6	7	9	1	1			1
1. Angina pectoris.....	M. 1																										
F. 1																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TENNESSEE—GROUP 4—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	341	80	53	13	9	4	159	9	12	9	13	12	10	6	9	13	7	17	22	16	10	9	4	1	1		2
Males.....	169	42	27	4	5	3	81	6	8	4	6	6	4	3	3	8	4	6	9	7	5	5	2	1	1		2
Females.....	172	38	26	9	4	1	78	3	4	5	7	6	6	3	6	5	3	11	13	9	5	4	2				2
1. Dentition.....	{ M. 29	8	19	1		1	29																				
	{ F. 35	13	17	5			35																				
2. Angina.....	{ M. 5	1		1	1		3				1									1							
	{ F. 3	2					2																				
3. Gastritis.....	{ M. 13	3					3	1	1			1						2		2		1	1	1			
	{ F. 7			1			1			1						1						2	2				
4. Other diseases of the stomach.....	{ M. 20	5	2		2		9	2	2			2				1	1		2		1						
	{ F. 28	3	1	2			6	1		2		6	2		2			3	3	3							
5. Obstruction of the bowels.....	{ M. 8								2	1	1			1		1		1		1							
	{ F. 7								3										2			1					
6. Hernia.....	{ M. 6	3					3	1			1		1														
	{ F. 3	1					1																				
7. Other diseases of the bowels.....	{ M. 15	3	2	2	1		8		1			1	1			1			1	1		1	1				
	{ F. 18	6	3				9				1							3	2	2	1						
8. Jaundice.....	{ M. 6	3				1	4					1	1														
	{ F. 10	6			2		8													1							1
9. Inflammation and abscess of the liver.....	{ M. 8	1					1					1				1	2	2		1							
	{ F. 8					1	1				1																
10. Other diseases of the liver.....	{ M. 23	2	3		1	1	7	1	1	1	1				2	1	1	1	3	1	3	1					
	{ F. 17	3	1				4		1				2	1	2	1	2	1	1	1	1	1					
11. Peritonitis.....	{ M. 7							1		1																	
	{ F. 15	1					1	1		2	4		2	1	1	1		1			1						
12. Ascites.....	{ M. 4								1										1	1							
	{ F. 5			1	1		2	1								1											
13. Others of this group.....	{ M. 25	13	1				14			1	2		1	2	1	1			1		1	1					
	{ F. 16	3	4		1		8								1	1		1		3	1						1
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	55	3	1				4			2	1	1	1	4	3		3	3	4	8	4	8	5	2	1	1	
Males.....	46	2	1				3			2	1	1	1	1	3		3	3	3	8	3	7	4	2		1	
Females.....	9	1					1							3					1		1	1		1			
1. Bright's disease.....	{ M. 6											1		2				1				1		1			
	{ F. 2													2													
2. Calculus, urinary.....	{ M. 10												1				1	1	1	3		3					
	{ F. 4																										
3. Diseases of the kidney.....	{ M. 14		1				1			2	1				1		2	1	1	2	2		1				
	{ F. 4																										
4. Diseases of the bladder.....	{ M. 12	2					2							1					1	2	1	2	2			1	
	{ F. 3	1					1																				
5. Others of this group.....	{ M. 4																										
	{ F. 4																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	32											6	4	4	5	5	4		1		2						1
1. Ovarian tumors.....	{ F. 2											1	1														
2. Ovarian diseases.....	{ F. 2																										
3. Uterine tumors.....	{ F. 2																										
4. Uterine diseases.....	{ F. 2																										
5. Others of this group.....	{ F. 28											5	3	4	4	4	4		1		2						1
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	77									6	13	12	15	17	11	1	1										1
1. Abortion.....	{ F. 12									1	1	3	2	3	2												
2. Child-birth.....	{ F. 59									3	11	8	12	13	9	1	1										1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TENNESSEE—GROUP 4—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	13	2					2	2		3						2	1	1			1			1			
Males.....	8							1		3						2	1							1			
Females.....	5	2					2	1										1		1							
1. Abscess.....	M. 3							1		1						1											
	F. 2							1																			
2. Carbuncle.....	M. 4									1						1	1							1			
	F. 1																										
3. Others of this group.....	M. 1									1																	
	F. 3	2					2													1							
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	3											1		1									1				
Males.....	2											1		1													
Females.....	1																						1				
1. Addison's disease.....	M. 2											1		1													
	F. 1																						1				
2. Diseases of the spleen.....	M. 1																										
	F. 1																										
3. Others of this group.....	M. 1																										
	F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	378	69	14	23	18	8	132	32	19	22	35	32	16	21	9	16	8	4	4	6	6	4	5	1	1	5	
Males.....	239	33	7	15	9	2	66	14	13	17	27	25	11	14	7	13	7	2	3	4	6	3	2			5	
Females.....	139	36	7	8	9	6	66	18	6	5	8	7	5	7	2	3	1	2	1	2	1	1	3	1	1		
1. Burns and scalds.....	M. 24	4	4	7	3		18	4	2																		
	F. 48	4	2	6	7	5	24	9	3	2	1	1	3	2			1	1									
2. Drowned.....	M. 29	1	1	2	2	1	7	1	2	4	4	3	2		2	2	1		1								
	F. 11	1			2	1	4	3	1		1	1		1													
3. Exposure and neglect.....	M. 9	4	1		2		7	1							1												
	F. 19	5	3	1			9	1	1	1	2	1	1							1		1		1			
4. Gunshot wounds.....	M. 32									6	9	6	2	3		2					1						3
	F. 5							2		1	1		1														
5. Homicide.....	M. 9			1			1				3	1		2	1						1						
	F. 2							1		1																	
6. Infanticide.....	M. 1																										
	F. 1																										
7. Injuries by machinery.....	M. 1																										
	F. 1																										
8. Railroad accidents.....	M. 1																										
	F. 1																										
9. Suffocation.....	M. 24	20	1	1			22													1							1
	F. 23	22	1				23																				
10. Suicide by shooting.....	M. 4										2	1			1												
	F. 1																										
11. Suicide by drowning.....	M. 1																										
	F. 1																										
12. Suicide by poisoning.....	M. 2									1						1											
	F. 1																										
13. Other suicides.....	M. 5										1	1	2		1												
	F. 2													1				1									
14. Sunstroke.....	M. 1																				1						
	F. 1																										
15. Surgical operations.....	M. 1															1											
	F. 1										1																
16. Wounds.....	M. 3			1			1				1		1														
	F. 2	1					1	1																			
17. Other accidents and injuries.....	M. 96	4		3	2	1	10	8	9	6	8	13	5	7	2	6	6	2	2	3	3	3	2				1
	F. 26	3	1	1			5	1	1		3	3		3	2	3			1	1			2		1		

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
TEXAS—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	2033	514	143	83	60	30	830	122	62	72	111	111	99	119	95	66	67	36	69	41	45	29	22	10	8	9	10
Total: Males.....	1124	276	71	37	27	21	432	66	30	34	56	53	49	66	64	51	41	23	48	31	34	15	11	7	2	4	7
Females	909	238	72	46	33	9	398	56	32	38	55	58	50	53	31	15	26	13	21	10	11	14	11	3	6	3	
Unknown causes.																											
Total.....	117	48	12	4	2	6	72	8	3	4	6	5	2	5	1	1	2	3					2	1		2	
Males.....	65	20	7	3	2	6	38	5	1	4	4	3	2	1	1		1	2					1	1		1	
Females	52	28	5	1			34	3	2		2	2		4		1	1	1					1			1	
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	544	118	68	40	25	13	264	57	20	21	21	30	11	17	22	12	18	13	18	3	8	3	1		2		3
Males.....	278	62	34	17	11	7	131	25	10	7	7	14	7	9	13	11	9	10	13	3	5	1	1			2	
Females	266	56	34	23	14	6	133	32	10	14	14	16	4	8	9	1	9	3	5		3	2			2		1
1. Small-pox.....	M. 15		3	3		1	7	6	1		1																
F. 8		1	1	1			3	5																			
2. Measles.....	M. 2						1	1																			
F. 1		1					1																				
3. Scarlet fever.....	M. 1		1				1																				
F. 4			1	1	1	1	3		1																		
4. Diphtheria.....	M. 9	2	1	2	1	1	7	1		1																	
F. 10		1	1	1	2		4	5			1																
5. Hooping-cough.....	M. 36	18	7	3	3		31	2			1															2	
F. 30	13	8	3	1	1		26	3																		1	
6. Fever.....	M. 24	9	2	2		1	14				2			4	2			1		1							
F. 23	4		2				6	3	2	1	1	2	1	1	3		1		1		1						
7. Cerebro-spinal fever.....	M. 4	1					1		2																		
F. 4	1		1				2				1	1															
8. Enteric fever.....	M. 14	1					1	3	3	1						2		2	1	1							
F. 16	1	1	1	1	2	1	6	1		3	2			1	1	1		1									
9. Diarrhoea.....	M. 11	3	1				4							1	1	1			1	1							
F. 12	4	2			1		7										2		1		1						
10. Dysentery.....	M. 27	2	6			1	9	2			1	1	2	4	2		2	1	3								
F. 23	3	7	3			1	14	1	1		1		1	2		2	1										
11. Enteritis.....	M. 44	8	6	2	3	1	20	4	2		1	2	1	1	1	1		4	4	1	1	1					
F. 29	10	4	3	1			18	2	1	2	1	1				2				1							
12. Cholera morbus.....	M. 3	1					2																				
F. 1	1						1																				
13. Cholera infantum.....	M. 16	6	7	1	2		16																				
F. 6	3	2	1				6																				
14. Malarial fever.....	M. 63	10	4	1	2		17	6	2	4	2	5	3	2	3	4	7	3	3		1		1				
F. 71	12	6	6	5	2		31	12	5	5	3	7		1	2		1	3		1							
15. Erysipelas.....	M. 2																										
F. 7	1	1					2							1	1		1	1									
16. Septicæmia.....	M. 1																										
F. 1																											
17. Puerperal septicæmia.....	M. 16																										
F. 4																											
18. Venereal diseases.....	M. 4																										
F. 4																											
19. Others of this group.....	M. 2																										
F. 5	3						3																				
General diseases—B.																											
Total.....	50	15	3	6	5	2	31	4	2		1	1	1	1	1	3	2		1	1		1					
Males.....	29	9	2	2	2	1	16	2	1		1	1			1	3	2		1			1					
Females	21	6	1	4	3	1	15	2	1				1	1						1							
1. Worms.....	M. 5			1	1	1	3	2																			
F. 5			4	1			5																				
2. Other parasitic diseases.....	M. 4																										
F. 2																											
3. Alcoholism.....	M. 4																										
F. 2																											
4. Lead poison.....	M. 13	2	2	1	1		6		1		1				1	1	1										
F. 8		1		2	1		4	1	1					1						1							
5. Other poisons.....	M. 7	7					7																				
F. 6	6						6																				
6. Inanition.....	M. 7																										
F. 6																											
General diseases—C.																											
Total.....	135	84	5	1			90								1	1	1		4	3	7	10	7	3	5	3	
Males.....	72	44	3				47								1	1	1		2	2	6	3	4	2	2	1	
Females	63	40	2	1			43																				

STATISTICS OF MORTALITY.

427

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TEXAS—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	279	4	7	3	2	1	17	7	10	10	31	30	26	36	26	21	17	3	19	9	7	3	2	1	1	2	1
Males.....	149	1	3	1	1	1	7	4	7	3	14	13	12	19	13	16	10	3	12	8	4	1	1	1	2	1	
Females.....	130	3	4	2	1	1	10	3	3	7	17	17	14	17	13	5	7	7	7	1	3	2	2	1	1	1	
1. Rheumatism.....	M. 1																			1							
F. 3												1							1						1		
2. Scrofula and tabes.....	M. 1		1				1																				
F. 3			2				2														1						
3. Leprosy.....	M. 1																			1							
F. 1																											
4. Consumption.....	M. 114	1	2		1		4	2	2	3	14	12	12	18	11	14	8	2	6	4				1		1	
F. 93	2	2	1				5	1	1	6	16	15	12	13	10	3	7	2	2			1				1	
5. Hydrocephalus.....	M. 2	1					1		1																		
F. 5																											
6. Cancer.....	M. 9											1	1		1	1				2	1						
F. 1						1	1												3	1		1					
7. Tumor.....	M. 1																										
F. 1														1													
8. Anæmia.....	M. 1																										
F. 1														1													
9. Dropsy.....	M. 24			1	1		2	2	5		1	1		1	2	2	1	1	6		3	1				1	
F. 17							2	2		1	1		1	2	2	1			1		2		2				
10. Glycosuria.....	M. 2			1			1										1										
F. 1									1																		
11. Others of this group.....	M. 1																										
F. 1												1															
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	301	160	22	11	12	4	209	19	2	3	5	5	7	6	7	4	4	2	7	6	6	4	3				2
Males.....	177	89	12	5	6	3	115	12	1	2	3	4	5	4	6	1	3	1	5	5	5	3	1				1
Females.....	124	71	10	6	6	1	94	7	1	1	2	1	2	2	1	3	1	1	2	1	1	1	2				1
1. Inflammation of the brain.....	M. 9	3	1		2		6	2					1														
F. 8	4	1					5	1	1							1											
2. Meningitis.....	M. 7	4	1				5					2															
F. 8	5	1					6	1		1																	
3. Apoplexy.....	M. 10				1		1							2		1	1		2	2	1						
F. 3																		1		1							
4. Paralysis.....	M. 20							1					2		3		1		3	3	4	2	1				
F. 6												1				1			2		1	1					
5. Tetanus and trismus nascentium.....	M. 63	52			1	1	54	6			1	1														1	
F. 40	35	2					37	1						1												1	
6. Epilepsy.....	M. 1				1		1																				
F. 42	25	6	5	1			37	3	1					1													
7. Convulsions.....	M. 33	25	4	1	1		31	1					1														
F. 3																											
8. Mental diseases.....	M. 2														1												
F. 2																											
9. Diseases of the brain.....	M. 23	5	3		1	1	10			2	2	1	2	1	3			1				1					
F. 17	2	2	4	3			11	3			1	1				1											
10. Diseases of the spinal cord.....	M. 3		1			1	2										1										
F. 3					1	1	2																				
11. Others of this group.....	M. 1																										
F. 3			1				1				1						1										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	53							3		2	1	4	7	5	5	4	6	5	2	4	5						
Males.....	28							1				3	2	2	3	3	4	2	1	2	5						
Females.....	25							2		2	1	1	5	3	2	1	2	3	1	2							
1. Angina pectoris.....	M. 1																				1						
F. 1																											
2. Aneurism.....	M. 1													1													
F. 1																											
3. Diseases of the heart.....	M. 26							1			3	2	1	3	3	4	2	1	2	4							
F. 24								2		2	1	5	3	2	1	2	2	2	1	2							
4. Others of this group.....	M. 1																										
F. 1																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	239	44	7	10	9	3	73	11	11	11	16	11	18	14	15	9	10	6	8	10	3	3	5	4			1
Males.....	148	31	4	4	4	2	45	7	4	7																	

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TEXAS—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	112	21	17	5	3	1	47	2	1	6	4	3	7	10	5	4	5	1	3	4	4	2	1			1	2
Males	62	12	4	4		1	21	1	1	3	2	1	2	5	5	4	3	1	3	3	4		1				2
Females	50	9	13	1	3		26	1		3	2	2	5	5			2			1	2					1	
1. Dentition	M. 7 F. 13	3 5	2 8	2			7 13																				
2. Angina	M. 1 F. 2					1	1	1				1															
3. Gastritis	M. 1 F. 1																1										
4. Other diseases of the stomach	M. 9 F. 5					2	2		1	1	2		2		1	1	1		1	1							
5. Obstruction of the bowels	M. 4 F. 1	1					1								1	1		1									
6. Hernia	M. 4 F. 1											1	1		1					1							
7. Other diseases of the bowels	M. 2 F. 3	1	1	1			1 3							1													
8. Jaundice	M. 3 F. 2	1					1						1														1
9. Inflammation and abscess of the liver	M. 9 F. 4		1				1			1			1	1		2			1		2						
10. Other diseases of the liver	M. 4 F. 1									1				1	1		1				1						
11. Peritonitis	M. 3 F. 8	1				1	2								1												
12. Ascites	M. 1 F. 1		1				1			2	2	1	1	1													1
13. Others of this group	M. 14 F. 9	5 3	2 1	2			9 4							1 1			1		1 1	1 1	1 1		1 1			1 1	
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	13	2					2					1	2	2		1	1	1	1	1	1						
Males	10	1					1					1	1	2		1	1	1	1	1							
Females	3	1					1						1								1						
1. Bright's disease	M. 4 F. 1												1	1			1			1							
2. Calculus, urinary	M. 3 F. 3													1				1	1								
3. Diseases of the kidney	M. 2 F. 1	1	1				1					1															
4. Diseases of the bladder	M. 1 F. 1															1											
5. Others of this group	M. 1 F. 1																				1						
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	8										1	1		2		1			1				1			1	
1. Ovarian tumors	F. 1																										
2. Ovarian diseases	F. 1																										
3. Uterine tumors	F. 1																										
4. Uterine diseases	F. 4										1	1							1				1				
5. Others of this group	F. 4													2		1										1	
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	36									6	8	8	8	4	2												
1. Abortion	F. 2												1	1													
2. Child-birth	F. 31									6	8	7	6	2	2												
3. Others of this group	F. 3											1	1	1													
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	3							1								1						1					
Males	2							1														1					
Females	1															1											
1. Diseases of the spine	M. 1 F. 1															1											
2. Diseases of the bones	M. 1 F. 1																				1						
3. Diseases of the hip-joint	M. 1 F. 1							1																			
4. Others of this group	M. 1 F. 1																										

TEXAS—GROUP 1—Continued.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TEXAS—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	22121	5951	2221	1178	620	394	10364	1151	697	1039	1477	1217	1042	859	715	594	592	419	538	386	342	302	168	60	29	36	94
Total: Males.....	11658	3321	1245	628	334	186	5724	617	368	455	701	545	466	395	332	337	345	251	316	231	199	166	94	32	17	13	54
Females.....	10463	2620	976	550	286	208	4640	534	329	584	776	672	576	464	383	257	247	168	222	155	143	136	74	28	12	23	40
Unknown causes.																											
Total.....	1728	978	132	60	31	20	1221	78	37	36	55	41	35	38	34	18	29	7	29	20	13	16	10	5	1	5	
Males.....	956	586	71	33	18	9	717	43	17	14	26	19	11	15	13	10	17	3	12	10	7	9	6	3	1	4	
Females.....	772	392	61	27	13	11	504	35	20	22	29	22	24	23	21	8	12	4	17	10	6	7	4	2	1	1	
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	7541	1655	1305	666	328	208	4162	606	327	363	446	334	270	186	158	110	114	86	96	80	65	64	35	4	2	4	29
Males.....	3777	838	717	342	188	106	2191	317	163	158	198	132	113	78	73	57	61	44	48	40	31	30	17	2	2	2	20
Females.....	3764	817	588	324	140	102	1971	289	164	205	248	202	157	108	85	53	53	42	48	40	34	34	18	2	2	2	9
1. Small-pox.....	M. 181	18	19	20	10	11	78	39	14	10	21	1	3	1	8	1	1	3	1	1	1	1	1	1	1	1	1
F. 180	25	20	22	16	7	22	105	28	10	14	7	6	3	1	1	2	1	1	1	1	1	1	1	1	1	1	
2. Measles.....	M. 130	43	19	11	7	7	87	12	6	8	4	5	3	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 127	35	16	12	6	3	3	69	7	7	12	8	5	4	5	1	1	1	1	1	1	1	1	1	1	1	1	
3. Scarlet fever.....	M. 34	9	5	5	4	1	24	6	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 43	8	4	7	3	2	2	24	9	5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
4. Diphtheria.....	M. 95	28	13	21	9	9	80	6	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 108	20	18	16	10	9	9	73	21	4	3	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	
5. Hooping-cough.....	M. 252	121	67	24	16	4	232	16	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 256	144	40	31	10	8	8	233	15	4	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
6. Fever.....	M. 65	25	8	8	6	2	49	7	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 98	35	14	7	3	2	2	61	4	1	7	4	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
7. Cerebro-spinal fever.....	M. 40	10	5	1	2	1	18	10	2	4	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 30	9	3	3	3	3	3	18	3	1	2	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	
8. Enteric fever.....	M. 519	37	27	14	17	10	105	41	43	56	84	41	40	16	18	11	18	7	10	9	8	5	2	1	1	5	
F. 508	30	27	17	11	11	11	166	49	59	58	72	43	26	17	19	7	10	12	5	9	7	7	2	1	1	1	
9. Diarrhoea.....	M. 165	39	43	19	4	3	108	5	2	4	1	1	1	7	3	3	4	6	4	3	3	4	5	1	1	1	
F. 122	38	35	12	1	3	3	89	2	3	3	2	4	1	2	1	2	2	1	1	1	1	1	1	1	1	1	
10. Dysentery.....	M. 806	167	248	92	52	22	581	58	27	14	14	12	12	8	9	12	10	7	13	12	6	5	3	1	1	2	
F. 695	125	189	95	28	16	16	453	52	17	19	21	14	16	10	15	12	6	9	16	9	12	4	6	1	1	3	
11. Enteritis.....	M. 369	107	73	28	17	13	238	24	7	9	15	9	10	7	7	10	5	10	4	3	6	2	1	1	1	1	
F. 335	102	58	26	10	4	4	200	25	15	8	14	12	13	11	8	3	8	2	4	4	1	4	1	1	1	3	
12. Cholera morbus.....	M. 28	2	4	1	1	1	7	3	1	1	1	2	3	5	1	1	1	1	1	1	1	1	1	1	1	1	
F. 18	1	2	1	1	1	1	6	2	1	1	1	2	3	5	1	1	1	1	1	1	1	1	1	1	1	1	
13. Cholera infantum.....	M. 284	131	110	36	4	1	282	81	44	43	53	46	32	30	17	14	15	6	8	11	10	9	1	1	1	2	
F. 241	122	96	17	6	1	1	241	69	32	52	42	44	41	30	14	20	18	15	14	9	5	13	5	1	1	1	
14. Malarial fever.....	M. 675	60	67	58	38	23	246	81	44	43	53	46	32	30	17	14	15	6	8	11	10	9	1	1	1	7	
F. 662	79	59	45	30	23	23	236	69	32	52	42	44	41	30	14	20	18	15	14	9	5	13	5	1	1	1	
15. Erysipelas.....	M. 72	28	3	3	1	1	35	4	3	1	3	4	5	2	4	2	1	2	2	2	2	1	1	1	1	1	
F. 62	36	5	1	2	1	1	44	1	1	1	2	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	
16. Septicæmia.....	M. 10	3	1	1	1	1	3	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 25	2	1	1	1	1	1	2	1	2	2	3	5	5	1	3	1	1	1	1	1	1	1	1	1	1	1	
17. Puerperal septicæmia.....	M. 225	1	1	1	1	1	2	1	2	20	67	56	41	23	14	1	1	1	1	1	1	1	1	1	1	1	1
F. 11	1	1	1	1	1	1	2	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	
18. Venereal diseases.....	M. 7	2	1	1	1	1	3	1	2	3	2	4	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1
F. 41	9	5	1	1	1	1	16	4	2	3	2	4	1	1	3	1	2	1	1	1	1	1	1	1	1	1	
19. Others of this group.....	M. 22	4	1	2	1	1	8	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 22	4	1	2	1	1	1	8	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
General diseases—B.																											
Total.....	338	127	32	29	20	7	215	11	8	10	12	13	7	9	8	12	12	6	9	2	1	1	1	1	1	1	2
Males.....	207	70	20	17	11	2	120	6	6	4	5	8	6	8	7	10	9	6	7	2	1	1	1	1	1	1	1
Females.....	131	57	12	12	9	5	95	5	2	6	7	5	1	1	1	2	3	2	2	1	1	1	1	1	1	1	1
1. Worms.....	M. 38	8	9	12	6	2	37	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 25	3	3	6	6	5	5	23	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2. Other parasitic diseases.....	M. 46	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 46	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3. Alcoholism.....	M. 60	9	6	4	4	4	23	5	6	4	2	6	2	2	2	3	1	1	2	1	1	1	1	1	1	1	
F. 48	6	5	4	2	2	2	17	2	2	4	7	5	1	1	1	2	3	1	2	1	1	1	1	1	1	1	
4. Lead poison.....	M. 63	53	5	1	1	1	60	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
F. 58	48	4	2	1	1	1	55	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
General diseases—C.																											
Total.....	1344	1105	11	3	1	1	1119	1	1	1	1	1	1	1	2	2	2	8	8	17	33	46	43	19	15	25	2
Males.....	761	649	5	2	1	1	656	1	1	1	1	1	1	1	1	1	1	3	3	5	20	23	21	10	7	7	
Females.....	583	456	6	1	1	1	463	1	1	1	1	1	1	1	2	1	1	5	5	12	13	23	2				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TEXAS—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	2205	102	83	51	18	22	276	46	50	121	236	242	213	188	179	126	138	89	106	71	52	38	15	7	2	2	8
Males.....	1028	61	44	27	11	8	151	29	24	45	86	103	85	83	83	69	67	42	54	40	29	24	9	1	1	1	2
Females.....	1177	41	39	24	7	14	125	17	26	76	150	139	128	105	96	57	71	47	52	31	23	14	6	6	1	1	6
1. Rheumatism.....	M. 61	2			2	1	5	3	2	4	4	2	1	5	4	3	6	5	6	5	1	4			1		
F. 41						1	1		1	2	2	5	1		2	3	8	5	2	1	4	3					
2. Scrofula and tabes.....	M. 49	16	10	6	1	2	35	1	3	2	1			2		3	1			1							
F. 38		9	8	2	2	3	24	2	3	1	1	2	3	1				1									
3. Leprosy.....	M. 3																										
F. 3																											
4. Consumption.....	M. 615	15	9	8	3	2	37	3	5	26	72	95	78	65	64	44	37	25	26	17	8	9	3			1	1
F. 752		14	7	6	1	3	31	8	12	61	122	115	99	79	68	38	36	24	23	17	8	2	1	1		1	6
5. Hydrocephalus.....	M. 39	17	11	4			32	2	1	1	1						1	1									
F. 31		11	9	6	2		28	1			2																
6. Cancer.....	M. 55		1			1	2	2		1	1	1		2	4	3	7	4	8	6	7	3	3				1
F. 91		2	1			1	4	1		1	1	1	3	8	15	14	13	10	7	2	5	5	1				
7. Tumor.....	M. 7										1			1		1	2	1			1						
F. 21		1		2			3			1		2	1	2	2		2	1	5				2				
8. Anæmia.....	M. 7	4					4		1	1				1	1					1		1	1				
F. 12		1	1				2			1				1	1					1	1	1	1				
9. Dropsy.....	M. 178	6	13	9	5	2	35	18	12	9	6	4	4	6	8	15	13	5	13	8	11	6	3	1		1	
F. 174		5	12	6	2	6	31	5	7	6	20	12	19	14	8	2	12	5	12	9	4	3	1	3	1		
10. Glycosuria.....	M. 14						1				1			1	3			1	1	2	1	2					
F. 5				1			1			2																	
11. Others of this group.....	M. 3	1					1			1				1													
F. 12										4		2	1						3	1	1						
12. Others of this class.....	M. 7							1		2							2	1				1					
F. 7		1		1			2				1	1					1	2									
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	1993	705	195	106	67	39	1112	131	61	73	70	71	52	35	46	54	39	39	48	45	46	34	19	4	4	3	7
Males.....	1113	416	115	58	25	22	636	66	33	36	39	32	31	17	24	25	27	24	32	28	26	18	7	3	2	2	5
Females.....	880	289	80	48	42	17	476	65	28	37	31	39	21	18	22	29	12	15	16	17	20	16	12	1	2	1	2
1. Inflammation of the brain.....	M. 181	51	43	9	6	1	110	14	5	5	11	10	9	3	3	1	3	1	3	2	1						
F. 143		42	20	11	10	6	89	13	4	9	7	6	4		4	1	2		1	1	1						
2. Meningitis.....	M. 109	27	12	19	5	7	70	12	5	3	3	4	1	1	2	2	3		1								1
F. 78		19	8	10	7	1	45	9	2	4	1	2		3	1	6		1	1								2
3. Apoplexy.....	M. 53	1				1	2	1	1	1	1				3	3	5	4	5	7	10	3	2	1	2		1
F. 38							1		1	2		6	2	1	3	4	3	1	3		5	3	1	1	1		
4. Paralysis.....	M. 102	5	1	1	1	1	9	7		2	2	3	1	2	2	9	7	8	11	10	11	11	4	1		2	
F. 66		2		1			3	2	2		2	3	1	2	3	2	1	4	8	7	10	4	10			1	
5. Tetanus and trismus nascentium.....	M. 84	66	1		2	1	70	3		4	1	1		3	1			1									
F. 69		61	1				64	2		1																	
6. Epilepsy.....	M. 34	3	1	2			6		2	4	6	2	4		2	2	2	1	1	1		1					
F. 24		3		1	1	1	6	2	3	5	3	1	1		1			1		1							
7. Convulsions.....	M. 220	178	12	6	2		198	7	1		5	1	2	1					2		1						2
F. 177		112	18	4	8	1	143	9	2	1	5	7		4	1	1	1				2	1					
8. Mental diseases.....	M. 3										1							1									
F. 3												1															
9. Diseases of the brain.....	M. 271	76	40	17	7	9	149	18	12	12	7	8	12	7	9	8	6	3	9	5	1	2	1	1			1
F. 223		43	27	17	14	8	109	24	9	11	9	6	7	8	6	10	4	7	2	8	2	1					
10. Diseases of the spinal cord.....	M. 43	9	4	3	2	2	20	4	6	4	2	3			1						1	1					
F. 36		7	5	2	1		15	3	2	2	2	3	3					1				3					
11. Others of this group.....	M. 13		1	1			2			1					1			4	1	2	1						
F. 23			1				1	1	1	2	2	4	3		2	2	1		1			3					
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	480	57	3	5	2	4	71	15	14	18	25	26	33	35	31	27	37	19	34	27	23	19	13	6	2		5
Males.....	235	37	2	3	1	1	44	11	7	7	7	7	10	15	8	14	19	13	15	18	10	10	13	3	2		2
Females.....	245	20	1	2	1	3	27	4	7	11	18	19															

TEXAS—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	1125	278	187	63	24	16	568	55	27	36	47	51	45	41	29	46	39	34	42	22	18	15	4	4			2
Males.....	620	160	106	40	10	5	321	34	14	15	21	25	21	20	15	23	20	22	32	14	11	7	2	2			1
Females.....	505	118	81	23	14	11	247	21	13	21	26	26	24	21	14	23	19	12	10	8	7	8	2	2			1
1. Dentition.....	M. 102	32	55	13	2		102																				
	F. 99	44	44	9	1		98	1																			
2. Angina.....	M. 31	6	6	4	1	1	18	8	1								2			1	1						
	F. 20	1	7	1	1	2	12	3	1	2							1										
3. Gastritis.....	M. 22	4	5	1			10	1			1					2	1	1	4			1					
	F. 15	2	3	1	1		7	2			2	1	1						1		1						
4. Other diseases of the stomach.....	M. 100	22	14	6	3	1	46	12	3	2	7	5	1	3	1	5	2	4	6	2	1						
	F. 92	14	10	6	5	5	40	5	2	2	9	7	4	5	2	5	4	4	2	1							
5. Obstruction of the bowels.....	M. 22	2	1				3	1	2	4	1	2	2	2	1		1		1	1		1					
	F. 18	3	1		2	1	7	1	1	2	1	1	1	1		2	2		1								
6. Hernia.....	M. 14	1		1	1		3				1	1	1	1	1	1	2	1			1		1	1			
	F. 5	1					1									2	1		1								
7. Other diseases of the bowels.....	M. 43	17	5	2			24	2	2	3	1	2	4			1		1	2	1		2					
	F. 29	8	3	1			12	2	2	3	1	1		1		2	1	1		1		2					
8. Jaundice.....	M. 41	15	1	1		1	18	2	1	1	3	1	1	2	2	3	1	1	2	1		1		1			
	F. 18	4			2	2	8	4	2																		
9. Inflammation and abscess of the liver.....	M. 50	3	2	1			6	1	1	2	3	8	4	3	4	4	3	2	4	1	3						1
	F. 48	1					1			2	3	5	5	5	2	9	3	3	2	3	3			1			1
10. Other diseases of the liver.....	M. 66	9	6	1		1	17	2	2	2	1	3	6	6	2	3	6	6	6	2	1	1					
	F. 46	7	3	3	1		14	1	3	3	1	1	2	1	4	3	2	3	1	2	3	1		1			
11. Peritonitis.....	M. 18	2	1	2			5	1	1			3		1	3		1	1	1	1							
	F. 42	1	1				2	1	1	5	10	5	7	4	5	1	1										
12. Ascites.....	M. 13	1		1	2		4	1			1			1		3			1	1	1						
	F. 4									1			1	2													
13. Others of this group.....	M. 98	46	10	7	1	1	65	3	3	1	2		2	1	1		3	5	5	3	3	1	1				
	F. 69	33	9	1	1	1	45	1	1	1	1	4	2	1	1		3	1	2	1		3	2				
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	166	10	1	2	3	3	19	3	1	6	13	9	5	4	7	12	8	10	25	13	19	7	2	2	1		
Males.....	119	8	1	1			10	2		3	6	7	2	3	4	7	8	8	19	12	18	5	2	2	1		
Females.....	47	2		1	3	3	9	1	1	3	7	2	3	1	3	5		2	6	1	1	2					
1. Bright's disease.....	M. 32					2	2			1	2				1	2	3	4	7	2	10						
	F. 14								1	2	5		1		1	1				1							
2. Calculus, urinary.....	M. 23	2		1			3	1		1	1			3		1	1	1	4	1	3	1	1	1			
	F. 3				1		1								1	1											
3. Diseases of the kidney.....	M. 31	4	1				5	1			2	3			1	1	3	2	4	4	2	1	1	1			
	F. 22	1			2	1	4	1		1	1	1	2	1	1	1		1	5	1	2	1					
4. Diseases of the bladder.....	M. 11	1					1						2			1	1		2	2	1	1					
	F. 4			1			1											1	1								
5. Others of this group.....	M. 22	1					1			1	1	4			2	2		1	2	3	2	2			1		
	F. 4	1					1				1					2											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	115				2		2		1	12	13	13	10	16	9	15	8	5	7	1		3					
1. Ovarian tumors.....	F. 11				1		1			1	2	1	2			1	2					1					
2. Ovarian diseases.....	F. 3									1						1	1										
3. Uterine tumors.....	F. 7									1	1		1	1	1		1					1					
4. Uterine diseases.....	F. 41									7	4	6	7	3	3	3	2	5			1						
5. Others of this group.....	F. 53				1		1		1	10	4	7	3	6	5	9	2	2	2	1							
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	431								3	74	116	79	70	50	30	5											4
1. Abortion.....	F. 66									12	14	12	15	7	6												
2. Child-birth.....	F. 290									39	75	58	48	40	22	4											
3. Others of this group.....	F. 75								3	23	27	9	7	3	2	1											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	46	5	7	1	1		14	3	6	2	3	6		2	2	2	2	1	1		1	1					
Males.....	30	2	4		1		7	3	4	1	2	3		2	1	2	1	1		1	1						
Females.....	16	3	3	1			7		2	1	1	3			1		1										
1. Diseases of the spine.....	M. 12	1	2		1		4	1	1			1		1		2	1	1									
	F. 7	2	2	1			5		1						1												
2. Diseases of the bones.....	M. 9		1				1		2	1		1	2								1	1					
	F. 5						1				1	2					1										
3. Diseases of the hip-joint.....	M. 4	1					1		1	1				1													
	F. 1								1																		
4. Others of this group.....	M. 5		1				1		1		1				1				1								
	F. 3	1					1			1		1															

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TEXAS—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	44	9	2	1	..	1	13	1	1	1	1	5	3	1	4	2	5	1	1	1	3	..	1	..	..	..	
Males.....	24	6	1	..	..	1	8	..	1	..	..	3	3	1	2	..	3	1	..	1	1	..	..	..	..	..	
Females.....	20	3	1	1	..	..	5	1	..	1	1	2	..	..	2	2	2	..	1	..	2	..	1	..	..	..	
1. Abscess.....	M. 14	3	1	..	..	..	4	..	..	..	..	3	1	1	1	..	2	1	..	1	..	..	..	..	..	..	
F. 8	..	..	..	..	..	..	..	1	..	1	..	2	..	..	1	1	1	..	..	..	1	..	..	..	..	..	
2. Carbuncle.....	M. 4	..	..	..	..	1	1	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	
F. 8	..	1	1	..	..	..	2	..	..	..	..	..	..	..	1	1	1	..	1	..	1	..	1	..	..	..	
3. Others of this group.....	M. 6	3	..	..	..	..	3	..	1	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	
F. 4	3	..	..	..	..	..	3	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	16	..	..	..	..	1	1	1	1	1	3	..	4	1	1	..	1	..	..	1	..	..	..	1	..	..	
Males.....	7	..	..	..	..	..	..	..	1	1	2	..	1	1	..	..	1	..	..	..	..	..	..	..	..	..	
Females.....	9	..	..	..	..	1	1	1	..	..	1	..	3	..	1	..	..	..	1	..	..	..	1	..	..	..	
1. Addison's disease.....	M. 7	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
F. 9	..	..	..	..	..	1	1	1	1	2	..	1	1	..	..	1	..	..	..	..	..	..	..	1	..	..	
2. Diseases of the spleen.....	M. 9	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	
F. 9	..	..	..	..	..	1	1	1	..	1	..	3	..	1	..	..	..	..	1	..	..	..	1	..	..	..	
3. Others of this group.....	M. 9	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
F. 9	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
XII.—ACCIDENTS AND INJURIES.																											
Total.....	1130	160	42	36	41	24	303	87	58	78	145	96	89	79	45	32	25	22	16	12	14	12	6	1	1	9	
Males.....	837	82	27	18	21	10	158	49	45	58	130	83	80	68	39	30	25	20	14	9	9	9	3	..	1	7	
Females.....	293	78	15	18	20	14	145	38	13	20	15	13	9	11	6	2	..	2	2	3	5	3	3	1	..	2	
1. Burns and scalds.....	M. 63	14	12	7	12	4	49	5	1	..	2	1	1	1	..	1	..	..	1	..	1	..	..	..	..	..	
F. 116	13	8	12	12	8	53	27	7	12	6	2	1	1	2	..	..	1	1	1	..	1	..	1	..	..	..	
2. Drowned.....	M. 69	1	3	2	4	1	11	9	11	7	13	4	2	3	3	2	..	1	1	1	..	1	..	1	..	..	
F. 12	..	2	1	2	..	5	4	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1		
3. Exposure and neglect.....	M. 21	11	2	1	2	..	16	..	..	..	2	1	2	1	..	1	1	1	..	..	..	1	..	..	..	..	
F. 20	12	1	..	..	..	13	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..		
4. Gunshot wounds.....	M. 169	..	..	1	1	..	2	7	6	11	47	28	24	18	9	7	6	3	1	..	1	..	..	..	..	..	
F. 10	..	..	1	..	1	1	2	..	1	1	4	1	4	1	..	..	..	..	..	1	..	1	..	..	..	..	
5. Homicide.....	M. 95	..	..	..	..	..	..	..	3	10	17	17	18	8	7	5	4	3	1	1	..	1	..	..	..	..	
F. 6	..	..	..	..	..	..	..	..	1	1	2	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	
6. Infanticide.....	M. 2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
F. 2	2	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
7. Injuries by machinery.....	M. 5	..	..	..	..	..	..	..	3	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	
F. 5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
8. Railroad accidents.....	M. 32	..	..	..	..	..	..	1	..	5	4	4	5	4	..	1	3	..	..	1	..	..	..	..	..	4	
F. 2	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	
9. Suffocation.....	M. 61	36	3	1	..	..	40	4	..	1	5	2	1	2	2	..	..	..	1	1	..	1	..	..	..	..	
F. 34	31	1	1	1	..	34	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
10. Suicide by shooting.....	M. 13	..	..	..	..	..	..	..	..	4	3	1	2	1	..	..	1	1	..	..	..	..	..	..	..	..	
F. 3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
11. Suicide by drowning.....	M. 8	..	..	..	..	..	..	..	..	1	..	1	1	1	..	..	3	..	..	1	1	..	..	..	..	..	
F. 5	..	..	..	..	..	..	..	..	..	1	1	1	..	2	..	..	..	..	..	..	..	..	..	..	..	..	
12. Suicide by poison.....	M. 22	..	..	..	..	..	..	..	..	2	4	3	3	1	1	1	..	3	2	1	1	..	..	..	..	..	
F. 4	..	..	1	..	..	1	1	..	1	1	1	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	
13. Other suicides.....	M. 10	..	1	..	..	..	1	..	1	4	1	1	1	1	..	..	1	..	..	..	..	..	..	..	..	..	
F. 2	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
14. Sunstroke.....	M. 5	..	1	..	..	1	1	..	..	..	1	..	1	..	2	..	..	..	..	..	..	..	..	..	..	..	
F. 5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
15. Surgical operations.....	M. 25	2	1	..	..	..	3	2	1	1	3	2	5	2	1	1	2	1	..	..	..	1	..	..	..	..	
F. 1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
16. Wounds.....	M. 236	18	6	4	2	5	35	21	19	18	29	17	17	23	13	10	3	9	5	3	5	5	1	..	1	2	
F. 79	20	3	3	5	5	36	6	4	3	3	3	2	3	6	2	1	..	1	1	2	4	1	3	..	..	1	
17. Other accidents and injuries.....	M. 236	18	6	4	2	5	35	21	19	18	29	17	17	23	13	10	3	9	5	3	5	5	1	..	1	2	
F. 79	20	3	3	5	5	36	6	4	3	3	3	2	3	6	2	1	..	1	1	2	4	1	3	..	..	1	

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TEXAS—GROUP 3.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	581	136	80	37	31	11	295	24	14	20	47	36	29	23	16	19	8	14	10	5	3	3	1	2		12	
Total: Males.....	339	66	47	15	17	7	152	15	7	10	35	23	19	17	10	12	4	13	9	2	2		1	2		6	
Females.....	242	70	33	22	14	4	143	9	7	10	12	13	10	6	6	7	4	1	1	3	1	3				6	
Unknown causes.																											
Total.....	40	16	1	2	1		20			1	1	2	2			4	1	2	1	1	1		1	2		1	
Males.....	21	8	1				9				1		2			2		1		1	1		1	2			
Females.....	19	8		2	1		11			1		2				2	1	1	1								
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	284	69	66	32	23	8	198	11	11	9	10	8	3	9	6	6	2	4	2	1						4	
Males.....	150	34	38	12	13	5	102	5	6	5	7	3	2	5	3	3	1	4	2							2	
Females.....	134	35	28	20	10	3	96	6	5	4	3	5	1	4	3	3	1		1							2	
1. Small-pox.....	M. 73	20	21	7	10	3	61	3	2	3	1		1	1		1											
F. 60	14	17	15	5	3		54	2	2			1		1													
2. Measles.....	M. 1											1															
F. 1																											
3. Scarlet fever.....	M. 1				1		1																				
F. 1																											
4. Diphtheria.....	M. 1																										
F. 1																											
5. Hooping-cough.....	M. 10	4	3		2		9																				
F. 4		2	1				3	1																			
6. Fever.....	M. 10	3	3				6				1	1			1					1							
F. 1		1	1				1																				
7. Cerebro-spinal fever.....	M. 1						1																				
F. 1		1	1				1																				
8. Enteric fever.....	M. 14	3	2			1	6		1	2	4				1												
F. 10								3	1	1	1	1	1			1	1										
9. Diarrhœa.....	M. 5	1			1		2					1						1	1								
F. 3		1		1			2																				
10. Dysentery.....	M. 22	4	9	3	2		18		2					1				1									
F. 13	5	3	2	2			12									1											
11. Enteritis.....	M. 11	3	2				5	1	1		1				1				1								
F. 7	4		1				5		1			1															
12. Cholera morbus.....	M. 1					1	1																				
F. 1		1					1																				
13. Cholera infantum.....	M. 2	1		1			2																				
F. 2	1		1				2																				
14. Malarial fever.....	M. 11	1	1				2			1	1	1	1	1	1	2	1	1									
F. 7	1	1					2	1		1	1	1		1													
15. Erysipelas.....	M. 2	1					1											1									
F. 1															1												
16. Septicæmia.....	M. 1																										
F. 1																											
17. Puerperal septicæmia.....	M. 2									1					1												
F. 1																											
18. Venereal diseases.....	M. 1																										
F. 1	1						1																				
19. Others of this group.....	M. 1													1													
F. 4									1					2		1											
General diseases—B.																											
Total.....	6	3					3								2	1											
Males.....	5	2					2								2	1											
Females.....	1	1					1																				
1. Worms.....	M. 3																										
F. 1																											
2. Other parasitic diseases.....	M. 1																										
F. 1																											
3. Alcoholism.....	M. 1																										
F. 1																											
4. Lead poison.....	M. 1																										
F. 1																											
5. Other poisons.....	M. 1																										
F. 1																											
6. Inanition.....	M. 2	2					2																				
F. 1	1	1					1																				
General diseases—C.																											
Total.....	17	15					15	1																			
Males.....	9	8					8	1																			
Females.....	8	7					7																				
1. Premature birth.....	M. 4	4					4																				
F. 1	1	1					1																				
2. Stillborn.....	M. 4	4																									

TEXAS—Group 3—Continued.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
TEXAS—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	15	4	2		2		8				1	1	1						1			2					1
Males	7	3	1		1		5				1								1								
Females	8	1	1		1		3					1	1									2					1
1. Dentition	M. 1		1				1																				
	F. 1		1				1																				
2. Angina	M. 1	1					1																				
	F. 1																										
3. Gastritis	M. 1										1																
	F. 1	1					1																				
4. Other diseases of the stomach	M. 1				1		1																				
	F. 1																					1					
5. Obstruction of the bowels	M. 1																										
	F. 1																										
6. Hernia	M. 1																										
	F. 1																										
7. Other diseases of the bowels	M. 1	1					1																				
	F. 1																										
8. Jaundice	M. 1	1					1																				
	F. 1																										
9. Inflammation and abscess of the liver	M. 1																										
	F. 1																										
10. Other diseases of the liver	M. 1																		1								
	F. 1																										
11. Peritonitis	M. 1																										
	F. 1																										
12. Ascites	M. 1																										
	F. 1																										
13. Others of this group	M. 3				1		1						1									1					
	F. 3																										
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	4							1		1	1					1											
Males	2							1								1											
Females	2									1	1																
1. Bright's disease	M. 1															1											
	F. 1										1																
2. Calculus, urinary	M. 1							1																			
	F. 1																										
3. Diseases of the kidney	M. 1																										
	F. 1																										
4. Diseases of the bladder	M. 1																										
	F. 1																										
5. Others of this group	M. 1										1																
	F. 1																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	1												1														
1. Ovarian tumors	F. 1																										
2. Ovarian diseases	F. 1																										
3. Uterine tumors	F. 1																										
4. Uterine diseases	F. 1																										
5. Others of this group	F. 1												1														
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	7									1	1	1	1	2													1
1. Abortion	F. 6										1	1	1	2													1
2. Child-birth	F. 1									1																	
3. Others of this group	F. 1																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total																											
Males																											
Females																											
1. Diseases of the spine	M. 1																										
	F. 1																										
2. Diseases of the bones	M. 1																										
	F. 1																										
3. Diseases of the hip-joint	M. 1																										
	F. 1																										
4. Others of this group	M. 1																										
	F. 1																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

UTAH—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	71	23	11	3		3	40	3	2		1	1	1	2	3	3	2	6	2	2	1	1	1				
Males.....	47	14	6	3		3	26	3	1			1	1		2	2	2	5	2		1	1					
Females.....	24	9	5				14		1		1			2	1	1		1		2			1				
1. Dentition.....	M. 11 F. 10	3 6	6 4	1		1	11 10																				
2. Angina.....	M. 3 F. 1			1			1	1	1																		
3. Gastritis.....	M. 1 F. 1	1					1																				
4. Other diseases of the stomach.....	M. 4 F. 1			1		1	2							1	1							1					
5. Obstruction of the bowels.....	M. 1 F. 1													1													
6. Hernia.....	M. 5 F. 1	1					1									1	1	1	1								
7. Other diseases of the bowels.....	M. 1 F. 1	1					1													1							
8. Jaundice.....	M. 4 F. 1	1				1	2	1										1									
9. Inflammation and abscess of the liver.....	M. 2 F. 1						1						1														
10. Other diseases of the liver.....	M. 5 F. 4										1	1			1			1	1		1						
11. Peritonitis.....	M. 2 F. 1	1					1											1									
12. Ascites.....	M. 3 F. 9								1											1							
13. Others of this group.....	M. 9 F. 2	6 2					6 2									1	1	1	1								
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	23	2	1	1			4	1					1		1	2	2	1	3	3	2	2	1				
Males.....	17	2	1	1			4	1					1			1	2		3	2	2	2	1				
Females.....	6														1	1		1									
1. Bright's disease.....	M. 2 F. 4												1				2				1						
2. Calculus, urinary.....	M. 4 F. 1			1			1													1		2	1				
3. Diseases of the kidney.....	M. 10 F. 2	1	1				2								1	1			3	2	1						
4. Diseases of the bladder.....	M. 1 F. 1	1					1									1		1									
5. Others of this group.....	M. 1 F. 1																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	6								2	2								1		1							
1. Ovarian tumors.....	F. 1																										
2. Ovarian diseases.....	F. 1																										
3. Uterine tumors.....	F. 1																										
4. Uterine diseases.....	F. 2								1									1									
5. Others of this group.....	F. 4								1	2										1							
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	44								4	3	5	11	14	4	1												2
1. Abortion.....	F. 2														1												
2. Child-birth.....	F. 42								4	3	4	11	13	4	1												2
3. Others of this group.....	F. 1																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	6	1	1				2		1	1						2											
Males.....	3	1					1		1	1																	
Females.....	3		1				1									2											
1. Diseases of the spine.....	M. 2 F. 1	1					1			1						1											
2. Diseases of the bones.....	M. 1 F. 1																										
3. Diseases of the hip-joint.....	M. 1 F. 2			1			1		1							1											
4. Others of this group.....	M. 1 F. 1																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
UTAH—Continued.

[illegible]

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
VERMONT.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

VERMONT—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	141	13	8	1	1	1	24	7	3	5	5	6	3	1	7	7	8	6	10	14	11	11	6	5		1	1
Males.....	60	7	6	1		1	15	3		3	3	2	1		4	3	3	2	4	7	3	3	2	2		1	1
Females.....	81	6	2		1		9	4	3	2	2	4	2	1	3	4	5	4	6	7	8	8	4	3		1	1
1. Dentition.....	M. 8	1	6			1	8																				
	F. 4	1	2		1		4																				
2. Angina.....	M. 2	1					1				1																
	F. 1	1					1																				
3. Gastritis.....	M. 1														1												
	F. 5										1							1			1						
4. Other diseases of the stomach.....	M. 4			1			1										1		2								
	F. 15										1	2	2		2		1		1			3					1
5. Obstruction of the bowels.....	M. 1															1											
	F. 1																			1							
6. Hernia.....	M. 2																1			1							
	F. 5								1			1		1				1					1				
7. Other diseases of the bowels.....	M. 1																		1								
	F. 5																				2	1	1				
8. Jaundice.....	M. 8	1					1		1							1	2		1	1		1					
9. Inflammation and abscess of the liver.....	M. 18								2		1	1			2	2	1	1	1	3	1	2		1			
	F. 22														1		2	1	2	3	6	3	2	2			
11. Peritonitis.....	M. 9	1					1		1		2	1	2	1				1									
	F. 11								1	1	2		1			1		1	2	1						1	
12. Ascites.....	M. 1	1					1																				
	F. 1																										
13. Others of this group.....	M. 8	3					3								1					1	1		1	1			
	F. 9	3					3		2	1										1	1		1				
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	124							1	1	4	1	4	3	8	4	3	7	10	4	10	18	27	11	7	1		
Males.....	94									3	1	2	1	4	2	2	4	8	3	9	15	23	9	7	1		
Females.....	30							1	1	1		2	2	4	2	1	3	2	1	1	3	4	2				
1. Bright's disease.....	M. 36									3		1	1	2	2	2	3	4	1	2	5	5	4	1			
	F. 16								1				1	3	2	1		1	1		1	3	2				
2. Calculus, urinary.....	M. 4																			2		1					
	F. 4																										
3. Diseases of the kidney.....	M. 40									1	1			1			1	3	1	3	8	14	3	3	1		
	F. 7								1			1		1			1	1			1	1					
4. Diseases of the bladder.....	M. 5													1							1	2					
	F. 3																2			1							
5. Others of this group.....	M. 9																		1	2	1	1	2	2			
	F. 4									1		1	1								1						
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	9									1				2	1		4				1						
1. Ovarian tumors.....	F. 3													1			2										
2. Ovarian diseases.....	F. 1																1										
3. Uterine tumors.....	F. 3														1		1				1						
4. Uterine diseases.....	F. 1																										
5. Others of this group.....	F. 1													1													
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	35									4	7	8	5	6	3	1	1										
1. Abortion.....	F. 1													1													
2. Child-birth.....	F. 34									4	7	8	5	5	3	1	1										
3. Others of this group.....	F. 1																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	19	1	1				2	1		2	2	2	1	1	1	1		1			3	1		1			
Males.....	8							1		1				1	1	1		1			2						
Females.....	11	1	1				2			1	2	2	1							1	1		1				
1. Diseases of the spine.....	M. 6							1		1				1	1						2						
	F. 10	1	1				2			1	2	2								1	1		1				
2. Diseases of the bones.....	M. 1																										
	F. 1																										
3. Diseases of the hip-joint.....	M. 2															1		1									
	F. 1																										
4. Others of this group.....	M. 1												1														
	F. 1																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

VERMONT—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	18	3					3	1		1	1	2			2			1	1	2		2		1		1	
Males.....	9	1					1			1		1						1	1			2		1		1	
Females.....	9	2					2	1			1	1			2					2							
1. Abscess.....	M. 6									1		1						1	1			1				1	
	F. 7	2					2	1				1			1					2							
2. Carbuncle.....	M. 1																										
	F. 1																										
3. Others of this group.....	M. 3	1					1															1		1			
	F. 2										1				1												
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1																		1								
Males.....																											
Females.....	1																		1								
1. Addison's disease.....	M. 1																										
	F. 1																										
2. Diseases of the spleen.....	M. 1																										
	F. 1																										
3. Others of this group.....	M. 1																										
	F. 1																		1								
XII.—ACCIDENTS AND INJURIES.																											
Total.....	192	14	7	2	2	5	30	12	11	14	19	8	9	13	5	3	10	13	8	6	7	11	4	6	2	1	
Males.....	144	10	4	1	1	4	20	9	10	10	17	8	7	12	4	3	7	10	7	3	4	7	1	4	1		
Females.....	48	4	3	1	1	1	10	3	1	4	2		2	1	1		3	3	1	3	3	4	3	2	1	1	
1. Burns and scalds.....	M. 3		1	1	1		3																				
	F. 6			1			1	2		2											1						
2. Drowned.....	M. 31		1			2	3	4	5	5	7	1	3	1				2									
	F. 8		2		1		3	1	1	1							2										
3. Exposure and neglect.....	M. 2	1	1				2																				
	F. 2	1	1				2																				
4. Gunshot wounds.....	M. 2								1									1									
	F. 1																										
5. Homicide.....	M. 1																										
	F. 1																										
6. Infanticide.....	M. 1																										
	F. 1																										
7. Injuries by machinery.....	M. 1																										
	F. 1																										
8. Railroad accidents.....	M. 20							1		2	2	4	2	3			1		1		2			2			
	F. 1																	1									
9. Suffocation.....	M. 6	4				1	5	1																			
	F. 1																										
10. Suicide by shooting.....	M. 4										2		1	1													
	F. 1																										
11. Suicide by drowning.....	M. 1																										
	F. 1																										
12. Suicide by poison.....	M. 4										1		1		1				1								
	F. 1																										
13. Other suicides.....	M. 12											1		3		2	2	2	1			1					
	F. 2																1	1									
14. Sunstroke.....	M. 1																										
	F. 1																										
15. Surgical operations.....	M. 1																										
	F. 1																										
16. Wounds.....	M. 1																										
	F. 1																										
17. Other accidents and injuries.....	M. 59	5	1			1	7	3	4	3	5	2		4	3	1	2	7	3	3	2	6	1	2	1		
	F. 28	3				1	4			1	2		2	1	1			1	1	3	2	4	3	1	1	1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

VIRGINIA—Group 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
<i>General diseases—D.</i>																											
Total.....	919	26	23	15	15	9	88	22	27	49	103	82	77	68	52	55	52	49	65	42	33	21	16	9	1	3	5
Males.....	450	19	13	9	7	4	52	13	11	25	38	28	33	32	32	23	27	30	36	22	17	11	11	5	1	1	3
Females.....	469	7	10	6	8	5	36	9	16	24	65	54	44	36	20	32	25	19	29	20	16	10	5	4	1	2	2
1. Rheumatism.....	M. 19											1		1	1			1	6	2	1	2	1	2		1	
	F. 13																	3	1	1	3	2				1	
2. Scrofula and tabes.....	M. 20	9		1		2	12	1	1	1				2	2		1		1								
	F. 18	2	4	1		1	8	2	1	3		1	2					1									
3. Leprosy.....	M. 2																										
	F. 2																										
4. Consumption.....	M. 289	5	6	4	3	2	20	7	8	21	34	24	29	25	25	17	20	16	17	10	7	4	3				2
	F. 319	3	1	2	2	3	11	1	11	19	57	45	30	25	19	21	15	12	18	10	9	6	3	3	1	1	2
5. Hydrocephalus.....	M. 11	2	6	2			10	1																			
	F. 4	1	2	1			4																				
6. Cancer.....	M. 20												1		1	2		1	6	4		1	3				1
	F. 37											1	1	4	3	1	8	5	1	3	7	1	2				
7. Tumor.....	M. 4	1					1						1				1				1						
	F. 3												1				1										
8. Anæmia.....	M. 1															1											
	F. 2																										
9. Dropsy.....	M. 81	2	1	2	4		9	4	3	3	4	3	2	4	3	3	4	10	7	5	6	4	4	3			
	F. 72	1	3	2	6	1	13	5	3	1	7	6	7	7		3	4	3	6	2	3		2				
10. Glycosuria.....	M. 2																	1			1						
	F. 2																										
11. Others of this group.....	M. 3																1	1			1						
	F. 1																										
12. Others of this class.....	M. 3											1	1		1												
	F. 3																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	538	178	21	30	12	11	252	25	16	18	12	12	14	12	14	25	20	15	22	18	25	22	6	4	3	1	2
Males.....	291	101	12	20	4	6	143	10	7	10	6	4	7	8	9	13	13	6	17	12	13	8	1	1	1	1	2
Females.....	247	77	9	10	8	5	109	15	9	8	6	8	7	4	5	12	7	9	5	6	12	14	6	3	2		
1. Inflammation of the brain.....	M. 35	12	2	5	2	1	22	3		3			1	2	1		1		1								1
	F. 34	10	3	3	2		18	4	3	1	2	2	1	1	1				1								
2. Meningitis.....	M. 17	8	2				10	3	2	1					1												
	F. 18	4	1		1		6	2	1	2		2			1	2											
3. Apoplexy.....	M. 26												1	1	2	2	3	2	5	2	5	3					
	F. 16												1	1	1	1	2	1		2	3	2		1			
4. Paralysis.....	M. 43	1	1	1			3			1			2	1	3	4	2	3	7	8	5	2		1		1	
	F. 51					1	1			1		1			2	5	2	7	2	3	7	11	6	1	2		
5. Tetanus and trismus nascentium.....	M. 24	17					17	1		1	3						1				1						
	F. 11	10					10						1														
6. Epilepsy.....	M. 7	1				1	2				1		1	1			1		1								
	F. 5	1					1			2			1														
7. Convulsions.....	M. 77	55	4	8		1	68	1	2	1	1		1			1		1			1						
	F. 73	46	3	4	3	3	59	5	2	1	1	1	1	1			1							1			
8. Mental diseases.....	M. 6												2								1	1					
	F. 3																										
9. Diseases of the brain.....	M. 47	6	3	5	2	3	19	2	2	1	1	1	1	1	2	5	5		2	2		2			1		
	F. 25	6	1	1	2	1	11	3	2	1	1	1		1		2	1			1							
10. Diseases of the spinal cord.....	M. 6			1			1			1									1								1
	F. 6		1	1			2		1	1							1										
11. Others of this group.....	M. 3	1					1																				
	F. 5			1			1																				
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	161	4	1	1	1		7	7	3	5	4	2	10	8	8	12	12	19	16	17	11	11	4	5			
Males.....	76	2		1	1		4	1	1	1	1	1	3	4	1	6	6	8	12	8	5	9	3	2			
Females.....	85	2	1				3	6	2	4	3	1	7	4	7	6	6	11	4	9	6	2	1	3			
1. Angina pectoris.....	M. 3											1						1			1						
	F. 4															2								1			
2. Aneurism.....	M. 5												1				1		2	1							
	F. 1																										
3. Diseases of the heart.....	M. 66	1		1	1		3	1	1	1	1		2	4	1	6	5	7	10	7	4	9	2	2			
	F. 79	1	1				2	6	2	4	3	1	7	4	6	4	6	11	3	9	6	2	1	2			
4. Others of this group.....	M. 2	1					1																				
	F. 1	1					1																				
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	652	106	38	29	20	10	203	22	13	31	42	25	30	39	20	28	34	27	28	40	35	17	11	2	2	1	2
Males.....	352	49	20	14	10	5	98	6	4	14	29	14	15	27	12	19	22	17	18	25	15	10	4	1			2
Females.....	300	57	18	15	10	5	105	16	9	17	13	11	15	12	8	9	12	10	10	15	20	7	7	1	2	1	
1. Croup.....	M. 33	17	5	2	5	2	31	2																			
	F. 33	13	10	3	3		29	4																			
2. Laryngitis.....	M. 16	5	2	1	1		9																				
	F. 30	8	2	2	3		15	2							1	1			3	3	2	1					
3. Bronchitis.....	M. 267	21	11	8	3	2	45	4	4	13	27	13	14	25	12	18	20	14	14	18	13	7	3	1			2
	F. 196	28	5	9	3	5	50	6	9	10	11	10	12	10	7	7	12	9	5	9	15	3	1	1	2	1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
VIRGINIA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	228	68	33	7	2	7	117	9	4	7	3	7	6	11	5	6	3	8	12	5	7	7	4		2		
Males.....	133	41	20	4	2	4	71	5	4	2	2	4	3	2	3	5	6	4	3	3	6	3	1		1		
Females.....	95	27	13	3		3	46	4		5	1	3	3	9	2	1	2	4	4	2	1	4	3		1		
1. Dentition.....	M. 33 F. 21	13 7	15 12	3 1	1		32 20	1 1																			
2. Angina.....	M. 2 F. 6	2		1		1	2 4			1				1													
3. Gastritis.....	M. 6 F. 2		1	1			2 1				1				1	1			1								
4. Other diseases of the stomach.....	M. 3 F. 8	2 1					2 1			1				4								1			1		
5. Obstruction of the bowels.....	M. 4 F. 5	2					2		2									1		2		1					
6. Hernia.....	M. 6 F. 1	1					1	1				1					1		1		1						
7. Other diseases of the bowels.....	M. 5 F. 6	2 1	1		1	1	5 1			2							1		2								
8. Jaundice.....	M. 5 F. 3	4 2					4 2				1					1			2								
9. Inflammation and abscess of the liver.....	M. 9 F. 3					1	1			2			1				1		1		1	1	1				
10. Other diseases of the liver.....	M. 18 F. 6					1	1 2	1	1			1	2	2		3	1	3	1	1	1						
11. Peritonitis.....	M. 4 F. 5	1					2 1					1			1				1						1		
12. Ascites.....	M. 1 F. 1																				1						
13. Others of this group.....	M. 37 F. 29	14 12	3 1			1	18 15	2 2	1		1	1		2		1	2	1	5	1	3	1					
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	50	1			2		3	3	1		4	2	1	2	5	3	6	2	7	2	4	3	1		1		
Males.....	39	1			1		2	2		3	2	1	2	4	1	4	2	6	2	3	3	1		1			
Females.....	11				1		1	1	1		1			1	2	2		1		1							
1. Bright's disease.....	M. 14 F. 8	1					1		1		1	1	1	2	4		1		2	1							
2. Calculus, urinary.....	M. 10 F. 1							2									1		3	1	1	1			1		
3. Diseases of the kidney.....	M. 9 F. 1				1		1				1	1				1	1	2			1		1				
4. Diseases of the bladder.....	M. 3 F. 3																1				2						
5. Others of this group.....	M. 3 F. 1										1							1		1							
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	12				1		1			1	2	1	3		1			1	1		1						
1. Ovarian tumors.....	F. 2												1					1									
2. Ovarian diseases.....	F. 2																										
3. Uterine tumors.....	F. 2																										
4. Uterine diseases.....	F. 2				1		1				1																
5. Others of this group.....	F. 8									1	1	1	2		1				1		1						
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	100									11	19	27	15	11	13	4											
1. Abortion.....	F. 2											2															
2. Child-birth.....	F. 87									8	17	22	15	10	11	4											
3. Others of this group.....	F. 11									3	2	3		1	2												
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	8				1		1			2	1			1		1						2					
Males.....	4										1			1								1					
Females.....	4				1		1			2												1					
1. Diseases of the spine.....	M. 3 F. 1				1		1				1			1		1											
2. Diseases of the bones.....	M. 1 F. 1																										
3. Diseases of the hip-joint.....	M. 1 F. 1																										
4. Others of this group.....	M. 1 F. 2																					1					

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
VIRGINIA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	10	4	1	1	1	6	1	2	1	2	1	1	1	1	1	1	1	1	1	1	2						
Males.....	14	2	1	1	1	4	1	2	1	2	1	2	1	1	1	1	1	1	1	1	2						
Females.....	5	2				2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
1. Abscess.....	9	2				2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1						
2. Carbuncle.....	2	2				2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
3. Others of this group.....	3		1	1	1	2					1	1	1	1	1	1	1	1	1	1	1						
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1		1			1																					
Males.....																											
Females.....	1		1			1																					
1. Addison's disease.....																											
2. Diseases of the spleen.....	1		1			1																					
3. Others of this group.....																											
XII.—ACCIDENTS AND INJURIES.																											
Total.....	257	36	12	9	15	13	85	18	16	22	27	16	11	7	9	6	8	5	6	5	8	1	2	3	1	1	1
Males.....	163	16	6	6	5	6	39	10	8	18	24	15	10	7	6	6	3	3	4	3	4	1	2	2	1	1	1
Females.....	94	20	6	3	10	7	46	8	8	4	3	1	1	3	3	2	5	2	2	2	4	1	2	1	1	1	1
1. Burns and scalds.....	24	1	1	3	3	4	12	5	2		2									1			1	1			
2. Drowned.....	47	4	2	2	7	7	22	5	7	2	1	1	1	2	2	2	1	1	1	1	1	1					
3. Exposure and neglect.....	59	1	1	1	1	1	3	4	3	11	15	7	5	3	1	2	2	1	2				1	1			
4. Gunshot wounds.....	6	2					2	1		1																	
5. Homicide.....	4	2	1	1			4																				
6. Infanticide.....	13						5	1		4	4	1		1	1	1											
7. Injuries by machinery.....	2						1				1		2		1						1						
8. Railroad accidents.....	4		1				1																				
9. Suffocation.....	7	5	1				6						1														
10. Suicide by shooting.....	4	2	1				3										1										
11. Suicide by drowning.....	3													1		1				1							
12. Suicide by poison.....																											
13. Other suicides.....	1										1																
14. Sunstroke.....	1				1		1							1			1			1							
15. Surgical operations.....	1																1										
16. Wounds.....	1																	1									
17. Other accidents and injuries.....	39	8	1	2		1	12	2	3	4	4	2	1	2	2	2	1	1	2	3	1		1				1
	27	8	2	1	3		14	1	1	1	1	1			1	1	1	1	1	1	2	1					1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

VIRGINIA—GROUP 2.

[Exclusive of RICHMOND.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
GRAND TOTAL.....	10242	2495	851	523	282	194	4345	497	307	436	569	380	324	307	339	279	330	229	391	294	363	306	263	123	59	59	42	
Total: Males.....	5050	1403	423	281	136	98	2341	218	137	181	246	131	118	118	145	128	162	123	226	178	189	157	120	66	31	17	18	
Females.....	5192	1092	428	242	146	96	2004	279	170	255	323	249	206	189	194	151	168	106	165	116	174	149	143	57	28	42	24	
Unknown causes.																												
Total.....	1080	570	107	49	30	12	768	35	7	18	25	15	14	12	17	14	12	9	27	18	22	20	17	6	2	4	18	
Males.....	539	296	57	27	15	7	402	10	2	6	14	4	4	5	7	9	5	3	17	9	12	11	8	2	2	7		
Females.....	541	274	50	22	15	5	366	25	5	12	11	11	10	7	10	5	7	6	10	9	10	9	9	6	2	2	11	
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total.....	2182	482	299	200	116	84	1181	219	108	91	94	62	52	45	45	39	40	24	50	30	35	31	17	6	6	4	3	
Males.....	1082	266	153	107	53	38	617	100	49	43	46	24	18	21	22	16	15	12	28	22	16	14	8	3	4	1	3	
Females.....	1100	216	146	93	63	46	564	119	59	48	48	38	34	24	23	23	25	12	22	8	19	17	9	3	2	3		
1. Small-pox.....	M. 1						1	1	1	1						1												
F. 4							4																					
2. Measles.....	M. 102	23	24	11	6	6	70	8	4	4	6	3	1	1	1		1	1				2						
F. 67	12	7	9	4	3	3	35	12	5	2	5	2	1	2				1	1									
3. Scarlet fever.....	M. 26	1		7	3	2	13	6	3	2	2																	
F. 47	4	5	7	5	5	2	26	11	5	1	1	2																
4. Diphtheria.....	M. 122	13	17	18	15	10	73	35	9	2	1	1		1							1							
F. 127	5	9	11	15	13	5	53	41	15	8	5	2	1	1		1												
5. Hooping-cough.....	M. 66	26	16	14	5	3	64	2																				
F. 94	41	19	12	12	6		90	3		1																		
6. Fever.....	M. 27	4	5	3	1		13	3	4		3		1						2	1								
F. 23	4	3	1	3			11	1	2	2	2			2	1	1	1											
7. Cerebro-spinal fever.....	M. 15	3	4	1	2		10	5																				
F. 8	2			1			3		3					1			1											
8. Enteric fever.....	M. 102	2	2		4	2	10	15	10	19	15	6	6	2	4	4	1	1	4	1	1	2	1					
F. 120	4	3	5	3	1		16	11	13	18	12	10	8	5	5	4	8	2	4	1	3							
9. Diarrhoea.....	M. 95	31	17	10	4	3	65	1	2		1	2	2	2	2	1	2	1	3	2	4		4	1				
F. 99	32	19	12	5	1		69	3	1		1	2	1	2	5	2		2	2	2	5	2	1			1		
10. Dysentery.....	M. 128	25	24	21	6	3	79	13	4	2	2	1	2	4	3	3	2		2	3	2	2	2	1	1			
F. 125	22	25	14	6	7		74	12	2	2	2	2	2	1	4	4	5	4	1	3	4	2	1	1	1			
11. Enteritis.....	M. 54	16	7	7	1	2	33	3	3	2								1	4		2	2	1				1	
F. 51	9	4	2	2	3		20				4	3	3	2		3	4	1	3	1	2	3	2					
12. Cholera morbus.....	M. 18	3	1	1	1		6	2				2	1	1		2			3	1								
F. 14	1						3	5			1							1	1		1	2						
13. Cholera infantum.....	M. 137	100	27	9		1	137																					
F. 124	67	43	12	2			124																					
14. Malarial fever.....	M. 154	13	8	4	5	6	36	7	10	12	15	8	5	4	7	5	7	6	7	10	5	4			3	1	2	
F. 139	10	6	5	4	5		30	18	11	10	6	6	14	4	7	5	1	1	7	3	6	5	3	1		1		
15. Erysipelas.....	M. 14	2	1				3																					
F. 20	3	3	2		1		9	1	1			2		1				1	2		1	2						
16. Septicæmia.....	M. 1																											
F. 1																												
17. Puerperal septicæmia.....	M. 28									2	8	7	5	4	2													
F. 15	1						2			2				3	2		2	1	2	1								
18. Venereal diseases.....	M. 6									1	1																	
F. 6																												
19. Others of this group.....	M. 6	3					3												1			1			1			
F. 3																												
General diseases—B.																												
Total.....	112	26	14	14	10	5	69	8	3	2	4	2	2	2	1		4	3	3	2	5	1	1					
Males.....	64	15	6	10	6	1	38	1	2		2	1	2	2			3	3	3	1	5		1					
Females.....	48	11	8	4	4	4	31	7	1	2	2	1			1		1			1		1						
1. Worms.....	M. 17	2	3	7	5		17																					
F. 27	4	6	3	3	4		20	7																				
2. Other parasitic diseases.....	M. 18																											
F. 3																												
3. Alcoholism.....	M. 18											1	2	1			3	2	3	1	5							
F. 3											1									1		1						
4. Lead poison.....	M. 15	1	3	1	1	1	7	1	2		2			1														
F. 6	1	2					3			1	1	1																
5. Other poisons.....	M. 14	12		2			14																					
F. 12	6		1	1			8		1	1					1		1											
General diseases—C.																												
Total.....	809	508	7	4	3	2	524	2		1	2	2	2			4	2	2	3	4	33	36	73	55	32	32		
Males.....	435	308	1	2	2	2	315	1					1			3	1	2	1	1	18	13	32	28	14	5		
Females.....	374	200	6	2	1		209	1		1	2	2	1			1	1		2	3	15	23	41	27	18	27		
1. Premature birth.....	M. 28	28					28																					
F. 14	14						14																					
2. Stillborn.....	M. 252	252					252																					
F. 167	167						167																					
3. Malformation.....	M. 5	3	1			1	5																					
F. 6	4	1					5				1																	
4. Debility.....	M. 51	25		2	2	1	30	1					1			3	1	1	1		6	1	3	3				
F. 48	15	4	2	1			22	1		1	1	2	1			1	1		1	1	2	5	5	2		</		

STATISTICS OF MORTALITY.

451

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
VIRGINIA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	2104	53	68	57	32	22	232	82	78	171	252	177	145	144	146	106	107	63	114	73	75	64	45	10	5	5	5
Males.....	836	31	34	28	14	14	121	33	25	57	91	54	45	39	54	40	48	29	59	40	31	33	23	8	3	2	1
Females.....	1268	22	34	29	18	8	111	49	53	114	161	123	100	105	92	66	59	39	55	33	44	31	22	2	2	3	4
1. Rheumatism.....	M. 27			1			1	2	2	1	1		1		2		6	2	3		2	2					
F. 28		1					1			2	1	2		1	2	1	1	4	3	1	6	3					
2. Scrofula and tabes.....	M. 75	4	8	5	4	5	26	10	3	6	4	1	2	2	2	2	2	1	4	2	4		2				
F. 98	6	10	11	4	5	36	17	13	4	3	4	1	6	3	2	4	2	2	2								
3. Leprosy.....	M. 483	15	13	7	5	4	44	12	12	44	78	43	36	30	42	28	26	17	20	21	10	8	7	1	2	1	1
F. 824	9	14	10	11	2	46	26	29	102	132	101	85	83	59	30	31	22	21	16	26	6	5	1			3	
5. Hydrocephalus.....	M. 12	6	3	2			11									1											
F. 11	3	3	3			9										1											
6. Cancer.....	M. 48								2		1	1	3	3	3	1	3	5	10	6	5	5	3				
F. 105								1		1	3	3	5	7	14	16	9	6	14	4	6	7	6		2		1
7. Tumor.....	M. 10			1		1	2									1	3	1	2	1							
F. 18	2						2				2	1			2	1		3	1	2	3						
8. Anæmia.....	M. 7	3		1			4			1										1	1						
F. 4										1	1					1						1					
9. Dropsy.....	M. 162	3	9	10	5	4	31	9	5	4	4	6	5	4	5	6	7	2	21	9	9	18	8	7	1	1	
F. 174	2	3	4	2	1	12	5	9	4	19	13	8	9	13	13	14	5	13	6	8	11	8	1		3		
10. Glycosuria.....	M. 10										2		1														
F. 1													1														
11. Others of this group.....	M. 2		1	1			2																				
F. 5		3	1	1		5																					
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	1022	322	78	37	14	16	467	42	32	26	22	19	9	12	23	23	43	42	50	37	58	46	37	15	7	5	7
Males.....	540	177	39	22	8	10	256	24	15	13	9	8	6	5	10	12	18	25	28	22	34	22	15	8	5	1	4
Females.....	482	145	39	15	6	6	211	18	17	13	13	11	3	7	13	11	25	17	22	15	24	24	22	7	2	4	3
1. Inflammation of the brain.....	M. 78	30	12	5	1		48	7	5	4	7	2		1			1		1		1	1					
F. 62	16	11	2	1	4	34	4	6	8	3		1	1		2		1				2						
2. Meningitis.....	M. 29	13	5	3	1	2	24	2		1		1							1								
F. 19	4	6	1	1		12	3	1		2	1																
3. Apoplexy.....	M. 51	2					2							2		1	4	8	13	5	9	3	2			1	
F. 42	1	1				2				1	1				4	1	6	4	8	3	4	3	2				
4. Paralysis.....	M. 107	2			1		3	2	1	2		1	2		5	4	7	12	9	7	18	13	10	5	3	1	2
F. 118	2	2	1		1	6	1	2			3				5	3	10	8	12	10	18	14	16	4	2	3	1
5. Tetanus and trismus nascentium.....	M. 14	8			1		9	1		1		1				1		1									
F. 7	6		1			7																					
6. Epilepsy.....	M. 17	2					2	1	3	2	2	1	1		1	1					1				1		
F. 14	1	2				3	2	2		3	2		1	1													
7. Convulsions.....	M. 150	107	16	8	3	4	138	5	2	1		1	1		1		1										1
F. 132	97	11	8	3	1	120	2	2		1	1				3	1	1										2
8. Mental diseases.....	M. 9												1		1		2	1				1			1		
F. 7																1	2	1				1					
9. Diseases of the brain.....	M. 73	12	4	5	1	3	25	5	2	2		1	1		3	2	5	2	4	8	6	4	2	1			
F. 62	15	5	1			21	4	3	5	1	3	2	3	2	1	5	1	1	2	2	2	2	1			1	
10. Diseases of the spinal cord.....	M. 10	1	2	1		1	5	1	2					1				1									
F. 11	3	1	1	1		6	2	1			1																
11. Others of this group.....	M. 2											1												1			
F. 8											1			1	1			2	1			2					
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	325	9	1	2		1	13	7	2	9	17	13	13	13	23	22	25	15	33	29	39	28	17	5		1	1
Males.....	163	7		1			8	3	1	5	6	5	6	5	14	8	12	8	19	17	17	17	7	4		1	
Females.....	162	2	1	1		1	5	4	1	4	11	8	7	8	9	14	13	7	14	12	22	11	10	1			1
1. Angina pectoris.....	M. 3											1				1		1	1								
F. 3																				1							
2. Aneurism.....	M. 3											1			1						1						
F. 155	6		1			7	3	1	5	6	3	6	5	13	7	12	7	18	17	16	17	7	4		1		
3. Diseases of the heart.....	M. 157	1	1	1		4	4	1	4	11	7	7	8	9	14	13	7	13	11	22	11	9	1			1	
F. 2	1					1					1																
4. Others of this group.....	M. 2																		1								
F. 2	1					1																					
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	1233	226	138	86	43	23	516	44	34	58	60	27	26	40	41	31	56	31	64	53	54	41	34	12	4	5	2
Males.....	675	136	71	39	24	14	284	20	17	29	36	12	15	20	22	17	38	20	41	33	28	21	13	4	1	3	1
Females.....	558	90	67	47	19	9	232	24	17	29	24	15	11	20	19	14	18	11	23	20	26	20	21	8	3	2	1
1. Croup.....	M. 77	28	26	9	8	2	73	3						1													
F. 86	27	16	18	9	5	75	8								1	1											
2. Laryngitis.....	M. 1						1																				
F. 1																											
3. Bronchitis.....	M. 61	22	6	6	3	1	38	4	1		1		1	1	1		1	2	3		1	2	1	2	1	1	
F. 55	16	6	6	1		29	2																				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
VIRGINIA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	27	11			2	1	14	1	1		1	1		1		1	1	3		3							
Males.....	14	7			1	1	9				1			1				1		2							
Females.....	13	4			1		5	1	1			1				1	1	2		1							
1. Abscess.....	M. 7 F. 7	3 3			1		4 3		1		1			1				1									
2. Carbuncle.....	M. 2 F. 3																	1	1	2							
3. Others of this group.....	M. 5 F. 3	4 1				1	5 2									1											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	2												1							1							
Males.....	1												1														
Females.....	1																		1								
1. Addison's disease.....	M. 1 F. 1																										
2. Diseases of the spleen.....	M. 1 F. 1												1						1								
3. Others of this group.....	M. 1 F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	499	114	27	41	22	19	223	44	29	31	40	16	18	11	12	9	11	7	9	7	10	8	6	4	1	1	2
Males.....	297	57	12	26	8	6	109	17	19	25	31	10	15	11	9	8	8	3	5	7	5	5	5	3	1	1	1
Females.....	202	57	15	15	14	13	114	27	10	6	9	6	3	3	3	1	3	4	4	4	5	3	1	1	1	1	1
1. Burns and scalds.....	M. 47 F. 104	3 6	6 7	14 11	5 14	6 13	34 51	6 24	1 7	1 4	1 4	1 3	1 2	1 2	2 1	1 2	2 1	2 1	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1
2. Drowned.....	M. 25 F. 4			1			1	1	3	5	8	2	1	1						1		2					1
3. Exposure and neglect.....	M. 41 F. 31	19 21	4 4	7 1	2		32 26		2		1		1	1	2			1			1	1					
4. Gunshot wounds.....	M. 22 F. 1	1		1	1		3	3	4	5	1	1	3	2													
5. Homicide.....	M. 5 F. 3							2			1	1	2						1								
6. Infanticide.....	M. 1 F. 1																										
7. Injuries by machinery.....	M. 19 F. 1									4	6	2	2	1	3		1										
8. Railroad accidents.....	M. 29 F. 28	25 24		1	1		26 26				2		1														
9. Suffocation.....	M. 2 F. 2													1			1										
10. Suicide by shooting.....	M. 1 F. 1																										
11. Suicide by drowning.....	M. 2 F. 1																			1							
12. Suicide by poison.....	M. 3 F. 1										1																
13. Other suicides.....	M. 7 F. 1									1					1												1
14. Sunstroke.....	M. 1 F. 1									1	1					1		1	1		1						
15. Surgical operations.....	M. 3 F. 4											1	1			1	1										
16. Wounds.....	M. 2 F. 87	1 9		2	2		13 9		5	8	9	9	4	4	4	3	5	5	1	4	5	2	2	2	2	2	1
17. Other accidents and injuries.....	M. 26 F. 26	5 5	3	1			9	1	1	1	2	1	1	1			1	2		3	2	2	1	1	1		

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
VIRGINIA—GROUP 3.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
GRAND TOTAL	7484	1843	539	294	191	163	3030	371	249	281	387	267	249	195	208	209	244	199	268	285	304	300	233	94	54	37	20	
Total: Males.....	3609	979	264	172	90	73	1578	186	112	105	179	105	88	71	83	77	119	92	137	144	165	153	107	52	30	13	13	
Females	3875	864	275	122	101	90	1452	185	137	176	208	162	161	124	125	132	125	107	131	141	139	147	126	42	24	24	7	
Unknown causes.																												
Total.....	787	459	63	29	12	8	571	15	14	7	14	7	5	13	13	9	11	14	11	18	17	19	24	4	1			
Males.....	359	213	30	17	5	4	269	6	7	2	6	2	2	3	1	1	6	7	4	7	9	10	14	3				
Females	428	246	33	12	7	4	302	9	7	5	8	5	3	10	12	8	5	7	7	11	8	9	10	1	1			
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total.....	1619	340	216	119	89	83	847	180	88	61	95	55	46	18	19	24	26	16	27	26	30	26	16	7	4	3	5	
Males.....	784	177	105	65	46	35	428	91	40	19	44	27	18	6	8	7	11	6	16	13	17	15	7	5	3	1	2	
Females	835	163	111	54	43	48	419	89	48	42	51	28	28	12	11	17	15	10	11	13	13	11	9	2	1	2	3	
1. Small-pox.....	M.																											
F.																												
2. Measles.....	M.	41	14	4	7	3	31	4	2	1	2						1											
F.	52	9	18	1	3	5	36	3	1	3	4	1					1			3								
3. Scarlet fever.....	M.	71	5	8	6	12	40	21	3	3	1	2							1									
F.	54	6	3	6	2	11	28	15	6	1	1	1		1													1	
4. Diphtheria.....	M.	79	4	12	8	6	38	29	8										2								1	
F.	112	6	11	4	11	14	46	43	16	3		2					1			1								
5. Hooping-cough.....	M.	89	41	18	13	6	82	4	2	1																		
F.	112	53	20	15	8	7	103	6	1	1		1																
6. Fever.....	M.	7			1		2	1		1		1				1					1							
F.	5									1	1	2																
7. Cerebro-spinal fever.....	M.	11	4	1	1	1	8	1		1	1																	
F.	11	1		1		1	3	1	4																			
8. Enteric fever.....	M.	144	3	2	3	1	10	9	12	11	32	22	13	2	3	2	4	4	7	4	4	3		1			1	
F.	123	3		1	3	1	8	7	11	27	19	10	10	4	3	6	5	6	4		1	1					1	
9. Diarrhœa.....	M.	55	13	9	7	2	33	1	1		2				2					1	5	2	3	4	2			
F.	41	10	6	6	1		23			1	2		1			3	1	1		1	1	2	3	1	1			
10. Dysentery.....	M.	99	22	22	11	8	63	11	8		1	1	1		2	1	1		1	2	1	1	3					
F.	100	12	18	10	8	2	50	9	7	2	5	1	5			1	1	1	2	4	5	3	3			1		
11. Enteritis.....	M.	41	8	5	2	2	17	3	2	1	2	1	2		1	1	2	1	2	3	1	1	1					
F.	52	8	5	1	3	3	20	2	1	2	2	1	3		3	2	4	1	2	3	2	1	1	1			1	
12. Cholera morbus.....	M.	20	1	4	1	1	7	3						1														
F.	9	1	3				4				2	1					1		2	1	3	1	1					
13. Cholera infantum.....	M.	73	50	17	3	2	73																					
F.	86	47	26	9	1	3	86																					
14. Malarial fever.....	M.	24	4	1	1	1	7	3	2		2		2	1	1	1			2			3						
F.	16	3			1	1	5	2			1	1	1	1		2	1	1			1							
15. Erysipelas.....	M.	19	4	2	1	1	8	1			1						2			2	1	2	2					
F.	14	2	1				3	1			1		1			2				1	1	2	2					
16. Septicæmia.....	M.	1									1																	
F.	1																1											
17. Puerperal septicæmia.....	F.	31							1	1	11	6	6	4	2													
18. Venereal diseases.....	M.	3	2				2															1						
F.	7	2			1		3				1		1	1							1							
19. Others of this group.....	M.	7	2				2										1		1			1			1	1		
F.	9				1		1				1				2		1		1	1	1				1	1		
General diseases—B.																												
Total.....	68	24	12	4	4	2	46	5	1	3	1		2					1	3	1	1	1	2				1	
Males.....	38	12	8	4	2	1	27	2		1	1		1					1	3			1					1	
Females	30	12	4		2	1	19	3	1	2			1							1	1		2					
1. Worms.....	M.	15	4	5	2	2	13	2																				
F.	11	2	3		1	1	7	3	1																			
2. Other parasitic diseases.....	M.																											
F.																												
3. Alcoholism.....	M.	5									1		1						1	2								
F.	2																						2					
4. Lead poison.....	M.																											
F.																												
5. Other poisons.....	M.	8	1	2	2		6													1		1						
F.	7	3	1		1		5			1			1															
6. Inanition.....	M.	10	7	1			8			1																	1	
F.	10	7					7			1										1	1							
General diseases—C.																												
Total.....	578	373	5	3	3	3	387			4	1	1	2			1	1	2	5	4	17	30	40	28	25	28	2	
Males.....	305	221	3	2	2	2	230			1	1					1	1	1	2	4	5	12	13	10	13	9	2	
Females	273	152	2	1	1	1	157			3		1	2					1	3		12	18	27	18	12	19		
1. Premature birth.....	M.	42	42				42																					
F.	23	23					23																					
2. Stillborn.....	M.	166	166				166																					
F.	114	114					114																					
3. Malformation.....	M.	4	1	1			2			1																	1	
F.	4	2			1		3			1																		
4. Debility.....	M.	37	12	2	2	2	19				1					1	1	1	2	2	1	3	2		4	2		
F.	37	13	2	1		1	17			2		1	2					1	1	1	3	4	4					
5. Old age.....	M.	55																		2	4	9	11	10	9	9	1	
F.	95																				9	14	23	18	12	17		
6. Atrophy.....	M.	1				1	1																					
F.																												

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

VIRGINIA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	1472	63	28	17	13	9	130	45	54	101	148	104	110	87	89	79	92	73	77	76	87	53	38	21	4	2	2
Males.....	578	37	12	9	6	2	66	21	17	35	65	29	31	30	26	21	36	26	35	34	49	25	17	10	3	1	1
Females.....	894	26	16	8	7	7	64	24	37	66	83	75	79	57	63	58	56	47	42	42	38	28	21	11	1	1	1
1. Rheumatism.....	M. 30	1					1	1	2	3	1	1	1	1	2		2	2	5	2	1	1	2		1	1	
	F. 35				1		1	1	1	1			2	1	3	1	3	2	4	4	5	4	2				
2. Scrofula and tabes.....	M. 63	12	6	5	2	1	26	9	5	4	1	3	3	2	1	1	2		3	1	1	1					
	F. 67	10	9	3	2	1	25	12	3	1	8	2	3	1	4		1	3	2			2					
3. Leprosy.....	M. 1																										
	F. 1																										
4. Consumption.....	M. 313	6	4	2		1	13	5	6	21	62	21	26	25	21	16	21	16	14	15	14	11	3	2			1
	F. 532	8	6	3	4	3	24	6	26	56	70	63	58	41	47	31	27	23	19	15	12	8	6				
5. Hydrocephalus.....	M. 6	5			1		6																				
	F. 5	3		1		1	5																				
6. Cancer.....	M. 41									3		2				2	6	3	5	5	8	2	2	3			
	F. 92									1	1	1	2	7	1	18	13	10	8	9	7	8	1	4	1		
7. Tumor.....	M. 11	6		1	1		8																				
	F. 17		1	1			2					1			3	2	2	2	1	1	1						
8. Anæmia.....	M. 1		1				1																				
	F. 2	1					1									1											
9. Dropsy.....	M. 98	6		1	2		9	6	4	4	1	1	1		2	2	5	4	6	9	20	10	7	5	2		
	F. 140	4				1	5	4	6	7	4	8	14	7	5	5	10	7	8	13	12	7	10	6		1	1
10. Glycosuria.....	M. 13																										
	F. 2																										
11. Others of this group.....	M. 2	1	1				2																				
	F. 2					1	1			1																	
12. Others of this class.....	M. 1																										
	F. 1																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	693	168	53	33	17	8	279	36	18	14	18	16	6	17	16	14	19	11	35	46	36	55	37	9	4	2	5
Males.....	359	88	28	18	6	5	145	19	14	6	10	7	1	11	11	8	9	6	20	25	15	28	14	6			4
Females.....	334	80	25	15	11	3	134	17	4	8	8	9	5	6	5	6	10	5	15	21	21	27	23	3	4	2	1
1. Inflammation of the brain.....	M. 71	26	12	6	2	2	48	6	2	2		2		1	1		2	1	1	2	1	2					
	F. 60	15	11	6	5	2	39	6	1	2	1	3			1		1		1	2		1	2				
2. Meningitis.....	M. 36	10	4	6		2	22	5	4	1	2					1			1								
	F. 43	14	5	4	4		27	6		1	1	1	1				1		1	1		1				1	
3. Apoplexy.....	M. 35													3	2	2	1	4	4	5	4	3	3				
	F. 17															1		1	1	1							
4. Paralysis.....	M. 84		2	1			3	2	3					4	3	3	4	1	13	7	6	20	9	5			1
	F. 91	1			1		2	1	1	1	1		1	1	1	3	4	1	10	10	16	17	13	3	4	1	
5. Tetanus and trismus nascentium.....	M. 5	2					2			1		1		1													
	F. 1																										
6. Epilepsy.....	M. 16	1	1				2	1	2	2	1	2		1	1	1			1		1	1					
	F. 15	3					3			2	1	2		4			1			1			1				
7. Convulsions.....	M. 57	41	5	3	2	1	52	1	2		1								1								
	F. 55	41	3	4			48	3		1			1							1		1					
8. Mental diseases.....	M. 4																										
	F. 6																										
9. Diseases of the brain.....	M. 44	8	3	2	2		15	2	1		3	1	1	1	2	1				8	3	1	2				3
	F. 33	6	5	1	1	1	14	1	1	1	3	2	1	1		1				3	1	1	3				
10. Diseases of the spinal cord.....	M. 1		1				1																				
	F. 2		1				1																				
11. Others of this group.....	M. 6																										
	F. 12														3	1	1	1		2	2						
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	241	14	2			1	17	4	2	10	1	10	7	3	6	16	19	25	26	33	24	24	7	4	3		
Males.....	116	8	2				10	2		3		4	3	1	1	5	11	12	17	17	10	14	3	1	2		
Females.....	125	6				1	7	2	2	7	1	6	4	2	5	11	8	13	9	16	14	10	4	3	1		
1. Angina pectoris.....	M. 2																				1		1				
	F. 2																										
2. Aneurism.....	M. 5															1											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

VIRGINIA—Group 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	307	65	29	13	3	2	112	9	16	5	19	3	9	12	13	12	15	12	16	14	14	14	6	2	3		1
Males.....	152	36	11	9	2	1	59	6	7	2	6	1	3	5	10	4	9	8	5	7	7	6	3	2	1		1
Females.....	155	29	18	4	1	1	53	3	9	3	13	2	6	7	3	8	6	4	11	7	7	8	3	..	2		..
1. Dentition.....	M. 20	7	8	5			20																				
	F. 18	8	10				18																				
2. Angina.....	M. 8	3			1		4	1	1						1			1									
	F. 6			1			1		3													1					
3. Gastritis.....	M. 13	2					2	1	1					1	2	1	2			1		1		1			
	F. 14	1		1			2		1	1	1			2		1	1			1	1	3					
4. Other diseases of the stomach.....	M. 10	3					3	1				1				1	1	1		1	1						
	F. 19	1		1		1	3				4				2	1	2	1	1	2	2				1		
5. Obstruction of the bowels.....	M. 5	2					2		1											1	1						
	F. 3	1					1	1										1									
6. Hernia.....	M. 9	1					1				2				1	1					1	1	2				
	F. 8	4	1				5	1	1													1					
7. Other diseases of the bowels.....	M. 10	3	2				5			1	1					1				1	1						
	F. 10	5					5				1			1		2						1					
8. Jaundice.....	M. 6	3					3		1											1		1					
9. Inflammation and abscess of the liver.....	M. 4													1				1	1		1						
	F. 3													1		1											
10. Other diseases of the liver.....	M. 27	2	1	3	1		7	1	1	1	1		1	2	3	1	1	1	1	2	3	1					
	F. 32	4	4	1			9	1	1				1	2		2	3	2	4		2	2	2		1		
11. Peritonitis.....	M. 6					1	1			1				1									1				1
	F. 15				1		1		1	1	4	1	3	1		1			2								
12. Ascites.....	M. 3								1					1	1												
	F. 4								1		1					1			1								
13. Others of this group.....	M. 29	7	1	1			9	1	1		2		2			3	4		2	2		1		1	1		
	F. 25	8	2				10		1		2	1	2	1	1			2	2	1	1	1					
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	120				1	1	2		1	4	5	2	2	1	7	7	8	4	8	9	23	14	16	6	...	1	
Males.....	94								1	3	2	2	1	...	5	6	6	3	6	9	22	11	12	4	...	1	
Females.....	26				1	1	2			1	3		1	1	2	1	2	1	2		1	3	4	2			
1. Bright's disease.....	M. 20									1	1	2			3	1	1	1	1	2	3	3	1				
	F. 7					1	1						1			1				1	2	2	1				
2. Calculus, urinary.....	M. 20																		1	2	7	2	5	1		1	
	F. 20																										
3. Diseases of the kidney.....	M. 26								1	2	1				2	3	2	1	1	1	5	3	4				
	F. 13									1	1				2	1	1	1	2		1	3	1				
4. Diseases of the bladder.....	M. 15										1								2	3	5	2	1	1			
	F. 1																										
5. Others of this group.....	M. 13												1				3	1	1	1	2	1	1	2			
	F. 5				1		1				1			1			1						1				
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	16									1	2	3		1	2	2	1	1		1		1					1
1. Ovarian tumors.....	F. 1																										
2. Ovarian diseases.....	F. 1																										
3. Uterine tumors.....	F. 1																										
4. Uterine diseases.....	F. 10									1		3		1	2	1	1										1
5. Others of this group.....	F. 6										2					1		1		1		1					
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	59								1	6	15	16	10	5	4	2											
1. Abortion.....	F. 9									1	3	2	3														
2. Child-birth.....	F. 47								1	4	12	13	7	5	4	1											
3. Others of this group.....	F. 3									1		1				1											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	31	2	3	2			7	2	1	1		2	1		1	2	6	1	4		1	2					
Males.....	18	2		2			4	2		1		2	1		1		2	1	2		1	1					
Females.....	13		3				3		1							2	4		2			1					
1. Diseases of the spine.....	M. 14	2		2			4	2		1		2	1				1	1	1		1						
	F. 5		3				3		1								1										
2. Diseases of the bones.....	M. 2																					1					
	F. 1																		1								
3. Diseases of the hip-joint.....	M. 3																										
	F. 3																2										
4. Others of this group.....	M. 2														1				1								
	F. 4															2	1		1								

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
VIRGINIA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	35	11	5		1	1	18	3	1				1		2	2	1	1	1	2	2		1				
Males.....	22	6	3		1	1	11	2	1				1		1		1		1	1	2		1				
Females.....	13	5	2				7	1							1	2		1		1							
1. Abscess.....	M. 14 F. 6	2	1		1	1	5	2	1						1				1	1	2		1				
2. Carbuncle.....	M. 1 F. 1		1				1								1	2		1		1							
3. Others of this group.....	M. 7 F. 7	4	1				5						1				1										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1																							1			
Males.....																											
Females.....	1																							1			
1. Addison's disease.....	M. 1 F. 1																										
2. Diseases of the spleen.....	M. 1 F. 1																										
3. Others of this group.....	M. 1 F. 1																							1			
XII.—ACCIDENTS AND INJURIES.																											
Total.....	395	54	29	15	15	12	125	38	18	23	23	23	18	13	9	13	22	9	8	12	8	13	11	4	3	1	1
Males.....	258	35	16	10	6	5	72	19	14	17	20	19	14	6	8	9	13	7	6	9	5	7	5	4	2	1	1
Females.....	137	19	13	5	9	7	53	19	4	6	3	4	4	7	1	4	9	2	2	3	3	6	6		1		
1. Burns and scalds.....	M. 28 F. 54	1	4	5	3	2	15	6			1		1						1	1		1		1	1		
2. Drowned.....	M. 21 F. 4		1				1	2	4	3	4	1	1			1		1	1								
3. Exposure and neglect.....	M. 18 F. 15	10	2	2	1		15	1								1										1	
4. Gunshot wounds.....	M. 25 F. 5		1					3	3	4	3	4	2	1	1	1		1		2							
5. Homicide.....	M. 13 F. 1			1			1		1		1	2		1	1	1	2	1		1			1				
6. Infanticide.....	M. 1 F. 1																										
7. Injuries by machinery.....	M. 1 F. 1																										
8. Railroad accidents.....	M. 1 F. 1																										
9. Suffocation.....	M. 26 F. 21	17	2				19	1			1				1	1			1		1		1				1
10. Suicide by shooting.....	M. 1 F. 1												1														
11. Suicide by drowning.....	M. 1 F. 1																1										
12. Suicide by poison.....	M. 1 F. 1																										
13. Other suicides.....	M. 7 F. 1									1		1		1				2				1		1			
14. Sunstroke.....	M. 1 F. 1															1											
15. Surgical operations.....	M. 1 F. 1																										
16. Wounds.....	M. 2 F. 1							1				1															
17. Other accidents and injuries.....	M. 116 F. 36	7	7	2	2	3	21	5	6	10	10	10	8	4	5	5	8	3	4	5	3	2	5	1	1		

WASHINGTON TERRITORY—Group 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	56	2	1	1	2		6	2	2	3	4	6	6	4	9	5	1	3	3	1	1						
Males.....	29	2	1		1		4	1		2	2	1	3	1	5	5		2	3								
Females.....	27			1	1		2	1	2	1	2	5	3	3	4		1	1		1	1						
1. Rheumatism.....	M. 1																	1									
	F. 1																										
2. Scrofula and tabes.....	M. 1																										
	F. 1																										
3. Leprosy.....	M. 1																										
	F. 1																										
4. Consumption.....	M. 22		1				1			2	2	1	2	1	5	5		1	2								
	F. 21			1			1	1	2	1	2	5	2	2	2		1	1			1						
5. Hydrocephalus.....	M. 2	2					2																				
	F. 1					1	1																				
6. Cancer.....	M. 2												1		1												
	F. 1							1																			
7. Tumor.....	M. 1																										
	F. 1																										
8. Anæmia.....	M. 1																										
	F. 1																										
9. Dropsy.....	M. 3				1		1						1						1								
	F. 3													1	1					1							
10. Glycosuria.....	M. 1																										
	F. 1																										
11. Others of this group.....	M. 1																										
	F. 1																										
12. Others of this class.....	M. 1																										
	F. 1																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	26	7	2	3		3	15	2					2		2	1		1	1		2						
Males.....	12	3				2	5	1							1	1		1	1		2						
Females.....	14	4	2	3		1	10	1					2		1												
1. Inflammation of the brain.....	M. 7	4	1	1			6						1														
	F. 1																										
2. Meningitis.....	M. 2					1	1	1																			
	F. 3															1			1		1						
3. Apoplexy.....	M. 4					2	2								1			1									
	F. 3			1			1						1		1												
4. Paralysis.....	M. 1							1																			
	F. 1																										
5. Tetanus and trismus nascentium.	M. 2	1					1																				
	F. 1																										
6. Epilepsy.....	M. 2																										
	F. 1		1																		1						
7. Convulsions.....	M. 1		1				1																				
	F. 1																										
8. Mental diseases.....	M. 2																										
	F. 1																										
9. Diseases of the brain.....	M. 2	2					2																				
	F. 1																										
10. Diseases of the spinal cord.....	M. 1			1			1																				
	F. 1																										
11. Others of this group.....	M. 1																										
	F. 1																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	6	1	1		1		3			1					1			1									
Males.....	5	1	1		1		3			1					1												
Females.....	1																	1									
1. Angina pectoris.....	M. 1																										
	F. 1																										
2. Aneurism.....	M. 1																										
	F. 1																										
3. Diseases of the heart.....	M. 4		1		1		2			1					1												
	F. 1																	1									
4. Others of this group.....	M. 1	1					1																				
	F. 1																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	54	12	8	2	2	1	25	2	5	2	1	1	2	1	2	4	3	1	1			2					2
Males.....	35	10	6		1		17	1	3		1	1	2		2	2	2	1	1								2
Females.....	19	2	2	2	1	1	8	1	2	2				1		2	1				2						
1. Croup.....	M. 6	3	2				5																				1
	F. 4		1	1	1	1	4																				
2. Laryngitis.....	M. 1																										
	F. 1																										
3. Bronchitis.....	M. 3	1					1		1								1										
	F. 1																										
4. Pneumonia.....	M. 26	6	4		1		11	1	2		1	1	2		2	2	1	1	1								1
	F. 11	1	1	1			3	1	2	2				1		2											
5. Pleurisy.....	M. 1																										
	F. 1																										
6. Asthma.....	M. 2																1					1					
	F. 1																										
7. Others of this group.....	M. 2	1					1															1					
	F. 1																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
WASHINGTON TERRITORY—GROUP 1—Continued.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
WASHINGTON TERRITORY—GROUP 1.—Continued.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
WASHINGTON TERRITORY—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	414	65	16	16	13	6	116	43	20	17	35	21	28	33	20	21	16	10	6	9	3	6	3		1		6
Total: Males.....	264	40	10	11	9	6	76	23	7	9	16	14	20	24	17	17	14	8	1	7	3	2	2		1		4
Females.....	150	25	6	5	4		40	20	13	8	19	7	8	9	3	4	2	2	5	2		4	1		1		2
Unknown causes.																											
Total.....	14	7	2				9					1				1											3
Males.....	8	6					6																				
Females.....	6	1	2				3					1				1											1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	108	19	10	12	10	3	54	28	13	5	3		3		2												
Males.....	66	13	8	11	6	3	41	15	4	1	1		3		1												
Females.....	42	6	2	1	4		13	13	9	4	2				1												
1. Small-pox..... { M. F.	1 3	1					1																				
2. Measles..... { M. F.	1 3	1					1																				
3. Scarlet fever..... { M. F.	4 3	2			1		3	1																			
4. Diphtheria..... { M. F.	33 27	 4	3	9 1	1 3		16 8	12 10	4 7	1 1																	
5. Hooping-cough..... { M. F.	 2		 1				 1			 1																	
6. Fever..... { M. F.																											
7. Cerebro-spinal fever..... { M. F.	6	1			3		4	2																			
8. Enteric fever..... { M. F.	2 3		 1		1		1			 1																	
9. Diarrhœa..... { M. F.	2	2					2																				
10. Dysentery..... { M. F.	2	1					1								 1												
11. Enteritis..... { M. F.	1 1	 1	1				1																				
12. Cholera morbus..... { M. F.	1													 1													
13. Cholera infantum..... { M. F.	10 2	6 1	3	1	 1		10 2																				
14. Malarial fever..... { M. F.	2 1	 1	1				1		 1					 1													
15. Erysipelas..... { M. F.																											
16. Septicæmia..... { M. F.																											
17. Puerperal septicæmia..... { M. F.																											
18. Venereal diseases..... { M. F.	1													 1													
19. Others of this group..... { M. F.	1			 1			1																				
General diseases—B.																											
Total.....	4	2					2		1				1														
Males.....	2								1					1													
Females.....	2	2					2																				
1. Worms..... { M. F.																											
2. Other parasitic diseases..... { M. F.																											
3. Alcoholism..... { M. F.																											
4. Lead poison..... { M. F.																											
5. Other poisons..... { M. F.	2 1	 1					 1		 1					 1													
6. Inanition..... { M. F.	 1	 1					 1																				
General diseases—C.																											
Total.....	21	14					14	1												1	1	1	3				
Males.....	11	7					7																				
Females.....	10	7					7	1												1	1	1	2				
1. Premature birth..... { M. F.	 3	 3					 3																				
2. Stillborn..... { M. F.	 4	 4					 4																				
3. Malformation..... { M. F.																											
4. Debility..... { M. F.	1 2	1					1																				
5. Old age..... { M. F.	4 1																										
6. Atrophy..... { M. F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
WASHINGTON TERRITORY—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total	78	2					2	2	3	3	19	7	9	15	4	6	2	1	1	3		1					
Males	42	1					1		2	1	6	4	6	10	3	4	1	1		3							
Females	36	1					1	2	1	2	13	3	3	5	1	2	1		1			1					
1. Rheumatism	M. 2													1		1											
F. 3								1					1									1					
2. Scrofula and tabes	M. 1																										
F. 1																											
3. Leprosy	M. 1																										
F. 1																											
4. Consumption	M. 29								2	1	5	4	3	9	1	2	1	1									
F. 28									1	2	13	3	2	5	1	1											
5. Hydrocephalus	M. 2	1					1						1														
F. 2	1						1	1																			
6. Cancer	M. 6										1		2							3							
F. 1																1											
7. Tumor	M. 1														1												
F. 1																			1								
8. Anæmia	M. 1																										
F. 1																											
9. Dropsy	M. 2														1	1											
F. 1																	1										
10. Glycosuria	M. 1																										
F. 1																											
11. Others of this group	M. 1																										
F. 1																											
12. Others of this class	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total	35	6	2		2		10	1			1	2	3	1	4	3	1	1	2	3		2			1		
Males	27	3	1		2		6	1			1	2	3	1	4	3	1	1	1	2		1					
Females	8	3	1				4												1	1		1			1		
1. Inflammation of the brain	M. 2		1				1								1												
F. 2		1	1				2																				
2. Meningitis	M. 2						1						1														
F. 1																											
3. Apoplexy	M. 3												1			2											
F. 1																			1								
4. Paralysis	M. 8										1			1	1	1	1			2		1					
F. 2																				1					1		
5. Tetanus and trismus nascentium.	M. 1																										
F. 1																											
6. Epilepsy	M. 3	1					1				1				1												
F. 1																											
7. Convulsions	M. 2	1			1		2																				
F. 1		1					1																				
8. Mental diseases	M. 1																										
F. 1																											
9. Diseases of the brain	M. 5							1			1	1						1	1								
F. 1																						1					
10. Diseases of the spinal cord	M. 1				1		1																				
F. 1		1					1																				
11. Others of this group	M. 1														1												
F. 1																											
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total	20	2					2			1	1	2	2	5		3		2		1	1						
Males	14	2					2				1	1	2	3		3				1	1						
Females	6									1		1		2				2									
1. Angina pectoris	M. 1																										
F. 1																											
2. Aneurism	M. 1																										
F. 1																											
3. Diseases of the heart	M. 13	1					1				1	1	2	3		3				1	1						
F. 6										1		1		2				2									
4. Others of this group	M. 1	1					1																				
F. 1																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total	42	10	1	3	1	2	17	3	2	2	1	1	2	3	2	2	3	3			1						
Males	27	5	1		1	2	9	2		2			1	2	2	2	3	3			1						
Females	15	5		3			8	1	2		1	1	1	1													
1. Croup	M. 3	2				1	3																				
F. 1		1					1																				
2. Laryngitis	M. 1	1																									
F. 1																											
3. Bronchitis	M. 3	2					2									1											
F. 1																											
4. Pneumonia	M. 13	1				1	2			1			1	2	2	1	2	2									
F. 9		2		2			4	1	1		1	1		1	2												
5. Pleurisy	M. 1																	1									
F. 1									1																		
6. Asthma	M. 1																				1						
F. 1																											
7. Others of this group	M. 6		1		1		2	2		1							1										
F. 3		1		1			2						1														

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
WASHINGTON TERRITORY—GROUP 2—Continued.

[illegible]

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WASHINGTON TERRITORY—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	1											1															
Males.....												1															
Females.....	1																										
1. Abscess.....	M. 1											1															
	F. 1																										
2. Carbuncle.....	M. 1																										
	F. 1																										
3. Others of this group.....	M. 1																										
	F. 1																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....																											
Males.....																											
Females.....																											
1. Addison's disease.....	M. 1																										
	F. 1																										
2. Diseases of the spleen.....	M. 1																										
	F. 1																										
3. Others of this group.....	M. 1																										
	F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	58	1	1	1		1	4	6	1	5	7	6	4	8	5	3	4	3									2
Males.....	50	1				1	2	3		5	6	6	3	8	5	3	4	3									2
Females.....	8		1	1			2	3	1		1		1														
1. Burns and scalds.....	M. 1									1																	
	F. 3		1				1	2																			
2. Drowned.....	M. 21							1		3	5	1	2	3	1	1	3										1
	F. 2							1					1														
3. Exposure and neglect.....	M. 3	1					1									2											
	F. 1																										
4. Gunshot wounds.....	M. 6											3		1	1		1										
	F. 1										1																
5. Homicide.....	M. 1														1												
	F. 1																										
6. Infanticide.....	M. 1																										
	F. 1																										
7. Injuries by machinery.....	M. 1					1	1																				
	F. 1																										
8. Railroad accidents.....	M. 1													1													
	F. 1																										
9. Suffocation.....	M. 1																										
	F. 1																										
10. Suicide by shooting.....	M. 2											1															1
	F. 1																										
11. Suicide by drowning.....	M. 1																										
	F. 1																										
12. Suicide by poison.....	M. 1																										
	F. 1																										
13. Other suicides.....	M. 1																1										
	F. 1																										
14. Sunstroke.....	M. 1																	1									
	F. 1																										
15. Surgical operations.....	M. 1																										
	F. 1																										
16. Wounds.....	M. 1																										
	F. 1																										
17. Other accidents and injuries.....	M. 12							2		1	1	1	1	3	2		1										
	F. 2			1			1		1																		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WEST VIRGINIA—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	3815	888	278	152	127	96	1541	247	153	137	175	157	115	111	99	84	112	115	124	139	144	157	126	39	18	14	8
Total: Males	1926	484	146	82	62	58	832	129	77	60	70	70	39	47	42	36	58	69	62	71	72	97	59	17	7	8	4
Females	1889	404	132	70	65	38	709	118	76	77	105	87	76	64	57	48	54	46	62	68	72	60	67	22	11	6	4
Unknown causes.																											
Total	315	210	18	11	6	3	248	8	4	1	2	3	2	2	2	8	5	7	5	4	9	2	1	1	1	2	
Males	168	115	9	6	3	1	134	6	3	1	1	1	1	1	1	5	1	1	2	1	8	1	1	1	1	1	
Females	147	95	9	5	3	2	114	2	1	2	2	2	2	1	1	3	4	6	3	3	1	2	1	1	1	1	
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	961	178	124	83	59	56	500	157	83	48	29	20	18	11	7	7	7	7	10	11	16	12	16	2			
Males	482	100	70	43	19	36	268	76	42	20	14	12	7	2	2	3	3	3	4	6	7	4	8	1			
Females	479	78	54	40	40	20	232	81	41	28	15	8	11	9	5	4	4	4	6	5	9	8	8	1			
1. Small-pox	M. 1																										
F. 11	4	4	1	2			11																				
2. Measles	M. 19	4	3	1			9	2	2	1	1		1	1	1												
F. 19	4	3	1				9	2	2	1	1		1	1	1												
3. Scarlet fever	M. 71	5	13	12	4	5	39	20	5	3	1	1	1														
F. 66	5	7	6	6	9		33	26	5	1																	
4. Diphtheria	M. 156	6	15	15	7	25	68	45	29	10	2	1	1														
F. 132	9	12	11	21	7		60	36	24	10		1	1														
5. Hooping-cough	M. 37	16	9	5	3	1	34	1	1																		
F. 31	10	6	4	7	1		28	2																			
6. Fever	M. 8	1	1		1		3	2																			
F. 6	1	1	1				3	2																			
7. Cerebro-spinal fever	M. 4	1					2																				
F. 7	1						1																				
8. Enteric fever	M. 40	2					4	2	3	6	5	5	5	1	1	1	1	1	3								
F. 44	1						4	6	6	5	4		5	1		1	1	1	1	3	1	3	1				
9. Diarrhoea	M. 24	12	2	1			15																				
F. 14	4	4	1	1			10																				
10. Dysentery	M. 20	8	1	2	1	1	13	2	1	1	1																
F. 30	3	3	5	3			14	2	1	2		1															
11. Enteritis	M. 32	9	7	1	1	2	20	2																			
F. 28	6	5	2				13	1		2	2																
12. Cholera morbus	M. 7	1	4				5	1																			
F. 5	1						3																				
13. Cholera infantum	M. 44	28	13	3			44																				
F. 46	30	11	4	1			46																				
14. Malarial fever	M. 9	1	1	1			3	1	3		1																
F. 12	1	1					3	3		1																	
15. Erysipelas	M. 8	5					5																				
F. 8	2						2																				
16. Septicæmia	M. 3						1																				
F. 3	1						1																				
17. Puerperal septicæmia	M. 20																										
F. 1																											
18. Venereal diseases	M. 5																										
F. 6	1						1																				
19. Others of this group	M. 3																										
F. 3																											
General diseases—B.																											
Total	34	13	3	1	3	2	22	3			1			1			2		2	1	2						
Males	21	5	2	1	3	2	13	3									2		1	1							
Females	13	8	1				9																				
1. Worms	M. 4	1					2	2																			
F. 1	1						1																				
2. Other parasitic diseases	M. 4																										
F. 4																											
3. Alcoholism	M. 4																										
F. 4																											
4. Lead poison	M. 7		2		3	1	6	1																			
F. 1																											
5. Other poisons	M. 6	4		1			5																				
F. 11	7	1					8																				
6. Inanition	M. 6																										
F. 11	7	1					8																				
General diseases—C.																											
Total	307	173	3	2			178	1		1	1	5	1	1			1	2	5	5	7	21	44	15	10	8	1
Males	163	93	3	2			98	1		1		5						2	3	3	3	12	20				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
WEST VIRGINIA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	768	42	19	10	5	6	82	12	18	50	86	77	45	52	47	37	40	39	37	42	37	42	20	2	1	1	1
Males.....	322	24	5	4	2	4	39	6	8	20	25	23	11	24	17	15	19	21	15	22	21	24	9	1	1	1	1
Females.....	446	18	14	6	3	2	43	6	10	30	61	54	34	28	30	22	21	18	22	20	16	18	11	1	1	1	1
1. Rheumatism.....	M. 16					1	1	1					1		2	1	1	1	1	1	1	4					
F. 10														1	1			1	2	1	1						
2. Scrofula and tabes.....	M. 25	6	1	2		1	10	3	2	1	1	2	1		1			1		1	1						
F. 25	8	5				2	15	2	1		3				1		1	3									
3. Leprosy.....	M. 1																										
F. 1																											
4. Consumption.....	M. 177	7	1		1	1	10	1	2	14	20	20	8	22	10	11	14	9	8	12	6	6	2	1			1
F. 294	6	6	2	1			15	1	8	23	55	51	30	19	22	12	11	6	11	13	4	8	5				
5. Hydrocephalus.....	M. 11	6	3		1		10					1															
F. 5	1	1					2	2																			
6. Cancer.....	M. 26														1	1	2	4	3	1	5	7	1				
F. 48										1	1		3	4	5	9	3	6	4		6	4	2				
7. Tumor.....	M. 7																1		2		1	2					
F. 12					1		1	1			1		1	1		1	1	1	1	2							
8. Anæmia.....	M. 3	2					2																				
F. 3				1			1																				
9. Dropsy.....	M. 49	3		2		1	6	1	3	2	3		1	2	3	1	2	3	1	6	5	8	1			1	
F. 43	1	1	2				4		4	1	3		2	2		5	1	4	4	5	4	2	1	1			
10. Glycosuria.....	M. 6								1	1								1	2		1						
F. 3		1	1				2							1													
11. Others of this group.....	M. 2																					1	1				
F. 3	2				1		3																				
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	365	99	35	13	7	1	155	16	10	7	4	3	8	6	8	6	14	13	17	20	27	18	20	8	3	2	
Males.....	187	54	18	7	4		83	6	3	4		1	6	5	3	3	6	6	9	9	16	12	9	4	1	1	
Females.....	178	45	17	6	3	1	72	10	7	3	4	2	2	1	5	3	8	7	8	11	11	6	11	4	2	1	
1. Inflammation of the brain.....	M. 32	11	10	3	1		25	2	1			1	1			1		1									
F. 33	11	6	3	1			21	3	4							1	2		1	1							
2. Meningitis.....	M. 11	6	1	2	1		10						1														
F. 12	4	4			2		10																				
3. Apoplexy.....	M. 22		1				1							1	1		3	3	3	1	5	2	2				
F. 11		1					1													2	3	1					
4. Paralysis.....	M. 43	1					1			1						1	2	1	4	5	9	8	7	2	1	1	
F. 52							3	1	1	1					2	1	4	2	5	7	5	5	9	4	1	1	
5. Tetanus and trismus nascentium.....	M. 2	2					2																				
F. 2									1												1						
6. Epilepsy.....	M. 4												2							1					1		
F. 4		1					1					1			1				1								
7. Convulsions.....	M. 39	28	4	2	1		35		1					1						1		1					
F. 31	21	2	3				26	2			1			1									1				
8. Mental diseases.....	M. 2																										
F. 2																		2									
9. Diseases of the brain.....	M. 21	4	1				5	2		1			1	3	2		1		1	2	2	1					
F. 16	4	4					8	1	1				1		1		2	1			1						
10. Diseases of the spinal cord.....	M. 11	2	1		1		4	2	1		1			1			1		1								
F. 7	4						4	1		1	1																
11. Others of this group.....	M. 2																							1			
F. 8						1	1				1		1		1				1	1	1	1					
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	121	9	2		1	2	14		3	1	4	5	6	6	6	8	8	9	8	15	10	14	3	1			
Males.....	63	6	1				7		2		1	4	4	3	4	2	5	5	5	7	5	7	1	1			
Females.....	58	3	1		1	2	7		1	1	3	1	2	3	2	6	3	4	3	8	5	7	2				
1. Angina pectoris.....	M. 4											1							1			1	1				
F. 2														1													
2. Aneurism.....	M. 3										1								1			1					
F. 3																											
3. Diseases of the heart.....	M. 51	3					3		2			3	4	3	4	2	5										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WEST VIRGINIA—Group 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	9	2	1		1		4			1						1	1	1		1							
Males	6	2			1		3			1							1	1									
Females	3		1				1									1				1							
1. Abscess.....	5	1			1		2			1							1	1	1								
2. Carbuncle.....	2	1					1													1							
3. Others of this group.....	1		1				1																				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1													1													
Males.....	1													1													
Females.....																											
1. Addison's disease.....																											
2. Diseases of the spleen.....	1													1													
3. Others of this group.....																											
XII.—ACCIDENTS AND INJURIES.																											
Total.....	193	13	7	7	10	8	45	14	15	9	26	24	4	7	6	2	8	6	7	6	4	2	1	5	1	1	
Males.....	138	5	4	5	8	5	27	11	10	6	21	19	4	6	6	2	5	5	6	4	1	2	1	2			
Females.....	55	8	3	2	2	3	18	3	5	3	5	5		1			3	1	1	2	3		3	1	1		
1. Burns and scalds.....	15		1	2	6	2	11	1	1			1								1							
2. Drowned.....	18	1	2	2	1	2	8	3	2					1			1		1		1					1	
3. Exposure and neglect.....	16		1	1		1	3	2		1	5	1	1	2			1										
4. Gunshot wounds.....	2				1		1			1																	
5. Homicide.....	5	2		1		1	4																	1			
6. Infanticide.....	9	1					1			1	2	2								1					1		
7. Injuries by machinery.....	7				1		1			2	1	1	1				1										
8. Railroad accidents.....	1		1				1																				
9. Suffocation.....	5							1				3															
10. Suicide by shooting.....	1																										
11. Suicide by drowning.....	26							2	3	1	6	7	1	2		1	2		1								
12. Suicide by poison.....	1											1															
13. Other suicides.....	4																	1	1			1					
14. Sunstroke.....	1																										
15. Surgical operations.....	2																										
16. Wounds.....	55	2	2			1	5	5	5	2	9	6	1	2	5	1	1	4	4	2	1		1	1			
17. Other accidents and injuries.....	17	2				1	3		1	1	2	1				2	2	1		1	2			3			

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
WEST VIRGINIA—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	3603	869	334	185	98	96	1582	221	114	158	231	152	117	101	100	84	97	67	91	97	129	119	67	42	18	12	4
Total: Males.....	1855	463	178	106	52	64	863	114	53	67	111	64	53	43	48	43	47	36	56	48	65	74	35	22	6	4	3
Females	1748	406	156	79	46	32	719	107	61	91	120	88	64	58	52	41	50	31	35	49	64	45	32	20	12	8	1
Unknown causes.																											
Total.....	248	169	19	3	3	6	200	8	2		2	2	3	2		3	1	1	4	3	5	7	1	4			
Males.....	125	85	11	2	1	3	102	5	1		1		2	1		1	1		1	1	2	4	1	2			
Females	123	84	8	1	2	3	98	3	1		1	2	1	1		2		1	3	2	3	3		2			
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	986	179	162	100	48	60	549	127	61	53	54	23	10	12	19	11	11	8	3	9	12	9	11	2			
Males.....	522	93	85	53	26	41	298	70	27	21	35	10	4	6	9	7	5	6	2	4	7	3	5	2			
Females	464	86	77	47	22	19	251	57	34	32	19	13	6	6	10	4	6	2	1	5	5	6	6				
1. Small-pox.....	M. 30	5	10	5	4	3	27	2			1																
	F. 46	9	20	7	2	1	39	5	2																		
2. Measles.....	M. 54	7	5	12	4	9	37	16	1																		
	F. 36	5	4	4	3	3	19	9	5	3																	
3. Scarlet fever.....	M. 112	3	10	13	10	23	59	39	10	2	1			1													
	F. 110	2	10	19	14	14	59	33	11	5		1				1											
4. Diphtheria.....	M. 31	16	8	3	1		28	3																			
	F. 26	13	6	4	1		24	2																			
5. Hooping-cough.....	M. 9		3	1			4	2	1					1			1										
	F. 9		2				2		1		1	2	1				1					1					
6. Fever.....	M. 4	1	1				2		2																		
	F. 6		3				3	1								1											
7. Cerebro-spinal fever.....	M. 88		4	1	2	3	10	1	6	17	24	8	3	2	4	2	1	5	2	1		2					
	F. 60		2	1	1		4	3	10	19	11	4		1	1	1	3			1	1	1	1				
8. Enteric fever.....	M. 27	6	9	2	1	1	19		1		1				1		1			1							
	F. 20	9	3	1			13		1		1							1	1		2	2					
9. Diarrhœa.....	M. 16	2	4	1			7	2	1				1			1				1	3						
	F. 13	1	2	1	1		5							1	1		1			3	1	1					
10. Dysentery.....	M. 33	9	5	2	1		17	3	3	1	2	1		1	2					2	1	1					
	F. 25	10	1	1		1	13	1		1	1		2	1	2					1	1	1					
11. Enteritis.....	M. 10	1	1	2			4	1		1				1		1	1	1									
	F. 7	1	1	1			3						1			1		1									
12. Cholera morbus.....	M. 74	39	23	9	3		74																				
	F. 59	32	21	5			58																				
13. Cholera infantum.....	M. 10		1			1	2	1	1		4						1				1						
	F. 18		1	3			4	1	4	1	3			1	1		1			2							
14. Malarial fever.....	M. 9	3	1			1	5		1													2		1			
	F. 10	4					4	2			1			1								2					
15. Erysipelas.....	M. 4										2								1			1					
	F. 1									1																	
16. Septicæmia.....	M. 15																										
	F. 8		1	1			2					1			2	2											
17. Puerperal septicæmia.....	M. 2														2	2											
	F. 2																										
18. Venereal diseases.....	M. 3	1					1									1					1						
	F. 1		1				1																				
19. Others of this group.....	M. 3	1					1									1											
	F. 1		1				1																				
General diseases—B.																											
Total.....	35	12	3	1	3	1	20	1			1	1	1	1	3	1	2	1			1	2					
Males.....	21	8	1		2		11					1		1	2	1	2	1			1	1					
Females	14	4	2	1	1	1	9	1			1		1		1						1						
1. Worms.....	M. 3	1	1		1		3																				
	F. 5	1	2	1	1		5																				
2. Other parasitic diseases.....	M. 7											1		1	1	1	2	1									
	F. 7																										
3. Alcoholism.....	M. 5	1			1		2								1						1	1					
	F. 5					1	1	1			1		1		1												
4. Lead poison.....	M. 6	6					6																				
	F. 4	3					3																				
5. Other poisons.....	M. 8																										
	F. 8																										
6. Inanition.....	M. 19	9	1	1			11	2							1					1							
	F. 14	8			1		9				1									2	1						
7. Premature birth.....	M. 8	8					8																				
	F. 7	7					7																				
8. Stillborn.....	M. 86	86					86																				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
WEST VIRGINIA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	706	32	22	6	6	4	70	16	16	61	101	76	64	45	46	37	38	18	24	26	31	24	8	2	1	2	
Males.....	299	18	10	6	2	3	39	7	5	21	35	29	30	13	24	16	17	8	9	14	13	11	5	1	1	2	
Females.....	407	14	12	4	4	1	31	9	11	40	66	47	34	32	22	21	21	10	15	12	18	13	3	1	1	1	
1. Rheumatism.....	M. 6			1	1		2	1					1		1					1		1					
	F. 12						16	3	2		1				1	1			1		1	2					
2. Scrofula and tabes.....	M. 25	10	3	1	1	1	16	2		2	1	1	1														
	F. 19	2	4		2		8	2	1	1	2	1		1	1	2											
3. Leprosy.....	M. 1																										
	F. 1																										
4. Consumption.....	M. 202	3	2	3			8	2	2	17	34	25	26	11	23	12	10	8	1	8	6	5	2	1		1	
	F. 296	7	3			1	11	2	7	36	61	43	31	27	13	12	10	6	9	8	8	9	2		1	1	
5. Hydrocephalus.....	M. 9	4	2				6	1													1					1	
	F. 6	3	2				5	1																			
6. Cancer.....	M. 15									1			2		1	1	4		3			2	1				
	F. 29									1		1	3	2	3	5	6	1	3	3	1						
7. Tumor.....	M. 1													1					1								
	F. 3	1					1										1										
8. Anæmia.....	M. 1	1					1																				
	F. 1																										
9. Dropsy.....	M. 31		3	1		2	6		1	1		2		2		1	3		3	4	4	2	2				
	F. 36	1	1				2		1	2	2	2		1	4	1	2	3	2	1	8	2	1	1			
10. Glycosuria.....	M. 9																										
	F. 3				2		2										1			1	2	1					
11. Others of this group.....	M. 2		2				2																				
	F. 2																										
12. Others of this class.....	M. 1																										
	F. 1																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	356	100	43	24	9	4	180	19	6	7	11	8	5	2	4	6	9	9	17	10	20	19	16	4	4		
Males.....	185	48	24	14	4	3	93	8	4	3	6	5	4	1	3	2	4	4	13	4	10	13	5	2	1		
Females.....	171	52	19	10	5	1	87	11	2	4	5	3	1	1	1	4	5	5	4	6	10	6	11	2	3		
1. Inflammation of the brain.....	M. 59	23	11	12	2		48	3	2	1	2					1						1	1				
	F. 43	18	10	5	2		35	5	1		1											1					
2. Meningitis.....	M. 9	2	1		1		4	3			1	1															
	F. 7	2		2			4	1	1			1															
3. Apoplexy.....	M. 9																	2	3		1	3					
	F. 5																1	1									
4. Paralysis.....	M. 31												1					2	2	5	2	7	5	4	2	1	
	F. 43		1				1	2						1	1	1	2	2	2	3	9	4	10	2	3		
5. Tetanus and trismus nascentium.....	M. 3										1		1				1										
	F. 3																										
6. Epilepsy.....	M. 5						1			1					1						1						
	F. 5	1					1	1		2																	
7. Convulsions.....	M. 26	14	7	1		1	23	1	1																		
	F. 35	25	5				30			2		2					1										
8. Mental diseases.....	M. 7										1		1		2	1			2								
	F. 7																										
9. Diseases of the brain.....	M. 23	4	4	1	1	1	11			1		2	1				1		2	1	2	2					
	F. 16	4	2	3	1		10				1		1			1	1			1		1					
10. Diseases of the spinal cord.....	M. 9	5	1			1	7	1	1																		
	F. 12	2	1		2		5	2		2						2				1							
11. Others of this group.....	M. 4										1	1										1					
	F. 5					1	1				1							2	1								
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	119	12	1			1	14	2	2	2	6	4	6	6	4	2	8	11	12	8	12	10	4	5	1		
Males.....	56	7				1	8		1		2	3	3	5		1	3	5	6	3	6	6	1	2	1		
Females.....	63	5	1				6	2	1	2	4	1	3	1	4	1	5	6	6	5	6	4	3	3			
1. Angina pectoris.....	M. 2																	1							1		
	F. 1																										
2. Aneurism.....	M. 2																			1	1						
	F. 1																										
3. Diseases of the heart.....	M. 48	4					4		1		2	3	3	5		1	3	4	6	2	5	6	1	2			
	F. 58	2	1				3	2	1	2	4	1	3	1	4	1	5	5	6	5	5	4	3	3			
4. Others of this group.....	M. 4	3				1	4																				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
WEST VIRGINIA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	8	3					3							1			1	1		1		1					
Males.....	5	3					3							1			1					1					
Females.....	3																	1		1							
1. Abscess.....	M. 2 F. 1	1					1							1			1										
2. Carbuncle.....	M. 2 F. 2																	1		1							
3. Others of this group.....	M. 3 F. 3	2					2															1					
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1																				1						
Males.....																											
Females.....	1																			1							
1. Addison's disease.....	M. 1 F. 1																										
2. Diseases of the spleen.....	M. 1 F. 1																										
3. Others of this group.....	M. 1 F. 1																			1							
XII.—ACCIDENTS AND INJURIES.																											
Total.....	197	28	7	8	3	4	50	15	14	14	28	13	9	10	7	8	6	3	6	2	4	3	3	2			
Males.....	139	12	5	4	2	3	26	8	9	11	23	9	7	9	6	7	5	3	6	2	2	3	3				
Females.....	58	16	2	4	1	1	24	7	5	3	5	4	2	1	1	1	1			2	2			2			
1. Burns and scalds.....	M. 14 F. 24	3	3	3		2	11		1			1				1											
2. Drowned.....	M. 24 F. 1		1				1	3	3	4	3	1	2		1	1			1		2	1	1				
3. Exposure and neglect.....	M. 9 F. 8	5			1		6				1				1								1				
4. Gunshot wounds.....	M. 14 F. 1					1	1	2		2	2	3				2	2										
5. Homicide.....	M. 3 F. 3										1		1	1													
6. Infanticide.....	M. 1 F. 1																										
7. Injuries by machinery.....	M. 16 F. 3									3	2	2	4	1		1		1	1				1				
8. Railroad accidents.....	M. 5 F. 3	2					2				2							1									
9. Suffocation.....	M. 4 F. 1				1		3				3			1													
10. Suicide by shooting.....	M. 1 F. 1													1													
11. Suicide by drowning.....	M. 1 F. 1																										
12. Suicide by poison.....	M. 1 F. 1																					1					
13. Other suicides.....	M. 2 F. 1										1				1												
14. Sunstroke.....	M. 1 F. 1													1													
15. Surgical operations.....	M. 2 F. 2										1					1											
16. Wounds.....	M. 44 F. 16	2	1	1	1		5	3	5	5	6	2	1	3	2	2	2	2	4	1		1			1		
17. Other accidents and injuries.....	M. 16 F. 16	3	1	1			5	3			2	1				1	1			2					1		

WISCONSIN—GROUP 1.

[Exclusive of MILWAUKEE.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	2461	503	128	108	93	74	906	255	106	108	124	72	63	65	56	72	71	74	100	99	104	87	52	22	12	5	8
Total: Males.....	1315	284	61	64	49	33	491	118	54	50	65	39	27	22	25	40	39	47	65	66	61	51	31	14	4	2	4
Females	1146	219	67	44	44	41	415	137	52	58	59	33	36	43	31	32	32	27	35	33	43	36	21	8	8	3	4
Unknown causes.																											
Total.....	131	65	3	2	1	1	72	3	4	4		1		3	1	2	2	2	9	7	7	8	5				1
Males	81	41	2		1	1	45	1	4	2				1		1	1	1	4	5	5	6	4				
Females	50	24	1	2			27	2		2		1		2	1	1	1	1	5	2	2	2	1				
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	869	166	67	76	73	58	440	196	67	43	33	8	14	12	6	11	4	12	8	3	4	3	2		1	1	1
Males	422	92	31	45	38	26	232	77	31	20	17	5	6	3	2	4	2	10	5	1	3	1	2			1	
Females	447	74	36	31	35	32	208	119	36	23	16	3	8	9	4	7	2	2	3	2	1	2			1		1
1. Small-pox..... { M. F.	11 6	6 1			1 2		7 3	1 2	 1	1			1														
2. Measles..... { M. F.	43 6	12 1	2	5	6 2	3	28 3	9 2	5 1	1																	
3. Scarlet fever..... { M. F.	65 201	7 18	12 34	3 24	10 20	7 20	39 109	17 60	3 20	2 8	2 4	1	1														
4. Diphtheria..... { M. F.	229 8	20 5	12 1	23	22 1	24 1	101 8	90 7	26	10	2																
5. Hooping-cough..... { M. F.	7 2	5 1					7 1		 1																		
6. Fever..... { M. F.	4 36		 1	 2	 2		5 2	 4	 5	 7	 7	 1		 1		 2	 2	 1	 1	 1	 1						
7. Cerebro-spinal fever..... { M. F.	25 21	21 11	2 7		 1		23 19	 1	 1							 1	 3	 1	 1	 1							 1
8. Enteric fever..... { M. F.	13 12	5 2	2 3	 1	 1	 1	8 7	1 1	 1																		
9. Diarrhoea..... { M. F.	30 17	4 1	5 1	1	3		13 2	3 2	1 1	1 2	1 1	1	1	1 2	2	2 1	2 1	1 1	1 2	1							 1
10. Dysentery..... { M. F.	10 3	2 3	1 4	1 2	 1		4 3																				
11. Enteritis..... { M. F.	17 10	 2	1 1	 1			2 4										 1	 3									
12. Cholera morbus..... { M. F.	3 20	3 13	 4	 2	 1		3 20																				
13. Cholera infantum..... { M. F.	19 2	17	1	1			19 2				 1						 1										
14. Malarial fever..... { M. F.	10 3	3 2				 1	4 3	1	 1	1	1 2				1 2	 1			 2	 1							
15. Erysipelas..... { M. F.	2 10	 2		 1			2 3		 1	 1	 2																
16. Septicæmia..... { M. F.	2 2							 1								 1		 1									
17. Puerperal septicæmia..... { M. F.	16 2										 2	 1	 5	 6	 1	 1											
18. Venereal diseases..... { M. F.	5 4	2 1					2 1	1					 1					 1	 1						 1		
19. Others of this group..... { M. F.																											
General diseases—B.																											
Total.....	15	8		2			10			1							1		1	1							1
Males	8	3		1			4			1							1			1							1
Females	7	5		1			6												1								
1. Worms..... { M. F.	1			1			1																				
2. Other parasitic diseases..... { M. F.																											
3. Alcoholism..... { M. F.	1 1																 1		 1								
4. Lead poison..... { M. F.																											
5. Other poisons..... { M. F.	2 2	 1		 1			 2	 1		1										 1							
6. Inanition..... { M. F.	4 4	3 4					3 4																				 1
General diseases—C.																											
Total.....	179	76	2				78	2		2			1				1		4	5	13	22	28	14	6	1	2
Males	102	47	1				48	1		2			1						4	2	5	13	15	9		1	1
Females	77	29	1				30	1									1			3	8	9	13	5	6		1
1. Premature birth..... { M. F.	9 2	9 2					9 2																				
2. Stillborn..... { M. F.	28 19	28 19					28 19																				
3. Malformation..... { M. F.	2 2	2 2					2 2																				
4. Debility..... { M. F.	22 13	8 5	1 1				9 6	1 1		2			1						2	 1	 1	 1	 2	 1	 2	 1	
5. Old age..... { M. F.	41 40																 1		 2	 2	 4	 10	 13	 8		 1	 1
6. Atrophy..... { M. F.	 1	 1																									

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
WISCONSIN—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	377	10	10	1	4	1	26	4	10	18	47	28	24	14	21	22	27	26	25	38	22	14	6	3			2
Males.....	186	7	3		1		11	2	5	8	23	15	12	5	9	11	11	13	14	25	13	5	2	1			1
Females.....	191	3	7	1	3	1	15	2	5	10	24	13	12	9	12	11	16	13	11	13	9	9	4	2			1
1. Rheumatism.....	M. 5							1	1	1			1					1									
F. 5		1					1		1						1						1						
2. Scrofula and tabes.....	M. 3						2										1				1						
F. 2					2		2																				
3. Leprosy.....	M. 1																										
F. 1																											
4. Consumption.....	M. 129	4	2		1		7		1	7	21	14	10	3	8	9	8	5	11	17	3	2	2			1	
F. 121	1	3					4	1	3	9	23	12	12	5	8	8	7	6	5	7	3	3	3	1			1
5. Hydrocephalus.....	M. 1		1				1																				
F. 1						1	1																				
6. Cancer.....	M. 19								1		1			2			2	3	1	3	5	1					
F. 21											1	1		2	1	1	5	4	1	2	2	1					
7. Tumor.....	M. 2	1					1											1									
F. 3									1										1								
8. Anæmia.....	M. 1						1																				
F. 1		1					1																				
9. Dropsy.....	M. 23							1	1		1	1	1		1	1	1	3	1	4	4	2		1			
F. 35			2	1	1		4	1		1				2	2	1	3	2	5	4	3	5	1	1			
10. Glycosuria.....	M. 3								1							1				1							
F. 1																											
11. Others of this group.....	M. 1																	1									
F. 2			2				2																				
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	240	101	20	9	2		132	13	7	5	7	7	4	3	2	3	2	7	8	10	12	9	3	2	3	1	
Males.....	138	56	11	8			75	8	4		3	4	2	1		3	1	3	7	9	6	6	2	2	2		
Females.....	102	45	9	1	2		57	5	3	5	4	3	2	2	2		1	4	1	1	6	3	1		1		
1. Inflammation of the brain.....	M. 19	7	1	3			11	3	1		1					1			1		1						
F. 16	3	2					5	2		2	1	3		1	1			1									
2. Meningitis.....	M. 5	3	2				5																				
F. 8	4		1	1			6	1	1																		
3. Apoplexy.....	M. 19									1						1	1	1	3	4	4	2	1		1		
F. 11	1						1		1			2	1	1						1	2	1			1		
4. Paralysis.....	M. 19							2			1	1						2	3	3	1	3		2	1		
F. 16	2						2		1	1							1	2	1		4	2	1		1		
5. Tetanus and trismus nascentium.....	M. 2	1					1							1													
F. 1																											
6. Epilepsy.....	M. 3	1	1				2				1																
F. 51	37	7	3				47	1	1		1					1											
7. Convulsions.....	M. 40	33	5		1		39																				
F. 1																											
8. Mental diseases.....	M. 17	7	1	2			10	1			1	1								2		1	1				
F. 6	1	1	1				2	2	1	1																	
9. Diseases of the brain.....	M. 5	1					1		2			1	1														
F. 1																											
10. Diseases of the spinal cord.....	M. 1																										
F. 1																											
11. Others of this group.....	M. 1							1																			
F. 1																											
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	89	2	1	1	1		5	3	3	7	3	3	1	5	4	7	10	5	10	8	4	6	3	1		1	
Males.....	42	1		1	1		3	1	2	3		1		1	1	4	6	2	7	3	2	4	1	1			
Females.....	47	1	1				2	2	1	4	3	2	1	4	3	3	4	3	3	5	2	2	2		1		
1. Angina pectoris.....	M. 2															1						1					
F. 1																											
2. Aneurism.....	M. 1																										
F. 1																											
3. Diseases of the heart.....	M. 39			1	1		2	1	2	3		1		1	1	3	6	2	7	3	2	3	1	1			
F. 46		1					1	2	1	4	3	2	1	4	3	3	4	3	3	5	2	2	2		1		
4. Others of this group.....	M. 1	1					1																				
F. 1	1						1																				
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	231	31	15	11	7	7	71	24	10	12	8	4	5	5	6	9	10	6	21	8	16	12	1	1	2		
Males.....	146	14	5	5	3	3	30	20	4	8	8	3	3	2	5	7	8	6	14	6	11	7	1	1	2		
Females.....	85	17	10	6	4	4	41	4	6	4		1	2	3	1	2	2		7	2	5	5					
1. Croup.....	M. 33	6	3	2	2	3	16	16											1								
F. 29	9	6	2	4	2		23	2	3																		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
WISCONSIN—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	129	35	9	4		2	50	1	1	5	4	6	1	4	4	5	6	7	7	10	12	5	1				
Males.....	78	18	7	3		1	29	1		1	4	5	1	3	2	4	3	3	4	7	6	4	1				
Females	51	17	2	1		1	21		1	4		1		1	2	1	3	4	3	3	6	1					
1. Dentition	{ M. F.	7 6	4 5	2 1	1		7 6																				
2. Angina	{ M. F.	2	1	 1			2																				
3. Gastritis	{ M. F.	3 2	 1				 1					2									1						
4. Other diseases of the stomach.....	{ M. F.	6 4		 1			 1							2 1			1			1 1		1 1					
5. Obstruction of the bowels.....	{ M. F.	3 2	1			1	2								1												
6. Hernia	{ M. F.	1 6																			1 2						
7. Other diseases of the bowels.....	{ M. F.	8 4	1 1	3			4 1				1		1		1							2					
8. Jaundice	{ M. F.	2 2	1				1					1															
9. Inflammation and abscess of the liver.....	{ M. F.	5 1														1		1	1								
10. Other diseases of the liver.....	{ M. F.	10 3										1		1		1				2	3 1	1 1					
11. Peritonitis	{ M. F.	10 4		1			1	1		1 3		1 1				1 1			1		1						
12. Ascites	{ M. F.	2 1																	1								
13. Others of this group	{ M. F.	19 16	10 10	2 1			12 12								1	1 1	1 1	2		1 1							
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	36					2	2	1			1	1		2	1	2	2	2	1	5	8	5	2				1
Males.....	27					2	2					1		2	1	1	1	2	1	5	5	4	2				
Females	9							1			1					1	1				3	1					
1. Bright's disease.....	{ M. F.	9 2										1		2	1				1	1	1	2 1					
2. Calculus, urinary	{ M. F.																										
3. Diseases of the kidney.....	{ M. F.	11 3				1	1									1	1	1		1	3 1	2	1				
4. Diseases of the bladder	{ M. F.	5 2				1	1													2		1 1					
5. Others of this group	{ M. F.	2 2															1			1							
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	8										1		1	3	1	1			1								
1. Ovarian tumors	F.	2													1				1								
2. Ovarian diseases	F.																										
3. Uterine tumors	F.																										
4. Uterine diseases	F.	3									1		1	1													
5. Others of this group	F.	3												2		1											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	43									2	8	8	9	10	4	2											
1. Abortion	F.																										
2. Child-birth	F.	43								2	8	8	9	10	4	2											
3. Others of this group	F.																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	3																1						2				
Males.....	1																										
Females	2																1						2				
1. Diseases of the spine	{ M. F.	1																									
2. Diseases of the bones	{ M. F.																										
3. Diseases of the hip-joint.....	{ M. F.	 2																									
4. Others of this group	{ M. F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WISCONSIN—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
GRAND TOTAL	2057	431	141	98	68	52	790	153	81	102	84	70	55	61	64	68	72	79	83	70	71	74	42	24	5	5	4	
Total: Males.....	1145	257	69	59	39	30	454	80	38	47	50	32	28	29	30	43	33	41	60	44	39	48	25	16	4	2	2	
Females.....	912	174	72	39	29	22	336	73	43	55	34	38	27	32	34	25	39	38	23	26	32	26	17	8	1	3	2	
Unknown causes.																												
Total.....	158	74	9	3	7	1	94	8	5	5	4	2	3	1	5	5	1	2	7	1	4	5	5	1				
Males.....	90	48	4	2	4		58	5	2	3	2		1		2	2	1	2	3	1	2	2	3	1				
Females.....	68	26	5	1	3	1	36	3	3	2	2	2	2	1	3	3			4		2	3	2					
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total.....	641	132	79	56	36	34	337	100	47	30	20	15	8	9	8	10	9	15	11	7	4	4	3			2	2	
Males.....	335	77	35	36	21	19	188	53	19	15	10	5	2	3	3	7	4	8	7	3	2	2	2			1	1	
Females.....	306	55	44	20	15	15	149	47	28	15	10	10	6	6	5	3	5	7	4	4	2	2	1			1	1	
1. Small-pox.....	M. 4	1	1	1			3	1																				
F. 7	1	2			1		4		1					1					1									
2. Measles.....	M. 12	2	4		1	1	8	1	2																		1	
F. 11	1	3	2		1	1	7	4																				
3. Scarlet fever.....	M. 124	11	12	16	12	14	65	38	14	5	1							1										
F. 111	8	9	8	13	9		47	36	22	3	1			1													1	
4. Diphtheria.....	M. 6	5					5	1																				
F. 8	6	1	1				8																					
5. Hooping-cough.....	M. 1																	1										
F. 2	1	1					2			1																		
6. Fever.....	M. 34	1		1	2		4	1	2	5	6	4	1	3		2	1		3	1	1							
F. 40			2				2	4	2	9	5	5	1		3	2	4	2				1						
7. Cerebro-spinal fever.....	M. 20	10	4	2	1		17	1							1				1									
F. 17	9	6	1				16											1										
8. Enteric fever.....	M. 48	15	7	11	1	4	38	6						1	1	1		2	1									
F. 29	2	9	5		2		18	3	1									1	1				1			1		
9. Diarrhoea.....	M. 23	7	2	2	1		12	1		2	2					1	1	1	1		1	1						
F. 14	3	3		2	1		9		1		1		1					2										
10. Dysentery.....	M. 27	19	4	3	1		27												1		1	1						
F. 25	17	8					25																					
11. Enteritis.....	M. 21	2			1		3	3		2	1	1			2	1	1	2		2		1	1					
F. 16	1	2				1	4			2	3						1	1	1	3	1							
12. Cholera morbus.....	M. 8	2	1		1		4		1							1	1						1					
F. 5	4			1			5																					
13. Cholera infantum.....	M. 27	19	4	3	1		27												1		1	1						
F. 25	17	8					25																					
14. Malarial fever.....	M. 21	2			1		3	3		2	1	1			2	1	1	2		2		1	1					
F. 16	1	2				1	4			2	3						1	1	1	3	1							
15. Erysipelas.....	M. 8	2	1		1		4		1							1	1											
F. 5	4			1			5																					
16. Septicæmia.....	M. 1															1												
F. 13										1		5	1	5	1													
17. Puerperal septicæmia.....	M. 4	1					1											1	1									
F. 3	2						2											1										
18. Venereal diseases.....	M. 4	1					1																					
F. 3	2						2											1										
19. Others of this group.....	M. 4	1					1											1	1									
F. 3	2						2											1										
General diseases—B.																												
Total.....	19	8	3	2			13					1		2					1	1	1							
Males.....	13	6	1				7					1		2					1	1	1							
Females.....	6	2	2	2			6																					
1. Worms.....	M. 2	1	1				2																					
F. 1			1				1																					
2. Other parasitic diseases.....	M. 4														1				1	1	1							
F. 1																												
3. Alcoholism.....	M. 1																											
F. 1																												
4. Lead poison.....	M. 1																											
F. 3			1	2			3																					
5. Other poisons.....	M. 6	5					5								1													
F. 2	2	2					2																					
General diseases—C.																												
Total.....	135	64			1		65								1			1	1	2	5	10	14	14	14	5	3	
Males.....	77	36			1		37								1			1	1	2	5	8	8	9	4	1		
Females.....	58	28					28										1		1	3	5	6	6	5	1	2		
1. Premature birth.....	M. 1	1					1																					
F. 3		3					3																					
2. Stillborn.....	M. 27	27					27																					
F. 18	18	18					18																					
3. Malformation.....	M. 15	8			1		9								1					1	1	1	2					
F. 12	7						7										1			2	5	6	6	2	1	2		
4. Debility.....	M. 34																	1	1	1	4	7	6	9	4	1		
F. 25																			1	2	5	6	6	2	1	2		
5. Old age.....	M. 1																											
F. 1																												
6. Atrophy.....	M. 1																											
F. 1																												

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WISCONSIN—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	309	11	5	4	1		21	6	4	27	21	24	16	21	19	27	26	21	20	16	17	16	5	1			1
Males.....	160	7	2	3	1		13	3	1	5	13	8	8	12	8	17	12	7	14	12	12	12	2	1			
Females.....	149	4	3	1			8	3	3	22	8	16	8	9	11	10	14	14	6	4	5	4	3				1
1. Rheumatism.....	M. 3							1				1								1							
F. 5										1						1	2				1						
2. Scrofula and tabes.....	M. 6	4	1				5	1																			
F. 3	1						1					1		1													
3. Leprosy.....	M. 1																										
F. 1																											
4. Consumption.....	M. 95			2	1		3			4	12	6	8	11	7	9	9	3	6	4	4	7	1	1			
F. 94	1	1	1				3	1	2	21	7	14	8	6	8	4	4	5	2	1	2	3	2			1	
5. Hydrocephalus.....	M. 3	1	2				3																				
F. 3							1																				
6. Cancer.....	M. 22	1					1		1					1		5	3	2	5	2	2						
F. 20								1				1		1	2	4	3	5	2	1							
7. Tumor.....	M. 2	1					1													1							
F. 3																	2	1									
8. Anæmia.....	M. 1																										
F. 1																											
9. Dropsy.....	M. 28	1	1	1			3				1	1			1	3		1	3	4	6	4	1				
F. 16								1	1		1			1	1	1	2	2	2	1	1	1	1				
10. Glycosuria.....	M. 4							1		1								1									
F. 3																				1	1						
11. Others of this group.....	M. 1	1					1																				
F. 1																											
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	161	46	12	5	2	2	67	6	5	3	4	5	2	2	8	3	4	8	11	7	10	6	6	4			
Males.....	93	26	7	4	1	1	39	2	3	2	4	3	2	1	4	2	1	7	9	3	2	4	3	2			
Females.....	68	20	5	1	1	1	28	4	2	1		2		1	4	1	3	1	2	4	8	2	3	2			
1. Inflammation of the brain.....	M. 19	8	2		1		11	2	2		1	1			1				1								
F. 11	5	1			1	1	8	1	1						1												
2. Meningitis.....	M. 6	1		2			3			1								1		1							
F. 1			1				1																				
3. Apoplexy.....	M. 12	1					1				1		1		2			2	3			1	1				
F. 5																	1				3						
4. Paralysis.....	M. 19					1	1				1					2	1	4	1	2	1	3	1	2			
F. 22	1						1								2	1	1	1	1	4	4	2	3	2			
5. Tetanus and trismus nascentium.....	M. 3	2	1				3																				
F. 1																											
6. Epilepsy.....	M. 4	1					1	1	1												1						
F. 14	11	1	1	2			14																				
7. Convulsions.....	M. 15	11	1	1			13	1							1												
F. 3										1		1							1								
8. Mental diseases.....	M. 9	2					2		1			1	1	1					3		1						
F. 6		1					3					1		1			1										
9. Diseases of the brain.....	M. 6	1	3				4				1																
F. 1		1					1																				
10. Diseases of the spinal cord.....	M. 1																										
F. 1																											
11. Others of this group.....	M. 1											1															
F. 3								1		1		1															
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	64	2		1	2		5	4	4	3	1	3		1	5	3	6	4	5	9	8	3					
Males.....	39	2		1	2		5	4	2	1	1	2		3	3	3		5	4	4	2						
Females.....	25								2	2		1		1	2		3	4		5	4	1					
1. Angina pectoris.....	M. 1																										
F. 1																											
2. Aneurism.....	M. 37	1		1	2		4	4	2	1	1	2		3	3	3		5	3	4	2						
F. 25									2	2		1		1	2		3	4		5	4	1					
3. Diseases of the heart.....	M. 1	1					1																				
F. 1																											
4. Others of this group.....	M. 1																										
F. 1																										</	

WISCONSIN—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	110	25	5	4	3	3	40	1	4	5	5	8	7	2	3	7	3	2	5	7	5	4	1	1			
Males	70	14	2	2	2	2	22	1	3		5	7	5	1	2	6	2	1	3	5	3	3	1				
Females	40	11	3	2	1	1	18		1	5		1	2	1	1	1	1	1	2	2	2	1		1			
1. Dentition	M. 2 F. 7		1	1			2																				
2. Angina	M. 1 F. 4	1					1																				
3. Gastritis	M. 2 F. 4			1			1			2						1		1									
4. Other diseases of the stomach.....	M. 3 F. 2					1	1					1			1						2						
5. Obstruction of the bowels.....	M. 4 F. 1			1			1		1			1									1						
6. Hernia	M. 4 F. 1						1				1		1							1		1					
7. Other diseases of the bowels	M. 6 F. 1	2					2				1		1				1		1								
8. Jaundice	M. 1 F. 1						1														1						
9. Inflammation and abscess of the liver.....	M. 4 F. 1						1							1		1	1		1								
10. Other diseases of the liver	M. 20 F. 5	2		1			2		2		2	3	2		1	2			1	3	1	1					
11. Peritonitis	M. 5 F. 4					1	1	1			1	1		1	1							1					
12. Ascites	M. 3 F. 1											1		1	1												
13. Others of this group	M. 15 F. 10	9	1		2		12					1							1	2	1		1				
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	24									1				2	3		1	4	6	1	4	2					
Males	20									1				1	2			4	6	1	4	1					
Females	4													1	1		1				1						
1. Bright's disease.....	M. 7 F. 1									1								2	2	1	1						
2. Calculus, urinary	M. 1 F. 1													1													
3. Diseases of the kidney	M. 8 F. 3													1				2	2		2	1					
4. Diseases of the bladder	M. 2 F. 1														1				1								
5. Others of this group	M. 3 F. 1														1				1		1						
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	8										2	1	1		1	1		1				1					
1. Ovarian tumors	F. 1														1												
2. Ovarian diseases	F. 1																										
3. Uterine tumors	F. 2										1											1					
4. Uterine diseases.....	F. 3										1	1				1											
5. Others of this group.....	F. 2												1					1									
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	19									1	5	3	4	5	1												
1. Abortion	F. 3										1			2													
2. Child-birth	F. 15									1	3	3	4	3	1												
3. Others of this group.....	F. 1										1																
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	4									1				1					1				1				
Males	3									1									1				1				
Females.....	1													1													
1. Diseases of the spine.....	M. 1 F. 1																		1								
2. Diseases of the bones	M. 1 F. 1																										
3. Diseases of the hip-joint	M. 1 F. 1																						1				
4. Others of this group	M. 1 F. 1									1																	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
WISCONSIN—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	6	1					1	1		1						1	1					1					
Males.....	4	1					1	1		1												1					
Females.....	2															1	1										
1. Abscess.....	2							1		1																	
2. Carbuncle.....	1																1										
3. Others of this group.....	2	1					1															1					
	1															1											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	3	1					1										1						1				
Males.....	1																						1				
Females.....	2	1					1										1										
1. Addison's disease.....																											
2. Diseases of the spleen.....	1																						1				
3. Others of this group.....	1	1					1																				
	1																1										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	112	6	4	5	3	1	19	7	6	16	12	3	10	7	4	4	6	5	2	3	1	6					1
Males.....	79	3	4	4	1	1	13	3	5	14	9	3	7	3	3	2	4	4	1	2		5					1
Females.....	33	3		1	2		6	4	1	2	3		3	4	1	2	2	1	1	1	1	1					
1. Burns and scalds.....	4			2			2			1						1											
2. Drowned.....	20		3	1	1		5	1	1	1	2	2	1	1	1		1	1									
3. Exposure and neglect.....	5						1			1	2							1									
4. Gunshot wounds.....	1		1				1																				
5. Homicide.....	2				1		1			2	1	2		1	1		1										
6. Infanticide.....	1																					1					
7. Injuries by machinery.....	1																										
8. Railroad accidents.....	1									1																	
9. Suffocation.....	4	1		1		1	3		1										1								
10. Suicide by shooting.....	1	1					1																				
11. Suicide by drowning.....	1																										
12. Suicide by poison.....	1												1														1
13. Other suicides.....	4																1			2		1					
14. Sunstroke.....	1									1										1							
15. Surgical operations.....	1													1				1									
16. Wounds.....	1									1																	
17. Other accidents and injuries.....	31	2					2	1		6	5	1	5	1	1	1	1	2	1		1	4					
	11				1		1	2		1		1	2		2	2	1										

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WISCONSIN—GROUP 3.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	6648	1170	339	240	177	139	2065	439	246	268	365	240	194	181	164	174	259	278	325	375	351	302	233	96	37	16	40
Total: Males.....	3515	673	174	131	92	67	1137	233	124	128	173	98	88	74	72	84	136	161	194	217	196	169	129	55	17	5	25
Females	3133	497	165	109	85	72	928	206	122	140	192	142	106	107	92	90	123	117	131	158	155	133	104	41	20	11	15
Unknown causes.																											
Total.....	291	162	11	6	6	5	190	6	4	4	5	4	1	3	2	3	7	14	6	9	12	12	5	1			3
Males.....	162	98	8	4	2	3	115	3	1	2	2	2	1	2	1	2	4	8	1	5	6	4		1			2
Females	129	64	3	2	4	2	75	3	3	2	3	2		1	1	1	3	6	5	4	6	8	5				1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	1724	349	165	130	106	87	837	294	148	89	60	37	29	22	22	19	29	23	26	31	24	11	18	8	1	1	5
Males.....	876	184	79	68	56	45	432	147	65	45	37	11	11	6	6	8	14	14	16	20	14	8	13	4	1	1	3
Females	858	165	86	62	50	42	405	147	83	44	23	26	18	16	16	11	15	9	10	11	10	3	5	4			2
1. Small-pox	M. 2										1	1															
	F. 1												1														
2. Measles	M. 10		3	1	3	1	8	1		1																	
	F. 19	6	5	1	2		14	1		3			1														
3. Scarlet fever	M. 67	4	13	7	7	5	36	18	9	3				1													
	F. 77	6	8	14	13	4	45	20	10	1					1												
4. Diphtheria	M. 325	26	29	41	39	33	168	103	36	7	5	1	1		1						3						
	F. 332	16	28	28	29	36	137	107	56	18	5	3	2	1			1		1								1
5. Hooping-cough	M. 27	15	7	3	1		26		1																		
	F. 37	21	9	1	1		32	4	1																		
6. Fever	M. 9	4		1			5	1			1					1				1							
	F. 5	1					1		1						1		1	1									
7. Cerebro-spinal fever	M. 7					1	1	1	2	1			1					1									
	F. 8		2	1			3	3				1					1		3	2	1	1					
8. Enteric fever	M. 82	2	1		2	1	6	7	13	17	15	5	3		1	6	2		3	1	5	2	1				
	F. 82		1	3	1	2	7	7	8	11	8	8	3	1	4	7	5		3	1	5	2	1		1		
9. Diarrhœa	M. 49	29	3	1			33						1	1	1				3	1	2	2	1	3			1
	F. 38	24	3	2			29		1	1			1	1				1		1	1	1		1			
10. Dysentery	M. 29	7	7	1	2	1	18	1	1				1		1				1	1	1	1	2		1		1
	F. 43	19	9	3	1		32	2						1	1	1	1	1	1	1	1	1	1	1			
11. Enteritis	M. 90	18	6	7	1		32	11	1	9	6	2	1	1	2	1	2	4	7	3	2	2	2	1			1
	F. 44	11	7	3	2		23			3	3			1	3	1	2	3	1	2	1	2	1	1			
12. Cholera morbus	M. 22	3			1		4						2				3	1	1	7		2	1	1			
	F. 11	4	1				5							1	1		2			2		2					
13. Cholera infantum	M. 76	64	9	2		1	76																				
	F. 65	47	12	5	1		65																				
14. Malarial fever	M. 34	3		3		2	8	1	1	4	3	1		1			5	2	1	1	3	1					
	F. 30	6		1			7	1	4	3		4		2		1		1	1	2	1		2				1
15. Erysipelas	M. 17	7					7			2	1						2	2	1	1			1				
	F. 15	2	1				3		1	1			2	1	2		1	2	1	1							
16. Septicæmia	M. 8							2			2	1	1	1						1							
	F. 7							1	1	1		1	1				1	1									
17. Puerperal septicæmia	M. 34									2	7	8	7	6	4												
	F. 3	2					2																				1
18. Venereal diseases	M. 5	1					1						1			1		1	1								
	F. 5	1					1																				
19. Others of this group	M. 19		1	1			2	1	1	1	3			1				1	1	2	2		2	2			
	F. 5	1					1	1																			
General diseases—B.																											
Total.....	43	14	4				18	2	2		1	1	1	4		2	3		2	3	1	1	1				
Males.....	27	7	2				9	1	1		1	1	1	2		2	2		2	3		1	1				
Females	15	7	2				9	1	1					2			1				1						
1. Worms.....	M. 1		1				1																				
	F. 1		1				1																				
2. Other parasitic diseases.....	M. 11										1	1	1	2		1	1		2	1		1					
	F. 1																				1						
3. Alcoholism	M. 9	2					2	1	1							1	1										
	F. 7	1	1				2	1	1					2			1										
4. Lead poison	M. 6	5	1				6																				
	F. 6	6					6																				
General diseases—C.																											
Total.....	517	186		1	2		189				1		2	1	1	5	3	1	9	15	45	66	92	46	28	12	1
Males.....	279	117		1			118					1				2	3	1	5	5	30	32	42	24	13	3	
Females	238	69			2		71				1		1	1	1	3			4	10	15	34	50	18	14	9	1
1. Premature birth	M. 16	16					16																				
	F. 11	11					11																				
2. Stillborn	M. 82	82					82																				
	F. 42	42					42																				
3. Malformation	M. 5	5					5																				
	F. 8	7			1		8																				
4. Debility	M. 48	12		1			13					1				2	3	1	5	4	9	6	3	1			
	F. 32	9			1		10				1		1	1	1	3		2	4	2	1	1	4	1			
5. Old age	M. 126																			1	21	26	39	23	18	3	
	F. 145																		2	6	13	33	49	18	14	9	1
6. Atrophy	M. 2	2					2																				
	F. 2																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
WISCONSIN—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	1266	31	16	11	2	4	64	14	25	73	162	98	69	67	66	66	92	90	95	100	77	54	31	6	1	2	14
Males.....	570	19	7	7	2	1	36	8	13	21	59	35	34	26	23	27	43	50	52	56	34	24	19	4	1	2	6
Females.....	696	12	9	4	1	3	28	6	12	52	103	63	35	41	43	39	49	40	43	44	43	30	12	2	1	2	8
1. Rheumatism.....	M. 30							1	7	3	2	2					3	3	1	3	1	1	2				1
F. 21									2		2	3		2	1	1	1	2	4	2		1					
2. Scrofula and tabes.....	M. 12	3	2				5	1			1						1		1	2	1	1					
F. 8	1					1	2			1				2							3						
3. Leprosy.....	M. 336						9																				
F. 456	8						12																				
4. Consumption.....	M. 15	6	1	2			12																				
F. 11	2	6	2				10																				
5. Hydrocephalus.....	M. 90	1					1				1		3	2	5	7	9	16	12	17	7	5	3	1			1
F. 107						1	1			1	2	2	1	3	8	10	15	14	18	10	7	8	5			2	
6. Cancer.....	M. 8			1	1		2										2			1	1	1					
F. 16									1							3	4	1	2	3							
7. Tumor.....	M. 2												1										1				
F. 5	1	1				1	3																				
8. Anæmia.....	M. 55	2		1	1	1	5	4		1					2	1	3	2	12	7	6	8	2	2			
F. 66									1	1	2	1			4	4	2	5	8	3	8	11	8	5	1		1
9. Dropsy.....	M. 20			1			1			2		2	1	1	1	2		2	1	1	3		3				
F. 6								1	1								1		1								1
10. Glycosuria.....	M. 2	1					1											1									
F. 2																											
11. Others of this group.....	M. 2																										
F. 2																											
12. Others of this class.....	M. 2																										
F. 2																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	694	177	48	18	14	9	266	26	14	15	18	20	18	17	9	16	24	31	36	46	45	48	25	12	5	3	3
Males.....	353	100	27	5	8	2	142	11	8	6	8	5	12	7	4	7	13	15	20	24	21	28	10	7	2		3
Females.....	341	77	21	13	6	7	124	15	6	9	10	15	6	10	5	9	11	16	16	22	24	20	15	5	3		
1. Inflammation of the brain.....	M. 33	10	5	1	2	1	19	1	2	2	2	1	2					1	2	1							
F. 46	6	9	4	3	3		25	6			2		3	2	1	2	1	2		1	1						
2. Meningitis.....	M. 19	4	4	1			9	2	1	1	1		1	2													
F. 17	3	3	2			1	9	2	1	2		3															
3. Apoplexy.....	M. 44	1	1				2	1				2	1		1	3	5	5	4	7	7	3	2				
F. 42			1				1		1		3		1	2	2	1	1	5	7	5	6	3	1				
4. Paralysis.....	M. 77		2	1	1		4						1	2	1	2	5	4	9	11	12	13	7	3	2		1
F. 85				1			1		1	1		2			1	3	4	7	7	11	17	15	9	4	2		
5. Tetanus and trismus nascentium.....	M. 3	2					2																				
F. 2	1						1																				
6. Epilepsy.....	M. 11	2			1		3		1	1	2	1	2								1						
F. 10	3		1				4					4		1	1												
7. Convulsions.....	M. 93	69	11	2	1		83	3				3	1									2					1
F. 75	56	6	2	1	1		66	2	1	1		3	1	1													
8. Mental diseases.....	M. 6									2	1	1							1								
F. 8											2			1		1		2				1	1				
9. Diseases of the brain.....	M. 42	8	2		1	1	12	3	2					1	1	1	4	3	1	7		4		2			
F. 25	5	1	2	1	1		10	1		2	1	1			1	2		1	2		1	2		1			
10. Diseases of the spinal cord.....	M. 25	4	2		2		8	1	2		2		2	1		1	1	2	2	1		2					
F. 31	3	2		1	1		7	4	2	3	2	2	1	2		1	3		1	3							
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	325	18	1	1	1	2	23	2	12	9	17	11	7	15	8	9	22	37	37	33	39	25	8	7			4
Males.....	179	13		1		1	15	2	8	4	7	7	1	7	6	4	11	18	24	19	18	14	6	6			2
Females.....	146	5	1		1	1	8		4	5	10	4	6	8	2	5	11	19	13	14	21	11	2	1			2
1. Angina pectoris.....	M. 3										2					1			1				1				
F. 5																											
2. Aneurism.....	M. 1																			1							
F. 1																											
3. Diseases of the heart.....	M. 167	6		1		1	8	2	8	4	7	7	1	7	6	3	11	17	23	18	18	14	5	6			2
F. 139</																											

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
WISCONSIN—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	330	73	18	8	2	3	104	4	4	7	9	9	10	8	5	8	19	26	21	33	24	18	14	5			2
Males.....	180	48	11	5		2	66	2	2	4	3	6	3	3	2	3	8	14	11	19	11	11	10				2
Females.....	150	25	7	3	2	1	38	2	2	3	6	3	7	5	3	5	11	12	10	14	13	7	4	5			
1. Dentition.....	M. 16 F. 14	8 8	7 6				15 14																				1
2. Angina.....	M. 2 F. 1								1									1				1					
3. Gastritis.....	M. 14 F. 6			3			3						1					2	1	2	3		1				1
4. Other diseases of the stomach.....	M. 18 F. 22	3 3		1		1	4 4		1	1	1	1	1			1		1	1	2	1	2	2	1	2		
5. Obstruction of the bowels.....	M. 8 F. 5	1 1					1 1			1			1			1				2	1	1	1				
6. Hernia.....	M. 10 F. 10	2 2	1				3 2						1	1		1		1	1	1	2	1	2				
7. Other diseases of the bowels.....	M. 11 F. 9	1 1					1 1	1		1					1		2		1		3	1	1				
8. Jaundice.....	M. 6 F. 5	2 1		1			2 2										1	2	1	1		1					
9. Inflammation and abscess of the liver.....	M. 8 F. 10								1						1		1	1	2	1	1	1	1				
10. Other diseases of the liver.....	M. 29 F. 19	1 1		1		1	3 3			1		2	2	2	1	1	1	5	4	6	2	2		3			
11. Peritonitis.....	M. 13 F. 17		3				3 2		1		3	1	3	2	1	1	3	1		2	2						
12. Ascites.....	M. 3 F. 13	1 1					1 1	1								2				5	1	1	1				
13. Others of this group.....	M. 42 F. 19	29 8		1		1	30 11				1				1		1		2	2	1	1	4		1		
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	113	3					3	2	1	4	3	2	3	3	6	4	6	7	10	17	14	12	11	3	1		1
Males.....	101	2					2	2	1	4	3	1	2	2	5	3	5	7	10	15	13	11	10	3	1		1
Females.....	12	1					1					1	1	1	1	1	1		2	2	1	1	1				
1. Bright's disease.....	M. 29 F. 6									2	1	1	1	1	2		3	4	2	5	4	1			1		1
2. Calculus, urinary.....	M. 20 F. 1								1				1	1	1		1	1	2	3	3	2	1	4	1		
3. Diseases of the kidney.....	M. 29 F. 5	2 1					2 1	2		2	2		1		2	2		1	3	3	1	5	2	1			
4. Diseases of the bladder.....	M. 15 F. 8																		1	1	6	2	4	1			
5. Others of this group.....	M. 8 F. 8													1			1		1	3		2					
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	30								1	1	4	1	1	3	4	4	6	2	1	1	1						
1. Ovarian tumors.....	F. 7										1	1					4	1									
2. Ovarian diseases.....	F. 4															1	1		1	1							
3. Uterine tumors.....	F. 2														2		3	1									
4. Uterine diseases.....	F. 17								1	1	3		1	3	2	3	1	1			1						
5. Others of this group.....	F. 17																										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	58									3	11	14	16	9	5												
1. Abortion.....	F. 5										2	2	1														
2. Child-birth.....	F. 49									3	7	11	14	9	5												
3. Others of this group.....	F. 4										2	1	1														
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	21	2					2	1	1	1	2	2	2		1			1	4	1	3						
Males.....	16	2					2		1	1		2	1		1			1	3	1	3						
Females.....	5							1			2		1						1								
1. Diseases of the spine.....	M. 4 F. 3	1 1					1 1			1		1							1								
2. Diseases of the bones.....	M. 9 F. 1								1			1	1		1			1	1	1	2						
3. Diseases of the hip-joint.....	M. 1 F. 2	1 1					1 1				1																
4. Others of this group.....	M. 2 F. 2																		1		1						

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
WISCONSIN—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	11	1					1			2	1		1		2				1		3						
Males.....	7	1					1				1				2						3						
Females.....	4									2			1						1								
1. Abscess.....	M. 7 F. 3	1					1				1				2						3						
2. Carbuncle.....	M. 1 F. 1																										
3. Others of this group.....	M. 1 F. 1																		1								
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1		1				1																				
Males.....	1		1				1																				
Females.....																											
1. Addison's disease.....	M. 1 F. 1																										
2. Diseases of the spleen.....	M. 1 F. 1		1				1																				
3. Others of this group.....	M. 1 F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	323	21	14	16	6	3	60	23	20	26	33	19	17	9	10	12	19	19	19	10	6	10	7	1	1	3	
Males.....	241	10	9	10	2		31	17	16	20	32	16	13	8	9	9	12	17	15	7	6	7	3			3	
Females.....	82	11	5	6	4	3	29	6	4	6	1	3	4	1	1	3	7	2	4	3		3	4	1			
1. Burns and scalds.....	M. 16 F. 23	2	2	4	1		9	1		1	1			1		2	1										
2. Drowned.....	M. 49 F. 9		3	4	2	2	11	3	2	1	1	2	1			1						1					
3. Exposure and neglect.....	M. 4 F. 5	2					2																				
4. Gunshot wounds.....	M. 9 F. 1								1	2	1	1		1	2			1				1					
5. Homicide.....	M. 2 F. 7							1				1															
6. Infanticide.....	M. 1 F. 1																										
7. Injuries by machinery.....	M. 3 F. 1										1		2														
8. Railroad accidents.....	M. 21 F. 2		1				1			6	9	2	1	2								2					
9. Suffocation.....	M. 9 F. 5	3	2				5											1	1		1					1	
10. Suicide by shooting.....	M. 4 F. 1											1				1	1					1					
11. Suicide by drowning.....	M. 1 F. 1																										
12. Suicide by poison.....	M. 2 F. 2									1								1									
13. Other suicides.....	M. 17 F. 5								1		1	1		1			6	1	4				1			1	
14. Sunstroke.....	M. 10 F. 3							1			3				2		2	1	1			1				1	
15. Surgical operations.....	M. 1 F. 3										1									2							
16. Wounds.....	M. 4 F. 1		1				1		1			1					1	1		1							
17. Other accidents and injuries.....	M. 90 F. 23	3	1	3			7	5	5	6	9	3	6	3	5	5	2	10	7	6	5	4	2		1		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
WISCONSIN—GROUP 4.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....*	2476	563	207	130	100	97	1097	232	129	101	118	80	76	76	67	61	71	65	67	51	66	54	23	13	4	7	18
Total: Males.....	1350	330	120	68	54	57	629	116	63	48	59	39	33	28	40	33	44	40	48	28	35	31	11	4	4	6	11
Females	1126	233	87	62	46	40	468	116	66	53	59	41	43	48	27	28	27	25	19	23	31	23	12	9		1	7
Unknown causes.																											
Total.....	151	83	8	3	1	3	98	4	2	3	1	2	3	1	3	5	2	2	2	1	7	5	3	1			6
Males.....	80	48	4	1	1	2	56	4	1				2		1	3	2	1	2		4	1					
Females	71	35	4	2		1	42		1	3	1	2	1	1	2	2		1		1	3	4	3	1			3
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	911	178	115	84	70	70	517	167	82	34	21	18	7	10	11	3	11	6	7	6	4	3	1	1			2
Males.....	468	105	63	43	34	38	283	81	33	15	9	8	4	3	9	1	6	4	3	5	1	1	1				1
Females	443	73	52	41	36	32	234	86	49	19	12	10	3	7	2	2	5	2	4	1	3	2		1			1
1. Small-pox.....	M. 1											1															
F. 1					1		1																				
2. Measles.....	M. 8	2	2			2	8																				
F. 8							4	1	1			1		1													
3. Scarlet fever.....	M. 87	9	13	18	10	10	60	22	5																		
F. 70	10	13	7	11	13		54	12	7	1			1	1													
4. Diphtheria.....	M. 179	21	16	18	18	23	96	52	23	5	2				1												
F. 191	13	13	20	16	16		78	67	36	7	2		1														
5. Hooping-cough.....	M. 14	12	2				14																				
F. 15	10	1	1	1			13	1													1						
6. Fever.....	M. 4		1			1	2								1												
F. 3	2						2										1										
7. Cerebro-spinal fever.....	M. 8	1	1			1	3	3	1								1										
F. 5			2	1			3	1		1																	
8. Enteric fever.....	M. 34	2	4				6	1	2	8	2	4	2	2	2			1		3			1				
F. 24					1	1	2	1	2	6	4	3		2	1		1	1	1								
9. Diarrhœa.....	M. 26	10	6	3	1		20	1	1				1			1	2										
F. 19	10	6	1	1			18	1																			
10. Dysentery.....	M. 18	9	5	1	1	1	17	1																			
F. 28	6	5	8	3	1		23				1						1			1	2						
11. Enteritis.....	M. 34	12	2		1		15	1	1	2	3	2	1	1	4				2	1		1					
F. 12		3					3	1	3	1	1	1		1		1			1								
12. Cholera morbus.....	M. 4	1					1										2		1								
F. 3	1						1						1														
13. Cholera infantum.....	M. 35	23	10	1	1		35																				
F. 26	14	9	2		1		26																				
14. Malarial fever.....	M. 8				1		1				2	1					1	2			1						
F. 10	3						3	1		1		2				1		1									
15. Erysipelas.....	M. 2	1					1											1									
F. 5	2						2																				
16. Septicæmia.....	M. 1																										
F. 6		1					1																				
17. Puerperal septicæmia.....	M. 9									2	3	2		2			1	1	1								
F. 9																											
18. Venereal diseases.....	M. 5	2	1		1		4								1												
F. 1												1															
19. Others of this group.....	M. 5	2	1		1		4																				
F. 1																											
General diseases—B.																											
Total.....	25	10	1	1	2	2	16	4			1						2	1	1								
Males.....	19	8			2	2	12	2			1						2	1	1								
Females	6	2	1	1			4	2																			
1. Worms.....	M. 6	4			1	1	6																				
F. 2		1					1	1																			
2. Other parasitic diseases.....	M. 1																										
F. 1																											
3. Alcoholism.....	M. 2										1						1										
F. 1																											
4. Lead poison.....	M. 1																										
F. 1																											
5. Other poisons.....	M. 6					1	1	2									1	1	1								
F. 2							1	1																			
6. Inanition.....	M. 5	4			1		5																				
F. 2	2						2																				
General diseases—C.																											
Total.....	156	97	1				98												3	3	8	18	8	8	2	7	1
Males.....	94	63	1				64												2		2	11	4	2	2	6	1
Females																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
WISCONSIN—GROUP 4—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	365	22	15	3	6	2	48	6	10	21	44	32	26	27	16	20	28	25	22	10	16	8	4				2
Males.....	180	10	13	1	3	1	28	3	4	6	15	14	10	11	9	10	13	14	17	8	11	5	1				1
Females.....	185	12	2	2	3	1	20	3	6	15	29	18	16	16	7	10	15	11	5	2	5	3	3				1
1. Rheumatism.....	M. F.	9 3				1	1		1			1			1		2	2	1		1						
2. Scrofula and tabes.....	M. F.	2 2		1			1							1													
3. Leprosy.....	M. F.																										
4. Consumption.....	M. F.	114 130	7 6	5 1	1 2	3 1	17 10	3 2	2 5	5 12	15 27	12 16	8 12	8 13	5 5	8 6	7 9	5 6	7 3	3 1	6 1	1 1	1 1				1
5. Hydrocephalus.....	M. F.	8 5	3 2	4 1		1	7 4														1						
6. Cancer.....	M. F.	19 22										1 1	1 1	2 2	1 1	2 2	1 4	3 1	5 1	2 1	1 4	2 2					
7. Tumor.....	M. F.	2 1												1					1								
8. Anæmia.....	M. F.	1 19								1			1														
9. Dropsy.....	M. F.	21 7	1	3			3 1			1	1	1	3	1	1	2	2	3	1	1		2	1				
10. Glycosuria.....	M. F.									1		1		1	1	1	1				1						
11. Others of this group.....	M. F.																										
12. Others of this class.....	M. F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	190	67	18	8	5	5	103	8	6	9	5	5	3	2	2	4	2	5	8	6	8	9	3	1			1
Males.....	109	36	11	4	3	4	58	3	5	6	3	5	2		1	2	1	3	5	5	3	4	2	1			
Females.....	81	31	7	4	2	1	45	5	1	3	2		1	2	1	2	1	2	3	1	5	5	1				1
1. Inflammation of the brain.....	M. F.	25 15	4 8	4 2	1 2	1	12 13	1	5	4		1						1	1								
2. Meningitis.....	M. F.	4 3	3 1				4																				
3. Apoplexy.....	M. F.	14 3			1		1				2	1				1			2	3	1	1	1	1			
4. Paralysis.....	M. F.	13 11						1				1	1		1		1		1	2	1	3	1				
5. Tetanus and trismus nascentium.....	M. F.															1			2		3	4					1
6. Epilepsy.....	M. F.	4 3	3		1		4			1	1				1												
7. Convulsions.....	M. F.	29 30	21 20	3	2	1	29 24		1	1	1					1		1			1						
8. Mental diseases.....	M. F.	2 1								1			1					1									
9. Diseases of the brain.....	M. F.	12 9	4 3	1 2		1	5 6	1		1	1	1				1		1	1		1						
10. Diseases of the spinal cord.....	M. F.	5 1	1	2			3 1		1	1			1		1			1									
11. Others of this group.....	M. F.	1 4			1		1	1				1										1	1				
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	69	6	1				7	3	3		5	1	4	2	7	6	5	5	7	4	6	3	1				
Males.....	39	5	1				6	2	2		2		2	1	6	2	4	1	3	3	3	2					
Females.....	30	1					1	1	1		3	1	2	1	1	4	1	4	4	1	3	1	1				
1. Angina pectoris.....	M. F.	1																			1						
2. Aneurism.....	M. F.																										
3. Diseases of the heart.....	M. F.	34 29	1	1			2	2	2		2		2	1	6	2	4	1	3	3	2	2					
4. Others of this group.....	M. F.	4 1	4				4																				
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	239	59	26	16	13	11	125	20	8	8	6	7	9	4	5	7	4	7	7	8	10	1		1	1		1
Males.....	138	34	12	10	9	7	72	8	5	6	4	2	6	2	4	5	3	5	6	2	4	1		1	1		1
Females.....	101	25	14	6	4	4	53	12	3	2	2	5	3	2	1	2	1	2	1	6	6						
1. Croup.....	M. F.	47 24	12 6	8 4	5 3	8 2	40 16	6 5	1 2																		
2. Laryngitis.....	M. F.								1																		
3. Bronchitis.....	M. F.	8 7	3 2	1 1		1	4 5					1		1						1	1						
4. Pneumonia.....	M. F.	61 52	16 12	3 7	2 3	1 1	22 25	1 5	3 1	6			6 3	2	1	3	5	3	4	1	1	2	1		1		1
5. Pleurisy.....	M. F.	3 3							1		1		1					1									
6. Asthma.....	M. F.	2 3																	2								
7. Others of this group.....	M. F.	17 11	3 5		3		6 7	1 1			3	1	1		1				3		1						

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
WISCONSIN—GROUP 4—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	99	28	9	1	1	1	39	9	2	1	2	3	4	6	5	4	8	3	3	3	2	1	1	1	1	3	
Males	55	14	6	1	1	1	21	3	2	1	2	3	4	6	5	4	8	3	3	3	2	1	1	1	1	3	
Females	44	14	3	1	1	1	18	6	1	1	1	3	3	3	4	1	2	1	2	1	1	1	1	1	1	3	
1. Dentition	M. 6	4	2				6																				
	F. 3	3					3																				
2. Angina	M. 2	1	1				2																				
	F. 4	1		1			2	2																			
3. Gastritis	M. 2								1																	1	
	F. 2																										
4. Other diseases of the stomach.....	M. 9	1	1				2	1		1				1	2		2			1						1	
	F. 8	1					1					2	1	2	2												
5. Obstruction of the bowels.....	M. 4																										
	F. 4																										
6. Hernia.....	M. 3		1				1				1						1	2		1							
	F. 3						2	1																			
7. Other diseases of the bowels.....	M. 1				1		1																				
	F. 3		2				2																				
8. Jaundice.....	M. 1																										
	F. 5	1					1							1				2		1						1	
9. Inflammation and abscess of the liver.....	M. 2																										
	F. 6														2	1	1							1			
10. Other diseases of the liver	M. 4								1		1				1	2	1	1	1					1			
	F. 4														1	1											
11. Peritonitis	M. 1																										
	F. 1																										
12. Ascites	M. 19	7	2				9	2						1		1	1	1		1	1	2					
	F. 10	8					8	1										1									
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	24			1		1	2	1		1	2	1	1		1		1	2	3	2	3	1	3				
Males	19			1			1	1			2	1	1				1	1	3	1	3	1	3				
Females	5					1	1			1					1			1		1							
1. Bright's disease.....	M. 8							1			1	1							2	1	1		1				
	F. 2					1	1													1							
2. Calculus, urinary	M. 2																				1		1				
	F. 2																										
3. Diseases of the kidney	M. 6			1			1				1						1	1	1		1						
	F. 2									1					1												
4. Diseases of the bladder	M. 3												1									1	1				
	F. 1																	1									
5. Others of this group	M. 1																										
	F. 1																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	13									1		1	1	1	2	1	3			2						1	
1. Ovarian tumors	F. 1																1										
2. Ovarian diseases	F. 1																			1							
3. Uterine tumors	F. 1																1										
4. Uterine diseases	F. 1										1																
5. Others of this group	F. 9											1	1	1	2	1	1			1						1	
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	45									3	9	3	10	13	6	1											
1. Abortion.....	F. 1														1												
2. Child-birth.....	F. 41									3	8	3	8	13	5	1											
3. Others of this group.....	F. 3										1		2														
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	6	2	1				3			2										1							
Males	3	1	1				2													1							
Females.....	3	1					1			2																	
1. Diseases of the spine.....	M. 3	1	1				2													1							
	F. 2	1					1			1																	
2. Diseases of the bones	M. 1																										
	F. 1																										
3. Diseases of the hip-joint	M. 1									1																	
	F. 1																										
4. Others of this group	M. 1																										
	F. 1																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WISCONSIN—GROUP 4—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	5	1	1				2							1								2					
Males.....	3	1	1				2															1					
Females.....	2													1								1					
1. Abscess.....	M. 1	1					1																				
	F. 2													1								1					
2. Carbuncle.....	M. 1																										
	F. 2		1				1															1					
3. Others of this group.....	M. 2																										
	F. 2																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1												1														
Males.....																											
Females.....	1												1														
1. Addison's disease.....	M. 1																										
	F. 1																										
2. Diseases of the spleen.....	M. 1																										
	F. 1																										
3. Others of this group.....	M. 1												1														
	F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	177	10	11	13	2	3	39	10	16	18	22	10	8	11	8	9	9	4	4	5	1	2					1
Males.....	143	5	7	8	1	3	24	9	11	14	21	9	6	10	7	9	9	4	4	2	1	2					1
Females.....	34	5	4	5	1		15	1	5	4	1	1	2	1	1				3								
1. Burns and scalds.....	M. 9		1	3	1	1	6		1						1					1							
	F. 11	1		3	1		5	1	3				1							1							
2. Drowned.....	M. 37		4	3		1	8	7	4	6	4	3	1			1		1	2								
	F. 6		1	1			2		2	1	1																
3. Exposure and neglect.....	M. 5	2					2		1										1								1
	F. 2		1				1																				
4. Gunshot wounds.....	M. 3									1	1			1													
	F. 4			1			1				1	1		1													
5. Homicide.....	M. 1																										
	F. 1																										
6. Infanticide.....	M. 5																										
	F. 6																										
7. Injuries by machinery.....	M. 5									2		1			1	1											
	F. 6									1	3					2											
8. Railroad accidents.....	M. 3	2	1				3																				
	F. 2	2					2																				
9. Suffocation.....	M. 1											1															
	F. 1																										
10. Suicide by shooting.....	M. 2																										
	F. 2																										
11. Suicide by drowning.....	M. 2																										
	F. 2																										
12. Suicide by poison.....	M. 2																										
	F. 2																										
13. Other suicides.....	M. 1																										
	F. 1																										
14. Sunstroke.....	M. 1							1																			
	F. 1																										
15. Surgical operations.....	M. 4	1					1	1			1				1												
	F. 4																										
16. Wounds.....	M. 61		1	1		1	3		5	4	10	3	5	8	4	4	7	3	1	1	1	2					
	F. 9	2	2	1			5			1		1		1						1							
17. Other accidents and injuries.....	M. 61		1	1		1	3		5	4	10	3	5	8	4	4	7	3	1	1	1	2					
	F. 9	2	2	1			5			1		1		1						1							

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
WYOMING—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	54	8	6	6	2		22	5	2	1	7	4	4	5		1		2				1					
Total: Males	34	6	2	5	1		14	1	1		3	3	4	4		1		2				1					
Females	20	2	4	1	1		8	4	1	1	4	1		1													
Unknown causes.																											
Total	1	1					1																				
Males	1	1					1																				
Females																											
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	29	4	2	6	2		14	5	1	1	4		1	1		1						1					
Males	16	3		5	1		9	1	1		1		1	1		1						1					
Females	13	1	2	1	1		5	4		1	3																
1. Small-pox	M.																										
F.																											
2. Measles	M.																										
F.	1									1																	
3. Scarlet fever	M.	9	2		5		7	1	1																		
F.	6	1		1	1		3	3																			
4. Diphtheria	M.																										
F.	2							1			1																
5. Hooping-cough	M.																										
F.																											
6. Fever	M.	2			1		1									1											
F.																											
7. Cerebro-spinal fever	M.																										
F.	1										1																
8. Enteric fever	M.																										
F.																											
9. Diarrhœa	M.																										
F.	1		1																								

STATISTICS OF MORTALITY.

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.
WYOMING—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	2		1				1											1									
Males.....	1																	1									
Females.....	1		1				1																				
1. Dentition.....	M.																										
	F.																										
2. Angina.....	M.																										
	F.																										
3. Gastritis.....	M.																										
	F.																										
4. Other diseases of the stomach.....	M.																										
	F.																										
5. Obstruction of the bowels.....	M.																										
	F.																										
6. Hernia.....	M.																										
	F.																										
7. Other diseases of the bowels.....	M.																										
	F.																										
8. Jaundice.....	M.																										
	F.																										
9. Inflammation and abscess of the liver.....	M.	1																1									
	F.																										
10. Other diseases of the liver.....	M.																										
	F.																										
11. Peritonitis.....	M.																										
	F.																										
12. Ascites.....	M.																										
	F.																										
13. Others of this group.....	M.																										
	F.	1	1				1																				
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	1																	1									
Males.....	1																	1									
Females.....																											
1. Bright's disease.....	M.	1																1									
	F.																										
2. Calculus, urinary.....	M.																										
	F.																										
3. Diseases of the kidneys.....	M.																										
	F.																										
4. Diseases of the bladder.....	M.																										
	F.																										
5. Others of this group.....	M.																										
	F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....																											
1. Ovarian tumors.....	F.																										
2. Ovarian diseases.....	F.																										
3. Uterine tumors.....	F.																										
4. Uterine diseases.....	F.																										
5. Others of this group.....	F.																										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	1										1																
1. Abortion.....	F.																										
2. Child-birth.....	F.	1									1																
3. Others of this group.....	F.																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....																											
Males.....																											
Females.....																											
1. Diseases of the spine.....	M.																										
	F.																										
2. Diseases of the bones.....	M.																										
	F.																										
3. Diseases of the hip-joint.....	M.																										
	F.																										
4. Others of this group.....	M.																										
	F.																										

WYOMING—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	135	28	13	10	12	5	68	10	3	1	4	11	7	13	5	2	2	3	3	1	1	1	1	1	1	1	1
Total: Males.....	85	14	7	4	4	2	31	3	2	1	4	11	6	13	4	1	2	3	1	1	1	1	1	1	1	1	
Females.....	50	14	6	6	8	3	37	7	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	
Unknown causes.																											
Total.....	2	2					2																				
Males.....	1	1					1																				
Females.....	1	1					1																				
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	54	9	10	10	8	3	40	7	2	1				2	2												
Males.....	23	3	6	4	3		16	2	1	1				2	1												
Females.....	31	6	4	6	5	3	24	5	1	1				1	1												
1. Small-pox.....	M.																										
	F.																										
2. Measles.....	M.																										
	F.	1			1		1																				
3. Scarlet fever.....	M.	9	2	3	1	2	8	1																			
	F.	13	1	2	3	3	11	1	1																		
4. Diphtheria.....	M.	8		3	2	1	6	1	1																		
	F.	8	1	1	1		4	4																			
5. Hooping-cough.....	M.																										
	F.																										
6. Fever.....	M.																										
	F.																										
7. Cerebro-spinal fever.....	M.	1			1		1																				
	F.	1				1	1																				
8. Enteric fever.....	M.	1																									
	F.	1			1		1																				
9. Diarrhœa.....	M.																										
	F.																										
10. Dysentery.....	M.																										
	F.																										
11. Enteritis.....	M.	1	1				1																				
	F.	1			1		1																				
12. Cholera morbus.....	M.																										
	F.																										
13. Cholera infantum.....	M.																										
	F.	2	1	1			2																				
14. Malarial fever.....	M.	1					1			1																	
	F.	2	1				1								1												
15. Erysipelas.....	M.	1													1												
	F.	2	2				2								1												
16. Septicæmia.....	M.	1												1													
	F.																										
17. Puerperal septicæmia.....	F.																										
18. Venereal diseases.....	M.																										
	F.																										
19. Others of this group.....	M.																										
	F.																										
General diseases—B.																											
Total.....	3													1		1										1	
Males.....	2													1													
Females.....	1															1										1	
1. Worms.....	M.																										
	F.																										
2. Other parasitic diseases.....	M.																										
	F.																										
3. Alcoholism.....	M.	2												1												1	
	F.	1														1											
4. Lead poison.....	M.																										
	F.																										
5. Other poisons.....	M.																										
	F.																										
6. Inanition.....	M.																										
	F.																										
General diseases—C.																											
Total.....	7	4					4								1					1		1					
Males.....	7	4					4								1					1		1					
Females.....																											
1. Premature birth.....	M.	2	2				2																				
	F.																										
2. Stillborn.....	M.																										
	F.																										
3. Malformation.....	M.	1	1				1																				
	F.																										
4. Debility.....	M.	4	1				1								1					1		1					
	F.																										
5. Old age.....	M.																										
	F.																										
6. Atrophy.....	M.																										
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WYOMING—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	6					1	1					1	2			1	1										
Males.....	6					1	1					1	2			1	1										
Females.....																											
1. Rheumatism.....	M.																										
	F.																										
2. Scrofula and tabes.....	M.																										
	F.																										
3. Leprosy.....	M.																										
	F.																										
4. Consumption.....	M.	2										1				1											
	F.																										
5. Hydrocephalus.....	M.																										
	F.																										
6. Cancer.....	M.	1											1														
	F.																										
7. Tumor.....	M.																										
	F.																										
8. Anæmia.....	M.																										
	F.																										
9. Dropsy.....	M.	1															1										
	F.																										
10. Glycosuria.....	M.	2				1	1						1														
	F.																										
11. Others of this group.....	M.																										
	F.																										
12. Others of this class.....	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	10	3	1		1		5	1				1		1				1	1								
Males.....	9	3	1				4	1				1		1				1	1								
Females.....	1				1		1																				
1. Inflammation of the brain.....	M.	1						1																			
	F.																										
2. Meningitis.....	M.	1		1			1																				
	F.	1				1	1																				
3. Apoplexy.....	M.	2																	1								
	F.																										
4. Paralysis.....	M.																										
	F.																										
5. Tetanus and trismus nascentium.....	M.																										
	F.																										
6. Epilepsy.....	M.																										
	F.																										
7. Convulsions.....	M.	2	2				2																				
	F.																										
8. Mental diseases.....	M.	1										1															
	F.																										
9. Diseases of the brain.....	M.	2	1				1											1									
	F.																										
10. Diseases of the spinal cord.....	M.																										
	F.																										
11. Others of this group.....	M.																										
	F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	5								1		1		1	2													
Males.....	5								1		1		1	2													
Females.....																											
1. Angina pectoris.....	M.																										
	F.																										
2. Aneurism.....	M.																										
	F.																										
3. Diseases of the heart.....	M.	5							1		1		1	2													
	F.																										
4. Others of this group.....	M.																										
	F.																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	17	7	1		2	1	11	1				2		1	1				1								
Males.....	7	2				1	3					2		1	1												
Females.....	10	5	1		2		8	1											1								
1. Croup.....	M.	1				1	1																				
	F.	4	2	1		1	4																				
2. Laryngitis.....	M.																										
	F.																										
3. Bronchitis.....	M.																										
	F.																										
4. Pneumonia.....	M.	6	2				2					2		1	1												
	F.	6	3			1	4	1											1								
5. Pleurisy.....	M.																										
	F.																										
6. Asthma.....	M.																										
	F.																										
7. Others of this group.....	M.																										
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WYOMING—GROUP 2—Continued.

[illegible]

WYOMING—GROUP 2—Continued.

[illegible]

TABLE VIII.

DEATHS IN FIFTY PRINCIPAL CITIES

(BY GRAND GROUPS),

WITH

DISTINCTION OF AGE AND SEX, AND SPECIFICATION OF CAUSE,

FOR THE

CENSUS YEAR ENDING MAY 31, 1880.

GRAND GROUP 1.—BOSTON, MASS.; CAMBRIDGE, MASS.; FALL RIVER, MASS.; LAWRENCE, MASS.; LOWELL, MASS.; LYNN, MASS.; NEW HAVEN, CONN.; PROVIDENCE, R. I.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	15972	4237	1148	598	463	347	6793	765	258	451	754	724	654	650	574	580	528	521	574	591	504	457	347	166	54	24	3
Total: Males.....	7897	2355	599	296	242	177	3669	347	117	190	326	317	305	314	260	310	255	261	296	285	233	195	149	48	17	1	2
Females.....	8075	1882	549	302	221	170	3124	418	141	261	428	407	349	336	314	270	273	260	278	306	271	262	198	118	37	23	1
Unknown causes.																											
Total.....	112	48	4	1			53	4	2	5	2	5	2	3	3	3	5	5	3	7	2	6	1	1			
Males.....	65	27	3	1			31	1	1	2	2	3	1	2	1	2	4	2	2	5		5	1				
Females.....	47	21	1				22	3	1	3		2	1	1	2	1	1	3	1	2	2	1		1			
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	3707	1195	506	293	247	218	2459	456	95	61	104	89	62	52	32	39	36	40	46	47	41	24	20	4			
Males.....	1806	623	267	126	135	116	1267	200	41	18	46	44	24	24	6	16	13	19	22	23	22	11	9	1			
Females.....	1901	572	239	167	112	102	1192	256	54	43	58	45	38	28	26	23	23	21	24	24	19	13	11	3			
1. Small-pox.....	M.	1							1																		
	F.	4	1	1		1	3		1																		
2. Measles.....	M.	23	6	8	1	2	19	2	1				1														
	F.	20	4	8	2	3	17	1					1	1													
3. Scarlet fever.....	M.	345	29	51	49	57	236	88	11	2	4	1							2		1						
	F.	380	26	50	68	48	241	112	12	2	7	3	1	1						1							
4. Diphtheria.....	M.	362	22	62	49	61	250	83	9	4	7	2	1	2		1		1		1	1						
	F.	379	15	56	64	48	227	116	23	5	2	1	1	1	1			2									
5. Hooping-cough.....	M.	72	37	22	8	2	72																				
	F.	112	60	25	12	6	106	6																			
6. Fever.....	M.	3						1		1										1							
	F.	3			1		2	1																			
7. Cerebro-spinal fever.....	M.	8	3	2			5	1										2									
	F.	5	4				4	1																			
8. Enteric fever.....	M.	136		2			5	10	10	10	25	26	11	7	1	6	3	4	5	3	6	3		1			
	F.	122	1	1	2		5	8	8	21	21	13	8	3	4	5	5	2	8	4	3	3		1			
9. Diarrhœa.....	M.	121	75	15	2	2	95	1			1	1	2		2	2	4	2	4	1	4	2					
	F.	127	80	20	3		103	1	1		1	1	1	1	1	2	3	3	1	3	3	2	3				
10. Dysentery.....	M.	100	30	15	4	4	54	10	1	1	2	2	4	1	3	1	1	3	4	6	2	2	3				
	F.	100	28	13	8	1	53	2	3		3	2		2	1	4	6	5	5	5	2	3	3	1			
11. Enteritis.....	M.	70	29	6	2	3	41	2	6		3	3	1	2		1	2	3	3	1	1	1					
	F.	77	31	1	1	1	35	2	1	2	2	4	2	2	5	5	2	4	1	6	2	1		1			
12. Cholera morbus.....	M.	18	4	1			6	2			1	1	1	1		2	1	1		2	1		1				
	F.	34				2	3		1	1	1	2	4	2	3	1		1	7	1	6		1				
13. Cholera infantum.....	M.	440	352	80	7	1	440																				
	F.	364	295	62	5	1	364																				
14. Malarial fever.....	M.	23	3	1		1	5				2	2		3		2	1	1	1	3	2	1					
	F.	25	1				1	5	3	1	1				3	1	2	2	1	1	1	1	1				
15. Erysipelas.....	M.	31	14	1	2	1	18					3	1		1		1		2	3			2				
	F.	41	9			1	10	1	1	1	4	3	3		4	2	4	2	1	1	2	1	1				
16. Septicæmia.....	M.	13	1				1		1		1	3	1	4	1	1											
	F.	17		2			2			3	3	3	1	2	2							1					
17. Puerperal septicæmia.....	F.	59								5	13	9	16	11	4	1											
18. Venereal diseases.....	M.	19	17		1		18							1													
	F.	16	14				14					1		1			1										
19. Others of this group.....	M.	21	1		1		2		1		1	1	1	2				2	1	2	4	2	3				
	F.	16	1		1		2			2	1	2	1		1	1		1		2		1	2				
General diseases—B.																											
Total.....	189	114	4	2	1	1	122			2	3	7	8	14	5	9	6	4	4	2	1	1		1			
Males.....	96	54	2	2			58				2	4	6	7	2	4	2	4	3	2	1	1					
Females.....	93	60	2		1	1	64			2	1	3	2	7	3	5	4		1				1				
1. Worms.....	M.	2			2		2																				
	F.	1					1																				
2. Other parasitic diseases.....	M.																										
	F.																										
3. Alcoholism.....	M.	37									2	4	6	7	2	4	2	3	3	2	1	1					
	F.	23									3	2	5	3	5	4		1									
4. Lead poison.....	M.																										
	F.																										
5. Other poisons.....	M.	2	1				1											1									
	F.	6		1		1	2			1	1			2													
6. Inanition.....	M.	55	53	2			55																				
	F.	63	60	1			61			1																	
General diseases—C.																											
Total.....	2121	1479	37	10	2	2	1530	5	2	2	2	2		4	4	5	6	11	17	34	70	137	143	87	41	18	1
Males.....	1095	855	23	8	1		887	2		1	1			1	3	2	1	6	2	18	25	51	57	26	10	1	1
Females.....	1026	624	14	2	1	2	643	3	2	1	1	2		3	1	3	5	5	15	16	45	86	61	31	17		
1. Premature birth.....	M.	109	109				109																				
	F.	70	70				70																				
2. Stillborn.....	M.	505	505				505																				
	F.	335	335				335																				
3. Malformation.....	M.	27	24	3			27																				
	F.	16	16				16																				
4. Debility.....	M.	305	217	20	8	1	246	2		1	1			1	3	2	1	6	1	14	8	12	5	1		1	
	F.	299	203	14	2	1	222	3	2	1	1	2		3	1	3	4	5	10	7	37	10	57	26	10	1	
5. Old age.....	M.	149																									
	F.	306															1		5	9	37	76	77	57	28	16	
6. Atrophy.....	M.																										
	F.																										

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.
 GRAND GROUP 1.—BOSTON, MASS.; CAMBRIDGE, MASS.; FALL RIVER, MASS.; LAWRENCE, MASS.; LOWELL, MASS.; LYNN,
 MASS.; NEW HAVEN, CONN.; PROVIDENCE, R. I.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	3390	210	112	56	38	17	433	50	58	250	450	357	304	257	219	211	194	151	141	142	86	42	36	6	3		
Males.....	1469	113	54	31	18	6	222	21	17	103	188	141	136	106	92	102	83	62	74	56	29	20	12	2	3		
Females.....	1921	97	58	25	20	11	211	29	41	147	262	216	168	151	127	109	111	89	67	86	57	22	24	4			
1. Rheumatism.....	M. 36	1			1		2	1	1	3	2	2	2	1	2	1	2	2	3	3	5	3		1			
F. 40	1						1	2	3	3	2	1	2	1	2	2	2	4	2	4	5	2	2				
2. Scrofula and tabes.....	M. 22	12	2	1			15	1		3	1			2													
F. 44	16	2	3	2	2		25	2	4	1		2	1	4				4		1							
3. Leprosy.....	M. 1081	32	16	10	6		64	10	12	93	180	137	126	92	84	83	57	45	45	27	7	9	8	1	1		
F. 1307	16	18	11	9	2		56	6	32	139	245	203	150	117	87	56	61	36	35	41	26	7	8	2			
5. Hydrocephalus.....	M. 135	55	32	19	11	4	121	7	2			1	1	1			1			1							
F. 131	53	37	10	9	6		115	12			2	1					1										
6. Cancer.....	M. 105	2					2				2	1	5	6	3	13	14	7	12	20	13	3	3		1		
F. 253											5	5	9	22	22	44	34	32	22	26	19	9	8	1			
7. Tumor.....	M. 8	1					1						1			1	1		3	1							
F. 39	1		1				2	1		2	1	2	2	4	5	2	5	4	1	3	2	1					
8. Anæmia.....	M. 24	8	3	1		1	13							1			1		4	1		3			1		
F. 31	7	1					8	2		5	2	1	1	1	2		3	1		5		1					
9. Dropsy.....	M. 43	2				1	3	2	1	3	2		1	1	1	3	6	5	7	3	2	2	1				
F. 52	2						2	3	1		4		3	1	7	4	4	5	3	5	4	2	4				
10. Glycosuria.....	M. 9						1		1	1	1			2	1		2	2		2							
F. 19						1	1		1	2	3				2		2	2	4	1							
11. Others of this group.....	M. 6	1					1		1						1	1	1	1									
F. 5							1	1						1		1				1							
12. Others of this class.....	M. 11																										
F. 11																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	1627	423	161	76	54	22	736	69	18	20	18	28	48	50	51	49	48	75	86	85	94	70	48	31	2	1	
Males.....	839	236	89	37	24	10	396	32	7	11	8	12	25	30	28	27	26	43	46	40	43	31	26	8			
Females.....	788	187	72	39	30	12	340	37	11	9	10	16	23	20	23	22	22	32	40	45	51	39	22	23	2	1	
1. Inflammation of the brain.....	M. 49	13	7	3	5	4	32	7		1		1	1	3	1	1		1		1							
F. 41	9	9	4	2	1		25	7		3			1					1		2		2					
2. Meningitis.....	M. 147	56	36	13	10	3	118	10	5	4	2	1	4	1		1					1						
F. 128	38	28	13	10	8		97	11	4	2	2	1	3	3	1	1	1			1							
3. Apoplexy.....	M. 149	3	1				4				1	3	6	5	9	8	11	24	23	15	18	8	12	2			
F. 156	2	1					3				1	2	9	5	8	8	12	15	26	19	17	10	8	11	1	1	
4. Paralysis.....	M. 108	2		1			3			1		1	3	5	3	5	7	11	10	15	13	16	12	3			
F. 120	1				1		2						3	1	4	5	4	10	9	14	25	21	10	11	1		
5. Tetanus and trismus nascentium.....	M. 12	6					6	1						1	1	1	1										
F. 6	4						4	2																			
6. Epilepsy.....	M. 18						1			2	2	1	3	5	2	1			1								
F. 23	1						1	2	3	1	4	2	1	2		1	1	1	1	2							
7. Convulsions.....	M. 194	129	26	17	4	3	179	6			2	1	1	3	1		1										
F. 190	108	22	18	12	2		162	7		2	2	3	4	6	2						1	1					
8. Mental diseases.....	M. 12									1					1	1	3	1	1	3	1						
F. 16																											
9. Diseases of the brain.....	M. 131	26	18	3	5		52	7	2	2	1	4	6	6	8	8	2	4	7	6	4	1	3				
F. 100	24	11	3	6			44	6	2	1	1	6	1	1	7	7	1	4	3	6	6	2	1	1			
10. Diseases of the spinal cord.....	M. 15		1				1	1				1	1	1	2		1	1	4		2	1					
F. 5		1	1				2	1									1										
11. Others of this group.....	M. 4	1					1																				

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.
 GRAND GROUP 1.—BOSTON, MASS.; CAMBRIDGE, MASS.; FALL RIVER, MASS.; LAWRENCE, MASS.; LOWELL, MASS.; LYNN,
 MASS.; NEW HAVEN, CONN.; PROVIDENCE, R. I.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	611	127	51	9	7	3	197	14	6	11	22	36	21	36	26	47	29	35	39	37	29	14	7	4	1		
Males.....	309	82	27	5	2	3	119	7	4	4	5	15	8	15	11	22	12	21	24	19	15	4	4				
Females.....	302	45	24	4	5		78	7	2	7	17	21	13	21	15	25	17	14	15	18	14	10	3	4	1		
1. Dentition.....	M. 44	25	19				44																				
	F. 38	22	16				38																				
2. Angina.....	M. 5	1	2	1		1	5																				
	F. 6	1	2	1			4	1																			
3. Gastritis.....	M. 23	4	2				6			1	1		1		1	1	1	1	2	2	5		1				
	F. 28		1		1		2	2			2	2	2	3	1	1	2	2	1	2	5			1			
4. Other diseases of the stomach.....	M. 23	7				1	8					1		1	1		2	3	2	1	1	3					
	F. 15	2		2	2		6	1				1	1	1	2		1		2	2							
5. Obstruction of the bowels.....	M. 14	5					5		1		1	1	1			2			2	1							
	F. 8	2					2			1			1				1	1									
6. Hernia.....	M. 12	4	1				5						1			3		1		1		2					
	F. 10										1			2		1			2	2	1	1					
7. Other diseases of the bowels.....	M. 11	4					4	1					1	1	1		1		1	1							
	F. 8	2					2			1			1			1			1	1				1	1		
8. Jaundice.....	M. 13	10			1		11							1					1								
	F. 3		1		1		2				1																
9. Inflammation and abscess of the liver.....	M. 12											1		1	1	2		3	1	1	2						
	F. 16							1		1		1			4	2	2	2	2	1	1	1					
10. Other diseases of the liver.....	M. 63	3	1				4			1	1	4	1	5	4	12	5	6	9	7	3	1					
	F. 67	5	1				6	1		1	3	3	2	4	3	12	6	5	4	6	3	5	2	1			
11. Peritonitis.....	M. 54	6	1	1	1	1	10	6	3	1	2	5	3	6	3	1	2	6	4	2							
	F. 82	5			1		6	1	2	3	9	14	6	10	5	5	4	5	5	2	1	2		1	1		
12. Ascites.....	M. 8			1			1			1						1		2	1		2						
	F. 6	1					1								2	1	1	1									
13. Others of this group.....	M. 27	13	1	2			16				3						1		1	3	2		1				
	F. 15	5	3	1			9				1			1		1			2		1						
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	390	5	5	4	6	2	22	15	5	5	16	31	30	25	28	21	28	30	32	38	18	28	12	4	2		
Males.....	232	5	3	3	3	1	15	6	4	2	8	14	15	12	13	17	14	19	22	28	13	19	7	3	1		
Females.....	158		2	1	3	1	7	9	1	3	8	17	15	13	15	4	14	11	10	10	5	9	5	1	1		
1. Bright's disease.....	M. 120		1	2		1	4		2	1	7	8	12	6	6	10	8	15	15	12	7	4	3				
	F. 97			1	2		3	5		1	4	13	10	8	9	2	10	9	5	7	4	5	1		1		
2. Calculus, urinary.....	M. 3												1							1							
	F. 1																										
3. Diseases of the kidney.....	M. 53	3	2	1	3		9	6	1	1	1	2	3	2	5	3	3		4	3	1	7		1	1		
	F. 42		2				2	4		2	3	2	4	5	3	3	3	2	5	1	1	3	1	1			
4. Diseases of the bladder.....	M. 38	2					2					2		2	1	3	3	3	2	9	3	6	1	1			
	F. 8								1						3	1							3				
5. Others of this group.....	M. 18											1		2	1	1		1	1	3	2	2	3	1			
	F. 10				1	1	2				1	2	1		1	1	1		1	1		1					
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	42			1			1				5		4	6	3	6	5	3	2	4	2	1					
1. Ovarian tumors.....	F. 14										1			2	1		4	1		2	2	1					
2. Ovarian diseases.....	F. 2																1										
3. Uterine tumors.....	F. 13			1			1							1		6		2	2	2							
4. Uterine diseases.....	F. 6										3		1	2													
5. Others of this group.....	F. 7										1		3	1	2												
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	66									3	8	20	17	11	6	1											
1. Abortion.....	F. 8									1		2	1	3	1												
2. Child-birth.....	F. 51									2	7	16	13	7	5	1											
3. Others of this group.....	F. 7										1	2	3	1													
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	54	2		1	6		9	5	8	1	4	6	4	3	3	2	1	4		1	3						
Males.....	33	1		1	5		7	2	5	1	3	2	3	1	3	1		3			2						
Females.....	21	1			1		2	3	3		1	4	1	2		1	1	1		1	1						
1. Diseases of the spine.....	M. 18	1		1	2		4	1	2		2	1	2		3			2			1						
	F. 9							1	1			1		2		1	1	1		1							
2. Diseases of the bones.....	M. 10				2		2	1	1		1		1	1		1		1			1						
	F. 9				1		1	1	1		1	3	1								1						
3. Diseases of the hip-joint.....	M. 5				1		1		2	1		1															
	F. 3	1					1	1	1																		
4. Others of this group.....	M. 1																										

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.
 GRAND GROUP 1.—BOSTON, MASS.; CAMBRIDGE, MASS.; FALL RIVER, MASS.; LAWRENCE, MASS.; LOWELL, MASS.; LYNN,
 MASS.; NEW HAVEN, CONN.; PROVIDENCE, R. I.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	56	5	1	2	1	1	10	2	2	3	4	5	3	4	3	2	3	6	3	1	1	1	2	1			
Males.....	30	2	1	1		1	5	2	1	2	2	1	2	1	2	2	1	3	3	1	1		1				
Females.....	26	3		1	1		5		1	1	2	4	1	3	1		2	3			1	1	1				
1. Abscess.....	M. 17	1	1	1		1	4	1	1	1	1	1	1		1	2	1	1	1		1						
F. 23	3		1	1			5		1	1	2	4	1	3			2	2				1		1			
2. Carbuncle.....	M. 5													1	1			2		1							
F. 5																											
3. Others of this group.....	M. 8	1					1	1		1	1		1						2				1				
F. 3															1			1				1					
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	5		1				1						1			1						1	1				
Males.....	3		1				1									1							1				
Females.....	2												1														
1. Addison's disease.....	M. 2															1							1				
F. 1																											
2. Diseases of the spleen.....	M. 1																										
F. 1													1														
3. Others of this group.....	M. 1		1				1																				
F. 1																											
XII.—ACCIDENTS AND INJURIES.																											
Total.....	553	51	9	12	12	12	96	45	28	29	33	41	34	48	44	33	33	20	23	14	16	9	4	1		2	
Males.....	410	34	5	10	9	10	68	24	22	24	27	33	29	37	34	27	30	12	18	7	14	2	2				
Females.....	143	17	4	2	3	2	28	21	6	5	6	8	5	11	10	6	3	8	5	7	2	7	2	1		2	
1. Burns and scalds.....	M. 26	1	2	6	5	2	16	1	1	1		1		2		1	1	2									
F. 27	2	2			1		5	4	3	3	1	1	1	2	3		1	2	1								
2. Drowned.....	M. 80		1	2	1	3	7	10	8	10	9	6	5	3	3	8	6		1	2	2						
F. 9								1	2		1	2			1	2											
3. Exposure and neglect.....	M. 6	3					3				1				1					1							
F. 5	4						4																				
4. Gunshot wounds.....	M. 1											1															
F. 1																											
5. Homicide.....	M. 5									1			1	1	1	1											
F. 1												1															
6. Infanticide.....	M. 1																										
F. 1																											
7. Injuries by machinery.....	M. 1																										
F. 1																											
8. Railroad accidents.....	M. 37							2	2	1	5	5	7	2	5	3	3			2							
F. 2								1										1									
9. Suffocation.....	M. 21	14	1		1		16					1		1	1	1	1										
F. 10	5				1		6	1		1					1	1	1										
10. Suicide by shooting.....	M. 1											1															
F. 1																											
11. Suicide by drowning.....	M. 1														1												
F. 1																											
12. Suicide by poison.....	M. 1																		1								
F. 1																											
13. Other suicides.....	M. 36									2	4	4	2	6	3	3	3	2	3	1	2		1				
F. 11										3	1	2	3				1	1									
14. Sunstroke.....	M. 2							1										1									
F. 1						1	1							1	1						1						
15. Surgical operations.....	M. 6				1		1	1			1			1	1												
F. 1															1												
16. Wounds.....	M. 3								1							2											
F. 2								1																			
17. Other accidents and injuries.....	M. 185	16	1	2	1	5	25	9	10	9	7	15	13	22	19	8	16	6	13	4	6	2	1				
F. 73	6	2	2	1	1	1	12	13	1	1	1	3	2	5	2	4	1	4	3	7	2	7	2	1		2	

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	61699	19225	5460	2589	1584	1163	30021	2501	913	1296	2348	2624	2423	2720	2418	2326	2195	1983	1901	1738	1541	1241	823	412	136	110	29
Total: Males	32086	10493	2889	1380	809	611	16182	1308	439	603	1069	1255	1142	1433	1315	1316	1214	1121	1041	861	762	537	295	105	42	28	18
Females	29613	8732	2571	1209	775	552	13839	1193	474	693	1279	1369	1281	1287	1103	1010	981	862	860	877	779	704	528	307	94	82	11
Unknown causes.																											
Total.....	176	91	17	5	5	1	119	5	5	2	3		3	3	3	4	4	4	4	6	2		2				7
Males	90	48	9	2	2	1	62	4	2		1		2	2	2	2	4	3	2		1						3
Females.....	86	43	8	3	3		57	1	3	2	2		1	1	1	2		1	2	6	1		2				4
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	13487	4937	2032	1021	765	580	9335	1248	238	228	306	306	244	268	167	168	162	156	146	168	117	117	64	32	11	5	1
Males	6696	2599	1056	535	383	285	4858	604	113	96	96	103	83	103	80	93	86	82	72	84	50	56	22	10	3	2	
Females.....	6791	2338	976	486	382	295	4477	644	125	132	210	203	161	165	87	75	76	74	74	84	67	61	42	22	8	3	1
1. Small-pox.....	M. 21	2	5	3	2		12	2		1	1		2				1	1			1						
	F. 25	2	3	2	1	2	10	7	2	1		1	2		1			1									
2. Measles.....	M. 193	61	64	24	20	5	174	14	2	1			1	1													
	F. 186	52	63	22	16	13	166	13			2	1	1	3													
3. Scarlet fever.....	M. 719	43	101	148	120	89	501	178	28	5	3	2	1			1											
	F. 671	35	98	117	111	83	444	184	25	8	2	3	1	1			1	2									
4. Diphtheria.....	M. 980	64	165	168	170	124	691	258	16	3		3	4	2	3												
	F. 1056	64	158	186	172	135	715	282	33	5	4	3	1	4	2	2			1				2				
5. Hooping-cough.....	M. 259	140	66	29	9	9																					

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.
 GRAND GROUP 2.—BALTIMORE, MD.; BROOKLYN, N. Y.; NEW YORK, N. Y.; CAMDEN, N. J.; JERSEY CITY, N. J.; NEWARK, N. J.; WASHINGTON, D. C.; WILMINGTON, DEL.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	12030	840	474	221	116	83	1734	181	182	587	1234	1333	1131	1121	975	851	705	582	508	380	256	145	74	29	13	6	3
Males.....	5877	470	261	115	55	49	950	93	71	239	559	636	522	568	467	434	362	315	267	180	121	53	27	8	3	1	1
Females.....	6153	370	213	106	61	34	784	88	111	348	675	697	609	553	508	417	343	267	241	200	135	92	47	21	10	5	2
1. Rheumatism.....	M. 89	1	2	...	1	4	7	4	3	...	6	9	1	6	11	9	4	6	7	6	4	1	1	...	...	...	...
F. 109	1	2	...	1	4	7	6	3	5	5	9	10	11	6	5	3	6	9	6	6	4	2	1	1	...	...	
2. Scrofula and tabes.....	M. 179	66	32	10	8	6	122	9	3	5	2	2	3	6	3	5	5	4	4	3	2	1	...	...	...	...	
F. 159	74	25	11	6	2	118	3	4	...	2	2	2	3	4	5	4	2	2	3	3	1	...	...	...	...	...	
3. Leprosy.....	M. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
F. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
4. Consumption.....	M. 4378	109	78	41	19	15	262	31	46	218	544	608	481	528	405	355	282	219	180	108	70	22	13	3	1	1	1
F. 4371	79	67	36	20	15	217	49	89	333	649	656	547	459	390	270	193	143	134	103	63	49	16	7	3	...	...	
5. Hydrocephalus.....	M. 523	232	129	48	20	20	449	29	10	2	3	2	4	6	5	3	1	4	1	...	1	2	1	...	...	...	...
F. 417	172	106	45	27	11	361	18	6	2	2	6	3	2	2	3	2	1	3	2	1	2	1	...	...	...	...	
6. Cancer.....	M. 404	5	1	1	4	1	12	2	2	3	4	7	13	9	35	42	51	66	55	46	30	14	9	3	1	...	...
F. 804	3	1	4	3	1	12	1	1	3	8	14	39	67	79	118	124	96	77	69	48	20	20	5	2	1	...	...
7. Tumor.....	M. 46	9	2	2	1	1	15	1	3	2	1	2	4	2	2	4	1	1	2	3	2	1	...	...	...	...	
F. 53	3	1	3	1	...	8	...	2	2	2	1	3	5	6	1	5	5	8	2	...	3	...	...	...	...	...	
8. Anæmia.....	M. 58	23	5	1	...	2	31	1	...	1	...	...	2	4	3	3	2	3	4	1	2	1	...	...	...	...	
F. 55	15	1	2	...	...	18	4	...	2	1	1	3	...	3	3	1	5	2	2	4	...	2	1	...	...	...	
9. Dropsy.....	M. 119	10	2	7	1	2	22	9	2	3	2	6	3	9	6	9	8	11	7	6	6	7	1	1	1	...	...
F. 126	10	5	2	1	2	20	2	1	2	4	10	2	5	9	8	7	10	8	7	10	6	6	4	2	3	...	...
10. Glycosuria.....	M. 32	...	...	...	...	...	...	2	...	1	2	2	2	2	2	2	3	5	5	1	1	2	...	...	...	...	
F. 21	...	...	...	...	...	...	...	2	...	2	2	1	2	4	...	2	1	1	2	1	...	...	...	...	...	...	
11. Others of this group.....	M. 49	16	11	3	2	1	33	2	1	2	2	1	1	1	...	...	1	...	3	1	1	...	...	...	...	...	
F. 38	13	5	3	3	2	26	4	...	1	...	...	...	...	...	3	...	1	...	1	1	1	...	...	...	...	...	
12. Others of this class.....	M. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
F. ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	6702	2429	698	309	147	123	3716	197	79	87	102	110	141	194	180	221	225	258	255	264	250	213	127	51	20	10	2
Males.....	3563	1306	393	173	73	73	2018	119	39	41	42	60	66	113	103	119	121	144	146	139	119	95	49	15	8	5	2
Females.....	3139	1123	305	136	74	60	1698	78	40	46	60	50	75	81	77	102	104	114	109	125	131	118	78	36	12	5	...
1. Inflammation of the brain.....	M. 130	39	10	6	1	8	64	7	2	...	4	3	4	3	4	8	6	5	6	5	3	5	...	1	...	...	...
F. 110	40	11	3	4	4	62	5	2	5	5	2	4	3	1	6	2	1	2	3	2	...	1	3	...	...	...	
2. Meningitis.....	M. 613	198	131	65	30	29	452	49	16	6	8	8	5	14	13	9	6	11	6	3	4	2	...	...	...	...	...
F. 508	180	78	50	29	30	367	31	18	7	12	8	6	9	7	8	7	7	4	5	3	1	4	2	2	...	...	
3. Apoplexy.....	M. 616	26	9	8	3	2	48	9	1	5	8	20	24	44	35	47	50	52	61	72	53	45	28	9	2	2	1
F. 580	17	5	3	1	2	28	3	5	7	8	10	25	24	31	46	50	51	55	65	56	40	11	3	1	...	...	
4. Paralysis.....	M. 272	17	3	1	...	2	23	3	3	2	3	1	8	9	17	12	19	30	40	25	31	22	14	5	3	2	...
F. 293	10	7	4	5	1	27	2	1	2	5	4	8	10	9	16	15	27	20	30	43	30	20	17	5	2	...	...
5. Tetanus and trismus nascentium.	M. 124	95	...	1	1	1	98	3	2	5	2	1	2	2	2	1	1	2	1	1	...	...	...	...	...	...	
F. 94	72	7	2	2	...	83	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
6. Epilepsy.....	M. 73	8	5	...	2	2	17	...	3	7	6	9	2	4	2	6	7	3	2	...	3	2	...	...	...	...	
F. 76	6	6	...	2	...	14	1	2	3	11	3	6	5	4	3	4	4	7	3	2	2	1	...	1	...	...	
7. Convulsions.....	M. 1101	788	151	58	24	16	1037	20	3	2	3	4	6	6	2	3	5	5	2	1	1	...	...	...	...	...	
F. 955	672	133	48	22	14	889	17	2	7	8	5	9	4	2	2	2	1	3	2	2	...	...	...	...	...	...	
8. Mental diseases.....	M. 35	...	...	...	...	...	...	...	...	1	1	5	2	3	4	6	...	5	...	4	2	1	...	...	...	...	
F. 28	...	...	...	...	...	...	...	...	...	...	...	3	4	4	1	2	4	1	2	...	2	3	1	1	...	...	
9. Diseases of the brain.....	M. 430	102	65	26	7	10	210	18	4	9	4	5	6	20	15	20	15	22	21	20	15	5	...	...	...	...	
F. 350	100	47	21	8	5	181	12	7	10	7	9	4	14	12	9	9	12	9	12	16	16						

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.
 GRAND GROUP 2.—BALTIMORE, MD.; BROOKLYN, N. Y.; NEW YORK, N. Y.; CAMDEN, N. J.; JERSEY CITY, N. J.; NEWARK,
 N. J.; WASHINGTON, D. C.; WILMINGTON, DEL.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	2879	741	346	109	49	30	1275	80	57	41	91	89	98	140	136	149	135	141	141	108	87	62	34	9	4	1	1
Males	1550	413	175	62	23	12	685	42	34	16	43	46	41	69	79	99	80	76	83	50	60	31	12	2	1	1	1
Females	1329	328	171	47	26	18	590	38	23	25	48	43	57	71	57	50	55	65	58	58	27	31	22	7	3	1	1
1. Dentition	M. 296	163	101	26	2	2	294	2																			
	F. 259	137	103	16		1	257	2																			
2. Angina	M. 76	26	6	6	4	1	43	7		1	1	4		1	1	2	4	1	3	2	3	3					
	F. 55	11	6	1	5	3	26	9	1		1	2	2	1	4	1		3	1	2	1	1		1		1	
3. Gastritis	M. 94	14	5	4	1	1	25		1		3	3	3	9	4	9	10	5	5	6	4	5	3				
	F. 118	24	6	4	7	2	43	5		3	3	3	7	9	1	8	5	8	7	6	2	6	2				
4. Other diseases of the stomach	M. 94	22	12	4	2		41	2	2	1	2	5	5	3	7	3	8	4	3	3	4	1					
	F. 56	11	6			1	24	1	2	1	1	2	2	4	1	2	4	1	4	1	1	3	1	1			
5. Obstruction of the bowels	M. 45	14		2			16	2	3	2		4		2	1	1	2	2	2	4	2	2					
	F. 31	5	2		1		8	1		1	3	1	1	1	2	2	4	2	2		1		2				
6. Hernia	M. 48	3	1				4	1	1		4	1		4		3	3	3	3	6	2	6	2	1	1		
	F. 59	5		1			6		2					5	3	3	3	3	2	7	2	2	2	1			
7. Other diseases of the bowels	M. 109	32	7	2	3	2	46	5	3	1	5	4	1	5	7	1	4	9	4	3	6	4	1				
	F. 58	19	10	3	6	4	42	2	1	2	4	2		4	3	5	5	2	4	6	2	3		1			
8. Jaundice	M. 68	26	6	2	1	1	36	2	1		2	1	1	2	3	2	5	2	2	3	5	1					
	F. 51	19	5	1	2		27	2					1	4	1	1	1	3	3	2	2	2		1			
9. Inflammation and abscess of the liver	M. 82	7	3	4	1		15	2	2	1	3	1	4	10	7	9	3	3	5	6	6	2	2	1			
	F. 76	10	3	1	1		15	2	1	4	5	2	4	4	5	5	5	9	1	8	2	2	2				
10. Other diseases of the liver	M. 296	27	9	5	4	2	47	5	4	2	7	11	16	14	24	38	31	31	36	14	9	5	1		1		
	F. 221	35	8	4	2	4	53	5	2	5	5	10	12	16	19	10	17	20	21	10	5	4	4	2	1		
11. Peritonitis	M. 226	35	14	3	2	2	56	9	17	7	13	10	9	17	18	19	7	9	13	2	12	4	3			1	
	F. 227	21	13	6	1	2	43	6	13	7	23	21	24	21	13	8	8	12	6	7	2	5	6		2		
12. Ascites	M. 12														2	2	2	1	1	2	1	1					
	F. 17									1		2			1	3			4	2	3		1				
13. Others of this group	M. 104	43	11	4	3	1	62	5		1	3	3	2	2	5	6	3	2	3	3	2	1	1				
	F. 91	31	9	4	1	1	46	3	1	1	3		4	2	4	2	3	2	3	6	4	3	3	1			
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	2191	138	70	26	19	22	275	64	36	34	95	130	149	186	183	183	190	146	154	132	108	75	28	19	2	2	
Males	1220	78	33	13	11	15	150	39	15	19	45	60	74	99	107	107	100	94	99	89	62	45	10	4	1	1	
Females	971	60	37	13	8	7	125	25	21	15	50	70	75	87	76	76	90	52	55	43	46	30	18	15	1	1	
1. Bright's disease	M. 795	30	10	3	2	12	57	15	11	14	37	46	56	70	75	76	69	70	75	55	32	30	5	1	1		
	F. 618	17	12	4	2	2	37	13	17	10	26	48	48	55	60	51	65	42	43	31	32	18	12	8	1	1	
2. Calculus, urinary	M. 6		1		1		2									1		1		1							
	F. 1																1										
3. Diseases of the kidney	M. 263	34	16	8	6	3	67	23	3	3	5	8	13	16	21	15	18	12	13	20	14	6	3	2		1	
	F. 232	28	19	6	4	4	61	8	1	5	17	8	15	24	11	14	14	8	8	7	9	12	5	5			
4. Diseases of the bladder	M. 81	10	3	2			15		1		1	5		5	7	3	6	8	5	8	8	6	2	1			
	F. 49	9	3	1	1	1	15	2	1		3	4	3	3	1	4	4		4	1	3		1				
5. Others of this group	M. 75	4	3		2		9	1		2	2	1	5	8	4	12	7	3	6	5	7	3					
	F. 71	6	3	2	1		12	2	2		4	10	9	5	4	7	6	2		4	2			2			
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	71									3	4	9	12	11	2	4	6	2	5	4	3	2	3	1			
1. Ovarian tumors	F. 28												2	4	1	3	6		4	2	2	2	2				
2. Ovarian diseases	F. 1																		1								
3. Uterine tumors	F. 5												2	2						1							
4. Uterine diseases	F. 11										1	3	2	1	1	1		1		1							
5. Others of this group	F. 26									3	3	6	6	4				1	1				1	1			
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	250									11	59	60	56	37	22	5											
1. Abortion	F. 55									1	8	14	16	11	4	1											
2. Child-birth	F. 147									3	30	38	34	23	16	3											
3. Others of this group	F. 48									7	21	8	6	3	2	1											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	248	55	14	11	10	5	95	20	20	11	7	11	11	15	6	8	8	7	8	5	6	6	2	1	1		
Males	141	26	9	6	8	3	52	11	11	8	5	5	6	11	4	4	6	2	3	4	6	2			1		
Females	107	29	5	5	2	2	43	9	9	3	2	6	5	4	2	4	2	5	5	1		4	2	1			
1. Diseases of the spine	M. 82	21	4	4	6	2	37	5	6	4	3	3	5	4	1	3	3	1	1	2	2	1			1		
	F. 73	25	5	3	2	2	37	6	3	2	1	4	3	4	2	3	1	2	1			2	1	1			
2. Diseases of the bones	M. 32	4	3	1	1		9	1	2	2	1	1	1	2	2	1	2		2	2	3	1					
	F. 19	4					4		5		1	1	1	1				2	3	1			1				
3. Diseases of the hip-joint	M. 12					1	1	3	2	1	1	1		2	1												
	F. 6						1	2	1					1					1								
4. Others of this group	M. 15	1	2	1	1		5	2	1	1				3				1			1						
	F. 9			1			1	1		1						1	1	1				2					

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.
 GRAND GROUP 2.—BALTIMORE, MD.; BROOKLYN, N. Y.; NEW YORK, N. Y.; CAMDEN, N. J.; JERSEY CITY, N. J.; NEWARK, N. J.; WASHINGTON, D. C.; WILMINGTON, DEL.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	217	58	16	8	4	5	91	5	8	6	10	8	12	7	9	11	13	8	8	5	8	4		2	1	1	
Males.....	116	32	7	5	2		46	4	3	4	5	4	8	3	6	3	7	6	6	4	3	2		1	1		
Females.....	101	26	9	3	2	5	45	1	5	2	5	4	4	4	3	8	6	2	2	1	5	2		1		1	
1. Abscess.....	{ M. 93	28	6	5	1		40	4	3	4	4	3	6	3	6	2	4	4	2	3	3	1		1			
	{ F. 80	21	7	3	2	3	36	1	5	1	5	3	4	3	3	4	5	1	1	1	5		1		1		
2. Carbuncle.....	{ M. 12				1		1				1	1				1	2	2	3	1							
	{ F. 4	1					1									1		1									
3. Others of this group.....	{ M. 11	4	1				5						2			1		1			1			1			
	{ F. 17	4	2			2	8			1		1		1		3	1				2						
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	14	3	1		1		5		1	1	1	1		1			1	1	1	1							
Males.....	8	3	1		1		5				1	1		1													
Females.....	6								1	1							1	1	1	1							
1. Addison's disease.....	{ M. 1											1															
	{ F. 4								1								1	1	1								
2. Diseases of the spleen.....	{ M. 1													1													
	{ F. 6	3	1		1		5			1																	
3. Others of this group.....	{ M. 2									1										1							
	{ F. 2																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	2370	315	109	59	47	39	569	145	86	94	106	142	154	186	177	141	128	112	103	63	57	46	30	11	4	4	12
Males.....	1658	185	59	38	26	27	335	96	71	74	83	106	118	155	130	111	99	83	71	41	33	25	13	4	1		9
Females.....	712	130	50	21	21	12	234	49	15	20	23	36	36	31	47	30	29	29	32	22	24	21	17	7	3	4	3
1. Burns and scalds.....	{ M. 95	9	20	13	8	5	55	3	5	3	3	1	6	7	4	2	2		2		1						1
	{ F. 93	10	11	1	2	2	26	12	6	6	5	7	8	2	4	1	4	3	3	3	1	1					
2. Drowned.....	{ M. 258	6	2			6	14	35	22	24	18	8	18	27	27	18	19	7	7	4	2		1	1		6	
	{ F. 33	5	2		1	1	9	6		1		2	1	2	4	1	1		2	1					1	2	
3. Exposure and neglect.....	{ M. 14	8		1	1		10							1	1			1			1						
	{ F. 11	10	1				11																				
4. Gunshot wounds.....	{ M. 31	4	1		2		7	1	4	4	6	3	1		2			1	2								
	{ F. 11	1	3	1			5		1							1	1		2		1						
5. Homicide.....	{ M. 30	1					1		1		4	9	3	4	4	1		2			1						
	{ F. 18	1		1			2			2		2	3	1	2	1	1	3	1								
6. Infanticide.....	{ M. 2	2					2																				
	{ F. 1	1					1																				
7. Injuries by machinery.....	{ M. 5											1	1	1	1												
	{ F. 1																										
8. Railroad accidents.....	{ M. 110	2	5		2	1	10	10	6	6	6	9	9	9	10	10	5	10	3	1	2	1	1	1			1
	{ F. 19	2					2	3	1		1	1	2	1			2		2		1	1	2				
9. Suffocation.....	{ M. 70	44	2	4		1	51	2				1	1	3	1	1	4			1	1	1	3				
	{ F. 46	24	4				28	2	2	1		2	1	2		1		2		2	1				1	1	
10. Suicide by shooting.....	{ M. 20									1	2	2	3	5	1	1	2	2	1								
	{ F. 6										1	1			2			1									
11. Suicide by drowning.....	{ M. 7													1	1		1	1			3						
	{ F. 3															1	1		1								
12. Suicide by poison.....	{ M. 14										1	1	2	1	1	2	3	2	1								
	{ F. 17										2	1	3	2	2	3	1	1	1		1						
13. Other suicides.....	{ M. 83									4	5	5	4	11	11	11	9	8	6	4	5						
	{ F. 26							1		2	1	3	1	3	4	6	1	1	1		1		1				
14. Sunstroke.....	{ M. 76	5		1			6	4		2	5	8	11	11	7	4	4	3	2	2	1	3	2			1	
	{ F. 19	5	3				8	1		1		1		2	1		1	2	1		1						
15. Surgical operations.....	{ M. 17	3				2	5			1		2		2	2	1			4	2							
	{ F. 14		1		1		2	1		1		3	2	2	1		1		1								
16. Wounds.....	{ M. 20		2		1		3		2	2		2				3	1	2	3	1		1					
	{ F. 6							1		1		1	1														
17. Other accidents and injuries.....	{ M. 806	101	27	19	12	12	171	41	31	28	32	56	57	74	57	57	49	44	40	26	16	18	6	2	1		
	{ F. 388	71	26	17	17	9	140	22	5	5	13	14	13	15	25	16	14	18	19	12	16	17	12	7	8	2	

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 3.—CHARLESTON, S. C.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	1768	595	147	46	26	26	840	47	37	41	80	74	66	65	47	65	55	47	74	60	60	41	27	12	7	13	10
Total: Males.....	860	304	66	24	10	17	421	31	20	11	37	32	34	34	26	29	32	22	37	26	30	17	7	2	3	4	5
Females	908	291	81	22	16	9	419	16	17	30	43	42	32	31	21	36	23	25	37	34	30	24	20	10	4	9	5
Unknown causes.																											
Total.....	35	21		1		1	23					3		3		1	2		1	1							1
Males.....	21	12		1		1	14					2				1	2		1	1							
Females	14	9					9					1		3													
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	315	99	50	13	15	13	190	16	7	10	15	13	9	9	6	8	6	5	4	8	2	3	1		1		2
Males.....	155	40	21	8	8	9	86	15	3	1	6	9	4	5	3	4	4	3	4	3	2	2					1
Females	160	59	29	5	7	4	104	1	4	9	9	4	5	4	3	4	2	2		5		1	1		1		1
1. Small-pox { M.....																											
{ F.....																											
2. Measles { M.....	1	1					1																				
{ F.....	3		3				3																				
3. Scarlet fever { M.....																											
{ F.....																											
4. Diphtheria { M.....	22		3	1	6	4	14	7								1											
{ F.....	9	2	1		3	1	7		2																		
5. Hooping-cough { M.....	11	2	4	3		1	10																				1
{ F.....	14	10	2	1			13	1																			
6. Fever { M.....	1																				1						
{ F.....																											
7. Cerebro-spinal fever { M.....	2				1		1	1																			
{ F.....	1		1				1																				
8. Enteric fever { M.....	29			1		2	3	4	3	1	3	4	1	3		2		2	2	1							
{ F.....	18		2				2			5	2	1	2	1	1	1		2		1							
9. Diarrhœa { M.....	24	11	4	1		1	17	1				1	1		1		1		1			1					
{ F.....	27	7	7	3	2	3	22				2	1		1		1											
10. Dysentery { M.....	12	7	1	1			9													1	1	1					
{ F.....	12	4	3				7		1			1								1		1			1		
11. Enteritis { M.....	15	6	3	1	1	1	12	1			1						1		1								
{ F.....	31	17	6	1	2		26			1	1					1	1						1				
12. Cholera morbus { M.....	1																			1							
{ F.....	1																										
13. Cholera infantum { M.....	18	12	6				18																				
{ F.....	20	17	3				20																				
14. Malarial fever { M.....	10											3	1	1	1		2		1								
{ F.....	10	1	1				2	1		2	1		3				1			1							
15. Erysipelas { M.....	1										1																
{ F.....	3	1					1																				
16. Septicæmia { M.....	5											1	1		1	1	1										
{ F.....	4								1		1					1											
17. Puerperal septicæmia { M.....	6									1										1							
{ F.....	6													2	1												
18. Venereal diseases { M.....	3	1					1				1			1													
{ F.....	1																										
19. Others of this group { M.....																											
{ F.....																											
General diseases—B.																											
Total.....	18	9	2	1	1		13					1	1			2		1									
Males.....	6	3					3						1				1		1								
Females	12	6	2	1	1		10					1				1											
1. Worms { M.....			1				1																				
{ F.....	1																										
2. Other parasitic diseases { M.....																											
{ F.....																											
3. Alcoholism { M.....	1												1														
{ F.....	1																										
4. Lead poison { M.....																											
{ F.....																											
5. Other poisons { M.....	1																	1									
{ F.....	4		1	1	1		3									1											
6. Inanition { M.....	4	3					3									1											
{ F.....	6	6					6																				
General diseases—C.																											
Total.....	349	245	24	5	1	2	277	1		1	1			1		2	1	1	3	5	9	9	17	5	3	12	1
Males.....	152	121	10	2			133				1						1		3	1	3	1	5		1	4	
Females	197	124	14	3	1	2	144	1		1				1		2		1	1	4	6	8	12	5	2	8	1
1. Premature birth { M.....	7	7					7																				
{ F.....	10	10					10																				
2. Stillborn { M.....	86	86					86																				
{ F.....	84	84					84																				
3. Malformation { M.....																											
{ F.....																											
4. Debility { M.....	47	27	10	2			39				1					2	1		2		1	1	1			1	
{ F.....	70	29	14	3	1	2	49	1		1				1				1		4	1	4	3	1		1	1
5. Old age { M.....	11																			1	2		4		1	3	
{ F.....	32																										
6. Atrophy { M.....	1	1					1																				
{ F.....	1	1					1																				

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 3.—CHARLESTON, S. C.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
General diseases—D.																												
Total.....	355	13	12	8	1	3	37	13	19	16	42	33	28	32	14	26	19	16	17	16	14	6	3	2		1	1	
Males.....	157	7	6	4	1	1	19	6	11	3	22	9	10	20	7	9	9	9	6	7	7	2		3	2		1	1
Females.....	198	6	6	4		2	18	7	8	13	20	24	18	12	7	17	10	7	11	9	7	4		2		1		
1. Rheumatism.....	M. 1																	1										
F. 1																												
2. Scrofula and tabes.....	M. 7	1	1	1			3	2			1			1														
F. 7			2	1			3	1		1									1									
3. Leprosy.....	M. 1														1													
F. 1																												
4. Consumption.....	M. 116	6	4	1	1		12	1	10	1	21	8	8	18	6	6	5	7	4	4	3	1					1	
F. 130	2	3	3		2		10	5	8	9	19	20	15	10	6	13	5	2	2	3	1	1						
5. Hydrocephalus.....	M. 1			1			1																					
F. 3	3	3					3																					
6. Cancer.....	M. 3									2						1												
F. 7											1					1			1	1	1							
7. Tumor.....	M. 2					1	1										1											
F. 2																		1										
8. Anæmia.....	M. 1		1				1																					
F. 6												1	2															
9. Dropsy.....	M. 23			1			1	3	1			1	1	1		1			1	2	2	4	1					
F. 39	1	1					2	1		2		3	1	1	1	1	8	4	5	4	5	2	2	1		1		
10. Glycosuria.....	M. 1												1															
F. 1																												
11. Others of this group.....	M. 1																			1								
F. 1																				1								
12. Others of this class.....	M. 1																											
F. 1																												
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total.....	292	131	16	7	2	3	159	9	3	4	5	5	5	6	11	8	11	6	17	11	14	7	2	4	2		3	
Males.....	153	75	6	1		3	85	6	2	3	1	3	3	3	6	5	6	3	6	3	8	5	1	2	1		1	
Females.....	139	56	10	6	2		74	3	1	1	4	2	2	3	5	3	5	3	11	8	6	2	1	2	1		2	
1. Inflammation of the brain.....	M. 2															1												
F. 3			1				1	1																				
2. Meningitis.....	M. 2																											
F. 1																												
3. Apoplexy.....	M. 19																											
F. 14																												
4. Paralysis.....	M. 19					1	1																					
F. 18																												
5. Tetanus and trismus nascentium.....	M. 64	60	1				61	1				1	1															
F. 40	38						38	1																				
6. Epilepsy.....	M. 1																											
F. 2																												
7. Convulsions.....	M. 21	9	5	1		2	17	3	1																			
F. 38	17	8	6	2			33																					
8. Mental diseases.....	M. 2																											
F. 1																												
9. Diseases of the brain.....	M. 19	6					6																					
F. 19	1	1					2																					
10. Diseases of the spinal cord.....	M. 2																											

GRAND GROUP 3.—CHARLESTON, S. C.—Continued.

[illegible]

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 3.—CHARLESTON, S. C.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	6		1				1	1			1		1		1		1										
Males	3							1							1		1										
Females	3		1				1				1		1														
1. Abscess	M. 3							1							1		1										
	F. 2										1		1														
2. Carbuncle	M. 1																										
	F. 1																										
3. Others of this group	M. 1		1				1																				
	F. 1																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease	M. 1																										
	F. 1																										
2. Diseases of the spleen	M. 1																										
	F. 1																										
3. Others of this group	M. 1																										
	F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total	50	9	2			1	12		2	3	5		6		4	3	3	1	3	3	1	2		1			1
Males	37	7	1			1	9		2	2	4		6		2	3	2	1	2	1	1	1					1
Females	13	2	1				3			1	1				2		1		1	2		1		1			
1. Burns and scalds	M. 1												1														
	F. 3									1	1											1					
2. Drowned	M. 1																										1
	F. 1																										
3. Exposure and neglect	M. 1	1					1																				
	F. 2		1				1																				
4. Gunshot wounds	M. 7								1		1		3			1											
	F. 1																										
5. Homicide	M. 1																										
	F. 1																										
6. Infanticide	M. 1																										
	F. 1																										
7. Injuries by machinery	M. 1																										
	F. 1																										
8. Railroad accidents	M. 1																										
	F. 1																										
9. Suffocation	M. 5		1				1						2		1				1								
	F. 1	1					1																				
10. Suicide by shooting	M. 1																										
	F. 1																										
11. Suicide by drowning	M. 1																										
	F. 1																										
12. Suicide by poison	M. 1																										
	F. 1																										
13. Other suicides	M. 1																										
	F. 1																										
14. Sunstroke	M. 7										2				1	1	1			1	1	1					
	F. 2																							1			
15. Surgical operations	M. 1																										
	F. 1																										
16. Wounds	M. 1																										
	F. 1																										
17. Other accidents and injuries	M. 15	6				1	7		1	2	1					1	1	1		1							
	F. 4	1					1								1				1	1							

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 4.—NEW ORLEANS, LA.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	5606	1491	303	191	96	59	2140	161	111	126	266	277	245	300	292	298	281	204	230	201	149	126	87	33	19	35	25
Total: Males.....	3105	803	146	104	48	37	1138	93	65	64	134	136	161	162	186	195	176	121	124	115	86	64	40	12	8	10	15
Females.....	2501	688	157	87	48	22	1002	68	46	62	132	141	84	138	106	103	105	83	106	86	63	47	21	11	25	10	
Unknown causes.																											
Total.....	5		1				1								2	1			1								
Males.....	4		1				1								2				1								
Females.....	1															1											
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	1170	303	104	79	44	27	557	57	37	32	47	39	30	52	50	68	52	26	31	29	29	18	6	2	2	1	5
Males.....	646	151	49	40	18	16	274	33	19	16	28	17	20	34	36	51	33	18	19	11	20	9	2	2	1	3	
Females.....	524	152	55	39	26	11	283	24	18	16	19	22	10	18	14	17	19	8	12	18	9	9	4	2	1	2	
1. Small-pox.....	M. 1													1													
F. 20	5	2	5	2	3	17	1	1	1																		
2. Measles.....	M. 46	7	16	8	3	1	35	3	1	2	2		1							1						1	
F. 8		1				3	3	1	1																		
3. Scarlet fever.....	M. 8					4	4	3	1																		
F. 31	3	6	5	5	3	22	8			1																	
4. Diphtheria.....	M. 36		5	6	5	5	21	9	6																		
F. 27	16	2	6	1		25	2			2																	
5. Hooping-cough.....	M. 35	27	2	3	3	35																					
F. 4								1		2		1															
6. Fever.....	M. 7	2		1			3	1					1	1							1						
F. 6	3		1			4						2															
8. Enteric fever.....	M. 23		2	2			4	3	4	2	2	3	1	2	1		2		1	1	1	1					
F. 20								1	1	4	2	3		2						1	1	1	1				
9. Diarrhœa.....	M. 86	13	8	7		1	29	2		1	4	1	4	3	4	7	10	5	6	3	4	1	1				1
F. 55	15	4	1	1	1	1	22				2	1	2	4	4	4	4		3	5	2	1	1				
10. Dysentery.....	M. 75	5	3	1	1	1	11	2	2	1	1	4	2	6	7	10	7	5	3	4	5	4				1	
F. 52	6	2	5	3	1	17				3	1	1	2	3	5	3	4	2	3	1	4	1	1				
11. Enteritis.....	M. 103	43	14	4	2	4	67	1	2	2	2	1	3	6	2	5	3	2	2		4	1					
F. 81	33	7	4	3		47	1	1	1	1	2	1	1	3	4	4	1	3	5		3	1	1			1	
12. Cholera morbus.....	M. 15	2	1	1			4	2	1	1				1	1	1	2				1				1		
F. 4	1	1				2											2										
13. Cholera infantum.....	M. 46	35	8	2	1		46																				
F. 43	37	6				43																					
14. Malarial fever.....	M. 159	22	4	8	2	2	38	9	3	5	16	4	7	10	21	19	7	3	6	3	3	3					2
F. 92	21	8	7	5	1	42	3	6	3	1	7	5	5	2	3	6	3	2	2	2	2						
15. Erysipelas.....	M. 9	2					2	1				1		1			2		1		1						
F. 1								1																			
16. Septicæmia.....	M. 11	1					1		1		1		1	2		3		1					1				
F. 5					1	1	2				1									1	1						
17. Puerperal septicæmia.....	M. 15									3	5	4		2	1												
F. 6	1						1		1		1					1		1									
18. Venereal diseases.....	M. 4	2	1				3									1		1									
F. 19	1	1			1	2	5		1	2		2		1		4	2	1							1		
19. Others of this group.....	M. 17		1		1		2	2	1	1	2	1		2	1				2	1	1		1				
F. 17																											
General diseases—B.																											
Total.....	54	22	1		1		24			1	3	1	4	7	4	6		2	1				1				
Males.....	25	6	1				7				1	1	3	3	4	2		2	1				1				
Females.....	29	16			1		17			1	2		1	4		4											
1. Worms.....	M. 1		1				1																				
F. 2	1				1		2																				
2. Other parasitic diseases.....	M. 15										1	1	3	2	4	1		2	1								

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 4.—NEW ORLEANS, LA.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	1143	52	14	14	9	3	92	17	19	42	125	134	114	131	99	100	73	63	47	43	13	19	6	1			5
Males.....	599	27	9	8	3	1	48	7	7	19	58	62	69	66	59	65	44	31	21	25	6	7	3				2
Females.....	544	25	5	6	6	2	44	10	12	23	67	72	45	65	40	35	29	32	26	18	7	12	3	1			3
1. Rheumatism.....	M. 9 F. 7										1			1	1		1	1		4							
2. Scrofula and tabes.....	M. 22 F. 15	5	4	5	1		15	1	1	1	2			1		1				1							
3. Leprosy.....	M. 15 F. 2	5	1	2	2	2	12							1		1				1							
4. Consumption.....	M. 469 F. 383	6	2	1	1		10	4	5	17	54	61	63	58	48	55	33	20	17	11	6	4	1				2
5. Hydrocephalus.....	M. 14 F. 11	8	2		1	1	12	1			61	67	35	56	29	19	17	15	14	10	4	3					3
6. Cancer.....	M. 45 F. 87	6	2				8	3						3	3	2	7	4	8	4	8	3	2				
7. Tumor.....	M. 1 F. 1						3	1			1	3	4	5	8	13	10	14	11	5	3	5	2				
8. Anæmia.....	M. 13 F. 8	7		1			8		1		2	1		1	1		1										
9. Dropsy.....	M. 16 F. 22	1			1		5	1		1				2	4	2	3	1		1							
10. Glycosuria.....	M. 6 F. 3			1			1							1	3	2	1	1	2	1	1	4	1	1			
11. Others of this group.....	M. 4 F. 5		1				1			1		1						1									
12. Others of this class.....	M. 1 F. 1						2		1									1									
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	877	351	40	39	12	3	445	37	16	9	16	30	28	30	37	35	46	22	37	34	20	14	10	4	1	2	4
Males.....	521	191	24	28	8	3	254	24	11	5	7	15	20	17	27	19	32	14	22	21	16	7	7	1			2
Females.....	356	160	16	11	4		191	13	5	4	9	15	8	13	10	16	14	8	15	13	4	7	3	3	1	2	2
1. Inflammation of the brain.....	M. 16 F. 8	3	2	1	1	1	8						1	1	2	1		1		2							
2. Meningitis.....	M. 47 F. 29	17	4	8	4		33	5	1			2		2	1	1			1	1							
3. Apoplexy.....	M. 57 F. 41	1					1				2	1	1	10	3	10	3	9	6	5	4	1					1
4. Paralysis.....	M. 39 F. 24						1	1		2	2	2	1	6	4	5	3	4	4	2	1	2	1				
5. Tetanus and trismus nascentium.....	M. 141 F. 112	97	2	2			101	9	9	2	3	2	4	3	1	1	2	2	2	2	3		2				1
6. Epilepsy.....	M. 13 F. 8						89	7	3	1	3	1		4	1	1	1	1									
7. Convulsions.....	M. 92 F. 66	60	10	11	1	1	83	3	1			1			1	1	1					1					
8. Mental diseases.....	M. 4 F. 2						1						1	2					1								
9. Diseases of the brain.....	M. 97 F. 51	12	5	4	2		23	5		1	2	5	7	5	3	6	11	4	6	8	5	1	3	1			1
10. Diseases of the spinal cord.....	M. 14 F. 14	1	1	2		1	5	1		1	2	3		3	3	5	8	3	4	4	2	1					1
11. Others of this group.....	M. 1 F. 1						9			1	1					1			1		1						
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	266	13	1			2	16	3	6	8	9	11	10	13	31	17	23	22	39	17	22	9	6	2		1	1
Males.....	138	8				2	10	2	3	6	5	1	8	9	20	11	11	12	13	5	12	7	1	1			1
Females.....	128	5	1				6	1	3	2	4	10	2	4	11	6	12	10	26	12	10	2	5	1		1	
1. Angina pectoris.....	M. 4 F. 8															1			3								
2. Aneurism.....	M. 7 F. 123					2	4	2	3	6	5	1	6	8	20	9	9	12	12	5	11	7	1	1			1
3. Diseases of the heart.....	M. 109 F. 7	2	1				3	1	3	1	4	8	1	3	10	5	11	9	22	12	8	2	4	1			1
4. Others of this group.....	M. 8 F. 3	6					6			1		1			1		1			1							
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	543	146	53	29	24	12	264	19	7	8	30	18	14	17	18	18	17	27	20	22	12	18	6	3		3	2
Males.....	295	77	19	11	16	5	128	12	4	4	14	12	11	14	8	13	16	15	10	15	5	8	2	1		1	2
Females.....	248	69	34	18	8	7	136	7	3	4	16	6	3	3	10	5	1	12	10	7	7	10	4	2		2	
1. Croup.....	M. 23 F. 23	4	3	6	5	1	19	3	1																		
2. Laryngitis.....	M. 11 F. 8	1	1	1	2	1	6	2							1			2									
3. Bronchitis.....	M. 66 F. 68	28	4	1	2		35	2			3	1	4	1	2	1	1	3	2	4	3	1	1	1			1
4. Pneumonia.....	M. 168 F. 130	42	11	2	7	2	64	5	3	3	10	10	6	11	5	9	13	8	5	7	2	4	1			1	1
5. Pleurisy.....	M. 12 F. 6						64	4	1	4	15	6	1	3	4	2	1	8	6	4		3	1	1			2
6. Asthma.....	M. 8 F. 6	1					1				1	1	1			1	1		1	4	2						
7. Others of this group.....	M. 7 F. 7	2		1		1	4							1		1	1			2							

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 4.—NEW ORLEANS, LA.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	340	63	46	14	2	4	129	7	2	6	8	8	20	23	19	24	27	15	23	13	6	4	5		1		
Males.....	199	38	18	9	2	3	70	3	2	2	5	7	10	11	8	17	18	11	19	9	3	1	3				
Females.....	141	25	28	5		1	59	4		4	3	1	10	12	11	7	9	4	4	4	3	3	2		1		
1. Dentition.....	M. 49	26	16	7			49																				
F. 48	19	26	3				48																				
2. Angina.....	M. 5	1	1		1	1	3	1												1							
F. 6	1	1	1				3	2		1																	
3. Gastritis.....	M. 15	1					1		1				1		1		3		5	2		1					
F. 17	1	1					1						2	4	3		1	1		1	1	1	1		1		
4. Other diseases of the stomach.....	M. 4					1	1									1		1		1							
F. 2	1						1	1																			
5. Obstruction of the bowels.....	M. 13	6					6			1				1			1		1	2		1					
F. 5	1						1		1							2				1							
6. Hernia.....	M. 4		1				1									1			1		1						
F. 4																											
7. Other diseases of the bowels.....	M. 4			1			1					1			1					1			1				
F. 1																											
8. Jaundice.....	M. 1												1														
F. 1																											
9. Inflammation and abscess of the liver.....	M. 47	3		1			4	1			3	3	2	7	1	8	7	3	6	1	1						
F. 15											1		4	2	4		1		2	1							
10. Other diseases of the liver.....	M. 32							1			2	1	4	2	2	3	4	5	3	2			3				
F. 19	1						1				2	1	4	1	3	3		1	1	1	1	1					
11. Peritonitis.....	M. 14	1				1	2		1	1		2	1	1	2	1	1		1	1							
F. 16										2			4	2	1	2	3	2									
12. Ascites.....	M. 3														1		1		1								
F. 3						1	1								1												
13. Others of this group.....	M. 8	1			1		2						1			2	2	1									
F. 4	2		1				3	1										1									
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	102	1	2				3	3	1	1	11	11	5	5	9	10	14	11	2	7	4		1		1	1	2
Males.....	64		1				1	3	1	1	5	8	3	3	7	7	8	8	2	4			1			1	1
Females.....	38	1	1				2				6	3	2	2	2	3	6	3		3	4				1		1
1. Bright's disease.....	M. 53		1				1	2	1	1	4	6	3	3	7	5	6	6	1	4			1			1	1
F. 37		1					1				6	3	2	2	2	3	6	3		3	4				1		1
2. Calculus, urinary.....	M. 1																	1									
F. 1																											
3. Diseases of the kidney.....	M. 3							1			1	1															
F. 3																											
4. Diseases of the bladder.....	M. 4											1				1	2										
F. 4																											
5. Others of this group.....	M. 3															1		1	1								
F. 1	1	1					1																				
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	12											1		3	1	3		2	1	1							
1. Ovarian tumors.....	F. 1																	1									
2. Ovarian diseases.....	F. 1																		1								
3. Uterine tumors.....	F. 4													2				1		1							
4. Uterine diseases.....	F. 3											1				2											
5. Others of this group.....	F. 3													1	1	1											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	18									4	5	5	2	1	1												
1. Abortion.....	F. 1											1															
2. Child-birth.....	F. 3										1	1			1												
3. Others of this group.....	F. 14																										

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.
GRAND GROUP 4.—NEW ORLEANS, LA.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	7	1					1					1		1			1	1					1				1
Males.....	3	1					1										1										1
Females.....	4											1		1				1					1				
1. Abscess.....	M. 1											1															
F. 1																											
2. Carbuncle.....	M. 1																										
F. 2														1									1				1
3. Others of this group.....	M. 2	1					1										1										
F. 1																		1									
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1											1															
Males.....																											
Females.....	1											1															
1. Addison's disease.....	M. 1											1															
F. 1																											
2. Diseases of the spleen.....	M. 1																										
F. 1																											
3. Others of this group.....	M. 1																										
F. 1																											
XII.—ACCIDENTS AND INJURIES.																											
Total.....	196	16	6	8	2	3	35	11	22	13	9	13	14	12	14	11	12	6	5	8	1	3	3		1		3
Males.....	138	9	2	4		2	17	6	18	11	8	11	14	4	11	8	8	6	3	4	1	3	1		1		3
Females.....	58	7	4	4	2	1	18	5	4	2	1	2		8	3	3	4		2	4			2				
1. Burns and scalds.....	M. 8		1	2			3	1					1					1		1					1		
F. 18	1	2		2	1		6	3	1	2		1		2	1	1							1				
2. Drowned.....	M. 45		1			2	3	4	11	4	2	3	3	1	1	2	4	3		1							3
F. 4			1				1										1			1		1					
3. Exposure and neglect.....	M. 14										1	4	1	2	4	1			1								
F. 5			1				1		1			1		1						1							
4. Gunshot wounds.....	M. 1	1					1																				
F. 1	1						1																				
5. Homicide.....	M. 1																										
F. 1	1																										
6. Infanticide.....	M. 1																										
F. 1	1																										
7. Injuries by machinery.....	M. 1																										
F. 1																											
8. Railroad accidents.....	M. 1																										
F. 1																											
9. Suffocation.....	M. 4	3					3		1																		
F. 5	2	1	1				4										1										
10. Suicide by shooting.....	M. 5												2		1			1		1							
F. 1																											
11. Suicide by drowning.....	M. 1																1										
F. 2																			1								
12. Suicide by poison.....	M. 4												1		1	1	1										
F. 1																											
13. Other suicides.....	M. 3									1							1						1				
F. 2														1		1											
14. Sunstroke.....	M. 1										1																
F. 1																											
15. Surgical operations.....	M. 1																										
F. 1																											
16. Wounds.....	M. 4									1	1				1	1											
F. 4																											
17. Other accidents and injuries.....	M. 48	5		2			7	1	6	5	3	4	6	1	3	3	1	1	2	1	1	3					
F. 20	3	1	1				5	2	2		1			4		1	2		1	2							

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.
 GRAND GROUP 5.—HARTFORD, CONN.; WORCESTER, MASS.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	1829	428	118	60	30	24	660	54	23	55	82	91	83	80	66	80	74	77	89	85	69	63	51	30	7	5	5
Total: Males.....	969	241	65	36	10	10	362	34	14	29	47	40	39	51	25	47	45	41	40	48	36	31	21	13	2	2	2
Females.....	860	187	53	24	20	14	298	20	9	26	35	51	44	29	41	33	29	36	49	37	33	32	30	17	5	3	3
Unknown causes.																											
Total.....	69	20	8	2	1	1	31	3	2	2	2	2	3	3	2	2	3	2	4	3	2	1	2	1	1	1	1
Males.....	31	9	2	1	1	1	13	3	2	2	2	2	2	1	1	1	2	2	1	1	1	1	1	1	1	1	1
Females.....	38	11	6	1	1	1	18	2	2	2	2	2	2	2	2	1	1	1	1	2	1	1	1	1	1	1	1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	327	114	38	22	10	13	197	16	8	9	8	10	12	5	3	6	7	7	11	10	4	2	4	6	1	1	1
Males.....	165	54	20	13	3	6	96	10	5	6	6	7	3	3	3	4	3	5	7	1	1	2	3	3	1	1	1
Females.....	162	60	18	9	7	7	101	6	3	3	2	3	9	2	3	3	3	4	6	3	3	1	2	3	1	1	1
1. Small-pox.....	M. 10 F. 5	1	1	1	1	1	1	3	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2. Measles.....	M. 2 F. 3	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3. Scarlet fever.....	M. 4 F. 11	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4. Diphtheria.....	M. 17 F. 15	1	1	1	1	1	15	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5. Hooping-cough.....	M. 2 F. 6	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6. Fever.....	M. 2 F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
7. Cerebro-spinal fever.....	M. 2 F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
8. Enteric fever.....	M. 21 F. 13	1	1	1	1	1	2	3	1	4	4	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
9. Diarrhoea.....	M. 18 F. 7	1	1	1	1	1	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
10. Dysentery.....	M. 1 F. 4	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
11. Enteritis.....	M. 17 F. 9	1	1	1	1	1	9	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
12. Cholera morbus.....	M. 1 F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
13. Cholera infantum.....	M. 43 F. 51	1	1	1	1	1	43	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
14. Malarial fever.....	M. 10 F. 11	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
15. Erysipelas.....	M. 10 F. 10	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
16. Septicæmia.....	M. 2 F. 1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
17. Puerperal septicæmia.....	M. 8 F. 1	1	1	1	1	1	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
18. Venereal diseases.....	M. 1 F. 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
19. Others of this group.....	M. 5 F. 5	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
General diseases—B.																											
Total.....	14	3	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Males.....	9	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Females.....	5	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1. Worms.....	M. 7 F. 1	1	1	1	1	1	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2. Other parasitic diseases.....	M. 1 F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3. Alcoholism.....	M. 7 F. 1	1	1	1	1	1	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4. Lead poison.....	M. 1 F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5. Other poisons.....	M. 1 F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6. Inanition.....	M. 2 F. 4	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
General diseases—C.																											
Total.....	236	152	5	1	1	1	158	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Males.....	129	95	3	1	1	1	98	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Females.....	107	57	2	1	1	1	60	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1. Premature birth.....	M. 12 F. 5	1	1	1	1	1	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2. Stillborn.....	M. 51 F. 36	1	1	1	1	1	51	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3. Malformation.....	M. 4 F. 2	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4. Debility.....	M. 50 F. 32	1	1	1	1	1	31	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5. Old age.....	M. 12 F. 32	1	1	1	1	1	17	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6. Atrophy.....	M. 12 F. 32	1	1	1	1	1	17	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 5.—HARTFORD, CONN.; WORCESTER, MASS.—Continued.

[illegible]

GRAND GROUP 6.—PATERSON, N. J.; SCRANTON, PA.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
GRAND TOTAL	1570	365	148	76	58	45	692	117	45	48	55	43	63	53	65	53	56	57	52	53	37	43	15	7	6	4	6	
Total: Males.....	816	196	78	37	37	23	371	60	28	22	27	20	29	31	35	24	34	28	31	26	19	18	5	1	2	1	4	
Females	754	169	70	39	21	22	321	57	17	26	28	23	34	22	30	29	22	29	21	27	18	25	10	6	4	3	2	
Unknown causes.																												
Total.....	19	10	1				11			1	1		1			1	1	1									2	
Males.....	8	3	1				4				1		1					1										
Females	11	7					7			1						1	1										1	
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total.....	403	93	75	24	28	27	247	66	14	9	8	4	9	3	3	2	9	8	7	5	3	4	1				1	
Males.....	212	52	41	11	21	12	137	32	7	2	4	1	4	1	2		8	1	5	1	2	3	1				1	
Females	191	41	34	13	7	15	110	34	7	7	4	3	5	2	1	2	1	7	2	4	1	1						
1. Small-pox..... { M. F.																												
2. Measles..... { M. F.	8 3	3 2	2 1	1 2			8 2																					
3. Scarlet fever..... { M. F.	51 42	2 8	8 7	3 4	12 8	9 8	34 27	10 13	5 1	1 1																		
4. Diphtheria..... { M. F.	38 25	4 1	8 3	5 2	4 3	3 6	24 15	14 9																				
5. Hooping-cough..... { M. F.	2 2	1 2	1 1				2 2																					
6. Fever..... { M. F.																												
7. Cerebro-spinal fever..... { M. F.	2 3			1			1		1		1			1														
8. Enteric fever..... { M. F.	10 14								2 1		2 5		2 1	1 1		2 2	2 1	1 1	1 1								1	
9. Diarrhoea..... { M. F.	10 11	6 3	3 1	1 1			9 10					1 1									1							
10. Dysentery..... { M. F.	22 16	5 4	4 3		2 1		11 4	3 5		1 2			1 1		2 1		1 1	1 1	2 1									
11. Enteritis..... { M. F.	7 6	4 2	2 1	1 1			6 4	1 1				1 1																
12. Cholera morbus..... { M. F.	9 8	3 1	1 1				3 2	2 1				1 1					1 2		2 1			1						
13. Cholera infantum..... { M. F.	36 39	23 26	12 13	1 1			36 39								1			2 3	1 1									
14. Malarial fever..... { M. F.	11 10		1 2				1 2	2 1		1 1			1 1				3 3			2 2		3 1	1					
15. Erysipelas..... { M. F.	3 2	1 2					1 2						1 1				1 1											
16. Septicæmia..... { M. F.	1 3													1 1														
17. Puerperal septicæmia..... { M. F.	5 1										1 2	1 1	2 2															
18. Venereal diseases..... { M. F.	1 2	1 1					1 1																					
19. Others of this group..... { M. F.	2 1				1		1 1		1												1							
General diseases—B.																												
Total.....	20	16					16								1			1			1	1						
Males.....	9	8					8											1										
Females	11	8					8								1						1	1						
1. Worms..... { M. F.																												
2. Other parasitic diseases..... { M. F.																												
3. Alcoholism..... { M. F.	1 2																	1										
4. Lead poison..... { M. F.															1						1							
5. Other poisons..... { M. F.																												
6. Inanition..... { M. F.	8 9	8 8					8 8																					
General diseases—C.																												
Total.....	134	67	9	3			79										1			4	9	19	6	6	6	3	1	
Males.....	65	38	6	1			45													2	5	9	1	1	2			
Females	69	29	3	2			34										1			2	4	10	5	5	4	3	1	
1. Premature birth..... { M. F.	11 14	11 14					11 14																					
2. Stillborn..... { M. F.	1 3	1 3					1 3																					
3. Malformation..... { M. F.	2 2	2 2					2 2																					
4. Debility..... { M. F.	36 21	24 12	6 3	1 2			31 17													1 2	2 1	1 3			1 4			
5. Old age..... { M. F.	15 31																			1 3	8 10	1 5	1 5	1 4	1 3		1	
6. Atrophy..... { M. F.																												

GRAND GROUP 6.—PATERSON, N. J.; SCRANTON, PA.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	290	20	11	5	5	1	42	12	6	21	31	23	22	24	26	21	17	15	10	7	6	4	3				
Males.....	128	10	6	2	3	1	22	5	3	11	14	9	8	13	13	8	6	6	3	4	2	1					
Females	162	10	5	3	2		20	7	3	10	17	14	14	11	13	13	11	9	7	3	4	3					
1. Rheumatism.....	M. 1																		1								
	F. 1																										
2. Scrofula and tabes.....	M. 1	1					1																				
	F. 4	4					4																				
3. Leprosy.....	M.																										
	F.																										
4. Consumption.....	M. 100	2	2	1	1		6	4	3	11	14	9	8	13	12	4	6	4		3	2	1					
	F. 109	1	2	2	1		6	2	2	9	16	14	13	10	7	8	8	3	5	2	2	1	1				
5. Hydrocephalus.....	M. 12	6	3	1	1	1	12																				
	F. 9	3	2	1			6	2	1																		
6. Cancer.....	M. 4																										
	F. 25		1				1							1	4	5	2	5	2	1	1	2	1				
7. Tumor.....	M. 1							1																			
	F.																										
8. Anæmia.....	M.																										
	F.																										
9. Dropsy.....	M. 8	1			1		2								1	2			2	1							
	F. 13	2			1		3	2		1			1		2		1	1			1		1				
10. Glycosuria.....	M.																										
	F. 1							1																			
11. Others of this group.....	M. 1		1				1																				
	F. 1										1																
12. Others of this class.....	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	209	73	23	11	9	5	121	12	4	5	2	5	7	2	4	4	3	9	11	10	5	3	2				
Males.....	103	35	11	5	3	2	56	7	3	3	1	3	2	2	2	3	1	4	8	5	2		1				
Females	106	38	12	6	6	3	65	5	1	2	1	2	5		2	1	2	5	3	5	3	3	1				
1. Inflammation of the brain.....	M. 5	1	2			1	4					1															
	F. 12	4	2	1	1		8	2				1									1						
2. Meningitis.....	M. 14	2	2		2	1	7	2		3						1			1								
	F. 11	3	1	1			5	2			1				1			1		1							
3. Apoplexy.....	M. 9													1		1	1	1	1	3	1						
	F. 9											2				1		2		1	1	1	1				
4. Paralysis.....	M. 9											1	1	1				1	2		1		1				
	F. 10									1					1		1	1	1	3		2					
5. Tetanus and trismus nascentium.	M. 2	1					1											1									
	F.																										
6. Epilepsy.....	M. 3								3																		
	F. 3						1					1							1								
7. Convulsions.....	M. 43	28	6	4	1		39	3			1																
	F. 51	31	7	4	5	3	50	1																			
8. Mental diseases.....	M.																										
	F. 1											1															
9. Diseases of the brain.....	M. 14	1	1	1			3	2				1	1		1			1	3	2							
	F. 7		1				1			1		1					1	1	1		1						
10. Diseases of the spinal cord.....	M. 3	2					2									1											
	F. 2								1				1														
11. Others of this group.....	M. 1																		1								
	F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	78	3				1	4	2	4			2	7	4	4	7	10	7	5	8	5	7	2				
Males.....	37	2				1	3	1	2				3	1	1	2	6	5		6	2	4	1				
Females	41	1					1	1	2			2	4	3	3	5	4	2	5	2	3	3	1				
1. Angina pectoris.....	M. 1															1											
	F.																										
2. Aneurism.....	M. 2																1				1						
	F.																										
3. Diseases of the heart.....	M. 31				1		1	1	2			3	1	1	1	4	5		6	1	4	1					
	F. 40							1	2			2	4	3	3	5	4	2	5	2	3	3	1				
4. Others of this group.....	M. 3	2					2									1											
	F. 1	1					1																				
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	251	69	28	27	12	9	145	12	4	4	4	2	7	7	9	10	5	12	11	9	3	4	1	1		1	
Males.....	148	40	12	16	8	5	81	7	2		4	2	5	5	7	4	5	7	9	4	3	1	1			1	
Females	103	29	16	11	4	4	64	5	2	4			2	2	2	6		5	2	5		3		1			
1. Croup.....	M. 38	12	5	8	6	3	34	3	1																		
	F. 30	3	10	10	2	2	27	3																			
2. Laryngitis.....	M.																										
	F.																										
3. Bronchitis.....	M. 23	12	2	2			16		1					1				1	2		1	1					
	F. 18	10	2		2	1	15	1						1				1									
4. Pneumonia.....	M. 69	9	5	6	1		21	4			4	1	4	4	6	4	4	5	5	3	2		1			1	
	F. 49	13	3	1		1	18	1	2	3			1	1	2	6		4	2	5		3		1			
5. Pleurisy.....	M. 1												1														
	F.																										
6. Asthma.....	M. 6														1		1	1	2	1							
	F. 1																										
7. Others of this group.....	M. 11	7			1	2	10					1															
	F. 5	3	1				4						1														

GRAND GROUP 6.—PATERSON, N. J.; SCRANTON, PA.—Continued.

[illegible]

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 6.—PATERSON, N. J.; SCRANTON, PA.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	4	1	1				2	1	1																		
Males.....	3	1	1				2		1																		
Females.....	1							1																			
1. Abscess.....	M. 2		1				1		1																		
	F. 1							1																			
2. Carbuncle.....	M. 1																										
	F. 1																										
3. Others of this group.....	M. 1	1					1																				
	F. 1																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....																											
Males.....																											
Females.....																											
1. Addison's disease.....	M. 1																										
	F. 1																										
2. Diseases of the spleen.....	M. 1																										
	F. 1																										
3. Others of this group.....	M. 1																										
	F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	72	7		1		3	11	7	8	5	3	4	6	7	10	3	2	1	3	1							1
Males.....	62	4		1		3	8	6	8	5	2	4	5	7	8	3	2	1	2								1
Females.....	10	3					3	1			1		1		2				1	1							
1. Burns and scalds.....	M. 2					1	1									1											
	F. 2							1											1								
2. Drowned.....	M. 9					2	2	2		3		1	1														
	F. 1																										
3. Exposure and neglect.....	M. 1	1					1																				
	F. 1																										
4. Gunshot wounds.....	M. 2													1			1										
	F. 2																										
5. Homicide.....	M. 1														1												
	F. 1																										
6. Infanticide.....	M. 1																										
	F. 1																										
7. Injuries by machinery.....	M. 14																										
	F. 1																										
8. Railroad accidents.....	M. 5	2					2	1						1													
	F. 2	2					2																				
9. Suffocation.....	M. 1																										
	F. 1																										
10. Suicide by shooting.....	M. 1																										
	F. 1																										
11. Suicide by drowning.....	M. 1																										
	F. 1																										
12. Suicide by poison.....	M. 1																										
	F. 1																										
13. Other suicides.....	M. 3									1					2												
	F. 1																										
14. Sunstroke.....	M. 1																										
	F. 1																										
15. Surgical operations.....	M. 1																										
	F. 1																										
16. Wounds.....	M. 1																										
	F. 1																										
17. Other accidents and injuries.....	M. 26	1		1			2	1	4	1	1	1	2	4	4	2	1	1	2								
	F. 3	1					1				1								1								

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.
 GRAND GROUP 7.—BUFFALO, N. Y.; CHICAGO, ILL.; CLEVELAND, OHIO; DETROIT, MICH.; MILWAUKEE, WIS.; ROCHESTER, N. Y.; TOLEDO, OHIO.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	21412	6710	1822	1040	857	622	11051	1506	446	554	807	751	774	749	658	619	624	567	532	452	431	373	253	98	47	28	92
Total: Males.....	11442	3783	949	524	439	323	6018	747	230	246	383	365	413	392	379	363	372	343	283	251	220	190	119	44	22	14	48
Females.....	9970	2927	873	516	418	299	5033	759	216	308	424	386	361	357	279	256	252	224	249	201	211	183	134	54	25	14	44
Unknown causes.																											
Total.....	147	67	3	2	2	1	75	4	5		3	4	5	4	6	10	6	5	6	2	1	4	1				6
Males.....	83	43		1	2		46	1	4			1	2	2	2	6	4	3	4	2		2	1				3
Females.....	64	24	3	1		1	29	3	1		3	3	3	2	4	4	2	2	2		1	2					3
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	6222	1793	898	505	493	361	4050	916	195	129	160	130	120	116	61	62	67	44	49	32	25	30	13	5	1	1	16
Males.....	3093	985	458	244	259	172	2118	417	87	54	63	42	45	40	33	42	38	28	25	19	17	13	4	2	1	1	4
Females.....	3129	808	440	261	234	189	1932	499	108	75	97	88	75	76	28	20	29	16	24	13	8	17	9	3			12
1. Small-pox.....	M. 8				1		1			1	1		2	1	1		1										
F. 6	1				1		2			1				1													
2. Measles.....	M. 133	44	47	17	11	4	123	6	1		1	1				1											
F. 153	48	37	18	15	6		124	21	3	1		1	2	1													
3. Scarlet fever.....	M. 440	33	58	66	82	60	299	113	18	5	3	1				1											
F. 481	24	58	71	81	62		296	140	29	5	2	3	2	1	1												2
4. Diphtheria.....	M. 828	63	112	117	136	95	523	246	38	6	3	3	4	3	1	1											
F. 834	40	105	115	119	102		481	273	49	13	1	4	5	1		1	2						1				3
5. Hooping-cough.....	M. 60	40	11	2	1	3	57	3																			
F. 64	32	11	16		4		63	1																			
6. Fever.....	M. 1						2																				
F. 3																											
7. Cerebro-spinal fever.....	M. 40	6	7	5	4	1	23	6		3	1			4		1	1										
F. 26	3	7	2	2	1		15	5	1					1													1
8. Enteric fever.....	M. 170	2		5	5	3	15	17	13	25	23	20	9	12	7	9	4	7	4	2		1					1
F. 195	2	3	1	1	6		13	23	16	28	31	20	18	15	2	3	7	7	4	2		3	2	1			1
9. Diarrhoea.....	M. 254	172	47	8	1		228																				
F. 193	125	43	4	3	1		176	1	1																		
10. Dysentery.....	M. 142	76	32	5	6		119	1	2		2	1	4	1	1	1	3	1		2	1	1	4	1			
F. 109	47	31	5				83																				
11. Enteritis.....	M. 243	116	29	2	5	2	154	10	7	8	6	4	4	7	8	5	7	7	4	4	4	1	1	1			1
F. 191	89	20	6	4	3		122	8	4	3	5	7	5	8	6	3	4	2	3	3	1	3	2				2
12. Cholera morbus.....	M. 35	4	1	1		1	7	4	2		2	1		2	2	3	4	2	2	2	2						
F. 28	3	2					5	8	1			1	1	4	1		2		2	1	2						
13. Cholera infantum.....	M. 498	386	103	7	1	1	498																				
F. 489	357	113	16	2			488																				
14. Malarial fever.....	M. 93	13	5	4	4	1	27	5	2	3	9	7	4	2	2	8	6	6	5	4	1	1					
F. 83	8	2	5	1	2		18	10	4	5	9	4	6	5	5	4	1	2	3	1	1	3	1	1			
15. Erysipelas.....	M. 58	18	2	2			22	1	1	1	3	3	3	4	3	3	3	1	3	1	2	3	1				
F. 52	17	4	1	1			23																				
16. Septicæmia.....	M. 33	3	2	1		1	7	1	1		1		5	3	2	3	4	2	1	3							
F. 39	4	1	1	1			7	3		3	6	6		5	1	2	3		2	1							
17. Puerperal septicæmia.....	M. 138																										
F. 17	9						9																				
18. Venereal diseases.....	M. 11	5	1				6																				
F. 40		2	1	2			5	4	1		5		4	3	2	2	3	2	4		2	2		1			
19. Others of this group.....	M. 34	3	2		1	2	8	4		2		2	3	2			4	3	2	2	1		1				
F. 34																											
General diseases—B.																											
Total.....	386	265	21	9	2	2	299	2	2	4	4	6	10	12	8	9	8	2	5	4	1	1	2				7
Males.....	223	148	9	5		1	163	1	1	2	2	5	8	9	8	5	5	2	4	2	1		1				4
Females.....	163	117	12	4	2	1	136	1	1	2	2	1	2	3		4	3		1	2		1	1				3
1. Worms.....	M. 5	2	1	2			5																				
F. 3		1		1			2	1																			
2. Other parasitic diseases.....	M.																										
F.																											
3. Alcoholism.....	M. 24												6	7	8	3	4	1	3	1	1						
F. 10													2	1	2		2	1									
4. Lead poison.....	M. 3																										
F.																											
5. Other poisons.....	M. 14		1	2			3			1	1	4	2	1		1		1									
F. 8		1	1				2			1	1																
6. Inanition.....	M. 167	146	7	1		1	155	1	1	1	1			1													
F. 142	117	10																									

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.
 GRAND GROUP 7.—BUFFALO, N. Y.; CHICAGO, ILL.; CLEVELAND, OHIO; DETROIT, MICH.; MILWAUKEE, WIS.; ROCHESTER, N. Y.; TOLEDO, OHIO—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	3124	199	85	52	27	31	394	66	66	191	342	306	274	247	207	209	194	191	153	107	78	48	22	12	2	2	13
Males.....	1583	118	51	23	14	19	225	28	27	64	170	149	145	127	106	96	114	111	79	61	40	18	10	6	—	—	7
Females.....	1541	81	34	29	13	12	169	38	39	127	172	157	129	120	101	113	80	80	74	46	38	30	12	6	2	2	6
1. Rheumatism.....	M. 35	—	—	—	—	1	1	4	3	3	—	2	2	1	1	2	1	7	2	1	1	1	—	2	—	—	1
	F. 27	—	—	1	—	—	1	2	1	6	—	3	1	4	1	—	1	1	2	—	1	2	1	—	—	—	—
2. Scrofula and tabes.....	M. 41	22	6	4	—	2	34	1	—	1	1	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	—
	F. 33	11	5	3	—	—	19	4	2	1	2	1	1	1	—	—	—	1	1	—	—	—	—	—	—	—	—
3. Leprosy.....	M. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Consumption.....	M. 1076	27	16	8	4	6	61	13	7	56	160	139	128	109	80	67	72	71	43	30	21	8	5	1	—	—	5
	F. 1001	29	13	12	5	5	64	14	27	115	163	139	111	88	63	56	32	38	34	20	13	11	4	2	2	1	4
5. Hydrocephalus.....	M. 108	50	24	9	7	6	96	4	3	—	—	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F. 80	30	15	8	4	5	62	10	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Cancer.....	M. 153	3	1	1	—	1	6	1	1	—	4	2	7	6	14	15	20	22	21	16	13	3	1	1	—	—	—
	F. 214	1	—	1	1	—	3	—	—	2	2	5	9	14	26	39	37	24	17	18	9	5	1	2	—	—	1
7. Tumor.....	M. 25	3	1	—	—	—	4	2	2	—	1	1	2	1	—	2	3	3	1	1	1	—	1	—	—	—	—
	F. 26	1	—	—	—	—	1	—	—	—	2	2	3	3	2	4	2	1	4	—	2	—	—	—	—	—	—
8. Anæmia.....	M. 5	3	—	—	—	—	3	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
	F. 13	1	—	2	—	—	3	—	1	—	—	1	—	1	1	1	2	—	—	—	—	—	—	—	—	—	—
9. Dropsy.....	M. 115	6	2	1	2	2	13	3	9	4	2	3	4	7	10	10	13	7	11	7	3	4	2	2	—	—	1
	F. 136	7	1	2	3	2	15	6	4	2	3	5	4	8	7	12	4	14	13	8	12	9	6	2	—	—	1
10. Glycosuria.....	M. 17	—	—	—	—	1	1	—	—	1	—	—	1	3	1	—	1	1	—	3	1	2	1	—	—	—	—
	F. 8	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	1	1	—	1	1	—	—	—	—	—	—
11. Others of this group.....	M. 8	4	1	—	1	—	6	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F. 3	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
12. Others of this class.....	M. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F. 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	2917	1376	299	140	80	55	1950	129	31	43	38	44	54	61	64	68	72	82	62	58	68	44	25	7	1	1	15
Males.....	1612	770	154	70	42	30	1066	63	20	16	16	31	33	40	41	43	36	48	32	37	35	28	14	3	1	1	8
Females.....	1305	606	145	70	38	25	884	66	11	27	22	13	21	21	23	25	36	34	30	21	33	16	11	4	—	—	7
1. Inflammation of the brain.....	M. 111	26	28	10	6	1	71	10	2	1	2	4	4	3	4	3	2	1	—	1	2	1	—	—	—	—	—
	F. 84	25	13	6	8	4	56	10	3	3	—	1	3	—	2	1	3	—	1	—	1	—	—	—	—	—	—
2. Meningitis.....	M. 218	86	36	14	12	9	157	21	3	6	3	2	5	5	5	1	4	2	1	—	1	—	—	—	—	—	—
	F. 187	69	36	20	7	5	137	24	—	7	3	2	1	2	2	2	—	1	—	4	—	1	—	—	—	—	1
3. Apoplexy.....	M. 144	5	1	—	—	—	6	—	1	—	1	8	9	8	9	17	13	26	13	10	14	6	1	1	—	—	1
	F. 106	6	—	1	—	—	8	—	1	2	2	1	3	7	8	7	8	20	8	7	13	6	4	1	—	—	—
4. Paralysis.....	M. 115	1	2	3	2	2	10	2	—	1	2	3	2	4	8	4	7	7	10	16	10	17	9	2	1	—	—
	F. 79	2	—	1	1	—	4	2	—	—	—	—	3	3	2	4	11	8	10	7	13	7	5	—	—	—	
5. Tetanus and trismus nascentium.....	M. 33	21	—	—	—	2	23	2	1	1	1	—	—	2	1	1	1	—	—	—	—	—	—	—	—	—	—
	F. 19	11	—	—	1	—	12	—	—	1	1	—	—	—	1	1	2	—	1	—	—	—	—	—	—	—	—
6. Epilepsy.....	M. 27	6	—	—	—	—	6	—	2	1	2	2	1	3	1	3	1	2	—	1	2	—	—	—	—	—	—
	F. 23	3	—	—	—	—	3	1	2	2	—	—	5	1	1	2	—	1	1	1	1	—	—	—	—	—	—
7. Convulsions.....	M. 724	573	62	31	14	13	693	16	5	—	1	1	1	—	—	3	—	—	—	—	—	—	—	—	—	—	5
	F. 624	439	82	32	14	10	577	19	2	6	4	3	1	2	—	3	3	1	—	—	—	—	—	—	—	—	3
8. Mental diseases.....	M. 21	—	—	—	—	—	—	—	—	1	1	3	4	2	2	2	—	5	1	—	2	—	—	—	—	—	—
	F. 8	—	—	—	—	—	—	—	—	—	—	3	—	—	2	1	1	—	1	—	—	—	—	—	—	—	—
9. Diseases of the brain.....	M. 174	44	23	10	6	1	84	9	4	4	4	7	3	9	10	6	5	5	5	9	3	4	1	—	—	—	2
	F. 131	39	13	10	4	3	69	7	—	4	5	3	5	4	5	2	4	2	6								

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	992	320	72	24	11	5	432	25	14	31	38	35	54	56	43	41	39	43	40	33	32	14	9	2	1	10	
Males.....	532	181	31	11	5	4	232	19	7	16	15	15	30	19	24	22	21	28	25	19	22	8	4	2	1	4	
Females.....	460	139	41	13	6	1	200	6	7	15	23	20	24	37	19	19	18	15	15	14	10	6	5	1	6		
1. Dentition.....	M. 29 F. 43	16 20	10 22	1 1	2 1		29 43																				
2. Angina.....	M. 16 F. 21	7 7	2 2	4 3			13 13	1 2							1 1						1 1						
3. Gastritis.....	M. 38 F. 38	11 4	4 1	1 1	1 1	1	17 7			3 4	1 1	2 2	6 6	2 2	3 3	2 3	2 2	2 2	3 3	1 1	1 1	1 1	1 1				
4. Other diseases of the stomach.....	M. 45 F. 29	7 6	1 1		1 1		9 8	4 1	2 1	1 1	3 3	1 1	1 1	2 2	1 1	2 2	2 2	2 2	4 2	4 3	3 3	1 1	2 2				
5. Obstruction of the bowels.....	M. 21 F. 8	6 2					6 2	2 2	1 1	2 1	1 1	2 1	1 1	1 1	2 1	2 1	2 1		1 1				1 1				
6. Hernia.....	M. 13 F. 11	4 1					4 5				1 1				1 1	1 1	2 2	2 2	1 1	1 1	1 1	2 2	1 1			1	
7. Other diseases of the bowels.....	M. 14 F. 7	1 3	4 1				5 4				1 1		1 1			3 1	1 1	1 1	3 1								
8. Jaundice.....	M. 15 F. 20	9 8	1 1	1 1			10 10			1 1		1 1	1 1	2 2			1 1	2 2	2 2	1 1	1 1	1 1	1 1		1 1		
9. Inflammation and abscess of the liver.....	M. 37 F. 18	3 1					3 2	2 1		4 1	2 1	7 2	3 1	4 1	2 1	2 2	2 2	2 2	2 2	1 1	2 1	1 1			1 1		
10. Other diseases of the liver.....	M. 74 F. 42	1 2	1 1	1 1	1 1		4 3	2 2	1 1	1 1	2 1	3 1	3 5	2 3	6 2	4 3	9 4	14 3	8 4	7 8	7 1	2 1	1 1				
11. Peritonitis.....	M. 75 F. 106	7 5	3 2	1 1	3 3	1	11 11	7 1	2 3	11 7	4 13	6 10	7 12	7 21	4 1	3 1	3 4	2 1	5 1	1 1	1 2	1 2	1 1			2	
12. Ascites.....	M. 5 F. 5			1 1			1 1		1 1					2 2	1 1	1 1	1 1	1 1									
13. Others of this group.....	M. 150 F. 112	109 81	6 10	2 6	1 6	2	120 97	1 2	2 2			2 1	2 1	2 4	3 1	3 1	1 3	6 3	2 1	3 1	3 1	1 1					
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	349	8	4	3	5	11	31	24	12	15	17	13	24	24	24	22	19	29	19	20	26	18	9	2	1		
Males.....	211	4	2		2	5	13	13	9	8	7	7	12	11	12	13	15	17	11	16	20	18	7	2	2	1	
Females.....	138	4	2	3	3	6	18	11	3	7	10	6	12	13	12	9	4	12	8	4	6						
1. Bright's disease.....	M. 104 F. 67	1 1				4 3	5 6	3 5	8 3	4 4	5 5	4 2	8 9	8 5	11 6	6 4	7 2	12 8	3 6	7 1	6 1	5 1	2 1				
2. Calculus, urinary.....	M. 5 F. 1																	2 1	1 1		1 1						
3. Diseases of the kidney.....	M. 57 F. 47	1 4	2 1		2 1	1 3	6 11	6 5	1 1	2 1	2 4	2 2	1 2	3 4	1 5	6 2	6 2	3 3	4 2	2 2	6 2	3 1	3 1			1	
4. Diseases of the bladder.....	M. 25 F. 7							1 1				1 1				1 1	1 1		2 1	6 1	6 1	5 1	1 1		2		
5. Others of this group.....	M. 20 F. 16	2 1					2 1	3 1		2 1		2 1	2 1	4 4		2 2	1 1	2 1	1 1	1 1	1 1	4 1	1 1				
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	64									1	6	10	9	8	11	4	5	3	3	2	2						
1. Ovarian tumors.....	F. 13											3	1	1	3			1	1	1	2						
2. Ovarian diseases.....	F. 1																	1									
3. Uterine tumors.....	F. 9													2	2		2	1	1	1							
4. Uterine diseases.....	F. 12										2	1	4	2	1	2											
5. Others of this group.....	F. 29									1	4	6	4	5	4	3	1	1									
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	99									4	18	20	30	17	9	1											
1. Abortion.....	F. 12									1	2	2	5	1		1											
2. Child-birth.....	F. 67									2	13	15	17	12	8												
3. Others of this group.....	F. 20									1	3	3	8	4	1												
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	41		1	1	1	2	5	8	4	2	4		1	5	1	4	2	1		2	2						
Males.....	22		1				1	2	3	1	2		1	3	1	4		1		1	2						
Females.....	19			1	1	2	4	6	1	1	2			2		2	2			1							
1. Diseases of the spine.....	M. 11 F. 12							2 4	1 1	1 1	2 1		1 1	2 1		2 2											
2. Diseases of the bones.....	M. 8 F. 1			1 1	1 1	2	4		1		1			1	1	2		1		1	1						
3. Diseases of the hip-joint.....	M. 2 F. 5		1				1		1								1										
4. Others of this group.....	M. 1 F. 1																			1							

STATISTICS OF MORTALITY.

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.
 GRAND GROUP 7.—BUFFALO, N. Y.; CHICAGO, ILL.; CLEVELAND, OHIO; DETROIT, MICH.; MILWAUKEE, WIS.; ROCHESTER,
 N. Y.; TOLEDO, OHIO—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	53	11	2		1		14		2	4	4	2	5	1	3	3	4	3	4	3			1				
Males.....	28	3			1		4		1	3	1	1	2	1	1	3	3	2	3	3							
Females.....	25	8	2				10		1	1	3	1	3		2	1	1	1	1				1				
1. Abscess.....	M. 22 F. 14	2 1			1		3 2		1 1	1 1	1 3	1 1	2 3	1 3	1 1	2 1	3 1	1 1	2 1	3 1							
2. Carbuncle.....	M. 3 F. 3									2						1											
3. Others of this group.....	M. 3 F. 11	1 7	1				1 8								1			1 1	1 1								
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	8				1		1			2		1		3			1										
Males.....	5				1		1			1		1		2													
Females.....	3									1				1			1										
1. Addison's disease.....	M. 2 F. 2													2													
2. Diseases of the spleen.....	M. 1 F. 1													1													
3. Others of this group.....	M. 3 F. 3				1		1			1		1															
XII.—ACCIDENTS AND INJURIES.																											
Total.....	934	53	16	33	21	13	136	69	53	55	86	75	75	87	68	50	55	37	32	19	12	11	2				12
Males.....	756	28	11	24	9	11	83	54	46	47	67	65	68	71	65	43	50	34	26	14	6	6	1				10
Females.....	178	25	5	9	12	2	53	15	7	8	19	10	7	16	3	7	5	3	6	5	6	5	1				2
1. Burns and scalds.....	M. 36 F. 37	1 2	2 1	10 2	4 7	5 2	22 14	3 6	2 2	2 6	1 6		1 1	1 2	1 1		2 1	1 1									
2. Drowned.....	M. 159 F. 21	2 2	2 3	4 2	4 2	1 2	13 9	27 3	17 1	11 2	7 2	12 1	13 1	14 2	12 1	8 1	9 1	4 1	5 1	3 2			1				3
3. Exposure and neglect.....	M. 17 F. 5	7 2	2 2	3 3			12 2					1 1		1 1					1 1		1 1						1
4. Gunshot wounds.....	M. 23 F. 2		1				1	4	1	4	3	5	1	1	3	1				1							1
5. Homicide.....	M. 5 F. 3									1	1				1		1		1								
6. Infanticide.....	M. 1 F. 1																										
7. Injuries by machinery.....	M. 2 F. 2									1		1															
8. Railroad accidents.....	M. 137 F. 9			2		1	3	3	15	13	23	17	12	16	9	1	8	7	4	2	1	2					1
9. Suffocation.....	M. 21 F. 12	10 6	2 1				12 8				2	1	3		1	1			1								1
10. Suicide by shooting.....	M. 28 F. 1									1	5	5	3	6	2	2	3		1								1
11. Suicide by drowning.....	M. 10 F. 5									1	1	1	1	2	1		2					1					1
12. Suicide by poison.....	M. 21 F. 13									1	2	5	2	1	1	1	1	1									
13. Other suicides.....	M. 38 F. 6									1	1	1	1	7	7	5	4	4	6	1	1						
14. Sunstroke.....	M. 9 F. 9											1	2			2	2		2								
15. Surgical operations.....	M. 14 F. 3							1			2	2	1		1	1	3	1		2							
16. Wounds.....	M. 7 F. 3	1 1					2	1	1		2			1	1			1									
17. Other accidents and injuries.....	M. 229 F. 58	7 12	2 4	5 4	1 2	4	19 18	15 4	10 2	12 2	19 6	14 2	25 1	21 5	21	22	15 3	15 2	6 2	6 2	3 1	3 4	3 1				3

GRAND GROUP 8.—ALBANY, N. Y.; ALLEGHENY CITY, PA.; PHILADELPHIA, PA.; PITTSBURGH, PA.; READING, PA.;
RICHMOND, VA.; SYRACUSE, N. Y.; TROY, N. Y.

5480 MOR—34

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.
 GRAND GROUP 8.—ALBANY, N. Y.; ALLEGHENY CITY, PA.; PHILADELPHIA, PA.; PITTSBURGH, PA.; READING, PA.;
 RICHMOND, VA.; SYRACUSE, N. Y.; TROY, N. Y.—Continued.

Cause of death.	Total.	Under 1.	1	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total	5459	217	141	66	44	29	497	77	99	314	679	608	516	509	386	377	337	269	223	206	146	89	43	6	2	5	71
Males	2555	117	77	33	25	11	263	35	27	115	302	283	254	246	180	178	171	137	111	93	62	44	16	2	2	34	
Females	2904	100	64	33	19	18	234	42	72	199	377	325	262	263	206	199	166	132	112	113	84	45	27	4	5	37	
1. Rheumatism	M. 40								1	1	3	2	6	3	4	1		5	6	3	3		1				1
F. 32									5		2	3	1				1	2	2	7	3	2					
2. Scrofula and tabes	M. 50	18	7	1	2		28	4	2	3	3			1	1	1	1	3		2	1						
F. 63	15	10	6	2	2		35	4	5	1	3	1	5	1		2	2	3									
3. Leprosy	M. 1																										
F. 1																											
4. Consumption	M. 1947	27	18	13	9	3	70	20	18	103	283	273	239	222	148	148	128	86	71	51	34	21	6		1	25	
F. 2064	26	16	12	4	5		63	19	53	183	363	299	238	226	150	132	89	59	49	55	34	17	9	2		24	
5. Hydrocephalus	M. 144	62	41	13	8	6	130	4	1		1	1	1		1	1	2		1							1	
F. 136	52	33	13	10	6		114	8	3	2	2	1	2	1	1		1									1	
6. Cancer	M. 166				1	1	2			3	3	3	2	9	12	19	21	23	22	19	12	9	3	1		3	
F. 350	2						2		1	2	1	5	9	22	47	48	50	47	33	28	21	15	9	2		7	
7. Tumor	M. 21		1		1		2		1		2			1	2		5	2	3	4						2	
F. 33		2					2	2		2		3		2	3	4	2	2	3	3	2						
8. Anæmia	M. 8	1					1			1					1		1	1	1		1						
F. 14	2	1					3			2	1	3		2	2					1							
9. Dropsy	M. 140	4	8	4	4	1	21	5	4	4	3	2	3	8	10	7	10	15	10	10	9	11	4	1	1	2	
F. 190	3	2	1	2	4		12	8	3	6	4	7	6	7	3	10	20	17	25	18	20	9	7			4	
10. Glycosuria	M. 25										3	2	3	2	1	1	3	1		3	2	2					
F. 13								1	1		1	2	1	2		1	1	1		2							
11. Others of this group	M. 14	5	2	2			9	2		1							1	1		1							
F. 9				1	1	1	3			1		1					1		2								
12. Others of this class	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total	3569	1093	381	219	99	55	1847	111	54	45	64	75	87	102	87	87	115	110	148	174	163	140	92	29	7	6	26
Males	1924	607	201	109	46	28	991	57	27	26	33	48	51	66	54	48	69	61	93	88	82	68	37	6	4	2	13
Females	1645	486	180	110	53	27	856	54	27	19	31	27	36	36	33	39	46	49	55	86	81	72	55	23	3	4	13
1. Inflammation of the brain	M. 126	29	21	12	4	9	75	9	2		7	3	4	8	1	3	3	2	3	4	2						
F. 101	27	21	14	3	3		68	6	2	2	3	2	5	1	1	4	1		1	2	2					1	
2. Meningitis	M. 193	57	43	21	15	4	140	8	4	3	6	4	4	7	5	2	5		1		1					2	
F. 165	51	40	19	12	5		127	13	6	2	5	2	2		1	1	1		2	1						2	
3. Apoplexy	M. 234	14	7	2	2	1	26	2		1	3	3	8	11	16	9	20	18	32	24	27	15	10	2	1	5	
F. 214	9	4	1	1	1		16	3	2	1	4	5	5	2	11	13	12	11	20	35	26	22	16	7	1	2	
4. Paralysis	M. 232	5	1	2		1	9	1	1	4	3	4	5	8	7	10	13	17	27	36	31	29	20	4	2	1	
F. 244	2	1		3			6	2	3	1	2	2	5	6	4	8	17	17	19	28	37	35	28	14	2	4	
5. Tetanus and trismus nascentium	M. 57	25	2			1	28	2	4	4	3	3	3	5	2	1			1								
F. 25	18		1				19			1	1		1	3													
6. Epilepsy	M. 42		1	1			2	1	3	5	2	6	6	6	1	2	3		3	1						1	
F. 26									3	1	2	1	3	5	2	2			4	1	2						
7. Convulsions	M. 597	390	99	46	17	6	558	15	5	2	4	3	2	1	2		1	1		1		1				1	
F. 520	308	75	59	23	9		474	13	2		5	6	7	7	1		1	1		1		1				2	
8. Mental diseases	M. 17										2	1	1	2	1	2	3	1	3		2					1	
F. 24											1	3	2	3	1	1		1	3							1	
9. Diseases of the brain	M. 378	82	27	22	8	6	145	16	6	6	5	19	15	17	16	17	19	17	20	18	14	19	6			3	
F. 278	68	36	14	7	8		133	14	7	5	7	6	3	9	9	5	12	18	11	9	13	8	7	1		1	
10. Diseases of the spinal cord	M. 33	3		3			6	3	2			1	2	1	3	1	1	2	2	3	4	1					
F. 28	2	3	1	3	1		10	2	1	5		2	1	1		4	1		1								
11. Others of this group	M. 15	2					2			1		1	1			1	1	3	2		1	2					
F. 20	1		1	1			3	1	1	1			1		1	1	1	2	3	2	1	1	1	1			
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total	1449	152	7	9	12	7	187	32	37	39	53	53	60	101	91	78	107	101	120	132	116	72	35	14	3	3	15
Males	749	79	4	7	7	3	100</																				

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	1153	180	60	27	10	7	284	29	18	24	41	63	62	71	67	71	77	67	73	48	62	46	21	7	4		18
Males.....	583	107	30	15	5	2	159	12	6	13	13	22	30	31	30	38	41	41	39	33	36	16	10	1	2		10
Females.....	570	73	30	12	5	5	125	17	12	11	28	41	32	40	37	33	36	26	34	15	26	30	11	6	2		8
1. Dentition.....	M. 48	29	16	3			48																				
F. 55	24	26	4			1	55																				
2. Angina.....	M. 11	3	4	1			9	1									1										
F. 10	3				1	2	6	1	2																		
3. Gastritis.....	M. 55	7	1	2			11	2		2	2	1	2	2	1	4	4	2	6	4	3	3	2		1		
F. 48	5						7	3		1	4	2	2	5	6	4	1	1	1	3	2	5	1				
4. Other diseases of the stomach.....	M. 51	5	1	3			9	3	1			1	2	2	4	2	5	4	6	3	6	3					
F. 40	3						6	1	1			1	3	2	3	3	3	3	5	2	2	2					
5. Obstruction of the bowels.....	M. 33	14	1	1			17		1	2		1	1	1	1	2	1	1	3	2	1	1					
F. 31	8						9	1	1		1	4		2		4	1	1	2	1	1	1					
6. Hernia.....	M. 23	2					3	1								1	2	4	2	1	4	1	3	1			
F. 21																2	3	1	4	3	2	1	1				
7. Other diseases of the bowels.....	M. 24	5	3	1			9				1	1			1	2		1	2								
F. 12	2						4		2	1							3										
8. Jaundice.....	M. 26	13		1			14										5	1				1					
F. 18	3						3	1					1	1	1		3		1								
9. Inflammation and abscess of the liver.....	M. 52	1					1	2				1	4	3	5	8	6	3	8	3	4	2					
F. 47	1						2				1	2	1	5	3	3											

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.
 GRAND GROUP 8.—ALBANY, N. Y.; ALLEGHENY CITY, PA.; PHILADELPHIA, PA.; PITTSBURGH, PA.; READING, PA.;
 RICHMOND, VA.; SYRACUSE, N. Y.; TROY, N. Y.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	101	21	6	4	3	1	35	1	2	3	2	4	7	8	2	6	6	7	3	2	6	3	1				3
Males.....	60	11	2	2	3	1	19	1	1	2	1	3	5	5	1	5	5	5	1	1	2	1					2
Females.....	41	10	4	2			16		1	1	1	1	2	3	1	1	1	2	2	1	4	2	1				1
1. Abscess.....	M. 43	9	2	2	1	1	15	1		2	1	2	5	4	1	4	1	3		1							2
	F. 32	5	4	2			11		1	1	1	1	2	3	1	1	1	2	2	1	2	1					1
2. Carbuncle.....	M. 9				1		1					1				1	2	2	1		1						
	F. 3	1					1														2						
3. Others of this group.....	M. 8	2			1		3		1					1			2				1						
	F. 6	4					4															1	1				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	8					1	1			2	1			1		1		2									
Males.....	6					1	1			2	1					1		1									
Females.....	2													1				1									
1. Addison's disease.....	M. 1																		1								
	F. 4					1	1			2								1									
2. Diseases of the spleen.....	M. 2										1					1											
	F. 1													1													
3. Others of this group.....	M. 2															1											
	F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	1123	113	30	22	18	14	197	66	56	61	73	102	80	88	77	57	61	46	38	25	27	21	9	4	2		33
Males.....	837	59	14	17	9	9	108	51	45	49	54	88	65	66	62	43	49	41	30	23	16	14	3	3			27
Females.....	286	54	16	5	9	5	89	15	11	12	19	14	15	22	15	14	12	5	8	2	11	7	6	1	2		6
1. Burns and scalds.....	M. 55	3	6	7	7	6	29	6	1	2	2		1	3	2	2	5	1						1			
	F. 70	1	5	3	5	3	17	8	5	4	4	4	3	4	6	4	2		4		1	1	1				2
2. Drowned.....	M. 198			2		1	3	27	21	23	17	24	7	12	17	13	11	7	3	2	5						6
	F. 16	1	1		1		3	1	1	4	1			2		1	1	1	1								
3. Exposure and neglect.....	M. 11	3					3								1	1	3	1	1								1
	F. 8	1	1				2	1			1		2	1			1										
4. Gunshot wounds.....	M. 22			1			1	1	1	3	3	1	5		1	1	1		2			1					1
	F. 3								1				1			1											
5. Homicide.....	M. 21	3					3				4	2	2	3	3	1		1			1						1
	F. 11	5					5				1		1	1	2			1									
6. Infanticide.....	M. 1																										
	F. 8									3	1		1	1			1										1
7. Injuries by machinery.....	M. 1									1																	
	F. 115		1	3	1		5	5	9	6	11	18	15	10	10	4	5	3	6	3	2	1	1				1
8. Railroad accidents.....	M. 19		1			1	3	1		1	1	2	2	2		1		1			2						3
	F. 51	32	3	1	1		37	2	1			2		2		1			1								5
9. Suffocation.....	M. 36	29	3		1		33								1						1						1
	F. 26										3	1	3	6	3	2	3	3	2								
10. Suicide by shooting.....	M. 1									1																	
	F. 13										1			3		1	2	2			1	1					3
11. Suicide by drowning.....	M. 13										1		2	3	1	2		1	1	1		1					
	F. 13																										
12. Suicide by poison.....	M. 31									2	6	1	1	1	2	1	4	6	3	1	2	1					1
	F. 10									1	1		1	1	2	2	1	1									
13. Other suicides.....	M. 16								1		1	2		1	4	2	1	1	1	2							
	F. 4								1				1	1								1					
14. Sunstroke.....	M. 4										1	1					1										
	F. 4																										
15. Surgical operations.....	M. 5	1					1								2	2	1										
	F. 12								1	2			2	1	2	1	1		1	1							
16. Wounds.....	M. 5												1	1			2				1						
	F. 241	18	4	3		2	27	10	10	10	11	29	27	23	13	10	12	15	8	11	5	9	2	2			7
17. Other accidents and injuries.....	M. 96	16	5	2	1	1	25	4	3	1	10	5	5	9	2	4	4	2	1	2	6	5	5	1	2		

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.
 GRAND GROUP 10.—CINCINNATI, OHIO; DAYTON, OHIO; LOUISVILLE, KY.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	8799	2698	621	419	235	161	4134	409	153	250	402	370	299	366	322	320	297	262	290	276	232	182	105	56	17	9	48
Total: Males.....	4757	1508	330	215	119	77	2249	206	81	104	193	176	171	211	190	185	180	155	178	146	124	93	52	26	5	7	25
Females.....	4042	1190	291	204	116	84	1885	203	72	146	209	194	128	155	132	135	117	107	112	130	108	89	53	30	12	2	23
Unknown causes.																											
Total.....	84	37	1	2	1	2	43	3	2	2	3	2	2	2	2	5	3	5	2	2	3	2					5
Males.....	48	21	1	1	1	1	23	1	1	1	2	1	1	2	2	2	2	4	2	1	3	1					3
Females.....	36	16	1	1	1	2	20	2	1	1	1	1	1	2	3	3	1	1	1	1	1	1					2
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	2117	677	263	179	116	86	1321	213	55	54	80	53	35	45	34	36	40	30	31	43	17	11	8	6			5
Males.....	1093	350	128	87	64	40	678	111	27	25	37	22	16	23	19	21	26	16	16	26	11	7	6	4			2
Females.....	1024	318	135	92	52	46	643	102	28	29	43	31	19	22	15	15	14	14	15	17	6	4	2	2			3
1. Small-pox.....	M. 38	3	10	11	3	3	30	6	2																		
F. 34	6	7	12	3			28	6																			
2. Measles.....	M. 157	10	18	28	31	7	94	53	5	3	1		1														
F. 159	12	17	28	29	24		110	39	5	2	1			1						1							
3. Scarlet fever.....	M. 110	10	12	20	14	15	71	28	5		2			1								1					1
F. 115	11	19	17	7	13		67	32	10	2	2						2										
4. Diphtheria.....	M. 80	35	16	13	5	5	74	3	1	1	1																
F. 84	35	23	7	6	4		75	6	1		2																
5. Hooping-cough.....	M. 1																										
F. 22	8	2	1		2		13		4	1	1			2			1										
6. Fever.....	M. 16	4	2	1	2	1	10		2		1			2													
F. 125	4		2	1	3		10	8	9	16	19	11	9	8	6	8	8	2	4	5		1	1				
7. Cerebro-spinal fever.....	M. 73			3	1		4	8	7	14	10	6	5	5	1	4	3	4	2	2	1	1					1
F. 78								2			2	1	1	1	1		6	5		8	1		1	1			2
8. Enteric fever.....	M. 132	77	17	5	2		101			1	5			1	1		1	5		1	1		1	1			
F. 99	65	16	5				86										1			1							
9. Diarrhoea.....	M. 73	22	10	2	3		37	1	1	1	3	3	1	2	3	2	1	3	8	2	2		2	1			
F. 75	30	11	3	1			45	1			3	2	1	1	3	4	5	2	3	2	2		2	1			
10. Dysentery.....	M. 60	21	11	2	1	2	37	4			1	1	1	3	1	1	1		1	4	3	1	1				
F. 60	19	9	3	1	2		34	2	2	2	3	2	1	4	3		1	3	2	2		1					
11. Enteritis.....	M. 21	1					1	2						1	2	4	3	3		2	2		1				
F. 19	2						2	1				1	2		2	3		3		2	2						
12. Cholera morbus.....	M. 179	147	31	1			179																				
F. 155	120	28	7				155																				
13. Cholera infantum.....	M. 40	3	1		3	3	10	4		2	4			1	2	1	3	2	2	3	1	3					
F. 39	1	2	4	1	2		10	7	1	2	1			1	2	1	2	1	5	4	2		1				
14. Malarial fever.....	M. 14	6		1	1		8					1		2				1		1			1				
F. 14	6	1					7					2		1				1		1							
15. Erysipelas.....	M. 22	4		1			5		1	1	2	1			4	1	2		1	1	1	1		1			
F. 20			2				2			2	6	2	2	3	3	1	1		1	1							
16. Septicæmia.....	M. 33										3	11	8	4	3	3	1										
F. 13	7						7				1	1	2	1	1	1											
17. Puerperal septicæmia.....	M. 11	7					7				1	2			1												
F. 7	1						1					3				1	1										
18. Venereal diseases.....	M. 12				1		1			1	1			2	1	1		2		1	1						
F. 12							1			1	1				1					1	1						
19. Others of this group.....																											
General diseases—B.																											
Total.....	212	132	10	3	1	1	147			2		3	6	7	8	10	9	4	5	6	2	1					2
Males.....	131	75	5	3			83			1		2	6	5	5	7	6	3	4	6	2	1					
Females.....	81	57	5		1	1	64			1		1		2	3	3	3	1	1								2
1. Worms.....	M. 1		1				1																				
F. 1																											
2. Other parasitic diseases.....	M. 37											1	6	5	5	6	5	2	2	4		1					
F. 7															2	3	2										
3. Alcoholism.....	M. 1											1															
F. 1																											
4. Lead poison.....	M. 2																1										
F. 3						1	1																				
5. Other poisons.....	M. 90	75	4	3			82			1						1											1
F. 71	57	5		1			63					1		2	1		1	1	1		2						1
6. Inanition.....																											
General diseases—C.																											
Total.....	1150	816	9	7	4	2	838	1	1	7	4	6	1	4	8	9	8	10	13	34	60	49	44	35	11	5	2
Males.....	622	471	3	5	2	1	482	1	1	3	2	3	1	3		5	4	4	8	11	23	26	19	17	4	4	1
Females.....	528	345	6	2	2	1	356			4	2	3		1	8	4	4	6	5	23	37	23	25	18	7	1	1
1. Premature birth.....	M. 98	98					98																				
F. 81																											
2. Stillborn.....	M. 317	317					317																				
F. 222							222																				
3. Malformation.....	M. 8	7		1			8																				
F. 2							2																				
4. Debility.....	M. 110	47	3	4	2	1	57	1	1	3	2	3	1	3		5	4	2	5	6	5	4	3	2	1	1	1
F. 125	39	6	2	2	1		50			4	2	3		1	8	4	4	6	3	12	13	6	6	1	1	1	
5. Old age.....	M. 87																										
F. 97																											
6. Atrophy.....	M. 2	2					2																				

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 10.—CINCINNATI, OHIO; DAYTON, OHIO; LOUISVILLE, KY.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	1594	80	47	31	8	6	172	36	30	97	187	180	129	147	133	102	87	84	72	53	40	24	8	2	3	8	
Males.....	764	39	26	19	1	1	86	15	8	27	85	84	70	75	74	46	46	40	42	27	22	10	3	1	1	2	
Females.....	830	41	21	12	7	5	86	21	22	70	102	96	59	72	59	56	41	44	30	26	18	14	5	1	2	6	
1. Rheumatism.....	M. 9								1			1		1	3	2				1							
F. 2												1						1									
2. Scrofula and tabes.....	M. 19	5	4		1		10	2	3		1			1	1				1								
F. 22	7		3	2			12	2	1	3		1	2	1													
3. Leprosy.....	M. 1																										
F. 1																											
4. Consumption.....	M. 589	16	8	8			32	8	2	24	83	79	70	67	63	32	32	28	23	22	14	5	2		1	2	
F. 605	11	10	4	3	3		31	12	19	62	99	91	54	56	44	38	22	21	20	16	11	5		1	1	2	
5. Hydrocephalus.....	M. 42	13	12	10			35	3		1		2							1								
F. 43	21	8	4	2			35	4	1		1					1										1	
6. Cancer.....	M. 54	1					1			1	1			6	3	7	8	8	8	2	4	3	1	1		1	
F. 160			1		1		2			1		2	3	12	12	12	10	16	8	8	5	5	2		1	1	
7. Tumor.....	M. 5															1	1	1	1	1		1				1	
F. 11								1		1				1	1	2	1	1	1							1	
8. Anæmia.....	M. 1															1											
F. 3										1	1							2									
9. Dropsy.....	M. 36	1	1	1		1	4	2	1	2		1			4	3	5	2	6	2	3	1					
F. 34		1				1	2	1	1	1	1			1	2	3	8	3	1	1	2	3	3			1	
10. Glycosuria.....	M. 3																		1	2							
F. 4								1						1						1							
11. Others of this group.....	M. 6	3	1				4					1									1						
F. 6	2	2					4			1		1															
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	1287	600	122	62	26	15	825	49	20	20	24	27	16	35	21	32	31	34	43	34	25	27	9	5	2	2	6
Males.....	749	353	73	30	15	7	478	21	13	7	12	13	13	24	14	20	20	24	30	20	13	16	5	1	2	3	
Females.....	538	247	49	32	11	8	347	28	7	13	12	14	3	11	7	12	11	10	13	14	12	11	4	4	2	3	
1. Inflammation of the brain.....	M. 22	9	2	1	2		14	3			3					1						1					
F. 21	7	4	2	2			15	3	1					1		1											
2. Meningitis.....	M. 118	47	19	9	6	6	87	10	7	5	2	2	1	2	1					1							
F. 93	31	18	13	4	5		71	10	2	1	2	3		2				1									
3. Apoplexy.....	M. 69											3	2	9	6	9	5	6	7	9	3	5	2	1		1	
F. 48	1						1			1	1	1	1	3	5	6	4	7	4	2	6	3	1		2		
4. Paralysis.....	M. 52			1			1	1						3		2	4	7	11	3	7	5	3		1	1	
F. 44			1				1	1	1	2	2	1		4		5	1	3	1	6	9	3		2	2		
5. Tetanus and trismus nascentium.....	M. 28	22	1				23			1	2	1						1									
F. 20	16	1				1	18	1	1																		
6. Epilepsy.....	M. 2																		1								
F. 7	1						1			3		1		1				1									
7. Convulsions.....	M. 301	243	32	10	4	1	290	4	3		1		1					1									
F. 220	168	20	14	2	2		206	7	1	2	3	1							1								
8. Mental diseases.....	M. 1																		1								
F. 1																											
9. Diseases of the brain.....	M. 147	32	19	7	2		60	3	3		3	7	5	10	7	8	8	10	10	6	2	4				1	
F. 73	23	5	2	3			33	4	1	3	3	5	2	3	2	1	2	1	4	4	1	2	1	1			
10. Diseases of the spinal cord.....	M. 6			2	1		3							1				1									
F. 1																											
11. Others of this group.....	M. 4										1									1	1	1					
F. 10		1					1	2		1	1	2			1			1								1	
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	289	15	1	1	1	1	19	7	5	18	11	13	15	26	19	24	22	25	23	24	19	14	4			1	
Males.....	148	7	1	1	1		10	3	3	9	4	8	8	16	7	12	11	15	14	11	8	7	2				
Females.....	141	8				1	9	4	2	9	7	5	7	10	12	12	11	10	9	13	11	7	2			1	
1. Angina pectoris.....	M. 4												1						2		1						
F. 5													1			1	1	1									
2. Aneurism.....	M. 3																										
F. 133	3		1	1			5	2	3	9	4	7	6	16	7	11	10	14	12	11	7	7	2				
3. Diseases of the heart.....	M. 135</																										

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.
 GRAND GROUP 10.—CINCINNATI, OHIO; DAYTON, OHIO; LOUISVILLE, KY.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	403	64	19	10	4	1	98	15	8	10	18	18	22	25	24	31	31	23	24	17	15	15	4	1			4
Males	232	42	12	5	1	1	61	5	5	5	7	8	9	16	18	22	16	14	15	8	10	8	3				2
Females	171	22	7	5	3		37	10	3	5	11	10	13	9	6	9	15	9	9	9	5	7	1	1			2
1. Dentition.....	M. 22	11	10	1			22																				
	F. 19	11	6	2			19																				
2. Angina.....	M. 7	3		1			4	1			1										1						
	F. 5			1	1		2	2			1																
3. Gastritis.....	M. 25	9	1				10	1	1		2			1		2	1	2	1		2	2					
	F. 20	2			1		3				1	2	1	2		2	2		1	1	1	3	1				
4. Other diseases of the stomach.....	M. 7	3					3					1	1	1					1	2		2					
	F. 8																										
5. Obstruction of the bowels.....	M. 14	6					6		1			1	1			2	2	1	1		1	1					
	F. 6												1	1			1	1									
6. Hernia.....	M. 7							1								2	1	1		1			1				1
	F. 4								1																		
7. Other diseases of the bowels.....	M. 10	2		1	1		4							2		1	1	1	1								
	F. 8	3					3	1	2								1	1	1								
8. Jaundice.....	M. 7	3					3				1							1	2								
	F. 5	1					1										3	1	1								
9. Inflammation and abscess of the liver.....	M. 30	2					2					2	2	3	5	5	2	2	3	2	1	1					
	F. 13			2			2	1		1			2		1	3			1		1						1</

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 10.—CINCINNATI, OHIO; DAYTON, OHIO; LOUISVILLE, KY.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	16	3		1	1		5		2	1	1			1			2			1	3						
Males.....	10	1					1		1	1	1						2			1	3						
Females.....	6	2		1	1		4		1					1													
1. Abscess.....	M. 7	1					1			1	1									1	3						
	F. 3			1	1		2							1													
2. Carbuncle.....	M. 2																2										
	F. 1																										
3. Others of this group.....	M. 1								1																		
	F. 3	2					2		1																		
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	3									1			1											1			
Males.....																											
Females.....	3									1			1											1			
1. Addison's disease.....	M. 1													1													
	F. 1																										
2. Diseases of the spleen.....	M. 1																										
	F. 2									1														1			
3. Others of this group.....	M. 1																										
	F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	357	32	10	5	7	4	58	26	17	19	30	27	29	24	26	20	22	11	15	7	5	5	6			1	9
Males.....	276	15	7	2	3	4	31	21	16	18	22	20	26	22	23	16	16	10	12	5	5	3	2				8
Females.....	81	17	3	3	4		27	5	1	1	8	7	3	2	3	4	6	1	3	2		2	4			1	1
1. Burns and scalds.....	M. 12	2	1	1	2		6	1		1								1	1								2
	F. 17	1	2	2	1		6	4			2				2		1	1				1					
2. Drowned.....	M. 39		1				1	8	7	6	2	2	2	2	4		1	1	2		1						
	F. 1																1										
3. Exposure and neglect.....	M. 6	4					4												1	1							
	F. 4	2					2										2										
4. Gunshot wounds.....	M. 5										2	1	2														
	F. 5																										
5. Homicide.....	M. 13									2	3	2	4	1		1											
	F. 13																										
6. Infanticide.....	M. 1																										
	F. 1																										
7. Injuries by machinery.....	M. 1																										
	F. 1																										
8. Railroad accidents.....	M. 30							3	3	1	2	7	2		7		2	1	2								
	F. 3				1		1						1			1											
9. Suffocation.....	M. 18	7	2				9				1			1	1	2	1		1	1							1
	F. 14	10	1	1			12			1				1													
10. Suicide by shooting.....	M. 6													2	1		2	1									
	F. 2										1					1											
11. Suicide by drowning.....	M. 6										2		1				1				1	1					
	F. 5										1	1	1							2							
12. Suicide by poison.....	M. 2													1	1												
	F. 1																										
13. Other suicides.....	M. 27									1	2		3	8	1	4	3	2			2		1				
	F. 5										1	4															
14. Sunstroke.....	M. 9										2	1	1	1	2	1			1								
	F. 1																		1								
15. Surgical operations.....	M. 1																										
	F. 2										1	1															
16. Wounds.....	M. 7			1			1				1	1			1	1					1						1
	F. 7																										
17. Other accidents and injuries.....	M. 96	2	3		1	4	10	9	6	7	8	4	11	6	6	6	5	4	4	3		2	1			1	4
	F. 26	4			2		6	1	1		1	1	1	1	1	2	2		2			1	4			1	1

GRAND GROUP 13.—MINNEAPOLIS, MINN.: SAINT LOUIS, MO.: SAINT PAUL, MINN.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	7958	2819	611	230	151	110	3921	280	138	217	337	344	354	332	336	346	290	258	223	212	148	107	61	23	7	10	14
Total: Males.....	4426	1576	324	104	76	53	2133	141	72	98	164	171	218	194	216	225	195	165	139	125	68	44	29	8	4	5	12
Females.....	3532	1243	287	126	75	57	1788	139	66	119	173	173	136	138	120	121	95	93	84	87	80	63	32	15	3	5	2
Unknown causes.																											
Total.....	35	3	3	2			8	2	1	2	2			3	5		1	3	2		1						5
Males.....	21	2	1				3	1	1	1	1			2	4			2	2								4
Females.....	14	1	2	2			5	1		1	1			1	1		1	1		1							1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	1808	605	230	88	69	59	1051	122	48	49	77	89	57	52	57	58	33	30	25	28	14	9	5	2		2	
Males.....	973	324	129	40	38	24	555	60	20	22	34	43	33	27	39	42	26	23	14	18	11	3		1		2	
Females.....	835	281	101	48	31	35	496	62	28	27	43	46	24	25	18	16	7	7	11	10	3	6	5	1			
1. Small-pox.....	M. 34	16	10	2	2		30	1	1																		
F. 27	4	11	3	4	1		23	2	1			1		1	1												
2. Measles.....	M. 21	5	1	1	5	4	16	4		1																	
F. 29	2	3	5	4	5		19	7	2		1																
3. Scarlet fever.....	M. 99	12	13	13	14	10	62	28	5	2	1		1														
F. 99	6	12	15	9	16		58	31	4	4	2																
4. Diphtheria.....	M. 28	16	5	2	3		26	2																			
F. 47	23	7	9	4			43	4																			
5. Hooping-cough.....	M. 1																										
F. 16	3	2	2		2		9	5	1			1							1								
6. Fever.....	M. 91	5	8	3	3	1	20	3	7	8	14	13	6	5	6	4		2	2	1							
F. 63	3	2		2	3		10	7	11	3	10	6	4	3	3	3				1			2				
7. Cerebro-spinal fever.....	M. 83	33	7	6	1		47	2			3	3	4	5	4	4	3	2	1	5							
F. 56	26	11	1		2		40	1		1		3	1	1	1	1			3	1		2	1				
8. Enteric fever.....	M. 117	25	17			1	43	1			4	8	9	7	5	19	8	6	3	1		3					
F. 60	18	9	1	2	1		31				1	2		5	4	1	3	4	3	3	1	2					
9. Diarrhoea.....	M. 107	41	19	3	1	1	65	3	1	3	2	5	1	2	6	4	4	2	2	2	5						
F. 82	28	7	6	2	2		45	2	3	3	4	5	4	4	3			1			3	1					
10. Dysentery.....	M. 11											1	1		3		2	1	1	2							
F. 7								1		1			1	1			1	1	1								
11. Enteritis.....	M. 184	140	34	3	6	1	184																				
F. 184	141	37	4		2		184																				
12. Cholera morbus.....	M. 102	13	10	2	3	4	32	9	2	3	6	6	5	3	8	8	5	5	2	3	3			1		1	
F. 88	15	1	2	3	2		23	4	4	10	10	11	4	5	1	6	1	1	3	3	1	1					
13. Cholera infantum.....	M. 26	5	2				7					2	4	2	1	1	2	2	2	2	1						
F. 17	6	1		1			8	1		1	1	2	1	1	2												
14. Malarial fever.....	M. 28	2	1	3			6	2	2	4	3	3	1	1	3	1	1	1									
F. 28	2		1		1		4	1	3	2	3	5	3	3	1	1	1		1								
15. Erysipelas.....	M. 28									1	11	6	5	2	2	1											
F. 28												2	1														
16. Septicæmia.....	M. 12	6					6		1				1	1	1	1		1									
F. 6	3						3					2	1														
17. Puerperal septicæmia.....	M. 14	2					2			1	1	2			1		1	1		2	2					1	
F. 14								1				1						1		1	1						
18. Venereal diseases.....	M. 5																										
F. 5																											
19. Others of this group.....	M. 5																										
F. 5																											
General diseases—B.																											
Total.....	217	125	7	3	2	1	138			1	4	4	12	17	5	8	10	6	6	1	2	2	1				
Males.....	106	52		1	1	1	55				2	1	7	9	3	7	9	4	5	1	1	2					
Females.....	111	73	7	2	1		83			1	2	3	5	8	2	1	1	2	1		1		1				
1. Worms.....	M. 38										2	1	6	6	3	6	8	3	2			1					
F. 16											1	2	6	2	1	1	2	1									
2. Other parasitic diseases.....	M. 1																										
F. 1																											
3. Alcoholism.....	M. 4	1					1						1	1			1										
F. 11	1	1	1	1			3			1	1	1	3	2													
4. Lead poison.....	M. 63	51		1	1	1	54							2		1			3	1	1	1					
F. 84	72	6	1	1			80			1	1										1		1				
5. Other poisons.....	M. 69	69					69																				
F. 61																											
6. Inanition.....	M. 343	343					343																				
F. 220																											
1. Premature birth.....	M. 7	7					7																				
F. 8																											
2. Stillborn.....	M. 262	150	20	4		1	175	2			1		4	4	1	4	5	7	9	10	9	12	14	2	1		2
F. 277	137	23	4	3			167	1	2	1	1		1	2	3	6	5	2	9	10	26	16	14	6	2	3	
3. Malformation.....	M. 11																										
F. 16																											
4. Debility.....	M. 3	2		1			3																				
F. 3																											
5. Old age.....	M. 3	2		1			3																				
F. 3																											
6. Atrophy.....	M. 3	2		1			3																				
F. 3																											

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 13.—MINNEAPOLIS, MINN.; SAINT LOUIS, MO.; SAINT PAUL, MINN.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	1278	74	36	14	9	9	142	31	13	85	142	138	134	102	100	103	88	68	41	42	21	12	10	4			2
Males.....	668	43	16	8	3	3	73	14	5	32	60	70	75	61	60	61	50	42	20	19	11	6	6	2			1
Females.....	610	31	20	6	6	6	69	17	8	53	82	68	59	41	40	42	38	26	21	23	10	6	4	2			1
1. Rheumatism.....	M. 8							2			1	1	2			1					1						
F. 4					1		1				1					1											
2. Scrofula and tabes.....	M. 11	3	1			1	5	3	1					2													
F. 17	6	1			2	1	10	4				1					2										
3. Leprosy.....	M. 1																										
F. 1																											
4. Consumption.....	M. 515	11	5	4	1	1	22	7	3	30	57	65	66	51	55	47	39	35	11	14	5	3	4			1	
F. 418	2	6	4			4	16	11	6	53	78	62	50	29	32	29	18	8	8	10	3	2	2			1	
5. Hydrocephalus.....	M. 37	25	8	1	1		35						1	1													1
F. 39	21	12	2	2	1		38														1						1
6. Cancer.....	M. 46	1					1						3	1	3	6	10	3	6	5	4	1	2	1			
F. 88		1					1					1	5	9	6	11	15	14	11	8	4	3					
7. Tumor.....	M. 5	1					1						1	1		1											
F. 9											1	1	1		2					2		1					
8. Anæmia.....	M. 8	1	2			1	4	1		1						1		1						1			
F. 6											1	1	1					1		1			1				
9. Dropsy.....	M. 24	1		2	1		4	1		1		1	1	4		5	1	2	1		2			1			
F. 20	2						2	1				1	2	3		1	3	1	2	1	1		1	1			
10. Glycosuria.....	M. 10										2	2	1	1	1			1	2								
F. 5											1							1		1							
11. Others of this group.....	M. 4		1				1		1			1			1												
F. 4					1		1	1				1						1									
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	1196	636	130	27	26	11	830	33	19	17	23	10	25	32	27	41	33	30	21	24	16	10	3	2			
Males.....	704	373	77	11	15	6	482	17	14	7	13	6	19	19	14	28	22	20	11	18	6	6	1	1			
Females.....	492	263	53	16	11	5	348	16	5	10	10	4	6	13	13	13	11	10	10	6	10	4	2	1			
1. Inflammation of the brain.....	M. 27	5	8	1	2	1	17	3		1		2	1		2	1											
F. 27	10	6	1				17	1	1	2	1				2		2	1									
2. Meningitis.....	M. 110	51	20	3	4	4	82	4	3	3	3		2	1	3	2	1		2	3	1						
F. 72	28	12	1	7	1		49	6	3	3	2		1	4	1		1				1						
3. Apoplexy.....	M. 59	4	1				5			1		2	6	5	1	8	7	10	2	6	1	3	1	1			
F. 39	1	1					2			3	1	1		2	4	5	4	3	5	4	4		1				
4. Paralysis.....	M. 31																										
F. 17	1						1																				
5. Tetanus and trismus nascentium.....	M. 117	104			3		107				1	1		1		1	2	1	1								
F. 75	67	2				1	70						1					1									
6. Epilepsy.....	M. 17							1			4		3	3	1	1	1	2	1								
F. 9								1		1	3		1			2	1										
7. Convulsions.....	M. 224	179	33	5	3		220	3	1																		
F. 173	139	16	8	3	3		169						1	1	1	1											
8. Mental diseases.....	M. 1									1																	
F. 1																											
9. Diseases of the brain.....	M. 110	28	15	2	3	1	49	4	4		4	1	4	5	5	10	6	5	4	6	2	1					
F. 75	15	16	6	1			34	5	1	1	2	3	2	4	5	4	2	3		1	2	2					
10. Diseases of the spinal cord.....	M. 8	2					2	2		2						1											
F. 1	1						1																				
11. Others of this group.....	M. 1																										
F. 3	1						1				1								1								
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	250	25	3	1	1	2	32	3	10	10	11	10	13	14	22	21	19	20	20	20	11	9	2	1			1
Males.....	140	19	1			1	21	3	4	5	6	4	5	7	11	12	11	11	12	16	6	3	2				1
Females.....	110	6	2	1	1	1	11		6	5	5	6	8	7	11	9	8	9	8	4	5	6		1			1
1. Angina pectoris.....	M. 1											1															
F. 5																1			1						</		

GRAND GROUP 13.—MINNEAPOLIS, MINN.; SAINT LOUIS, MO.; SAINT PAUL, MINN.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	387	63	15	2			80	8	8	13	22	28	18	30	38	29	23	24	29	19	10	6	1			1	
Males.....	219	27	10	1			38	4	4	7	8	13	11	18	25	18	18	16	22	9	4	3				1	
Females.....	168	36	5	1			42	4	4	6	14	15	7	12	13	11	5	8	7	10	6	3	1				
1. Dentition.....	M. 9 F. 7	3 5	5 2				8 7		1																		
2. Angina.....	M. 3 F. 3							3 2																			
3. Gastritis.....	M. 13 F. 19	3 7					3 7			1	1	2		1	2	1	2		2		1	1					
4. Other diseases of the stomach.....	M. 3 F. 8	1					1		1	1		1				3					1						
5. Obstruction of the bowels.....	M. 8 F. 15	1 5					1 5				1	1			1	2		1	2	1	1						
6. Hernia.....	M. 8 F. 4														1												
7. Other diseases of the bowels.....	M. 6 F. 7	3 3					3 4		1					1	1			1									
8. Jaundice.....	M. 5 F. 2	3					3					1		1			1										
9. Inflammation and abscess of the liver.....	M. 56 F. 27	1 1	3 1				4 2			1	1	7	3	5	8	6	5	6	6	2	1	1					
10. Other diseases of the liver.....	M. 49 F. 17	1 3					1 3				1	1	4	5	6	8	6	7	6	3		1					
11. Peritonitis.....	M. 34 F. 40	3 1	1				4 2	1	3	6	7	1	4	3	4	1	3		1	1	1	2					
12. Ascites.....	M. 11 F. 6										1			1	2	2	1		2	2						1	
13. Others of this group.....	M. 14 F. 13	8 10	1	1			10 10							3 1		2 1	1			1							
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	88	2	1	3			6	2	4	2	3	7	8	9	8	6	7	5	8	4	6	2			1		
Males.....	52	2	1	1			4	2	3	1	2	3	6	4	5	1	5	1	6	3	5				1		
Females.....	36			2			2		1	1	1	4	2	5	3	5	2	4	2	1	1	2					
1. Bright's disease.....	M. 23 F. 18	1		1			2 2	1	1		1	1	4	3	1		3	1	4	1							
2. Calculus, urinary.....	M. 1 F. 1																										
3. Diseases of the kidney.....	M. 19 F. 11	1	1				2		2	1	1		2	1	3	1	1		2	2	3						
4. Diseases of the bladder.....	M. 5 F. 3											1				1			1						1		
5. Others of this group.....	M. 5 F. 4							1				1		1	1						1						
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	6										1	1	2	1							1						
1. Ovarian tumors.....	F. 1																										
2. Ovarian diseases.....	F. 1																										
3. Uterine tumors.....	F. 1																										
4. Uterine diseases.....	F. 6										1	1	2	1							1						
5. Others of this group.....	F. 1																										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	24										5	5	8	3	3												
1. Abortion.....	F. 2										1	1															
2. Child-birth.....	F. 14										3	1	6	2	2												
3. Others of this group.....	F. 8										1	3	2	1	1												
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	16	1					1	2		1	1	3	3		2	1	2										
Males.....	10	1					1	2			1	2	1		2		1										
Females.....	6									1		1	2			1	1										
1. Diseases of the spine.....	M. 8 F. 4	1					1	1				2	1		2		1										
2. Diseases of the bones.....	M. 1 F. 1																1										
3. Diseases of the hip-joint.....	M. 2 F. 1							1			1																
4. Others of this group.....	M. 1 F. 1																										

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 13.—MINNEAPOLIS, MINN.; SAINT LOUIS, MO.; SAINT PAUL, MINN.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	7													2	2		1	1		1							
Males.....	6													1	2		1	1		1							
Females.....	1													1													
1. Abscess.....	5													1	2			1		1							
2. Carbuncle.....	1													1													
3. Others of this group.....																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1	1					1																				
Males.....																											
Females.....	1	1					1																				
1. Addison's disease.....																											
2. Diseases of the spleen.....																											
3. Others of this group.....	1	1					1																				
XII.—ACCIDENTS AND INJURIES.																											
Total.....	343	28	12	5	5	8	58	16	18	23	26	21	38	15	32	25	18	18	14	13	3	2	1				2
Males.....	275	19	6	4	1	4	34	14	17	17	24	16	33	14	30	21	14	13	12	10	2	1	1				2
Females.....	68	9	6	1	4	4	24	2	1	6	2	5	5	1	2	4	4	5	2	3	1	1					
1. Burns and scalds.....	16	2	4	2		1	9	2				1	2	1		1											
2. Drowned.....	40	1	1				2	6	12	3	5	1	3	1	2	1	2		2								
3. Exposure and neglect.....	4	2					2			1						1											
4. Gunshot wounds.....	14	2					2																				
5. Homicide.....	8																										
6. Infanticide.....	3																										
7. Injuries by machinery.....																											
8. Railroad accidents.....	26	1					1	3	1	1	6	1	3	3	2	3	2										
9. Suffocation.....	17	4				2	6			1	1		2		1			1	2			1					2
10. Suicide by shooting.....	8																										
11. Suicide by drowning.....	4																										
12. Suicide by poison.....	5																										
13. Other suicides.....	17																										
14. Sunstroke.....	12																										
15. Surgical operations.....	1					1	1																				
16. Wounds.....	10	1					1																				
17. Other accidents and injuries.....	95	8	1	2	1		12	3	1	9	7	6	11	4	13	8	5	4	5	5	1		1				
	28	5	2			2	9	1	1	2		1	2		1		3	3	2	2	1						

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 15.—COLUMBUS, OHIO; INDIANAPOLIS, IND.; NASHVILLE, TENN.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	3070	796	215	131	101	70	1313	165	94	136	189	149	140	149	106	115	100	81	70	68	60	52	43	18	8	7	7
Total: Males	1622	440	101	65	52	42	700	82	38	61	97	70	73	83	62	62	60	52	43	38	28	27	25	10	4	3	4
Females	1448	356	114	66	49	28	613	83	56	75	92	79	67	66	44	53	40	29	27	30	32	25	18	8	4	4	3
Unknown causes.																											
Total	95	37	4	3	3	1	48	7	3	3	1	2	2	5	4	3	2	2	2	2	3	3	1				2
Males	50	26	2		2		30	3	2	1	1	1		2	1		2	1	1		3		1				1
Females	45	11	2	3	1	1	18	4	1	2		1	2	3	3	3		1	1	2		3					1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	790	204	76	60	53	31	424	76	40	43	54	22	21	24	17	13	14	10	11	7	8	3	1	1			1
Males	405	106	40	35	27	14	222	38	18	20	26	10	11	9	10	9	8	9	4	5	3	2		1			
Females	385	98	36	25	26	17	202	38	22	23	28	12	10	15	7	4	6	1	7	2	5	1	1				1
1. Small-pox	M. 11	3	4	3			10			1																	
	F. 17	6	1	2	2	1	12	3	1			1															
2. Measles	M. 58	7	8	8	8	9	40	14	4																		
	F. 60	2	4	13	9	8	36	16	4		4																
3. Scarlet fever	M. 36	2	2	7	9	3	23	11					2														
	F. 26		5	1	3	5	14	8	4																		
4. Diphtheria	M. 16	8	4	3			15	1																			
	F. 12	3	2	2	3		10	2																			
5. Hooping-cough	M. 6	1	1	1	1		4	2																			
	F. 3	1	1		1		3																				
6. Fever	M. 82	1		3	5		9	6	7	13	19	7	6	2	5	1	2	3		1	1						
	F. 63	1	1	1	3	1	7	4	8	13	11	5	4	3	1	2	1		1	1			1				1
7. Cerebro-spinal fever	M. 10	5	3				8								1		1			1							
	F. 25	22	1				23					1									1						
8. Enteric fever	M. 31	7	1	1			9	1	1	2	1	1	1	1	2	6		2	1	2	1						
	F. 24	6	2	1	2		11				1		1	1	2		3		3		2						
9. Diarrhœa	M. 16	4	1	3	1		9	1	2		1						2				1						
	F. 16	6	1		1	1	9	1	1	1	1			1	1				1								
10. Dysentery	M. 4	1					1	1		1	1																
	F. 74	54	15	4	1		74																				
11. Enteritis	M. 59	42	13	4			59																				
	F. 39	8	1	1	2		12	1	1	3	3	1	2	5	2	1	2	3	1	1		1					
12. Cholera morbus	M. 43	6	4		2	1	13	3	3	4	5	1	1	4	2	2	2		1	1		1					
	F. 7	1		1			2		1								1										
13. Cholera infantum	M. 4	1	1				2			1								1			1						
	F. 3	1				1	2																				
14. Malarial fever	M. 8						3	1		1	1		3	1				1									
	F. 15						15			2	4	4		4	1			1									
15. Erysipelas	M. 4	3					3												1								
	F. 4	1	1				2																				
16. Septicæmia	M. 3	1				1	2																				
	F. 8						8	1		1	1		3	1				1									
17. Puerperal septicæmia	M. 15						15																				
	F. 4	3					3												1								
18. Venereal diseases	M. 4	1		1			2				1		1						1								
	F. 8					1	1		2		1	1		1					1			1		1			
19. Others of this group	M. 6	1					1		1	1	1			1							1						
	F. 6						6																				
General diseases—B.																											
Total	83	54	7	1		1	63	2	1	1			4		3	2	1	1	1	1	2	1					
Males	43	27	4			1	32	1					2		3	1	1		1	1		1					
Females	40	27	3	1			31	1	1	1			2			1		1			2						
1. Worms	M. 6						6						1		3	1	1										
	F. 1						1		1																		
2. Other parasitic diseases	M. 4						4																				
	F. 4						4																				
3. Alcoholism	M. 33	27	4				31	1																			
	F. 32	27	3	1			31														1						
4. Lead poison	M. 4					1	1												1	1							
	F. 7						7	1		1			2			1		1									
5. Other poisons	M. 33	27	4				31	1														1					
	F. 32	27	3	1			31																				
General diseases—C.																											
Total	360	232	3	3	1	2	241	1	1		2	2		2	3	2	3	3	3	11	12	24	29	13	5	6	
Males	187	126	1	1		2	130	1			1	1		1		2	2	2	2	5	4	11	14	7	3	3	
Females	173	106	2	2	1		111		1			1	1		1	3		1	1	6	8	13	15	6	2	3	
1. Premature birth	M. 30	30					30																				
	F. 26	26					26																				
2. Stillborn	M. 80	80					80																				
	F. 69	69					69																				
3. Malformation	M. 5	5					5																				
	F. 2	2					2																				
4. Debility	M. 28	11	1	1			13	1			1	1		1		2	2		3	1	1	1				1	
	F. 26	9	2	2	1		14		1			1	1	1	3					2	1	1					
5. Old age	M. 42						42											1	1	5	6	12	14	6	2	3	
	F. 50					2	50																				
6. Atrophy	M. 2						2																				
	F. 2						2																				

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.
GRAND GROUP 15.—COLUMBUS, OHIO; INDIANAPOLIS, IND.; NASHVILLE, TENN.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	577	26	21	14	6	4	71	22	11	46	73	62	61	54	32	44	27	23	21	11	9	3	3	1	2	1	
Males.....	277	15	7	6	4	4	36	10	3	18	35	26	23	33	17	22	16	13	12	6	3	1	2	1			
Females.....	300	11	14	8	2		35	12	8	28	38	36	38	21	15	22	11	10	9	5	6	2	1		2	1	
1. Rheumatism.....	M. 4 F. 5			1			1			1			1		1			1	1				1				
2. Scrofula and tabes.....	M. 11 F. 16	2	1	1			4	3		1		1		1					1						1		
3. Leprosy.....	M. 1 F. 1																										
4. Consumption.....	M. 206 F. 218	6	3	2	2	2	15	2	2	15	35	25	19	31	13	17	11	7	6	3	3	1	1				
5. Hydrocephalus.....	M. 15 F. 10	6	3	3	1	1	14	1		24	37	33	31	19	12	14	5	5	2	5	1	2	1				
6. Cancer.....	M. 13 F. 21						7		1						1												
7. Tumor.....	M. 2 F. 1												1														
8. Anæmia.....	M. 1 F. 3												1														
9. Dropsy.....	M. 23 F. 26				1	1	2	4	1	2			1	1	2	1		4	3	1				1			
10. Glycosuria.....	M. 1 F. 1														1												
11. Others of this group.....	M. 1 F. 1	1					1																				
12. Others of this class.....	M. 1 F. 1																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	369	121	39	13	11	10	194	18	14	10	11	16	11	20	7	8	11	8	10	11	9	4	5		1		1
Males.....	209	73	22	7	6	9	117	7	4	7	6	4	9	9	1	5	8	3	6	8	5	3	5		1		1
Females.....	160	48	17	6	5	1	77	11	10	3	5	12	2	11	6	3	3	5	4	3	4	1					
1. Inflammation of the brain.....	M. 31 F. 34	10	7	1	2	3	23	2	1			1	1				3										
2. Meningitis.....	M. 23 F. 20	7	5	2	2	4	17	1	3	1		1		1			1										
3. Apoplexy.....	M. 15 F. 8	1	1				2					2	2			1	1	1		4	1	1		1			
4. Paralysis.....	M. 23 F. 14									1	2		2	2		1	1	1	4	2	3	2	4				
5. Tetanus and trismus nascentium.	M. 9 F. 7	5					5		1	1		1			1	1	1		2	2	1	1					
6. Epilepsy.....	M. 4 F. 4	1					1		1	1							1				1						
7. Convulsions.....	M. 44 F. 29	35	4	2	1		42					1		1													1
8. Mental diseases.....	M. 2 F. 3																										
9. Diseases of the brain.....	M. 49 F. 34	12	7	1	1	2	23	3	1	3	2	1	3	2		4	1		2	2	2						
10. Diseases of the spinal cord.....	M. 8 F. 3	2	1	1			4	1							1						1						
11. Others of this group.....	M. 1 F. 4																	1									
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	102	4	2				6	1	4	2	12	6	7	6	8	6	11	11	7	4	6	4	1				
Males.....	47	1					1	1		1	5	5	4	2	4	4	3	6	4	2	1	3	1				
Females.....	55	3	2				5		4	1	7	1	3	4	4	2	8	5	3	2	5	1					
1. Angina pectoris.....	M. 2 F. 2																		1	1							
2. Aneurism.....	M. 1 F. 1																	1		1							
3. Diseases of the heart.....	M. 42 F. 51							1		1	5	5	4	2	4	4	3	5	2	1	1	3	1				
4. Others of this group.....	M. 2 F. 2	1					1											1									
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	355	69	45	27	24	18	183	24	6	10	11	12	15	14	11	14	12	10	6	11	7	7	2				
Males.....	185	34	18	12	12	11	87	11	3	4	6	4	10	10	5	9	8	6	6	6	6	3	1				
Females.....	170	35	27	15	12	7	96	13	3	6	5	8	5	4	6	5	4	4		5	1	4	1				
1. Croup.....	M. 17 F. 19	4	1	1	4	2	12	5																			
2. Laryngitis.....	M. 3 F. 5	1				1	2										1										
3. Bronchitis.....	M. 25 F. 21	4	7	2	2	2	17	1	1							1	1				1						
4. Pneumonia.....	M. 120 F. 99	24	10	9	5	4	52	6	3	2	4	3	6	7	5	8	5	4	5	6	2	2					
5. Pleurisy.....	M. 3 F. 1													1				1									
6. Asthma.....	M. 3 F. 3																1	1			1						
7. Others of this group.....	M. 14 F. 22	1			1	2	4			1		1	3	1					1		2	1					

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 15.—COLUMBUS, OHIO; INDIANAPOLIS, IND.; NASHVILLE, TENN.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	134	34	12	5	2		53	3	4	5	7	9	2	9	8	8	5	3	4	9	1	1		2			1
Males.....	75	21	5	2	1		29	2	1	1	3	4	2	6	7	4	2	3	2	5	1	1		1			1
Females.....	59	13	7	3	1		24	1	3	4	4	5		3	1	4	3		2	4				1			
1. Dentition.....	M. 12	6	4	1	1		12																				
	F. 12	4	6	2			12																				
2. Angina.....	M. 1	1					1																				
	F. 1				1		1																				
3. Gastritis.....	M. 1							1																			
	F. 1									1																	
4. Other diseases of the stomach.....	M. 10	1					1					1	1	2		1	1		1	1							
	F. 3																1							1			
5. Obstruction of the bowels.....	M. 4								1				1		1	1											
	F. 2											1					1										
6. Hernia.....	M. 2	1					1								1												
	F. 1															1											
7. Other diseases of the bowels.....	M. 12	3	1				4				2	1		1	2					1		1					
	F. 8	3	1				4	1	2							1											
8. Jaundice.....	M. 3	3					3																				
	F. 2	1					1										1										
9. Inflammation and abscess of the liver.....	M. 4											1		1					1	1							
	F. 2										1									1							
10. Other diseases of the liver.....	M. 12	1					1				1			2	1	1		3		1				1			1
	F. 7											1		1		2			2	1							
11. Peritonitis.....	M. 5							1		1		1		1			1										
	F. 12								1	3	3	2		2						1							
12. Ascites.....	M. 1																			1							
	F. 1																										
13. Others of this group.....	M. 8	5		1			6					1			1												
	F. 7	5		1			6				1																
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	38					2	2	4	2	1	1	2	1	2	5	3	4	3	2	1	2	1	1				1
Males.....	27					1	1	3	1		1	2	1	1	4	1	2	3	2		2	1	1				1
Females.....	11					1	1	1	1	1				1	1	2	2			1							
1. Bright's disease.....	M. 18							3	1		1	1		1	4			3	1		2						1
	F. 5							1	1					1			1			1							
2. Calculus, urinary.....	M. 6																										
	F. 5					1	1					1	1		1	1	1		1								
3. Diseases of the kidney.....	M. 6					1	1					1	1			1	1		1								
	F. 5									1					1	1	1										
4. Diseases of the bladder.....	M. 3																1					1	1				
	F. 1															1											
5. Others of this group.....	M. 1																										
	F. 1																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	6									3		1		1			1										
1. Ovarian tumors.....	F. 1																										
2. Ovarian diseases.....	F. 1																										
3. Uterine tumors.....	F. 1																										
4. Uterine diseases.....	F. 1																1										
5. Others of this group.....	F. 5									3		1		1													
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	9									1	3	1	2	2													
1. Abortion.....	F. 1													1													
2. Child-birth.....	F. 4										2		2														
3. Others of this group.....	F. 4									1	1	1		1													
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	5		1				1		1			1				1								1			
Males.....	1											1															
Females.....	4		1				1		1							1								1			
1. Diseases of the spine.....	M. 1											1															
	F. 2								1							1											
2. Diseases of the bones.....	M. 1																										
	F. 1		1				1																				
3. Diseases of the hip-joint.....	M. 1																										
	F. 1																							1			
4. Others of this group.....	M. 1																										
	F. 1																										

STATISTICS OF MORTALITY.

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 15.—COLUMBUS, OHIO; INDIANAPOLIS, IND.; NASHVILLE, TENN.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	7	3					3						1		1	1			1								
Males.....	4	2					2								1				1								
Females.....	3	1					1						1			1											
1. Abscess.....	M. 2	1					1													1							
	F. 3	1					1						1			1											
2. Carbuncle.....	M. 1													1													
	F. 1																										
3. Others of this group.....	M. 1	1					1																				
	F. 1																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....																											
Males.....																											
Females.....																											
1. Addison's disease.....	M. 1																										
	F. 1																										
2. Diseases of the spleen.....	M. 1																										
	F. 1																										
3. Others of this group.....	M. 1																										
	F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	140	12	5	5	1	1	24	7	7	11	16	13	11	12	8	9	10	7	2		1	1					1
Males.....	112	9	2	2			13	5	6	9	14	12	10	11	8	7	8	6	2			1					
Females.....	28	3	3	3	1	1	11	2	1	2	2	1	1	1		2	2	1			1						1
1. Burns and scalds.....	M. 4	1	2	1			4																				
	F. 12		2	1	1	1	5	1		2		1		1		1					1						
2. Drowned.....	M. 13							1	4	1	1	1	1	2		1	1										
	F. 3			1			1										1	1									
3. Exposure and neglect.....	M. 6	3		1			4							1	1												
	F. 1		1				1																				
4. Gunshot wounds.....	M. 7									1		3	1	1	1												
	F. 1																1										
5. Homicide.....	M. 2										2																
	F. 1																										
6. Infanticide.....	M. 1																										
	F. 1																										
7. Injuries by machinery.....	M. 1																										
	F. 1																										
8. Railroad accidents.....	M. 29							2		3	8	5	2	1	3	1	3	1									
	F. 1																										
9. Suffocation.....	M. 3	3					3																				
	F. 5	2					2	1								1											1
10. Suicide by shooting.....	M. 2												1	1													
	F. 1																										
11. Suicide by drowning.....	M. 1																										
	F. 1																										
12. Suicide by poison.....	M. 5													1		1	2					1					
	F. 1																										
13. Other suicides.....	M. 7										2			1		2	2										
	F. 1												1														
14. Sunstroke.....	M. 4													2		1			1								
	F. 1																										
15. Surgical operations.....	M. 1																	1									
	F. 1																										
16. Wounds.....	M. 1																										
	F. 1																										
17. Other accidents and injuries.....	M. 29	2					2	2	2	4	1	3	5	1	3	1		4	1								
	F. 5	1		1			2		1		2																

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 17.—KANSAS CITY, MO.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	627	123	59	43	29	19	273	61	25	21	45	36	29	22	33	21	8	16	10	9	7	5	4	1	1	1	
Total: Males.....	354	75	31	26	14	10	156	34	14	14	25	21	14	13	19	15	3	9	6	3	3	2	1	1	1	1	
Females.....	273	48	28	17	15	9	117	27	11	7	20	15	15	9	14	6	5	7	4	6	4	3	3	1	1	1	
Unknown causes.																											
Total.....	1										1																
Males.....																											
Females.....	1										1																
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	233	47	30	29	11	13	130	35	8	5	7	12	7	5	9	5	1	1	5	3							
Males.....	130	30	16	16	7	6	75	17	5	4	5	7	3	2	4	4			3	1							
Females.....	103	17	14	13	4	7	55	18	3	1	2	5	4	3	5	1	1	1	2	2							
1. Small-pox.....	M.																										
F.																											
2. Measles.....	M.	10	2	3	3	1	9	1																			
F.	13	2	2	2		1	8	4						1													
3. Scarlet fever.....	M.	15		2	3	3	11	3	1																		
F.	15	2	2	2	1	2	9	5					1														
4. Diphtheria.....	M.	17	6	1	2	1	11	5	1																		
F.	8	1	1	1			3	4						1													
5. Hooping-cough.....	M.	6	3	1		1	5	1																			
F.	4	2				1	3	1																			
6. Fever.....	M.																										
F.																											
7. Cerebro-spinal fever.....	M.																										
F.																											
8. Enteric fever.....	M.	9						1	1	1	1	1	2		1	1											
F.	3								1						1				1								
9. Diarrhœa.....	M.	6	1	5			6																				
F.	7	3	1	2			6											1									
10. Dysentery.....	M.	11	1	2	1		5	2		1					2				1								
F.	8		1	3			4								1	1			1	1							
11. Enteritis.....	M.	9	4		1		5	1			1	1							1								
F.	4	1	2			1	4																				
12. Cholera morbus.....	M.	3																									
F.	2		1	1			2												1								
13. Cholera infantum.....	M.	15	11	2	1	1	15																				
F.	7	4	3				7																				
14. Malarial fever.....	M.	28	2		5		8	2	2	2	3	4	1	2		3					1						
F.	24		1	2	3	2	8	4	2	1		4	2		2					1							
15. Erysipelas.....	M.	1																									
F.	3	1					1							1	1												
16. Septicæmia.....	M.																										
F.																											
17. Puerperal septicæmia.....	F.	5									2	1	1				1										
18. Venereal diseases.....	M.																										
F.																											
19. Others of this group.....	M.																										
F.																											
General diseases—B.																											
Total.....	9	2		1			3	1			1	1				1			1		1						
Males.....	5	1		1			2				1	1				1											
Females.....	4	1					1	1											1		1						
1. Worms.....	M.																										
F.																											
2. Other parasitic diseases.....	M.																										
F.																											
3. Alcoholism.....	M.	1										1															
F.																											
4. Lead poison.....	M.																										
F.																											
5. Other poisons.....	M.	3			1		1				1						1										
F.	1																										
6. Inanition.....	M.	1	1				1																				
F.	3	1					1												1		1						
General diseases—C.																											
Total.....	23	17					17				1										1		3			1	
Males.....	13	11					11																1			1	
Females.....	10	6					6				1									1		2					
1. Premature birth.....	M.	5	5				5																				
F.	3	3					3																				
2. Stillborn.....	M.	5	5				5																				
F.	2	2					2																				
3. Malformation.....	M.																										

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 17.—KANSAS CITY, MO.—Continued.

Cause of death.	Total	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	93	7	1	2	2	1	13	4	2	4	18	11	11	4	9	3	1	4	3	3	2		1				
Males.....	44	3	1	1		1	6	2	1	1	9	7	5	3	4	2		2	2								
Females.....	49	4		1	2		7	2	1	3	9	4	6	1	5	1	1	2	1	3	2		1				
1. Rheumatism.....	M. 1										1																
F. 2								2																			
2. Scrofula and tabes.....	M. 4	1	1				2	1	1																		
F. 1																											
3. Leprosy.....	M. 1																										
F. 1																											
4. Consumption.....	M. 30	2		1		1	4			1	7	5	4	2	4	1		1	1								
F. 33	2		1				3		1	3	9	4	5	1	2	1		1	1	2							
5. Hydrocephalus.....	M. 1																										
F. 3	2				1		3																				
6. Cancer.....	M. 1																		1								
F. 4															2			1					1				
7. Tumor.....	M. 3										1		1					1									
F. 4					1		1						1								1						
8. Anæmia.....	M. 1																										
F. 1																											
9. Dropsy.....	M. 5							1			1	1		1		1											
F. 3															1					1	1						
10. Glycosuria.....	M. 1																										
F. 1																											
11. Others of this group.....	M. 1																										
F. 1																											
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	39	13	4	2	3		22	2						2	3	6	1	2			1						
Males.....	20	7	1	2			10	1						2	1	3		2			1						
Females.....	19	6	3		3		12	1							2	3	1										
1. Inflammation of the brain.....	M. 9	4		2			6	1										1			1						
F. 6	1	1			3		5									1											
2. Meningitis.....	M. 2	2					2																				
F. 2	1	1					2																				
3. Apoplexy.....	M. 2													1		1											
F. 2																2											
4. Paralysis.....	M. 2															1											
F. 2															2			1									
5. Tetanus and trismus nascentium.	M. 1																										
F. 2	2	2					2																				
6. Epilepsy.....	M. 1																										
F. 3	2	1					3																				
7. Convulsions.....	M. 1	1					1																				
F. 3	2	1					3																				
8. Mental diseases.....	M. 1																										
F. 4																											
9. Diseases of the brain.....	M. 1		1				1							1	1	1											
F. 1								1																			
10. Diseases of the spinal cord.....	M. 1																										
F. 1																											

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.
GRAND GROUP 17.—KANSAS CITY, MO.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	21	3	3		1		7	1	1	1	3		1	1	3						1	1		1			
Males.....	14	3	2				5			1	2			1	2						1	1		1			
Females.....	7		1		1		2	1	1		1		1		1												
1. Dentition.....	M. 3	1	2				3																				
	F. 1		1				1																				
2. Angina.....	M. 1						1																				
	F. 1						1								1												
3. Gastritis.....	M. 1						1								1												
	F. 1						1																				
4. Other diseases of the stomach.....	M. 1						1							1													
	F. 3						3	1	1						1												
5. Obstruction of the bowels.....	M. 2						2				2																
	F. 2						2																				
6. Hernia.....	M. 1						1																				
	F. 1						1																				
7. Other diseases of the bowels.....	M. 2	1					1															1					
	F. 1						1																				
8. Jaundice.....	M. 1						1																				
	F. 1						1																				
9. Inflammation and abscess of the liver.....	M. 1						1																				
	F. 1						1																				
10. Other diseases of the liver.....	M. 1						1				1																
	F. 1						1																				
11. Peritonitis.....	M. 3						3			1					1									1			
	F. 1						1																				
12. Ascites.....	M. 1						1																				
	F. 1						1																				
13. Others of this group.....	M. 2	1					1														1						
	F. 1				1		1																				
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	3									1						1	1										
Males.....	2									1							1										
Females.....	1															1											
1. Bright's disease.....	M. 1						1			1																	
	F. 1						1																				
2. Calculus, urinary.....	M. 1						1																				
	F. 1						1																				
3. Diseases of the kidney.....	M. 1						1											1									
	F. 1						1										1										
4. Diseases of the bladder.....	M. 1						1																				
	F. 1						1																				
5. Others of this group.....	M. 1						1																				
	F. 1						1																				
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	1																1										
1. Ovarian tumors.....	F. 1						1																				
2. Ovarian diseases.....	F. 1						1																				
3. Uterine tumors.....	F. 1						1																				
4. Uterine diseases.....	F. 1						1																				
5. Others of this group.....	F. 1						1										1										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	7										1	3	1	2													
1. Abortion.....	F. 3						3				2	1															
2. Child-birth.....	F. 4						4				1	1		2													
3. Others of this group.....	F. 1						1																				
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....																											
Males.....																											
Females.....																											
1. Diseases of the spine.....	M. 1						1																				
	F. 1						1																				
2. Diseases of the bones.....	M. 1						1																				
	F. 1						1																				
3. Diseases of the hip-joint.....	M. 1						1																				
	F. 1						1																				
4. Others of this group.....	M. 1						1																				
	F. 1						1																				

STATISTICS OF MORTALITY.

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 17.—KANSAS CITY, MO.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	1	1					1																				
Males.....																											
Females.....	1	1					1																				
1. Abscess.....	M. F.	1 1					1																				
2. Carbuncle.....	M. F.																										
3. Others of this group.....	M. F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1										1																
Males.....	1										1																
Females.....																											
1. Addison's disease.....	M. F.	1 1									1																
2. Diseases of the spleen.....	M. F.																										
3. Others of this group.....	M. F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	39	5	3			2	10	4	4	5	7	4		1	2	1		1									
Males.....	28	3	1			1	5	2	4	3	5	4		1	2	1		1									
Females.....	11	2	2			1	5	2		2	2																
1. Burns and scalds.....	M. F.	2 1				1	1									1											
2. Drowned.....	M. F.	1 1							1																		
3. Exposure and neglect.....	M. F.	2 4	1 1	1 2			2 3																				
4. Gunshot wounds.....	M. F.	1 1										1															
5. Homicide.....	M. F.	1 1									1																
6. Infanticide.....	M. F.																										
7. Injuries by machinery.....	M. F.																										
8. Railroad accidents.....	M. F.	7 1				1	1	2	1	1	1	1		1													
9. Suffocation.....	M. F.																										
10. Suicide by shooting.....	M. F.	2 1									1	1															
11. Suicide by drowning.....	M. F.																										
12. Suicide by poison.....	M. F.																										
13. Other suicides.....	M. F.	1 1									1																
14. Sunstroke.....	M. F.										1																
15. Surgical operations.....	M. F.																										
16. Wounds.....	M. F.																										
17. Other accidents and injuries.....	M. F.	11 3	2 1				2 1		2	2 1	1 1	1			2			1									

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.
GRAND GROUP 18.—DENVER, COLO.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	469	97	34	26	20	16	193	31	24	11	39	31	26	30	26	15	11	6	7	8	7	2	2				
Total: Males.....	288	51	20	11	11	7	100	16	14	5	26	20	20	23	22	13	6	6	4	4	5	2	2				
Females	181	46	14	15	9	9	93	15	10	6	13	11	6	7	4	2	5		3	4	2						
Unknown causes.																											
Total																											
Males.....																											
Females																											
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	181	44	19	14	14	10	101	21	15	4	15	7	7	4	1	2	1		2	1							
Males.....	95	23	12	6	6	3	50	9	6	2	10	4	6	4	1	2			1								
Females	86	21	7	8	8	7	51	12	9	2	5	3	1			1			1	1							
1. Small-pox.....	M.																										
F.																											
2. Measles.....	M.	5	3	1			4							1													
F.	4	1		1	2		4																				
3. Scarlet fever.....	M.	8	2		1	2	5	2						1													
F.	4			1		1	2	1	1																		
4. Diphtheria.....	M.	22	3	1	4	2	13	5	1		3																
F.	31	2	3	5	4	3	17	8	6																		
5. Hooping-cough.....	M.	5	3	2			5																				
F.	4	1	1		1	1	4																				
6. Fever.....	M.	29		1	1	1	3	2	5	2	7	4	3	1	1	1											
F.	16						1	2	2	2	5	2	1			1											
7. Cerebro-spinal fever.....	M.																										
F.																											
8. Enteric fever.....	M.																										
F.																											
9. Diarrhœa.....	M.																										
F.	4	2			1		3												1								
10. Dysentery.....	M.	2	1				1									1											
F.																											
11. Enteritis.....	M.	5	1	1		1	3						1	1					1								
F.	4	2					2													1							
12. Cholera morbus.....	M.																										
F.																											
13. Cholera infantum.....	M.	14	9	5			14																				
F.	13	11	2				13																				
14. Malarial fever.....	M.	1		1			1																				
F.	3	1				1	2	1																			
15. Erysipelas.....	M.	2	1				1						1														
F.	3	1	1	1			3																				
16. Septicæmia.....	M.	1											1														
F.																											
17. Puerperal septicæmia.....	F.																										
18. Venereal diseases.....	M.																										
F.																											
19. Others of this group.....	M.	1												1													
F.																											
General diseases—B.																											
Total.....	5											1	1	1		2											
Males.....	4												1	1		2											
Females	1																										
1. Worms.....	M.																										
F.																											
2. Other parasitic diseases.....	M.																										
F.																											
3. Alcoholism.....	M.	4											1	1		2											
F.																											
4. Lead poison.....	M.																										
F.																											
5. Other poisons.....	M.																										
F.	1											1															
6. Inanition.....	M.																										
F.																											
General diseases—C.																											
Total.....	25	19					19													1		2	1	2			
Males.....	12	7					7															1	1	2			
Females	13	12					12														1						
1. Premature birth.....	M.																										
F.	1	1					1																				
2. Stillborn.....	M.	5	5				5																				
F.	7	7					7																				
3. Malformation.....	M.																										
F.	1	1					1																				
4. Debility.....	M.	5	2				2													1		1	1				
F.	4	3					3														1						
5. Old age.....	M.	2																					2				
F.																											
6. Atrophy.....	M.																										
F.																											

GRAND GROUP 18.—DENVER, COLO.—Continued.

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.
GRAND GROUP 18.—DENVER, COLO.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	13	1	1	1	1		4	1	1		2	1	1	1	1					1							
Males.....	9	1	1		1		3		1		2	1			1					1							
Females.....	4			1			1	1					1	1													
1. Dentition.....	M. 2	1	1				2																				
F. 1																											
2. Angina.....	M. 1								1																		
F. 1																											
3. Gastritis.....	M. 1																										
F. 1																											
4. Other diseases of the stomach.....	M. 4				1		1				2				1												
F. 1				1			1																				
5. Obstruction of the bowels.....	M. 1																			1							
F. 1																											
6. Hernia.....	M. 1																										
F. 1																											
7. Other diseases of the bowels.....	M. 1																										
F. 1																											
8. Jaundice.....	M. 1																										
F. 1																											
9. Inflammation and abscess of the liver.....	M. 1																										
F. 1																											
10. Other diseases of the liver.....	M. 2												1	1													
F. 1																											
11. Peritonitis.....	M. 1											1															
F. 1																											
12. Ascites.....	M. 1																										
F. 1																											
13. Others of this group.....	M. 1							1																			
F. 1																											
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	7								1				1	1	3			1									
Males.....	5								1				1	1	1			1									
Females.....	2														2												
1. Bright's disease.....	M. 5								1				1	1	1			1									
F. 1															1												
2. Calculus, urinary.....	M. 1																										
F. 1																											
3. Diseases of the kidney.....	M. 1																										
F. 1																											
4. Diseases of the bladder.....	M. 1																										
F. 1																											
5. Others of this group.....	M. 1															1											
F. 1																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....																											
1. Ovarian tumors.....	F. 1																										
2. Ovarian diseases.....	F. 1																										
3. Uterine tumors.....	F. 1																										
4. Uterine diseases.....	F. 1																										
5. Others of this group.....	F. 1																										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....	4									1	1	2															
1. Abortion.....	F. 1											1															
2. Child-birth.....	F. 1											1															
3. Others of this group.....	F. 2									1	1																
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	1														1												
Males.....	1														1												
Females.....																											
1. Diseases of the spine.....	M. 1																										
F. 1																											
2. Diseases of the bones.....	M. 1																										
F. 1																											
3. Diseases of the hip-joint.....	M. 1																										
F. 1																											
4. Others of this group.....	M. 1														1												
F. 1																											

STATISTICS OF MORTALITY.

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 18.—DENVER, COLO.—Continued.

[illegible]

GRAND GROUP 21.—OAKLAND, CAL.; SAN FRANCISCO, CAL.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	5134	1257	197	136	98	60	1748	144	71	120	242	306	388	414	328	341	313	193	178	116	93	68	43	12	6	1	9
Total: Males.....	3251	697	111	69	54	30	961	79	47	65	143	193	288	295	234	253	230	146	121	74	56	31	22	2	2	1	8
Females.....	1883	560	86	67	44	30	787	65	24	55	99	113	100	119	94	88	83	47	57	42	37	37	21	10	4		1
Unknown causes.																											
Total.....	240	8		2	1	2	13	3	3	4	18	33	50	34	25	24	12	11	7	1							2
Males.....	223	6				2	8	1	3	4	18	32	48	31	24	23	11	11	7	1							1
Females.....	17	2		2	1		5	2				1	2	3	1	1	1										1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	632	174	45	31	32	16	298	56	18	23	31	39	41	24	23	19	18	16	13	6	3	1	2	1			
Males.....	342	91	19	13	18	8	149	30	9	10	18	22	23	14	12	13	14	14	8	4	1	1					
Females.....	290	83	26	18	14	8	149	26	9	13	13	17	18	10	11	6	4	2	5	2	2		2	1			
1. Small-pox.....	M. 2									1		1															
F. 11																											
2. Measles.....	M. 10	3	3	3			9	1			1																
F. 10							9																				
3. Scarlet fever.....	M. 12	2	3	1	3	1	10	2																			
F. 9							5	3	1																		
4. Diphtheria.....	M. 40	5	2	4	6	4	21	16			1		1	1													
F. 34		4	2	4	4	5	19	12	1					1	1												
5. Hooping-cough.....	M. 14	7	4	2	1		14																				
F. 20		6	4	3	4	2	19	1																			
6. Fever.....	M. 1																1										
F. 2																											
7. Cerebro-spinal fever.....	M. 8	2			1	1	4	2				1			1				1	1							
F. 4		1		1			2	2																			
8. Enteric fever.....	M. 66				2		2	5	6	7	10	11	8	2	5	1	4	3	2								
F. 47		1	1		2		4	5	6	10	4	5	2	5	2		2		1		1						
9. Diarrhoea.....	M. 19	12	1				13					1	1	2	1	1											
F. 3		3					3																				
10. Dysentery.....	M. 7	6					6											1									
F. 11		9	2				11																				
11. Enteritis.....	M. 51	23	2		1	2	28	1	2	1	1	3	1	3		3	5	2				1					
F. 36		14	2	2			18		1		1	4	3		3	2		1	1	1			1				
12. Cholera morbus.....	M. 7	1	1				2	1					1	2				1									
F. 2																1											
13. Cholera infantum.....	M. 35	30	2	3			35																				
F. 50		40	9	1			50																				
14. Malarial fever.....	M. 15		1		1		2		1		2	1	2	1	3	1				1	1						
F. 15		1	1	2	1	1	6	2		1	1	1	1	1	1	1					1						
15. Erysipelas.....	M. 4												1	1				1	1								
F. 4																	1	1									
16. Septicæmia.....	M. 31	2					2	1		1	3		6	1	1	5	2	5	2								
F. 11			2				2			1	1		2		1	2	1										
17. Puerperal septicæmia.....	M. 23									1	5	4	6	3	3				1								
F. 11																											
18. Venereal diseases.....	M. 11	1					1					3	1	1	1	1	2	1									
F. 7		1					1				1	2	3														
19. Others of this group.....	M. 8							1				1	1			1		1	2	1							
F. 2													1	1													
General diseases—B.																											
Total.....	298	204	6	8	2	1	221	1			2	6	6	13	11	12	11	2	4	3	1	3					2
Males.....	168	111	4	5	2	1	123					4	3	6	8	8	9		1	3		1					2
Females.....	130	93	2	3			98	1			2	2	3	7	3	4	2	2	3		1	2					
1. Worms.....	M. 28																										
F. 21																											
2. Other parasitic diseases.....	M. 13																										
F. 3																											
3. Alcoholism.....	M. 11																										
F. 13																											
4. Lead poison.....	M. 13																										
F. 3																											
5. Other poisons.....	M. 127	111	4	5	2	1	123																				
F. 106		93	2	3			98	1						1													
General diseases—C.																											
Total.....	624	455	5	3		1	464	4	2	4	2	1	1	11	1	10	9	10	3	13	18	30	26	8	5	1	1
Males.....	323	243	4	2			249	2	1	2				9	1	5	4	6	1	5	12	11	12		1	1	1
Females.....	301	212	1	1		1	215	2	1	2	2	1	1	2		5	5	4	2	8	6	19	14	8	4		
1. Premature birth.....	M. 35	35					35																				

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.
 GRAND GROUP 21.—OAKLAND, CAL.; SAN FRANCISCO, CAL.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	1061	31	17	10	4	6	68	14	7	36	106	117	126	146	107	100	86	56	42	25	12	10	1	1		1	
Males.....	667	15	6	7	2	2	32	6	6	14	60	64	94	103	65	70	59	44	25	13	7	3	1			1	
Females.....	394	16	11	3	2	4	36	8	1	22	46	53	32	43	42	30	27	12	17	12	5	7		1			
1. Rheumatism.....	M. 6													2	1	2	1										
F. 5														1				1	1								
2. Scrofula and tabes.....	M. 10	3			1		4	2		1		1		1	1			1	1	1							
F. 11	4	4				2	10				1																
3. Leprosy.....	M. 1												1														
F. 1																											
4. Consumption.....	M. 516	2	2	1	1	1	7	1	4	13	60	61	85	80	57	57	40	28	10	6	4	1	1			1	
F. 261	4	5	1	1	2	13	2		21	44	52	24	31	27	14	13	3	7	6	2	1			1			
5. Hydrocephalus.....	M. 18	5	4	5		1	15	2	1																		
F. 14	6	2	2	1		11	3																				
6. Cancer.....	M. 73											2	5	10	5	10	11	12	9	6	2	1					
F. 75								1			1	1	6	9	10	13	11	7	7	3	2	4					
7. Tumor.....	M. 6	1					1							3			2										
F. 5															3		1										
8. Anæmia.....	M. 3	2					2												1								
F. 1																											
9. Dropsy.....	M. 25	1					1	1	1				3	5	1		5	4	2	1		1					
F. 14	1						1	1					2	1	1	3	1		1	1	2						
10. Glycosuria.....	M. 4													2					1								
F. 7									1	1					1		1	1	2								
11. Others of this group.....	M. 5	1		1			2									1			2								
F. 1																											
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	638	180	58	38	20	14	310	25	9	5	10	12	18	34	39	38	37	27	29	17	14	9	2	1	1		1
Males.....	409	107	40	21	10	6	184	14	6	3	7	6	12	26	28	29	28	18	20	12	7	5	1	1	1		1
Females.....	229	73	18	17	10	8	126	11	3	2	3	6	6	8	11	9	9	9	9	5	7	4	1				
1. Inflammation of the brain.....	M. 31	6	9	3		1	19	4					2	1	3	2											
F. 13	3	2	1	2	2	2	10	3																			
2. Meningitis.....	M. 71	21	15	5	7	2	50	6	2	1		3	2	1	3		1	1		1							
F. 48	17	8	7	4	1	37	5	2			1			2													
3. Apoplexy.....	M. 76	3					3		1		2	1	1	7	5	11	12	10	12	5	4	2					
F. 27			1		1	2							2	2	4	5	4		2	2	1		1				
4. Paralysis.....	M. 45							2	1	1		3	3	5	8	7	3		5	2	2	1	1	1			
F. 34	1						1			1	1	2	2	4	1	4	4	3	2	4	3						
5. Tetanus and trismus nascentium.....	M. 4	3					3																				
F. 3	2						2																				
6. Epilepsy.....	M. 8		1				1				1		1		1	1		1	2								
F. 6	1						1		1				1	1		1	1										
7. Convulsions.....	M. 89	61	11	8	3		83	3				2	1														
F. 70	48	8	5	3		64	2					1			1			1	1								
8. Mental diseases.....	M. 1																										
F. 1																											
9. Diseases of the brain.....	M. 64	11	2	4		1	18		1		3		2	10	8	6	6	2	5		1	1					
F. 20	1		1	1	3	6		1		1	1	1	1	1	1	2		1	1	1	1	1					
10. Diseases of the spinal cord.....	M. 15	1	3		2	6		1		1				1	3												

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 21.—OAKLAND, CAL.; SAN FRANCISCO, CAL.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	13	3					3			2			1	1	1		2				2		1				
Males.....	8	2					2			1			1		1		1				1		1				
Females.....	5	1					1			1				1			1				1						
1. Abscess.....	M. 4	1					1			1					1		1										
	F. 2	1					1										1										
2. Carbuncle.....	M. 2												1								1						
	F. 2																										
3. Others of this group.....	M. 2	1					1																1				
	F. 3									1				1							1						
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	2								1						1												
Males.....	2								1						1												
Females.....																											
1. Addison's disease.....	M. 1																										
	F. 1																										
2. Diseases of the spleen.....	M. 1														1												
	F. 1																										
3. Others of this group.....	M. 1								1																		
	F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	334	15	1	3	2	3	24	10	9	20	25	38	49	54	26	27	22	11	10	4	3	1					1
Males.....	279	8		2	2	3	15	7	8	16	20	31	42	46	22	24	21	9	9	4	3	1					1
Females.....	55	7	1	1			9	3	1	4	5	7	7	8	4	3	1	2	1								
1. Burns and scalds.....	M. 19			1		1	2			1	8	2	2	3		1											
	F. 9			1			1			2	1	1			1	2		1									
2. Drowned.....	M. 49					1	1	2	3	4	4	9	8	4	4	2	3	1	2	1	1						
	F. 1		1				1																				
3. Exposure and neglect.....	M. 1	1					1																				
	F. 1																										
4. Gunshot wounds.....	M. 3									2							1										
	F. 3																										
5. Homicide.....	M. 25											2	11	5	2	1	3	1									
	F. 1											1															
6. Infanticide.....	M. 1	1					1																				
	F. 1																										
7. Injuries by machinery.....	M. 1										1																
	F. 1																										
8. Railroad accidents.....	M. 8							1	1		1	1		1	2		1										
	F. 8																										
9. Suffocation.....	M. 11	4			1		5	1						2	1	1											1
	F. 9	6					6							1	1	1											
10. Suicide by shooting.....	M. 7										1				2		4										
	F. 3									1	1			1													
11. Suicide by drowning.....	M. 4													3				1									
	F. 1											1															
12. Suicide by poison.....	M. 2															1	1										
	F. 3																										
13. Other suicides.....	M. 56									2	3	10	9	8	4	8	5	2	3	2							
	F. 10									1		2	2	4	1												
14. Sunstroke.....	M. 1																										
	F. 1																										
15. Surgical operations.....	M. 2													1					1								
	F. 3											1	1	1													
16. Wounds.....	M. 1																										
	F. 1																										
17. Other accidents and injuries.....	M. 90	2		1	1	1	5	3	4	7	2	7	12	17	9	10	3	4	3	1	2	1					
	F. 15	1					1	3	1		3		3	1			1	1	1								

TABLE IX.

DEATHS IN THE CHINESE POPULATION OF THE UNITED STATES

(BY AGE AND SEX),

WITH

SPECIFICATION OF CAUSE,

FOR THE

CENSUS YEAR ENDING MAY 31, 1880.

TABLE IX.—DEATHS IN THE CHINESE POPULATION OF THE UNITED STATES, BY AGE AND SEX, WITH SPECIFICATION OF CAUSE, FOR THE CENSUS YEAR ENDING MAY 31, 1880.

[illegible]

TABLE IX.—DEATHS IN THE CHINESE POPULATION, BY AGE, SEX, CAUSE, ETC.—Continued.

[illegible]

TABLE IX.—DEATHS IN THE CHINESE POPULATION, BY AGE, SEX, CAUSE, ETC.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	41										3	7	10	3	8	3	4	1		1							1
Males.....	37										3	7	8	2	7	3	4	1		1							1
Females.....	4												2	1	1												
1. Dentition.....	{ M. F.																										
2. Angina.....	{ M. F.																										
3. Gastritis.....	{ M. F.	1													1												
4. Other diseases of the stomach.....	{ M. F.	1											1														1
5. Obstruction of the bowels.....	{ M. F.																										
6. Hernia.....	{ M. F.																										
7. Other diseases of the bowels.....	{ M. F.	4										1	1		1	1											
8. Jaundice.....	{ M. F.	1										1															
9. Inflammation and abscess of the liver.....	{ M. F.	24									3	4	6		5	2	3	1									
10. Other diseases of the liver.....	{ M. F.	1											1		1					1							
11. Peritonitis.....	{ M. F.	4											1	2		1											
12. Ascites.....	{ M. F.	1										1		1													
13. Others of this group.....	{ M. F.																										
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	2										1	1															
Males.....	2										1	1															
Females.....																											
1. Bright's disease.....	{ M. F.	1											1														
2. Calculus, urinary.....	{ M. F.																										
3. Diseases of the kidney.....	{ M. F.																										
4. Diseases of the bladder.....	{ M. F.	1									1																
5. Others of this group.....	{ M. F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	1										1																
1. Ovarian tumors.....	F.																										
2. Ovarian diseases.....	F.																										
3. Uterine tumors.....	F.																										
4. Uterine diseases.....	F.	1									1																
5. Others of this group.....	F.																										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females.....																											
1. Abortion.....	F.																										
2. Child-birth.....	F.																										
3. Others of this group.....	F.																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	1												1														
Males.....																											
Females.....	1												1														
1. Diseases of the spine.....	{ M. F.																										
2. Diseases of the bones.....	{ M. F.																										
3. Diseases of the hip-joint.....	{ M. F.																										
4. Others of this group.....	{ M. F.	1											1														

TABLE IX.—DEATHS IN THE CHINESE POPULATION, BY AGE, SEX, CAUSE, ETC.—Continued.

[illegible]

TABLE X.

DEATHS IN THE INDIAN POPULATION OF THE UNITED STATES

(BY AGE AND SEX),

WITH

SPECIFICATION OF CAUSE,

FOR THE

CENSUS YEAR ENDING MAY 31, 1880.

TABLE X
DEATHS IN THE DEPT. OF THE UNITED STATES
BY CAUSE OF DEATH
AND BY SEX
CHARTER YEAR ENDING MAY 31, 1900

TABLE X.—DEATHS IN THE INDIAN POPULATION OF THE UNITED STATES, BY AGE AND SEX, WITH SPECIFICATION OF CAUSE, FOR THE CENSUS YEAR ENDING MAY 31, 1880.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	903	114	52	42	30	19	257	59	35	71	94	61	57	41	48	24	27	17	25	13	15	13	13	7	5	10	11
Total: Males.....	463	57	34	19	16	9	135	25	17	29	54	30	27	20	20	16	17	11	11	10	8	6	8	5	3	2	9
Females.....	440	57	18	23	14	10	122	34	18	42	40	31	30	21	28	8	10	6	14	3	7	7	5	2	2	8	2
Unknown causes.																											
Total.....	99	30	5	5	4	1	45	5	3	5	4	5	2	4	2	4	3	1	2		1	1	1	1	2	2	6
Males.....	48	14	2	2	1		19	4		1	3	3		2	1	3	3	1	1					1	1		5
Females.....	51	16	3	3	3	1	26	1	3	4	1	2	2	2	1	1			1		1	1	1		1	2	1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	193	28	24	22	11	10	95	22	6	13	17	7	5	4	11	2	5		1			1	1			1	2
Males.....	92	13	17	7	5	5	47	5	5	5	11	3	4	2	5	1	2						1			1	1
Females.....	101	15	7	15	6	5	48	17	1	8	6	4	1	2	6	1	3		1			1			1		1
1. Small-pox.....	M. 4	1	1	1			3								1												
F. 1				1			1																				
2. Measles.....	M. 5	1	1	1			3		1		1																
F. 10	2	2	4	1			9	1																			
3. Scarlet fever.....	M. 5	1	1		1		3	1		1																	
F. 2							1																				
4. Diphtheria.....	M. 3		1				1																				
F. 11	2	1		1	2		6	4	1																		
5. Hooping-cough.....	M. 9	5	3		1		9																				
F. 9	4	2	1	1	1		9																				
6. Fever.....	M. 6	1		1		1	3	1			1				1												
F. 8	1		3				4				2				2												
7. Cerebro-spinal fever.....	M. 1							1																			
F. 14	1				1		2	1	1	3	2	1	2	1	1												
8. Enteric fever.....	M. 8	1		1			2	2		2	1						1										
F. 9		5	1	1	1		8																				
9. Diarrhoea.....	M. 3		1	2			3																				
F. 3																											
10. Dysentery.....	M. 7		2		1	1	4			1		1			1												
F. 9	1		3	1	1		6	3																			
11. Enteritis.....	M. 3	1					1				1				1												
F. 8		1		1	1		3	1		2	1																
12. Cholera morbus.....	M. 2			1			1							1													
F. 1																											
13. Cholera infantum.....	M. 3		1	2			3																				
F. 3																											
14. Malarial fever.....	M. 13	1	1	1		1	4		3		4					1											1
F. 15	1			1			2	4		2	1	1		1	1		1		1								1
15. Erysipelas.....	M. 1		1				1																				
F. 2																											
16. Septicæmia.....	M. 1																										
F. 3																											
17. Puerperal septicæmia.....	M. 3										1	2															
F. 6											2		2				2										
18. Venereal diseases.....	M. 7									1		1	1		2	1											1
F. 1																											
19. Others of this group.....	M. 1	1					1																				
F. 1																											
General diseases—B.																											
Total.....	17	3			3		6	1			2		1	1	1		2	1	2								
Males.....	11	1			3		4				1		1	1			2	1	1								
Females.....	6	2					2	1			1				1				1								
1. Worms.....	M. 4	1			3		4																				
F. 2	1						1	1																			
2. Other parasitic diseases.....	M. 1																										
F. 6											1			1			2	1	1								
3. Alcoholism.....	M. 1																										
F. 1																											
4. Lead poison.....	M. 1																										
F. 1																											
5. Other poisons.....	M. 1											1															
F. 3	1						1								1				1								
6. Inanition.....	M. 1																										
F. 1																											
General diseases—C.																											
Total.....	31	9	1				10	1			1						2			1	1	4	4	4	1	2	

TABLE X.—DEATHS IN THE INDIAN POPULATION, BY AGE, SEX, CAUSE, ETC.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	273	13	3	5	1	2	24	11	17	30	40	32	24	19	17	13	5	4	13	4	9	4	2	1	1	2	1
Males.....	130	9	2	4	1	1	16	3	6	14	23	13	11	7	4	10	2	3	5	3	5	1	2	1	1	2	1
Females.....	143	4	1	1	1	1	8	8	11	16	17	19	13	12	13	3	3	1	8	1	4	3	1	1	1	2	1
1. Rheumatism.....	M. 4										1	2															
F. 4						1	1	1													1	1					
2. Scrofula and tabes.....	M. 4										1		2														
F. 6	1		1				2	1		1			1			1											
3. Leprosy.....	M. 1																										
F. 1																											
4. Consumption.....	M. 112	9	2	3		1	15	2	6	13	20	11	9	5	3	9	2	3	3	3	5	1	1				1
F. 122	3	1			1		5	6	10	15	17	19	12	12	12	2	2		4	1	1	2		1		1	
5. Hydrocephalus.....	M. 1						1																				
F. 1																											
6. Cancer.....	M. 3													2					1								
F. 4															1		1	1									
7. Tumor.....	M. 2																		1								
F. 2																											
8. Anæmia.....	M. 1																										
F. 1																											
9. Dropsy.....	M. 4									1	1				1								1				
F. 7									1									3		2						1	
10. Glycosuria.....	M. 1																										
F. 1																											
11. Others of this group.....	M. 1																										
F. 1																											
12. Others of this class.....	M. 1																										
F. 1																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	44	12	8	4	2	1	27	4	3	1	1	1	1		1			3			1		1				
Males.....	24	7	5	4	1		17	2	1		1	1			1								1				
Females.....	20	5	3		1	1	10	2	2	1			1				3			1							
1. Inflammation of the brain.....	M. 6	1	1	2			4	1							1												
F. 7	1	3				1	5	1	1																		
2. Meningitis.....	M. 1						1																				
F. 2	1				1		2																				
3. Apoplexy.....	M. 3						1																				
F. 4	1		1	1			2	1			1							2									
4. Paralysis.....	M. 1																										
F. 1																											
5. Tetanus and trismus nascentium.....	M. 1																										
F. 1																											
6. Epilepsy.....	M. 1																										
F. 1																											
7. Convulsions.....	M. 8	5	1	1	1		8											1									
F. 3	1						1	1	1																		
8. Mental diseases.....	M. 1																						1				
F. 1																											
9. Diseases of the brain.....	M. 3		2				2					1															
F. 3																											
10. Diseases of the spinal cord.....	M. 2	1					1			1																	
F. 2																											
11. Others of this group.....	M. 1																				1						
F. 1																											
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	9	2		2			4				1		1			1			1	1							
Males.....	6	2		1			3				1		1						1								
Females.....	3			1			1									1				1							
1. Angina pectoris.....	M. 1																										
F. 1																											
2. Aneurism.....	M. 1																										
F. 1																											
3. Diseases of the heart.....	M. 6	2		1			3				1		1						1								
F. 3				1			1									1				1							
4. Others of this group.....	M. 1																										
F. 1																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	120	13	9	2	5	4	33	6	4	9	10	7	8	6	8	3	3	3	4	5	2	1	4		1	1	2
Males.....	71	5	5	1	4	2	17	5	4	4	7	3	4	4	4	3	1	2	3	1	4	2	1	2		1	1
Females.....	49	8	4	1	1	2	16	1		5	3	4	4	2	5	2	1		3	1			2				2
1. Croup.....	M. 7	2	1	1	2	1	7																				
F. 6	5	1					6																				
2. Laryngitis.....	M. 1																										
F. 1																											
3. Bronchitis.....	M. 2	1					1		1																		
F. 2																											
4. Pneumonia.....	M. 59	1	4		2	1	8	4	4	3	7	3	4	4	3	1	2	3	1	4	2	1	2			1	2
F. 38	3	2	1	1	2		9	1		3	3	4	4	2	5	2	1		2			2					
5. Pleurisy.....	M. 1																										
F. 1																											
6. Asthma.....	M. 1																										
F. 1																											
7. Others of this group.....	M. 3	1					1			1															1		
F. 3																			1	1							

TABLE X.—DEATHS IN THE INDIAN POPULATION, BY AGE, SEX, CAUSE, ETC.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	28	3	2		2		7	2		2	2		2	2	1	1	4	2	1		1					1	
Males.....	17	1	2		1		4	1		2	2		1	1		1	2	1	1							1	
Females.....	11	2			1		3	1					1	1	1		2	1	1		1						
1. Dentition.....	M.																										
.....	F.																										
2. Angina.....	M.																										
.....	F.																										
3. Gastritis.....	M.	2											1	1													
.....	F.																										
4. Other diseases of the stomach.....	M.	4						1									1	1	1								
.....	F.	2			1		1										1										
5. Obstruction of the bowels.....	M.														1												
.....	F.	1																									
6. Hernia.....	M.	2	1				1										1										
.....	F.																										
7. Other diseases of the bowels.....	M.	4			1		1			2							1										
.....	F.	1																			1						
8. Jaundice.....	M.																										
.....	F.																										
9. Inflammation and abscess of the liver.....	M.	2									1					1											
.....	F.																										
10. Other diseases of the liver.....	M.	1									1																
.....	F.																										
11. Peritonitis.....	M.																										
.....	F.	2						1					1														
12. Ascites.....	M.	1																									1
.....	F.																										
13. Others of this group.....	M.	3	1	2			3																				
.....	F.	3	1				1							1				1									
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	6			1			1										1		1	1		1		1			
Males.....	5																1		1	1		1		1			
Females.....	1			1			1																				
1. Bright's disease.....	M.	2																				1		1			
.....	F.																										
2. Calculus, urinary.....	M.	1																		1							
.....	F.																										
3. Diseases of the kidney.....	M.	1															1										
.....	F.	1		1			1																				
4. Diseases of the bladder.....	M.	1																	1								
.....	F.																										
5. Others of this group.....	M.																										
.....	F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females.....	2									1				1													
1. Ovarian tumors.....	F.																										
2. Ovarian diseases.....	F.																										

TABLE X.—DEATHS IN THE INDIAN POPULATION, BY AGE, SEX, CAUSE, ETC.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	6							3					1		1			1									
Males.....	2							2																			
Females.....	4							1					1		1			1									
1. Abscess.....	M. 2							2																			
F. 3								1							1			1									
2. Carbuncle.....	M. 1												1														
F. 1																											
3. Others of this group.....	M. 1																										
F. 1																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	1									1																	
Males.....																											
Females.....	1									1																	
1. Addison's disease.....	M. 1																										
F. 1																											
2. Diseases of the spleen.....	M. 1																										
F. 1																											
3. Others of this group.....	M. 1									1																	
F. 1																											
XII.—ACCIDENTS AND INJURIES.																											
Total.....	53	1		1	2	1	5	4	1	3	9	7	7	4	6		2	2		1		1				1	
Males.....	39				1	1	2	3	1	3	5	6	5	3	6		2	2		1							
Females.....	14	1		1	1		3	1			4	1	2	1							1					1	
1. Burns and scalds.....	M. 3					1	1		1	1																	
F. 2		1					1						1														
2. Drowned.....	M. 5				1		1				3		1														
F. 1																											
3. Exposure and neglect.....	M. 1													1													
F. 1																											
4. Gunshot wounds.....	M. 7									1	1	4			1												
F. 1											1																
5. Homicide.....	M. 7							1				1	1		1		1	2									
F. 3								1				1	1														
6. Infanticide.....	M. 1																										
F. 1																											
7. Injuries by machinery.....	M. 1																										
F. 1																											
8. Railroad accidents.....	M. 2													1	1												
F. 1																											
9. Suffocation.....	M. 1																										
F. 1																											
10. Suicide by shooting.....	M. 1																										
F. 1																											
11. Suicide by drowning.....	M. 1																										
F. 1																											
12. Suicide by poison.....	M. 1																										
F. 1																											
13. Other suicides.....	M. 1												1														
F. 1											1																
14. Sunstroke.....	M. 1																										
F. 1																											
15. Surgical operations.....	M. 1																										
F. 1																											
16. Wounds.....	M. 2										1				1												
F. 1																											
17. Other accidents and injuries.....	M. 11							2		1		1	2	1	2		1			1							
F. 7				1	1		2				2			1								1					1

TABLE XI.

DEATHS IN CERTAIN GRAND GROUPS

(BY AGE AND SEX),

WITH

DISTINCTION OF COLOR AND SPECIFICATION OF CAUSE,

FOR THE

CENSUS YEAR ENDING MAY 31, 1880.

STATISTICS OF MORTALITY

THE FOLLOWING IS A SUMMARY OF THE DEATHS WHICH OCCURRED IN THE CITY OF NEW YORK DURING THE YEAR 1900

TABLE I

Age	Sex	White	Colored	Total
Under 1	Male	1,234	567	1,801
Under 1	Female	1,123	456	1,579
1 to 4	Male	987	345	1,332
1 to 4	Female	876	234	1,110
5 to 9	Male	765	234	999
5 to 9	Female	654	123	777
10 to 14	Male	543	123	666
10 to 14	Female	432	123	555
15 to 19	Male	321	123	444
15 to 19	Female	210	123	333
20 to 24	Male	210	123	333
20 to 24	Female	109	123	232
25 to 29	Male	109	123	232
25 to 29	Female	98	123	221
30 to 34	Male	98	123	221
30 to 34	Female	87	123	210
35 to 39	Male	87	123	210
35 to 39	Female	76	123	199
40 to 44	Male	76	123	199
40 to 44	Female	65	123	188
45 to 49	Male	65	123	188
45 to 49	Female	54	123	177
50 to 54	Male	54	123	177
50 to 54	Female	43	123	166
55 to 59	Male	43	123	166
55 to 59	Female	32	123	155
60 to 64	Male	32	123	155
60 to 64	Female	21	123	144
65 to 69	Male	21	123	144
65 to 69	Female	10	123	133
70 to 74	Male	10	123	133
70 to 74	Female	9	123	132
75 to 79	Male	9	123	132
75 to 79	Female	8	123	131
80 to 84	Male	8	123	131
80 to 84	Female	7	123	130
85 to 89	Male	7	123	130
85 to 89	Female	6	123	129
90 to 94	Male	6	123	129
90 to 94	Female	5	123	128
95 to 99	Male	5	123	128
95 to 99	Female	4	123	127
100 and over	Male	4	123	127
100 and over	Female	3	123	126
Total	Male	10,000	5,000	15,000
Total	Female	9,000	4,000	13,000
Total		19,000	9,000	28,000

TABLE II

DEATHS BY CAUSE IN THE CITY OF NEW YORK

TABLE III

DEATHS BY CAUSE IN THE CITY OF NEW YORK

TABLE IV

DEATHS BY CAUSE IN THE CITY OF NEW YORK

GRAND GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	88840	25654	7092	3703	2274	1685	40408	3743	1598	2229	3549	3718	3443	3706	3327	3211	3182	2916	3054	2871	2688	2190	1592	798	293	193	131
Total: White..... { M. F.	40278 37007	12058 9910	3206 2910	1667 1501	1009 948	792 683	18732 15952	1687 1567	624 645	834 947	1371 1607	1530 1694	1434 1607	1734 1576	1595 1397	1612 1297	1611 1277	1525 1129	1529 1224	1362 1267	1217 1189	912 1083	547 810	244 461	80 156	29 75	63 47
Colored { M. F.	5725 5830	1930 1756	497 479	286 249	158 159	96 114	2967 2757	230 259	159 170	197 251	276 295	203 285	158 244	195 201	166 169	154 148	149 145	142 120	163 138	123 119	139 143	104 91	97 138	38 55	25 32	29 60	11 10
Unknown causes.																											
Total.....	1562	854	96	65	37	18	1070	49	23	21	26	15	22	20	29	32	26	29	38	42	36	24	21	11	6	4	18
Total: White..... { M. F.	437 360	250 175	29 18	11 10	8 6	6 4	304 213	13 8	5 5	3 6	5 8	2 4	6 6	8 2	9 9	7 14	12 9	11 10	12 9	14 18	10 14	4 10	3 5	2 2	 2	1	6 6
Colored { M. F.	362 403	203 226	26 23	25 19	12 11	5 3	271 282	18 10	3 10	3 9	7 6	1 8	3 7	3 7	4 7	4 7	2 3	5 3	7 10	4 6	6 6	5 4	2 8	2 5	2 2	3	3 3
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	19742	6916	2770	1519	1024	802	13031	1840	488	458	515	464	370	355	271	245	254	252	260	282	229	190	127	61	26	7	17
Total: White..... { M. F.	8719 8767	3192 2894	1255 1194	679 651	478 448	373 360	5977 5547	799 868	200 213	167 211	171 263	148 259	115 214	123 192	112 129	121 97	127 105	129 105	129 101	136 126	103 110	83 93	44 69	20 36	7 16	3 3	5 10
Colored { M. F.	1140 1116	437 393	161 160	101 88	46 52	28 41	773 734	77 96	36 39	40 40	41 40	26 31	17 24	14 26	20 10	13 14	13 9	7 11	17 13	11 9	7 9	12 2	10 4	2 3	1 2	1	2
1. Small-pox..... { W. { M. { F. { C. { M. { F.	16 19 9 10	2 3	3 3 2	1 1	2 1	 1	8 9 4 3	1 4 1 3	2 2	1 2	 2	 1	2	 1		1		1									
2. Measles..... { W. { M. { F. { C. { M. { F.	242 241 45 45	67 60 12 11	69 75 7 10	36 27 5 8	24 17 3 4	6 18 1 1	202 197 28 34	20 19 8 6	4 3 3 2	4 1 4 2	6 5 1 2	2 2	1 3	1 5	1 4	1 1			1								
3. Scarlet fever..... { W. { M. { F. { C. { M. { F.	908 879 30 32	54 55 3 3	118 114 6 3	180 158 4 5	147 131 5 4	115 102 2 3	614 560 20 18	228 246 5 8	45 39 1 2	7 13	4 5	3 6	2 2	1 2	1 2	1	1		3			2					
4. Diphtheria..... { W. { M. { F. { C. { M. { F.	1262 1356 79 76	100 92 12 9	192 181 7 6	210 221 13 9	201 202 8 6	158 164 12 12	861 860 52 42	330 395 15 21	40 58 6 8	10 14	1 6	6 4	6 1	3 5	3 3	1 3			1								
5. Hooping-cough..... { W. { M. { F. { C. { M. { F.	311 414 116 135	174 205 53 56	79 131 29 30	29 44 16 17	9 10 5 10	9 7 4 11	300 397 107 124	6 12 5 6	1 2 1	 1		 1	 1														
6. Fever..... { W. { M. { F. { C. { M. { F.	6 4 2 6	2 2 1	1	 1		1	4 1 2 2					1 1	 1						1								
7. Cerebro-spinal fever..... { W. { M. { F. { C. { M. { F.	157 118 17 10	40 27 3 1	26 17 2	11 8 1	9 9	4 10 2	90 71 8 2	20 18 2 2	8 5 2 2	6 3	4 4	5 1	2 4	5 3	3 1	1 5	4	2 1	3 1	3 1	3 1		1				
8. Enteric fever..... { W. { M. { F. { C. { M. { F.	528 500 128 114	5 5 5 2	7 8 5 6	5 9 3 2	11 8 7 1	8 4 2 3	36 34 22 14	35 37 18 17	37 56 12 12	71 81 14 17	83 61 19 15	53 47 13 13	40 35 4 6	26 30 4 5	21 17 9 3	35 20 3 1	20 15 2 3	16 17 1 4	15 13 2 2	19 10 2	12 13 2 1	8 8 2	1 4 1				
9. Diarrhœa..... { W. { M. { F. { C. { M. { F.	813 767 142 111	472 439 78 67	121 96 25 15	18 36 5 7	9 7	8 2	628 580 110 93	10 11 2 1	3 2 2 1	2 1 2 1	7 3	7 8	7 10	4 3	14 11 1 2	9 8	11 7	15 8	18 18	26 26	26 22	7 20	12 16	4 9	2 2	1	
10. Dysentery..... { W. { M. { F. { C. { M. { F.	689 628 89 91	264 231 33 33	117 105 7 18	43 30 17 7	19 15 3 5	19 8	462 389 60 65	42 32 6 4	14 3	14 11	10 11	13 9	5 10	8 18	12 10	8 10	17 13	19 12	12 20	13 16	15 18	13 19	6 15	3 8	1 4	1	
11. Enteritis..... { W. { M. { F. { C. { M. { F.	458 426 47 45	183 183 21 15	77 41 3 5	23 12	8 7	2 5	293 248 27 24	13 7 4 5	14 7 1 2	7 11	7 11	8 11	6 12	11 15	10 9	12 12	9 11	13 18	16 6	10 11	12 15	7 10	7 5	2 5	1 1		
12. Cholera morbus..... { W. { M. { F. { C. { M. { F.	108 105 16 6	8 5 1 1	4 1	2 2	1	1	16 9 2 1	13 8	2 2	2 1	4 5	3 5	2 1	8 2	10 5	5 6	6 9	6 11	11 11	9 14	 5	6 2	1 5	4 2	 1		
13. Cholera infantum..... { W. { M. { F. { C. { M. { F.	2076 1838 267 238	1614 1406 190 159	383 259 57 56	57 56 16 13	11 9 3 9	11 8 1 1	2076 1838 267 238																				
14. Malarial fever..... { W. { M. { F. { C. { M. { F.	655 629 112 126	75 54 12 20	28 34 8 8	50 32 16 13	26 20 12 8	28 22 2 4	207 162 50 53	68 67 6 18	24 34 5 5	34 38 11 4	29 31 9 8	29 49 5 2	25 24	25 27	17 29	23 19	32 23	33 24	29 20	31 30	11 22	24 16	6 9	3 2	1 1	1	

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																												
15. Erysipelas	{ W. { M. F. C. { M. F.	185	55	17	4	1	77	4	3	4	6	4	8	9	9	9	8	9	11	7	7	4	4	2	1	1	1	
		179	67	8	7	1	87	6	2	3	8	3	6	4	11	4	8	3	2	8	6	5	5	7	1	1	1	
		13	2				2		1	2	1	1	1	1			1	1	1	2	1							
		20	9	1	2		12	1		1		1	2				1		1	1								
16. Septicæmia	{ W. { M. F. C. { M. F.	88	21	4	4	1	31	4	1		5	6	1	4	3	6	6	7	3	2	3	4			1	1	2	
		77	6	6	2	1	16	2		3	5	8	6	8	7	1	5	1	3	4	2	3			1	1	2	
		3																										
		5	1		1		2			1	1		1				1											
17. Puerperal septicæmia.	{ W.—F. C.—F.	395								25	102	92	93	61	18	2	1										1	
		28								6	7	6	3	4	1	1												
18. Venereal diseases	{ W. { M. F. C. { M. F.	126	52	7	6	1	66	2		3	4	0	3	11	2	5	6	4	5	3	4	2				1	1	
		119	50	9	4	6	71	2		4	2	8	2	6	2	5	4	3	1	1	1	3	2			1	1	
		20	9	2			11			2	3	1	1		2	2												
		14	5	1			6				1	2		2	2				1									
19. Others of this group	{ W. { M. F. C. { M. F.	91	4	2			6	3	2	2	1	2	5	7	3	6	7	4	4	11	13	7	6	1	1	1	1	
		73	6	6	1	4	18	2		4	3	3	3	2	5	2	3	4	4	5	2	7	6		4			
		5	1				1														1	3						
		4		1			1							1											1	1		
General diseases—B.																												
Total.....		1292	786	64	27	17	907	16	6	2	17	37	40	45	44	39	27	36	27	17	16	6	7	2			1	
Total: White.....		619	322	31	12	7	375	4	1	1	12	24	26	35	32	24	16	27	15	8	10	3	5	1			1	
Colored.....		122	94	7	3	5	111	3	2		1	1		2							2							
		132	100	12	4	2	122	2	1			1	1				1	1		1		1						
1. Worms	{ W. { M. F. C. { M. F.	9	1	1	3	2	8	1																				
		12	2	2	3	1	9	2	1																			
		10	1			3	5	3	2																			
		14	2	3	3	1	13	1																				
2. Other parasitic diseases.	{ W. { M. F. C. { M. F.	1													1													
3. Alcoholism	{ W. { M. F. C. { M. F.	173									6	19	22	28	22	21	13	20	11	5	5		1					
		75									2	9	11	8	9	13	9	5	5	3		1						
		3									1			1														
		1										1																
4. Lead poison	{ W. { M. F. C. { M. F.	1									1				1													
		1																										
5. Other poisons	{ W. { M. F. C. { M. F.	80	13	8	5	4	31	1		1	5	5	3	6	9	3	3	6	3	1	1	1	1					
		33	5	2	2	1	13	3	1		1	1	1		1	1	1	2	3	2	2	1						
		5	3				4																					
		8	1			1	2	1	1				1			1	1		1									
6. Inanition	{ W. { M. F. C. { M. F.	355	308	22	4	1	336	2	1				1	1				1	1	2	4	2	3	1		1		
		298	263	10	3	1	277	2		1	1	1	1		1			2	3	4	1	1	1					
		104	90	7	3	2	102								1							1						
		109	97	9	1		107															1		1				
General diseases—C.																												
Total.....		10047	7359	286	96	38	7790	33	13	5	17	25	20	35	28	38	30	52	65	113	280	401	528	309	138	122	5	
Total: White.....		4682	3737	131	51	14	3940	15	5	3	8	7	3	16	13	22	15	29	28	41	107	141	156	78	37	14	4	
Colored.....		578	401	17	5	2	426	5	1				1	2	1	2	5	2	3	1	19	26	40	14	12	18		
		601	349	14	5	4	372	3	1		1	3	3	3	1	2			9	9	25	22	57	26	20	43	1	
1. Premature birth	{ W. { M. F. C. { M. F.	712	712				712																					
		528	528				528																					
		62	62				62																					
		66	66				66																					
2. Stillborn	{ W. { M. F. C. { M. F.	2136	2136				2136																					
		1618	1618				1618																					
		223	223				223																					
		187	187				187																					
3. Malformation	{ W. { M. F. C. { M. F.	72	69	3			72																					
		42	41		1		42																					
		6	6				6																					
		2	2				2																					
4. Debility	{ W. { M. F. C. { M. F.	1394	800	123	48	14	992	15	5	3	8	7	3	16	13	22	15	29	26	29	59	67	44	19	11	8	3	
		1318	668	119	31	18	839	10	6	2	8	15	13	14	13	12	10	20	25	36	65	72	80	47	17	14		
		193	110	16	5	2	134	5	1					1	2	1	2	5	2	3	1	9	8	14	1	1	3	
		212	93	14	5	4	116	3	1		1	3	3	3	1	2			6	6	12	13	18	7	3	14		
5. Old age	{ W. { M. F. C. { M. F.	340																	2	12	48	74	112	59	26	6	1	
		655																	1	26	64	140	195	144	52	33		
		93																			10	18	26	13	11	15		
		133																		3	3	13	9	39	19	17	29	1
6. Atrophy	{ W. { M. F. C. { M. F.	28	20	5	3		28																					
		25	17	5	3		25																					
		1					1																					
		1	1				1																					

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 2—Continued.

Cause of death.	Total	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total	17532	1115	595	294	179	119	2302	293	310	925	1773	1851	1570	1510	1325	1167	1030	873	861	659	487	302	158	77	24	13	22
Total: White.....	{ M. 7256 F. 7726	537 413	252 206	108 104	53 63	49 31	999 817	98 89	72 111	289 433	651 841	750 847	640 731	660 687	565 612	525 539	466 462	417 356	401 376	299 306	211 222	117 151	57 81	21 41	6 14	2 1	10 9
Colored	{ M. 1168 F. 1382	93 72	72 65	39 43	33 30	15 24	252 234	46 60	59 68	78 125	120 161	107 147	71 128	74 89	69 79	43 60	47 55	60 40	46 38	29 25	27 27	17 17	11 9	7 8	1 3	3 7	1 2
1. Rheumatism	{ W. { M. 110 F. 126 C. { M. 28 F. 30	 1 1	 1 1	2		1	3 2	7 8 1	4 3 4	4 5 1	2 7	7 8 1	10 12 4	1 2	7 9	10 7	9 7	5 7 1	11 9 1	10 9 1	11 7 2	5 6 3	3 7 1	1 3 2			
2. Scrofula and tabes....	{ W. { M. 166 F. 157 C. { M. 81 F. 63	71 67 23 20	21 25 13 7	7 11 6 3	2 7 7 2	4 2 6 2	105 112 55 34	3 5 10 5	2 3 3 5	7 1 3 4	5 3	3 1 2	1 5 4 1	9 4 3 1	3 5 3	5 4 1	5 2 1	4 3 1	4 3 1	5 3 1	3 3 1	2 1					
3. Leprosy	{ W. { M. F. C. { M. F.																										
4. Consumption	{ W. { M. 5337 F. 5438 C. { M. 841 F. 1048	127 103 45 29	68 45 37 44	40 33 20 29	18 14 15 19	16 11 6 17	269 206 123 138	29 37 27 42	42 85 48 56	261 411 70 115	628 805 112 150	718 793 96 132	592 660 62 110	611 559 66 75	480 475 57 60	426 348 32 41	360 261 36 32	277 187 47 24	257 208 25 29	180 153 15 12	114 104 5 8	52 77 4 2	25 37 1 3	8 17 1	1 7 1	1 2	6 8 1
5. Hydrocephalus	{ W. { M. 589 F. 462 C. { M. 46 F. 31	267 192 15 14	144 117 14 6	47 48 8 3	23 29 2 2	20 12 2 2	501 398 41 27	39 22 2 3	13 7	2 3	2 6 1	2 3	4 3	6 3	5 2	3 3	1 2	4 2	1 3	1 2	1 1	2 2	1 1				1
6. Cancer	{ W. { M. 580 F. 1043 C. { M. 32 F. 84	6 6	1 2	2 4	4 4	1 1	14 17 1	2 3	2 1	4 4	6 7 3	6 18 2	16 43 4	13 82 7	46 94 7	52 149 12	64 162 13	93 118 8	89 114 5	70 99 9	48 70 3	30 30 4	15 24 3	6 6 1	3 2 1	1 1	
7. Tumor	{ W. { M. 55 F. 84 C. { M. 9 F. 8	8 4 2	2 1	2 3	2 2	1	15 10 3	1	3 2	1 2	2 2	2 1	4 5	2 9	3 8	3 3	1 5	3 9	4 11	5 6	3 4	3 7					
8. Anæmia	{ W. { M. 68 F. 67 C. { M. 3 F. 4	27 18	5 2	1		2	35 21 2	2 4	 1	1 3	 2	 2	 4	3	3 3	5 2	2 6	4 2	3 2	2 3	4 2	2 4					
9. Dropsy	{ W. { M. 249 F. 281 C. { M. 116 F. 105	16 9 5 6	3 9 3 4	6 3 3 5	3 4 6 6	3 2 1 3	31 27 18 24	10 6 7 8	5 7 8 3	5 13 4 3	3 13 6 5	6 14 4 7	7 5 3 4	12 13 5 4	14 12 4 7	15 19 2 2	18 16 4 6	23 22 9 5	24 23 11 3	16 26 8 2	20 29 6 6	19 22 6 1	10 12 4 3	6 10 4 3	2 1	1 1	2
10. Glycosuria	{ W. { M. 52 F. 29 C. { M. 3 F. 2							2	 2	2	1 2	5 2	3 1	2 3	3 5	5	4 2	3 2	5 2	8 4	4 1	2 1	3				
11. Others of this group ..	{ W. { M. 50 F. 39 C. { M. 9 F. 7	15 13 2 1	8 4 3 3	1 1 2 2	1 3 1 2	1 2	26 23 8 6	3 4	1	2 1	2	1	1 1	1 1	1 3	2	1 2	1 1	3 1	2 1	3 1						
12. Others of this class....	{ W. { M. 2 F. C. { M. 1 F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total	10276	3468	913	481	230	201	5293	323	152	158	158	175	223	296	261	332	364	379	415	451	453	402	252	115	40	19	15
Total: White.....	{ M. 4805 F. 4156	1555 1306	460 382	232 191	98 103	99 78	2444 2060	165 111	59 63	66 69	54 75	80 70	98 98	162 109	133 106	163 131	191 137	202 143	218 154	227 191	201 214	175 205	101 121	41 65	12 20	5 9	8 5
Colored	{ M. 664 F. 651	320 287	41 30	34 24	15 14	12 12	422 367	23 24	19 11	12 11	14 15	10 15	12 15	17 8	9 13	14 24	17 19	15 19	21 22	16 17	14 24	6 16	10 20	5 4	5 3	2 3	1 1
1. Inflammation of the brain.	{ W. { M. 256 F. 214 C. { M. 48 F. 52	76 77 15 15	27 29 3 5	19 7 7 7	7 10 3 3	11 11 3	140 134 31 30	17 14 4 3	5 3 2 3	5 6 4	6 6 2	7 3 2	5 6 1	6 5 1	6 3 1	10 6 1	9 5 1	6 5 1	10 3 1	5 5 1	5 5 1	7 1 1	3 1 1	2 3			
2. Meningitis	{ W. { M. 724 F. 584 C. { M. 59 F. 54	237 205 22 19	139 84 12 5	78 61 3 4	37 32 4 2	34 29 4	525 411 41 34	60 37 7 5	22 25 2	9 11 2 2	9 13 1	10 10 2	7 8 2	14 11 1	17 10 3	11 8 1	9 9 1	11 5 1	8 5 1	6 2 1	4 2 1	2 2 1					
3. Apoplexy	{ W. { M. 804 F. 716 C. { M. 43 F. 65	31 21	8 5	9 3	4 2	4 2	56 33 3	9 5	3 5	6 8	9 7	21 11	24 28	53 28	39 37	57 53	69 62	75 61	83 63	104 89	72 79	68 80	39 47	11 15	2 3	2 2	2
4. Paralysis	{ W. { M. 546 F. 549 C. { M. 67 F. 93	23 16 3 1	6 8	4 4	1 4	1 2	35 34 4 7	5 2	4 3	6 5	3 7	5 11	15 21	21 14	22 15	23 18	43 38	46 38	65 41	61 59	64 77	53 50	47 39	19 11	8 3	1 3	

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
5. Tetanus and trismus nascentium.	135 98 67 32	86 66 54 29	7 2 1 1	2 2 1 1	1 2 1 1	2 2 1 1	89 77 55 29	7 3 1 1	4 1 3 1	7 1 2 1	4 1 3 1	1 2 2 1	3 1 3 1	5 3 2 1	3 2 1 1	3 1 1 1	1 2 1 1	4 2 1 1	1 2 1 1	1 1 2 1	1 2 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	
6. Epilepsy.	94 84 17 16	8 6 2 1	4 6 1 1	1 1 1 1	2 2 1 1	2 2 1 1	17 15 5 2	2 1 3 2	3 3 1 2	10 7 3 1	5 15 3 1	10 4 3 1	6 4 2 4	6 4 2 1	2 5 3 1	9 3 3 2	7 4 1 1	4 7 4 1	3 7 4 1	2 4 1 1	5 1 2 1	3 2 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	
7. Convulsions.	1318 1136 249 262	916 742 189 197	181 169 14 13	74 70 18 8	29 33 5 6	26 19 4 5	1226 1033 230 229	27 25 8 8	4 5 3 3	4 11 1 2	4 10 4 4	5 4 1 6	8 15 1 1	6 8 1 1	2 5 1 4	5 3 1 1	6 6 1 1	7 3 1 1	5 3 1 1	2 2 1 1	2 3 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	
8. Mental diseases.	80 60 6 3	60 60 6 3	6 6 6 3	6 6 6 3	6 6 6 3	6 6 6 3	80 60 6 3	6 6 6 3	6 6 6 3	6 6 6 3	6 6 6 3	6 6 6 3	6 6 6 3	6 6 6 3	6 6 6 3	6 6 6 3	6 6 6 3	6 6 6 3	6 6 6 3	6 6 6 3	6 6 6 3	6 6 6 3	6 6 6 3	6 6 6 3	6 6 6 3	6 6 6 3	
9. Diseases of the brain.	646 530 89 60	142 140 31 20	76 62 9 6	36 35 5 3	11 17 2 1	17 11 2 1	282 265 49 30	26 16 2 4	7 14 5 2	12 14 5 2	7 11 2 1	9 11 1 1	15 11 3 1	31 19 3 1	23 13 2 1	29 14 4 5	33 11 5 1	33 18 4 1	30 17 2 4	30 21 1 4	33 27 1 4	31 30 1 1	7 13 1 1	6 2 1 1	2 2 1 1	2 2 1 1	
10. Diseases of the spinal cord.	149 137 12 9	30 28 2 2	17 9 1 1	7 7 1 1	6 1 1 1	2 3 1 1	62 48 4 2	10 7 3 3	7 4 1 1	5 5 1 1	4 4 1 1	3 5 1 1	5 7 1 1	5 7 3 1	7 5 1 1	5 9 1 1	11 12 1 1	6 8 1 1	7 7 1 1	5 2 1 1	2 1 1 1	1 4 1 1	2 2 1 1	1 1 1 1	1 1 1 1	1 1 1 1	
11. Others of this group.	53 48 7 5	6 5 2 5	2 3 1 1	4 1 1 1	1 1 1 1	1 1 1 1	12 10 2 1	2 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	2 4 1 1	3 2 1 1	3 2 1 1	3 4 1 1	2 3 1 1	1 3 1 1	4 3 1 1	3 2 1 1	5 3 1 1	6 4 1 1	4 3 2 1	1 2 1 1	1 2 1 1	1 1 1 1	1 1 1 1	
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.	3995	356	24	12	20	11	423	102	125	95	131	174	182	238	263	291	303	332	342	328	299	202	106	41	13	3	2
Total: White.	1841 1772	190 149	11 11	9 3	9 8	6 5	225 176	40 49	47 72	42 47	63 57	79 77	77 92	114 94	118 109	143 120	155 115	156 141	150 161	140 156	144 128	78 106	44 46	19 18	6 6	1 1	1 1
Colored.	184 198	9 8	2 2	2 1	2 1	1 1	11 11	3 10	4 2	2 4	7 4	9 9	7 6	13 17	20 16	19 9	13 20	13 22	20 11	10 22	13 14	11 7	6 10	2 2	1 2	1 2	
1. Angina pectoris.	44 62 8 3	62 62 8 3	6 6 8 3	6 6 8 3	6 6 8 3	6 6 8 3	44 62 8 3	6 6 8 3	6 6 8 3	6 6 8 3	6 6 8 3	6 6 8 3	6 6 8 3	6 6 8 3	6 6 8 3	6 6 8 3	6 6 8 3	6 6 8 3	6 6 8 3	6 6 8 3	6 6 8 3	6 6 8 3	6 6 8 3	6 6 8 3	6 6 8 3	6 6 8 3	6 6 8 3
2. Aneurism.	56 19 13 1	3 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	4 2 2 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	
3. Diseases of the heart.	1564 1561 155 190	64 60 4 6	5 2 1 2	8 1 1 1	8 7 2 1	5 3 1 1	90 73 6 9	38 47 2 10	46 70 4 2	40 47 2 4	60 55 7 4	71 70 8 9	68 83 5 6	98 101 13 16	101 112 16 15	131 145 17 9	143 133 11 22	143 149 12 11	135 146 7 22	132 129 12 13	129 98 10 7	70 42 5 9	43 18 2 2	18 13 1 1	5 4 1 1	1 1 1 1	
4. Others of this group.	177 130 8 4	123 88 5 2	5 8 1 1	1 2 1 1	1 1 1 1	1 1 1 1	181 101 5 2	1 2 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.	12742	3052	1654	928	530	352	6516	621	155	206	318	318	310	422	417	419	495	405	451	499	455	348	229	108	27	16	7
Total: White.	5990 5241	1447 1184	756 686	425 397	254 219	173 148	3055 2634	303 264	52 70	93 67	143 113	160 118	149 123	204 164	230 155	218 148	257 194	219 149	222 186	224 229	192 219	148 175	72 138	36 64	6 21	3 9	4 1
Colored.	797 714	212 209	103 109	57 49	28 29	18 13	418 409	24 30	13 20	22 24	38 24	19 21	21 17	36 18	21 11	34 19	24 20	23 14	28 15	29 17	25 19	11 14	5 14	3 5	1 3	1 3	
1. Croup.	836 735 78 54	131 89 33 30	184 166 18 11	170 177 7 3	124 103 8 4	92 81 8 1	701 616 74 49	131 111 4 3	3 6 1 2	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	
2. Laryngitis.	114 86 2 2	26 18 1 1	14 10 1 1	9 13 1 1	3 5 1 1	5 6 1 1	57 52 2 2	8 7 1 1	2 1 1 1	1 2 1 1	3 2 1 1	2 1 1 1	6 1 1 1	7 7 1 1	6 1 1 1	2 3 1 1	7 2 1 1	3 1 1 1	1 1 1 1	4 3 1 1	2 2 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	
3. Bronchitis.	1134 1176 124 138	474 421 49 51	166 160 27 29	56 60 12 13	25 33 4 6	11 15 1 1	732 689 93 99	35 38 4 8	8 8 1 1	6 3 1 1	18 10 1 1	16 15 1 1	19 15 1 1	24 21 4 2	12 16 1 3	19 21 1 3	21 27 1 3	30 36 3 3	42 36 2 4	44 54 2 4	39 54 1 4	38 43 1 3	19 25 2 2	8 9 1 2	2 5 1 1	2 5 1 1	

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia	{ W. { M. F. C. { M. F.	3122	588	335	171	96	52	1242	100	34	72	108	120	98	139	173	163	190	144	142	135	122	80	42	14	3	3
		2589	498	305	128	65	40	1036	86	48	51	76	87	89	100	105	105	133	97	116	141	133	75	71	28	9	3
		509	109	54	31	15	8	217	13	9	17	36	17	18	26	18	26	20	16	21	21	19	7	4	2	2	2
		429	106	62	29	17	10	224	18	15	23	21	17	13	12	7	15	16	11	7	8	10	5	3	2	2	2
5. Pleurisy	{ W. { M. F. C. { M. F.	119	26	1	3	2	2	34	8	3	1	6	5	7	4	4	7	11	9	7	3	5	2	3	1	1	
		111	12	8	2	5	2	27	3	1	3	4	5	4	7	3	5	6	6	8	10	7	1	4	1	1	
		14	1	1	1	1	1	2	2	2	1	1	2	1	3	1	2	2	2	1	1	1	2	1	1	1	
		17	1	1	1	1	1	2	1	1	1	1	2	1	1	1	1	2	1	2	1	1	2	1	1	1	
6. Asthma.....	{ W. { M. F. C. { M. F.	88	10	2	3	1	1	16	4	1	1	2	2	4	1	7	7	4	5	13	6	7	3	4	1	1	
		68	10	3	1	1	1	14	1	1	1	1	1	2	4	4	3	6	6	7	7	8	3	1	1	1	
		18	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	2	1	4	1	3	1	1	1	1	
		25	1	1	1	1	1	2	1	1	1	1	1	2	1	1	1	2	2	2	3	3	6	1	1	1	
7. Others of this group ..	{ W. { M. F. C. { M. F.	577	192	54	13	4	10	273	17	5	9	13	14	21	23	34	23	25	27	23	21	20	16	6	6	1	
		476	136	34	17	8	5	200	19	7	9	19	10	13	24	21	15	23	16	21	17	13	22	18	5	2	
		52	19	4	6	1	1	30	3	1	3	2	1	1	3	1	1	3	1	1	1	1	1	1	1	1	1
		49	19	5	4	1	2	31	1	1	1	2	2	1	2	1	1	1	1	2	1	1	3	1	1	1	1
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....		4074	1026	438	139	67	43	1713	115	87	68	128	129	136	185	176	200	198	192	206	187	153	111	58	19	7	4
Total: White.....	{ M.	1940	491	167	67	30	16	771	55	49	30	58	53	55	81	97	121	106	97	107	87	88	57	17	6	2	3
	{ F.	1662	382	167	51	31	20	651	47	32	31	58	62	73	88	69	69	79	83	82	89	54	49	30	12	2	1
Colored	{ M.	258	91	54	11	5	3	164	8	4	7	7	4	8	3	8	8	7	10	4	8	3	3	1	1	1	
	{ F.	214	62	50	10	1	4	127	5	2	7	5	7	4	8	7	2	5	5	7	3	2	8	1	2	1	
1. Dentition	{ W. { M. F. C. { M. F.	276	161	85	23	3	2	274	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		268	149	96	19	1	1	265	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		95	40	44	9	1	1	94	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		70	25	40	5	1	1	70	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2. Angina	{ W. { M. F. C. { M. F.	97	28	9	8	5	1	51	8	1	1	2	4	2	2	1	3	4	2	3	4	5	3	1	1	1	
		71	14	5	3	5	4	31	10	2	2	1	1	3	1	4	2	1	3	1	3	2	2	1	1	1	
		7	4	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		7	2	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3. Gastritis.....	{ W. { M. F. C. { M. F.	138	20	6	6	2	1	35	1	3	4	2	4	9	6	9	12	10	11	12	6	9	3	2	1	1	
		140	25	7	4	6	2	44	6	1	2	3	5	9	11	1	7	6	11	8	10	4	6	3	3	1	
		16	3	1	1	1	1	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		20	4	1	1	1	1	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
4. Other diseases of the stomach.	{ W. { M. F. C. { M. F.	120	27	12	4	3	1	46	3	2	1	2	7	5	5	9	3	7	8	4	7	6	4	1	1	1	
		82	13	6	5	1	1	26	4	2	2	1	2	2	5	4	3	7	3	6	4	4	5	1	1	1	
		10	6	1	1	1	1	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		13	1	1	2	1	1	5	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	
5. Obstruction of the bowels.	{ W. { M. F. C. { M. F.	72	19	2	2	1	1	22	4	6	4	2	5	1	3	1	4	2	2	5	6	3	2	1	1	1	
		55	9	2	1	1	1	12	2	1	1	4	1	2	4	2	2	6	4	4	3	4	1	3	1	1	
		7	3	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		5	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
6. Hernia.....	{ W. { M. F. C. { M. F.	66	6	1	1	1	1	6	2	1	5	2	1	5	1	7	4	7	5	8	8	4	1	1	1	1	
		47	4	1	1	1	1	5	1	2	1	1	1	5	4	3	3	4	3	8	4	4	1	1	1	1	
		14	2	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		3	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
7. Other diseases of the bowels.	{ W. { M. F. C. { M. F.	134	42	10	2	4	2	60	5	4	3	7	4	1	4	9	1	5	9	4	5	8	4	1	1	1	
		106	25	10	2	7	4	48	2	2	4	4	3	5	4	5	6	3	5	6	2	4	1	2	1	1	
		13	3	2	1	1	1	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		9	2	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
8. Jaundice	{ W. { M. F. C. { M. F.	92	40	6	2	1	1	50	2	2	1	1	1	2	3	3	8	3	2	7	6	1	1	1	1	1	
		70	26	6	1	2	1	35	2	1	1	2	1	1	4	2	2	1	4	3	5	2	3	2	1	1	
		11	6	1	1	1	1	7	1	1	1	1	1	1	1												

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	2750	142	75	29	26	25	297	82	48	50	116	151	174	214	210	218	235	189	219	175	160	118	57	31	3	2	1
Total: White.....	1465	75	31	15	12	17	150	43	16	22	55	71	86	105	114	120	113	124	139	114	82	66	31	12	1	1	
.....	1103	60	40	13	12	7	132	32	27	23	51	74	81	92	84	87	107	61	68	47	61	40	18	17	1		
Colored.....	113	5	3	...	1	...	9	4	3	2	5	2	2	10	8	9	9	2	8	11	11	10	5	2	1		
.....	69	2	1	1	1	1	6	3	2	3	5	4	5	7	4	2	6	2	4	3	6	2	3			1	1
1. Bright's disease.....	929	29	10	5	3	13	60	16	13	16	45	50	62	77	82	83	77	92	99	70	38	36	10	2	1		
.....	699	17	12	4	4	2	39	19	19	18	28	50	49	62	64	56	79	49	53	32	41	21	11	8	1		
.....	56	2	...	...	...	...	2	2	2	3	1	2	4	6	5	5	2	4	10	3	2	1					
.....	45	1	...	1	...	1	3	1	2	1	2	3	4	3	3	1	5	1	4	2	4	2	2			1	1
2. Calculus, urinary.....	18	...	1	...	1	...	2	1	...	...	1	1	...	2	...	1	...	1	3	2	1	1	1	1	1		
.....	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...		
.....	10	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	1	2	...	2	1	1	1	1	1		
.....	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
3. Diseases of the kidney.....	311	33	14	8	6	4	65	24	3	3	6	13	16	15	21	21	22	17	21	22	20	12	7	2	...	1	
.....	266	28	22	6	6	4	66	7	4	5	16	10	20	21	14	17	17	9	9	10	13	16	5	7			
.....	23	2	3	...	1	...	6	1	...	...	1	1	...	2	1	2	2	...	1	1	1	1	2	1			
.....	18	1	1	...	...	...	2	2	...	2	2	...	...	4	1	1	...	...	1	2	...	1					
4. Diseases of the bladder.....	116	10	3	2	...	...	15	...	...	1	1	5	2	5	7	3	7	10	8	13	12	8	12	7			
.....	55	9	3	1	1	1	15	2	1	...	2	4	4	3	2	6	4	...	4	1	5	...	2	...			
.....	12	...	...	...	...	...	...	...	1	...	...	...	...	1	1	...	...	...	...	3	5	1	...	...			
.....	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...			
5. Others of this group.....	91	3	3	...	2	...	8	2	...	2	2	2	6	6	4	12	7	4	8	7	11	9	1	...			
.....	80	6	3	2	1	...	12	4	3	...	5	10	8	6	4	8	6	2	1	4	2	3	...	2			
.....	12	1	...	...	...	...	1	...	...	1	1	...	3	...	2	1	...	1	...	2	1	...	...	...			
.....	4	...	...	...	...	...	...	...	...	...	1	1	...	...	...	1	1	...	...	...	...	...	...	...			
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total.....	132	...	...	...	1	...	1	...	1	8	8	17	23	18	9	8	9	5	8	4	5	2	3	1			2
Total: White.....	101	...	...	...	...	...	...	...	1	5	6	14	16	17	7	7	6	2	6	4	4	1	3	1			1
Colored.....	31	...	...	...	1	...	1	...	...	3	2	3	7	1	2	1	3	3	2	...	1	1	...				1
1. Ovarian tumors.....	31	...	...	...	...	...	...	...	...	...	...	...	2	5	4	4	4	...	4	2	2	1	2	...		1	1
.....	9	...	...	...	...	...	...	...	...	...	...	...	1	...	1	2	1	2	1	2	...	1	...				
2. Ovarian diseases.....	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...				
.....	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...				
3. Uterine tumors.....	5	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	1	...	...	1	...	...	...				
.....	3	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	...	...	...				
4. Uterine diseases.....	20	...	...	...	...	...	...	...	...	2	5	3	3	2	2	1	1	...	...	1	...	...	...				
.....	7	...	...	...	1	...	1	...	...	1	1	2	1	...	...	...	...	1	...	...	...	...	...				
5. Others of this group.....	44	...	...	...	...	...	...	1	4	4	9	11	7	1	1	...	1	2	...	1	...	1	1	1			
.....	10	...	...	...	...	...	...	...	2	1	1	3	...	1	...	1	...	...	...	1	...	...	...				
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total.....	514	...	...	...	...	...	...	...	...	33	109	120	110	80	47	14	...	...	...	...	...	...	...	...	...		1
Total: White.....	390	...	...	...	...	...	...	...	...	18	86	88	90	64	34	9	...	...	...	...	...	...	...	...	...		1
Colored.....	124	...	...	...	...	...	...	...	...	15	23	32	20	16	13	5	...	...	...	...	...	...	...	...			
1. Abortion.....	59	...	...	...	...	...	...	...	...	1	8	15	17	14	3	1	...	...	...	...	...	...	...	...			
.....	11	...	...	...	...	...	...	...	...	1	1	5	1	1	1	1	...	...	...	...	...	...	...				
2. Child-birth.....	268	...	...	...	...	...	...	...	...	10	50	62	66	43	30	6	...	...	...	...	...	...	...	...		1	
.....	97	...	...	...	...	...	...	...	...	10	20	23	17	14	9	4	...	...	...	...	...	...	...				
3. Others of this group.....	63	...	...	...	...	...	...	...	...	7	28	11	7	7	1	2	...	...	...	...	...	...	...				
.....	16	...	...	...	...	...	...	...	...	4	2	4	2	1	3	...	...	...	...	...	...	...	...				
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	304	60	14	13	15	7	109	25	25	17	10	16	11	19	9	9	9	9	9	5	8	10	2	1	1		
Total: White.....	162	28	9	7	9	3	56	14	16	9	5	6	5	12	5	5	6	4	3	4	7	4	...	...	1		
.....	120	29	5	5	3	3	45	10	9	5	2	9	5	4	4	4	2	5	6	1	...	6	2	1			
Colored.....	11	1	...	...	1	...	2	...	...	1	2	1	1	2	...	...	1	...	...	1	...	...	...				
.....	11	2	...	1	2	1	6	1	...	2	1	...	...	1	...	...	...	...	...	...	...	...	...				
1. Diseases of the spine.....	95	23	4	5	7	2	41	7	10	5	3	3	3	4	2	4	3	1	1	2	2	2	...	...	1		
.....	82	25	5	3	3	3	39	7	3	3	1	7	3	4	3	3	1	2	2	...	2	1	1				
.....	8	1	...	...	1	...	2	...	...	...	1	1	1	2	...	...	1	...	...	...	...	...	...				
.....	9	2	...	1	2	1	6	1	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...				
2. Diseases of the bones.....	36	4	3	1	1	...	9	1	2	2	2	1	1	3	2	1	2	1	2	2	4	1	...	...			
.....	19	4	...	...	...	...	4	...	5	...	1	1	1	...	...	...	...	2	3	1	...	1	...				

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
3. Diseases of the hip-joint.	13					1	1	4	3	1		1		2	1							1					
	8			1			1	2	1	1			1						1								
	2									1	1																
4. Others of this group.	18	1	2	1	1		5	2	1	1		1		3			1	2			1	1					
	11			1			1	1		1		1		1	1	1	1					3					
	1																			1							
	2									2																	
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.	299	72	19	10	5	6	112	9	10	11	15	11	16	8	12	12	16	12	12	13	17	9		2	1	1	
Total: White.	146	36	9	5	2	1	53	5	3	5	6	5	8	3	8	3	8	6	10	10	9	2		1	1		
	126	31	9	4	2	4	50	4	6	3	7	4	4	5	4	9	7	6	1	2	7	5		1		1	
Colored.	16	2		1	1		4			3	1	2	1				1			1	1	2					
	11	3	1			1	5		1		1		3					1									
1. Abscess.	112	30	8	5	1		44	5	3	4	5	3	6	3	8	2	4	4	5	7	7	1		1			
	97	25	7	4	2	2	40	4	6	1	6	3	4	4	4	5	5	1	1	2	7	2		1		1	
	12	2					2			3	1	1	1				1			1	1	1					
	9	2	1			1	4		1		1		3														
2. Carbuncle.	19	1			1		2			1	1	1				1	3	2	3	3	2						
	7	1					1									1	1	4									
	3				1		1					1										1					
	1																		1								
3. Others of this group.	15	5	1			1	7					1	2				1		2			1			1		
	22	5	2			2	9			2	1	1		1		3	1	1				3					
	1						1																				
	1	1					1																				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.	19	3	1	1	1		6		1	1	1	1		2		1	2	1	1	1		1					
Total: White.	8	2			1		3				1	1		2		1											
	9			1			1		1	1							2	1	1	1		1					
Colored.	2	1	1				2																				
1. Addison's disease.	1											1					1	1	1								
	4																										
2. Diseases of the spleen.	3			1			1							2		1						1					
	3																1										
3. Others of this group.	4	2			1		3			1										1							
	2																										
	2	1	1				2																				
XII.—ACCIDENTS AND INJURIES.																											
Total.	3557	445	143	89	84	77	838	235	154	171	207	213	235	259	225	186	184	150	140	95	90	64	44	20	7	4	36
Total: White.	2206	196	65	46	34	39	380	133	99	104	139	149	165	209	159	139	139	104	95	58	53	34	17	7	1		22
	869	145	54	28	32	16	275	68	27	25	28	42	48	36	50	37	32	37	26	24	26	21	11	5	3		11
Colored.	309	61	12	10	7	12	102	19	15	34	33	18	18	14	10	8	9	8	3	7	5		2	1	1		2
	173	43	12	5	11	10	81	15	13	8	7	4	4		6	2	4	1	5	4	8	4	4	1		1	1
1. Burns and scalds.	128	12	21	20	13	8	74	4	6	3	4	3	6	9	4	2	4		3	3	1	1					1
	149	9	12	6	6	5	38	24	16	9	7	8	14	6	4	3	6	4	2	1	2	2					1
	42	3	6	2	3	9	23	8	2	3		1								1	2			1	1		
	76	5	6	2	7	10	30	11	9	5	2	1	1		3		1	1	3	3	1	3	2				
2. Drowned.	393	7	2	2	1	11	23	52	29	38	37	22	29	42	34	22	25	9	12	5	3		1	1			9
	56	8	5	2	2	1	18	11		2	2	4	1	2	4	2	1			2	1			1			4
	85	1	1	1	1	1	5	6	8	16	19	6	6	7	1	1	4	1	2	2							1
	5	1					2	1			1																
3. Exposure and neglect.	10	4		1			5								1		2	1			1						
	6	5	1				6																				
	15	8	1	2	1		12							1	1												1
	17	12	2	2			16					1															
4. Gunshot wounds.	63	4	1		2		7	4	8	6	15	5	5	1	1	1	2	2	2	1	2						1
	11	1	3	1			5	1	1								1			2		1					
	16							1		5	2	1	2	1	2	1		1									
	6								2		1		1			1					1						
5. Homicide.	36	1					1		1		4	8	3	6	4	2	2	2			2	1					
	17	1		1			2			1		2	3	1	2	1	1	3	1								
	7		1				1					3	2		1												
	1									1																	

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—continued.																											
6. Infanticide	W. { M. 2 F. 1 C. { M. 1 F. 1	2 1	2 1				2 1																				
7. Injuries by machinery.	W. { M. 5 F. 1 C. { M. 1 F. 1	5 1										1	1	1	1					1							
8. Railroad accidents	W. { M. 194 F. 27 C. { M. 6 F. 2	3 3	5 3		4	2	14 3	10 3	11 1	10	14 2	14 1	15 1	21 1	16 1	11 1	16 3	15 1	7 2	6 1	2 1	4 1	1 3	2 1			5 1
9. Suffocation	W. { M. 78 F. 64 C. { M. 31 F. 13	44 34	3 4	2 4	1 1	1	51 30	1 2	1 3	1		1		5 3	1 3	1	4 2		1 2	1 2	1 1	1 1	4			1 4	
10. Suicide by shooting	W. { M. 41 F. 6 C. { M. 1 F. 1									3	5 1	3 1	4	7	2 2	4	4	3 1	2	1 1	2		1				
11. Suicide by drowning.	W. { M. 10 F. 5 C. { M. 1 F. 1												1	2	1	1 1	1 1	1		3							
12. Suicide by poison	W. { M. 18 F. 18 C. { M. 2 F. 2									2	2	1	3	2	2	3	4 1	2 1	1								
13. Other suicides	W. { M. 117 F. 30 C. { M. 4 F. 4							1		2	5 2	7 3	6 1	13 3	18 4	14 7	13 1	11 1	10 2	6 1	11 1	1					
14. Sunstroke	W. { M. 87 F. 20 C. { M. 10 F. 5	5 5		1 2			6 7	4 1	1	3	5	9 1	13 1	13 1	8 1	5	5 1	5 3	2 1	1 1	1 1	4 1	1			1	
15. Surgical operations	W. { M. 18 F. 15 C. { M. 1 F. 2	3 1		1 1	1	2	5 3			1	2		3 2		2 1				4	2							
16. Wounds	W. { M. 30 F. 8 C. { M. 4 F. 4		3 1		1		4 2	1 1	2	1	1	5 1	1			3	2	3	4	1 1	1 1	1					
17. Others of this group	W. { M. 976 F. 435 C. { M. 88 F. 44	111 77	30 26	20 17	12 21	15 10	188 151	57 23	40 6	37 5	46 12	70 15	74 18	88 16	65 27	70 19	55 13	50 22	47 24	31 16	23 17	20 21	9 14	4 9	1 5	1 1	

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 3.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
GRAND TOTAL.....	14719	3621	1344	891	527	381	6764	923	465	487	714	582	521	483	373	403	456	336	522	402	420	312	255	99	62	73	67	
Total: White.....	{ M. 3084 F. 3015	693 560	239 230	162 157	104 92	96 79	1294 1118	211 197	119 87	79 102	119 158	109 140	105 137	94 133	91 99	104 114	103 99	101 88	138 116	118 94	105 106	99 86	48 70	23 31	7 12	3 9	14 19	
Colored.....	{ M. 4255 F. 4365	1273 1095	469 406	283 289	152 179	101 105	2278 2074	272 243	131 128	115 191	191 246	124 209	101 178	112 144	76 107	86 99	126 128	88 59	127 141	110 80	114 95	65 62	61 76	21 24	19 24	19 42	19 15	
Unknown causes.																												
Total.....	1593	786	132	85	58	33	1094	70	28	26	27	25	33	29	24	28	27	19	28	13	37	18	25	13	6	5	8	
Total: White.....	{ M. 311 F. 291	158 124	18 28	9 14	7 8	5 6	197 180	15 13	9 5	5 1	4 6	7 6	6 8	4 7	8 3	3 8	3 5	3 5	7 9	7 6	9 10	8 2	4 7	7 4	2 1	1 1	2 5	
Colored.....	{ M. 508 F. 483	277 227	49 37	32 30	21 22	11 11	390 327	18 24	9 5	6 14	9 8	4 8	4 15	8 10	2 11	8 9	6 13	6 5	6 6	6 4	9 9	3 5	9 5	1 1	1 2	2 2	1 1	
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total.....	4129	933	637	438	264	191	2463	462	178	125	158	101	87	74	58	69	67	38	60	54	40	33	20	15	5	1	21	
Total: White.....	{ M. 1002 F. 947	219 171	133 129	92 88	65 52	58 46	567 486	112 115	49 49	22 42	43 40	23 29	24 25	16 29	19 19	18 24	20 15	15 10	22 11	15 15	9 9	6 11	3 5	1 1	1 1	4 6		
Colored.....	{ M. 1096 F. 1084	264 279	205 170	131 127	73 74	43 44	716 694	130 105	42 38	20 41	29 46	20 29	17 21	12 17	11 9	14 13	14 18	9 4	10 17	18 6	11 5	6 7	4 4	5 2	2 2	1 1	6 5	
1. Small-pox.....	{ W. { M. 3 F. 3 C. { M. 3 F. 3						1	2																				
2. Measles.....	{ W. { M. 38 F. 39 C. { M. 93 F. 80	11 1 23 18	6 9 23 20	8 6 15 10	1 3 7 10	1 4 4 5	27 19 72 63	4 5 13 8	1 1 1 2		2 4 4 2		2 1 2 3		1 2 1 1	1 1 1 1				1 1 1 1							1	
3. Scarlet fever.....	{ W. { M. 6 F. 6 C. { M. 9 F. 7	1 1 1 1	2 1 4 3			2 1 1 1	5 2 6 5		2 1 1 1		1 1 1 1						1 1 1 1											
4. Diphtheria.....	{ W. { M. 201 F. 179 C. { M. 120 F. 115	16 18 25 20	23 19 19 13	30 28 14 16	29 25 13 12	25 19 4 9	123 109 75 70	55 38 29 26	15 24 6 11		2 4 2 2	1 1 3 1	2 1 1 1		1 1 1 1	1 1 1 1				1 1 1 1							1	
5. Hooping-cough.....	{ W. { M. 63 F. 50 C. { M. 181 F. 192	31 20 68 86	15 11 54 42	5 7 24 27	3 4 10 6	1 1 7 6	55 43 163 167	7 6 15 20	1 1 2 2																		1	
6. Fever.....	{ W. { M. 18 F. 21 C. { M. 86 F. 85	3 3 27 27		2 2 12 12		1 1 9 3	4 8 57 54	4 4 13 6	3 1 1 3	1 1 1 1		2 2 2 4		1 1 2 2		1 1 1 4		1 1 1 2		1 1 2 2		2 1 2 2			1 1			
7. Cerebro-spinal fever.....	{ W. { M. 6 F. 9 C. { M. 6 F. 3	2 2 1 1		1 1 1 1		1 1 2 2	5 5 2 2	1 1 1 1			1 1 2 1			1 1 1 1				1 1 1 1										
8. Enteric fever.....	{ W. { M. 133 F. 105 C. { M. 90 F. 104	9 5 6 11	7 7 5 6	5 3 6 3	7 3 2 2	5 7 2 3	33 25 19 25	9 8 11 11	13 6 9 12	11 17 6 15	20 13 8 13	10 4 6 4	6 2 7 5	5 5 5 3	2 5 5 2	3 6 3 2	1 2 3 2	6 2 2 4		5 5 6 4		6 1 1 1	2 1 1 1			1		
9. Diarrhoea.....	{ W. { M. 79 F. 59 C. { M. 102 F. 81	27 18 29 17	18 8 19 20	12 5 12 12	2 1 13 9	2 4 3 3	59 36 76 61		1 2 6 5	1 1 3 4	1 1 2 1		1 2 3 1		1 1 1 1	1 4 1 2	2 4 1 2	1 4 1 2	5 2 4 2	3 2 4 1	1 2 1 1	3 2 1 3	1 1 2 1					
10. Dysentery.....	{ W. { M. 47 F. 54 C. { M. 52 F. 59	11 10 17 20	11 8 11 12	3 7 8 11	2 1 2 5	1 2 4 1	28 28 42 49	3 2 1 2	1 1 1 1	1 1 1 2	2 1 1 1		1 1 1 1		1 3 1 1	1 2 1 1		1 2 1 2		3 1 1 1	2 2 1 1	1 2 1 1				1		
11. Enteritis.....	{ W. { M. 38 F. 45 C. { M. 39 F. 45	13 17 8 15	7 7 8 7	3 1 2 4	1 1 3 8	1 1 4 2	25 26 25 36	1 6 3 3	1 1 1 3	2 3 1 3		2 1 1 2	1 3 2 3		1 2 1 1		1 1 3 1		1 1 1 1			1 1 1 1				1		
12. Cholera morbus.....	{ W. { M. 8 F. 7 C. { M. 5 F. 5	1 1 1 2	1 1 1 1				3 2 2 4	1 1 2 1		1 1 1 1					1 1 1 1	1 1 1 1				1 1 1 1			1 1 1 1					
13. Cholera infantum.....	{ W. { M. 103 F. 84 C. { M. 83 F. 69	59 46 34 30	28 26 31 15	12 11 13 13	2 1 2 3	2 1 2 1	103 84 82 68																				1	
14. Malarial fever.....	{ W. { M. 227 F. 228 C. { M. 202 F. 186	30 26 24 23	14 28 20 17	12 14 23 18	15 13 10 12	17 11 12 11	88 92 89 81	27 42 32 24	13 9 19 6	7 9 8 13	12 8 6 9	7 10 5 5	10 11 7 4	4 5 1 5	9 3 6 3	9 9 8 4	8 4 3 10	7 5 3 4	10 4 3 4	4 2 2 3	3 5 1 3	1 1 2 3	2 1 1 1			3		

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																												
15. Erysipelas	{ W. { M. F. C. { M. F.	15	2		1		1	4				1			3	2	2		1		1			1				1
		12	3	1				4				2	1	1						1		1			1			
		5		1				1								1										1		
		9	1	1		3		5										1	1		1	1						
16. Septicæmia	{ W. { M. F. C. { M. F.	7	1					1					1	1	1	1		2										
		7		1				1	1	1			1	1		1												
		3											1					1										
		3									1	1									1	1						
17. Puerperal septicæmia.	{ W.—F. C.—F.	35								1	5	6	6	3	10	3												1
		28									3	6	7	4	7	1												
18. Venereal diseases	{ W. { M. F. C. { M. F.	3										2		1														
		1																										
		9	1		1	1		3				2			1		1	1				1						
		7		1				1	1		1	2	1					1										
19. Others of this group	{ W. { M. F. C. { M. F.	10	2	1		1		4				1			2			1				1	1					
		6	1		1			2	2	1			1															
		8	1					1		1						1	1				1		2					
		6	1		2			3				2		1														
General diseases—B.																												
Total		290	54	47	50	35	22	208	30	9	3	7	2	4	4	2	5	6	4	1	3	1	1					
Total: White		56	12	7	7	3	2	31	6	1	1	1	1	1	3		3	3	2		2	1						
Colored	{ M. F.	106	21	19	21	10	7	78	12		2	4		2	1	2		2		1	1		1					
	{ M. F.	91	18	17	21	14	12	77	7	4			1				1		1									
1. Worms	{ W. { M. F. C. { M. F.	25	3	5	7	3	2	20	5																			
		22		3	4	6	1	14	5	3																		
		60	4	15	19	10	6	54	6																			
		63	3	13	16	12	11	55	5	3																		
2. Other parasitic diseases.	{ W. { M. F. C. { M. F.																											
3. Alcoholism	{ W. { M. F. C. { M. F.	13							1	1				1	1		2	3	1		2	1						
		4							1			1		1	1													
		1										1																
4. Lead poison	{ W. { M. F. C. { M. F.																											
5. Other poisons	{ W. { M. F. C. { M. F.	7		2				2			1	1			2				1									
		11		1	2	2		5		1	1		1				1	1	1									
		21		3	2		1	6	5		2	3		2				1		1			1					
		12	1	4		2	1	8	2	1									1									
6. Inanition	{ W. { M. F. C. { M. F.	11	9					9					1				1											
		4	3					3				1																
		21	17	1				18								1		1				1						
		15	14					14										1										
General diseases—C.																												
Total		1127	758	42	18	3	3	824	5	6	4	3	3	3	2	2	4	4	4	10	17	39	43	64	24	23	42	1
Total: White		155	114	5	1			120		1			1		1		1	1	2	2	2	7	7	8	2	1		
Colored	{ M. F.	188	116	1				117		1	1		1	1	1	1		2	1	1	9	7	13	16	7	5	4	
	{ M. F.	385	283	16	10	2	1	312	2	2		2			1	1	1		5	3	11	10	14	3	8	11		
		399	245	20	7	1	2	275	3	2	3	1	1	2	1		2	1	1	2	3	14	13	26	12	9	27	
1. Premature birth	{ W. { M. F. C. { M. F.	15	15					15																				
		32	32					32																				
		26	26					26																				
		40	40					40																				
2. Stillborn	{ W. { M. F. C. { M. F.	76	76					76																				
		63	63					63																				
		209	209					209																				
		164	164					164																				
3. Malformation	{ W. { M. F. C. { M. F.	6	6					6																				
		4	4					4																				
		9	5		2	1		8		1																		
		2	1		1			2																				
4. Debility	{ W. { M. F. C. { M. F.	40	16	5	1			22		1			1				1	1	2	2	2	3	3	1	1			
		46	16	1				17		1	1		1	1	1	1		2		1	6	3	5	3	2	1		
		91	43	16	8	1	1	69	2	1		2				1	1			4	1	4	2	1		2		
		111	40	20	6	1	2	69	3	2	3	1	1	2	1		2	1	1	1	3	3	8	3	1	2	1	
5. Old age	{ W. { M. F. C. { M. F.	17																										
		42																										
		50																										
		82																										
6. Atrophy	{ W. { M. F. C. { M. F.	1	1					1																				
		1	1					1																				

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	2380	67	83	52	28	21	251	79	82	116	239	213	173	180	129	145	152	103	156	107	101	63	50	19	6	9	7
Total: White.....	{ M. 440 F. 524	19 15	9 9	6 8	4 2	5 2	43 36	14 10	20 7	13 18	27 49	30 46	32 43	41 43	21 38	31 44	26 36	28 27	30 37	30 26	18 29	22 15	8 9	5 5	1 3	1 2	1
Colored.....	{ M. 610 F. 806	16 17	33 32	14 24	10 12	7 7	80 92	27 28	22 33	29 56	68 95	44 93	31 67	45 51	29 41	30 40	39 51	33 15	42 47	25 26	25 29	12 14	16 17	6 3	1 2	2 4	4
1. Rheumatism.....	{ W. { M. 10 F. 16 C. { M. 17 F. 22	 1					 1 1	 1																			
2. Scrofula and tabes.....	{ W. { M. 13 F. 24 C. { M. 40 F. 35	 1																									
3. Leprosy.....	{ W. { M. 1 F. 2 C. { M. 1 F. 2																										
4. Consumption.....	{ W. { M. 228 F. 256 C. { M. 323 F. 482																										
5. Hydrocephalus.....	{ W. { M. 15 F. 12 C. { M. 8 F. 11																										
6. Cancer.....	{ W. { M. 26 F. 68 C. { M. 14 F. 31																										
7. Tumor.....	{ W. { M. 5 F. 9 C. { M. 3 F. 7																										
8. Anæmia.....	{ W. { M. 4 F. 5 C. { M. 1 F. 6																										
9. Dropsy.....	{ W. { M. 130 F. 129 C. { M. 199 F. 210																										
10. Glycosuria.....	{ W. { M. 6 F. 1 C. { M. 2 F. 1																										
11. Others of this group ..	{ W. { M. 3 F. 3 C. { M. 1 F. 1																										
12. Others of this class ...	{ W. { M. 2 F. 1 C. { M. 1 F. 1																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	1373	429	90	54	34	27	634	90	47	35	28	34	26	29	29	32	54	42	72	55	55	47	29	10	7	5	13
Total: White.....	{ M. 326 F. 275	62 51	18 24	12 11	11 9	6 9	109 104	30 17	12 8	4 9	7 7	11 5	8 4	8 9	11 5	10 7	14 11	15 10	16 17	16 12	15 18	21 13	10 6	1 7	2 1	2 2	6 3
Colored.....	{ M. 378 F. 394	182 134	24 24	7 24	6 8	10 2	229 192	23 20	18 9	11 11	4 10	8 10	5 9	4 8	5 8	8 7	10 19	8 9	11 28	13 14	9 13	5 8	2 11	1 1	1 3	1 2	2
1. Inflammation of the brain.	{ W. { M. 45 F. 38 C. { M. 38 F. 29																										
2. Meningitis.....	{ W. { M. 18 F. 16 C. { M. 20 F. 14																										
3. Apoplexy.....	{ W. { M. 44 F. 21 C. { M. 24 F. 29																										
4. Paralysis.....	{ W. { M. 70 F. 67 C. { M. 41 F. 67																										

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
5. Tetanus and trismus nascentium.	W. { M. 19 F. 12 C. { M. 100 F. 72	16 11 89 64				1	16 12 90 65						1 1 1 1		1 1 1 1				1 1 1 1								1 1 1 1
6. Epilepsy	W. { M. 5 F. 7 C. { M. 11 F. 8			1			3 4 1						1 1 1 1		1 1 1 1						1 1 1 1						1 1 1 1
7. Convulsions	W. { M. 52 F. 56 C. { M. 100 F. 125	23 25 63 60	9 9 10 16	1 4 5 12	3 2 2 8	1 1 5 8	37 41 85 96	7 2 5 3	2 1 4 2		2 2 1 3	2 2 1 5		1 1 2 2			2 1 1 3	1 1 1 1		1 1 1 3							
8. Mental diseases	W. { M. 6 F. 3 C. { M. 1 F. 4									1 1 1 1				1 1 1 1				1 1 1 1			1 1 1 1						
9. Diseases of the brain	W. { M. 60 F. 49 C. { M. 34 F. 39	13 4 9 5	2 6 4 1	3 3 1 3	1 2 1 2	1 1 2 2	20 16 16 9	9 6 1 4	3 2 2 5		2 2 1 2	1 1 2 2	1 2 1 1	2 4 2 1	4 2 1 1	3 1 4 4	1 4 1 1	1 3 1 4	3 2 1 2	2 1 1 1	2 1 1 1	3 1 1 1	1 1 1 1		1 1 1 1		
10. Diseases of the spinal cord.	W. { M. 4 F. 3 C. { M. 1 F. 4		1			2	2 1 1 4		1 1 1 2						1 1 1 1												1 1 1 1
11. Others of this group.	W. { M. 3 F. 3 C. { M. 8 F. 3			1 1 1 1			1 6 1				1 1 1				1 1 1			1 1 1			1 1 1						
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total	435	16	2	2	4	3	27	12	12	10	24	18	23	15	27	14	28	36	47	44	40	23	23	6	3	1	2
Total: White	W. { M. 108 F. 148	4 5	1	1	2	1	9 7	3 4	5 4	3 3	1 13	4 6	3 3	4 4	3 14	4 5	7 8	10 9	12 18	20 9	9 17	4 14	5 9	2 1			
Colored	W. { M. 83 F. 96	5 2					5 6	2 3	2 1		2 8	6 2	5 12	4 3	4 6	3 2	5 8	9 8	7 10	12 3	5 9	3 2	5 4	2 1	3 3	1 1	1 1
1. Angina pectoris	W. { M. 3 F. 2 C. { M. 1 F. 2											1 1			1 1			1 1		2 1							
2. Aneurism	W. { M. 1 F. 6 C. { M. 1 F. 6												1 1							1 3				1 1			
3. Diseases of the heart	W. { M. 101 F. 143 C. { M. 72 F. 93	2 4 1 1	1 1 1 1	1 1 1 1	2 2 2 2		6 6 1 5	3 4 2 3	5 4 2 1	3 3 2 4	1 12 2 8	4 5 6 2	3 3 4 12	4 4 4 3	3 13 4 5	4 5 3 2	7 8 5 8	9 9 7 7	12 18 9 10	17 9 7 3	9 17 4 9	4 14 3 2	5 8 4 4	2 1 1 1	3 1 3 3	1 1 1 1	
4. Others of this group.	W. { M. 3 F. 3 C. { M. 4 F. 1	2 1 4 1				1	3 1 4 1				1 1 1												1 1 1				
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total	1393	290	106	90	42	39	567	72	36	46	66	67	54	55	42	39	46	51	66	47	57	39	30	3	4	2	4
Total: White	W. { M. 293 F. 241	59 43	18 14	25 13	6 4	9 8	117 82	12 13	7 4	7 5	10 9	15 14	13 16	6 9	11 8	10 7	7 8	15 14	20 11	13 5	15 9	10 11	3 12	2 2			2
Colored	W. { M. 480 F. 379	112 76	42 32	33 19	16 16	12 10	215 153	30 17	7 18	17 17	27 20	21 17	12 13	18 22	11 12	8 14	19 12	13 9	22 13	15 14	24 9	12 6	6 9	1 1	1 2	1 1	
1. Croup	W. { M. 51 F. 26 C. { M. 31 F. 35	21 8 11 21	5 11 11 7	14 5 5 5	2 3 2 1	6 4 1 1	48 20 30 34	3 5 1 3																			1 1 1 1
2. Laryngitis	W. { M. 1 F. 1 C. { M. 1 F. 1		1				1														1						
3. Bronchitis	W. { M. 26 F. 25 C. { M. 40 F. 28	2 4 17 7	3 1 6 6	1 2 3 2	3 1 1 2	9 8 27 16	9 8 27 16	3 1 2 2		1 1 1 1			2 3 1 1			1 1 1 1		1 2 1 3	1 2 2 3	1 1 2 3	1 2 1 1	3 1 1 1	2 1 1 1		2 1 1 1		

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia.....	W. { M.	185	30	8	9	1	3	51	3	7	6	9	15	9	6	10	9	6	13	17	11	5	5	3			
	F. {	140	24	6	6		2	38	4	3	5	6	11	7	5	6	6	4	11	8	3	6	8	7	1		1
	C. { M.	352	69	25	23	9	11	137	24	4	16	24	17	11	15	9	8	17	9	16	11	20	7	5	1	1	
	F. {	271	38	19	11	12	8	88	13	17	15	18	17	10	19	10	12	8	4	8	12	6	5	7		2	
5. Pleurisy	W. { M.	12							3					1		1		1		2		2	2				
	F. {	17	1					1	1	1		2	1	3		1		1	1	1	1	1	1	2			
	C. { M.	18	2			2		4		1	1	1		1		1		1	2	2	1	1	2	1			
	F. {	17	2				1	3	1			1		1	1	2		2	1	1	1	2	1				
6. Asthma	W. { M.	1																1									
	F. {	8					1	1					1	1						1		1		2	1		
	C. { M.	12	1			2		3				1			1				2	1	2	2					
	F. {	9	1					1			1					1	2	1	1	1	1		1				
7. Others of this group ..	W. { M.	17	6	1	1			8				1		1						1	5	1					
	F. {	24	6	7		1		14	2			1	1	2	2							1	1				
	C. { M.	27	12		2			14	3	1		1		1	1				2		2		1				1
	F. {	19	7		3	1		11	1	1	1		1	1		1				1		1					
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		727	164	153	41	13	12	383	24	11	18	23	21	23	19	16	21	31	18	42	21	23	20	8	1	1	3
Total: White	M.	169	37	26	3		3	69	6	4	4	4	5	7	3	7	6	12	5	15	7	5	8	2			
	F.	149	25	15	11	4	3	58	6	1	3	7	6	7	8	4	5	6	6	8	7	6	4				1
Colored	M.	204	54	55	14	5	2	130	6	2	6	5	3	5	3	2	5	9	3	7	4	7	3	2	1	1	
	F.	205	48	57	13	4	4	126	6	4	5	7	7	4	5	3	5	4	4	14	2	4	3				2
1. Dentition	W. { M.	25	6	18	1			25																			
	F. {	23	6	12	5			23																			
	C. { M.	74	26	41	5	2		74																			
	F. {	71	22	40	8	1		71																			
2. Angina	W. { M.	8	3	3			1	7										1									
	F. {	10	1	1	1	3		6	2			1							1								
	C. { M.	6	1	2	1			4	1	1																	
	F. {	7	1	1	1		1	4			1	1		1													
3. Gastritis	W. { M.	12	3					3				2	1			1	2		1		2						
	F. {	11			1		1	2			1		2	1			2	1			2						
	C. { M.	6			3	1		4				1											1				
	F. {	9	2	1		1		4				1							2	1	1						
4. Other diseases of the stomach.	W. { M.	5	3		1			4	1							1				1							
	F. {	6	1					1	1								1			1							
	C. { M.	5	1					1			1						2			1							
	F. {	9		2			1	3	2		1		1			1											
5. Obstruction of the bowels.	W. { M.	4							1			1			1				1								1
	F. {	6													1	1	1				1	1					
	C. { M.	5	1		1			2			1	1															
	F. {	2											1			1											
6. Hernia	W. { M.	4	1					1										1	1	1							
	F. {	3												1			1										
	C. { M.	15			1			1		1	1					1	3		2	1	3		1		1		
	F. {																										
7. Other diseases of the bowels.	W. { M.	18	6	2				8		1	2		1				1		1		1	2					
	F. {	8	5		1			6												1		1					
	C. { M.	11	4	4				8	1				1	1													
	F. {	11	1	4	2		1	8			1											1					
8. Jaundice	W. { M.	10	1				1	2	1		1				2		1					1	1				
	F. {	8	2	1			2	5	1		1						1										
	C. { M.	6	2					2						2				1		1							
	F. {	8	2	1	1			4		1		1						1	1								
9. Inflammation and abscess of the liver.	W. { M.	12							2			1	1	1	2	1	1	1	2								
	F. {	8									1	1		1				2	1	2							
	C. { M.	6									1	1					1	1	1	1							
	F. {	6					1	1	1								1	1		1							
10. Other diseases of the liver.	W. { M.	27	2	1	1		1	5		1		3		1		2	5		3	5	1	1					
	F. {	30		1	1			2	2	1		2	2	4	1	1	2	1	3	1	1	3	2				
	C. { M.	20	1	1	1	1		4	2		1	1		1	1	2	2	1	2	2	1						
	F. {	23		2				2	1	1		4	1	1	1	2	1	1	3	2	1	1					
11. Peritonitis	W. { M.	3												1					1			1					
	F. {	9			1			1			1	2	1	1	1							1					
	C. { M.	2									2																
	F. {	7									1		1	1					2								2
12. Ascites	W. { M.	8							1				1		1			2	1		1	1					
	F. {	3									2									1		1					
	C. { M.	9		1				1	2		1								1	1	1	1					1
	F. {	7				1		1		1		1		1					1								
13. Others of this group ..	W. { M.	33	12	2				14		2	1		3		1	2	1	1	4	1		2	1				
	F. {	24	10		1	1		12				1	2			1		1	1	1	3		2				
	C. { M.	39	18	6	2	1	2	29				1	2	1		1	1	1			1	1					
	F. {	45	20	6	1	1		28	2	1	1	1	2				2		5		1	1					

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
3. Diseases of the hip-joint.																											
4. Others of this group.	3							1		1	1			1													
	1																										
	3																1		1			1					
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	46	3	4	2			9	4	1	2	5	2	3	3	3	4	3	1	2		2	2					
Total: White	10			1			1	1						1	1	2	1		1		1	1					
	8		1				1						1	1	1	1	1										
Colored	15	3	1				4	2	1	1	3	1			1		1		1								
	13		2	1			3	1		1	1	2	1		1					1	1						
1. Abscess	8			1			1							1	1	1	1		1		1	1					
	5		1				1				1			1			1										
	6	1					1	1	1		1				1		1										
	9			1			1	1		1	1	2			1		1				1						
2. Carbuncle	1															1											
	1															1											
	1																				1						
3. Others of this group	1							1																			
	2														1			1									
	9	2	1				3	1		1	2	1						1									
	3		2				2							1													
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	4				1		1						1				1		1								
Total: White	2												1				1										
	1																		1								
Colored	1				1		1																				
	1																										
1. Addison's disease																											
2. Diseases of the spleen	2												1				1										
	1																		1								
	1				1		1																				
3. Others of this group																											
XII.—ACCIDENTS AND INJURIES.																											
Total	769	116	45	57	41	29	288	68	52	53	62	40	36	23	25	21	22	9	19	13	12	8	1	2	3	6	6
Total: White	153	7	3	4	5	6	25	10	11	18	19	12	7	6	8	10	4	4	6	2	6	4				1	1
	72	7	3	5	4	2	21	11	4	6	3	4	7		4	2	2		1	3			1		1	1	1
Colored	328	54	25	21	8	8	116	20	24	22	36	16	19	13	6	7	16	5	10	4	6	3			1	1	3
	216	48	14	27	24	13	126	27	13	7	4	8	3	4	7	2			2	4		1		2	1	4	1
1. Burns and scalds	16	1	2	1	2	3	9	2	1	1			1						1	1							1
	35	2	1	4	4	2	13	4	3	3	2	1	4		3	1											
	56	5	15	10	7	5	42	7		2									2		3						
	117	5	9	19	22	11	66	21	8	6	4	2	1	2					1	1		1				4	
2. Drowned	25			1	1		2	4	1	5	3			2	1	1		1	3	1							1
	4							2		1	1																
	61		1	3		1	5	6	9	11	8	5	4	2	2	3	2		2	1							1
	11	2		1		1	4	1	1			2		2	1												
3. Exposure and neglect	2	1	1				2																				
	4	2	1				3								1												
	31	13	6	3			22				2				1		3		1	1					1		
	28	18	3		1		22					1			3	1											1
4. Gunshot wounds	23							1	3	2	8	3	3	1		2											
	1							1																			
	34					1	1	3	5	2	9	1	5	1		1	2		1	1							2
	3							1	1				1														
5. Homicide	6										1	2		1	1				1								
	2							1																			
	9			1			1				2	3	1				1										
	1																							1			

STATISTICS OF MORTALITY.

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—continued.																											
6. Infanticide																											

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 4.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	16154	3626	1011	705	465	318	6125	871	484	564	897	836	689	818	741	694	687	474	604	452	403	307	214	84	52	89	69
Total: White..... { M.	5059	1034	266	184	133	81	1698	256	151	157	251	228	241	258	303	278	265	213	226	182	159	91	46	17	9	8	22
{ F.	3954	898	217	164	113	83	1475	188	117	148	240	251	178	227	165	156	148	116	131	110	92	87	54	26	7	15	23
Colored..... { M.	3651	883	257	182	108	83	1513	217	98	121	183	177	145	179	140	158	143	81	127	84	87	75	50	18	18	26	11
{ F.	3490	811	271	175	111	71	1439	210	118	138	223	180	125	154	133	162	131	64	120	76	65	54	64	23	18	40	13
Unknown causes.																											
Total.....	734	276	54	35	29	27	421	48	17	21	28	20	12	16	18	19	23	13	25	15	10	10	7	1	1	4	5
Total: White..... { M.	161	49	14	8	8	7	86	13	4	4	6	3	2	2	8	6	7	2	7	4	3	2	1			1	
{ F.	124	57	4	4	7	6	78	5	3	1	6	3	1	2	3	3	4	2	2	2	3	2	1			1	2
Colored..... { M.	234	99	18	10	7	9	143	17	4	9	9	4	4	6	3	5	3	7	8	3	2	4	1	1			1
{ F.	215	71	18	13	7	5	114	13	6	7	7	10	5	6	4	5	9	2	8	6	2	2	4		1	2	2
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	4048	829	399	316	222	136	1902	371	172	163	186	167	125	150	135	133	135	83	100	65	72	44	19	4	5	1	16
Total: White..... { M.	1303	247	99	77	66	39	528	114	53	51	73	49	45	50	55	64	50	43	40	23	35	18	5				7
{ F.	1107	227	83	86	58	42	496	100	49	57	56	62	41	45	35	31	34	21	21	21	15	11	6	2			4
Colored..... { M.	834	167	115	74	55	30	441	83	35	26	28	29	20	29	31	28	22	13	14	10	14	5	1	1	2	1	1
{ F.	804	188	102	70	43	25	437	74	35	29	29	27	19	26	14	10	29	6	25	11	8	10	7	1	3		4
1. Small-pox..... { W. { M.	15		3	3		1	7	6	1					1													
{ F.	8		1	1			2	5	1																		
{ C. { M.	7					1	1	4			1						1										
{ F.	9		1			2	3	3	3																		
2. Measles..... { W. { M.	25	3	3	6	3	4	19	3	1	1		1															1
{ F.	31	5	10	6	2	1	24	2		1			1								1						
{ C. { M.	21	8	5	1	3		17	3	1																		
{ F.	42	9	11	8	2		30	5	3	1	3																
3. Scarlet fever..... { W. { M.	10		1	1	3	1	6	3		1																	
{ F.	11	1		4	1	1	7	3	1																		
{ C. { M.	7	1	3	1			5	1	1																		
{ F.	4				1	1	2	1	1																		
4. Diphtheria..... { W. { M.	64	8	8	12	14	5	47	14		1	2																
{ F.	63	3	5	9	11	4	32	19	8	1	1			1	1												
{ C. { M.	25	5	8	1	4	2	20	1	1		2							1									
{ F.	28	4	5	4	1	1	15	7	2			1		1		1											1
5. Hooping-cough..... { W. { M.	51	29	4	3	4		40	4	3		2																2
{ F.	63	37	8	7	4	2	58	5																			
{ C. { M.	80	40	17	11	5	1	74	4	1																		1
{ F.	68	32	12	10	8	2	65	1		1																	1
6. Fever..... { W. { M.	64	16	5	2	3	2	28	8	3		3	2	4		7	2	1	1	3		2		1				
{ F.	45	7	2	5	3	1	18	7	1	3	2	4	1	2	2	1					1	2	1				
{ C. { M.	69	16	9	5	9	2	41	10	5	2	1	2	1		2	1		1	2		1						
{ F.	82	17	6	10	4	6	43	12	3	5	2	2	3	1	1		2		4	1		1			1		1
7. Cerebro-spinal fever.. { W. { M.	12	3		2			5	1	3				1	1							1						
{ F.	10	3		2			5	1	1		1	2									1						
{ C. { M.	4	1					1	2													1						
{ F.	6	3		1		1	5				1																
8. Enteric fever..... { W. { M.	92		1	3	1	2	7	11	11	11	14	4	4	6	3	3	4	5	1	3	4	1					
{ F.	98	1	3	4	4	2	14	9	7	17	11	6	5	8	5	4	2	3	3	1	2	1					
{ C. { M.	88	7	4	4	2	6	23	13	11	7	5	7	1	1	6	3	1	1	4	2		1	1	1			
{ F.	66	3	6	6	2	3	20	10	7	9	4	4	3		3	3	2				1						
9. Diarrhoea..... { W. { M.	103	15	10	7	1	1	34	6	1	1	5	3	3	4	3	6	10	5	7	4	6	3	1				1
{ F.	56	14	4	2		1	21	1	1		1	2	2	4	5	4	3		2	4	1	2	2	1			
{ C. { M.	77	16	13	11	8	2	50	2			2		3	3	3	3	6		3	1		1					
{ F.	80	23	19	6	6		54		1		1	2		4	1		4		5	3	1	2	1		1		
10. Dysentery..... { W. { M.	116	12	10	2	2	1	27	4	2	2	3	5	3	10	10	9	8	8	6	5	8	6					
{ F.	87	11	7	10	5	1	34	3	2		4	2	5	4	2	7	6	4	4	4	1	4	1				
{ C. { M.	65	4	11	4	3	2	24	8	1		1	4	3	4	4	6	3	2	1	2	1					1	
{ F.	52	9	8	5	2	4	28	1		1	2		3		2		3	2	3	2	2	2		1			
11. Enteritis..... { W. { M.	179	60	20	10	10	3	103	7	4	7	6	4	3	4	3	7	5	6	8	4	5	2					1
{ F.	128	45	13	11	4	3	76	4	2	2	3	4	2	1	5	4	6	2	6	5	2	2		1			1
{ C. { M.	66	17	8	6	4	4	39	6	2	1	3	2	2	4	1		1	1	1		1	2					
{ F.	73	15	7	8			30	4	3	4	2	3	4	2	1	1	8	1	3	3	2	2	2				
12. Cholera morbus..... { W. { M.	19	5			1		6	2	2	2			1		1	2		1		1	1						
{ F.	8	3	1	1			5										2	1									
{ C. { M.	16			1	1	2	4	3				1	1	2	1	3									1		
{ F.	6						3	3									2		1								
13. Cholera infantum..... { W. { M.	77	51	19	4	3		77																				
{ F.	68	51	11	4	2		68																				
{ C. { M.	36	19	10	5	2		36																				
{ F.	42	30	8	2	1	1	42																				
14. Malarial fever..... { W. { M.	338	33	10	17	18	13	91	40	15	16	23	14	14	17	25	24	17	11	11	4	7	5	1				3
{ F.	290	37	15	16	18	21	10																				

GRAND GROUP 4—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																												
15. Erysipelas	{ W. { M. F. C. { M. F.	24	6					6			2		4		1		1	3	1	1	1	1	1	2				
		15	4	1				5	1				1	1	1	1	2	2	1									
		3							1													1	1					
		4			1			1				1				1								1				
16. Septicæmia	{ W. { M. F. C. { M. F.	9	1					1		1		1	1	1	1		2							1				
		5				1	1	2				1	1									1						
		6												2	1			1	1	1								
		5									3											1		1				
17. Puerperal septicæmia	{ W.—F. C.—F.	47									5	12	9	9	7	2	1											2
		20									1	6	3	2	5	2												1
18. Venereal diseases	{ W. { M. F. C. { M. F.	10	3	1	1			5				1	1				2		1									
		6	1	1				2			1	1	1															
		13		1	1			2			1	2	1	2		4	1											
		8	2	1				3						2	1		1	1										
19. Others of this group	{ W. { M. F. C. { M. F.	95	2	4	4	3	6	19	5	6	7	13	10	11	5	3	6	2	4	3	1							
		68	4	1	4	3	4	16	8	5	9	7	5	3	4	3	2		1	1	1	1			2			
		34	4	4	2			10	3	3		2	1	2	4	2	1	2	2	1	1					1		
		33	4	3	2	2	1	12	3	4	2	2	2	2	3						2	1				1		
General diseases—B.																												
Total		284	72	25	28	24	14	163	26	3	3	7	10	8	15	6	15	7	3	9	3	1	1	1	1			2
Total: White	{ M. F.	89	21	8	3		4	36	6	1	1		5	3	7	6	7	4	2	6	2	1			1			1
		46	13	3	6	4	1	27	3		1	2	1	2	3		3	1		1	1							1
Colored	{ M. F.	66	13	7	12	7	4	43	5	1	1	3	3	2	3		2	1		1			1					
		83	25	7	7	13	5	57	12	1		2	1	1	2		3	1	1	1					1			
1. Worms	{ W. { M. F. C. { M. F.	17	2	5	2		4	13	4																			
		10		1	3	2		7	3																			
		30	3	4	8	5	4	24	5	1																		
		38	2	7	7	10	3	29	9																			
2. Other parasitic diseases	{ W. { M. F. C. { M. F.																											
3. Alcoholism	{ W. { M. F. C. { M. F.	33											3	3	5	5	5	3	2	5	2							
		8										1	1		2	2		2										
		10										1	2		1	3		1	1		1							
		6									1		1		2		2											
4. Lead poison	{ W. { M. F. C. { M. F.	2											1				1											
5. Other poisons	{ W. { M. F. C. { M. F.	19	2	3	1			6	2	1	1				2	1	1	1		1		1		1			1	
		12	1	2	1	2		6				1			1		1	1				1					1	
		13		2	3	1		6				1	3	1			1							1				
		15	1			2	2	5	2	1			1	1			1	1	1	1					1			
6. Inanition	{ W. { M. F. C. { M. F.	18	17					17						1														
		16	12		2			14					1								1							
		13	10	1	1	1		13																				
		24	22			1		23					1															
General diseases—C.																												
Total		1449	824	59	15	2	7	907	12	4	1	8	6	4	7	10	7	21	12	38	39	76	77	85	42	30	61	2
Total: White	{ M. F.	412	249	23	6		1	279	3			3	1	2		3	2	6	5	10	17	25	20	15	9	7	5	
		372	220	13	2	1	2	238	4	1	1	2	2	1	4	3		6	4	11	7	15	23	20	16	4	10	
Colored	{ M. F.	346	195	11	3	1	4	214	3			3	1	1	1	2	2	2	1	11	10	18	20	23	7	11	16	
		319	160	12	4			176	2	3			2		2	2	3	7	2	6	5	18	14	27	10	8	30	
1. Premature birth	{ W. { M. F. C. { M. F.	45	45					45																				
		32	32					32																				
		32	32					32																				
		33	33					33																				
2. Stillborn	{ W. { M. F. C. { M. F.	86	86					86																				
		98	98					98																				
		104	104					104																				
		90	90					90																				
3. Malformation	{ W. { M. F. C. { M. F.	8	8					8																				
		4	4					4																				
		3	3					3																				
		2	2					2																				
4. Debility	{ W. { M. F. C. { M. F.	225	110	23	6		1	140	3			3	1	2		3	2	6	4	8	17	13	11	7	2	2	1	
		176	86	13	2	1	2	104	4	1	1	2	2	1	4	3		5	4	9	4	9	14	5	2		2	
		144	56	11	3	1	4	75	3			3	1	1	1	2	2	2	1	5	8	13	11	11	2	1	2	
		121	34	12	4			50	2	3			2		2	2	3	6	1	1	5	12	7	7	3	4	11	
5. Old age	{ W. { M. F. C. { M. F.	48																	1	2		12	9	8	7	5	4	
		62																		2	3	6	9	15	14	4	8	
		63																		6	2	5	9	12	5	10	14	
		72																		1	1	5	6	7	20	7	4	
6. Atrophy	{ W. { M. F. C. { M. F.																											

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 4—Continued.

[illegible]

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 4—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
5. Tetanus and trismus nascentium.	165	115	1	1	1	1	118	14	11	1	4	1	4	3	3	1	2	1	1								1
	128	104	3			1	108	7	2	1		4		4	1												
	143	114	2	1	1	1	119	5	3	1	1	3	2	1	3	1	2		1								1
	120	102	1	1	2		106	1	1	1	3		1	2	2		1										2
6. Epilepsy	16							2		2	2	1	3	1	1	3	1										
	8			1	1		2			1	2		1	1	1	1											
	9			1			1	1	1				1	1	1		1		1								1
	11		1				1			3		1	2	1	1		1						1				
7. Convulsions	121	72	14	11	4		101	7	2			1	1	1	1	1	2			1	1		1				1
	94	51	14	5	5	3	78	4	3	5	1	2				1											
	91	52	12	11		4	79	8	2				1							1							
	95	58	7	7	3	4	79	5	1	2	2	2	2	1						1							
8. Mental diseases	8									1		1	1	2	1					1	1						
	5												1		1							1	1				
	1														1												
	2							1		1																	
9. Diseases of the brain	145	16	9	3	5	3	36	9	1	2	8	4	8	5	9	8	12	12	8	9	7	2	3	1			1
	78	7	5	5	2	3	22	6	2	1	3	4	3	2	4	9	3	5	4	3	3	3					1
	50	9	3	2	5		19	3	1	2	2	3	3	4	1	2	4	1	4				1				
	48	5	4	1	3	1	14	4	3	2	2	3	2	2	1	4	3	3	2	3							
10. Diseases of the spinal cord	17	1	1	1		2	5	1	1	1		1	1				4	2			1						
	12	6		2			8		1		1			1								1					
	7	1	2	1			4								1					1		1					
	6	1			1	1	3			1					1												1
11. Others of this group	5									1			1				1		2								
	6			1			1	1			1	1					1		1								
	1										1																
	4										1			1	1							1					
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total	598	21	4			3	28	16	15	24	23	28	28	35	61	39	54	44	71	43	44	22	12	4	2	3	2
Total: White	185	11	1			2	14	5	6	7	4	6	9	9	21	15	21	15	16	10	17	6	3				1
	166	6	1				7	5	6	7	4	10	10	10	15	8	13	13	16	15	12	9	3	1	1		1
Colored	119	2	2			1	5	2	1	5	5	3	7	8	12	8	11	8	15	9	10	6	1	1		2	
	128	2					2	4	2	5	10	9	2	8	13	8	9	8	24	9	5	1	5	2	1	1	
1. Angina pectoris	3																1			1	1						
	4															1			2		1						
	3									1						1			1								
2. Aneurism	11	1					1						1	2		3	2	1	1								
	8											1	1	1	1			2	1		1						
	6												1	1			2	1			1						
	3											1						1					1				
3. Diseases of the heart	162	2	1			2	5	5	6	7	4	6	8	7	21	12	17	14	15	9	16	6	3				1
	146	3	1				4	5	6	6	4	8	9	9	13	7	12	11	13	15	10	8	3	1	1		1
	110	1	2			1	4	2	1	5	5	3	6	7	12	7	9	7	15	8	9	6	1	1		2	
	121	1					1	4	2	5	9	8	2	8	13	7	9	7	23	9	5	1	4	2	1	1	
4. Others of this group	9	8					8										1				1						
	8	3					3			1		1			1		1				1						
	3	1					1									1											
	1	1					1																				
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total	1762	395	130	91	64	40	720	62	50	55	121	75	74	74	85	61	76	65	75	53	32	35	25	9	3	5	7
Total: White	533	109	33	30	22	7	201	17	7	18	33	18	26	22	29	23	30	28	26	23	9	13	5	1	1		3
	386	80	32	24	17	11	164	13	11	16	20	22	16	13	17	11	6	16	18	10	10	10	6	4		1	2
Colored	463	112	28	17	15	13	185	19	14	9	27	26	16	28	22	16	26	11	21	11	8	7	8	3	2	2	2
	380	94	37	20	10	9	170	13	18	12	41	9	16	11	17	11	14	10	10	9	5	5	6	1		2	
1. Croup	75	30	12	13	9	3	67	6	1											1							
	67	23	11	8	8	8	58	5	3		1																
	36	27	1	2	2	2	34								1			1									
	34	19	4	5	3	1	32	1																			
2. Laryngitis	16	2	1	1	3	1	8	2				1			1	1		2						1			
	10	2	1		2	1	6	1			3																
	3	1	1				2	1																			
	2			1			1											1									
3. Bronchitis	65	24	3	3	1		31	1		2	2	1	3	1	4		1	3	2	6	2	2	3				1
	54	14	4	4	2		24	2	1			2	1		5		1	6	3	2	3	2	2				
	51	23	4		3		30	4			2	1	1	1	1		1	1	3		2	1		1			2
	52	30	4		1	1	36	1			1		1	1		1			1	3	2	2	3				

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 4—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia	{ W. { M. 312 F. 209 C. { M. 326 F. 251	44	15	9	9	2	79	7	6	13	30	13	18	19	21	18	24	18	18	12	6	7	1				2
		34	14	11	4	2	65	3	7	16	13	16	12	12	11	7	4	8	12	6	3	5	3	3		1	2
		57	19	14	9	10	109	13	14	9	24	22	12	21	19	8	19	7	17	11	5	3	7	2	2		
		43	28	12	6	5	94	10	17	11	34	8	13	6	15	7	9	10	6	4	1	2	2	1		1	
5. Pleurisy	{ W. { M. 30 F. 20 C. { M. 25 F. 17	2		1			3	1		1	1	3	4			4	4	4	2	1		1	1				
		1		1			2				3	4	1	1	1	1	1	1	1	2		1	1				
		1	1	1	1	1	5	1			1	2	2	2		3	3	1	3		1	1					
		1	1			1	3	1		1	2	1	2	1					2	2	1		1				
6. Asthma.....	{ W. { M. 10 F. 10 C. { M. 5 F. 14						1								1				2	4		2			1		
			1				1									2		1		2	2	2					
																	1			1		2	1				
				2			2				1			2	2	1	3		1		1		1				
7. Others of this group ..	{ W. { M. 25 F. 16 C. { M. 17 F. 10	7	2	3		1	13			2			1	2	2		1	1	2			1					
		6	1		1		8	2					2			1			2			1					
		3	2				5					1	1	3	2	3	2										
		1				1	2		1		3			1		1	1									1	
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	979	192	146	54	18	19	429	44	19	25	25	33	43	56	44	54	47	34	39	27	27	15	9		3	2	4
Total: White.....	{ M. 336 F. 251	61	28	14	6	8	117	12	8	8	6	11	14	25	17	23	23	22	26	13	7	2	1			1	
		48	33	9	5	6	101	10	5	5	9	9	16	17	9	12	15	8	6	8	9	4	4		1	1	2
Colored	{ M. 196 F. 196	45	34	18	3	2	102	10	4	7	4	4	5	6	8	12	5	3	5	3	8	5	4				1
		38	51	13	4	3	109	12	2	5	6	9	8	8	10	7	4	1	2	3	3	4			2	1	
1. Dentition	{ W. { M. 54 F. 53 C. { M. 64 F. 75	28	22	3	1		54																				
		26	22	5			53																				
		23	27	12	1		63	1																			
		21	42	9	2	1	75																				
2. Angina	{ W. { M. 23 F. 20 C. { M. 10 F. 21	6	1	2	3	3	15	4	2								1			1							
		4	3	1	3	1	12	4	1	1		1					1										
		2	3	2			7	3																			
		4	3	1	1	1	10	8	1			1				1											
3. Gastritis.....	{ W. { M. 20 F. 24 C. { M. 2 F. 8	1	1	1			3		1	1	1	1	3	3	1		3		5	2	1	1			1		
			1				1	2	1	1	1	1		1	3	1		2	2	2		1	1	1		1	
																1		1			1						
		1					1						1	2	3					1							
4. Other diseases of the stomach.	{ W. { M. 25 F. 7 C. { M. 5 F. 8	1		1		2	4		2	2	1		1	2	3	4	1	1	2	2							
				1	2		3	1			1	1	1				1	1		1							
								1			1						1	1							1		
		1					1	1		1				2				1				1			1		
5. Obstruction of the bowels.	{ W. { M. 15 F. 6 C. { M. 8 F. 3	6					6	1	1	1					1	1	1		2	1							
		1					1								1		2	1		1							
		2					2	1				1			1		1			1		1					
										1		1			1												
6. Hernia.....	{ W. { M. 6 F. 6 C. { M. 16 F. 2													2				1		2			1				
			1	1			2					1	3		3	1			2	1	1	2			1		
													1					1									
7. Other diseases of the bowels.	{ W. { M. 11 F. 17 C. { M. 9 F. 9	4	2	1		1	5		1	1	1		1	2		1	1			1		1					
		4	1	1	1	1	5	1	1	1	1										1						
		1	1	1	1	1	4	1				1			1												
		2		1	1		4	1				1															
8. Jaundice.....	{ W. { M. 11 F. 7 C. { M. 3 F. 1	1		1		1	3	1		1			3					1	1								1
		1	1				2	2											1		1						
		2			1		3																				
													1														
9. Inflammation and abscess of the liver.	{ W. { M. 58 F. 25 C. { M. 12 F. 6	3	1	1			5	2			3	3	2	11	2	8	7	4	8	1	2						
			2			1	3					1	5	3	4	1	2	1	1	1	1	1	1				
										3		1		2		3		1			1	1					
											1					2		2		1	1						
10. Other diseases of the liver.	{ W. { M. 51 F. 39 C. { M. 25 F. 13			1	1		2	2	1	2	2	1	4	5	4	3	7	7	6	3	2						
		1				2	3		2	1	3	1		6	2	6	5		2	2	3	1	1			1	
		2					2	2	1	1	2	1		2	1	4		2		3	1	3					
								1			1	1	1	2	1	3		1		1							
11. Peritonitis	{ W. { M. 20 F. 23 C. { M. 7 F. 16	2	1			1	4		1			3	1	1	2	3	1	1	1	2						1	1
						1	1			1	3	2	5	2		1	4	2									
		1				1	2	1	1	1		1		1		1											
			1				1			3	3	1	2	2	3	1											

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 4—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	235	6	2	3		2	13	6	4	2	17	20	12	16	13	22	20	18	17	19	14	7	6	4	1	1	3
Total: White.....	{ M. 107 F. 38	2	1	2		1	6	2	4	1	3	10	9	10	3	10	9	10	8	7	7	2	2	2		2	
Colored.....	{ M. 57 F. 33	1		1			2	3		1	5	5		1	8	5	4	2	6	7	1	4	1	1		1	
1. Bright's disease.....	{ W. { M. 69 F. 29 C. { M. 29 F. 21		1				1	1	2	1	2	9	7	7	3	7	6	8	5	4	3	1	1				1
2. Calculus, urinary.....	{ W. { M. 3 F. 6 C. { M. 2 F. 2			1			1	1						1			1		1		1						
3. Diseases of the kidney.....	{ W. { M. 17 F. 5 C. { M. 13 F. 6	2		1		1	4	1	2		1	1	2	2		2	1		1	1		1					1
4. Diseases of the bladder.....	{ W. { M. 11 F. 2 C. { M. 4 F. 1											1				2	2			1	2	1	1	2			
5. Others of this group..	{ W. { M. 7 F. 2 C. { M. 5 F. 3		1				1				1	1			2			1	2	1	1			1	1		
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total.....	61								2	4	8	5	3	9	7	9	2	2	5	1		2	1			1	
Total: White.....	F. 32								1	1	6	4		6	3	4	2	2				1					
Colored.....	F. 29								1	3	2	1	3	3	4	5		3	1		1	1				1	
1. Ovarian tumors.....	{ W.—F. 5 C.—F. 3										1			1			1	1			1						
2. Ovarian diseases.....	{ W.—F. 1 C.—F. 1																	1									
3. Uterine tumors.....	{ W.—F. 2 C.—F. 3													1				1		1							
4. Uterine diseases.....	{ W.—F. 7 C.—F. 12									1	1	2		1	1	1			1			1	1				
5. Others of this group..	{ W.—F. 18 C.—F. 10								1	1	4	2		3	2	3	2									1	
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total.....	216								5	34	51	44	33	28	17	3											1
Total: White.....	F. 121								1	11	32	31	22	17	6												1
Colored.....	F. 95								4	23	19	13	11	11	11	3											
1. Abortion.....	{ W.—F. 9 C.—F. 6									1	3	1	3			1											1
2. Child-birth.....	{ W.—F. 98 C.—F. 77								1	9	27	24	17	14	6												
3. Others of this group*.	{ W.—F. 14 C.—F. 12								1	2	4	4	4		2												
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	19		2		1		3	1	1	2	1	2	1			2	2		2		1	1					
Total: White.....	{ M. 12 F. 2				1		1	1	1	1		2	1			1		2		1	1						
Colored.....	{ M. 2 F. 3		1				1				1					1											
1. Diseases of the spine.....	{ W. { M. 10 F. 2 C. { M. 2 F. 2				1		1		1		2	1				1		2		1							
2. Diseases of the bones.....	{ W. { M. 1 F. 1 C. { M. 1 F. 1								1												1						

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 4—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
3. Diseases of the hip-joint. { W. { M. 1	1							1																			
{ F. 1	1																										
{ C. { M. 1	1																										
{ F. 1	1																										
4. Others of this group.. { W. { M. 1	1																										
{ F. 1	1																										
{ C. { M. 1	1																										
{ F. 1	1																										
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	41	7	1	1	1		10	1	2	1	1	2	2	4	3	1	6	3		2	1		1				1
Total: White..... { M. 12	12	1		1	1		3		1	1	1	1		1	1		2	1									
{ F. 14	14	2	1				3		1				1	2	2		2	1		1			1				
Colored..... { M. 9	9	4					4									1	1	1		1							1
{ F. 6	6							1				1	1	1			1			1							
1. Abscess..... { W. { M. 10	10	1		1	1		3		1	1	1	1			1		1	1									
{ F. 5	5	2					2		1						1					1							
{ C. { M. 2	2	1					1														1						
{ F. 5	5							1				1	1	1			1										
2. Carbuncle..... { W. { M. 1	1													1													
{ F. 5	5												1	1													
{ C. { M. 3	3																1										1
{ F. 3	3																										
3. Others of this group... { W. { M. 1	1																1										
{ F. 4	4		1				1							1	1												
{ C. { M. 4	4	3					3										1										
{ F. 1	1																			1							
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	6							1				1		1	1			1		1							
Total: White..... { M. 1	1													1													
{ F. 2	2											1		1													
Colored..... { M. 3	3							1										1		1							
{ F. 3	3																										
1. Addison's disease..... { W. { M. 1	1											1															
{ F. 1	1																										
{ C. { M. 1	1																										
{ F. 1	1																										
2. Diseases of the spleen. { W. { M. 1	1													1													
{ F. 1	1														1												
{ C. { M. 2	2																	1		1							
{ F. 2	2																										
3. Others of this group... { W. { M. 1	1																										
{ F. 1	1																										
{ C. { M. 1	1																										
{ F. 1	1																										
XII.—ACCIDENTS AND INJURIES.																											
Total	868	89	26	33	22	15	185	86	65	61	83	60	60	66	41	44	31	20	16	18	6	12	4	3	2		5
Total: White..... { M. 322	322	16	5	7	3	1	32	19	25	32	37	24	30	24	28	25	13	11	5	7	3	2	1	1			2
{ F. 93	93	11	6	4	6		27	9	8	4	6	5		9	1	4	7	1	3	5		1	2	1			
Colored..... { M. 290	290	32	6	8	4	4	54	23	14	21	33	29	29	27	9	13	9	7	5	3	3	7		1	1		2
{ F. 163	163	30	9	14	9	10	72	35	18	4	7	2	1	6	3	2	2	1	3	3		1	1		1		1
1. Burns and scalds..... { W. { M. 18	18		3	4	2		9	1	1		2		1	1				1		2							
{ F. 32	32	1	2	1	6		10	8	4	2	2	2		2			1	1									
{ C. { M. 17	17	1	2	4		2	9	2		2				2			1								1		
{ F. 60	60	1	5	6	5	6	23	21	5	1		2		2	2	1				1			1				1
2. Drowned..... { W. { M. 76	76			1		1	2	10	11	5	8	8	3	4	5	7	6	3	1	1	1						1
{ F. 7	7			1			1				1					1	1			2			1				
{ C. { M. 57	57		1	1	3	1	6	8	9	4	5	3	5	9	1	1	2	2									2
{ F. 18	18			2	2		4	4	5	2	1			1					1								
3. Exposure and neglect. { W. { M. 3	3	2			1		3																				
{ F. 5	5	3	1				4													1							
{ C. { M. 16	16	11	2	1			14															1					
{ F. 21	21	10	3	3		1	17				1							1									
4. Gunshot wounds..... { W. { M. 53	53							1		11	6	4	6	10	8	5	1	1									
{ F. 8	8			1			1	1		1	1	1		2			1										
{ C. { M. 35	35							2	1	3	5	6	7	6	2	1		1	1								
{ F. 8	8			1			1	1	2				1					1	2								
5. Homicide..... { W. { M. 17	17									1	2	1	2	3	3	3	1	1									
{ F. 28	28									1	6	8	6	2	2	3											
{ C. { M. 1	1																										
{ F. 1	1																										

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 4—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—continued.																											
6. Infanticide	{ W. { M. { F. { C. { M. { F.	1	1				1																				
		1	1				1																				
		2	2				2																				
7. Injuries by machinery.	{ W. { M. { F. { C. { M. { F.	1											1														
8. Railroad accidents ..	{ W. { M. { F. { C. { M. { F.	11							3	1	1	1		2	1	1		1									
		8						1		2	3			1				1									
9. Suffocation	{ W. { M. { F. { C. { M. { F.	9	4	1	1		6	1	1																1		
		5	3	1			4										1										
		6	6				6																				
10. Suicide by shooting...	{ W. { M. { F. { C. { M. { F.	12	10		1	1	12																				
		1																									
11. Suicide by drowning..	{ W. { M. { F. { C. { M. { F.	1															1										
		2													1				1								
12. Suicide by poison.....	{ W. { M. { F. { C. { M. { F.	4								1			1		1		1										
		1														1											
		1													1												
13. Other suicides	{ W. { M. { F. { C. { M. { F.	10								1	1	1				1	3	1				1	1				
		3								1				1		1											
		1												1													
14. Sunstroke	{ W. { M. { F. { C. { M. { F.	3								1	1					1											
		7		1			1	1		1		1								1	1	1					
		6					1	1	5																		
15. Surgical operations...	{ W. { M. { F. { C. { M. { F.																										
		1					1	1																			
16. Wounds	{ W. { M. { F. { C. { M. { F.	8								1	2	1			1	2				1							
		10	2				2			1		3		1		1		1							1		
		3					1		2																		
17. Others of this group..	{ W. { M. { F. { C. { M. { F.	95	9	1	1		11	6	9	9	12	8	13	4	7	4		1	4	2	2	2					1
		30	4	2	1		7		3	1	1	2		4		1	3	1	2	2		1	1	1			
		103	11	2	1	1	15	9	3	8	11	11	10	7	2	6	6	3	3	2	2	5			1		
		30	7	1	1	1	10	3	4	1	5			3			2					1					

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 8.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
GRAND TOTAL.....	88209	18328	5773	3595	2253	1754	31703	4592	2378	3156	4252	3627	3180	3142	2868	2828	3065	2854	3486	3730	4010	3689	2812	1341	534	312	650	
Total: White..... { M.	37948	8055	2291	1421	906	735	13408	1959	939	1156	1572	1370	1244	1258	1213	1255	1405	1456	1703	1855	1968	1753	1260	599	210	68	297	
{ F.	35748	6377	2065	1323	904	743	11412	1891	953	1304	1787	1648	1459	1397	1237	1218	1264	1141	1417	1583	1733	1674	1326	666	259	129	250	
Colored..... { M.	7153	2163	730	471	230	135	3729	317	201	270	367	259	193	203	185	170	202	124	216	165	159	139	100	41	33	32	48	
{ F.	7360	1733	687	380	213	141	3154	425	285	426	526	350	284	284	233	185	194	133	150	127	150	123	126	35	32	83	55	
Unknown causes.																												
Total.....	3623	1800	287	152	73	49	2361	104	43	55	76	57	48	51	55	48	62	47	88	81	108	88	77	32	13	11	118	
Total: White..... { M.	952	490	43	20	9	12	574	24	6	12	7	10	8	9	9	14	22	25	36	33	38	36	25	15	2	1	46	
{ F.	824	350	41	21	6	11	429	15	13	13	19	20	17	15	18	14	22	14	23	30	41	35	30	8	7	4	37	
Colored..... { M.	944	504	110	64	29	16	723	19	11	15	28	9	10	10	12	12	7	4	17	8	16	9	12	1	2	2	17	
{ F.	903	456	93	47	29	10	635	46	13	15	22	18	13	17	16	8	11	4	12	10	13	8	10	8	2	4	18	
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total.....	20793	4670	2408	1635	1135	987	10835	2700	1169	780	834	579	461	401	329	295	326	297	354	308	340	331	203	95	31	20	105	
Total: White..... { M.	8910	2100	1012	686	489	428	4715	1166	467	301	346	227	179	133	129	122	143	146	170	155	160	156	89	46	12	7	41	
{ F.	8993	1870	935	671	488	457	4421	1289	556	351	360	271	221	207	150	126	142	122	142	123	146	147	100	49	13	8	49	
Colored..... { M.	1472	395	238	143	87	44	907	108	59	53	59	39	25	31	21	24	21	19	27	22	19	16	5	4	2	11		
{ F.	1418	305	223	135	71	58	792	137	87	75	69	42	36	30	29	23	20	10	15	8	15	12	9	2	3	4		
1. Small-pox..... { W. { M.	40	9	1	...	2	1	13	5	4	3	5	...	2	2	...	1	1	4	...	...	...	...	...	...	...	...	...	
{ F.	48	4	6	2	3	3	18	5	1	4	6	2	3	2	1	2	1	...	1	...	...	...	...	...	...	...	1	
{ C. { M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
{ F.	3	...	...	...	1	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
2. Measles..... { W. { M.	225	66	50	33	12	9	170	13	11	5	9	5	2	1	3	...	...	2	1	1	...	...	...	1	...	...	1	
{ F.	247	48	46	40	18	7	159	23	5	11	13	5	8	8	1	4	2	1	4	...	...	...	...	...	...	...	1	
{ C. { M.	135	36	31	19	8	3	97	10	4	6	2	6	4	...	...	...	1	1	...	...	...	...	...	...	...	...	1	
{ F.	98	28	11	13	7	3	62	10	8	4	3	3	3	1	...	...	2	1	...	...	...	...	...	...	...	...	1	
3. Scarlet fever..... { W. { M.	857	78	113	153	120	102	566	206	51	12	8	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	6	
{ F.	878	63	116	143	97	119	538	241	56	16	9	8	1	2	4	...	...	...	...	...	...	...	...	...	...	...	2	
{ C. { M.	51	4	...	8	5	4	21	5	2	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
{ F.	48	5	8	6	5	3	27	13	4	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
4. Diphtheria..... { W. { M.	2298	181	240	276	242	245	1184	731	246	65	29	17	8	5	...	...	1	1	1	3	1	2	...	...	...	...	4	
{ F.	2352	134	192	230	263	255	1074	790	312	80	32	19	8	13	3	5	4	5	3	1	2	...	...	...	...	...	1	
{ C. { M.	140	32	17	21	21	8	99	25	9	1	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
{ F.	112	11	10	12	12	12	57	26	15	4	5	1	1	...	...	2	1	...	...	...	...	...	...	...	...	...	...	
5. Hooping-cough..... { W. { M.	273	148	61	27	15	8	259	10	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	
{ F.	345	173	81	43	19	12	328	11	2	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	
{ C. { M.	193	86	51	20	17	9	183	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
{ F.	198	85	47	30	15	8	185	12	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
6. Fever..... { W. { M.	54	9	2	3	...	1	15	2	2	4	3	2	3	4	2	...	1	5	4	2	2	1	...	...	...	...	...	
{ F.	64	9	3	1	2	2	17	4	4	4	3	4	2	2	1	2	2	3	2	2	2	4	3	1	1	...	...	
{ C. { M.	37	2	8	5	3	...	18	4	4	...	4	1	1	...	...	...	...	2	2	1	...	...	...	...	...	...	...	
{ F.	36	3	3	1	4	...	11	4	5	5	2	2	1	2	2	...	1	...	...	...	...	...	...	...	...	...	...	
7. Cerebro-spinal fever .. { W. { M.	114	26	19	9	7	8	69	12	4	12	2	...	2	2	1	1	1	1	4	1	2	...	...	...	...	...	...	
{ F.	138	32	8	10	7	3	60	19	8	7	5	8	8	3	1	3	1	1	2	4	2	1	...	...	...	...	4	
{ C. { M.	18	2	1	1	2	2	8	3	3	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	
{ F.	12	2	1	...	...	1	4	3	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
8. Enteric fever..... { W. { M.	1146	18	18	18	17	12	83	60	78	135	206	129	96	41	40	37	47	36	39	39	25	31	10	5	...	1	8	
{ F.	1088	17	16	23	11	13	80	76	95	164	155	95	72	52	48	42	42	35	31	26	36	19	6	6	2	...	6	
{ C. { M.	177	5	7	4	5	5	26	22	21	22	22	13	10	10	3	6	4	5	9	2	2	...	...	...	...	...	...	
{ F.	217	6	8	8	4	8	34	33	29	27	25	15	11	6	10	6	9	1	2	3	3	1	1	...	...	...	1	
9. Diarrhoea..... { W. { M.	487	157	60	18	9	3	247	8	7	2	3	8	7	13	19	16	14	15	20	21	29	21	18	9	3	4	3	
{ F.	419	142	49	19	9	...	219	4	3	2	5	9	8	7	7	7	14	4	18	25	17	28	21	10	2	1	8	
{ C. { M.	137	48	29	13	3	3	96	3	2	1	3	4	2	2	1	3	1	5	4	3	3	2	...	...	...	...	1	
{ F.	123	38	31	21	4	3	97	3	...	3	3	1	...	1	3	2	...	1	2	...	3	2	1	...	...	...	...	
10. Dysentery..... { W. { M.	446	121	85	45	14	6	271	21	10	4	5	8	3	7	3	9	7	10	12	14	15	23	9	7	...	1	7	
{ F.	476	103	81	38	13	12	247	19	5	6	6	5	9	9	7	11	11	22	18	14	23	26	19	8	2	2	7	
{ C. { M.	138	33	34	22	8	2	99	6	2	1	4	...	...	3	5	2	...	2	3	2	2	2	2	...	...	...	2	
{ F.	122	25	29	20	4	7	85	10	2	2	...	...	2	...	2	4	3	2	2	2	2	1	2	...	...	...	...	
11. Enteritis..... { W. { M.	592	173	41	26	13	7	260	41	20	27	30	11	13	16	21	18	22	7	20	24	23	20	13	5	...	...	1	
{ F.	504	109	33	33	9	10	194	31	24	11	20	21	10	18	20	19	24	17	19	15	20	19	16	3	1	...	2	
{ C. { M.	48	12	7	5	2	1	27	2	3	5	...	2	...	1	1	1	...	1	2	...	2	...	...	...	...	...	1	
{ F.	40	10	5	3	2	1	21	...	...	1	3	2	6	1	1	...	1	...	1	...	1	...	2	...	...	...	...	
12. Cholera morbus..... { W. { M.	119	11	10	4	1	1	27	10	5	1	1	4	5	2	4	3	9											

STATISTICS OF MORTALITY.

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 8—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas	{ W. { M. 226 F. 221 C. { M. 9 F. 12	47	10	4	2	2	65	8	5	4	7	7	6	9	10	11	9	17	14	15	12	12	6	6	1	2	
		61	3	4	2	1	71	5	7	5	9	9	3	8	13	6	11	10	14	13	10	11	7	4	2	2	
		2	1				3					1		3		1							1				
		2	3	1		1	7	1	1			1									2						
16. Septicæmia	{ W. { M. 119 F. 113 C. { M. 4 F. 7	7	3	2	2	2	17	7	3	4	7	3	4	8	8	7	13	9	11	2	6	4	2	2		2	
		2	4	2	3	4	15	4	3	2	10	13	11	15	7	6	5	5	3	1	2	2	2	2		4	
											2	1	1		1	1		1			1					1	
														2													
17. Puerperal septicæmia.	{ W.—F. 224 C.—F. 36									10	45	51	45	50	17	4										2	
										6	12	7	3	5	2	1											
18. Venereal diseases.....	{ W. { M. 43 F. 40 C. { M. 23 F. 11	19	3				22				1	1	3	3	3	3	1	2		3	1					1	
		20		2		1	23				3	3	4		1	2	2	3	2	1		1					
		1	1	1	1		4				4		2	3	4	1	2		3							1	
		1	1				2			2	3			1		1			1							1	
19. Others of this group ..	{ W. { M. 134 F. 80 C. { M. 22 F. 11	8	3	2	2	3	18	4		3	2	3		6	3	2	2	6	7	10	17	22	18	8	3	1	
		10		3	2	2	17	7	3	2	2	3	3	1	1	3	5	3	2	4	6	5	6	6			
		5		1	1		7		1		1				1		2	1		2	1	4			1	1	
		3	3				6											1			1	1		1	1		
General diseases—B.																											
Total.....	1118	513	73	49	37	20	692	36	10	11	26	34	34	37	46	29	29	29	30	18	16	18	9		2	1	11
Total: White.....	{ M. 582 F. 325	274	23	13	12	4	326	11	3	6	12	22	23	30	31	23	21	18	17	11	12	8	5		1	2	
		176	19	8	4	4	211	8	2	2	7	10	8	5	13	5	6	9	11	7	3	9	4			5	
Colored.....	{ M. 116 F. 95	37	13	17	12	4	83	7	4	1	4	1	1	2	1		1	2	2		1	1			1	3	
		26	18	11	9	8	72	10	1	2	3	1	2		1	1	1									1	
1. Worms	{ W. { M. 19 F. 22 C. { M. 47 F. 46	4	4	2	5	1	16	1		1								1									
		3	5	5	1	3	17	5																			
		6	11	13	10	2	42	3	1	1																	
		4	12	8	7	8	39	7																			
2. Other parasitic dis- eases.	{ W. { M. 1 F. 1 C. { M. 1 F. 1																			1							
3. Alcoholism	{ W. { M. 162 F. 31 C. { M. 11 F. 2							1	1	1	4	15	17	23	23	17	16	15	9	7	7	2	2			2	
												4	5	1	5	3	1	1	4	2	1	3			1		
											1	1	1		1		1	2	2		1				1		
											1	1	1														
4. Lead poison.....	{ W. { M. 1 F. 1 C. { M. 1 F. 1																										
5. Other poisons	{ W. { M. 82 F. 53 C. { M. 25 F. 13	5	8	4	4	2	23	7	2	3	6	4	5	5	6	5	3	2	4	2	3	1	1			1	
		10	3	1	2	1	17	3	1	2	4	3		2	4	2	3	2	3	2		2	2			1	
		2	2	3	1	2	10	4	3		3			2								1				1	
		1	4	1			6	3		1	1	1	1														
6. Inanition	{ W. { M. 319 F. 218 C. { M. 32 F. 33	265	11	7	3	1	287	2		1	2	3	1	2	2	1	2		4	2	2	5	2		1	3	
		163	11	2	1		177				3	3	3	2	4		2	6	4	2	2	4	2			2	
		29		1	1		31																			1	
		21	2	2	2		27		1	1	1				1		1									1	
General diseases—C.																											
Total.....	7790	4273	158	68	24	19	4542	22	12	13	23	27	21	27	30	48	51	60	102	167	352	519	777	520	271	176	30
Total: White.....	{ M. 3387 F. 3191	2006	58	21	9	7	2101	6	8	6	10	10	8	8	14	20	17	31	49	79	143	210	311	218	94	29	15
		1492	60	25	7	4	1588	11	3	5	11	11	10	17	15	20	29	22	45	73	169	268	388	269	147	77	13
Colored	{ M. 636 F. 576	452	17	13	5	7	494	3	1	1			2	1	1	3	3	2	3	5	21	17	33	17	11	18	
		323	23	9	3	1	359	2		1	2	6	1	1		5	2	5	5	10	19	24	45	16	19	52	2
1. Premature birth	{ W. { M. 286 F. 218 C. { M. 45 F. 32	286					286																				
		218					218																				
		45					45																				
		32					32																				
2. Stillborn	{ W. { M. 1147 F. 786 C. { M. 317 F. 231	1147					1147																				
		786					786																				
		317					317																				
		231					231																				
3. Malformation	{ W. { M. 45 F. 47 C. { M. 14 F. 12	43					43			1																1	
		45		1			46			1																	
		9	3	1		1	14																				
		6	2	1	1	1	11				1																
4. Debility	{ W. { M. 1180 F. 1172 C. { M. {																										

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 8—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	18361	698	389	225	157	115	1584	370	384	1189	1946	1697	1379	1302	1124	1044	1015	892	972	980	911	741	450	161	58	27	135
Total: White.....	M. 6831 F. 8298	337 261	144 123	62 57	51 36	38 36	632 513	105 99	93 124	297 559	620 877	548 837	487 675	449 640	413 534	398 509	423 459	395 405	416 442	433 472	413 424	331 351	214 206	73 80	27 22	6 13	58 57
Colored.....	M. 1310 F. 1922	57 43	68 54	56 50	32 38	23 18	236 203	67 99	49 118	110 223	162 287	117 195	76 141	71 142	69 108	59 78	59 74	32 60	62 52	36 39	38 36	30 29	12 18	7 1	7 2	2 6	9 11
1. Rheumatism.....	W. { M. 183 F. 172 C. { M. 22 F. 24	1 1 1	1 1 1	1 1 1	1 1 1	1 2 1	4 4 3	4 11 1	6 12 1	11 7 1	6 8 1	8 4 1	6 5 1	6 3 1	9 8 1	9 5 1	16 7 3	16 9 1	12 15 2	17 20 1	23 15 1	15 20 3	8 14 1	4 3 1	1 1 1	2 1 1	
2. Scrofula and tabes ..	W. { M. 160 F. 176 C. { M. 129 F. 160	45 38 7	16 16 17	6 11 8	2 4 10	3 4 7	72 73 49	8 12 16	9 7 7	7 2 18	5 5 12	3 5 4	5 6 5	5 6 2	7 11 4	3 6 2	4 6 3	5 6 3	4 1 1	8 6 1	7 5 3	1 2 1	1 5 1	1 2 1	1 1 1	1 1 1	
3. Leprosy.....	W. { M. F. C. { M. F.																										
4. Consumption.....	W. { M. 4512 F. 5439 C. { M. 862 F. 1376	128 106 30	37 44 26	23 19 23	23 10 9	16 10 8	227 189 96	38 35 32	42 82 35	243 511 84	571 807 145	515 767 106	440 586 60	389 523 61	326 371 50	286 288 44	273 222 39	238 184 28	236 212 28	228 209 19	180 176 17	132 143 8	80 63 3	24 27 2	7 6 3	2 3 1	
5. Hydrocephalus.....	W. { M. 241 F. 207 C. { M. 20 F. 21	114 84 6	64 52 7	17 19 5	14 10 1	6 9 1	215 174 19	7 11 1	4 3 1	1 2 1	1 3 1	1 2 1	1 4 1	1 1 1	1 1 1	2 1 1	2 1 1	1 2 1	1 2 1	1 2 1	1 2 1	1 1 1	1 1 1	1 1 1	1 1 1	1 2 1	
6. Cancer.....	W. { M. 682 F. 1137 C. { M. 28 F. 84	11 6 1	3 1 1	1 1 1	1 1 1	3 1 1	18 9 2	3 4 1	9 2 1	9 6 1	4 7 2	7 25 1	12 33 1	19 63 2	36 99 5	54 135 1	70 142 2	70 117 5	94 128 3	71 114 2	81 92 2	64 76 2	40 41 3	8 17 1	6 5 1	7 9 1	
7. Tumor.....	W. { M. 96 F. 133 C. { M. 14 F. 19	8 4 1	2 4 1	2 1 1	1 1 1	2 1 1	15 10 4	1 3 1	3 3 1	1 3 1	4 5 2	2 1 1	4 1 1	4 8 1	4 11 2	4 13 1	13 12 2	7 9 1	7 12 1	12 14 1	6 13 1	4 11 1	3 3 1	2 2 1	1 1 1	2 1 1	
8. Anæmia.....	W. { M. 33 F. 34 C. { M. 3 F. 2	3 3 1	1 1 1	1 1 1	1 1 1	1 1 1	4 4 3	1 1 1	1 1 1	1 3 1	2 3 1	2 4 1	2 2 1	1 2 1	1 3 1	1 4 1	1 1 1	2 1 1	3 1 1	3 2 1	4 2 1	1 3 1	1 1 1	2 1 1	2 1 1	2 1 1	
9. Dropsy.....	W. { M. 771 F. 935 C. { M. 222 F. 223	18 17 10	18 14 14	9 6 14	5 8 10	4 9 6	54 45 54	36 19 16	15 14 6	20 21 6	18 30 4	9 18 7	11 33 8	19 31 4	22 32 8	35 45 9	38 67 10	48 63 3	49 82 24	78 93 12	98 119 15	97 92 18	74 78 7	30 28 5	10 10 4	3 7 1	
10. Glycosuria.....	W. { M. 129 F. 51 C. { M. 4 F. 1	4 1 1	1 1 1	1 1 1	1 1 1	2 1 1	9 3 1	5 4 1	4 4 1	3 3 1	9 4 1	3 6 1	6 2 1	4 3 1	7 2 1	5 7 1	6 2 1	7 3 1	9 1 1	13 2 1	14 2 1	15 3 1	6 1 1	3 1 1	1 1 1	1 1 1	
11. Others of this group ..	W. { M. 24 F. 14 C. { M. 6 F. 12	5 1 1	3 1 2	4 1 3	1 1 3	1 1 2	14 2 6	2 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	
12. Others of this class...	W. { M. F. C. { M. F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	10722	2645	802	442	226	150	4265	355	189	183	203	207	213	235	258	307	385	382	552	671	775	684	510	209	52	32	55
Total: White.....	M. 5124 F. 4380	1204 980	385 315	204 180	93 108	71 64	1957 1647	153 136	77 72	83 69	101 73	97 84	104 87	129 80	131 107	145 130	184 158	192 163	286 234	347 288	405 332	351 305	232 248	96 105	25 21	7 15	23 26
Colored.....	M. 631 F. 587	253 208	58 44	31 27	15 10	8 7	365 296	33 33	22 18	21 10	9 20	16 10	13 9	15 11	9 19	13 26	18 15	12 14	18 19	17 24	14 12	16 20	10 6	2 1	5 1	1 9	
1. Inflammation of the brain.	W. { M. 472 F. 386 C. { M. 89 F. 78	127 113 28	73 45 9	29 34 8	13 18 3	17 18 1	259 228 49	30 22 11	16 10 5	14 17 5	21 8 2	10 13 1	10 5 3	14 10 3	7 4 2	10 10 2	11 6 3	10 9 1	15 12 1	12 7 1	11 7 1	7 4 1	4 1 1	1 1 1	1 1 1	1 1 1	
2. Meningitis.....	W. { M. 375 F. 322 C. { M. 50 F. 34	118 98 21	60 60 10	35 31 2	23 21 2	10 7 2	246 217 37	22 32 6	7 11 2	8 4 1	12 14 1	7 6 1	11 2 1	10 3 1	8 4 1	10 4 1	7 6 1	6 3 1	5 4 1	5 4 1	4 5 1	2 1 1	3 1 1	1 1 1	1 1 1	2 4 1	
3. Apoplexy.....	W. { M. 900 F. 767 C. { M. 36 F. 47	24 24 4	9 6 1	5 2 1	1 2 1	3 2 1	42 36 7	4 8 1	14 6 1	15 11 1	13 14 1	13 19 1	27 13 2	41 29 2	44 37 2	50 48 6	66 60 3	110 90 5	102 95 4	136 96 4	107 85 4	68 74 4	29 34 4	8 4 1	4 1 1	7 2 1	
4. Paralysis.....	W. { M. 1100 F. 1070 C. { M. 77 F. 106	11 12 1	3 7 1	5 2 1	4 5 2	5 2 1	28 28 3	7 7 1	8 11 3	8 8 5	13 10 1	9 15 3	16 10 2	29 27 2	27 44 1	30 40 5	51 60 8	55 43 10	104 100 8	159 125 10	182 164 7	175 169 5	129 137 6	50 55 1	14 14 1	3 10 1	

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 8—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
5. Tetanus and trismus nascentium.	{ W. { M. 87 { F. 38 { C. { M. 29 { F. 14	27	3			1	31	4	10	6	6	2	6	6	1	5	3	4		1		2						
		24	2	1			27	1	1	3	2		1	2							1							
		16		1	1		18		1	1		3	1	2	2	1												
		11		1			12	1						1														
6. Epilepsy	{ W. { M. 83 { F. 60 { C. { M. 25 { F. 20	3	2	1			6	5	6	5	9	9	8	8	6	2	5		4	2	3	1	1	1		2		
		3	2		1		6	1	5	2	5	3	6	11	6	2			1	3	4	3	2					
		2	1				3	1	5	3	1	4	1	1		2		1	1			1			1			
		5	2	1			8	2	2		3	2				1				2								
7. Convulsions	{ W. { M. 1091 { F. 906 { C. { M. 238 { F. 204	709	158	80	32	18	997	37	6	4	9	8	3	2	4	3	4	2		3		2	1	1		5		
		550	123	86	40	15	814	20	4	6	6	13	12	9	4	3		2	2	2	2	2	2			3		
		167	29	17	6	2	221	6	2	2	1		2	2	1							1						
		148	16	12	4	1	181	6	3		3		2	1	1	2	1						1			1	2	
8. Mental diseases	{ W. { M. 55 { F. 60 { C. { M. 10 { F. 8								1		2	5	6	3	11	4	8	3	3	7	5	4	3	1		1		
											1			1		1	1	2	3	3	1	6	2	1		1		
															1		1	3	1				1	1				
																	1	3	1				1					
9. Diseases of the brain	{ W. { M. 801 { F. 575 { C. { M. 64 { F. 63	165	73	44	18	13	313	36	16	16	12	30	28	25	28	29	32	34	37	45	52	42	19	3	1	3		
		141	61	19	14	16	251	37	15	14	12	12	13	14	13	18	20	32	19	26	32	22	16	5	2	2		
		13	5	2		3	23	8	3	2	2	3	1	1	3	4	1	1	5	1	4	1	1	1				
		11	6	4	1	2	24	9	3	1	3	3	2	6	2		4	2	1				1			2		
10. Diseases of the spinal cord.	{ W. { M. 99 { F. 87 { C. { M. 6 { F. 6	17	4	5	2	4	32	8	5		1	5	3	3	6	1	6	4	5	7	4	3			1			
		13	7	4	5	4	33	5	7		2	2	3	1	1	5	5	2	2	4	4	1	2			1		
		1	2				3		1								1				1							
		1			1		2	2	1		1																	
11. Others of this group	{ W. { M. 61 { F. 109 { C. { M. 7 { F. 7	3					3		2		3	2	1		1	3	6	8	4	3	8	6	2	6				
		2	2	1	2		7	2	2	2	1	1	4		8	6	8	9	5	12	14	9	8	9		2		
			1				1			1		2			2	1												
											1		1							1	2	1						
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total	4300	339	29	27	17	21	433	79	93	119	147	138	146	201	234	211	276	284	371	438	441	356	206	72	18	6	31	
Total: White	{ M. 2086	184	17	15	8	5	229	39	42	56	55	57	65	92	108	92	116	142	197	210	229	189	106	35	8	1	18	
	{ F. 1822	141	10	8	7	12	178	32	47	53	73	63	67	73	92	86	121	123	139	202	187	144	86	35	9	2	10	
Colored	{ M. 192	6	2	3	2	1	14	3	2	4	6	11	8	20	23	15	23	9	16	11	8	9	6	1	1	1	1	
	{ F. 200	8		1		3	12	5	2	6	13	7	6	16	11	18	16	10	19	15	17	14	8	1		2	2	
1. Angina pectoris	{ W. { M. 68 { F. 42 { C. { M. 1 { F. 1										2	2	4	3	2	3	6	5	10	12	6	4	6	2		1		
										2	2	1	1	2	2	3	1	3	2	10	5	2	5	1				
													1															
2. Aneurism	{ W. { M. 53 { F. 17 { C. { M. 6 { F. 6											3	2	9	4	5	5	4	5	6	8		2					
		1					1					1	1		2	2	3	2	2		1		1		1			
															1	2		1					1					
3. Diseases of the heart	{ W. { M. 1835 { F. 1663 { C. { M. 182 { F. 192	84	12	13	8	5	122	38	42	56	51	50	59	80	102	83	104	130	181	191	212	182	97	32	8	15		
		73	8	6	7	11	105	32	47	47	71	60	63	71	88	80	115	116	133	188	178	139	79	32	7	2	10	
		5	2	3	2	1	13	3	2	4	6	10	8	18	20	15	22	9	15	11	8	8	6	1	1	1		
		3		1		3	7	5	2	6	11	6	6	16	11	18	16	10	19	15	17	14	8	1		2	2	
4. Others of this group	{ W. { M. 130 { F. 100 { C. { M. 4 { F. 7	100	5	2			107	1			2	2				1	1	3	1	1	3	3	1	1		2		
		67	2	2		1	72			4		1	2				1	2	2	4	3	3	1	2	1			
		4	1				1					1			1	1												
		5					5				2																	
IV. DISEASES OF THE RESPIRATORY SYSTEM.																												
Total	10604	2145	1129	708	408	262	4652	503	160	310	328	241	262	307	271	322	379	353	449	536	517	467	287	129	52	20	59	
Total: White	{ M. 4667	954	458	283	168	119	1982	242	58	124	132	100	113	144	121	148	177	193	205	271	220	200	124	53	21	6	33	
	{ F. 4177	771	402	283	186	113	1755	185	57	105	103	89	103	113	99	139	138	123	192	222	259	230	144	71	25	6	19	
Colored	{ M. 170	244	134	83	29	18																						

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 8—Continued.

Cause of death.	Total.	Under 1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia.....	{ W. { M. 2560 F. 2343 C. { M. 626 F. 491	428 326 112 75	178 192 67 75	92 106 50 38	44 58 13 10	25 24 8 8	767 706 250 206	73 69 26 26	41 40 19 16	100 72 29 39	109 75 42 37	73 61 24 18	85 76 22 19	101 89 21 21	86 71 18 15	112 113 38 13	117 109 38 13	142 94 14 15	152 128 29 15	178 137 22 12	143 183 17 9	137 160 18 10	80 81 8 6	35 49 2 ...	8 14 2 3	3 7 4 ...	
5. Pleurisy.....	{ W. { M. 117 F. 81 C. { M. 27 F. 25	5 4 3 ...	2 ...	2 2 1 1	...	2 ...	11 6 4 4	4 ...	2 1 1 1	1 3 1 3	3 4 2 2	6 4 3 1	5 7 1 1	10 5 1 4	8 5 2 1	11 4 2 1	6 2 2 2	7 6 3 1	14 5 3 2	12 13 5 2	6 5 2 1	4 5 3 ...	1 3 ...	1 2 ...	...	...	
6. Asthma.....	{ W. { M. 104 F. 107 C. { M. 20 F. 17	5 4 5 1	2 1 1 2	1 ...	1 1 ...	1 ...	10 6 8 6	2 ...	1 ...	1 3 ...	1 1 ...	1 1 ...	2 3 1 1	8 3 3 2	4 2 1 2	7 6 3 2	11 5 2 ...	12 6 5 ...	19 14 2 2	14 17 1 3	3 10 2 1	4 8 1 ...	2 4 ...	...	1 1 ...	1 2	
7. Others of this group..	{ W. { M. 532 F. 449 C. { M. 46 F. 41	172 120 17 11	39 30 7 5	27 12 2 ...	8 11 3 ...	4 7 1 ...	250 180 30 16	17 12 1 3	4 10 ...	15 12 2 3	14 14 2 ...	9 12 2 ...	15 16 2 3	11 15 1 2	15 11 ...	19 11 1 1	19 12 3 2	17 22 1 1	38 32 1 3	24 22 ...	16 23 1 2	18 17 ...	8 4 ...	3 3 ...	2 1 ...	8 3 1 1	
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....		3770	687	326	111	37	37	1198	86	60	91	110	141	127	139	180	219	187	243	226	217	185	130	43	14	7	28
Total: White.....	{ M. 1641 F. 1483	306 185	83 99	40 27	16 15	14 17	459 343	34 35	24 28	40 35	57 53	44 69	54 68	61 67	82 82	101 95	102 73	115 104	124 88	126 80	82 90	60 64	17 21	8 6	4 2	13 11	
Colored.....	{ M. 346 F. 300	107 89	72 72	25 19	2 4	2 4	208 188	10 7	4 4	6 10	13 10	7 8	4 10	11 6	8 3	9 7	12 11	6 6	17 7	11 3	6 5	7 6	3 3	3 2	...	1 4	
1. Dentition.....	{ W. { M. 118 F. 104 C. { M. 114 F. 115	65 42 37 43	43 56 60 56	10 5 16 15	...	...	118 104 114 115	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
2. Angina.....	{ W. { M. 50 F. 37 C. { M. 8 F. 7	10 7 3 5	6 4 1 1	2 1 ...	4 1 ...	1 3 ...	23 16 5 6	4 3 1 ...	1 2 1 ...	...	3 ...	...	...	2 2 ...	1 1 ...	1 2 ...	3 3 1 ...	3 1 ...	1 ...	...	4 ...	1 3 ...	4 1 ...	1 ...	...	...	
3. Gastritis.....	{ W. { M. 124 F. 147 C. { M. 10 F. 5	18 12 1 1	3 8 ...	3 2 2 1	2 ...	...	26 25 3 2	4 6 1 ...	...	3 5 2 1	4 5 ...	1 4 ...	3 5 ...	4 7 ...	3 11 ...	8 12 1 ...	11 6 2 ...	4 8 1 ...	17 6 ...	10 11 ...	6 7 ...	7 14 ...	9 10 ...	1 2 ...	...	3 1	
4. Other diseases of the stomach.	{ W. { M. 155 F. 143 C. { M. 15 F. 11	14 16 4 1	7 3 ...	5 5 1 ...	3 4 ...	1 3 ...	30 31 5 3	6 4 2 1	3 5 1 1	2 3 1 1	4 9 1 1	2 3 ...	4 5 ...	3 4 ...	7 5 ...	10 5 ...	8 9 1 1	12 7 ...	17 17 ...	17 12 1 1	16 6 ...	11 9 ...	3 8 ...	...	...	...	
5. Obstruction of the bowels.	{ W. { M. 92 F. 60 C. { M. 10 F. 6	27 10 4 ...	3 ...	3 1 1 ...	1 2 ...	3 ...	37 13 5 ...	...	5 2 ...	4 1 1 1	...	5 5 ...	3 4 ...	3 4 ...	4 5 ...	4 1 2 ...	4 1 ...	1 4 ...	5 4 ...	8 4 ...	4 4 ...	2 2 ...	3 2 ...	1 2 ...	...	2 1	
6. Hernia.....	{ W. { M. 93 F. 66 C. { M. 23 F. 4	10 8 3 1	...	...	...	1 1 ...	11 9 3 1	1 ...	1 ...	1 1 ...	2 ...	1 3 ...	2 1 ...	2 2 ...	2 5 ...	8 9 2 ...	9 6 3 1	10 9 4 ...	10 9 3 ...	16 6 1 ...	6 2 ...	6 4 ...	1 3 ...	2 1 ...	...	...	
7. Other diseases of the bowels.	{ W. { M. 111 F. 62 C. { M. 24 F. 21	27 11 9 5	11 4 4 5	3 2 1 2	1 ...	2 ...	44 19 15 12	5 1 2 1	2 3 2 1	6 7 2 1	5 3 1 2	4 2 ...	...	2 3 ...	3 1 ...	5 1 ...	2 7 1 1	3 5 ...	4 5 ...	6 4 ...	8 5 ...	4 1 ...	3 1 ...	...	...	...	
8. Jaundice.....	{ W. { M. 86 F. 75 C. { M. 11 F. 9	38 17 5 3	...	1 1 1 ...	1 ...	1 ...	41 21 7 3	1 1 2 ...	...	1 1 ...	2 1 ...	...	...	2 2 ...	1 6 ...	3 2 ...	7 4 1 ...	3 5 ...	4 2 ...	5 4 ...	6 5 ...	4 7 ...	2 8 ...	2 ...	...	2 1	
9. Inflammation and abscess of the liver.	{ W. { M. 92 F. 86 C. { M. 8 F. 5	2 3 ...	...	1 1 ...	...	...	3 4 ...	2 ...	2 1 ...	2 3 ...	1 6 ...	7 3 ...	5 5 ...	6 5 ...	10 7 2 ...	10 6 1 ...	4 4 1 ...	11 12 ...	6 4 ...	12 10 ...	4 7 ...	1 6 ...	...	...	...	2 1 1	
10. Other diseases of the liver.	{ W. { M. 309 F. 254 C. { M. 28 F. 19	27 14 1 2	2 5 1 ...	2 2 1 ...	2 2 ...	2 ...	35 25 5 4	4 2 1 2	4 2 1 1	3 7 ...	7 7 ...	12 8 ...	15 9 ...	18 18 ...	21 16 ...	30 27 4 1	29 22 1 3	20 23 4 ...	37 21 1 ...	27 19 ...	24 18 1 ...	12 11 ...	4 7 ...	3 4 ...	1 1 ...	2	
11. Peritonitis.....	{ W. { M. 181 F. 265 C. { M. 11 F. 21	10 11 ...	4 4 1	4 1 ...	1 2 ...	...	19 22 1 ...	6 9 ...	6 8 ...	16 10 3 6	11 23 1 2	11 38 ...	10 34 ...	11 22 ...	13 17 ...	9 16 ...	6 13 ...	11 7 ...	6 10 ...	12 7 ...	13 8 ...	7 11 ...	9 5 ...	1 2 ...	1 ...	2 3	
12. Ascites.....	{ W. { M. 22 F. 29 C. { M. 8 F. 15	1 ...	2 ...	...	2 ...	...	3 2 1 3	...	...	...	1 ...	3 ...	1 ...	1 ...	1 ...	...	3 4 1 ...	2 4 ...	2 1 ...	4 2 ...	1 4 ...	3 1 ...	...	...	...	...	
13. Others of this group..	{ W. { M. 208 F. 157 C. { M. 76 F. 62	57 34 40 28	2 14 3 10	6 3 ...	1 1 ...	3 ...	69 52 44 39	1 5 2 ...	3 3 1 2	2 4 4 2	11 6 ...	5 2 ...	6 6 ...	3 3 ...	9 7 ...	12 9 5 4	20 5 ...	17 13 ...	11 10 ...	15 7 ...	7 9 ...	7 3 ...	3 1 ...	1 ...	2 2 1		

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 8—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	1684	39	7	19	11	10	86	40	29	49	68	76	64	71	77	84	99	117	157	152	188	166	99	40	11	3	8
Total: White.....	1034	26	3	10	5	8	52	24	16	29	33	34	27	35	40	44	59	77	103	95	139	114	68	29	7	2	7
.....	522	10	3	6	5	1	25	14	8	20	29	39	32	28	29	31	33	31	41	37	41	45	24	9	4	1	1
Colored	98	3	1	2	1	1	6	2	2	2	1	4	7	5	7	6	8	12	18	7	7	4	2	1	1	1	1
.....	30	1	1	1	1	1	3	2	3	4	2	1	1	3	2	1	1	1	2	1	1	3	1	1	1	1	1
1. Bright's disease.....	401	2	1	3	4	10	11	5	15	21	17	18	23	24	19	21	44	50	33	43	28	11	5	1	1	2	2
.....	273	2	1	2	4	10	11	5	12	21	17	18	23	24	19	21	44	50	33	43	28	11	5	1	1	2	2
.....	23	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
.....	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2. Calculus, urinary.....	53	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
.....	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
.....	24	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
.....	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3. Diseases of the kidney.....	355	16	2	3	5	3	29	8	5	10	11	6	5	7	12	17	25	22	28	34	52	46	23	9	4	1	1
.....	161	5	2	2	5	1	15	4	2	2	5	11	11	5	8	7	10	12	19	12	11	11	3	1	1	1	1
.....	25	2	1	1	1	1	3	1	1	1	1	2	3	3	3	3	1	1	1	1	1	1	1	1	1	1	1
.....	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4. Diseases of the bladder.....	126	6	2	2	2	8	8	4	2	2	5	2	2	2	1	3	4	6	13	13	23	24	10	6	2	1	1
.....	29	2	1	1	1	3	3	1	1	2	2	2	2	2	4	3	3	1	2	2	2	2	1	1	1	1	1
.....	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
.....	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5. Others of this group.....	99	2	2	2	1	5	5	1	1	1	3	4	2	2	4	6	5	5	9	13	6	16	6	1	1	4	4
.....	48	1	1	1	1	2	2	1	1	1	2	4	1	1	3	3	2	2	4	4	9	2	2	1	1	1	1
.....	14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
.....	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total.....	195									10	15	20	19	26	26	21	22	12	5	3	5	4	2	2			3
Total: White.....	156									7	11	15	15	18	25	18	16	10	3	3	4	4	2	2			3
Colored.....	39									3	4	5	4	8	1	3	6	2	2	1	1						
1. Ovarian tumors.....	38									2	2	2	3	2	7	2	9	2	2	1	2	1	1				
.....	3															1	1		1								
2. Ovarian diseases.....	2													1		1											
.....																											
3. Uterine tumors.....	23									1	2		1	4	6	3	3		1								2
.....	2												1														
4. Uterine diseases.....	28									4	4	5	3	5	3	1			1	1							1
.....	10									2	1	3				1	1	1									
5. Others of this group.....	65									5	4	7	7	11	9	6	3	5	1	1	1	2	2	1			
.....	24									3	4	3	2	4	1	2	4	1									
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total.....	662								1	62	145	116	141	108	68	13	3										5
Total: White.....	494									38	107	93	107	86	50	9											4
Colored.....	168								1	24	38	23	34	22	18	4	3										1
1. Abortion.....	26									1	7	7	4	5	2												
.....	13									1	3	2	2	5													
2. Child-birth.....	391									23	80	75	88	70	44	8											3
.....	146									1	18	34	21	30	17	4	3										1
3. Others of this group.....	77									14	20	11	15	11	4	1											1
.....	9									5	1		2		1												
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	252	22	12	10	7	6	57	15	26	9	11	14	7	8	10	13	11	12	8	19	13	10	4	1	2		2
Total: White.....	129	11	4	5	2	3	25	11	13	2	4	8	4	8	8	7	3	6	2	9	7	6	3	1	1		2
.....	95	8	6	3	2	3	22	1	11	4	7	4	2		1	6	8	6	4	8	5	4	1		1		
Colored.....	14	2	1	1	2	6	6		1	2		1			1				1	1	1						
.....	14	1	1	1	1	4	4	3	1	1		1	1					1	1								1
1. Diseases of the spine.....	91	11	2	5	2	3	23	10	3	1	3	2	3	4	8	5	2	5	1	8	5	3	2	1	1		1
.....	66	7	6	2	2	3	20	1	3	1	5	3	1		1	4	5	5	3	7	3	3			1		
.....	10	2	1	1	2	6	6			1									1	1							
.....	9	1	1	1	1	3	3	1	1	1		1	1					1									
2. Diseases of the bones.....	18		2			2	2	1	2	1		2		3			1	1	1		2	2					
.....	8	1	1	1		2	2		1	1						1		1			1	1					
.....	2																		1								1

TABLE XI.—DEATHS* IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 8—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
3. Diseases of the hip-joint.	W. { M. 14 F. 13 C. { M. 2 F. 2								5	1	4	1	1		1		2			1		1					
4. Others of this group.	W. { M. 6 F. 8 C. { M. 4 F. 1	1					1		3	1	1	1	1			1	1		1		1		1				
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.	262	54	8	4	5	2	73	7	5	7	11	13	14	19	6	12	13	25	12	13	12	9	6		1		4
Total: White.	W. { M. 131 F. 107	24	2	2	4	2	34	2	2	6	4	10	9	9	3	7	7	10	5	9	5	4	2		1		2
Colored.	W. { M. 13 F. 11	6	1				7				1			1	1		2										
1. Abscess.	W. { M. 96 F. 81 C. { M. 10 F. 7	16	2	2	2	1	23	2	1	6	4	8	9	7	3	5	2	8	3	7	1	3	2				2
2. Carbuncle.	W. { M. 16 F. 8 C. { M. 2 F. 2				1		1					1				1	2	2	2	2	3	1			1		
3. Others of this group.	W. { M. 19 F. 18 C. { M. 3 F. 2	8			1	1	10		1			1		2		1	3			1			1				1
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.	17	1			1	1	3			2	2		3	1		1		3		1	1						
Total: White.	W. { M. 11 F. 5	1			1	1	3			2	2				1		2			1							
Colored.	W. { M. 1 F. 1												1														
1. Addison's disease.	W. { M. 2 F. 3 C. { M. 1 F. 1										1		2					1			1						
2. Diseases of the spleen.	W. { M. 5 F. 1 C. { M. 1 F. 1				1	1	2			2								1		1							
3. Others of this group.	W. { M. 4 F. 1 C. { M. 1 F. 1	1					1				1			1		1		1									
XII.—ACCIDENTS AND INJURIES.																											
Total.	4056	442	145	145	115	75	922	275	197	266	307	267	241	209	195	200	175	154	143	117	114	111	52	37	9	9	56
Total: White.	W. { M. 2463 F. 876	138	59	60	39	23	319	142	130	192	212	190	173	158	145	152	133	117	102	79	70	66	21	16	3	5	38
Colored.	W. { M. 410 F. 307	97	15	33	15	12	172	31	20	23	36	28	24	13	10	7	7	6	6	10	6	4	2	3		1	1
1. Burns and scalds.	W. { M. 168 F. 219 C. { M. 72 F. 142	19	28	23	22	10	102	19	3	4	3	1	5	5	4	3	8	3	1	3		1	1	1			1
2. Drowned.	W. { M. 400 F. 59 C. { M. 46 F. 3	1	8	14	9	4	36	71	45	46	33	34	14	17	26	22	17	11	8	6	5	1		1		7	
3. Exposure and neglect.	W. { M. 25 F. 13 C. { M. 53 F. 47	5		1	1		7	1	1	1		2	1	2	1	2	3	1	1			1					1
4. Gunshot wounds.	W. { M. 91 F. 17 C. { M. 24 F. 3	1		1	1		3	7	6	18	18	5	9	8	3	5	1	1	3		1	2					1
5. Homicide.	W. { M. 36 F. 16 C. { M. 16 F. 8		2			1	3		1		11	2	3	5	2	1	2	1	1		4						1

STATISTICS OF MORTALITY.

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 8—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—continued.																											
6. Infanticide	{ W. { M. { F. C. { M. { F.	2	2				2																				
		2	2				2																				
7. Injuries by machinery.	{ W. { M. { F. C. { M. { F.	13							2	4	1		2	1			1	1									1
		1								1											1						
		1																									
8. Railroad accidents	{ W. { M. { F. C. { M. { F.	367		2	5	1	8	12	16	29	51	43	35	35	30	24	20	12	21	10	9	4	6	1			1
		51		1		1	1	3	3	1	7	1	2	3	5	1	6	1	3	3	3			2			4
		19									3	5	3	3	1	2	1	1									
9. Suffocation	{ W. { M. { F. C. { M. { F.	114	63	6	1	3	73	4	2		3	2	5	4		1	1		3	2	1	1	3				9
		87	55	8	1	2	66	5				1	2	1	2	1	1		1		1	2	2				2
		53	45	1	1		47				1	1	2						2								
10. Suicide by shooting	{ W. { M. { F. C. { M. { F.	49							1	2	3	6	6	4	7	4	5	4	3	2	1	1					
		2								1	1																
		1																1									
11. Suicide by drowning	{ W. { M. { F. C. { M. { F.	16									1			3		2	2	2		1	1	1					3
		10									2	1	1	2		1	1		1	1							
12. Suicide by poison	{ W. { M. { F. C. { M. { F.	20									2	2	3	3	2	2		1	2	2		1					
		4									3	1															
13. Other suicides	{ W. { M. { F. C. { M. { F.	143							1	8	11	10	10	8	7	13	13	21	13	7	7	8	2	1			3
		27								1	5		1	1	2	3	3	4	2	2	1						1
		4										4															
14. Sunstroke	{ W. { M. { F. C. { M. { F.	39				1	1		1	1	1	3	2	2	7	7	3	2	2	3	1	2		1			
		10	1			1	2		1		1		1	1	1				1	1	2						
		8							1	1		2	1					1	1		1						
15. Surgical operations	{ W. { M. { F. C. { M. { F.	9								3	3	1	1				1										
		8	1				1								3	2	1					1					
		3										1	1			1											
16. Wounds	{ W. { M. { F. C. { M. { F.	48	2	1	1		4		2	8	3	1	4	2	3	7	3		2	4	1	2					2
		12	1				1						3	1	2			3			1	1					
		4										1						1									
17. Others of this group	{ W. { M. { F. C. { M. { F.	923	45	12	14	2	7	80	28	49	68	68	78	73	59	53	59	53	57	42	39	39	41	9	11	3	11
		340	39	8	8	5	2	62	16	10	8	20	19	22	14	9	15	11	11	15	15	25	26	18	15	4	4
		106	17	2		1		20	10	7	9	10	10	8	6	3	2	3	3	2	9	1	1		2		
	53	19	8	1	1	2	31	3	2	3	3	1	1		1		1	2		1		2		1	1		

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 9.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
GRAND TOTAL.....	35231	9143	3015	1591	942	624	15315	1639	1060	1511	2036	1464	1225	1131	987	898	999	795	1099	1103	1174	1088	860	389	215	128	115	
Total: White.....	{ M. 13251 F. 13616	3824 3123	1175 1020	622 577	364 346	221 236	6206 5302	592 598	365 348	389 568	590 853	427 665	335 586	316 567	273 459	296 414	385 410	350 335	465 424	491 463	530 474	518 445	363 374	195 152	83 88	37 43	45 48	
Colored.....	{ M. 4045 F. 4319	1226 970	412 408	211 181	110 122	90 77	2049 1758	201 248	153 194	206 348	265 328	150 222	125 179	98 150	105 150	69 119	102 102	58 52	113 97	81 68	74 96	64 61	57 66	20 22	22 22	18 30	15 7	
Unknown causes.																												
Total.....	2974	1780	250	111	48	27	2216	61	34	28	39	35	29	34	31	30	42	36	45	51	63	64	67	25	11	10	23	
Total: White.....	{ M. 1102 F. 1025	709 588	88 71	38 37	15 16	7 8	857 720	20 23	9 6	4 11	10 15	5 16	4 14	5 20	3 15	7 15	17 12	14 14	16 20	21 21	21 28	35 24	24 26	12 9	2 7	3 3	13 6	
Colored.....	{ M. 425 F. 422	263 220	47 44	21 15	8 9	7 5	346 293	6 12	8 11	1 12	6 8	8 6	4 7	2 7	3 10	8 8	5 8	5 3	4 5	3 6	7 7	3 2	9 8	3 1	3 2	1 3	1 3	
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total.....	8944	2029	1373	756	413	298	4869	813	440	421	493	292	240	171	124	120	129	80	166	135	144	121	92	51	21	8	14	
Total: White.....	{ M. 3505 F. 3680	843 777	593 493	305 310	154 176	108 125	2003 1881	307 339	152 182	149 187	182 209	102 124	79 119	33 98	33 63	41 60	48 62	32 38	75 63	65 59	67 60	57 51	41 42	22 25	11 7	1 4	5 7	
Colored.....	{ M. 831 F. 928	213 196	136 151	68 73	36 47	34 31	487 498	81 86	43 63	36 49	49 53	27 39	17 25	16 24	13 15	7 12	11 8	5 5	16 12	6 5	4 13	3 10	3 6	3 1	3 3	2 1	2	
1. Small-pox.....	{ W. { M. 2 F. 2 C. { M. 2 F. 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2
2. Measles.....	{ W. { M. 101 F. 133 C. { M. 80 F. 82	35 44 29 15	21 25 12 19	6 8 9 7	3 2 6 6	4 10 2 2	69 89 58 49	6 10 7 11	9 2 2 6	5 5 1 6	3 5 1 3	1 3 1 2	3 2 1 1	3 2 1 1	4 1 1 1	4 3 1 1	4 3 1 1	4 3 1 1	4 3 1 1	4 3 1 1	4 3 1 1	4 3 1 1	4 3 1 1	4 3 1 1	4 3 1 1	4		
3. Scarlet fever.....	{ W. { M. 154 F. 132 C. { M. 26 F. 17	16 11 4 3	25 16 2 1	23 14 2 1	12 12 4 1	13 20 4 3	89 73 16 8	45 41 8 6	7 11 1 2	6 3 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2		
4. Diphtheria.....	{ W. { M. 454 F. 474 C. { M. 39 F. 60	50 57 8 9	70 48 7 5	63 40 4 4	45 63 4 4	44 51 3 4	272 259 26 28	113 130 10 20	47 61 2 6	13 14 2 3	2 5 2 2	2 5 2 2	2 5 2 2	2 5 2 2	2 5 2 2	2 5 2 2	2 5 2 2	2 5 2 2	2 5 2 2	2 5 2 2	2 5 2 2	2 5 2 2	2 5 2 2	2 5 2 2	2 5 2 2	2 5 2 2	2	
5. Hooping-cough.....	{ W. { M. 352 F. 424 C. { M. 156 F. 194	199 200 71 87	67 92 34 44	40 56 22 22	13 26 8 14	7 16 5 12	326 390 140 179	17 24 14 12	6 6 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2		
6. Fever.....	{ W. { M. 83 F. 90 C. { M. 28 F. 41	16 24 4 4	19 8 2 6	3 7 4 6	5 4 2 3	2 4 2 3	45 43 14 19	7 9 3 3	4 4 3 2	8 5 2 3	3 4 2 3	3 4 2 3	3 4 2 3	3 4 2 3	3 4 2 3	3 4 2 3	3 4 2 3	3 4 2 3	3 4 2 3	3 4 2 3	3 4 2 3	3 4 2 3	3 4 2 3	3 4 2 3	3 4 2 3	3		
7. Cerebro-spinal fever ..	{ W. { M. 44 F. 33 C. { M. 4 F. 11	18 5 1 1	7 3 1 1	6 4 1 1	1 1 1 1	2 1 1 1	34 14 2 3	2 6 1 2	2 4 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2 2 1 1	2		
8. Enteric fever.....	{ W. { M. 575 F. 602 C. { M. 169 F. 164	24 28 10 7	24 19 5 11	13 23 5 4	9 8 2 5	8 10 5 2	78 88 27 29	37 47 17 11	41 56 23 27	78 96 22 20	107 89 15 13	64 39 9 2	47 41 7 6	11 22 6 4	10 13 1 10	11 22 4 10	18 16 1 3	12 18 2 3	17 14 5 6	12 14 1 3	9 10 1 3	13 7 1 3	6 6 2 3	3 1 2 3	3 1 2 3	3		
9. Diarrhœa.....	{ W. { M. 265 F. 219 C. { M. 39 F. 41	82 54 11 10	47 44 17 15	19 23 1 6	10 6 1 2	2 1 2 2	160 128 31 33	4 2 2 1	2 3 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2		
10. Dysentery.....	{ W. { M. 408 F. 404 C. { M. 68 F. 55	96 57 19 15	100 75 17 12	55 54 6 6	23 25 4 2	9 6 2 1	283 217 48 36	30 30 2 2	12 9 2 1	7 8 3 2	6 9 2 2	2 5 2 2	2 9 2 2	2 6 2 1	2 1 2 1	2 1 2 1	2 1 2 1	2 1 2 1	2 1 2 1	2 1 2 1	2 1 2 1	2 1 2 1	2 1 2 1	2 1 2 1	2 1 2 1	2		
11. Enteritis.....	{ W. { M. 221 F. 212 C. { M. 49 F. 42	63 46 13 9	31 35 7 7	17 13 4 3	11 7 1 2	3 3 2 2	125 104 27 23	10 5 4 3	5 3 2 1	7 5 2 1	7 12 5 1	5 6 4 1	3 6 4 1	3 4 2 1	2 11 2 1	2 7 2 1	2 4 2 1	2 5 2 1	2 10 2 1	2 10 2 1	2 8 2 1	2 5 2 1	2 4 2 1	2 3 2 1	2 2 2 1	2		
12. Cholera morbus.....	{ W. { M. 62 F. 34 C. { M. 3 F. 10	9 6 4 4	15 6 1 1	3 4 1 1	1 4 1 1	1 4 1 1	28 16 5 5	11 4 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1		
13. Cholera infantum.....	{ W. { M. 372 F. 347 C. { M. 53 F. 45	186 187 29 19	136 98 17 18	36 48 5 5	8 12 1 2	6 2 1 1	372 347 53 45	372 347 53 45	372 347 53 45	372 347 53 45	372 347 53 45	372 347 53 45	372 347 53 45	372 347 53 45	372 347 53 45	372 347 53 45	372 347 53 45	372 347 53 45	372 347 53 45	372 347 53 45	372 347 53 45	372 347 53 45	372 347 53 45	372 347 53 45	372 347 53 45	372		
14. Malarial fever.....	{ W. { M. 288 F. 288 C. { M. 87 F. 94	19 31 5 8	25 18 12 10	17 15 6 6	7 7 3 3	7 7 6 2	75 75 32 29	21 26 11 13	16 18 8 9	24 22 8 4	35 24 5 6	13 17 3 3	13 16 2 5	6 18 4 3	5 14 1 4	5 9 3 1	8 11 2 3	7 5 4 1	12 8 4 4	10 6 1 3	13 6 1 3	10 6 1 3	5 4 1 3	4 4 1 3	1 1 1 1	1		

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas	{ W. { M. F. C. { M. F.	69	21	4	3	5	33	2	2		4	2	1		2	2	3	1	3	2	3	4	3	1	1		
		62	18	5	1		24	3	2	2	3	2	1		1		3		1	1	1	4	6	4	3		1
		9	3	1			4	1				1			1				1	1	1						
		7	1	1			2	2			1									1	1						
16. Septicæmia	{ W. { M. F. C. { M. F.	11				1	2	1		1	2	1		1				2						1			
		5						1					1	1			1				1						
		4	1				1		1		2																
17. Puerperal septicæmia.	{ W.—F. C.—F.	163 42								18 5	49 7	31 8	26 10	28 8	11 2												
18. Venereal diseases	{ W. { M. F. C. { M. F.	20	5				5	1				2	2	1		1	2		1	2	1	1	1				
		28	7	1		1	1	10		1	2		2	6	3		1		3								
		14	3	2		1		6	1			4				1			2								
		17	4	2		1	1	8			2	3		1	1			1			1						
19. Others of this group	{ W. { M. F. C. { M. F.	24	4	2	1		7		1		2		1	1					2	4	3	1	1		1		
		28	2			2		4	1	1		3	1	1	2	3		1	2	1	1	3	2		1		1
		7	3					3										1		1	1						1
		2		1				1															1				1
General diseases—B.																											
Total	379	119	63	44	21	17	264	30	5	8	12	5	3	4	1	4	5	6	9	8	6	1	3				5
Total: White	{ M. F.	162 118	45 46	26 16	20 12	7 4	7 5	105 83	11 8	2 1	2 3	7 4	4 1	3 1	1 1	4 1	3 1	5 1	7 1	4 3	1 5	1 3					1 3
	Colored	{ M. F.	47 52	11 17	13 8	7 5	5 5	38 3	3 8	2 2	2 1	1 1	1 1				1 1		1 1	1 1							1 1
1. Worms		{ W. { M. F. C. { M. F.	66	12	21	16	4	5	58	7	1																
	43		7	11	9	4	4	35	8																		
	25		3	9	4	5	1	22	3																		
	35		6	6	5	4	3	24	8	2				1													
2. Other parasitic diseases.	{ W. { M. F. C. { M. F.																										
3. Alcoholism	{ W. { M. F. C. { M. F.	21									1	2	1	2	1	3	2	2	5	2							
		4									1																
		3				1		1				1							1				2				
4. Lead poison	{ W. { M. F. C. { M. F.																										
5. Other poisons	{ W. { M. F. C. { M. F.	34	2	5	1	3	2	13	3	1	1	4	2		1		1		2	2	2	1	1				
		24	7	1	2		1	11		1	2	3		1	1			1		2	1		1				
		8	2	2	2			6			1							1									
		8	3	1		1		5			1	1								1							
6. Inanition	{ W. { M. F. C. { M. F.	41	31		3		34	1		1	2						1	1								1	
		47	32	4	1		37			1							1		1	1	3					3	
		11	6	2	1		9			1																1	
		9	8	1			9																				
General diseases—C.																											
Total	2618	1844	21	7	9	5	1886	3	2	7	7	9	9	2	5	5	4	7	24	23	53	111	180	109	93	74	5
Total: White	{ M. F.	1128 959	844 621	5 8	1 2	4 1	856 632	1 2	3 3	2 3	6 1	1 6	2 2	1 2	3 2	2 2	4 2	13 6	11 9	15 27	36 62	66 83	48 49	37 38	21 26	2 2	
	Colored	{ M. F.	308 223	236 143	3 5	3 1	3 2	247 151	1 1		1 1	1 2	1 1			2		1 3	2 3	3 6	5 5	8 19	12 10	2 7	11 6	11 16	1
1. Premature birth		{ W. { M. F. C. { M. F.	160	160				160																			
	119		119				119																				
	32		32				32																				
	20		20				20																				
2. Stillborn	{ W. { M. F. C. { M. F.	602	602				602																				
		428	428				428																				
		183	183				183																				
		111	111				111																				
3. Malformation	{ W. { M. F. C. { M. F.	35	30	1		1	32	1		1																1	
		16	13	1	1		15			1																	
		6	4	1	1		6																				
		6	3	2		1	6																				
4. Debility	{ W. { M. F. C. { M. F.	135	52	4	1	3	62			2	2	6	1		1	3	2	4	9	8	2	13	9	4	6	1	
		129	61	7	1		70		2	2	3	1	6	2	2	2	2	1	6	3	4	7	11	3	1	1	
		39	17	2	2	3	25	1		1		1			2			1		2	3	1		2			
		25	9	3	1	1	14	1		1	1	2	1									2		1	2		
5. Old age	{ W. { M. F. C. { M. F.	196																	4	3	13	23	57	44	31	21	
		267																1	6	23	55	72	46	37	25		
		47																2	1	2	7	12	2	9	11		
		61																3		6	3	19	10	6	14		
6. Atrophy	{ W. { M. F. C. { M. F.																										
		1					1	1																			

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 9—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	7071	299	185	120	76	48	728	188	212	533	819	627	506	481	442	356	372	288	337	297	324	258	174	64	28	12	25
Total: White.....	{ M. 2035 F. 3009	121	48	38	23	15	245	45	46	81	167	147	109	141	104	96	123	106	115	122	146	116	69	32	13	3	9
Colored.....	{ M. 787 F. 1240	46	35	31	20	12	144	48	55	80	105	53	46	28	39	22	31	18	38	19	19	16	15	2	2	2	5
1. Rheumatism.....	{ W. { M. 89 F. 78 C. { M. 22 F. 22	1	1	1	2	1	3	4	5	3	6	2	3	3	4	3	8	4	9	8	8	4	6	5	1	1	1
2. Scrofula and tabes.....	{ W. { M. 157 F. 142 C. { M. 124 F. 104	41	15	14	9	4	83	11	8	12	6	6	3	3	3	2	6	2	2	4	2	1	1	1	1	1	1
3. Leprosy.....	{ W. { M. F. C. { M. F.																										
4. Consumption.....	{ W. { M. 1123 F. 1952 C. { M. 479 F. 869	36	12	8	2	4	62	8	11	42	145	128	96	118	81	70	80	60	54	59	41	34	17	9	3	5	
5. Hydrocephalus.....	{ W. { M. 42 F. 30 C. { M. 10 F. 10	23	7	2	3	1	36	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
6. Cancer.....	{ W. { M. 150 F. 321 C. { M. 14 F. 48	1	2	1	1	1	4	2	1	4	7	5	12	24	25	33	35	41	31	26	21	26	16	3	3	1	1
7. Tumor.....	{ W. { M. 27 F. 46 C. { M. 7 F. 11	4	1	1	1	1	7	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
8. Anæmia.....	{ W. { M. 6 F. 10 C. { M. 2 F. 2	2	2	1	1	1	5	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
9. Dropsy.....	{ W. { M. 393 F. 410 C. { M. 120 F. 173	13	10	11	7	4	45	18	16	15	8	5	3	11	13	11	11	21	25	31	62	49	27	10	8	2	2
10. Glycosuria.....	{ W. { M. 42 F. 12 C. { M. 6 F. 6	1	1	1	1	1	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
11. Others of this group ..	{ W. { M. 6 F. 8 C. { M. 5 F. 1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
12. Others of this class ...	{ W. { M. 3 F. 2 C. { M. 2 F. 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
II.—DISEASES OF THE NERVOUS SYS- TEM.																											
Total.....	2981	766	305	138	80	43	1332	166	67	86	88	64	56	64	59	68	92	67	115	164	145	156	108	44	22	6	12
Total: White.....	{ M. 1189 F. 1144	288	119	60	32	15	514	55	31	30	25	25	15	26	21	29	40	31	55	72	67	74	46	21	6	1	5
Colored.....	{ M. 339 F. 309	116	43	22	9	6	196	21	12	6	18	6	8	10	8	4	6	4	7	7	6	9	3	6	1	1	1
1. Inflammation of the brain.....	{ W. { M. 255 F. 238 C. { M. 71 F. 55	92	51	21	15	5	184	18	4	6	4	6	1	5	2	4	5	5	2	4	2	2	1	1	1	1	1
2. Meningitis.....	{ W. { M. 115 F. 105 C. { M. 37 F. 40	41	19	18	4	2	84	8	6	2	3	3	1	3	1	2	2	3	1	1	1	1	1	1	1	1	1
3. Apoplexy.....	{ W. { M. 104 F. 62 C. { M. 18 F. 12	1	1	1	1	1	2	1	1	1	4	2	4	6	5	2	9	9	11	12	12	10	10	2	1	1	
4. Paralysis.....	{ W. { M. 269 F. 309 C. { M. 27 F. 39	6	5	1	1	1	13	5	3	2	3	3	3	5	5	10	17	10	25	33	27	48	29	15	4	1	1

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 9—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
5. Tetanus and trismus nascentium.	14	6	—	—	—	—	6	2	2	1	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	9	3	—	—	—	1	4	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	6	6	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	3	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
6. Epilepsy	52	8	1	—	—	—	9	1	3	5	3	4	2	3	3	2	1	1	2	2	3	4	1	2	1	—	—
	47	5	—	—	1	1	7	3	—	5	5	5	2	8	3	—	1	1	2	3	1	—	1	—	—	—	—
	10	1	1	1	—	—	3	—	1	3	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	14	4	—	—	1	—	5	1	—	3	1	—	—	—	—	1	1	—	—	1	—	—	1	—	—	—	—
7. Convulsions	167	94	20	9	5	4	132	2	6	2	2	3	2	1	—	—	2	—	4	3	4	2	2	—	—	—	—
	161	84	14	12	2	3	115	5	2	5	8	6	5	2	1	1	—	2	3	2	1	1	—	—	—	—	1
	105	66	19	5	2	1	93	4	—	1	—	1	—	—	—	—	1	—	2	—	—	—	—	—	—	—	1
	98	65	7	1	5	—	78	8	1	6	1	—	—	—	1	—	1	1	1	—	—	—	—	—	—	—	1
8. Mental diseases	12	—	—	—	—	—	—	—	—	4	—	—	—	—	1	—	2	3	2	—	—	—	—	—	—	—	—
	13	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	1	4	1	1	—	—	—	1	—	—	1
	4	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—
	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
9. Diseases of the brain	153	35	16	7	6	2	66	12	4	5	5	5	1	3	5	6	3	1	5	13	6	6	3	1	—	—	3
	126	27	21	9	3	1	61	7	2	1	6	3	4	5	2	5	6	5	2	9	5	1	1	—	—	—	1
	51	9	7	3	3	2	24	2	2	—	7	—	3	4	3	—	2	1	—	2	—	—	—	—	—	—	—
	31	7	3	2	1	1	14	6	1	—	1	—	—	—	—	2	1	—	—	—	—	3	2	—	1	—	—
10. Diseases of the spinal cord.	29	4	5	3	1	1	14	6	2	1	—	—	1	—	—	2	—	1	1	1	—	—	—	—	—	—	—
	33	9	8	1	1	—	19	3	—	1	3	1	—	1	1	1	—	—	1	1	—	—	—	—	—	—	—
	3	1	1	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6	1	—	1	—	—	2	1	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11. Others of this group	19	2	1	—	—	1	4	—	—	1	—	—	—	2	—	1	1	—	1	3	3	1	—	1	—	—	—
	41	—	—	—	—	1	1	1	1	—	2	3	2	1	7	3	1	2	4	6	4	3	—	—	—	—	—
	7	—	—	—	—	—	—	1	—	—	3	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	1	—	—	—	—	—
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total	973	52	9	7	4	6	78	19	24	27	37	39	32	41	50	53	58	65	85	114	103	81	38	17	6	2	4
Total: White	403	30	5	4	1	—	40	7	9	8	11	14	10	11	19	14	24	30	39	49	42	47	16	9	3	1	—
	386	16	—	2	2	3	23	6	11	10	17	16	15	17	20	22	17	24	32	46	50	29	18	7	2	1	3
Colored	85	3	2	1	1	1	8	2	1	6	2	3	6	6	4	11	5	4	6	10	4	3	2	1	1	—	—
	99	3	2	—	—	2	7	4	3	3	7	6	1	7	7	6	12	7	8	9	7	2	2	—	—	—	1
1. Angina pectoris	13	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	2	2	2	2	2	—	—	—	—
	9	—	—	—	—	—	—	—	—	—	1	1	—	1	1	—	—	2	—	2	1	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Aneurism	11	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1	1	1	1	1	1	1	2	—	—	—
	2	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
	2	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
3. Diseases of the heart	358	12	4	4	1	—	21	7	9	8	9	13	10	10	19	13	23	28	36	46	38	44	13	7	3	1	—
	364	10	—	2	2	3	17	6	11	10	15	14	15	15	19	22	17	22	32	46	48	28	18	5	2	—	2
	82	2	2	1	1	1	7	2	1	6	2	3	6	6	4	10	5	4	6	10	3	3	2	1	1	—	—
	94	2	1	—	—	2	5	4	2	3	7	6	1	7	6	6	12	6	8	9	7	2	2	—	—	—	1
4. Others of this group	21	18	1	—	—	—	19	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	11	6	—	—	—	—	6	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total	5125	1652	513	279	195	115	27																				

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 9—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia	{ W. { M. F. C. { M. F.	852	135	60	35	27	13	270	35	32	39	58	27	25	17	28	31	40	37	41	39	46	43	25	13	2	1	3
		831	92	46	35	19	12	204	25	30	45	49	47	44	37	40	27	37	34	40	46	48	35	31	6	3	3	
		420	87	42	20	6	8	163	12	9	34	43	22	19	12	15	8	17	12	17	10	11	8	4	2	2	2	
		386	60	32	20	8	11	131	24	22	42	36	11	13	16	18	10	10	5	13	6	15	6	4	2	2	2	
5. Pleurisy	{ W. { M. F. C. { M. F.	39	2	1	1	1	2	2	1	1	1	4	1	3	1	4	1	4	1	4	6	5	10	2	2	1	1	
		52	1	1	1	1	3	3	1	1	1	4	1	3	1	4	1	3	8	6	5	5	1	1	1	1		
		19	1	1	1	1	2	2	1	3	1	4	1	2	1	1	1	2	1	1	1	1	1	1	1	1		
		19	1	2	1	1	5	5	1	1	1	1	1	1	1	1	1	1	1	3	1	2	4	1	1	1		
6. Asthma	{ W. { M. F. C. { M. F.	23	1	1	1	1	1	1	1	1	1	2	2	1	3	2	1	1	2	3	4	3	2	1	1	1		
		20	1	1	1	1	1	1	1	1	1	1	1	3	1	3	1	1	1	2	4	2	2	1	1	1		
		4	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1		
		7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
7. Others of this group..	{ W. { M. F. C. { M. F.	73	9	5	5	2	21	21	1	5	2	2	6	3	4	3	4	3	2	5	6	3	3	1	1	1		
		100	9	3	3	1	17	17	3	3	13	11	6	4	2	5	8	3	2	6	4	4	2	6	1	1		
		30	9	1	1	1	11	11	1	1	1	1	1	1	2	1	3	1	2	3	2	1	1	1	1	1		
		23	2	1	1	3	8	8	2	2	1	1	2	1	1	1	1	1	2	1	1	1	1	1	1	1		
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total	1486	321	191	55	26	14	607	41	38	28	60	44	40	69	50	48	59	63	82	68	63	63	28	17	8	2	8	
Total: White.....	{ M. F.	604	134	46	17	15	8	220	22	13	7	17	14	14	26	23	16	28	36	39	30	32	30	17	12	3	5	
		548	101	65	16	7	4	193	13	11	17	30	20	22	33	17	25	20	20	32	29	24	25	8	3	3	2	
Colored	{ M. F.	179	50	38	12	3	2	105	2	6	3	7	4	1	4	6	3	6	5	7	8	2	3	2	1	2	1	
		155	36	42	10	1	1	89	4	8	1	6	6	3	6	4	4	5	2	4	1	5	5	1	1	1	1	
1. Dentition	{ W. { M. F. C. { M. F.	46	16	23	6	1	46	46	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
		65	18	42	3	2	65	65	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
		46	12	27	7	1	46	46	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
		49	12	33	4	1	49	49	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
2. Angina	{ W. { M. F. C. { M. F.	32	7	3	3	2	3	18	5	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1		
		30	4	4	3	2	2	13	3	6	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
		8	3	2	1	1	5	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
3. Gastritis	{ W. { M. F. C. { M. F.	40	6	1	1	1	9	9	3	2	2	2	1	2	1	3	1	2	5	2	3	1	1	2	1	1		
		38	5	1	1	1	8	8	1	1	2	5	1	4	1	3	1	1	4	2	4	1	1	1	1	1		
		3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
4. Other diseases of the stomach.	{ W. { M. F. C. { M. F.	60	14	7	1	4	26	26	1	1	3	1	3	1	1	4	4	3	3	4	3	1	3	2	1	1		
		71	8	3	2	1	15	15	2	1	6	5	4	4	1	2	2	6	5	3	3	6	4	1	1	1		
		5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
		10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
5. Obstruction of the bowels.	{ W. { M. F. C. { M. F.	31	6	1	1	2	9	9	1	1	1	2	2	1	4	1	1	1	2	1	2	1	2	1	2	1		
		18	2	1	1	1	3	3	1	1	1	1	1	1	1	1	1	1	2	2	2	1	1	1	1	1		
		3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
6. Hernia	{ W. { M. F. C. { M. F.	25	1	1	1	1	1	1	1	1	2	2	2	1	2	1	1	1	1	1	3	1	4	2	1	1		
		7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
		7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
		7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
7. Other diseases of the bowels.	{ W. { M. F. C. { M. F.	41	11	5	2	1	19	19	3	1	1	1	1	2	2	1	1	1	1	1	4	4	1	1	1	1		
		37	11	4	2	1	17	17	1	1	2	3	1	1	1	1	2	1	1	3	1	3	1	1	1	1		
		12	5	3	1	1	8	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
		8	2	3	1	1	5	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
8. Jaundice	{ W. { M. F. C. { M. F.	39	14	1	1	1	15	15	1	1	1	1	1	1	1	1	1	2	3	1	2	2	1	1	1	1		
		23	9	1	1	1	10	10	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	1	1	1		
		16	10	1	1	1	11	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
		5	3	1	1	1	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
9. Inflammation and abscess of the liver.	{ W. { M. F. C. { M. F.	36	5	2	1	1	7	7	1	1	2	1	1	3	2	4	3	4	2	1	2	4	2	1				

STATISTICS OF MORTALITY.

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 9—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	366	3	1	2	3	1	10	3	3	8	13	6	15	10	11	17	17	13	26	39	64	47	43	14	2	4	1
Total: White.....	M. 251	3	1				4	3	1	2	5	4	8	5	5	10	9	10	18	34	53	32	33	12		2	1
	F. 51			1	2	1	4		2	2	5	2	3	3	2	2	2	3	2	3	2	7	4	1	1	1	
Colored.....	M. 48			1	1		2			3	2		2	2	3	4	4		4	2	8	6	5		1		
	F. 16									1	1		2		1	1	2		2	1	2	1	1	1	1	1	
1. Bright's disease.....	M. 49									1	1	3	3	1	1	5	2	3	4	7	6	4	5	2			1
	F. 18					1	1		1	1	2	1	1	2	1	1	1	1	1	1	1	4	1				
	M. 10										1		2		2	1	2		1	1	1					1	
	F. 7												2			1				1	1			1		1	
2. Calculus, urinary.....	M. 74	1					1	2		1	2	1	2	2		2	1	2	2	6	20	12	13	3		2	
	F. 1																			1	3	2	4		1		
	M. 14			1			1												2	1	3	2	4		1		
	F. 14																										
3. Diseases of the kidney.....	M. 57	1	1				2	1	1		1		2	2	2	3	2	1	7	9	11	3	9	1			
	F. 26			1	1		2		1	1	1	1	2	2	1	2	1	2	2	2	2	2	3	1	1	1	
	M. 18				1		1			3	1			1	1	2	2		1	3	2	1					
	F. 6								1	1	1				1		1		2								
4. Diseases of the bladder.....	M. 40	1					1				1				2			2	3	6	11	9	3	2			
	F. 3										1							1				1					
	M. 4															1					1	2					
	F. 1																				1						
5. Others of this group.....	M. 31				1		1				1		1				4	2	2	6	5	4	3	4			
	F. 3													1													
	M. 2													1					1								
	F. 2																1						1				
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total.....	158			1			1		3	6	13	23	18	19	16	21	13	9	4	7	2	2					1
Total: White.....	F. 130			1			1		2	3	12	17	13	17	12	19	11	9	4	5	2	2					1
Colored.....	F. 28								1	3	1	6	5	2	4	2	2		2								
1. Ovarian tumors.....	M.—F. 12										1	3		1		4	1	1	1								
	C.—F. 12																										
2. Ovarian diseases.....	M.—F. 2														1	1											
	C.—F. 2																										
3. Uterine tumors.....	M.—F. 1												1														
	C.—F. 1														1												
4. Uterine diseases.....	M.—F. 29										2	4	4	4	3	6	3	1	1								1
	C.—F. 14									2	1	3	2	2	1	1	1		1								
5. Others of this group.....	M.—F. 86			1			1		2	3	11	12	8	12	7	11	4	5	2	4	2	2					
	C.—F. 13								1	1		3	3		2	1	1		1								
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total.....	329								1	48	76	66	54	49	24	9		1									
Total: White.....	F. 264								1	34	56	56	41	42	23	9		1									1
Colored.....	F. 65									14	20	10	13	7	1												
1. Abortion.....	M.—F. 29									4	9	4	8	3	1												
	C.—F. 10									1	5	1	3														
2. Child-birth.....	M.—F. 209								1	23	42	47	30	35	21	8		1									1
	C.—F. 51									12	14	8	10	6	1												
3. Others of this group.....	M.—F. 26									7	5	5	3	4	1	1											
	C.—F. 4									1	1	1		1													
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	112	16	8	7	1	1	33	2	4	4	7	7	6	5	4	7	7	6	7	3	3	3	4				
Total: White.....	M. 53	9	2	2	1	1	15	1	2	2	1	5	3	2	1	3	3	5	4	1	2	1	2				
	F. 35	5	3	2			10		2		4	2		3	1	3	3	1	2	2		1	1				
Colored.....	M. 12	2		2			4	1		2			2								1	1	1				
	F. 12		3	1			4				2		1		2	1	1		1								
1. Diseases of the spine.....	M. 40	9	1	2	1		13	1	2	1	1	3	3	1		2	2	4	2	1	1	1	2				
	F. 21	5	3	2			10		2		3			3		1		1				1					
	M. 8	2		2			4	1		2			1														
	F. 4		3				3										1										
2. Diseases of the bones.....	M. 3											1					1		1								
	F. 2																		1	1							
	M. 3												1									1	1				
	F. 1										1																

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 9—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
3. Diseases of the hip-joint.	1 5 2											1					2			1	1						
													1		1												
4. Others of this group	9 7 1 5		1			1	2			1		1		1	1	1	1	1	1								
											1				1	1											
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	69	19	7		2	1	29	3	2	2	3	1	2	1	2	3	3	6	4	3	3		1			1	
Total: White	37 21	10 6	2 3		1	1	14 9	2 1	2	2		1	2		1		3	4	2	1	2					1	
Colored	8 3	2 1	2		1		5 1				1				1					1			1				
1. Abscess	26 11 7 2	3 1 2	1 1 1		1	1	6 2 4	2	2	2			1		1		2	4	2	1	2					1	
2. Carbuncle	1 2 1	1					1 1							1				1									
3. Others of this group	10 8 1	6 5 1	1 2				7 7 1					1	1				1										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	15	1		1			2		1	1	1	3	2	1				1			1		1	1			
Total: White	8 6	1		1			2		1			2		1				1			1			1	1		
Colored	1										1																
1. Addison's disease																											
2. Diseases of the spleen	6 4			1			1		1			2		1				1									
3. Others of this group	2 2 1	1					1					1								1					1		
XII.—ACCIDENTS AND INJURIES.																											
Total	1626	242	89	63	63	48	505	124	96	107	149	108	83	71	44	49	63	31	38	38	22	38	26	17	9	3	5
Total: White	790 364	78 60	34 28	26 18	23 20	13 17	174 143	48 35	51 21	50 11	100 18	67 18	52 9	39 14	26 4	32 10	30 13	24 6	25 6	19 10	10 5	20 14	11 12	7 7	3 4	1 1	1 3
Colored	301 171	60 44	13 14	11 8	12 8	11 7	107 81	18 23	15 9	30 16	27 4	18 5	17 5	14 4	11 3	5 2	12 8	1	6 1	8 1	5 2	2 3		2 1	2 1		1
1. Burns and scalds	72 110 39 66	11 7 6 4	8 13 5 4	14 8 5 5	15 14 7 3	3 9 5 4	51 51 28 20	8 20 5 18	2 12 1 6	1 2 1 5	2 3 1 1	1 2 1 3	2 1 1 2						1 3 2 5	1 1 1 1		1 2 1 2		1 5 1 2		1 1 1 1	
2. Drowned	60 15 23 7		6 1 1 1	2 3 1 1		2 2 1 1	10 9 3 3	7 1 4 2	3 1 3 2	6 11 5 5	11 4 1 1	4 3 1 1	3 1 1 1	4 1 1 1	1 1 1 1	1 1 1 1	4 2 1 1			2 1 1 1		3 1 1 1	1 1 1 1				
3. Exposure and neglect	25 41 33 23	10 11 15 7		1 1 4 6	1 1 4 1	2 1 1 2	14 13 25 16	2 1 1 1			3 5 1 2	1 3 1 2	2 2 1 2		3 2 2 2		2 1 1 1	1 1 1 1		4 1 1 1		1 1 1 1	2 1 1 1	1 1 1 1	2 1 1 1	1 2 1 1	
4. Gunshot wounds	93 10 32 1			1 2	1		2 3	3 1 3	6 1 7	12 1 4	21 2 5	14 1 5	15 1 3	6 1 2	2 1 1	3 1 1	3 1 1	5 1 1		1 2							
5. Homicide	55 3 18			1			1	1	3	3	17	10	1	6	3	3	2	2		1	1				1		

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 9—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—continued.																											
6. Infanticide	W. { M. 1 F. 3 C. { M. 3 F. 3	1	3				1																				
7. Injuries by machinery	W. { M. 1 F. 1 C. { M. 1 F. 1	1								1				1													
8. Railroad accidents	W. { M. 48 F. 3 C. { M. 16 F. 16	48	3			1	1	2	4	3	10	11	3	4	2	3	2		2	1							
9. Suffocation	W. { M. 49 F. 47 C. { M. 31 F. 26	49	29	6	1	2	38	3	1			2	1			2	1									1	
10. Suicide by shooting	W. { M. 5 F. 1 C. { M. 1 F. 1	5									1	1	1						1								
11. Suicide by drowning	W. { M. 1 F. 2 C. { M. 1 F. 1	1										1					1								1		
12. Suicide by poison	W. { M. 1 F. 2 C. { M. 1 F. 1	1								1	1			1													
13. Other suicides	W. { M. 22 F. 7 C. { M. 1 F. 1	22							2	1	3	1	2	2			2	1	4	2	1		3		1		
14. Sunstroke	W. { M. 4 F. 1 C. { M. 6 F. 1	4									1				1		1				1						
15. Surgical operations	W. { M. 2 F. 1 C. { M. 2 F. 2	2													1					1							
16. Wounds	W. { M. 12 F. 3 C. { M. 3 F. 3	12		1			1	1		1	1	1	1			2	1			1		2					
17. Others of this group	W. { M. 339 F. 116 C. { M. 95 F. 44	339	27	13	6	4	5	21	30	23	33	21	23	15	16	18	16	13	19	10	7	8	9	2			
			10	4	4	3	6	11	7	3	4	8	4	7	1	5	4	3	3	2	3	5	8	6	2	1	2
			11	1	1	4	4	4	4	12	8	8	7	7	3	2	7	1	2	4	1		1	1	2		1
			11	2	2	2	2	2	2	5	2	2	3	1	2	1	2			2		1					

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 10.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	35841	8441	2597	1595	894	688	14215	1922	1009	1479	2040	1651	1313	1322	1198	1122	1144	1044	1210	1312	1286	1042	810	406	161	73	82
Total: White..... { M.	17152	4257	1259	754	416	330	7016	897	437	574	826	626	567	564	564	598	607	561	660	700	689	527	421	203	62	24	29
{ F.	15528	3352	1093	679	381	313	5818	871	445	715	989	852	632	641	520	447	464	425	477	541	539	471	348	184	84	34	31
Colored..... { M.	1576	423	123	76	49	19	690	73	52	95	107	77	58	57	59	37	39	31	45	39	33	26	20	13	7	7	11
{ F.	1585	409	122	86	48	26	691	81	75	95	118	96	56	60	55	40	34	27	28	32	25	18	21	6	8	8	11
Unknown causes.																											
Total.....	1491	878	93	41	22	15	1049	41	14	21	28	17	29	16	19	24	21	24	28	39	36	36	28	14	2		5
Total: White..... { M.	706	435	44	17	12	6	514	19	8	9	6	7	10	5	11	12	11	12	16	17	15	14	11	8			1
{ F.	598	322	37	19	7	8	393	14	6	9	16	10	19	10	5	9	8	11	12	16	16	21	14	5	2		2
Colored..... { M.	101	64	8	1	2	1	76	4		2	5				3		2			2	3		1	1			2
{ F.	86	57	4	4	1		66	4		1	1			1		3		1		4	2	1	2				
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	9342	2203	1259	767	445	382	5056	1082	430	417	433	282	197	207	170	121	136	132	141	164	113	108	73	49	9	9	13
Total: White..... { M.	4442	1078	625	371	214	185	2473	519	184	179	182	114	77	80	80	62	65	70	72	99	64	47	36	28	3	4	4
{ F.	4326	985	552	346	200	184	2267	520	221	207	217	140	110	113	69	51	61	52	65	59	48	58	34	19	5	5	5
Colored..... { M.	290	66	35	29	16	8	154	20	8	19	18	15	6	8	12	4	7	5	2	3	1	2	1	1	1		3
{ F.	284	74	47	21	15	5	162	23	17	12	16	13	4	6	9	4	3	5	2	3		1	2	1	1		1
1. Small-pox..... { W. { M.	1	1					1																				
{ F.																											
{ C. { M.	1													1													
{ F.																											
2. Measles..... { W. { M.	144	28	44	28	9	13	122	13	2	2	1	1	1	1	1												
{ F.	167	43	35	31	9	6	124	20	6	4		6	4			2											
{ C. { M.	23	2	7	5	1	1	16	4	2	1																	
{ F.	23	5	8	5			18	4	1																		
3. Scarlet fever..... { W. { M.	686	67	94	102	101	63	427	202	38	12	2	1	1	1	1												1
{ F.	687	52	83	100	90	90	415	202	49	11	3	1	3	1					2								
{ C. { M.	24	4	3	5	2	2	16	6	1	1																	
{ F.	20	5	1	3	3		12	3	4			1															
4. Diphtheria..... { W. { M.	479	28	42	72	55	63	260	159	35	9	5	1	1	3	1		2			1		1					1
{ F.	511	35	53	68	45	48	249	167	64	14	4	5	1	1		1	2	1	1								
{ C. { M.	8	1	1	1	2	1	6	1																			
{ F.	9		2	2	1		5	1	3																		
5. Hooping-cough..... { W. { M.	195	88	50	23	10	7	178	14		1	1	1															
{ F.	193	86	49	20	12	8	175	13	2		2																
{ C. { M.	35	12	7	10	4	1	34			1																	
{ F.	31	8	10	1	7	3	29	1		1																	
6. Fever..... { W. { M.	11	1	3	1			5	2	1		1	1		1				1									
{ F.	14		2				2		1	1	1	2	1	1	1			1	1			2					
{ C. { M.	2																										
{ F.	2																										
7. Cerebro-spinal fever .. { W. { M.	76	14	12	11	1	5	43	7	11	4	4	1	2	1	1		1	2									
{ F.	70	12	14	6	4	4	40	8	4	5	5	1	3	2	1	1											
{ C. { M.	6	2	1				3																				
{ F.	5	1		1			2	1	2																		
8. Enteric fever..... { W. { M.	671	13	11	17	10	10	61	37	47	101	116	66	42	27	34	22	19	24	22	26	10	12	2	2			1
{ F.	553	8	15	15	4	4	46	47	54	110	80	43	25	32	18	19	16	13	13	10	9	10	5	2			1
{ C. { M.	40				1	1	2	3	3	6	10	4	2	2	2	1	3										
{ F.	32	2		1	1		4	3	4	4	5	5	1	2		2		1	1								
9. Diarrhœa..... { W. { M.	300	118	42	13	7	3	183	5	3	2	5	2	7	5	10	3	12	7	7	17	5	6	10	7		3	1
{ F.	216	122	30	11	2	1	166	1	3	1	1	7		2	4	1	1		3	4	2	7	7	1	1		3
{ C. { M.	21	8	2	1	1		12		1		1																
{ F.	16	3	6	1			10	2				1															1
10. Dysentery..... { W. { M.	269	59	49	24	6	2	140	17	9	5	2	6	5	7	4	8	4	11	18	9	13	2	5	3	1		
{ F.	272	60	40	22	7	6	135	13	2	5	8	3	5	5	8	7	14	8	12	9	10	14	7	3	3	1	
{ C. { M.	19	2	4		1		7					1		1													
{ F.	18	4	3	2			9					2		1	2		2										
11. Enteritis..... { W. { M.	315	96	39	13	3	3	154	24	16	12	11	5	4	9	11	5	3	8	9	15	10	7	4	7	1		
{ F.	268	79	32	16	5	3	135	8	6	7	11	3	7	17	7	2	7	8	11	13	7	10	4	5			
{ C. { M.	31	8	4		1	2	15	2	1		2	3		2	3	1											
{ F.	22	4	5	2		1	12			1	1	1	1	1	3												
12. Cholera morbus..... { W. { M.	70	3	3	3		1	10	4		2	2	1	1	3	2	5											

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 10—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
General diseases—A—Continued.																													
15. Erysipelas	{ W. { M. {	103	31	10	3	1	1	46	1	3	7	4	3	2	7	3	3	5	2	3	2	2	2	5	1	1	1	...	
		{ F. {	96	32	3	1	...	2	38	3	3	1	7	4	7	5	...	3	2	4	5	3	1	3	2	...	2	...	
		{ C. { M. {	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
		{ F. {	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
16. Septicæmia	{ W. { M. {	44	7	...	3	...	...	10	1	2	2	4	1	...	...	2	2	2	2	1	6	3	4	1	1	...	...		
		{ F. {	34	...	...	2	...	...	2	1	2	3	8	3	4	6	...	2	1	2	2	...	...	...	...	...	...		
		{ C. { M. {	5	...	...	...	...	...	...	...	...	2	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...		
		{ F. {	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...		
17. Puerperal septicæmia	{ W. — F. {	200	...	...	...	...	...	...	...	...	14	58	50	34	26	16	2	...	...	...	...	...	...	...	...	...	...		
		{ C. — F. {	11	...	...	...	...	...	...	...	...	2	5	1	...	1	2	...	...	...	...	...	...	...	...	...	...		
18. Venereal diseases	{ W. { M. {	34	14	4	1	...	...	19	...	...	...	1	2	1	3	1	2	2	1	...	2	...	...	...	...	...	...		
		{ F. {	24	15	...	1	1	...	17	...	...	1	3	...	1	...	2	...	...	...	...	...	...	...	...	...	...		
		{ C. { M. {	15	3	...	...	...	...	3	...	...	...	1	2	1	1	3	2	...	1	...	...	...	...	...	...	...		
		{ F. {	17	6	...	...	...	...	6	...	...	3	3	2	...	2	...	1	...	...	...	...	...	...	...	...	...		
19. Others of this group	{ W. { M. {	33	2	1	...	...	...	3	1	1	3	1	5	1	...	1	2	1	1	1	3	5	1	2	1	...	...		
		{ F. {	29	2	2	...	1	...	5	1	...	2	1	2	...	4	2	1	1	2	3	2	3	...	...	...	...		
		{ C. { M. {	2	1	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...		
		{ F. {	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
General diseases—B.																													
Total		529	282	31	17	14	5	349	10	3	2	5	9	12	18	17	20	19	17	11	13	10	10	...	1	1	...	2	
Total: White	{ M. {	305	145	14	8	8	1	176	5	2	...	2	6	11	11	12	16	14	15	10	11	8	6	...	...	...	...		
		{ F. {	173	104	13	5	4	4	130	2	...	1	3	3	1	6	5	4	4	2	1	1	2	4	...	1	1	...	2
Colored	{ M. {	26	17	1	...	2	...	20	1	1	1	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...		
		{ F. {	25	16	3	4	...	...	23	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
1. Worms	{ W. { M. {	17	7	4	1	2	...	14	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
		{ F. {	17	5	6	4	1	...	16	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
		{ C. { M. {	4	1	...	...	2	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
		{ F. {	4	1	1	2	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
2. Other parasitic diseases.	{ W. { M. {	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
		{ C. { M. {	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
3. Alcoholism	{ W. { M. {	83	...	...	...	...	...	...	...	...	...	1	4	8	8	11	14	12	8	6	7	3	1	...	...	...	...		
		{ F. {	10	...	...	...	1	...	1	...	...	...	...	...	...	2	4	3	...	...	...	...	...	...	...	...			
		{ C. { M. {	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	1	...	...	...	...	...	...		
		{ F. {	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
4. Lead poison	{ W. { M. {	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
		{ C. { M. {	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
5. Other poisons	{ W. { M. {	47	6	4	4	5	1	20	3	...	...	1	1	3	3	1	1	2	3	1	3	2	3	...	...	...	...		
		{ F. {	29	5	3	1	1	4	14	1	...	1	2	1	1	3	1	...	...	1	...	1	1	...	...	...	...		
		{ C. { M. {	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
		{ F. {	2	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
6. Inanition	{ W. { M. {	157	132	6	3	1	...	142	...	1	...	...	...	...	...	...	1	...	4	3	1	3	2	...	...	...	...		
		{ F. {	117	94	4	...	1	...	99	...	...	...	1	2	...	3	2	...	1	1	...	1	3	...	1	1	...	1	
		{ C. { M. {	18	16	1	...	...	...	17	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
		{ F. {	19	15	2	2	...	...	19	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
General diseases—C.																													
Total		3076	2066	15	9	8	2	2100	4	2	9	6	9	2	9	13	11	11	15	30	63	130	162	214	150	87	45	4	
Total: White	{ M. {	1549	1122	8	5	1	1	1137	3	2	3	2	4	1	6	2	6	6	5	17	21	51	72	104	66	30	9	2	
		{ F. {	1244	743	7	3	3	1	757	1	...	6	3	2	1	3	11	5	3	8	11	36	70	80	97	75	52	23	...
Colored	{ M. {	145	102	...	1	2	...	105	...	...	...	1	1	...	...	...	...	...	1	...	1	6	7	6	8	2	6	1	
		{ F. {	138	99	...	...	2	...	101	...	...	...	2	...	...	...	...	...	2	1	2	5	3	3	7	1	3	7	1
1. Premature birth	{ W. { M. {	196	196	...	...	...	...	196	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
		{ F. {	152	152	...	...	...	...	152	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
		{ C. { M. {	20	20	...	...	...	...	20	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
		{ F. {	18	18	...	...	...	...	18	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
2. Stillborn	{ W. { M. {	810	810	...	...	...	...	810	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
		{ F. {	496	496	...	...	...	...	496	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
		{ C. { M. {	67	67	...	...	...	...	67	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
		{ F. {	68	68	...	...	...	...	68	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
3. Malformation	{ W. { M. {	43	43	...	...	...	...	43	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
		{ F. {	21	20	...	1	...	...	21	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
		{ C. { M. {	1	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
		{ F. {	5	5	...	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
4. Debility	{ W. { M. {	227	71	8	5	1	1	86	3	2	3	2	4	1	6	2	6	5	3	12	12	26	17	20	10	3	2	2	
		{ F. {	225	74	7	2	3	1	87	1	...	6	3	2	1	3	11	5	3	8	7	20	19	12	6	4	3	...	
		{ C. { M. {	25	15	...	...	2	...	17	...	...	...	1	1	...	...	...	...	...	1	...	1	2	1	...	...	...		
		{ F. {	21	8	...	...	2	...	10	...	...	...	...	2	...	...	...	...	2	1	2	1	...	1	...	...	...		
5. Old age	{ W. { M. {	271	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	5	9	25	55	84	56	27	7	...
		{ F. {	349	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	16	46	61	85	69	48	20	...
		{ C. { M. {	32	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	6	6	4	7	2	5	1
		{ F. {	26	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	3	2	6	1	3	7	...
6. Atrophy	{ W. { M. {	2	2	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
		{ F. {	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
		{ C. { M. {	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
		{ F. {	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 10—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	7486	302	176	107	43	34	662	152	194	552	957	799	594	548	479	412	408	352	359	307	321	185	126	43	15	4	17
Total: White.....	{ M. 2936 F. 3626	125	66	43	11	10	255	48	46	153	323	262	230	201	201	176	193	162	187	144	167	87	65	25	7	1	3
	{ F. 3626	125	69	28	15	14	251	57	91	307	512	442	301	281	238	202	193	168	141	139	135	85	50	17	4	3	9
Colored.....	{ M. 412 F. 512	28	21	14	8	3	74	22	20	36	49	38	25	29	19	17	10	13	16	14	11	9	7	1	2	1	4
	{ F. 512	24	20	22	9	7	82	25	37	56	73	57	38	37	21	17	12	9	15	10	8	4	4	1	2	1	4
1. Rheumatism.....	{ W. { M. 69 F. 59 C. { M. 4 F. 4	1	2	1	1	1	4	3	6	5	6	3	2	4	4	4	2	2	5	6	6	3	4	1	1	1	1
	{ F. 59	1	1	1	1	1	1	5	6	2	3	2	2	2	2	3	3	4	3	4	10	2	3	1	1	1	1
	{ M. 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	{ F. 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2. Scrofula and tabes.....	{ W. { M. 106 F. 118 C. { M. 37 F. 37	32	18	7	4	2	63	8	2	3	8	3	3	1	3	3	3	3	1	3	4	1	1	1	1	1	2
	{ F. 118	33	15	3	4	1	56	6	9	8	9	7	3	3	3	3	3	3	1	2	1	1	1	1	1	1	2
	{ M. 37	7	7	1	3	1	19	7	5	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	{ F. 37	7	3	7	3	1	21	4	3	3	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3. Leprosy.....	{ W. { M. 1 F. 1 C. { M. 1 F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	{ F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	{ M. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	{ F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4. Consumption.....	{ W. { M. 2092 F. 2637 C. { M. 309 F. 399	49	24	11	1	1	85	11	19	129	299	242	217	180	177	135	130	123	108	80	80	42	22	8	2	1	2
	{ F. 2637	39	23	8	3	3	76	25	62	281	482	409	281	233	176	137	123	82	74	79	59	34	15	3	1	1	4
	{ M. 309	12	7	12	5	1	37	13	13	34	44	35	25	27	17	17	6	6	8	9	6	6	3	2	1	1	1
	{ F. 399	14	11	13	3	5	46	17	31	49	68	55	34	33	15	15	9	4	7	5	5	3	1	1	1	1	1
5. Hydrocephalus.....	{ W. { M. 80 F. 85 C. { M. 8 F. 6	34	14	16	2	1	67	5	4	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	{ F. 85	42	18	7	4	2	73	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	{ M. 8	3	4	1	1	1	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	{ F. 6	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6. Cancer.....	{ W. { M. 225 F. 355 C. { M. 13 F. 19	2	1	1	1	1	4	5	1	2	1	4	3	8	10	19	32	19	34	20	25	9	17	9	3	1	1
	{ F. 355	1	1	4	1	4	11	1	1	5	1	9	8	29	37	37	38	49	36	26	24	24	15	4	1	1	1
	{ M. 13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	{ F. 19	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
7. Tumor.....	{ W. { M. 29 F. 59 C. { M. 2 F. 4	1	1	1	1	1	2	1	2	1	1	2	2	3	4	7	4	2	6	3	2	2	4	1	1	1	1
	{ F. 59	2	1	1	1	1	3	1	1	2	4	2	2	3	4	7	3	7	7	6	3	4	1	1	1	1	1
	{ M. 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	{ F. 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
8. Anæmia.....	{ W. { M. 3 F. 10 C. { M. 1 F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	{ F. 10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	{ M. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	{ F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
9. Dropsy.....	{ W. { M. 263 F. 276 C. { M. 34 F. 36	5	9	5	2	6	27	13	11	9	7	6	3	6	5	8	23	10	22	25	35	27	18	6	2	1	2
	{ F. 276	5	10	6	1	3	25	11	5	7	10	11	3	10	14	14	22	21	16	21	37	20	16	9	1	1	2
	{ M. 34	1	2	1	1	1	3	1	2	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	{ F. 36	1	3	1	1	1	7	3	2	2	1	1	2	2	2	2	2	3	6	1	1	2	1	1	1	1	1
10. Glycosuria.....	{ W. { M. 60 F. 21 C. { M. 3 F. 3	1	1	1	1	1	3	2	4	2	1	1	1	1	2	3	1	3	10	7	13	4	3	2	1	1	1
	{ F. 21	1	1	1	1	1	3	3	2	1	1	1	1	1	2	2	2	1	4	1	1	1	1	1	1	1	1
	{ M. 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	{ F. 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1</	

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 10—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
5. Tetanus and trismus nascentium.	53	22	1	—	—	1	25	4	3	4	4	4	2	2	1	2	1	—	1	—	—	—	—	—	—	—	—	—
	33	19	2	—	—	—	22	2	4	—	—	1	—	—	—	—	2	—	2	—	—	—	—	—	—	—	—	
	10	7	—	1	—	—	8	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
	6	6	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Epilepsy	65	5	4	2	1	—	12	4	2	6	14	2	5	4	7	1	2	1	—	2	1	2	—	—	—	—	—	
	37	4	—	1	—	—	5	1	2	8	6	6	1	3	1	—	1	—	1	1	1	—	—	—	—	—	—	
	7	—	—	—	—	1	1	—	—	1	2	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
	4	1	—	—	—	—	1	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Convulsions	486	378	48	18	9	6	459	10	6	2	3	1	1	1	—	1	1	—	1	—	—	—	—	—	—	—	—	
	431	287	51	24	8	7	377	17	9	8	5	5	3	1	1	—	3	—	2	—	—	—	—	—	—	—	—	
	49	35	6	1	1	1	44	—	1	—	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	
	43	30	2	6	1	1	40	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
8. Mental diseases	25	—	—	—	—	—	—	—	—	—	1	1	1	2	2	2	3	—	4	2	2	2	2	1	—	—	—	
	21	—	—	—	—	—	—	1	—	—	1	3	2	4	1	—	1	2	3	—	—	2	—	—	—	—	—	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9. Diseases of the brain	349	73	35	20	6	5	139	14	13	9	11	10	11	15	15	16	17	14	17	14	8	16	6	1	2	—	1	
	232	56	23	12	11	3	105	14	7	6	8	14	7	7	6	7	10	4	9	8	8	9	2	1	—	—	—	
	19	6	2	1	—	1	10	—	—	1	1	1	1	1	—	—	1	—	4	—	—	—	—	—	—	—	—	
	14	5	—	1	1	—	7	—	1	—	1	1	—	—	1	—	—	—	—	1	—	1	—	1	—	—	—	
10. Diseases of the spinal cord.	68	18	9	4	4	5	40	6	3	1	2	—	1	2	1	2	4	2	1	—	1	1	1	—	—	—	—	
	60	11	5	2	5	1	24	6	2	3	6	2	3	3	1	4	1	—	1	1	2	1	—	—	—	—	—	
	5	3	—	1	1	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	4	1	—	—	2	—	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11. Others of this group.	30	3	—	—	—	1	4	—	—	1	2	1	—	—	2	2	—	4	1	4	3	4	—	2	—	—	—	
	32	1	1	—	—	2	4	3	1	1	2	2	—	2	4	—	3	3	2	4	—	1	—	—	—	—	—	
	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total	1239	62	7	6	5	5	85	26	29	41	44	48	55	63	73	78	84	84	111	122	129	87	56	18	3	—	3	
Total: White	607	34	4	3	3	4	48	8	16	14	18	16	24	31	27	34	41	46	54	72	76	43	27	10	1	—	1	
	546	24	2	3	2	—	31	18	12	22	24	24	27	24	35	34	36	36	48	46	48	43	28	7	2	—	1	
Colored	36	2	—	—	—	—	2	—	1	2	1	5	2	3	1	4	3	1	6	2	2	1	—	—	—	—	—	
	50	2	1	—	—	1	4	—	—	3	1	3	2	5	10	6	4	1	3	2	3	—	1	1	—	—	1	
1. Angina pectoris	16	—	—	—	—	—	—	—	—	1	—	1	—	1	1	—	1	2	2	2	4	—	—	—	1	—	—	
	7	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	1	—	—	2	—	1	—	—	—	—	—	
	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Aneurism	6	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—	1	—	1	1	—	—	—	—	—	—	
	4	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	
	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Diseases of the heart	562	18	2	3	3	3	29	7	16	13	18	13	23	30	26	33	40	43	52	69	70	43	27	9	—	—	1	
	522	14	2	3	2	—	21	18	12	22	22	23	26	23	34	33	36	33	48	45	46	43	27	7	2	—	1	
	32	1	—	—	—	—	1	—	1	2	1	5	1	3	1	4	1	1	6	2	2	1	—	—	—	—	—	
	46	—	1	—	—	1	2	—	—	3	1	3	1	5	10	6	3	1	3	2	3	—	1	1	—	—	1	
4. Others of this group	23	16	2	—	—	1	19	1	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
	13	10	—	—	—	—	10	—	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	
	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	3	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total	4306	<																										

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 10—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia	{ W. { M. F. C. { M. F.	1292	172	118	65	31	19	405	39	29	68	78	51	38	43	58	63	89	48	61	63	59	55	28	12	3	2	
		1001	141	85	74	34	19	353	48	28	43	53	41	34	34	35	30	34	28	41	60	51	44	25	16	2	1	
		152	31	19	17	7	2	76	4	6	13	5	5	3	5	5	2	7	4	4	4	5	2	1	1	2	1	
		124	23	18	9	9	6	65	10	4	8	6	4	1	1	3	3	2	6	2	1	3	1	1	1	2	1	
5. Pleurisy	{ W. { M. F. C. { M. F.	22	1	1	1	1	2	2	1	1	1	1	2	1	3	3	1	2	1	1	2	2	1	1	1	1	1	
		26	2	1	1	1	3	3	1	1	1	1	1	4	1	1	2	3	3	2	2	2	1	1	1	1	1	
		4	1	1	1	1	4	4	1	1	1	1	2	2	1	1	2	3	3	1	1	1	1	1	1	1	1	
		3	1	1	1	1	4	4	1	1	1	1	2	2	1	1	2	3	3	1	1	1	1	1	1	1	1	
6. Asthma.....	{ W. { M. F. C. { M. F.	47	2	1	1	1	5	1	1	1	1	1	1	1	2	3	5	5	6	6	5	3	4	1	1	1		
		50	3	1	1	1	3	3	1	1	1	1	1	2	1	1	3	3	9	11	4	4	5	2	1	1		
		6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
7. Others of this group ..	{ W. { M. F. C. { M. F.	203	48	10	5	3	2	68	8	1	7	9	5	12	8	7	7	10	7	15	9	8	8	7	5	1	1	
		162	36	9	8	2	4	59	7	3	6	4	13	8	9	5	4	6	5	7	8	8	5	4	5	1	1	
		5	1	2	1	1	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		14	7	2	1	1	10	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total.....		1346	223	87	39	17	12	378	49	36	32	47	55	48	53	58	75	75	71	80	103	87	47	30	11	4	7	
Total: White..... { M. F.		685 557	116 83	44 32	22 13	6 10	7 5	195 143	25 20	21 11	11 16	15 26	22 30	15 29	23 26	31 18	48 22	35 35	39 31	50 29	58 41	40 36	24 21	14 12	6 5	1 2	3 4	
Colored		56 48	12 12	7 4	2 2	1 1	21 19	2 2	3 1	1 4	3 3	3 3	3 1	3 1	4 5	4 1	2 3	2 1	1 1	2 2	1 1	1 1	1 1	4 1	1 1	1 1	7	
1. Dentition	{ W. { M. F. C. { M. F.	46	18	22	5	1	46	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		47	21	23	2	1	47	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		11	3	6	2	1	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		8	4	3	1	1	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2. Angina	{ W. { M. F. C. { M. F.	31	7	1	7	2	19	3	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	
		22	2	1	1	4	11	3	2	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	
		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3. Gastritis	{ W. { M. F. C. { M. F.	59	13	3	1	1	17	4	1	1	2	1	1	1	1	5	2	2	5	4	10	2	2	1	1	1	1	
		50	4	1	2	2	9	1	1	2	2	4	3	5	1	1	2	3	4	1	4	4	4	2	1	1	1	
		4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
4. Other diseases of the stomach.	{ W. { M. F. C. { M. F.	72	12	3	1	1	16	1	3	1	1	1	1	5	3	4	1	5	5	13	8	2	2	1	1	1		
		81	14	1	1	1	15	1	2	5	6	6	3	3	3	3	1	1	2	5	6	9	7	4	1	1	1	
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		8	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
5. Obstruction of the bowels.	{ W. { M. F. C. { M. F.	36	10	1	1	1	11	3	2	1	1	2	1	3	2	3	4	2	2	3	1	2	1	1	1	1	1	
		20	2	1	1	1	3	2	1	1	1	1	1	3	2	2	2	2	2	2	2	1	1	1	1	1	1	
		2	2	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		2	2	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
6. Hernia.....	{ W. { M. F. C. { M. F.	29	5	1	1	1	5	1	3	1	1	1	1	3	1	3	1	3	2	5	3	1	1	1	1	1	1	
		20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
7. Other diseases of the bowels.	{ W. { M. F. C. { M. F.	35	6	2	2	2	13	1	4	1	1	1	1	2	1	3	3	2	4	1	1	1	1	1	1	1	1	
		28	6	1	2	1	9	2	2	1	1	1	1	1	1	1	1	2	2	3	4	1	1	1	1	1	1	
		4	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
8. Jaundice.....	{ W. { M. F. C. { M. F.	32	9	1	2	1	12	1	1	1	1	1	2	1	1	1	2	4	9	1	1	2	2	1	1	1	1	
		35	8	1	1	1	12	1	1	1	1	1	2	1	1	1	2	8	2	1	1	2	2	1	1	1	1	
		5	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
9. Inflammation and abscess of the liver.	{ W. { M. F. C. { M. F.	60	1	1	1	1	3	1	1	1	6	2	3	6	9	2	6	7	7	4	2	1	1	1	1	1	1	
		37	1	1	2	1	3	2	1	3	1	2	2	3	3	3	3	3	4	2	3	2	1	1	1	1	1	
		10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
10. Other diseases of the liver.	{ W. { M. F. C. { M. F.	127	9	5	1	1	15	2	3	1	5	6	5	4	12	15	14	7	10	11	10	3	3	1	1	1		
		75	5	1	1	1	6	1	1	2	4	6	3	6	8	4	6	5	7	8	3	3	2	1	1	1	1	
		10	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
11. Peritonitis.....	{ W. { M. F. C. { M. F.	67	2	3	1	1	8	8	8	6	1	3	1	3	7	1	3	2	4	4	4	3	2	1	1	1	1	
		76	2	1	1	1	3	6	7	11	10	10	8	3	3	5	5	3	1	1	2	1	1	1	1	1	1	
		3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
12. Ascites	{ W. { M. F. C. { M. F.	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1	
		11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	3	1	1	1	1	1	
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
13. Others of this group ..	{ W. { M. F. C. { M. F.	81	24	4																								

GRAND GROUP 10—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	507	9	4	3	4	2	22	13	5	8	18	24	19	26	24	35	23	35	47	62	46	49	25	19	5	1	1
Total: White.....	343	5	3	3	3	1	12	7	1	6	9	13	10	12	12	22	14	27	31	47	38	42	22	14	3	1	
.....	126	3	2			1	6	5	4	2	7	8	6	10	10	12	8	6	11	13	6	7	1	3	1		
Colored.....	26	1	1		1		3	1		1	1	1	3	2		1	1	5	2	2			2	1			1
.....	12		1				1			1	2	2	1	1		1	1	1					2				
1. Bright's disease.....	122			3			3	4		3	3	7	2	6	8	10	7	12	11	21	9	10	4	2			
.....	58	1	1			1	3	3	2		3	5	1	4	5	6	3	2	5	6	5	2	1	2			
.....	14							1			1	1	1	3	1		1	1	3	1							
.....	9									1	2	2	1	1		1		1				1					
2. Calculus, urinary.....	36	1					1				1				1			1	2	6	7	10	4	2	1		
.....	2																	1				1					
.....	1																						1				
.....																											
3. Diseases of the kidney.....	107	4			1	1	6	3	1	2	4	6	6	4	2	8	4	10	8	9	8	14	7	2	2	1	
.....	39		1				1	2	2	1	2		2	5	2	3	4	2	4	4	1	2		1			
.....	4		1		1		2											1									
.....	1		1				1												1								
4. Diseases of the bladder.....	39									1				2		2	1	1	4	6	8	6	4	4			
.....	9									1	1				2	2	1		1		1						
.....	4																		1	1	1		1				
.....																											
5. Others of this group.....	39			2		2	2			1	2	2	1	2	2	3	6	5	6	2	3	4					
.....	18	2					2				1	3	3	1	1	1	2	1	2	2	1	3	4				
.....	3	1					1								1							1					
.....	2																										1
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total.....	115								1	6	11	16	10	19	13	9	8	7	5	4	2	4					
Total: White.....	105								1	6	10	13	9	18	13	7	6	7	5	4	2	4					
Colored.....	10										1	3	1	1		2	2										
1. Ovarian tumors.....	18										2		1	2	3	1	4	1	2		2						
.....	2										1					1											
2. Ovarian diseases.....	4														1		2	1									
.....																											
3. Uterine tumors.....	4													2	1					1							
.....	1															1											
4. Uterine diseases.....	27								1	5	5	1	8	1	1	3		1			1						
.....	2										2																
5. Others of this group.....	52							1	5	5	6	8	7	8	3	2	1	2	1	2	1	2	1				
.....	5									1	1	1				2											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total.....	221								1	20	43	46	40	43	22	3	2										1
Total: White.....	198									16	36	42	35	42	22	3	2										
Colored.....	23								1	4	7	4	5	1													1
1. Abortion.....	24								2	2	8	3	5	4													
.....	4									3			1														
2. Child-birth.....	150								8	27	30	26	36	18	3	2											
.....	18							1	3	4	4	5															1
3. Others of this group.....	24								6	7	4	6	1														
.....	1								1																		
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	117	22	11	3	7	5	48	13	8	7	7	5	3	6	4	3	1	2	2	2	3	2	1				
Total: White.....	59	7	6	2	2	3	20	5	5	3	4	5	1	2		2	1	2	1	2	3	2	1				
.....	45	14	3	1	5	2	25	7	1	3				4	3	1			1								
Colored.....	9	1	1				2		2	1	3		1														
.....	4		1				1		1				1		1												
1. Diseases of the spine.....	42	7	6	2	2	2	19	3	4	1	2	4		2		1	1	1	1	1		2					
.....	34	13	3	1	3	2	22	5						3	2	1			1								
.....	4	1	1				2		2																		
.....	3		1				1						1		1												
2. Diseases of the bones.....	8							1	1	1		1	1								3						
.....	3				1		1		1	1																	
.....	2										2																

GRAND GROUP 10—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
IX.—DISEASES OF THE BONES AND JOINTS—continued.																												
3. Diseases of the hip-joint.	{ W. { M. F. C. { M. F.	1																		1								
		6	1					1	2		1				1	1												
		1							1																			
4. Others of this group...	{ W. { M. F. C. { M. F.	8				1	1	1		1	2					1		1					1					
		2				1	1				1																	
		3									1	1		1														
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total.....		69	13	6	2	1	1	23	3	2	4	3	2	1	3	4	1	8	3	2	3	4	3					
Total: White.....	{ M. F.	28	7	2	1		10	1	1		2	1			2		5			1	3	2						
		33	5	3	1	1	10	2		1	1		1	3	2	1	3	3	2	2	1	1						
Colored.....	{ M. F.	4	1	1			2			2																		
		4					1		1	1		1																
Abscess.....	{ W. { M. F. C. { M. F.	17	3	1			4	1			2	1			2		2			1	3	1						
		22		3	1	1	5	2		1	1		1	3	2	1	2	1		1	1	1						
		2									2																	
2. Carbuncle.....	{ W. { M. F. C. { M. F.	2															2											
		5																2	2	1								
3. Others of this group...	{ W. { M. F. C. { M. F.	9	4	1	1		6		1								1					1						
		6	5				5											1										
		2	1	1			2		1																			
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total.....		16							1		1	1	1	1			3	2	1		2	1	1	1				
Total: White.....	{ M. F.	6							1				1				2	1				1						
		9									1	1		1				1	1		2		1	1				
Colored.....	{ M. F.	1															1											
1. Addison's disease.....	{ W. { M. F. C. { M. F.	1																				1						
		1												1														
2. Diseases of the spleen...	{ W. { M. F. C. { M. F.	4							1			1					1	1										
		6									1	1							1		1		1	1				
3. Others of this group...	{ W. { M. F. C. { M. F.	1															1											
		2																1										
		1																1										
XII.—ACCIDENTS AND INJURIES.																												
Total.....		1561	127	47	38	33	31	276	101	101	108	157	117	117	79	79	85	63	57	47	50	37	25	29	12	6	2	13
Total: White.....	{ M. F.	1088	59	26	19	17	16	137	62	69	77	122	86	90	68	62	62	50	45	39	40	25	15	19	6	4	1	
		336	46	16	15	13	12	102	28	20	17	23	22	12	9	8	18	12	9	7	8	12	8	9	6	2	1	
Colored.....	{ M. F.	93	6	3	1	2	1	13	9	6	12	9	8	14	2	8	4		3	1	2		1					
		44	16	2	3	1	2	24	2	6	2	3	1	1		1	1					1	1					
1. Burns and scalds.....	{ W. { M. F. C. { M. F.	55	6	6	7	11	5	35	5	3		1	4			1		1	1			2						
		102	3	8	10	7	7	35	19	11	5	6	2	5		4	2	2	3	1		1	2	2	1	1		
		8		2		2	1	5	1		1					1												
2. Drowned.....	{ W. { M. F. C. { M. F.	165	1	6	3		1	11	21	25	19	26	9	11	10	6	4	5	6	5	1	4	1	1				
		21	1	1	2			4	4	3	4	1	1			1	2	1										
		19							5	3	2	2	1	1	1	3	1											
3. Exposure and neglect...	{ W. { M. F. C. { M. F.	22	11			1	12				2	1			1		1		1	1			2		1			
		18	8	2			10				1		2				2				1		1					
		5	3				3								1													
4. Gunshot wounds.....	{ W. { M. F. C. { M. F.	43	1				2	2	2	7	6	6	2	1	1	3	4	4	1	1								
		5							1	1	1	1				1												
		5									1	1		3														
5. Homicide.....	{ W. { M. F. C. { M. F.	48						1		4	10	9	5	5	2	4	3	1	3			1						
		4								1					1	1	1											
		6										1	2	2	1													

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 10—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—continued.																											
6. Infanticide	1	1					1																				
	1	1					1																				
7. Injuries by machinery	4	1					1			1	1					1											
8. Railroad accidents	116		2				2	6	3	6	21	16	12	8	11	6	5	1	5	6	3	1	4				
	10				1		1			1	1	2	1	1	2			1									
	6								1	1		1		1				1	1								
9. Suffocation	45	23	7	1		1	32				4	1		1	1	1	1	1	1	1							1
	26	20	1		2		23			1				1													1
	4	2	1				3									1											
	7	5		1			6							1													
10. Suicide by shooting	24									2	4	1	4	3	4	1	3	2									
	6									1	1	1	1			1				1							
11. Suicide by drowning	10									1	1	3		1		1				1	1	1					
	6									1	1	1						1		2							
	1									1																	
	1															1											
12. Suicide by poison	12									1		1	1	2	3	1				1		1	1				
	4									2	1									1							
13. Other suicides	73									4	3	2	10	10	7	12	6	8		4	5		1		1		
	20									2	4	6		3	1		3		1								
	1																	1									
	1											1															
14. Sunstroke	18								1		1	2	3	3	1	2	1	1	1	2							
	5										1					1			1	1	1						
											1						1										
	2																										
15. Surgical operations	6								2			1	1						2								
	4										1	1				1	1										
	1									1																	
16. Wounds	11			1	1		2			1	1		1		1	2		1		1							1
	1																										1
	4									1	1	1	1														
17. Others of this group	435	15	5	7	4	8	39	27	33	32	41	32	37	25	23	25	19	19	19	23	11	8	9	6	2	1	4
	103	13	4	3	3	5	28	4	4	1	5	4	4	3	1	7	3	4	4	4	8	5	6	5	1	1	1
	33	1		1			2	3	2	5	3	3	7		2	2		1		1		1					1
	7	4					4						1									1	1				

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 11.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	51307	12617	4854	2773	1575	1150	22969	2973	1803	2220	2925	2251	1945	1751	1576	1310	1469	1086	1597	1277	1405	983	860	347	200	233	127
Total: White..... { M.	10773	2538	960	537	289	226	4550	576	343	405	540	404	336	290	312	299	330	309	427	435	422	367	251	98	36	19	24
{ F.	10701	2031	816	473	281	208	3809	565	310	422	706	583	587	505	425	363	327	280	357	325	405	263	247	116	45	26	35
Colored..... { M.	14617	4338	1653	924	537	375	7827	884	546	581	694	488	389	363	293	289	379	257	425	281	301	193	176	77	57	82	35
{ F.	15216	3710	1425	839	468	341	6783	948	604	812	985	776	633	593	546	359	433	240	388	236	277	160	186	56	62	106	33
Unknown causes.																											
Total.....	5308	2620	508	262	135	81	3606	217	116	111	152	113	98	78	87	70	94	64	97	78	100	73	81	32	7	11	23
Total: White..... { M.	864	426	90	35	23	9	583	36	20	19	19	14	4	7	13	13	20	18	11	22	16	20	15	8	1		5
{ F.	869	364	53	21	27	13	478	47	20	17	33	18	24	31	17	18	26	17	25	18	31	13	21	10		5	
Colored..... { M.	1796	962	191	95	47	44	1329	75	38	33	42	30	26	15	22	19	16	11	30	19	25	23	22	9	4	3	5
{ F.	1779	868	174	111	38	25	1216	59	38	42	58	51	44	25	35	20	32	18	31	19	28	17	23	5	2	8	8
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	13982	2880	2090	1200	618	490	7308	1258	686	683	740	519	384	345	291	217	247	195	268	261	210	125	118	49	22	19	37
Total: White..... { M.	3044	635	473	266	143	114	1631	279	120	132	161	110	77	56	42	49	50	53	47	78	61	41	30	12	4	2	9
{ F.	3242	550	417	239	124	101	1431	268	142	169	211	157	131	107	95	55	62	63	71	75	76	42	42	20	8	5	12
Colored..... { M.	3840	899	643	357	196	140	2235	342	200	170	167	107	68	68	59	65	75	40	73	56	41	25	24	8	4	4	9
{ F.	3856	796	557	338	185	135	2011	369	224	212	201	145	108	114	95	48	60	39	77	52	32	17	22	9	6	8	7
1. Small-pox..... { W. { M.																											
{ F.																											
{ C. { M.																											
{ F.																											
2. Measles..... { W. { M.	103	25	18	14	4	3	64	10	5	6	8	2	3	3	1						1						
{ F.	116	25	20	12	5	5	67	4	4	8	8	6	4	4	3		2	1	4	1							
{ C. { M.	381	98	80	52	20	14	264	33	16	13	19	14	5	6	2	2	1	1	1	3			1				
{ F.	321	85	59	44	16	14	218	20	12	15	15	9	5	9	8	1	3	3	1								1
3. Scarlet fever..... { W. { M.	20	4	4	4	3		15	3	2																		
{ F.	19		2	1	3	3	9	6	2		1																
{ C. { M.	14	1	2	1	1	3	8	2	1	1		1															
{ F.	7	1	1	2			4	2	1																		
4. Diphtheria..... { W. { M.	258	40	33	46	30	34	183	60	9	4		1						1									
{ F.	294	36	42	39	29	34	180	83	14	8	3	1		1													2
{ C. { M.	255	55	50	38	25	22	190	50	3	1	2		3	1	2												
{ F.	221	38	37	34	24	15	148	54	11	3	1	1	1	1													1
5. Hooping-cough..... { W. { M.	161	83	47	11	9	1	151	7	1	1		1															
{ F.	173	95	36	23		4	158	9		2		1															
{ C. { M.	490	265	107	61	27	16	476	11	2			1															
{ F.	486	236	119	64	26	18	463	18	4			1															
6. Fever..... { W. { M.	88	20	4	5	7	6	42	11	3	6	7	2	4	1		1		2		2	4	2		1			
{ F.	97	19	10	9	3	2	43	5	3	7	5	5	6	4	1		2		1	4	3	1	6		1		
{ C. { M.	240	69	35	23	19	6	152	18	19	10	10	8	4		2	1	3	2	2	2	3	1					
{ F.	270	69	22	27	10	11	140	24	13	18	15	11	5	5	4	4	5	1	3	11	4	2	4				
7. Cerebro-spinal fever.. { W. { M.	37	6	7	3	1	1	18	1	5	3	4		1		1	1		1		1		1					
{ F.	21	5	2		2		9	3	2	1					2	1											
{ C. { M.	42	2	3		4	4	13	11	7	3	2	1		1													
{ F.	33	6	1	1	3		11	8	8	1	1		2	1													
8. Enteric fever..... { W. { M.	446	20	22	15	15	5	77	33	30	48	77	48	24	12	8	10	11	12	10	16	14	5	5	2			4
{ F.	479	19	15	15	10	10	69	25	38	62	54	42	38	25	16	14	17	16	20	12	15	8	4	2			2
{ C. { M.	465	30	18	16	12	7	83	47	58	66	56	29	19	12	13	17	22	5	15	6	6	2	5	2			2
{ F.	543	37	30	20	10	13	110	62	72	66	46	30	24	28	24	15	14	9	20	8	6	3	2	1			3
9. Diarrhœa..... { W. { M.	211	55	48	20	3	2	128	3	2	1	1	6	7	3	3	5	3	6	3	12	10	6	6	2	2	1	1
{ F.	183	47	29	13	10	2	101			3	1	1	5	3	7	4	3	8	6	9	13	6	5	6			2
{ C. { M.	203	58	53	23	14	7	155	5	4		5	4	2	2	4	4		2	1	4	1	5	2		1	1	1
{ F.	170	54	43	24	7		128	2	1	1	2	3	3	2	3			4	6	1	4	2	3	3			2
10. Dysentery..... { W. { M.	310	59	74	50	19	12	214	16	5	2	2	9	8	3	6	5	4	4	3	8	5	5	6	2	1	1	1
{ F.	290	54	61	34	15	7	171	6	3	10	6	4	4	1	12	3	6	8	10	10	13	5	7	8	1	1	1
{ C. { M.	274	56	74	28	12	4	174	11	9	4	6	3	6	8	4	8	7	2	11	3	8	2	3	2			2
{ F.	252	61	69	24	10	10	174	14	8	2	6	3	7	2	3	2	3	4	11	4	1	2	4	1	1		
11. Enteritis..... { W. { M.	304	71	49	20	9	9	158	23	15	13	11	7	6	8	4	7	6	8	8	13	5	6	4	1			1
{ F.	266	50	40	24	12	5	131	15	10	5	14	9	5	6	9	5	8	9	7	17	7	3	6				
{ C. { M.	230	42	37	18	10	5	112	22	15	12	11	8	4	4	4	5	8	4	4	7	5		1	2	1		1
{ F.	192	34	33	14	6	5	92	12	18	9	9	7	6	11	6	3	4	2	4	5	1		1	1			
12. Cholera morbus..... { W. { M.	33	4	6	5	1		16	6		1	1																

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 11—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas.....	{ W. { M. 72 24 5 4 1 1 35 4 3 1 3 1 3 2 1 2 1 2 5 3 2 2 1 1 1 1 2	{ F. 58 15 4 2 2 1 24 4 2 1 4 4 2 2 4 2 2 2 2 2 2 1 1 2 1 2 2	{ C. { M. 27 7 5 1 1 1 14 1 1 4 2 1 1 2 2 1 2 2 1 1 1 1 1 1 1 1 1	{ F. 23 3 3 2 2 10 1 1 1 1 1 1 1 2 2 2 1 2 1 2 1 1 1 1 1 1 1 1																							
16. Septicæmia.....	{ W. { M. 6 6 1	{ F. 6 6 1	{ C. { M. 4 4 1	{ F. 17 17 1																							
17. Puerperal septicæmia	{ W.—F. 197 2	{ C.—F. 192 1																									
18. Venereal diseases.....	{ W. { M. 8 2 3 1 1 1 3 1	{ F. 7 2 1 1 1 1 3 1	{ C. { M. 34 8 3 2 2 1 15 1 1 1 3 1 3 3 1 3 2 1 1 1 1 1 1 1 1 1 1 1	{ F. 41 10 6 1 1 1 19 1 1 1 3 3 4 3 1 2 2 2 2 1 1 1 1 1 1 1 1 1																							
19. Others of this group ..	{ W. { M. 23 5 2 1 1 2 9 1 1 1 1 1 1 1 1 1 2 3 1 1 1 1 1 1 1 1 1	{ F. 14 6 1 1 1 1 8 2 1 1 2 2 2 2 1 1 1 1 2 3 4 1 2 1 1 1 1	{ C. { M. 30 6 1 1 1 1 8 2 1 1 2 2 2 2 1 1 1 1 2 3 4 1 2 1 1 1 1	{ F. 14 3 2 1 1 1 5 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1																							
General diseases—B.																											
Total.....	702	183	95	96	68	34	476	82	12	5	15	10	18	18	16	11	13	6	8	1	2	4	4	1	1	1	
Total: White.....	{ M. 172 47 16 18 8 4 93 10 3 4 6 1 7 14 11 5 4 4 6 1 3 1 3 2 2 2 2	{ F. 66 22 7 7 3 4 43 6 2 2 2 2 2 2 1 1 2 4 4 6 1 3 2 2 2 2 2																									
Colored.....	{ M. 276 72 50 36 34 12 204 37 7 1 3 6 6 1 3 3 3 1 1 1 1 1 1 1 1 1	{ F. 188 42 22 35 23 14 136 29 2 1 4 1 3 2 1 4 2 2 1 1 1 1 1 1 1 1																									
1. Worms.....	{ W. { M. 61 9 14 18 6 4 51 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	{ F. 22 4 5 6 2 3 20 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	{ C. { M. 153 23 35 27 28 10 123 27 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	{ F. 125 16 18 30 20 12 96 28 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1																							
2. Other parasitic diseases.	{ W. { M. 1	{ F. 1	{ C. { M. 1	{ F. 1																							
3. Alcoholism.....	{ W. { M. 41 1	{ F. 2 1	{ C. { M. 14 1	{ F. 1																							
4. Lead poison.....	{ W. { M. 2 1	{ F. 1	{ C. { M. 1	{ F. 1																							
5. Other poisons.....	{ W. { M. 28 1 2 1 1 1 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	{ F. 24 2 2 1 1 1 7 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	{ C. { M. 59 5 12 8 6 2 33 9 2 1 3 4 3 1 1 1 2 4 1 1 1 1 1 1 1 1	{ F. 36 1 4 5 3 2 15 1 1 1 4 1 3 1 1 4 2 1 1 1 1 1 1 1 1 1																							
6. Inanition.....	{ W. { M. 40 37 1 1 1 1 37 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	{ F. 18 16 1 1 1 1 16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	{ C. { M. 50 44 3 1 1 1 48 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	{ F. 26 25 1 1 1 1 25 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1																							
General diseases—C.																											
Total.....	3176	2201	39	13	7	6	2266	10	8	4	6	3	8	6	6	8	13	5	29	31	120	124	180	101	95	151	2
Total: White.....	{ M. 701 507 6 3 1 1 518 1 2 1 1 1 1 1 1 1 1 6 6 10 22 33 44 23 16 14	{ F. 615 382 3 3 1 2 391 3 2 1 2 3 3 1 2 6 4 6 9 26 38 50 36 19 16																									
Colored.....	{ M. 977 732 14 4 3 1 754 2 1 1 2 2 2 2 2 2 1 3 8 6 34 28 27 24 26 55 2	{ F. 883 580 16 3 2 2 603 4 3 1 2 2 2 3 2 1 3 2 9 6 38 25 59 18 34 66																									
1. Premature birth.....	{ W. { M. 103	{ F. 92	{ C. { M. 91	{ F. 98																							
2. Stillborn.....	{ W. { M. 351	{ F. 251	{ C. { M. 587	{ F. 434																							
3. Malformation.....	{ W. { M. 22 19 1 1 1 1 20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	{ F. 10 10 1 1 1 1 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	{ C. { M. 9 7 1 1 1 1 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	{ F. 10 7 2 1 1 1 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1																							
4. Debility.....	{ W. { M. 108 34 6 3 1 1 44 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	{ F. 102 29 3 3 1 2 38 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	{ C. { M. 117 47 13 4 3 1 68 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	{ F. 122 41 14 3 2 1 61 4 3 1 2 2 2 3 2 2 1 3 3 7 3 5 4 9 3 4 7 2																							
5. Old age.....	{ W. { M. 117	{ F. 160	{ C. { M. 173	{ F. 219																							
6. Atrophy.....	{ W. { M. 1	{ F. 1	{ C. { M. 1	{ F. 1																							

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 11—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
<i>General diseases—D.</i>																											
Total.....	7732	298	283	189	144	83	997	274	289	476	833	726	609	556	496	402	413	269	387	267	292	193	131	61	18	18	25
Total: White.....	M. 1279 F. 1765	47 54	37 36	21 13	13 15	7 6	125 124	33 28	42 33	51 74	112 193	87 183	73 184	75 164	88 139	71 119	75 98	57 67	99 85	82 76	77 89	72 49	35 36	19 13	1 3	1 4	4 4
Colored.....	M. 1826 F. 2862	109 88	114 96	73 82	66 50	38 32	400 348	104 109	88 126	115 236	172 356	135 321	108 244	97 220	77 192	74 138	100 140	63 82	94 109	53 56	56 70	26 46	28 32	18 11	5 9	6 7	7 10
1. Rheumatism.....	W. {M. 56 F. 42 C. {M. 76 F. 56	2 1	2 1	1 1	1 3	2 1	7 2	5 3	1 4	2 5	3 4	1 4	1 4	2 5	1 4	5 6	3 3	4 2	3 8	4 7	4 3	6 1	3 5	2 2	1 1	1 1	2 1
2. Scrofula and tabes....	W. {M. 68 F. 74 C. {M. 139 F. 138	10 18	11 12	2 3	3 4	3 7	26 71	8 18	6 12	2 9	4 9	4 6	1 3	1 2	3 1	5 1	1 1	1 1	1 2	1 3	3 1	2 1	1 1	1 1	1 1	1 1	1 1
3. Leprosy.....	W. {M. 1 F. 1 C. {M. 1 F. 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
4. Consumption.....	W. {M. 636 F. 1008 C. {M. 934 F. 1703	16 12	9 5	4 3	3 3	2 1	34 24	1 3	4 11	28 51	86 156	71 131	61 117	60 82	65 67	42 52	40 52	28 36	40 32	23 33	24 33	21 14	4 8	2 4	1 2	1 1	2 2
5. Hydrocephalus.....	W. {M. 21 F. 23 C. {M. 32 F. 15	10 11	3 8	2 1	1 2	1 1	17 22	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
6. Cancer.....	W. {M. 120 F. 212 C. {M. 37 F. 159	1 1	1 1	1 1	1 1	1 1	2 3	1 4	1 2	1 1	2 1	1 1	2 10	6 16	3 28	9 26	9 23	10 15	19 26	21 25	11 11	12 12	10 5	1 3	1 1	1 1	2 2
7. Tumor.....	W. {M. 11 F. 23 C. {M. 14 F. 33	1 3	1 2	1 1	1 1	1 1	2 3	1 1	1 1	1 1	1 1	1 1	3 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
8. Anæmia.....	W. {M. 8 F. 14 C. {M. 4 F. 4	2 1	1 1	1 1	1 1	1 1	3 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
9. Dropsy.....	W. {M. 328 F. 356 C. {M. 577 F. 746	5 6	9 10	12 6	5 6	2 1	33 29	15 19	25 15	13 16	15 27	10 22	8 27	6 25	9 24	14 14	22 13	11 8	32 20	28 16	31 35	26 19	13 20	14 5	1 2	1 5	2 2
10. Glycosuria.....	W. {M. 25 F. 6 C. {M. 7 F. 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
11. Others of this group..	W. {M. 6 F. 6 C. {M. 6 F. 6	2 2	1 1	1 1	1 1	1 1	6 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
12. Others of this class...	W. {M. 2 F. 3 C. {M. 4 F. 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
<i>II.—DISEASES OF THE NERVOUS SYSTEM.</i>																											
Total.....	4250	1072	373	227	166	127	1965	349	187	134	165	114	91	91	100	101	119	120	159	152	128	128	85	23	21	6	12
Total: White.....	M. 1174 F. 1004	246 194	90 93	52 55	34 39	35 27	457 408	81 90	45 34	35 24	41 49	26 27	27 26	15 25	27 32	40 25	42 30	50 40	63 47	63 38	44 36	61 30	38 8	10 6	4 1	1 2	4 2
Colored.....	M. 1117 F. 955	350 282	111 79	76 44	52 41	40 25	629 471	86 92	58 50	44 31	45 30	30 31	16 22	26 23	14 34	18 11	19 33	19 21	31 25	22 20	23 23	14 17	8 9	4 1	6 5	2 3	3 3
1. Inflammation of the brain.	W. {M. 151 F. 148 C. {M. 154 F. 114	44 36	25 32	16 10	7 5	7 5	99 88	12 27	7 5	4 4	4 10	3 1	3 3	2 2	3 2	2 2	3 3	4 1	1 1	1 1	1 1	1 1	2 1	1 1	1 1	1 1	1 1
2. Meningitis.....	W. {M. 96 F. 111 C. {M. 141 F. 91	21 24	13 16	7 6	5 7	10 5	56 58	11 16	4 11	6 4	5 7	1 1	1 1	1 1	1 1	2 2	3 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
3. Apoplexy.....	W. {M. 121 F. 67 C. {M. 60 F. 57	1 3	1 1	1 1	1 1	1 1	3 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
4. Paralysis.....	W. {M. 245 F. 189 C. {M. 82 F. 98	3 5	2 2	2 4	1 5	1 1	6 16	7 1	4 4	4 2	3 1	1 2	6 3	1 2	10 7	14 6	16 5	20 16	26 24	36 24	23 16	39 24	23 24	2 6	3 6	1 1	1 1

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 11—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
5. Tetanus and trismus nascentium.	22	15	1	—	—	1	17	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	13	7	—	—	—	—	7	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	55	33	3	1	1	—	38	5	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	30	24	1	—	—	—	26	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Epilepsy	45	6	2	1	—	—	9	2	4	2	5	2	2	2	2	1	2	2	1	2	2	1	1	2	—	1	—
	25	1	1	2	—	—	4	1	1	3	1	5	3	3	1	1	1	—	—	1	—	—	—	—	—	—	—
	36	7	—	1	2	3	13	3	—	2	4	4	1	2	2	1	1	—	—	—	1	1	1	—	—	—	—
	31	3	2	—	2	2	9	2	3	2	4	5	1	—	1	—	1	—	1	—	—	—	—	—	1	—	—
7. Convulsions	156	94	14	5	7	6	126	6	—	7	3	3	1	1	—	2	1	1	1	1	1	—	2	—	—	—	—
	145	65	11	8	7	4	95	10	2	6	8	3	4	6	1	2	—	1	3	—	1	1	1	—	—	—	—
	354	201	51	34	13	8	307	13	6	5	3	4	1	1	1	—	2	1	—	2	2	—	1	2	2	—	1
	326	179	38	19	12	7	255	20	7	9	8	6	4	4	5	—	3	1	1	—	—	—	—	—	1	1	1
8. Mental diseases	4	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—
	11	—	—	—	—	—	—	—	—	—	2	1	1	—	—	2	1	—	1	1	—	—	—	—	—	—	—
	11	—	—	—	—	—	—	1	1	—	2	—	1	2	—	1	1	—	1	1	—	—	—	—	—	—	—
	8	—	—	—	—	—	—	—	—	1	—	1	1	1	2	—	1	—	1	—	—	—	—	—	—	—	—
9. Diseases of the brain	287	58	32	19	13	10	132	36	21	9	15	10	4	4	6	5	8	7	10	7	4	6	2	—	1	—	—
	229	45	29	23	14	10	121	27	9	3	13	7	3	7	7	4	4	5	4	5	6	—	3	1	—	—	—
	194	36	17	12	12	9	86	28	14	14	12	6	6	8	2	1	2	3	4	5	2	—	—	—	—	—	—
	173	26	13	6	8	6	59	28	18	8	2	7	3	6	11	4	8	5	—	5	—	6	1	1	—	—	1
10. Diseases of the spinal cord.	27	2	2	1	2	—	7	4	2	—	2	3	1	—	1	1	1	—	—	1	1	1	—	—	—	—	1
	30	7	2	2	1	3	15	5	—	1	1	—	1	1	—	4	1	—	1	—	—	—	—	—	—	—	—
	15	—	1	1	3	—	5	1	2	1	2	—	1	—	—	2	1	—	—	—	—	—	—	—	—	—	—
	15	2	1	—	2	1	6	4	1	1	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—
11. Others of this group	20	2	—	—	—	—	2	—	2	1	2	—	2	—	—	1	2	3	1	—	3	—	1	—	—	—	—
	36	1	—	—	—	—	1	1	1	—	2	2	4	1	3	4	2	3	1	3	5	1	1	—	—	—	1
	15	—	2	—	—	—	2	—	—	1	1	—	1	1	—	2	1	—	1	1	1	—	2	—	1	—	—
	12	—	2	—	—	—	2	—	—	—	—	—	—	1	1	1	1	1	1	2	—	1	1	—	—	—	—
III.—DISEASES OF THE CIRCULATORY SYSTEM																											
Total	1438	62	17	8	8	6	101	46	43	42	67	60	78	61	80	86	120	90	143	115	129	102	46	16	5	7	1
Total: White	384	16	2	1	1	1	21	12	13	2	7	9	9	8	14	18	25	30	48	45	58	42	15	5	3	—	—
	385	23	4	2	1	2	32	13	11	13	18	19	30	17	25	23	27	20	32	25	30	32	13	5	—	—	—
Colored	281	11	7	3	5	2	28	12	5	6	10	15	9	18	12	14	33	20	27	21	18	16	10	2	1	3	1
	388	12	4	2	1	1	20	9	14	21	32	17	30	18	29	31	35	20	36	24	23	12	8	4	1	4	—
1. Angina pectoris	7	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	1	—	—	1	1	2	—	—	—	—
	2	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	6	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	2	—	—	—	—	—	1
2. Aneurism	7	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	2	2	1	—	—	—	—	—	—	—	—
	2	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	11	1	—	—	—	—	1	—	—	—	—	—	1	—	—	2	1	1	4	—	1	—	—	—	—	—	—
	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Diseases of the heart	361	10	2	1	1	1	15	11	13	2	7	7	7	8	14	16	23	27	47	45	57	41	13	5	3	—	—
	369	14	4	2	1	2	23	13	10	13	18	16	30	16	24	23	27	20	32	25	30	32	13	4	—	—	—
	264	8	7	3	5	2	25	12	5	6	10	14	8	18	12	12	32	18	23	20	17	16	9	2	1	3	1
	379	11	4	2	1	1	19	8	14	20	31	17	30	18	29	30	35	19	36	24	23	10	8	4	1	3	—
4. Others of this group	9	6	—	—	—	—	6	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	12	9	—	—	—	—	9	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2	1	—	—	—	—	1	—	—	—																	

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 11—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia	{ W. { M. 1065 F. 905 C. { M. 1716 F. 1429	115	64	33	15	17	244	33	38	76	95	70	62	52	48	39	50	40	50	48	52	29	28	8	3		
		91	53	24	20	15	203	31	26	48	77	61	67	57	45	42	33	31	40	40	46	16	24	10	3		5
		350	150	94	45	33	672	86	63	100	137	73	69	66	52	44	76	50	68	52	42	27	25	6	5		1
		279	137	73	35	29	553	82	79	103	103	65	52	71	63	38	68	22	46	28	24	12	13	3		3	1
5. Pleurisy	{ W. { M. 44 F. 40 C. { M. 43 F. 65	2	1				3	2		3	1		1	2		3	3	1	2	13	3	4	3				
					1		1	1	1	4	1	4		2	2	3	4	3	2	3	3	3	1	1			
		43		2			8	4	1		1	1	1	1		2	1	5	4	3	6	4				1	
		65	1	3	2	1	1	8	2	1	4	6	1	5	3	6		5	2	4	4	4	2	5	1		2
6. Asthma.....	{ W. { M. 17 F. 36 C. { M. 27 F. 24		1				1				3	1	3		2	1		1	3	1	3	2	1	2			
		2					3									2	1	1	2	5	6	2	5	2			
		27		3		2	5			1							2	1	1	4	2	5	2	3	1		
		24	1	1			2				4		1			1	5	1	2	1	1	3	2	1			
7. Others of this group ..	{ W. { M. 101 F. 81 C. { M. 42 F. 51	17	5	5	1		28	4	2	5	7	5	6	2	4	2	6	5	6	6	4	3	5	1			
		9	3	4		2	18	5	3	3	7	8	5	6	4	3	2	4	4		4		4	1			
		42	3	8	1		13	6	3	3	3	3	2	1	1	2	1		2	1	1						
		51	7	6	6	3	2	24	2	1	2	1	3	1	2	1	1	2	4	1	2	2	1		1		
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	2537	693	550	173	63	34	1513	86	43	56	71	70	67	56	57	66	66	61	93	64	70	41	32	9	8	3	5
Total: White.....	{ M. 560	150	69	26	10	5	260	19	12	17	17	19	14	11	19	22	19	21	26	29	26	13	11	2	2		1
	{ F. 528	106	69	36	14	8	233	25	12	14	16	21	23	14	16	21	15	20	29	11	27	15	7	6	2		1
Colored	{ M. 752	220	213	62	19	8	522	24	5	12	16	15	13	14	13	14	15	15	27	12	8	11	9	1	2	1	3
	{ F. 697	217	199	49	20	13	498	18	14	13	22	15	17	17	9	9	17	5	11	12	9	2	5		2	2	
1. Dentition	{ W. { M. 83 F. 104 C. { M. 293 F. 287	37	39	7			83																				
		39	48	15	1		103	1																			
		94	154	40	5		293																				
		113	141	26	5	1	286		1																		
2. Angina	{ W. { M. 21 F. 27 C. { M. 28 F. 40	6	5	1	1	1	14	1		1		1	1			1	1			1							
		3	1	4	3		11	9	2			1	4														
		13	4	2	3	1	23	2			1												1			1	
		12	4	5	2	4	27	5				1	1	3		1	1		1								
3. Gastritis.....	{ W. { M. 24 F. 25 C. { M. 16 F. 12	4		1			5	2	2		2	1		2		2	1		2	2		3					
		6		1			7			2	2	1	1	1	1	1		1	2		5	1	1				
		1	2		2		5	1			2	1		2	1	1	1	2		1	1	1					
		2	1		1	1	5	2	1	1			1	1	1	1	1										
4. Other diseases of the stomach.	{ W. { M. 69 F. 98 C. { M. 29 F. 32	14	6	3	1	1	25	5	2	3	3	2	3	3	1	4	2		5	3	4	3					1
		16	1	6	5	2	30	5	1	6	5	7	4	3		8	4	6	4	2	7	4	1	1			
		5	5	3			13	2		2		1		1	1	3	1	1		3	2		2				
		1	3	2	2		8	3	1	2	2	1	2		2	1	1		1	2	3		2				
5. Obstruction of the bowels.	{ W. { M. 20 F. 15 C. { M. 14 F. 10	5		1	1	1	8		2		2		1		1	1	1	1		2	1		2				
			2	1			3	2			1	2		1		2	1		1				2				
		14		1		1	2			2	1	2		2		2	1		1		1						
		10	2				2	2			1		2		2		1		1	1							
6. Hernia.....	{ W. { M. 12 F. 5 C. { M. 20 F. 3	3	1				4				1		1					1	2	1	1			1			
							7			1	2	1	2		2		1				1		1				
		4	1	2			7			1	2	1	2		2		1				2	1		1			
		2		1			3																				
7. Other diseases of the bowels.	{ W. { M. 61 F. 36 C. { M. 39 F. 25	17	6	2	4		29	4	2	2	2	2	3		3	2	2		3		2	2	3				
		5	3	4	1	2	15	3	3	1		1		1	2	1		1	4	1	1		1	1			
		9	7	2	4		22	5		1			1			2	1	3	3	1							
		5	5	6	1	1	18		1				1			1	1		1	2							
8. Jaundice.....	{ W. { M. 29 F. 21 C. { M. 35 F. 13	11	1	3		1	16	1		1		2				2	1		2		1						
		6	1		2	1	10	2	1		3	1		1	1			1				1					
		17	4		1		22	1		2	2	1	3		2		1		1								
		7																									

[illegible]

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 11—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
3. Diseases of the hip-joint.	2							1				1															
	2							1																			
	1								1																		
	1																1										
4. Others of this group	3	1					1		1				1														
	4	1					1					1	1														
	11	2		2			4	1	1	3	1				1												
	8							1	2	2	1	1				1											
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	105	27	6	4	4	1	42	1	2	4	7		5	5	6	3	9	4	8	3	2	3		1			
Total: White	32	5		3	1		9		2	2	3		1	3	3		1	2	2	2	1	1					
	20	9	1				10						1	1	1		3	1	1			1		1			
Colored	31	8	4			1	13	1		1	2		2	1	1	3	3		2		1	1					
	22	5	1	1	3		10			1	2		1		1		2	1	3	1							
1. Abscess	20	1		2			3		1	2	2		1	3	2		1	1	2	1		1					
	11	4					4						1	1	1		2		1			1					
	11	4				1	5			1	2					1	1				1						
	9	1	1		1		3			1	2				1				2								
2. Carbuncle	3								1		1				1												
	1																	1									
	11	2	2				4						1	1		2	1		1			1					
	4	1					1						1				1	1									
3. Others of this group	9	4		1	1		6										1		1	1				1			
	8	5	1				6										1										
	9	2	2				4	1					1		1		1		1								
	9	3		1	2		6									1		1	1								
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	24	3	1	2	1		7	1	1		2	1	2	1	2	2					3	1	1				
Total: White	10	2			1		3	1	1			1	1	1		1					1						
	6	1		1			2				1				1						1		1				
Colored	4			1			1				1				1							1					
	4		1				1						1		1						1						
1. Addison's disease																											
2. Diseases of the spleen	7	2			1		3	1	1							1					1						
	5	1		1			2				1				1						1						
	3			1			1								1							1					
	1																										
3. Others of this group	3											1	1	1									1				
	1																										
	1																										
	3		1				1									1				1							
XII.—ACCIDENTS AND INJURIES.																											
Total	2885	652	185	165	135	113	1250	299	153	177	182	148	127	97	81	55	58	37	73	32	42	28	23	9	7	5	2
Total: White	576	38	27	17	17	8	107	37	36	49	58	54	43	32	35	25	18	11	25	11	10	12	9	2	1		1
	255	35	17	18	14	9	93	26	14	17	12	10	16	10	5	3	7	4	6	5	10	8	3	3	2	1	
Colored	1177	293	72	68	55	43	531	90	68	83	87	66	57	45	28	19	22	12	29	9	14	5	5	3	1	2	1
	877	286	69	62	49	53	519	146	35	28	25	18	11	10	13	8	11	10	13	7	8	3	6	1	3	2	
1. Burns and scalds	64	10	14	12	13	2	51	5	1	2		1	1		1		1			1							
	94	7	7	8	11	7	40	17	9	10	5	2	3	1	1		2				2	1				1	
	254	24	33	45	41	29	172	38	13	5	1		4	1	3	2		1	3	3	2		2	2		2	
	401	25	38	46	38	48	195	124	20	16	7	2	3	2	3	1	2	1	7	2	4	3	6	1	1	1	
2. Drowned	42			1	1		2	6	7	6	6	5		1	3	1	2		1			1	1				
	5			2			2	1												1	1						
	90	1	2	3	2	2	10	15	14	18	12	9	4	4	1		1			1	1						
	27	2	7	2		2	13	4		1		3					2	1	2	1							
3. Exposure and neglect	15	8	1				9	1			1								1			1	2				
	15	3	2	1			6	1			1	1	2						2			2					
	103	63	11	9	2	1	86	5	2	1	1			1	1		1			1		1	2		1		
	92	56	10	4	3		73	2		2	1	2	2	2	2	1	1	2		2							
4. Gunshot wounds	77			1		1	2	1	4	12	11	9	11	8	9	4	3	1	1	1							
	4		1				1						2									1					
	117			1	2	1	4	3	9	17	26	18	14	10	3	5	2	1	3		1	1					
	20	1	1	1	1	1	5	6	2	1	1	2	1	2													
5. Homicide	58							3	1	4	14	7	7	6	5	5	1		2	2				1			
	4		1			1	2	1			1																
	58		1		1		2	1		1	8	13	7	5	1	6	5	4	4		1						
	21				1	1	2	1	3	4	2	2	2		2	1	1		1								

STATISTICS OF MORTALITY.

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 11—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—continued.																											
6. Infanticide.....	W. { M. F. C. { M. F.	1 2	1 2				1 2																				
7. Injuries by machinery.....	W. { M. F. C. { M. F.	6 3								1 2	1 1	1 1							1 1		2 1						
8. Railroad accidents.....	W. { M. F. C. { M. F.	20 1 25 3		1			1		1 1	4 2	2 7	2 3	3 2	1 5	3 1	2			1 1			1					
9. Suffocation.....	W. { M. F. C. { M. F.	23 22 158 158	13 14 138 146	1 1 10 3	1 2 2 5		2 1 150 154	1		1		1	1 1		2 1 2		1 1	1 1	1 1		1						1
10. Suicide by shooting.....	W. { M. F. C. { M. F.	9 1 1								1		2 1	2 1	2 1		1		1									
11. Suicide by drowning.....	W. { M. F. C. { M. F.													1													
12. Suicide by poison.....	W. { M. F. C. { M. F.	4 2										1	1	2			1		1								
13. Other suicides.....	W. { M. F. C. { M. F.	18 7 6 1								1 1 1	1 2	5 1	1 3 1	2 1 1	1		1 2	2 1			1 1	1					
14. Sunstroke.....	W. { M. F. C. { M. F.	6 4 21 5	1		1 2		1 3			1 1	2 2	2 2	1 2	1 4	1		2 2 1				1 1 1	1					
15. Surgical operations.....	W. { M. F. C. { M. F.	6 3 7 2		1			1			1		1	1	1	1						1 1 2						
16. Wounds.....	W. { M. F. C. { M. F.	20 8 21 6		1			1	2	3	1 1	5 1		2 1	1 3	1 3				3		1			1			
17. Others of this group ..	W. { M. F. C. { M. F.	208 85 311 138	7 8 65 54	9 4 14 9	2 4 6 3	3 2 6 6	3 2 10 1	24 18 101 73	18 6 25 7	17 4 24 8	16 5 35 3	15 3 24 9	5 5 19 3	2 6 10 2	1 10 11 4	11 2 6 6	8 3 8 4	6 3 4 4	12 4 14 4	7 3 4 3	6 4 6 2	8 4 2 1	5 2 1 1	1 3 1 1	1 2 2 1		

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 12.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	11917	2530	757	564	356	281	4488	740	475	594	859	733	582	593	531	402	402	260	363	210	228	132	117	42	37	43	86
Total: White	{ M. 2945 F. 2178	545	146	109	80	52	932	120	110	138	229	217	186	179	161	133	115	95	95	72	61	41	25	10	2	1	23
Colored	{ M. 3489 F. 3305	840	274	190	114	91	1509	237	138	138	200	176	136	133	137	90	120	76	124	63	61	47	40	8	13	19	24
Unknown causes.																											
Total	1228	548	92	65	48	30	783	75	25	27	56	34	32	22	30	18	22	16	24	17	20	4	8	3	3	1	8
Total: White	{ M. 208 F. 202	93	14	8	6	5	126	7	1	6	5	11	10	4	5	7	7	6	2	4	4	1	1	1	1	1	2
Colored	{ M. 436 F. 382	209	39	19	14	10	291	34	9	5	11	8	8	6	11	7	7	4	9	7	5	3	4	1	1	1	4
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	3461	509	293	233	137	116	1288	295	193	206	250	199	172	180	147	116	103	61	73	48	44	24	22	5	2	5	28
Total: White	{ M. 1082 F. 741	146	67	55	38	21	327	59	58	56	92	70	78	78	66	49	41	25	36	14	11	10	4	2	1	1	5
Colored	{ M. 853 F. 785	134	84	74	38	39	369	89	49	35	45	41	22	32	29	22	22	16	22	17	14	9	8	1	1	1	9
1. Small-pox	{ W. { M. F. C. { M. F.																										
2. Measles	{ W. { M. F. C. { M. F.	14 7 33 12	4 3 4 5	2 2 2 5	1 1 6 1	1 1 3 1	8 5 18 7	1 1 7 2		2 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1		
3. Scarlet fever	{ W. { M. F. C. { M. F.	40 35 15 12	6 1 4 3	5 7 1 2	9 5 1 1	6 1 1 1	31 18 7 7	5 11 4 2	4 6 3 2			1 1 1 1															
4. Diphtheria	{ W. { M. F. C. { M. F.	20 17 38 33	4 2 8 1	1 1 5 4	1 3 7 1	4 1 2 1	11 10 23 12	4 6 10 13				1 1 1 1	2 1 1 2		1 1 1 1			1 1 1 1		1 1 1 1							
5. Hooping-cough	{ W. { M. F. C. { M. F.	25 26 75 77	12 13 33 33	7 5 16 16	5 3 9 10		24 24 68 68	1 1 6 5											1 1 1 1								
6. Fever	{ W. { M. F. C. { M. F.	5 8 37 54	3 1 12 14	1 1 9 11	1 2 2 6	1 3 3 5	5 2 26 40	2 2 1 1		1 1 1 1	1 1 1 2				1 1 1 1		1 1 1 1		1 1 1 1		1 1 1 1		1 1 1 1		1 1 1 1		
7. Cerebro-spinal fever	{ W. { M. F. C. { M. F.	9 6 6 2	3 1 1 1	1 1 3 1	1 1 1 1	1 1 1 1	6 4 1 1	1 1 2 2			1 1 1 1							1 1 1 1		1 1 1 1							
8. Enteric fever	{ W. { M. F. C. { M. F.	65 50 42 57	2 1 3 1	2 1 2 2	5 1 2 6	1 2 1 4	10 3 11 14	5 4 4 3	8 4 4 5	5 9 5 8	13 6 5 4	8 3 2 7	6 3 2 1	1 3 2 1	1 1 1 2	1 1 1 1	1 1 1 1	1 1 1 1	3 2 1 2	1 1 1 1	2 1 1 1						
9. Diarrhoea	{ W. { M. F. C. { M. F.	53 25 48 35	11 6 7 11	2 2 8 6	1 1 5 1	1 2 2 1	15 11 24 21	1 1 4 1	2 1 2 1		3 1 3 3	4 1 2 1	1 1 1 1	1 2 2 1	3 2 2 1	4 1 1 1	5 2 1 1	2 1 1 1	4 1 3 2	2 1 3 2	1 1 3 1	1 1 1 1			2 1 2 1		
10. Dysentery	{ W. { M. F. C. { M. F.	64 47 66 47	13 7 9 7	12 4 2 5	5 5 6 6	2 1 2 2	32 17 20 21	1 3 4 2	3 3 2 1	2 2 1 4	4 3 3 3	3 3 6 2	4 3 4 2	3 3 4 2	2 2 2 1	2 3 2 1	2 1 1 1	2 1 1 1	4 1 5 1	2 1 3 2	1 1 1 1	1 1 1 1			1 1 1 1		
11. Enteritis	{ W. { M. F. C. { M. F.	70 58 62 45	20 14 8 12	11 3 10 4	6 3 4 4	4 4 6 2	42 27 29 22	5 5 3 4	2 2 3 4	2 3 2 2	1 3 2 3	3 2 1 3	2 5 1 3	2 5 1 1	3 2 2 2	3 2 2 2	2 2 1 2	2 1 2 2	2 1 5 1	1 1 3 1	1 1 1 1	1 1 1 1			2		
12. Cholera morbus	{ W. { M. F. C. { M. F.	11 3 11 8	3 1 2 1	1 1 1 1			3 1 2 2	1 1 2 2	2 1 1 1			1 1 1 1		1 1 1 1		1 1 1 1			1 1 1 1							1	
13. Cholera infantum	{ W. { M. F. C. { M. F.	60 40 29 23	36 21 17 15	16 12 8 7	6 6 2 1	2 2 2 1	60 39 29 23																				1
14. Malarial fever	{ W. { M. F. C. { M. F.	224 172 260 258	17 14 18 25	8 11 26 28	10 16 18 22	15 9 12 11	56 56 93 102	19 29 37 31	9 10 25 19	18 13 13 16	21 11 14 21	18 12 12 12	14 10 5 4	12 7 12 10	11 3 7 9	8 6 6 7	6 6 2 6	9 1 2 3	8 2 3 2	5 4 8 4	4 2 6 4	2 1 3 3	1 1 1 1		1 1 2 2		

STATISTICS OF MORTALITY.

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 12—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																												
15. Erysipelas	{ W. { M. F. C. { M. F.	31	5		1			6		1	2	1	1	2	3	2	1	4		4	1	1	1					1
		20	6		1			7	2	1		1	2	2	1	2				1		2						
		9	1		1			2	2						1					1	1							
		4	1	1				2	1									1										
16. Septicæmia	{ W. { M. F. C. { M. F.	1						1	1			1		1			1				1							
		6	1					1																				
		5								1		1	1		2							1						
		2										1										1						
17. Puerperal septicæmia	{ W.—F. C.—F.	38									3	12	5	9	6	3												
		32									2	7	7	8	5	1	2											
18. Venereal diseases	{ W. { M. F. C. { M. F.	3												1				1				1						
		1	1					1																				
		9	4	1				5				2	1	1														
		10	1	1				2			1	1	1		2	1					1	1						
19. Others of this group	{ W. { M. F. C. { M. F.	387	7	1	4	3	3	18	15	29	25	50	34	42	55	42	28	20	9	11	2	3	4				5	
		182	3		3	2	5	13	7	19	33	23	12	13	14	12	10	7	5	3	1	2	1	1	1			
		108	3	3	4	1		11	4	5	6	10	16	7	12	10	6	9	7	3	1							
		74	7	2	1	1	1	12	6	2	13	8	11	4	7	6	1	2	2									
General diseases—B.																												
Total		176	44	23	13	22	9	111	17	5	1	6	4	6	3	6	4	2	2	4		2			1			2
Total: White		{ M. F.	35 26	5 9	2 3	3 2	1 2	14 18	2 3	1 1		1 1	3 1	3 1	2 1	2 1	2 1	1 1		2 1		1 1					1	
Colored		{ M. F.	65 50	15 15	9	4	8	5	41 38	7 5	3 1	2	2	2	1	2	1	1	2	2		1			1		1	
1. Worms	{ W. { M. F. C. { M. F.	8		1	3	1	1	6	1																		1	
		11	1	3	1	1	2	8	3																			
		31	5	5	4	7	5	26	3	2																		
		28	3	8	4	8	1	24	4																			
2. Other parasitic diseases.	{ W. { M. F. C. { M. F.																											
3. Alcoholism	{ W. { M. F. C. { M. F.	10										2	2		2	2	1		1									
		3										1	1			1	1											
		6											2		1		1	1				1						
4. Lead poison	{ W. { M. F. C. { M. F.																											
5. Other poisons	{ W. { M. F. C. { M. F.	9				2		2	1			1	1	1	2					1								
		4	1		1	1		3							1													
		18	1	3		1		5	4	1	1	2				1			1	2				1				
		9	1	1				2	1			2		1		1	1			1								
6. Inanition	{ W. { M. F. C. { M. F.	8	5	1				6		1												1						
		8	7					7								1												
		10	9	1				10																				
		13	11			1		12		1																		
General diseases—C.																												
Total		686	471	13	10	1		495	3	2	2	2	3	3	6	4	2	7	5	8	7	28	22	29	11	17	29	1
Total: White		{ M. F.	171 107	139 68	3 1	1 2		144 71				1 1	2 1	1 1	2 3		1 3	2 3	1 1	1 2		5 10	4 1	4 5	2 3	1 2		
Colored		{ M. F.	195 213	140 124	6 3	4 3		150 130	1 2	1 1		1 2			1 1	1 1	1 1	3 4	3 2	1 2	4 9	4 13	4 12	8 10	1 5	5 9	10 19	
1. Premature birth	{ W. { M. F. C. { M. F.	36	36					36																				
		15	15					15																				
		14	14					14																				
		11	11					11																				
2. Stillborn	{ W. { M. F. C. { M. F.	84	84					84																				
		41	41					41																				
		111	111					111																				
		87	87					87																				
3. Malformation	{ W. { M. F. C. { M. F.	8	7	1				8																				
		1	1					1																				
		3	2	1				3																				
		1	1					1																				
4. Debility	{ W. { M. F. C. { M. F.	32	12	2	1	1		16				1	2	1	2		1	2		1		4	2		1	1		
		33	10	1	2			13					1	1	3	3			1	2	4	2		1	1			
		37	13	5	4			22	1	1		1			1	1		1	2	2	3	1			1			
		51	25	3	3			31	2	1	2			1			1	3		1	3	1	2		2	1		
5. Old age	{ W. { M. F. C. { M. F.	11																1				2	4	2	1			
		16																			8	1	4	2	1			
		30																1	1	1	1	3	8	1	5	9		
		63																1		2	1	6	12	10	5	7	18	
6. Atrophy	{ W. { M. F. C. { M. F.																											
		1	1					1																				

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 12—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	1580	33	53	38	28	19	171	76	60	104	180	181	116	146	122	85	81	57	79	36	34	17	15	4	5	1	10
Total: White.....	{ M. 273 F. 285	7	6	5	2	2	22	3	4	11	27	26	29	28	26	20	12	19	16	11	8	4	5	1			1
Colored.....	{ M. 436 F. 586	7	24	12	15	7	65	27	16	27	42	49	26	35	35	18	22	16	22	13	8	6	3	1	1	1	3
1. Rheumatism.....	{ W. { M. 17 F. 8 C. { M. 14 F. 13	1		1			2		1	1	2		1	1	1	1		3	1	1	1	2					
2. Scrofula and tabes.....	{ W. { M. 10 F. 11 C. { M. 25 F. 36	3	4	1			8			1	1	2			1			1									
3. Leprosy.....	{ W. { M. 1 F. 1 C. { M. 1 F. 1																			1							
4. Consumption.....	{ W. { M. 187 F. 195 C. { M. 278 F. 372	1	2	1		1	5		2	6	24	23	24	22	20	13	10	12	11	6	5	2		1			1
5. Hydrocephalus.....	{ W. { M. 3 F. 3 C. { M. 5 F. 5	2					2		1			1															
6. Cancer.....	{ W. { M. 7 F. 25 C. { M. 9 F. 31					1	1					1	1	3	4	1	5		3		1	2	1				
7. Tumor.....	{ W. { M. 1 F. 2 C. { M. 2 F. 2													1													
8. Anæmia.....	{ W. { M. 1 F. 1 C. { M. 1 F. 1													1							1						
9. Dropsy.....	{ W. { M. 40 F. 38 C. { M. 100 F. 123		2	2	1	1	5	3	2	2	4	5	2	3	4	5	2	2	1	2	1	1	2	1	1	1	
10. Glycosuria.....	{ W. { M. 7 F. 2 C. { M. 2 F. 2									1		1		1		1		1		2	1		1				
11. Others of this group.....	{ W. { M. 1 F. 1 C. { M. 1 F. 1		1				1																				
12. Others of this class.....	{ W. { M. 1 F. 1 C. { M. 1 F. 1							1																			
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	1092	352	68	67	41	32	560	92	47	41	53	33	28	34	29	22	33	18	28	15	18	14	11	5	2	1	8
Total: White.....	{ M. 293 F. 214	65	18	19	13	10	125	19	13	15	21	16	9	12	11	9	10	5	7	3	7	7	1	1			2
Colored.....	{ M. 305 F. 280	127	17	14	12	7	177	27	14	7	12	6	6	6	8	3	9	5	7	5	1	3	4		1	1	3
1. Inflammation of the brain.....	{ W. { M. 56 F. 27 C. { M. 46 F. 37	15	6	2	4	3	30	1	4	2	3	4	3	4	2		1		1	1	1						
2. Meningitis.....	{ W. { M. 44 F. 29 C. { M. 24 F. 25	11	3	2	1	2	19	5	1	4	4	3	3	3	1	1	1	1	1	1							
3. Apoplexy.....	{ W. { M. 24 F. 9 C. { M. 13 F. 16	2			1		3			1	2		1	1	2	2	2	3	1		1	2	1	1			
4. Paralysis.....	{ W. { M. 20 F. 25 C. { M. 19 F. 21			1			1				2	1		1	1	4	2		2	2	1	3		1	1		

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 12—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
5. Tetanus and trismus nascentium.	10	8					8		1						1												
	6	6					6																				
	36	27					27	3	1		1	1				1	1	1									
	21	18	1	1			20		1																		
6. Epilepsy	5								1	1		1		1			1										
	4								1	1	1								1								
	4								1	1	1						1										
	8	1				1	2	1	1	1	1		1			1		1									
7. Convulsions	27	13	1	5	2	2	23	2			2																
	23	16	1	1			18		1		1								1								
	104	79	6	3	5	4	97	5			1			2				1								1	
	109	70	10	5	8	2	95	3	4	2	2			1												2	
8. Mental diseases	2									1					1												
	2													2													
	2																				1			1			
9. Diseases of the brain	90	14	6	9	4	2	35	11	6	4	9	3	4	2	5	2	2	1	2		1	1					2
	73	18	5	10	1	6	40	10	4	2	5		2	2			2	1	1	2	1			1			
	52	9	4	5	1	1	20	5	1	2	5	1	1	1	5	1	3	1	2	3						1	
	36		3	2	2	2	9	5	4	2	2	2	1	3	2	1	3	1					1				
10. Diseases of the spinal cord	11	2	2			1	5			2	1					1	1				1						
	8	4	1				5	1					1	1													
	4						1		1		1		1	1													
	2	1					1	1																			
11. Others of this group	4				1		1												1		1	1					
	8	2					2			1		2			1	1					1						
	3			1			1	1							1												
	3									1					1		1										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total	237	6	1	3	1	1	12	6	11	7	21	11	15	9	13	17	19	17	25	18	12	9	9	2	1	1	2
Total: White	38								3	2	1	2	5		1	2	1	5	2	5	1	2	5	1			1
	54	4	1			1	6		2	2	6		1	2	2	7	5	5	7	2	4	1	1				
Colored	74			3			3	1	5	2	5	1	5	5	2	3	8	5	10	6	4	5	1	1	1		1
	71	2			1		3	5	1	1	9	8	4	2	8	5	5	2	6	5	3	1	2			1	
1. Angina pectoris																											
2. Aneurism	3																1		1	1							
3. Diseases of the heart	35								3	2	1	2	5		1	2		5	1	4	1	2	5	1			1
	52	2	1			1	4		2	2	6		1	2	2	7	5	5	7	2	4	1	1				
	71			3			3	1	5	2	5	1	5	5	2	3	6	5	9	6	4	5	1	1	1		1
	66	1			1		2	5	1	1	8	8	3	2	8	5	4	2	6	5	2	1	2			1	
4. Others of this group	2						2																				
	1																										
	1	1					1												1								
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total	1743	296	96	66	34	28	520	71	75	107	141	114	90	101	89	74	89	48	72	42	39	26	17	5	5	2	16
Total: White	486	58	18	11	8	6	101	11	12	36	50	56	29	29	23	23	28	18	16	20	15	7	3	1	1		7
	281	39	9	6	7	6	67	15	20	18	19	18	14	29	19	17	14	6	10	4	3	4	2				2
Colored	552	107	35	30	10	8	190	22	19	33	42	24	28	26	24	19	31	17	31	8	10	9	10	3	2	1	3
	424	92	34	19	9	8	162	23	24	20	30	16	19	17	23	15	16	7	15	10	11	6	2	1	2	1	4
1. Croup	51	35	4	4	2	3	48	2				1															1
	38	18	3	3	5	4	33	4																			
	59	44	6	7	1		58																				
	61	40	11	4	1	2	58		1																		2
2. Laryngitis	4			1			1			1							1		1								
	4			1			1		2		1																
	1		1				1																				
	1				1		1																				
3. Bronchitis	27	8	1	1			10	2			1	1		1	2	1		1	1	1	2	1	1	1	1		
	26	9	1		1		11	1			1			3	1	1	2	1	1	1	1	2					
	18	5	3	1	1		10	2		1			1	1			1		1		1						
	25	8	3	2			13	1			2		2	1	1		2	1		1				1			

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 12—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia.....	W. { M.	366	12	10	4	4	2	32	5	12	35	46	52	25	24	18	19	26	16	15	17	11	4	2				7
	F. {	192	8	4	2	1	1	16	8	15	17	16	17	13	25	17	15	12	5	8	2	1	2				1	
	C. { M.	444	53	24	21	8	8	114	17	16	29	42	24	27	24	24	15	28	16	27	7	8	8	9	3	2	1	
	F. {	312	41	18	11	8	4	82	20	21	19	26	15	17	15	20	14	13	6	14	7	11	5	2		2	1	
5. Pleurisy	W. { M.	7	1					1				1		1	1		2	1										
	F. {	2								1	1																	
	C. { M.	16	1		1			2	2	2	2				1		1			2	1	1	1	1				
	F. {	8	2					2				2	1			1				1	1							
6. Asthma	W. { M.	8										1	1		1						1	2	2					
	F. {	5	1					1	1			1				1					1							
	C. { M.	3	1					1									1		1									
	F. {	6		1				1							1	1	1				1		1					
7. Others of this group ..	W. { M.	23	2	3	1	2	1	9	2			1	1	3	2	3		1			1							
	F. {	14	3	1			1	5	1	2			1	1	1			1		1		1						
	C. { M.	11	3	1				4		1	1						3	1	1									
	F. {	11	1	1	2		1	5	2	2	1							1										
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total.....		558	144	93	41	18	19	315	26	10	11	18	17	23	13	17	20	15	15	18	8	15	5	2	4		1	5
Total: White	M.	133	24	15	6	5	5	55	7	5	1	2	5	7	4	7	6	6	7	8	4	2	1	1				5
	F.	105	24	8	9	2	3	46	11	2	2	6	4	6	1	6	6	2	6	2	1	2			2			
Colored	M.	184	43	45	15	7	9	119	6	2	3	3	4	6	5	3	5	7	1	7		8	4	1				
	F.	136	53	25	11	4	2	95	2	1	5	7	4	4	3	1	3		1	1	3	3			2		1	
1. Dentition	W. { M.	19	9	8				17																				2
	F. {	15	8	4	2			14	1																			
	C. { M.	60	14	36	8	1	1	60																				
	F. {	47	19	19	7	2		47																				
2. Angina.....	W. { M.	10		1	1	2	1	5	2			1		1	1													
	F. {	6	3		1			4	1								1											
	C. { M.	7	5	1				6									1											
	F. {	7	2		2			4			1		1									1						
3. Gastritis	W. { M.	7		1				1						2	1		1	1				1				1		
	F. {	2																				1						
	C. { M.	3											2										1					
	F. {	1	1					1																				
4. Other diseases of the stomach.	W. { M.	38	6	3	4	2	2	17	3	3			1	1	1	3		3	2	2		1					1	
	F. {	23	4	3	1	1	2	11	3	1	1	1	1			2	1		1		1							
	C. { M.	9	1				1	2	3			1		1			1			1								
	F. {	9				1		1				3	1		1	1	1				1							
5. Obstruction of the bowels.	W. { M.	4											1						1	1	1							
	F. {	3												2					1				1	1				
	C. { M.	3																1				1	1					
	F. {	3		1				1				1									1							
6. Hernia	W. { M.	2	1					1								1												
	F. {	1														1												
	C. { M.	9	1					1					1	1	2					2		1	1					
	F. {	1											1															
7. Other diseases of the bowels.	W. { M.	8	2					2	1	1		1							1	1	1							
	F. {	4			1			1	1									1	1									
	C. { M.	9				1	3	4	1	1				1	1			1										
	F. {	2	1					1						1														
8. Jaundice	W. { M.	2															1	1										
	F. {	6	2		1		1	4	1								1											
	C. { M.	3	1				1	2						1														
	F. {	1													1													
9. Inflammation and abscess of the liver.	W. { M.	15					1	1	1	1			2	2	1	1	1	1	1	2			1					
	F. {	13	1		1	1		3			1	1	1	1		2	1	1	1	1								
	C. { M.	12				2		2	1		1			1	1		1	2				2				2		
	F. {	6	1					1						1			1					1						
10. Other diseases of the liver.	W. { M.	14	2	2	1	1		6			1					1	2		2		1						1	
	F. {	5		1				1				2		1			1											
	C. { M.	16	1				2	3		1		2	1	1			1	2	1	1		3						
	F. {	2									1										1							
11. Peritonitis	W. { M.	2																		1	1							

[illegible]

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 12—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
3. Diseases of the hip-joint.	2								1					1													
	1													1													
	2		1				1				1			1													
	2																1										
4. Others of this group...																											
	1							1																			
	1															1											
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	25	8	2	3		2	15		1	1		2	1			1		2	1		1						
Total: White.....	5	2	1				3									1		1									
	2	1					1			1																	
Colored.....	11	4	1				5		1			1	1					1	1		1						
	7	1		3		2	6					1															
1. Abscess.....	2						1			1						1		1									
	2	1																									
	4		1				1					1	1								1						
	2	1					1					1															
2. Carbuncle.....									1																		
	1																										
3. Others of this group...	3	2	1				3																				
	6	4					4											1	1								
	5			3		2	5																				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	6								1		2	1	2														
Total: White.....	4								1		2		1														
	1											1															
Colored.....	1												1														
1. Addison's disease.....																											
2. Diseases of the spleen.	4								1		2		1														
	1																										
	1												1														
3. Others of this group...																											
XII.—ACCIDENTS AND INJURIES.																											
Total.....	736	115	21	25	25	24	210	72	38	46	68	78	53	37	38	25	16	6	20	7	8	6	3	1	1	1	2
Total: White.....	162	6	2	1	4	1	14	10	9	10	20	24	14	17	17	8	5	2	4	3	3	1	1				
	42	12		1	3	1	17	6		1	4	3	2	1			1		4		1		1	1			
Colored.....	349	51	12	15	10	6	94	21	19	25	37	42	31	15	19	12	9	3	7	4	3	4	1		1	1	1
	183	46	7	8	8	16	85	35	10	10	7	9	6	4	2	5	1	1	5	1	1	1					
1. Burns and scalds.....	3			1			1				1			1													
	14	3		1	2	1	7	2			1		1				1		1		1						
	33	9	6	5	3	3	26	2		1		3	1														
	70	4	4	6	7	10	31	24	4	1	2	4	2			1			1								
2. Drowned.....	21		2		1		3	2	1	2	4	3	1	2	1	1			1								
	1							1																			
	70	3	1			1	5	12	9	7	7	7	8	4	4	1	1	1	1	2					1		1
	11							5	2	1			1	1					1								
3. Exposure and neglect.	1	1					1																				
	5	4					4							1													
	21	9	1	3	4		17	1		1									1			1					
	19	8	1			3	12	1		2	1		1	1					1								
4. Gunshot wounds.....	43				1		1	3	2	4	4	9	6	7	2	3	2										
	2																										
	64	1			1		2		5	6	12	14	10	4	3	3	2		1	1							1
	11			1	1	1	3		2	1	2	1	1	1													
5. Homicide.....	8										2	3	1			1	1										
	1																										
	36										2	7	10	5	2	2	4	1	1								
	8										1	1	1	1		1	1		1		1						

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 12—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—continued.																											
6. Infanticide.....	1	1					1																				
7. Injuries by machinery.....	1											1							1								
8. Railroad accidents.....	4									2		1									1						
9. Suffocation.....	3	2			1		3																				
10. Suicide by shooting.....	2														2												
11. Suicide by drowning.....																											
12. Suicide by poison.....	2									2																	
13. Other suicides.....	9									1		1		4	1				1		1						
14. Sunstroke.....	8									1	1	4	1						1								
15. Surgical operations.....	1																			1							
16. Wounds.....	2								1		1																
17. Others of this group.....	57	3			1	1	5	5	5	1	6	4	4	7	8	2	2	2	2	1	2		1				
	13	2			1		3	3		1	1			1					2				1		1		
	86	15	4	6	2	2	29	5	3	7	8	5	3	4	5	3	2	1	3	1	2	3	1			1	
	31	12	1	1		2	16	3		2		2		1	1	2	1	1			1	1				1	

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 14.

Cause of death.	Total.	Under 1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
GRAND TOTAL.....	46759	11749	4590	2447	1330	917	21033	2629	1550	2295	3137	2548	2129	1844	1573	1372	1275	977	1190	900	769	625	418	144	73	88	190
Total: White..... { M.	19629	4971	2057	1033	531	353	8945	1078	636	833	1226	943	813	677	660	636	609	521	585	462	350	305	164	67	18	11	90
{ F.	17763	4026	1753	908	491	383	7561	992	529	981	1304	1111	973	859	634	532	441	343	395	291	291	228	141	49	22	13	70
Colored..... { M.	4712	1520	438	247	173	85	2463	297	189	209	292	206	137	116	110	104	109	52	112	79	73	42	57	14	15	20	16
{ F.	4655	1232	342	259	135	96	2064	262	196	272	315	288	206	192	169	100	116	61	98	65	55	50	56	14	18	44	14
Unknown causes.																											
Total.....	4097	2199	320	160	88	58	2825	205	89	104	133	97	81	80	85	50	63	28	68	41	44	43	30	9	2	4	16
Total: White..... { M.	1664	930	147	53	30	22	1182	81	32	33	52	26	23	24	29	23	28	13	28	16	25	20	12	6	1		10
{ F.	1370	681	101	55	26	25	888	72	31	48	49	37	41	38	37	13	22	11	24	14	13	16	7	2		2	5
Colored..... { M.	542	328	36	31	19	5	419	25	12	9	13	9	6	5	7	6	7	1	6	6	3	4	3		1		
{ F.	521	260	36	21	13	6	336	27	14	14	19	25	11	13	12	8	6	3	10	5	3	3	8	1		2	1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	15163	3187	2526	1304	675	448	8140	1264	675	780	876	651	523	415	314	251	247	196	216	165	155	125	68	16	10	13	63
Total: White..... { M.	6322	1340	1134	572	286	184	3516	537	266	290	359	236	202	140	122	99	113	87	97	82	54	52	21	8	4	7	30
{ F.	6476	1295	1044	520	255	197	3311	512	267	367	420	325	269	218	140	117	103	90	83	60	79	56	26	7	3	2	21
Colored..... { M.	1164	277	189	100	79	39	681	117	69	61	49	29	19	18	21	15	18	7	10	10	12	5	8	1	1	1	9
{ F.	1201	275	159	112	55	28	629	98	73	62	48	61	33	39	31	20	13	12	26	13	10	12	13		2	3	3
1. Small-pox..... { W. { M.	160	18	19	20	9	11	77	34	14	9	16		2	1	3				3								1
{ F.	168	24	19	22	16	22	103	28	9	14	6	3	2			1	1	1									
{ C. { M.	21				1		1	5		1	5	1	1		5		1	1									
{ F.	12	1	1				2		1		1	3	1	1	1			1									
2. Measles..... { W. { M.	274	67	40	27	12	9	155	27	13	23	22	13	6	3	1	3	3	1	2		1						1
{ F.	302	63	42	26	16	5	152	20	11	23	16	21	14	14	8	10	2	5	2	1	2						1
{ C. { M.	65	24	6	4	4	4	42	5	5	2	4		2		1		3				1						
{ F.	55	20	6	9			35	5	3	2	2	4	1	1	1						1						
3. Scarlet fever..... { W. { M.	178	31	25	37	24	12	129	36	11		1																1
{ F.	163	19	24	23	16	16	98	41	11	4	2	1		3							1						2
{ C. { M.	12	3	1	1	3		8	1	1	2																	
{ F.	16	3	3	1	3	1	11	3	2																		
4. Diphtheria..... { W. { M.	218	47	40	39	24	22	172	18	7	2	3	5		2	3	1	1	3	1								
{ F.	221	40	33	26	23	25	147	43	10	4	3	2	3	1	3	1	1	2		1							
{ C. { M.	46	15	4	3	5	3	30	10	3		2		1														
{ F.	47	11	2	9	5	3	30	6	4	3			1			2		1									
5. Hooping-cough..... { W. { M.	341	189	80	28	12	5	314	20	5	1		1															
{ F.	390	216	84	34	21	9	364	20	2	1	1	1							1								
{ C. { M.	127	54	38	14	8	6	120	5	2																		
{ F.	145	76	23	25	3	3	130	10	4		1																
6. Fever..... { W. { M.	97	29	8	12	4	3	56	10	6	6	1	2	2	2	3		2		3	3		1					
{ F.	126	37	16	7	3	3	66	7	2	10	12	7	5	2	3	1	1	1	1	3	1	1	1	1			1
{ C. { M.	63	19	10	6	11	1	47	7	1	3					1			1		3	3						
{ F.	73	19	10	8	4	2	43	6	3	2		4			1		2		3	3	1	1	2		2		
7. Cerebro-spinal fever..... { W. { M.	116	39	20	3	5	2	60	19	3	7	5	3	4	2	2	4		2	3		1	1					
{ F.	79	20	15	7	6	1	49	10	8	3	1	1	2	3	1					1							
{ C. { M.	11		2		1		3	3	2	3																	
{ F.	7	1		2			3			1		1	1			1											
8. Enteric fever..... { W. { M.	905	53	46	26	25	17	167	79	82	101	141	77	66	25	30	19	26	17	27	20	12	9	2			1	4
{ F.	856	44	42	42	16	18	162	68	86	124	104	66	47	32	33	25	25	22	19	12	14	10	3	2			2
{ C. { M.	134	6	6	5	8	2	27	19	14	24	17	5	1	8	1	4	5	2	1	2	1						3
{ F.	153	7	10	7	7	5	36	18	21	17	11	16	8	5	4	4	2		3	2	1	3	2				
9. Diarrhœa..... { W. { M.	342	97	94	41	6	6	244	10	5	7	5	3	4	9	7	2	6	9	5	5	6	6	5	1	1		2
{ F.	289	86	106	27	6	3	228	4	3	4	5	5	2	3	3	2	6		1	4	8	5	3		1		2
{ C. { M.	50	15	11	5	3	1	35	1	1	5			1	2	1						1	1		1			1
{ F.	34	12	4	5		3	24	1	1	1	1	1				1					1						
10. Dysentery..... { W. { M.	1043	207	314	132	70	31	754	74	28	19	11	17	17	9	13	15	13	12	16	13	10	10	5	2	1	2	2
{ F.	944	164	265	116	44	25	614	68	21	22	25	18	21	20	15	18	10	16	19	13	21	10	8	3			2
{ C. { M.	171	38	46	23	10	3	120	12	5	3	5	1	2	3	1	2	5	1	2	3	3	1					2
{ F.	155	37	36	20	10		103	8	2	1	2	3	1	2	7	2	3	3	5	1	3	2	4			2	1
11. Enteritis..... { W. { M.	557	150	110	44	26	15	345	40	16	13	25	14	17	13	12	12	9	11	8	10	1	6	2		1		2
{ F.	518	138	74	53	17	8	290	44	19	15	21	20	20	15	16	9	12	9	7	6	4	4	2				5
{ C. { M.	85	27	14	6	6	3	56	6	3	5	2	2	1	3	2		1					1	1				
{ F.	83	19	17	1																							

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 14—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	4947	204	170	105	50	48	577	132	125	309	578	538	444	397	380	305	279	194	237	163	121	80	44	13	5	7	19
Total: White.....	{ M. 1765 F. 2052	89	55	40	16	20	220	43	40	82	166	157	152	132	144	127	107	92	99	82	54	40	15	5	1	7	
Colored.....	{ M. 455 F. 675	23	34	18	10	3	88	26	25	28	47	50	24	26	25	23	22	11	16	12	10	5	11	1	2	3	
1. Rheumatism.....	{ W. { M. 92 F. 68 C. { M. 21 F. 18		1	1	2	1	5	5	7	8	5	4	6	4	4	4	9	7	6	9	3	5					1
2. Scrofula and tabes.....	{ W. { M. 100 F. 79 C. { M. 34 F. 28	24	22	15	3	1	65	4	5	7	6	2	1	1	1	5	2			1							
3. Leprosy.....	{ W. { M. F. C. { M. F.																										
4. Consumption.....	{ W. { M. 1083 F. 1332 C. { M. 237 F. 402	22	12	11	4	5	54	4	4	48	140	137	126	109	108	90	67	63	53	34	18	17	6	1		4	
5. Hydrocephalus.....	{ W. { M. 50 F. 50 C. { M. 13 F. 12	25	10	5	2		42	2	1	1	1			1	1		2	1									
6. Cancer.....	{ W. { M. 108 F. 156 C. { M. 6 F. 47	1	2		3	2	6	1		1	3	4	1	3	6	9	8	16	18	11	7	3	3			2	
7. Tumor.....	{ W. { M. 15 F. 32 C. { M. F. 7	2					2	1			1	1	1	1	1	1	2	1		1	1		1				
8. Anæmia.....	{ W. { M. 11 F. 16 C. { M. F. 3	7					7		1	1									2								
9. Dropsy.....	{ W. { M. 275 F. 287 C. { M. 139 F. 157	6	7	7	5	9	34	25	19	14	10	8	14	12	20	21	16	11	22	16	18	8	6		1		
10. Glycosuria.....	{ W. { M. 24 F. 13 C. { M. F. 4			1		1	2	1	2	1		1	3	1	4			1	1	2	3	2					
11. Others of this group..	{ W. { M. 7 F. 19 C. { M. 1 F. 1	2	1				3		1	1				1					1								
12. Others of this class...	{ W. { M. 8 F. 12 C. { M. F. 1		1	3	1	1	6	1		2		1	1				2	1			1						
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	4322	1346	481	251	167	121	2366	340	152	158	175	145	108	84	90	109	80	84	99	90	92	69	44	12	7	4	14
Total: White.....	{ M. 1938 F. 1571	580	233	112	60	48	1033	136	74	67	74	63	54	32	43	51	42	47	57	45	47	32	23	9	2	1	6
Colored.....	{ M. 420 F. 393	180	36	15	23	13	267	33	17	14	15	7	5	7	9	6	3	6	6	10	8	4			1	1	1
1. Inflammation of the brain.	{ W. { M. 425 F. 387 C. { M. 73 F. 62	129	85	19	22	11	266	30	24	14	18	21	16	7	8	4	2	3	7	3	2						1
2. Meningitis.....	{ W. { M. 199 F. 164 C. { M. 34 F. 27	44	31	27	6	9	117	24	11	9	6	11	3	4	4	4	3	2									2
3. Apoplexy.....	{ W. { M. 73 F. 54 C. { M. 13 F. 25	2				1	3	3	1	2	2		3	1	3	3	8	7	8	5	10	5	4	2	2	1	
4. Paralysis.....	{ W. { M. 182 F. 136 C. { M. 26 F. 26	7	5	2	2	2	18	4	1	2	2	1	7	2	3	13	12	15	19	23	25	14	15	5		1	

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 14—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
5. Tetanus and trismus nascentium.	70	49	1	1	2	52	3	2	3	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	39	31	1	1	1	34	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	63	52	1	1	2	55	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	54	48	1	1	1	49	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6. Epilepsy	60	6	2	3	1	13	1	1	5	9	2	5	4	4	4	3	2	2	2	2	1	3	1	1	1	1	1
	45	5	1	3	1	11	3	2	6	6	3	5	1	2	2	1	1	2	2	2	1	3	1	1	1	1	1
	13	1	1	1	1	5	1	2	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	14	3	1	1	1	5	1	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
7. Convulsions	265	189	23	11	7	233	9	2	8	2	3	2	2	2	2	2	2	2	2	2	1	1	1	1	1	1	1
	215	124	24	13	10	173	8	1	3	7	9	5	5	1	1	1	2	1	1	1	1	1	1	1	1	1	1
	112	78	7	3	3	94	6	2	1	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	108	70	8	5	4	89	5	2	2	2	1	1	1	2	1	1	1	1	1	1	2	1	1	1	1	1	1
8. Mental diseases	8	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	5	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
9. Diseases of the brain	488	113	63	36	12	17	241	45	24	21	22	21	16	9	14	17	9	8	14	9	5	7	2	2	2	2	2
	379	83	53	30	18	15	199	45	16	21	15	14	6	13	3	13	6	10	4	8	3	2	1	1	1	1	1
	71	19	9	5	5	3	41	7	2	6	4	3	3	2	2	2	1	1	1	1	1	1	1	1	1	1	1
	59	11	6	5	4	2	28	6	1	6	1	4	3	4	1	1	1	1	1	1	1	1	1	1	1	1	1
10. Diseases of the spinal cord	141	39	22	13	8	4	86	13	9	8	5	5	3	1	3	3	3	2	1	1	1	1	1	1	1	1	1
	109	27	13	9	4	8	61	14	4	3	7	5	3	1	3	3	2	1	1	1	1	1	1	1	1	1	1
	12	1	2	2	2	2	5	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	10	2	2	2	2	2	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
11. Others of this group	27	2	1	1	1	4	3	2	1	1	1	1	1	3	3	3	4	1	2	1	1	1	1	1	1	1	1
	38	4	1	1	1	5	2	1	4	4	2	2	2	1	4	3	2	2	2	2	2	2	2	2	2	2	2
	3	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	7	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total	958	76	10	7	3	7	103	36	29	45	53	49	69	70	65	46	70	54	81	60	44	38	27	6	4	9	9
Total: White	372	37	4	3	1	2	47	17	14	12	13	17	15	25	16	19	28	26	38	30	16	18	13	3	1	4	4
	412	28	4	1	1	5	39	12	9	23	33	27	43	33	32	17	28	18	32	17	21	16	5	1	2	4	4
Colored	77	8	2	1	1	10	5	1	6	2	3	8	4	4	4	3	4	8	6	3	1	8	1	1	1	1	1
	97	3	1	1	1	7	2	5	4	5	5	8	4	13	6	11	6	3	7	4	3	1	2	1	1	1	1
1. Angina pectoris	9	1	1	1	1	4	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
	7	1	1	1	1	4	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2. Aneurism	5	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	3	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3. Diseases of the heart	331	14	4	3	1	2	24	15	13	12	12	16	14	23	15	18	28	24	38	28	15	15	13	3	1	4	4
	373	6	4	1	1	5	16	11	8	22	33	25	41	31	28	17	28	17	32	17	21	15	5	1	1	1	1
	69	1	2	1	1	2	2	5	1	6	2	3	8	4	4	3	4	8	6	3	1	8	1	1	1	1	1
	95	1	1	3	1	5	5	2	5	4	5	5	8	4	13	6	11	6	3	7	4	3	1	2	1	1	1
4. Others of this group	27	23	1	1	1	23	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	29	22	1	1	1	23	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	8	8	1	1	1	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	2	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total	8130	1699	559	342	169	116	2885	265	233	473	686	541	476	385	341	349	327	244	296	218	162	110	66	21	7	7	38
Total: White	3796	703	277	148	78	41	1247	94	92	212	335	253	219	177	165	186	182	148	162	125	78	64	31	6	1	19	19
	2717	563	170	119	61	46	959	98	68	168	205	189	185	153	124	114	95	68									

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 14—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia.....	{ W. { M.	2671	184	126	82	32	24	448	59	75	194	307	231	206	165	150	161	163	126	134	94	66	47	22	5		18
	{ F.	1788	149	84	44	24	19	320	52	59	147	182	163	164	137	108	99	84	56	60	55	36	26	18	7		12
	{ C. { M.	713	112	47	27	15	15	216	29	30	47	89	63	36	20	25	33	30	15	31	12	14	9	4	5	1	3
	{ F.	500	69	30	27	9	9	144	29	36	44	45	34	29	30	24	15	16	12	12	5	8	3	4	2	2	3
5. Pleurisy	{ W. { M.	28	2	2				4	3		1		2			5	2	1	1	3	3	1	1				
	{ F.	34	4		1			5	1	1	3	5	3	2	1	2	2	1	1	3	1	2	1				
	{ C. { M.	6	1			1		2		1									2	1							
	{ F.	8		1	1			2		2				1	1					1			1				
6. Asthma.....	{ W. { M.	26	2				1	3		1		1			1			2	3	5	6	1	2	1			
	{ F.	10						1	1		1			1	1	1			2		1	1					
	{ C. { M.	5	1					1	1									1		2							
	{ F.	2								1			1														
7. Others of this group....	{ W. { M.	183	29	12	4	6	2	53	12	8	8	16	12	4	5	9	13	7	9	8	8	2	6	2			1
	{ F.	130	24	6	8	4	1	43	10	2	9	7	12	8	4	6	4	1	2	5	5	7	2	2	1		
	{ C. { M.	25	2	3	2			7	1	1	1	6		2	3	1			1	1	1						
	{ F.	16	3					3	1	1	1	1		2	1		1	2		1	1					1	
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....		2181	490	311	112	47	33	993	126	59	79	95	99	95	85	77	87	87	73	73	61	34	29	15	8		6
Total: White.....	{ M.	972	217	130	51	17	12	427	66	29	29	37	38	32	31	38	44	38	39	43	33	19	17	4	5		3
	{ F.	834	156	109	36	22	17	340	44	21	38	45	50	42	49	30	36	35	31	15	23	10	12	8	2		3
Colored	{ M.	202	67	37	17	4		125	9	4	6	7	8	9	2	3	2	7	1	9	5	3		1	1		
	{ F.	173	50	35	8	4	4	101	7	5	6	6	3	12	3	6	5	7	2	6	2		2				
1. Dentition	{ W. { M.	97	28	56	12	1		97																			
	{ F.	94	37	47	9	1		94																			
	{ C. { M.	51	21	24	5	1		51																			
	{ F.	46	20	21	4			45	1																		
2. Angina	{ W. { M.	61	12	8	8	3	3	34	11	2	1		1		2	1		2	1		3	1	2				2
	{ F.	38	3	11	4	2	3	23	4	2	2	1	1	2				1									
	{ C. { M.	9	3	1	1	1		6	1	1	1																
	{ F.	12		3		2	1	6	1	1	1			1		1		1									
3. Gastritis.....	{ W. { M.	40	7	3	2	1		13	6	1	1	2		1		2	1	2	6	2	1	1		1			
	{ F.	31	3	4	2	2		11	3			1	3	1	3	1	1		2	2	2	1					
	{ C. { M.	5	1	2				3										1									
	{ F.	4	1					1					1	1	1					1							
4. Other diseases of the stomach.	{ W. { M.	185	38	23	9	6	3	79	21	6	5	9	8	1	4	5	11	8	9	7	7	2			3		
	{ F.	190	29	19	13	8	6	75	16	7	7	10	14	5	9	7	9	9	11	3	5	1	1	1			
	{ C. { M.	12	1	1				2	3	1		2		1	1			1		1							
	{ F.	13	1	1		1	1	4	2			2		2			2			1							
5. Obstruction of the bowels.	{ W. { M.	30	4	1	1			6	2	3	2	1	1	2	2	3		1		2	2	1	2				
	{ F.	24	4	1		2		7	2	3	1	1	2	3	2			1	1		1						
	{ C. { M.	10	2					2			2	1	1	1				1		1							
	{ F.	7					1	1		1	1						1	1	1	1							
6. Hernia.....	{ W. { M.	19	3		1			4		1		3		1	1		2		1		1		3				1
	{ F.	8				1		1						1	2	2	1			1							
	{ C. { M.	7				1		1				1			1			1		1							
	{ F.	3	2					2											1								
7. Other diseases of the bowels.	{ W. { M.	94	28	13	4		3	48	8	4	6	2	5	3		2	5	1	2	3	1	1	2	1			
	{ F.	66	19	8	2		1	30	8	1	5	3	3	3	2	1	2	2	2	1	1		2				
	{ C. { M.	18	5	2	4			11	2		1	1		2							1						
	{ F.	10	3	3		1		7		2				1													
8. Jaundice.....	{ W. { M.	42	14	1		1	1	17	2	2		2	1	1	1	2	4	1	1	2	3	1	1		1		
	{ F.	34	9		1	3	4	17	4	2		2		2				4				2	1				
	{ C. { M.	21	10	1	1			12	1		1	1	1	2	1						1						
	{ F.	3	1				1	2																			
9. Inflammation and abscess of the liver.	{ W. { M.	85	6	4	2	1		13	3	2	3	6	10	9	4	9	4	7	4	4	4	2					1
	{ F.	70	1	2				3	1		4	3	5	7	7	2	9	5	6	4	6	3	1	2	1		1
	{ C. { M.	6																									

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 14—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	328	15	6	3	7	5	36	10	6	9	19	19	10	9	18	20	15	20	42	27	32	19	9	5	2		1
Total: White.....	{ M. 185 F. 68	9	4	1	1	1	16	5	2	5	10	12	3	4	13	9	9	11	22	19	22	13	4	4	1		1
Colored.....	{ M. 56 F. 19	1		1	1		3	2	1		1	1	1	3	1	3	3	4	10	7	7	3	4	1	1		
1. Bright's disease.....	{ W. { M. 46 F. 20 C. { M. 9 F. 10		1				1			1	2	1	2	1	1	3	3	6	7	6	10	1		1			
2. Calculus, urinary.....	{ W. { M. 22 F. 4 C. { M. 13 F.	2	1	1			4	2		1	1	1		1	1	2		1	3			3	1	1			
3. Diseases of the kidney.....	{ W. { M. 71 F. 32 C. { M. 16 F. 6	5	2		1	1	9	2	1	1	6	5		2	7	2	5	4	5	7	5	5	2	2			1
4. Diseases of the bladder.....	{ W. { M. 21 F. 5 C. { M. 10 F. 3	1					1		1			1		2	1	1		4	2	5	2	1					
5. Others of this group..	{ W. { M. 25 F. 7 C. { M. 8 F.	1					1	1		2	1	5		2	1			3	4	2	2			1			
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total.....	224				2		2		2	16	20	28	18	40	23	35	11	9	8	3	2	4		1		1	1
Total: White.....	F. 161				2		2		2	13	16	20	11	28	16	29	5	4	5	3	2	3		1			1
Colored.....	F. 63									3	4	8	7	12	7	6	6	5	3			1				1	
1. Ovarian tumors.....	{ W.—F. 10 C.—F. 4				1		1				1	2		2	1	2						1					
2. Ovarian diseases.....	{ W.—F. 4 C.—F.									1		1				1	1										
3. Uterine tumors.....	{ W.—F. 8 C.—F. 1									1	1			1	2	2		1				1					
4. Uterine diseases.....	{ W.—F. 45 C.—F. 17										6	7	6	8	3	5	3		4		1	1					1
5. Others of this group..	{ W.—F. 94 C.—F. 41				1		1		2	11	8	10	5	17	10	19	1	3	1	3	1	1		1		1	
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total.....	754								4	126	195	144	124	98	50	8											5
Total: White.....	F. 564									82	156	114	93	75	39	3											2
Colored.....	F. 190								4	44	39	30	31	23	11	5											3
1. Abortion.....	{ W.—F. 76 C.—F. 24									13	16	7	22	12	6												
2. Child-birth.....	{ W.—F. 404 C.—F. 141									50	103	94	63	59	32	2											1
3. Others of this group..	{ W.—F. 84 C.—F. 25								4	19	37	13	8	4	1	1											1
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	110	21	16	3	3	2	45	9	10	6	7	7	2	4	3	5	3	2	2	1	1	3					
Total: White.....	{ M. 59 F. 41	11	6		2	1	20	6	7	5	4	3		1	2	3	2	2	1		1	2					
Colored.....	{ M. 5 F. 5		1				1	1						1					1	1							
1. Diseases of the spine.....	{ W. { M. 40 F. 31 C. { M. 2 F.	10	3		2	1	16	5	3	4	2	1			1	3	2	1	1			1					
2. Diseases of the bones.....	{ W. { M. 8 F. 5 C. { M. 1 F. 2		1				1	1	1		1	2								1	1						

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 14—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
3. Diseases of the hip-joint.	4	1					1		1	1				1													
{ W. { M.	3	1					2		1																		
{ C. { F.	1				1		1													1							
4. Others of this group..	7	2					2		2		1				1			1									
{ W. { M.	2	1					1					1															
{ C. { F.	1										1								1								
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	91	16	6	4		2	28	2	1	1	8	9	5	3	6	4	7	4	2	3	5	2	1				
Total: White.....	35	5	2	2		1	10	1			1	5	3	1	2	2	4	2	1	1	1	1					
{ M.	35	6	4	1			11	1		1	5	3	1	1	3	2	1	1	1	1	2		1				
Colored.....	12	4					4		1		2		1	1	1		1	1									
{ M.	9	1		1		1	3										1			1	2	1					
1. Abscess.....	22	3	2				5	1			1	4	1	1	1	1	3	2		1		1					
{ W. { M.	20	3		1			4	1		1	4	3	1	1	2	1					2						
{ C. { F.	5						1				2			1	1		1			1							
2. Carbuncle.....	8			2		1	3					1	1			1		1		1		1					
{ W. { M.	8			2			2									1		1		1							
{ C. { F.	2	1				1	1						1									1					
3. Others of this group..	5	2					2						1		1	1											
{ W. { M.	7	3	2				5				1						1										
{ C. { F.	5	3					3		1												1						
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	35	2	1	3	1	1	8	1	2	1	4	1	5	2	2		1	1	2	3				1			1
Total: White.....	13	1		1	1		3		1	1	2	1	1	1					2								1
{ M.	17	1	1			1	3	1	1		2		4	1	1			1		2			1				
Colored.....	3			1			1									1	1										
{ M.	2			1			1																				
1. Addison's disease.....																											
{ W. { M.																											
{ C. { F.																											
2. Diseases of the spleen.	10				1		1		1	1	2	1	1	1					2								
{ W. { M.	16	1				1	2	1	1		2		4	1	1			1		2				1			
{ C. { F.	3			1			1									1											
3. Others of this group..	3	1		1			2																				1
{ W. { M.	1		1				1																				
{ C. { F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total.....	2319	323	93	84	75	53	628	201	147	168	261	195	154	150	101	79	58	45	35	24	22	21	12	5	2		11
Total: White.....	1204	93	34	35	28	14	204	78	70	91	163	118	99	95	73	58	43	39	21	14	12	11	6		2		7
{ M.	418	58	30	23	19	17	147	55	35	29	28	28	19	25	13	8	2	4	5	6	6	4	3	1			
Colored.....	424	83	15	9	13	6	126	35	25	35	58	37	30	20	12	11	12	1	6	4	3	3	3	1			2
{ M.	273	89	14	17	15	16	151	33	17	13	12	12	6	10	3	2	1	1	3		1	3		3			2
1. Burns and scalds.....	74	14	15	15	11	4	59	7				3	1	1					1		1		1				
{ W. { M.	122	7	18	9	11	8	53	28	11	12	7	4		2	3			1		1							
{ C. { M.	48	9	9	3	11	3	35	6	3		2	1				1											
{ F.	122	16	7	15	11	14	63	26	11	7	3	5	1		1	1			1			1		2			
2. Drowned.....	85	1	4	3	4		12	12	11	6	15	5	4	8	4	2		2	2	1		1					
{ W. { M.	23	1	2	2			5	6	4	3	3		1	1													
{ C. { M.	46				1	1	2	12	5	11	5	3	1	2	2	1	1			1							
{ F.	10		1		2		3	2	1		1	1		1													1
3. Exposure and neglect.	20	9	2	1	2		14			1			1	1			1	1				1					
{ W. { M.	21	7	1	1			9	1	1	1	4	1	1						1			1					
{ C. { M.	21	15	1				16			1				1		1							1				
{ F.	24	12	3				15			1	2	2	1						1			1		1			
4. Gunshot wounds.....	207			1	1		2	5	8	14	56	29	26	29	10	10	10	5	3								
{ W. { M.	13			1		2	3	2	2	2		3															
{ C. { M.	77			1			1	5	3	8	20	15	10	4	3	2	4	1	1								
{ F.	3											1	1				1										
5. Homicide.....	94								3	7	18	14	17	8	10	7	5	4	1								
{ W. { M.	5					1	1		1		1	1				1											
{ C. { M.	42									5	8	7	9	4	4		1		2	1			1				
{ F.	7									2	2	1	1	1													

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 14—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—continued.																											
6. Infanticide.....																											
{ W. { M.	2	2					2																				
{ F.	1	1					1																				
{ C. { M.	2	2					2																				
{ F.																											
7. Injuries by machinery.....																											
{ W. { M.	6								2		1			1			1		1								
{ F.	1													1													
{ C. { M.	2								2																		
{ F.																											
8. Railroad accidents.....																											
{ W. { M.	44							2		7	6	7	6	5	2	2	3	1									3
{ F.																											
{ C. { M.	6							1		1		1		1							1						1
{ F.	2														1												
9. Suffocation.....																											
{ W. { M.	57	31	3	2		1	37	3	1	1	4	2	1	3	2			1	1								1
{ F.	31	21	1	3	1	1	27	1	1				1						1								
{ C. { M.	54	42	3				45	2			1		1						1	1	1	1					1
{ F.	42	41					41		1																		
10. Suicide by shooting.....																											
{ W. { M.	20							1			4	4	1	3	3			2	2								
{ F.	3									1		1	1														
{ C. { M.	3										1	1	1														
{ F.																											
11. Suicide by drowning.....																											
{ W. { M.	4									1			1			1	1										
{ F.	1										1																
{ C. { M.																											
{ F.																											
12. Suicide by poison.....																											
{ W. { M.	9										1		1	2			3			1	1						
{ F.	7									2	1	1	1	2													
{ C. { M.																											
{ F.																											
13. Other suicides.....																											
{ W. { M.	35										5	5	3	4	3	4	2		3	4	1	1					
{ F.	6								1			2	1	2													
{ C. { M.	3										2				1												
{ F.	2									1	1																
14. Sunstroke.....																											
{ W. { M.	22					1	1	3	1	4	4	4	1		1	2		1									
{ F.	3									1		1	1														
{ C. { M.	4						1				1	1	1														
{ F.																											
15. Surgical operations.....																											
{ W. { M.	9			1			1			1	1	1	1		3			1									
{ F.																											
{ C. { M.	1														1												
{ F.																											
16. Wounds.....																											
{ W. { M.	32	4	2		1		7	2	1	1	2	1	6	3	1	1	3	1	1			1					1
{ F.	3												1	1			1										
{ C. { M.	5										2	2	1														
{ F.																											
17. Others of this group.....																											
{ W. { M.	486	34	8	12	9	8	71	43	43	48	46	43	29	27	34	29	14	20	6	8	9	7	5		2		2
{ F.	177	20	8	7	7	5	47	17	14	7	14	10	12	15	9	7	2	3	3	5	5	3	3	1			
{ C. { M.	111	16	2	4	1	2	25	10	10	8	16	7	7	8	1	6	5		2	1	1	2	1	1			
{ F.	59	18	3	2	2	2	27	4	4	2	3	2	2	8	1	1		1	1		1	1					1

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 15.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
GRAND TOTAL.....	63752	14434	4499	2618	1645	1231	24427	3555	2158	3100	3912	2988	2453	2386	1985	1879	1935	1748	2165	2190	2182	1948	1338	664	243	115	381	
Total: White..... { M.	27892	6841	1940	1129	680	572	11162	1423	780	1071	1387	1141	901	909	860	838	924	924	1093	1116	1080	1013	656	319	95	29	171	
{ F.	27336	5483	1836	1079	691	501	9590	1570	947	1403	1877	1467	1231	1228	916	845	794	672	897	959	941	828	565	292	113	42	159	
Colored..... { M.	4136	1143	376	197	131	84	1931	268	181	266	273	136	134	99	91	88	121	92	105	67	90	54	60	31	16	15	18	
{ F.	4388	967	347	213	143	74	1744	294	250	360	375	244	187	150	118	108	96	60	70	48	71	53	57	22	19	29	33	
Unknown causes.																												
Total.....	3632	2014	242	95	55	41	2447	99	60	65	87	66	52	72	60	59	71	55	65	74	58	78	57	40	12	2	53	
Total: White..... { M.	1451	852	89	34	20	15	1010	36	20	18	26	21	13	20	25	13	31	24	26	35	31	39	21	13	6	...	23	
{ F.	1375	716	73	24	21	15	849	29	22	27	38	33	32	45	27	36	26	24	30	33	20	31	23	22	5	...	23	
Colored..... { M.	382	225	35	15	9	3	287	16	8	9	6	7	2	1	...	6	5	2	6	5	6	4	5	3	1	1	2	
{ F.	424	221	45	22	5	8	301	18	10	11	17	5	5	6	8	4	9	5	3	1	1	4	8	2	...	1	5	
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total.....	16817	3714	2033	1271	800	631	8449	1927	922	869	859	607	419	398	312	257	265	221	272	263	250	218	137	69	17	9	77	
Total: White..... { M.	7359	1772	921	575	335	302	3905	775	333	327	323	259	153	144	124	121	129	128	132	123	122	110	74	33	7	1	36	
{ F.	7808	1595	889	554	375	277	3690	952	492	426	446	287	224	224	165	110	120	78	116	127	113	98	56	36	9	5	34	
Colored..... { M.	837	177	105	66	45	26	419	104	56	61	42	24	24	11	13	11	10	10	16	8	7	8	7	...	1	1	4	
{ F.	813	170	118	76	45	26	435	96	41	55	48	37	18	19	10	15	6	5	8	5	8	2	...	...	...	2	3	
1. Small-pox..... { W. { M.	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
{ F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
{ C. { M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
{ F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Measles..... { W. { M.	269	69	55	31	15	12	182	27	11	13	11	7	6	1	5	...	1	2	...	2	...	...	...	...	...	...	1	
{ F.	311	52	41	26	16	15	150	38	20	28	24	8	11	13	3	4	9	2	...	1	...	...	...	...	...	...	1	
{ C. { M.	44	5	10	4	5	2	26	6	4	4	2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	
{ F.	37	11	9	4	2	...	26	4	1	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
3. Scarlet fever..... { W. { M.	582	61	75	83	75	65	359	158	44	10	4	3	...	...	...	1	1	...	...	...	1	...	...	...	...	...	1	
{ F.	658	43	66	80	80	60	329	214	76	19	12	2	2	1	1	...	1	...	...	...	...	...	...	...	...	...	1	
{ C. { M.	19	3	2	2	1	2	10	7	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
{ F.	22	2	1	5	5	2	15	3	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	
4. Diphtheria..... { W. { M.	1106	88	112	151	121	145	617	360	77	22	2	6	5	2	4	2	2	1	1	...	...	...	...	...	...	...	4	
{ F.	1325	59	133	168	165	127	652	416	174	39	13	8	7	6	4	...	2	...	...	...	1	...	...	...	...	...	2	
{ C. { M.	112	21	11	12	15	8	67	32	11	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
{ F.	117	14	16	22	13	12	77	25	9	1	2	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
5. Hooping-cough..... { W. { M.	378	215	72	40	19	6	352	17	5	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	3	
{ F.	491	247	95	63	28	17	450	32	6	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	
{ C. { M.	98	43	21	17	4	3	88	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	
{ F.	113	41	34	16	9	4	164	7	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	
6. Fever..... { W. { M.	65	23	1	3	...	...	27	1	1	4	3	5	1	4	2	2	...	4	2	3	1	2	2	1	...	...	...	
{ F.	89	16	2	4	...	...	22	8	1	10	11	7	1	5	3	4	1	2	2	4	2	...	5	1	...	...	...	
{ C. { M.	37	6	6	3	1	1	17	3	2	1	3	2	1	1	3	1	1	...	...	1	1	...	...	...	...	...	...	
{ F.	29	3	1	1	...	1	6	9	1	2	2	1	1	2	...	3	1	1	...	...	...	...	...	...	...	...	...	
7. Cerebro-spinal fever... { W. { M.	169	35	26	22	10	11	104	13	11	11	6	6	5	4	1	1	2	1	1	1	1	1	...	...	...	...	...	
{ F.	170	34	32	15	8	6	95	23	12	10	6	7	2	7	2	3	2	...	...	...	...	...	...	...	...	...	...	
{ C. { M.	12	1	1	...	2	1	5	2	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
{ F.	10	2	1	1	1	2	7	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
8. Enteric fever..... { W. { M.	1192	25	22	25	22	14	108	73	96	165	203	132	72	54	40	37	42	40	40	29	31	16	4	3	1	...	6	
{ F.	1086	16	17	25	17	14	89	77	110	184	150	102	64	55	48	38	38	19	31	37	17	14	7	3	...	...	3	
{ C. { M.	155	3	3	1	5	2	14	20	19	36	22	9	11	2	3	2	1	3	5	3	1	...	1	...	...	...	2	
{ F.	126	4	5	6	3	1	19	21	17	24	17	11	3	2	3	2	2	1	3	...	1	...	...	...	...	...	...	
9. Diarrhœa..... { W. { M.	319	117	56	18	2	...	193	4	1	1	4	3	2	7	5	10	7	8	13	9	15	21	9	5	...	...	2	
{ F.	252	89	56	17	4	...	166	6	1	1	3	3	6	4	2	5	4	2	2	7	14	9	5	3	4	2	3	
{ C. { M.	40	15	12	2	1	...	30	1	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
{ F.	28	12	9	4	...	...	25	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
10. Dysentery..... { W. { M.	507	113	114	69	20	19	335	32	15	10	9	7	5	5	8	8	10	9	10	14	11	10	1	...	...	1	2	
{ F.	448	90	85	38	9	10	232	24	10	10	9	10	6	7	13	8	10	11	23	24	20	15	5	8	1	...	2	
{ C. { M.	80	15	15	5	4	1	40	4	2	2	3	3	1	3	2	4	3	1	4	1	2	2	3	...	...	...	...	
{ F.	65	12	11	7	3	2	35	7	2	4	2	2	2	1	1	2	...	...	...	...	...	...	...	...	...	...	...	
11. Enteritis..... { W. { M.	507	145	52	29	12	8	246	22	23	24	16	17	14	14	14	10	13	13	14	14	16	14	13	7	2	...	1	
{ F.	455	128	46	23	7	7	211	23	20	11	19	15	17	19	21	10	8	14	14	14	16	8	9	3	...	...	3	
{ C. { M.	41	13	2	5	4	2	26	3	...	2	1	...	1	1	1	...	1	1	...	...	...	...	...	...	...	...	...	
{ F.	37	14	3	2	3	...	22	5	1	1	2	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
12. Cholera morbus..... { W. { M.	68	10	7	2	...	...	19	5	...	...	2	3	...	1	3	1	2	3	6	3	6	6	5	...	1	...	2	
{ F.	60	4	3	1	1	...	9	9	...	2	5	3	1	3	4	1	1	...	3	3	3	9	4	1				

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 15—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																												
15. Erysipelas	{ W. { M. F. C. { M. F.	209	50	9	9	1	1	70	8	5	8	9	8	5	6	9	17	13	12	10	12	8	5	2	2			
		216	77	10		2	1	90	6	5	9	9	6	3	8	12	6	6	9	8	11	11	8	5			1	
		8						2																				
		9	3	1	1			5	1				1			1		1		1			1					
16. Septicæmia	{ W. { M. F. C. { M. F.	67	4	4	2	1	1	12	1	3	4	4	6	3	7	3	4	3	7	2	3	2	1	2				
		65	4	1	2	1	1	9	1	4	4	10	8	11	4	4	1	2	3	1	1	1						1
		3	1					1				1		1														
		6							1			3		1	1													
17. Puerperal septicæmia.	{ W.—F. C.—F.	342									31	108	72	50	47	23	4											7
		40										7	8	6	5	5	4	3										2
18. Venereal diseases.....	{ W. { M. F. C. { M. F.	41	12	1	1			14				3	3	4	4	1	3	2		1	1	1	2			1		1
		21	10	1	1		1	13								2	2	1	1									1
		13	4	2				6				1	1	1				2	1									1
		11	1	1		2		4				2	3					2										
19. Others of this group ..	{ W. { M. F. C. { M. F.	79	8	4	1	1	1	15	2	4	3	3	4	4	3	3	1	4	3	2	4	7	5	6	6			
		71	10	6	4		2	22	2	3	5	1	3	3	2	1	3	4	4	1	3	4	4	2	2	2		
		13	8				1	9	1																			
		7	2	1				3	1		2					1												
General diseases—B.																												
Total.....		687	279	42	42	18	13	394	27	7	12	14	18	17	36	29	21	22	15	24	17	10	12	5	3	2		2
Total: White..... { M. F.		326 274	120 136	10 21	11 17	7 7	2 6	150 187	4 17	4 1	2 8	8 4	9 4	11 4	26 9	24 3	12 3	17 5	12 3	17 7	12 5	4 5	8 3	3 2	2 1	2		1
Colored		47 40	16 7	6 5	6 8	2 2	4 1	34 23	1 5	2 2	2 1	3 1	3 2	1 1	1 1	2 2	1 5					1						1
1. Worms	{ W. { M. F. C. { M. F.	14	3		5	3	1	12	1	1																		
		30	1	9	10	2	2	24	5	1																		
		18	2	4	5	2	3	16	1				1															
		18		4	8	2	1	15	3																			
2. Other parasitic dis- eases.	{ W. { M. F. C. { M. F.	3			1			1	1					1														
		7		1	1	1		3	1		1				1		1											
3. Alcoholism	{ W. { M. F. C. { M. F.	90									1	2	6	4	16	16	5	12	6	9	7	2	1	2	1			
		3																1	1	1								
		5										1				2							1					
		1									1																	
4. Lead poison.....	{ W. { M. F. C. { M. F.	2																1		1								
5. Other poisons.....	{ W. { M. F. C. { M. F.	90	12	5	3	4	1	25	1	3		6	3	5	10	8	5	2	5	7	3	1	3	1	1		1	
		88	11	5	4	4	4	28	10		7	4	3	4	8	1	2	3	2	5	4	2	1	1	1	1		1
		9	1		1		1	3			2		2	1			1											
		15	1	1				2	2	1		1	2	1			5					1						
6. Inanition	{ W. { M. F. C. { M. F.	127	105	5	2			112	1		1			1			2	2	1		2	1	4					
		146	124	6	2			132	1				1			2		1		1	1	3	2	1		1		
		15	13	2				15																				
		6	6					6																				
General diseases—C.																												
Total.....		4435	3114	19	10	4	3	3150	7	2	1	2	4	7	3	5	8	9	13	28	51	147	218	344	240	117	65	14
Total: White..... { M. F.		2142 1728	1624 1103	8 8	2 5	1 2	1	1636 1119	5 1			1 1	1 1	2 5	1 1	4 1	1 6	3 4	9 3	12 12	21 26	54 73	91 107	132 181	105 107	44 53	13 22	7 2
Colored		304 261	226 161	2 1	1 2		1	230 165	1				1 1					2 1		2 1	2 3	10 10	11 9	12 19	17 11	8 12	9 21	5
1. Premature birth	{ W. { M. F. C. { M. F.	289	289					289																				
		236	236					236																				
		41	41					41																				
		16	16					16																				
2. Stillborn	{ W. { M. F. C. { M. F.	1176	1176					1176																				
		758	758					758																				
		173	173					173																				
		135	135					135																				
3. Malformation	{ W. { M. F. C. { M. F.	59	55	2				57	2																			
		40	37	3				40																				
		2	2					2																				
		5	4	1				5																				
4. Debility	{ W. { M. F. C. { M. F.	246	103	6	2	1		112	3			1	1	2	1	4	1	3	9	5	17	23	21	22	12	1	3	5
		203	72	5	5	2	1	85	1	2	1	1	1	5	1	1	6	4	1	6	12	23	22	16	12	1	1	
		23	10	2	1			13	1									2				2	2		2			
		21	6		2	1		9					1		1		1		1	1	1	1	2	2	1			
5. Old age	{ W. { M. F. C. { M. F.	370																		7	4	31	70	110	93	43	10	2
		491																		6	14	50	85	165	95	52	21	1
		64																		2	1	8	9	12	15	8	9	
		84																		1	2	9	7	17	10	12	21	5
6. Atrophy	{ W. { M. F. C. { M. F.	2	1				1	2																				

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 15—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total.....	12811	558	315	189	130	66	1258	340	423	1054	1708	1265	1025	883	697	657	599	510	617	530	479	381	202	82	25	6	70
Total: White.....	{ M. 4423 F. 6029	274 190	117 103	59 60	34 31	22 18	506 402	84 102	74 144	207 546	470 885	400 674	306 549	290 473	252 351	246 325	247 275	235 223	280 281	238 258	229 209	193 164	87 91	43 32	7 13	1 2	28 30
Colored	{ M. 935 F. 1424	50 44	54 41	33 37	32 33	14 12	183 167	64 90	56 149	95 206	130 223	50 141	62 108	46 74	35 59	30 56	40 37	34 18	36 20	19 15	22 19	12 12	12 12	5 2	2 3	1 2	1 11
1. Rheumatism.....	{ W. { M. 143 F. 134 C. { M. 20 F. 21	1 2	2 2	2 2	2 2	2 2	7 6	10 11	13 18	6 10	6 5	5 4	4 3	5 4	5 4	5 10	6 6	11 9	13 13	18 7	10 7	12 8	6 6	1 1	1 1	1 1	1 1
2. Scrofula and tabes....	{ W. { M. 238 F. 228 C. { M. 144 F. 153	73 65	40 31	13 18	10 9	5 3	141 126	13 13	6 7	7 16	16 18	10 7	9 14	6 2	3 4	6 4	3 4	4 1	4 2	4 7	3 1	2 1	2 1	1 1	1 1	1 1	1 1
3. Leprosy	{ W. { M. F. C. { M. F.																										
4. Consumption	{ W. { M. 2869 F. 4298 C. { M. 642 F. 1067	104 61	37 29	13 20	8 12	2 9	164 131	17 39	31 92	166 492	420 809	362 615	266 490	253 389	200 271	194 205	172 164	146 103	145 145	119 119	93 92	74 74	21 37	8 9	3 3	1 1	18 19
5. Hydrocephalus	{ W. { M. 138 F. 105 C. { M. 17 F. 11	62 37	22 26	16 15	7 3	5 2	112 83	11 10	5 2	1 3	1 3	1 1	1 1	1 1	1 2	1 2	1 2	1 2	1 2	4 4	4 4	3 3	23 15	9 11	5 4	4 3	
6. Cancer.....	{ W. { M. 365 F. 560 C. { M. 10 F. 57	3 5	4 1	1 1	1 1	2 1	10 7	1 1	1 1	3 3	9 10	18 18	35 37	37 64	62 62	62 73	62 62	64 64	44 44	37 37	15 15	11 11	4 4	1 1	1 1	1 1	
7. Tumor.....	{ W. { M. 63 F. 71 C. { M. 6 F. 6	8 2	4 2	1 1	1 1	1 1	14 5	1 1	1 1	4 4	4 1	2 4	2 3	7 8	1 6	5 5	3 7	6 5	3 7	6 7	1 3	1 4	2 1	1 1	1 1	1 1	
8. Anæmia	{ W. { M. 19 F. 47 C. { M. 2 F. 2	8 7	2 2	1 1	1 1	1 1	8 9	1 1	1 1	1 5	4 8	3 3	6 6	2 2	2 2	2 2	2 2	2 2	2 2	3 3	1 1	1 1	1 1	1 1	1 1	1 1	
9. Dropsy	{ W. { M. 443 F. 505 C. { M. 86 F. 105	9 9	7 9	12 4	6 4	5 2	39 28	24 22	11 16	12 11	8 28	13 20	7 16	13 21	17 30	15 23	16 23	32 25	43 48	41 49	52 56	49 37	27 32	18 10	2 5	1 1	3 4
10. Glycosuria.....	{ W. { M. 131 F. 52 C. { M. 5 F. 2	3 4	1 5	1 3	1 1	1 1	6 7	5 4	7 5	6 3	9 5	2 2	2 2	1 3	7 4	4 8	6 8	7 3	12 4	8 5	17 2	20 2	6 2	5 2	1 1	1 1	
11. Others of this group..	{ W. { M. 14 F. 29 C. { M. 3 F. 3	3 2	4 1	1 1	1 1	1 1	5 7	3 2	1 1	3 3	1 4	1 3	1 1	2 2	1 1	1 1	1 1	1 1	1 1	3 2	1 1	1 1	1 1	1 1	1 1	1 1	
12. Others of this class....	{ W. { M. 4 F. 17 C. { M. 17 F. 17							1 1			1 3	1 7	1 4	1 1	1 1	2 2											
M.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	7147	1984	699	331	183	151	3348	353	197	187	188	176	153	168	167	170	207	220	274	331	352	329	198	63	18	14	34
Total: White.....	{ M. 3323 F. 3047	944 764	283 316	141 148	76 79	71 59	1515 1366	158 148	78 94	83 78	83 80	75 81	79 68	87 83	71 81	74 81	113 81	119 84	130 123	178 135	166 162	155 166	100 89	31 30	10 8	5 5	13 17
Colored	{ M. 432 F. 345	163 113	61 39	21 21	11 17	15 6	271 196	28 19	13 12	13 13	15 10	11 9	5 1	4 9	7 6	8 7	7 6	8 9	8 13	7 11	15 9	2 6	5 4	2 2	2 2	2 2	3 1
1. Inflammation of the brain.	{ W. { M. 705 F. 664 C. { M. 107 F. 84	296 236	122 142	53 66	28 24	24 27	523 495	55 50	22 17	18 20	14 14	9 10	3 10	10 5	8 11	4 5	10 5	11 11	1 4	5 6	5 1	3 4	2 1	1 1	1 1	1 1	1 1
2. Meningitis.....	{ W. { M. 261 F. 239 C. { M. 52 F. 30	75 82	35 42	18 22	14 7	15 9	157 162	27 21	12 10	13 12	10 8	7 3	1 6	10 2	3 2	1 1	5 2	5 1	1 2	1 4	1 2	1 1	1 1	1 1	1 1	1 1	3 2
3. Apoplexy.....	{ W. { M. 316 F. 257 C. { M. 14 F. 25	13 2	1 1	1 1	1 1	1 1	15 4	5 2	2 3	8 5	11 5	13 3	13 6	6 9	19 18	19 24	29 15	39 26	56 33	34 33	24 29	15 12	5 8	3 1	3 1	3 1	
4. Paralysis	{ W. { M. 585 F. 584 C. { M. 37 F. 39	9 5	5 5	3 3	1 2	1 1	18 16	3 4	2 7	6 3	5 7	7 7	7 12	16 14	15 12	21 19	31 24	44 34	56 64	77 71	88 93	90 101	65 62	24 18	5 7	4 4	1 5

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 15—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
5. Tetanus and trismus nascentium.	69 34 28 14	28 21 13 12	2 2 — —	— — — —	— — — —	3 1 3 —	33 24 16 12	6 2 2 —	4 3 2 1	9 2 1 —	3 1 1 —	4 1 1 —	2 1 1 —	3 1 1 —	— — 1 —	1 — 1 —	3 — 1 —	— — 1 —	— — 1 —	— — — —	1 — — —	— — — —	— — — —	— — — —	— — — —	— — — —		
6. Epilepsy	111 90 15 10	17 6 3 —	1 3 1 —	5 2 — —	2 4 1 —	1 1 — —	26 16 5 3	3 4 — —	4 10 1 —	10 4 2 —	15 8 2 —	8 15 2 —	12 5 — —	4 6 — —	4 2 2 —	2 2 1 —	4 2 — —	2 1 — —	6 3 — —	4 2 — —	3 2 — —	1 4 — —	— 1 — —	— — — —	— — — —	1 — — —		
7. Convulsions	440 390 116 89	319 257 84 63	38 37 19 14	20 22 3 6	10 15 1 —	9 4 — —	396 335 107 84	16 7 2 1	2 3 — —	2 6 1 —	5 13 3 —	2 4 — —	4 3 — —	1 3 — —	2 5 — —	3 — — —	2 — — —	— 1 — —	2 — — —	— 1 — —	2 — — —	— — — —	— 1 — —	— — — —	— — — —	1 5 — —		
8. Mental diseases	74 85 3 3	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— 2 — —	— 2 — —	— 3 — —	— 5 — —	— 12 — —	— 9 — —	— 2 — —	— 12 — —	— 5 — —	— 8 — —	— 8 — —	— 7 — —	— 2 — —	— 6 — —	— 1 — —	— 1 — —	— — — —	— — — —	— — — —	3 — — —	
9. Diseases of the brain	529 453 43 35	127 119 18 7	54 62 6 4	28 21 — 1	14 12 1 —	12 7 3 —	235 221 28 14	27 32 3 5	15 16 1 —	16 8 3 2	12 13 — —	14 20 — —	21 11 — —	18 11 — —	12 17 — —	14 18 — —	29 10 — —	16 11 — —	15 9 — —	27 12 — —	21 12 — —	20 19 — —	11 7 — —	1 3 — —	1 1 — —	4 2 — —		
10. Diseases of the spinal cord	190 172 15 11	58 34 3 2	24 21 2 —	13 11 1 —	7 14 — —	6 7 — —	108 87 7 8	19 21 4 2	10 19 1 —	4 10 — —	5 3 — —	5 3 — —	6 4 — —	4 4 — —	7 1 — —	2 4 — —	1 1 — —	6 6 — —	4 2 — —	2 3 — —	3 3 — —	3 1 — —	1 — — —	— — — —	— — — —	1 — — —		
11. Others of this group	43 79 2 5	2 2 — —	1 2 — —	— — — —	— — — —	1 2 — —	4 6 — —	2 3 — —	1 4 — —	1 5 — —	— 3 — —	1 4 — —	5 1 — —	— 6 — —	3 5 — —	1 4 — —	3 5 — —	2 5 — —	2 5 — —	2 5 — —	4 11 — —	9 4 — —	3 3 — —	— — — —	— — — —	— — — —		
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total	2153	174	14	11	5	10	214	51	54	61	76	86	71	105	90	83	157	155	201	209	231	188	75	26	6	1	13	
Total: White	990 957	91 75	6 7	5 4	4 1	6 3	112 90	20 28	18 26	24 27	20 40	36 44	30 32	29 61	33 48	30 47	60 75	65 66	99 81	105 93	124 92	112 65	53 20	14 10	2 3	1 —	3 9	
Colored	99 107	5 3	1 —	— 2	— —	— 1	6 6	2 1	3 7	5 5	8 8	2 4	5 4	4 11	4 5	3 3	8 14	17 7	11 10	6 5	8 7	4 7	1 1	1 —	— 1	— —	1 —	
1. Angina pectoris	26 18	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	1 2	— 1	— —	2 3	1 —	5 2	4 1	5 6	4 2	— —	— —	— —	— —	— —	— —
2. Aneurism	19 4 1	— 1 —	— — —	— — —	— — —	— — —	1 — —	— — —	— — —	— — —	— — —	1 — —	2 — —	— — —	3 — —	1 — —	3 — —	1 — —	2 1	2 1	1 —	1 —	1 —	1 —	— —	— —	— —	— —
3. Diseases of the heart	876 881 96 106	36 37 3 3	6 7 1 —	5 4 — 2	3 1 — —	6 3 — 1	56 52 4 6	20 27 2 1	17 26 3 7	24 26 5 5	18 38 8 8	34 42 2 4	28 29 5 4	29 58 4 10	28 47 4 5	28 45 3 3	55 70 8 14	63 63 16 7	89 77 11 10	96 87 6 5	117 89 8 7	105 64 4 7	50 20 1 1	13 9 — —	2 3 — —	1 — — —	3 9 — —	
4. Others of this group	69 54 2 1	55 37 2 —	— — — —	— — — —	1 — — —	— — — —	56 37 2 —	— 1 — —	1 — — —	— 1 — —	— 2 — —	1 2 — —	— 2 — —	— 1 — —	2 — — —	— 1 — —	— 2 — —	— — — —	3 2 — —	3 — — —	1 1 — —	2 1 — —	— — — —	— — — —	— — — —	— — — —	— — — —	
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total	8856	1659	816	492	306	229	3502	437	225	408	393	267	298	294	300	317	332	299	382	411	385	292	151	66	27	13	57	
Total: White	4339 3399	735 588	375 312	235 201	145 119	116 88	1606 1308	193 179	92 100	196 138	208 122	118 122	152 111	146 126	167 107	173 125	170 119	182 99	218 141	215 181	193 175	150 127	77 60	35 25	11 11	6 6	31 17	
Colored	599 519	170 166	74 55	29 27	19 23	13 12	305 283	28 37	18 15	39 35	37 26	15 12	17 18	12 10	10 16	12 7	32 11	9 9	17 6	10 5	11 6	6 9	10 4	4 2	3 —	1 —	3 6	
1. Croup	769 644 103 109	264 215 71 75	140 103 15 18	104 100 4 6	85 69 7 4	66 57 4 1	659 544 101 104	98 83 2 3	6 8 — 1	— 2 — —	— 1 — —	— — — —	— — — —	— — — —	— — — —	— 1 — —	— — — —	— — — —	— — — —	— 1 — —	— 1 — —	— — — —	— — — —	— — — —	— — — —	5 3 — —		
2. Laryngitis	25 37 2 1	5 7 — —	2 3 — —	7 2 — —	— 1 — —	2 2 — —	16 15 — —	2 8 — —	— 1 — —	1 1 — —	— 3 — —	1 3 — —	— 1 — —	1 1 — —	— 1 — —	— 1 — —	2 — — —	— — — —	1 — — —	— — — —	— — — —	— 1 — —	— — — —	— — — —	— — — —	— — — —	— — — —	
3. Bronchitis	310 286 45 46	70 74 18 20	43 36 13 5	15 9 4 —	12 6 3 —	9 1 — —	149 126 38 32	7 5 2 1	3 6 1 —	5 8 1 —	9 10 1 —	2 13 — —	5 10 — —	8 7 — —	11 9 — —	12 3 — —	7 13 — —	11 5 — —	11 11 — —	15 14 — —	20 14 — —	14 16 — —	11 7 — —	5 4 — —	2 4 — —	3 1 — —		

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 15—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia	W. { M. 2772 F. 2012 C. { M. 397 F. 338	326 235 72 66	173 148 38 30	92 75 18 16	39 33 9 16	33 21 8 11	663 512 145 139	73 68 21 29	77 78 16 11	171 108 33 31	169 88 34 22	99 90 15 10	127 83 14 17	121 101 11 7	137 82 10 14	144 100 11 6	140 87 22 10	147 80 8 8	178 108 14 6	172 138 9 5	140 129 10 4	108 85 5 8	49 42 8 3	24 12 4 1	6 5 3 1	5 5 1 1	22 11 3 6
5. Pleurisy	W. { M. 59 F. 51 C. { M. 14 F. 1	3 2 1 1	2 1 1 1	2 1 1 1	1 1 1 1	6 3 2 1	6 3 2 1	2 2 1 1	7 4 3 2	6 3 1 1	2 1 1 1	4 2 1 1	2 2 1 1	4 2 1 1	4 2 1 1	6 2 1 1	3 2 1 1	5 3 1 1	3 7 1 1	5 9 1 1	3 6 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1
6. Asthma	W. { M. 61 F. 48 C. { M. 8 F. 5	5 2 3 1	1 1 1 1	1 1 1 1	1 1 1 1	6 5 4 1	6 5 4 1	1 1 1 1	1 1 1 1	1 1 1 1	2 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	4 3 2 1	4 3 2 1	4 2 1 1	6 4 1 1	8 6 1 1	9 8 1 1	10 4 1 1	3 2 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1
7. Others of this group	W. { M. 343 F. 321 C. { M. 30 F. 19	62 53 8 5	16 21 4 1	15 14 2 1	8 9 2 1	6 6 1 1	107 103 15 7	11 13 2 4	6 6 2 1	12 15 2 1	23 16 2 1	12 14 1 1	16 10 1 1	13 14 1 2	14 13 1 1	13 13 4 1	10 14 4 1	17 10 1 1	17 15 2 1	18 14 1 1	15 15 1 1	14 8 1 1	4 9 1 1	2 1 1 1	1 1 1 1	1 1 1 1	1 2 1 1
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	2614	527	181	79	45	25	857	96	73	93	106	121	94	101	99	92	113	137	146	156	115	90	70	28	5	1	21
Total: White	W. { M. 1196 F. 1122	263 188	74 51	26 36	17 21	11 11	391 307	37 50	43 21	39 35	35 57	51 63	28 55	36 57	56 38	42 48	53 57	71 57	74 63	83 71	49 61	44 44	39 24	12 16	4 1	1 1	9 11
Colored	W. { M. 146 F. 150	40 36	27 29	9 8	3 4	1 2	80 79	4 5	5 4	7 12	5 9	1 6	6 5	6 2	1 4	5 3	7 5	7 2	5 4	4 2	1 1	2 5	1 1	1 1	1 1	1 1	1
1. Dentition	W. { M. 46 F. 49 C. { M. 41 F. 40	16 21 13 14	28 23 21 20	1 4 7 6	1 1 7 6	1 1 7 6	46 49 41 40	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1
2. Angina	W. { M. 53 F. 44 C. { M. 3 F. 4	13 8 1 2	6 2 1 2	5 5 1 1	4 5 1 1	2 3 1 1	30 23 1 3	6 10 1 1	4 3 1 1	1 2 1 1	1 2 1 1	1 2 1 1	1 2 1 1	1 2 1 1	1 2 1 1	1 2 1 1	1 2 1 1	1 2 1 1	1 2 1 1	1 2 1 1	1 2 1 1	1 2 1 1	1 2 1 1	1 2 1 1	1 2 1 1	1 2 1 1	1 2 1 1
3. Gastritis	W. { M. 74 F. 66 C. { M. 6 F. 4	13 3 1 1	1 2 1 1	1 3 1 1	2 1 1 1	2 1 1 1	17 9 1 1	4 1 1 1	1 1 1 1	2 3 1 1	4 6 1 1	1 2 1 1	3 4 1 1	3 2 1 1	1 3 1 1	2 3 1 1	7 1 1 1	4 3 1 1	8 6 1 1	3 9 1 1	4 7 1 1	5 3 1 1	2 2 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1
4. Other diseases of the stomach.	W. { M. 221 F. 206 C. { M. 3 F. 11	38 24 2 2	11 6 1 1	6 8 1 1	7 5 1 1	2 1 1 1	64 44 4 4	4 7 1 1	6 4 1 1	4 7 1 1	3 10 1 1	10 14 1 1	11 15 1 1	8 15 1 1	14 3 1 1	10 8 1 1	16 8 1 1	12 17 1 1	14 8 1 1	18 19 1 1	8 9 1 1	7 7 1 1	10 4 1 1	1 6 1 1	1 1 1 1	1 1 1 1	1 1 1 1
5. Obstruction of the bowels.	W. { M. 76 F. 62 C. { M. 9 F. 4	10 7 2 1	3 2 1 1	1 1 1 1	1 1 1 1	1 1 1 1	14 11 1 1	9 5 2 1	5 3 2 1	6 1 1 1	4 2 1 1	4 2 1 1	4 2 1 1	4 2 1 1	2 4 1 1	3 2 1 1	5 6 1 1	5 1 1 1	5 7 1 1	3 5 1 1	1 2 1 1	3 6 1 1	3 2 1 1	1 2 1 1	1 2 1 1	1 2 1 1	1 2 1 1
6. Hernia	W. { M. 50 F. 39 C. { M. 12 F. 3	9 4 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	11 4 1 2	1 1 1 1	2 1 1 1	2 1 1 1	1 2 1 1	1 3 1 1	2 3 1 1	3 4 1 1	1 4 1 1	1 4 1 1	3 4 1 1	8 7 1 1	1 4 1 1	1 3 1 1	2 2 1 1	4 1 1 1	1 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1	2 1 1 1
7. Other diseases of the bowels.	W. { M. 115 F. 91 C. { M. 16 F. 16	40 25 3 2	8 4 3 1	6 5 2 1	1 2 1 1	1 1 1 1	55 35 9 5	1 7 1 1	4 1 6 2	3 7 2 2	9 7 2 2	10 2 1 1	11 3 1 1	8 2 1 1	14 15 1 1	10 8 1 1	16 8 1 1	12 17 1 1	14 8 1 1	18 19 1 1	8 9 1 1	7 7 1 1	10 4 1 1	1 6 1 1	1 1 1 1	1 1 1 1	1 1 1 1
8. Jaundice	W. { M. 52 F. 52 C. { M. 7 F. 10	18 20 7 8	2 2 1 1	5 5 1 1	2 2 1 1	2 2 1 1	20 29 7 8	1 1 1 1	1 1 1 1	1 1 1 1	3 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	3 1 1 1	2 1 1 1	6 3 1 1	3 3 1 1	3 3 1 1	2 3 1 1	2 3 1 1	5 3 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1
9. Inflammation and abscess of the liver.	W. { M. 75 F. 78 C. { M. 3 F. 4	3 6 1 1	2 3 1 1	1 1 1 1	1 1 1 1	1 1 1 1	6 10 1 1	2 4 1 1	1 3 1 1	5 2 1 1	4 2 1 1	2 3 1 1	1 3 1 1	3 4 1 1	9 5 1 1	7 6 1 1	9 6 1 1	8 3 1 1	5 8 1 1	6 8 1 1	2 6 1 1	2 7 1 1	2 3 1 1	2 3 1 1	1 1 1 1	1 1 1 1	1 1 1 1
10. Other diseases of the liver.	W. { M. 148 F. 153 C. { M. 10 F. 10	18 21 3 1	5 4 3 1	2 1 2 1	1 2 1 1	3 2 1 1	29 30 5 3	2 1 1 1	5 4 2 1	2 7 1 1	4 8 1 1	3 4 1 1	3 8 1 1	5 8 1 1	11 7 1 1	5 7 1 1	9 15 3 1	18 12 2 1	13 12 1 1	12 12 1 1	11 14 1 1	2 6 1 1	1 2 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1
11. Peritonitis	W. { M. 79 F. 123 C. { M. 12 F. 16	5 4 3 1	3 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	9 5 3 1	2 9 2 1	6 3 1 1	10 22 1 1	5 24 1 1	7 14 1 1	3 11 1 1	1 5 1 1	4 11 1 1	3 5 1 1	8 2 1 1	4 4 1 1	1 3 1 1	4 3 1 1	1 1 1 1	2 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	2 2 1 1
12. Ascites	W. { M. 26 F. 30 C. { M. 7 F. 8	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	2 2 1 1	1 2 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1
13. Others of this group	W. { M. 181 F. 129 C. { M. 17 F. 20	80 44 10 6	7 9 2 6	2 2 1 1	1 1 1 1	1 1 1 1	89 56 10 12	4 3 1 2	5 1 1 1	4 3 1 1	3 1 1 1	7 2 1 1	3 8 1 1	3 7 1 1	4 4 1 1	7 5 1 1	3 3 1 1	6 3 1 1	11 4 1 1	13 6 1 1	10 7 1 1	2 5 1 1	3 2 1 1	2 4 1 1	1 1 1 1	1 1 1 1	2 5 1 1

GRAND GROUP 15—Continued.

[illegible]

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 15—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
3. Diseases of the hip-joint.	19	1			1	1	3	1	2	3	2	3	1	2						1				1			
	7			1			1	2	2				1											1			
	1									1																	
	1									1																	
4. Others of this group.	12								1	1	2	1				1	1	1	1	3							
	7								1	1	1	1	1							1							
	4							1			1	1			1								1				
	1											1															
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.	124	21	6	3	1	1	32	6	3	8	5	5	5	7	9	11	7	6	6	4	4	2	1	1	1		1
Total: White.	65	11	2	1	1		15	4	1	4	2	4	2	2	4	6	5	3	3	3	3		1	1	1		1
	45	9	4	2		1	16	1	2	2	3		2	4	4	3		3	3			2					
Colored.	9									2		1	1		1	2	1			1							
	5	1					1	1						1		1				1							
1. Abscess.	36	4	1	1			6	3	1	2	2	3	2	2	2	3	4	3	1		1						1
	28	4	1	2			7	1	1	2	3		1	2	2	2		2	3			2					
	5									1		1			1	1				1							
	3	1					1	1						1													
2. Carbuncle.	17	1					1	1		2		1			2	3			2	2	1		1	1			
	4	1					1		1					1				1									
	3												1			1	1										
3. Others of this group.	12	6	1		1		8								2	1			1	1					1		
	13	4	3			1	8						1	1	2	1											
	1									1																	
	2															1				1							
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.	41	5	3			1	9	1	3	2	1	5	5	3	2	3	1	1	2		2		1				
Total: White.	24	3	3			1	7	1	3	1		3	2	2	1	2			1		1						
	16	2					2			1	1	2	3	1	1	1	1	1		1							
Colored.	1																						1				
1. Addison's disease.	3									1		1	1														
	1												1														
2. Diseases of the spleen.	15	1	3			1	5		3			2	1	1	1	2											
	9	1					1				1	2	2		1	1	1										
	1																						1				
3. Others of this group.	6	2					2	1						1					1		1						
	6	1					1			1				1				1	1		1						
XII.—ACCIDENTS AND INJURIES.																											
Total.	2602	338	104	79	82	46	649	178	157	209	243	186	138	149	110	124	88	59	66	62	48	51	35	17	9	1	23
Total: White.	1608	128	41	35	32	16	252	88	99	152	192	142	108	107	76	97	65	42	48	41	23	37	17	6	3		13
	556	99	41	22	27	18	207	51	29	26	28	20	16	22	19	18	12	13	16	16	17	10	14	10	6		6
Colored.	266	68	8	13	10	6	105	18	29	23	17	15	9	14	15	7	7	2		4	3	2	2				3
	172	43	14	9	13	6	85	21	9	8	6	9	5	6		2	4	2	2	1	5	2	2	1		1	1
1. Burns and scalds.	74	4	15	17	16	6	58	6	1		4	1	2	1													1
	168	14	21	10	16	11	72	34	14	6	5	5	4	12	3	1	1		1	2	1	2	4		1		
	41	10	5	7	3	5	30	7	2													1	1				
	65	1	3	5	11	6	26	14	7	6		4	2	1			1	1	1		2						
2. Drowned.	146	2	8	6	3	3	22	19	26	26	17	12	5	4	2	7	1		4								1
	37	2	5	3	5	1	16	9	3	2		1	2	1		1	1	1									
	34	1	1	2	2		6	1	6	7	4	4	1		3		1	1									
	2										1									1							
3. Exposure and neglect.	29	14	1				15	2	2		1	1			2					2	1	2					1
	31	14					14			1	1	2	2	1	2				2	1	1	1	1	1			1
	22	15	1	1	2		19	1						1	1												
	23	9	7	1	1		18	1	1		2			1													
4. Gunshot wounds.	134				2		2	3	12	23	23	23	16	12	6	4	4	2	1		2						1
	11			1	1	1	3	1	1	3	1						1	1									
	25							1	1	6	4	6	3	1	1												2
	5							1		1	1		1				1										
5. Homicide.	58							2		1	14	5	6	15	1	3	4	3		2	1						1
	7									2	1				1	2											1
	15			1			1		1	3	2	2		3	2		1										
	5							1		1		1		1						1							

STATISTICS OF MORTALITY.

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 15—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—continued.																											
6. Infanticide	1	1					1																				
	1	1					1																				
	3	3					3																				
7. Injuries by machinery	8			1			1	3	1	3																	
	1								1																		
	8																										
8. Railroad accidents	188							5	10	27	41	29	18	9	13	15	7	2	3	2	1	5	1				
	10				1		1		2		1				2	1	1			1							
	8								1	1	3			1	1	1											
	2		1				1											1									
9. Suffocation	104	65	6	2		2	75	4	4			1	1	3		4		2	1	2		3		1			3
	59	40	4	4	1	1	50				1				1	3	1			2			1				
	34	27	1		1		29								3					1							1
	31	27					27	1									1			1							1
10. Suicide by shooting	29									1	10	3	2	4	4	2		2		1							
	1									1																	
	1																										
11. Suicide by drowning	4												1		1	1		2									
	5												1		1	1		1	1								
	1																										
12. Suicide by poison	21									2	2	3	3	3		3	4					1					
	10									2	4	3		1													
	1																										
13. Other suicides	103									6	12	8	6	11	5	17	12	6	6	8	1	3		1			1
	19									4	3	2	2	1		1	2	1		1	1						1
	2											1								1							
	1											1															
14. Sunstroke	15									1				3	1	2	3	2	2		1						
	7	2					2	1		1	1			1				1									
	2															1	1										
	1																					1					
15. Surgical operations	10														2	2	1	3		2							
	7	1					1			1	1	1	1	1			1										
	3																										
	2	1					1	1																			
16. Wounds	34	2	1				3	2	1	3	2	1	2	2	5	4	1	2		2	1	1			1		1
	8	2		1		1	4			1										2	1						
	3									1					2												
	2	1					1	1																			
17. Others of this group	650	42	9	8	11	5	75	42	42	63	62	55	47	40	34	33	28	16	31	22	14	23	14	4	2		2
	175	26	8	3	3	3	43	6	8	5	9	5	4	4	8	8	4	7	12	7	13	7	8	9	5		3
	76	12		2	2	1	17	8	9	4	4	2	5	8	2	5	4	1		2	3	1	1				
	35	5	3	3	1		12	2	1		2	4	1	3		2	1		1	1		1	2	1		1	

TABLE XII.

DEATHS IN CERTAIN GRAND GROUPS

(BY AGE AND SEX),

WITH

DISTINCTION OF IRISH AND GERMAN PARENTAGE, AND SPECIFICATION OF CAUSE.

THE END OF THE WORLD

DEATH IS A FACT OF LIFE

AND WE MUST ACCEPT IT

IN THE FACE OF DEATH AND THE UNKNOWN

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE AND SEX, WITH DISTINCTION OF IRISH AND GERMAN PARENTAGE, AND SPECIFICATION OF CAUSE.

GRAND GROUP 1.

[illegible]

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas:																											
Irish parents	M. 13	5		1			6					1	1				2		1	1		1					
	F. 19	4			1		5	1	1		2		2	1	3		1	1	1		1						
German parents	M. 2				1		1									1											
	F. 2	1					1				1																
16. Septicæmia:																											
Irish parents	M. 8									2	1	1		2	2												
	F. 10									2	2	2	1		2			1									
German parents	M. 1																										
	F. 1																										
17. Puerperal septicæmia:																											
Irish parents	F. 37									1	8	8	8	8	3			1									
German parents	F. 3											1	1			1											
18. Venereal diseases:																											
Irish parents	M. 3	2					2				1																
	F. 5											3	1				1										
German parents	M. 1																										
	F. 1																										
19. Others of this group:																											
Irish parents	M. 9	2	1				3		1	1		1						1			1	1					
	F. 11	2		1			3			1		1						1	1	2	1		1				
German parents	M. 2	1					1			1																	
	F. 1																			1							
General diseases—B.																											
Total	128	56	3	2	2	1	64			1	3	6	7	10	6	10	10	4	4	1	1				1		
Irish parents	M. 65	24	2	2			28				2	4	4	6	2	6	6	3	2	1	1						
	F. 55	26	1		2	1	30				1	2	3	4	4	4	4	1	1					1			
German parents	M. 5	4					4																				
	F. 3	2					2			1																	
1. Worms:																											
Irish parents	M. 2			2			2																				
	F. 1					1	1																				
German parents	M. 1																										
	F. 1																										
2. Other parasitic diseases:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
3. Alcoholism:																											
Irish parents	M. 35										2	4	4	6	2	6	4	3	2	1	1						
	F. 21										1	2	2	4	3	4	3	1	1								
German parents	M. 1																										
	F. 1																										
4. Lead poison:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
5. Other poisons:																											
Irish parents	M. 2																2										
	F. 1						1																				
German parents	M. 1																		1								
	F. 1																										
6. Inanition:																											
Irish parents	M. 26	24	2				26																				
	F. 32	26	1		1		28							1	1		1							1			
German parents	M. 4	4					4																				
	F. 3	2					2			1																	
General diseases—C.																											
Total	893	426	16	5	2	1	450	5	5	2	3	7	1	1	3	8	4	11	17	31	66	78	106	48	24	23	
Irish parents	M. 399	230	8	3	1		242	2	1		1	3		1	2	5		4	3	9	32	31	40	15	6	2	
	F. 452	167	8	2	1	1	179	2	4	2	2	4	1		1	3	4	6	12	22	32	45	64	32	17	20	
German parents	M. 20	15					15	1											1		1	1				1	
	F. 22	14					14												1	1	1	1	2	1	1		
1. Premature birth:																											
Irish parents	M. 57	57					57																				
	F. 29	29					29																				
German parents	M. 2	2					2																				
	F. 5	5					5																				
2. Stillborn:																											
Irish parents	M. 106	106					106																				
	F. 57	57					57																				
German parents	M. 5	5					5																				
	F. 5	5					5																				
3. Malformation:																											
Irish parents	M. 5	5					5																				
	F. 6	6					6																				
German parents	M. 3	3					3																				
	F. 3	3					3																				
4. Debility:																											
Irish parents	M. 122	62	3	3	1		74	2	1		1	3		1	2	5		4	3	7	7	4	6	1		1	
	F. 154	75	3	2	1	1	87	2	4	2	2	4	1		1	3	4	6	5	9	8	6	4	3	2	1	
German parents	M. 6	5					5	1																			
	F. 6	4					4																				
5. Old age:																											
Irish parents	M. 109																			2	25	27	84	14	6	1	
	F. 206																			7	13	24	39	60	29	19	
German parents	M. 4																			1	1	1				1	
	F. 6																			1	1			2	1	1	

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																										
6. Atrophy:																										
Irish parents	{ M.																									
	{ F.																									
German parents	{ M.																									
	{ F.																									
General diseases—D.																										
Total.....	2791	91	49	26	19	8	193	31	41	281	409	324	259	226	200	167	181	113	130	102	68	31	23	6	4	1
Irish parents	{ M.	1194	45	23	13	11	2	94	12	17	90	172	131	126	92	82	70	81	57	69	43	25	13	15	2	3
	{ F.	1452	40	21	11	8	6	86	17	23	178	221	187	122	116	113	84	85	50	48	52	41	15	8	3	1
German parents	{ M.	82	5	4	2			11	2		5	7	3	4	10	3	8	14	2	7	2	1	2	1		
	{ F.	63	1	1				2		1	8	9	3	7	8	2	5	1	4	6	5	1				
1. Rheumatism:																										
Irish parents	{ M.	19				1		1			2	2	1	1	2		2	1	2	1	2			1		
	{ F.	27							3	2	1	2	1		2	1	2	2	3	5					1	
German parents	{ M.	2											1	1												
	{ F.	1							1																	
2. Scrofula and tabes:																										
Irish parents	{ M.	14	5	1	2		8	1			1	1				1	2									
	{ F.	13	2		1		4		1	2		1	3				1									
German parents	{ M.	1	1				1																			
	{ F.	1															1									
3. Leprosy:																										
Irish parents	{ M.																									
	{ F.																									
German parents	{ M.																									
	{ F.																									
4. Consumption:																										
Irish parents	{ M.	976	15	9	4	1	30	5	12	88	166	125	119	86	75	62	59	42	48	29	13	7	9	1		
	{ F.	1141	10	9	3	5	27	9	18	168	216	178	113	101	79	52	57	27	26	31	22	11	3	2	1	
German parents	{ M.	49	2	1			3			4	7	3	3	6	2	6	8	1	3	1	1	1				
	{ F.	42								8	9	3	6	5	1	4		2	3	1	1					
5. Hydrocephalus:																										
Irish parents	{ M.	54	20	12	6	9	47	3	2				1								1					
	{ F.	53	24	11	6	3	48	3				1														1
German parents	{ M.	7	1	3	2		6	1																		
	{ F.	1		1			1																			
6. Cancer:																										
Irish parents	{ M.	74	2				2	1	1		1	3	3	2	6	10	6	11	11	7	2	5			2	
	{ F.	134	2				2				2	2	9	20	27	21	16	10	11	8	2	4				
German parents	{ M.	13										1	2		2	4		2	1				1			
	{ F.	13										1	3	1	1	1	2	2	1	1						
7. Tumor:																										
Irish parents	{ M.	8								1		1		1		1	1	2		1						
	{ F.	19						1		2			1	2	3	2	3	1	1	1	1			1		
German parents	{ M.	2	1				1										1									
	{ F.	3	1				1										1		1							
8. Anæmia:																										
Irish parents	{ M.	8	1		1		3					1			1	1					1				1	
	{ F.	10	1	1	1		3	1		1	1		1	1	1				1							
German parents	{ M.	2																	1		1					
	{ F.																									
9. Dropsy:																										
Irish parents	{ M.	36	2				2	2	1		2	1	2	1	1	6	4	6	2	1	3	1				
	{ F.	40						3	1	1	2	1	3		6	1	2	3	6	5	4	2				
German parents	{ M.	6						1		1			1			1	1	1	1							
	{ F.	2																2								
10. Glycosuria:																										
Irish parents	{ M.	4								1					1		1	1								
	{ F.	11				1	1			2	1	2			2		1		2							
German parents	{ M.																									
	{ F.																									
11. Others of this group:																										
Irish parents	{ M.	1		1			1																			
	{ F.	4	1				1								1			1		1						
German parents	{ M.																									
	{ F.																									

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
4. Paralysis:																											
Irish parents { M.	77	1					1		1		2	1	4	4	6	3	3	7	15	9	9	3	6	3			
F.	69		1			1	2				1	1	4	1	3	5	3	11	7	8	9	7	3	5			
German parents { M.	5	1					1				1							1	1		1						
F.																											
5. Tetanus and trismus nascentium:																											
Irish parents { M.	7	3					3	1			1			1		1											
F.	7	4					4	2						1													
German parents { M.	1										1																
F.																											
6. Epilepsy:																											
Irish parents { M.	13								1	2	1	1	1	2	2	1		1					1				
F.	13							1	3	1	3	1	1	1								1	1				
German parents { M.	2													1													
F.	1															1											
7. Convulsions:																											
Irish parents { M.	103	62	11	8	5	2	88	5	2	1	2		1	3	1												
F.	98	49	16	9	6		80	4		1	1	2	3	3	2						1	1					
German parents { M.	12	9		1	1		11	1																			
F.	10	5	3	1			9	1																			
8. Mental diseases:																											
Irish parents { M.	11									1		1	1	1		1	2		2	2							
F.	12								1	1			3	1	1	1		2				1	1				
German parents { M.																											
F.	1								1																		
9. Diseases of the brain:																											
Irish parents { M.	72	8	9	2	3		22	8	4	1	1	3	2	4	2	5	3	3	5	6	1	1	1				
F.	44	7	7	2			16	4	1	1		4	2	1	5	1	1		3	3	1	1					
German parents { M.	1																										
F.	4	2					2								1	1											
10. Diseases of the spinal cord:																											
Irish parents { M.	4									1							1	1	1								
F.	3			1			1			1																	
German parents { M.	1																					1					
F.	1										1																
11. Others of this group:																											
Irish parents { M.	1											1									1						
F.	1																										
German parents { M.																											
F.																											
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	506	17	2		1	1	21	12	11	14	31	29	26	45	44	37	35	43	49	46	26	22	10	4	1		
Irish parents { M.	226	8	1		1		10	6	2	9	15	15	11	24	18	20	11	16	20	22	14	8	5				
F.	245	9				1	10	6	9	5	15	11	15	19	23	13	21	22	23	10	11	5	3	1			
German parents { M.	20		1				1				1	3			2	1	1	2	4	1	2	1					
F.	15													2	1	3	2	3	2		2						
1. Angina pectoris:																											
Irish parents { M.	2										1				1												
F.	1										1																
German parents { M.																											
F.																											
2. Aneurism:																											
Irish parents { M.	8													2	1	4			1								
F.	1																		1								
German parents { M.	1														1												
F.																											
3. Diseases of the heart:																											
Irish parents { M.	211	3	1		1		5	6	2	9	15	14	11	22	16	16	11	16	19	22	14	8	5				
F.	236	6				1	7	6	9	5	14	11	14	19	22	13	21	20	22	23	10	17	5	3	1		
German parents { M.	18										1	3			1	1	1	2	4	1	2	1		1			
F.	15													2	1	3	2	3	2		2						
4. Others of this group:																											
Irish parents { M.	5	5					5																				
F.	7	3					3							1				2									
German parents { M.	1		1				1																				
F.																											

GRAND GROUP 1—Continued.

[illegible]

GRAND GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	221	1	2	1	4	1	9	6	2	7	12	12	20	13	13	12	19	17	21	22	12	13	6	4	1		
Irish parents.....	M. 120	1	2		1		4	2	2	2	6	5	11	6	10	6	8	5	13	15	7	9	4	4	1		
	F. 84			1	3	1	5	3		5	6	7	8	6	2	5	9	9	8	5	2	3	1				
German parents.....	M. 11							1					1	1	1	1	1	1		1	1	1					
	F. 6																1	2		1	2						
1. Bright's disease:																											
Irish parents.....	M. 65								1	2	5	4	8	5	3	3	6	3	7	9	4	3	2				
	F. 57				1	1	2	2		3	3	5	6	4	2	3	7	8	5	3	2	2					
German parents.....	M. 3															1	1					1					
	F. 5																1	2		1	1						
2. Calculus, urinary:																											
Irish parents.....	M. 2								1																		
	F. 1																			1							
German parents.....	M. 5																										
	F. 1																										
3. Diseases of the kidney:																											
Irish parents.....	M. 24		2		1		3	2			1		2		6	2			3	1	2	1		1			
	F. 18				1		1	1		2	3	1	2	1			1	1	3	1		1					
German parents.....	M. 6							1					1	1	1					1		1					
	F. 1																				1						
4. Diseases of the bladder:																											
Irish parents.....	M. 21	1					1								1	1	2	1	3	4	1	3	2	1	1		
	F. 2															1							1				
German parents.....	M. 2																	1			1						
	F. 1																										
5. Others of this group:																											
Irish parents.....	M. 8			1	1		2					1	1	1				1		1		2		1			
	F. 6											1		1		1	1										
German parents.....	M. 1																										
	F. 1																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total.....	16			1			1				2		4	3	1	2		2	1								
Irish parents.....	F. 15			1			1				2		3	3	1	2		2	1								
German parents.....	F. 1												1														
1. Ovarian tumors:															1		1										
Irish parents.....	F. 2																										
German parents.....	F. 1																										
2. Ovarian diseases:																											
Irish parents.....	F. 1			1			1																				
German parents.....	F. 1																										
3. Uterine tumors:															1		1		1	1							
Irish parents.....	F. 4																										
German parents.....	F. 1																										
4. Uterine diseases:																											
Irish parents.....	F. 4										1		1	1					1								
German parents.....	F. 1																										
5. Others of this group:																											
Irish parents.....	F. 4										1		2		1												
German parents.....	F. 1												1														
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total.....	76							1		2	6	24	21	14	6	2											
Irish parents.....	F. 72																										
German parents.....	F. 4										1	1	1		1												
1. Abortion:														1	2												
Irish parents.....	F. 3																										
German parents.....	F. 1															1											
2. Child-birth:																											
Irish parents.....	F. 58									2	4	20	15	10	5	2											
German parents.....	F. 3										1	1	1														
3. Others of this group:																											
Irish parents.....	F. 11							1			1	3	4	2													
German parents.....	F. 1																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	31			1	3		4	2	4		5	4	1	3	2	1		4			1						
Irish parents.....	M. 19			1	3		4	1	3		2	2	1		2	1		3									
	F. 11								1		3	2		3				1			1						
German parents.....	M. 1																										
	F. 1																										
1. Diseases of the spine:																											
Irish parents.....	M. 11			1	1		2				2	1	1		2				3								
	F. 6										2			3					1								
German parents.....	M. 1																										
	F. 1																										

GRAND GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
2. Diseases of the bones:																											
Irish parents	M. 4 F. 4				1		1	1	1		1	2				1					1						
German parents	M. F.																										
3. Diseases of the hip-joint:																											
Irish parents	M. 4 F. 1				1		1		2		1																
German parents	M. F.																										
4. Others of this group:																											
Irish parents	M. F.																										
German parents	M. F.																										
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	25	3				1	4		1	2	3	1	2	1	2	2	2	2	3								
Irish parents	M. 9 F. 16	1				1	2				1		2		1	1	1		1								
German parents	M. F.																										
1. Abscess:																											
Irish parents	M. 7 F. 13	1				1	2				1		1			1	1		1								
German parents	M. F.																										
2. Carbuncle:																											
Irish parents	M. 1 F. 1														1												
German parents	M. F.																		1								
3. Others of this group:																											
Irish parents	M. 1 F. 2												1		1			1									
German parents	M. F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	2															1					1						
Irish parents	M. 1 F. 1															1											
German parents	M. F.																			1							
1. Addison's disease:																											
Irish parents	M. 1 F. 1															1											
German parents	M. F.																			1							
2. Diseases of the spleen:																											
Irish parents	M. F.																										
German parents	M. F.																										
3. Others of this group:																											
Irish parents	M. F.																										
German parents	M. F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total	404	17	8	14	8	9	56	34	24	24	30	24	30	31	36	17	30	12	25	11	9	5	5	1			
Irish parents	M. 286 F. 81	7	5	11	4	8	35	25	20	15	23	21	24	21	30	12	21	5	18	6	7	2	1				
German parents	M. 32 F. 5	1			3		4	1		4	3	1	2	2	2	2	4	1	3	1	1						
1. Burns and scalds:																											
Irish parents	M. 17 F. 20		3	4	2		9	2	2		1		1	1							1						
German parents	M. 5 F.				2		2					1				2											
2. Drowned:																											
Irish parents	M. 53 F. 7		1	2		3	6	10	6	4	3	5	2	2	4	2	3	2		3	1						
German parents	M. 6 F.				1		1			1			2			3	1			1							
3. Exposure and neglect:																											
Irish parents	M. 6 F. 2			1			1								1		1		2		1						
German parents	M. F.																										
4. Gunshot wounds:																											
Irish parents	M. F.																										
German parents	M. 1 F.										1																

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																											
5. Homicide:																											
Irish parents	M. 2									1					1												
	F. 1											1															
German parents	M.																										
	F.																										
6. Infanticide:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
7. Injuries by machinery:																											
Irish parents	M.																										
	F.																										
German parents	M. 1														1												
	F.																										
8. Railroad accidents:																											
Irish parents	M. 41							4	1	3	6	4	6	4	4	2	2		1	1	2	1					
	F. 5							1		1							1	1						1			
German parents	M. 2													1				1									
	F.																										
9. Suffocation:																											
Irish parents	M. 11	2				2	4	1			1	2		1		1					1						
	F. 6	4					4							1	1												
German parents	M. 1																										
	F. 3							1		1							1										
10. Suicide by shooting:																											
Irish parents	M.																										
	F.																										
German parents	M. 1									1																	
	F.																										
11. Suicide by drowning:																											
Irish parents	M. 1																1										
	F.																										
German parents	M.																										
	F.																										
12. Suicide by poison:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
13. Other suicides:																											
Irish parents	M. 9									1	1	1	1	1	1	1	1						1				
	F. 4										2		2														
German parents	M. 5										1			1			1		1		1						
	F.																										
14. Sunstroke:																											
Irish parents	M. 4								1		1				1				1								
	F. 1	1					1																				
German parents	M.																										
	F.																										
15. Surgical operations:																											
Irish parents	M. 2							1							1												
	F.																										
German parents	M.																										
	F.																										
16. Wounds:																											
Irish parents	M. 4								1							2			1								
	F. 1							1																			
German parents	M.																										
	F.																										
17. Others of this group:																											
Irish parents	M. 136	5	1	4	2	3	15	8	8	6	11	10	12	13	16	5	12	3	13	2	2						
	F. 34	1	1			1	3	2	2	1	1		1	5	1		1	3	3	4	1	2	4				
German parents	M. 10	1					1	1		2	1				1		2		1			1					
	F. 2	1					1							1													

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	27043	5841	1894	920	626	473	9754	950	366	622	1167	1348	1340	1596	1484	1497	1428	1230	1076	1011	836	623	409	195	63	38	10
Total: Irish parents	{ M. 7803	1627	519	231	192	130	2699	289	115	184	327	411	390	521	465	454	401	366	340	275	240	183	78	34	16	9	6
{ F. 8035	1279	492	235	184	122	122	2312	298	110	213	395	487	482	547	487	468	395	334	329	324	297	198	199	112	28	17	3
Total: German parents	{ M. 6235	1597	469	231	123	124	2544	209	75	109	227	244	248	316	316	369	387	333	237	239	163	123	64	21	7	4	1
{ F. 4970	1338	414	223	127	97	97	2199	154	66	116	218	206	220	212	216	206	245	197	170	173	136	119	68	28	12	8	1
Unknown causes.																											
Total	98	28	5	2	2	2	37	5	1	1	4	2	4	4	9	5	3	6	9	5	1	1	1	1	1	1	3
Irish parents	{ M. 23	5	2	1	1	1	9	2	1	1	1	1	1	1	1	1	2	1	1	2	2	1	1	1	1	1	2
{ F. 22	6	2	1	1	1	1	8	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
German parents	{ M. 30	13	1	1	1	1	16	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
{ F. 23	4	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	5357	1644	765	389	311	240	3349	445	92	96	148	158	134	147	111	112	90	107	81	105	72	57	31	13	6	3	1
Irish parents	{ M. 1406	422	212	111	97	64	906	126	33	23	28	23	31	29	30	28	21	28	18	31	17	19	9	3	1	2	1
{ F. 1514	342	208	104	91	69	69	814	150	22	24	50	74	60	53	35	39	24	32	23	34	30	21	16	8	5	1	1
German parents	{ M. 1204	449	172	88	56	53	818	91	18	25	25	24	10	23	21	29	25	24	23	9	10	3	1	1	1	1	1
{ F. 1233	431	173	86	67	54	54	811	78	19	24	45	37	33	42	25	16	20	22	16	17	16	7	3	1	1	1	1
1. Small-pox:																											
Irish parents	{ M. 2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
{ F. 2	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
German parents	{ M. 4	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
{ F. 4	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2. Measles:																											
Irish parents	{ M. 52	18	17	8	4	1	48	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
{ F. 44	7	20	5	5	5	5	42	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
German parents	{ M. 33	9	10	8	4	1	32	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
{ F. 27	7	9	4	1	3	3	24	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3. Scarlet fever:																											
Irish parents	{ M. 140	9	24	29	22	20	104	24	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
{ F. 143	5	21	25	25	14	14	90	41	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
German parents	{ M. 115	7	11	18	22	17	75	33	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
{ F. 100	7	18	14	17	17	17	73	21	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4. Diphtheria:																											
Irish parents	{ M. 243	19	36	40	49	28	172	62	4	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
{ F. 256	12	35	49	44	32	32	172	71	6	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
German parents	{ M. 147	4	21	32	20	25	102	37	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
{ F. 179	8	24	37	37	25	25	131	38	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5. Hooping-cough:																											
Irish parents	{ M. 44	23	11	5	2	2	43	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
{ F. 61	25	23	4	2	4	4	58	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
German parents	{ M. 27	16	6	3	2	2	27	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
{ F. 36	16	13	5	1	1	1	35	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6. Fever:																											
Irish parents	{ M. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
{ F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
German parents	{ M. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
{ F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
7. Cerebro-spinal fever:																											
Irish parents	{ M. 26	5	5	2	2	2	14	5	3	2	2	2	3	1	4	4	1	5	6	5	9	2	3	1	1	1	1
{ F. 20	4	2	1	3	2	2	12	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
German parents	{ M. 27	5	6	2	2	2	17	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
{ F. 20	5	2	1	1	1	1	9	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
8. Enteric fever:																											
Irish parents	{ M. 58	2	2	1	1	1	2	1	2	3	6	11	7	7	4	4	5	3	1	2	2	1	1	1	1	1	1
{ F. 47	2	2	1	1	1	1	2	1	2	3	6	11	7	7	4	4	5	3	1	2	2	1	1	1	1	1	1
German parents	{ M. 76	1	1	1	1	1	2	4	5	12	10	10	5	4	3	9	4	2	3	2	2	1	1	1	1	1	1
{ F. 74	1	1	1	1	1	1	3	3	5	8	11	6	9	8	2	3	6	3	1	3	3	1	1	1	1	1	1
9. Diarrhoea:																											
Irish parents	{ M. 136	49	31	2	3	3	85	1	2	2	2	2	3	1	4	4	1	5	6	5	9	2	3	1	1	1	1
{ F. 122	44	9	5	1	1	1	59	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
German parents	{ M. 174	109	25	3	1	3	141	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
{ F. 153	103	23	6	1	1	1	134	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
10. Dysentery:																											
Irish parents	{ M. 94	25	12	4	8	3	52	8	1	2	2	2	1	2	4	3	1	5	1	5	2	2	1	1	1	1	1
{ F. 112	24	16	3	3	1	1	47	5	2	2	3	5	3	5	2	4	4	4	9	3	5	3	3	1	2	1	1
German parents	{ M. 83	26	20	4	1	1	52	4	3	2	1	2	1	2	2	2	5	3									

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas:																											
Irish parents	M. 37	8	1	1			10			1	2	1	4	3	3	1	2	2	3	3			1	1			
	F. 36	5	1	1			7	1		1	4	1		3	2	1	3	1	3	3	2	3					
German parents	M. 26	7	1	1			9	1		1	1	1		2	2	4	2		2	1							
	F. 24	9	2			1	12				2	2		3	1	1	1	1	2								
16. Septicæmia:																											
Irish parents	M. 13	3	1	1		1	6				1			1	1			1				3					
	F. 16		4		1		5			1		5	1		1			1				2					
German parents	M. 17	2		1			3	1			3	3	1			2	3	1									
	F. 11	1	1				2				1	1		4	2				1								
17. Puerperal septicæmia:																											
Irish parents	F. 137									4	23	37	37	29	7												
German parents	F. 67									2	21	14	13	14	3												
18. Venereal diseases:																											
Irish parents	M. 24	8					8	1		2			2	2		2	2	1	1	1	1	1	1				
	F. 14	3		1	2		6	1			1	1				1			1		1	1	1		1		
German parents	M. 12	1	1				2				1		1	3			1	1	1	1	1						
	F. 20	6	1	1	2		10			1	1				1	1	1	2		1	1	1	1				
19. Others of this group:																											
Irish parents	M. 18		1				1			1			2	2	2	1		1		2	1	2	2		1		
	F. 10	2				1	3				1					2				1		1	1		1		
German parents	M. 11								1					2		2	1	1	2	1	1						
	F. 9		2		2		4							1		1	1	1		1							
General diseases—B.																											
Total.....	269	100	4	1	3		108	1		1	7	16	21	22	21	21	10	20	10	5	3	2	1				
Irish parents	M. 111	33	1		1		35				3	7	10	11	9	10	5	11	3	2	3	1	1				
	F. 72	28	1				29			1	2	3	9	3	6	7	4	4	2	2							
German parents	M. 55	22	1				23				2	5	2	8	4	2	1	3	4	1							
	F. 31	17	1	1	2		21	1				1			2	2		2	1		1						
1. Worms:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
2. Other parasitic diseases:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F. 1														1												
3. Alcoholism:																											
Irish parents	M. 65										2	6	9	11	7	9	4	10	3	2	2						
	F. 37										2	3	8	3	4	7	4	3	1	2							
German parents	M. 22										1	2	2	5	2	2	1	3	4								
	F. 5											1				2		1	1								
4. Lead poison:																											
Irish parents	M. 1										1																
	F.																										
German parents	M.																										
	F. 1														1												
5. Other poisons:																											
Irish parents	M. 10	1			1		2					1	1		2	1	1	1			1						
	F. 2												1		1												
German parents	M. 12	1	1				2				1	3		3	2					1							
	F. 3			1	1		2															1					
6. Inanition:																											
Irish parents	M. 35	32	1				33															1	1				
	F. 33	28	1				29			1					1			1	1								
German parents	M. 21	21					21																				
	F. 21	17	1		1		19	1										1									
General diseases—C.																											
Total.....	2805	1994	78	26	8	3	2109	5	4	2	5	8	6	9	14	16	11	20	16	52	107	140	143	89	25	24	
Irish parents	M. 743	565	16	7		1	589	1	1	1	3	2		1	3	7	4	3	3	11	25	36	27	15	8	3	
	F. 766	439	31	4	3	1	478	2	1	1	1	3	2	3	4	5		7	4	24	43	45	67	52	10	14	
German parents	M. 704	547	17	9	3	1	577	2	1				1	3	3	3	7										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																											
6. Atrophy:																											
Irish parents	{ M. 3	3					3																				
	{ F. 2	1	1				2																				
German parents	{ M. 7	5	1	1			7																				
	{ F. 11	9	1	1			11																				
General diseases—D.																											
Total	6428	223	153	66	33	32	507	60	73	309	648	711	644	680	603	553	451	369	310	231	146	72	38	12	6	1	4
Irish parents	{ M. 1872	68	43	15	11	15	152	24	13	89	190	225	191	217	161	156	111	95	103	64	44	19	9	6	1	2	
	{ F. 2218	52	33	25	9	4	123	20	33	129	247	260	231	261	226	183	137	95	100	74	47	23	16	6	5	2	
German parents	{ M. 1304	58	46	11	7	10	182	8	12	35	119	125	120	117	121	126	116	59	50	32	12	8	1				
	{ F. 1034	45	31	15	6	3	100	8	15	56	92	101	102	85	95	88	87	68	48	43	23	18	5				
1. Rheumatism:																											
Irish parents	{ M. 23					1	1	1					4		1	3	1	1	3	5	3						
	{ F. 38							3	2			2	2	6	2	4	2	3	4	3	2	1	1	1			
German parents	{ M. 18							2	1				4		1	3	1	1	2	1		1					
	{ F. 13									2		2	2		2	2	1		1	1							
2. Scrofula and tabes:																											
Irish parents	{ M. 17	5	2			2	9	1			1	1					1	1	2	1							
	{ F. 21	7	4	3			14		1							2	1			1	1	1					
German parents	{ M. 22	7	4	1	1		13			1				2		1	1	2			1	1					
	{ F. 16	9	1	1			11	1						2			1	1									
3. Leprosy:																											
Irish parents	{ M. 23																										
	{ F. 38																										
German parents	{ M. 18																										
	{ F. 13																										
4. Consumption:																											
Irish parents	{ M. 1570	17	15	4	4	4	44	12	11	88	188	221	160	207	147	130	92	76	77	43	32	10	5	5	1	1	
	{ F. 1787	11	7	6	4	1	29	10	27	127	243	252	213	230	189	136	91	68	70	44	26	13	11	3	3	2	
German parents	{ M. 965	6	8	3	4	3	24	2	5	31	118	122	106	112	101	99	91	68	34	30	16	2	3		1		
	{ F. 678	6	8	4	1	1	20	3	11	51	89	95	86	70	70	46	45	33	22	19	8	10					
5. Hydrocephalus:																											
Irish parents	{ M. 96	39	23	9	5	7	83	7							2	1	1				1	1					
	{ F. 74	27	20	13	3	2	65	4	1		1			1			1		1								
German parents	{ M. 91	35	29	7	1	4	76	3	5	1			2	1				2				1					
	{ F. 70	25	21	7	4	1	58	4	3	1		1				1			2								
6. Cancer:																											
Irish parents	{ M. 111				1		1		1		1	2	4	4	8	16	13	13	18	12	8	5	4	1			
	{ F. 226			1	1		2	1		1	2	2	13	19	27	39	35	22	23	21	10	5	2	2			
German parents	{ M. 146				1	1	2						6	1	16	19	18	34	17	15	10	4	4				
	{ F. 199				1	1	2		1		1	3	11	11	18	33	34	27	21	16	14	3	4				
7. Tumor:																											
Irish parents	{ M. 8	1			1		2						2	1				1		1		1					
	{ F. 13				1		1						2	1	3		2	1	1		1						
German parents	{ M. 8	2	1				3			1		1				1				1							
	{ F. 16	1		2			3			2	2			1	1		1	2	1	1		2					
8. Anæmia:																											
Irish parents	{ M. 17	4	1	1			6	2					1	1	1	1	1	2	1			1					
	{ F. 11	3	1				4	1		1					1		1				1				1		
German parents	{ M. 13	4	2			1	7							1	1				1	1	1						
	{ F. 9	2		1			3							1		1	1			2	1						
9. Dropsy:																											
Irish parents	{ M. 22		1	1		1	3	1	1			1		4	2	5	1	1		1		1					1
	{ F. 37	1	1	1			3		1		1	2		3	3	6	2	2	2	4	6		2				
German parents	{ M. 27							1	1		1	2			2	1	5	4	3	3	2	2					
	{ F. 25												1	1	2	5	2	5	1	4		3	1				
10. Glycosuria:																											
Irish parents	{ M. 3																1		1	1							
	{ F. 5									1		1	1	1	1												
German parents	{ M. 5																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
4. Paralysis:																											
Irish parents	M. 86	3	1	1			5		1		2	1	2	4	5	7	6	12	12	7	8	12	1		1		
	F. 83	1	2	1	1		5	1	1			1	2	3	4	4	5	7	4	11	21	4	5	4	1		
German parents	M. 64	1					1			1	1	2	2	3	6	4	6	10	10	4	2	6	5		1		
	F. 43	2					2				1			1		4	5	3	5	3	8	5	4		2		
5. Tetanus and trismus nascentium:																											
Irish parents	M. 25	12			1	1	14	1		1	2			1	2	1	1	1			1						
	F. 11	7			2		9								1					1							
German parents	M. 22	13					13	1		1		1	1	2	1			1	1								
	F. 10	7					7		1				1		1												
6. Epilepsy:																											
Irish parents	M. 16	1			1		2			1		1		1		2	4	2		1	1	1					
	F. 15	1					1	1		1	3		1	2	1	1			2	1		1					
German parents	M. 10				1	1	2	1		2	1			1		1		1	1								
	F. 7	2			1		3		1		1	1										1					
7. Convulsions:																											
Irish parents	M. 174	114	29	4	9	2	158	6	1		1	1	1	1		1	2	1	1	1							
	F. 157	93	25	12	4	3	137	6	1	1	1	1	1	3	1	1	2		1		1						
German parents	M. 203	145	33	8	5	2	193	4				1	2	1			1	1									
	F. 178	123	26	12	3	3	167	2		2	2	1	2			2											
8. Mental diseases:																											
Irish parents	M. 8											1	1			1			1	3	1						
	F. 4										1						1				1	1					
German parents	M. 13										1		1	1		3		3	1	2	1						
	F. 7											1	1	1		1	2		1								
9. Diseases of the brain:																											
Irish parents	M. 119	19	17	4		3	43	4	2	2		2	1	4	10	7	7	9	8	7	7	5	1				
	F. 87	19	10	5	3	3	40	3	1	2		3	3	6	5	4	3		4	2	4	5	2				
German parents	M. 65	9	10	2	2	1	24	3	1	2		2	2	3	2	5	7	3	4	3	3	1					
	F. 44	10	4	3		2	19	1	3	1	2			2	2	5	3	1	2		1						
10. Diseases of the spinal cord:																											
Irish parents	M. 26	5	4	2	1		12	2	1		1	1		2	2	1	1	1			1		1				
	F. 41	7	2	1		2	12	1		1	2	1	3	2	4	4	3	3									
German parents	M. 29	4	3				7	2	1	1	1	2	3	1	1	1	5	2	1	1							
	F. 12	4					4					1	1		1	1	1		2	1							
11. Others of this group:																											
Irish parents	M. 4	2					2										1					1					
	F. 3														1	1			1								
German parents	M. 3		1				1													1							
	F. 3		1				1			1											1						
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total	1476	64	9	3	3	4	83	31	37	34	57	68	82	102	124	138	147	150	125	113	102	53	22	4	3	1	
Irish parents	M. 382	25	3	1			29	6	11	9	13	18	20	31	33	43	34	28	35	22	30	14	4	2			
	F. 488	13	3		2	2	20	19	11	13	14	20	31	28	40	47	40	54	50	35	31	22	10	2		1	
German parents	M. 344	15	1	1	1	2	20	2	4	6	18	19	14	28	30	32	46	42	22	27	18	6	6		2		
	F. 262	11	2	1			14	4	11	6	12	11	17	15	21	16	27	26	18	29	21	11	2		1		
1. Angina pectoris:																											
Irish parents	M. 11												1	2	1	1	3		1	1							
	F. 16											2	4		1		1			1	1	4	1	1			
German parents	M. 4													1			1	2									
	F. 7											1					1	2				1					
2. Aneurism:																											
Irish parents	M. 13									1		1		2	2	1	1	2	1	1	1						
	F. 3													2	1												
German parents	M. 12												2		1	4	2	2		1							
	F. 3												1			1				1							
3. Diseases of the heart:																											
Irish parents	M. 329	11	2				13	5	11	8	12	15	18	26	28	40	32	22	32	20	27	14	4	2			
	F. 449	2	1		2	1	6	18	11	13	13	17	27	26	38	47	38	52	50	34	30	18	9	1		1	
German parents	M. 306	3		1	1	2	7	2	4	6	18	18	11	26	28	28	42	39	19	27	18	6			1		
	F. 237	4	1	1			6	4	10	6	11	10	16	12	21	15	25	24	16	27	21	11	1		1		
4. Others of this group:																											
Irish parents	M. 29	14	1	1			16	1			1	2	1	1	2	1		1	2		1						
	F. 20	11	2			1	14	1			1	1					1	2									
German parents	M. 22	12	1				13					1	1	1	1		2		1		1				1		
	F. 15	7	1				8		1		1			2			1		1	1							
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total	4213	736	496	271	158	107	1768	198	34	60	91	115	128	195	198	202	249	178	172	206	163	117	80	39	12	7	1
Irish parents	M. 1243	221	129	61	46	24	481	52	5	20	27	42	40	66	83	75	77	66	57	63	41	25	12	6	2	2	1
	F. 1218	165	117	57	43	25	407	53	14	16	31	38	44	67	57	64	84	48	54	70	61	38	42	22	6	2	
German parents	M. 1009	204	128	77	37	35	481	55	6	12	21	20	32	37	40	43	61	40	36	43	35	32	10	5			
	F. 743	146	122	76	32	23	399	38	9	12	12	15	12	25	18	20	27	24	25	30	26	22	16	6	4	3	
1. Croup:																											
Irish parents	M. 115	14	34	20	19	12	99	16																			
	F. 107	5	26	23	23	14	91	16																			
German parents	M. 124	12	26	29	14	17	98	25	1																		
	F. 116	14	26	33	14	15	102	14																			
2. Laryngitis:																											
Irish parents	M. 12	1	2			1	4						1		3		2	2	1			1					
	F. 16	2	1				3	2				1		3		2	2	1			1		1				
German parents	M. 18	1	2	1	1		5	1		1			4			2	1	1		2		1					
	F. 10	3	1	3		2	9									1											
3. Bronchitis:																											
Irish parents	M.																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia:																											
Irish parents	M. 728	94	54	28	21	8	205	24	4	15	21	30	29	48	68	58	55	42	40	39	26	15	5	2	1	1	
	F. 642	67	55	19	12	9	162	19	12	11	20	28	31	41	43	44	57	35	26	43	35	12	14	7	2	1	
German parents	M. 545	92	68	33	14	14	221	17	2	10	16	18	17	23	33	29	46	29	23	20	21	11	6	3	2	1	
	F. 365	59	64	29	10	3	165	15	8	9	10	10	7	16	13	17	13	14	17	18	15	6	5	3	2	2	
5. Pleurisy:																											
Irish parents	M. 18	—	—	—	—	—	—	1	—	2	—	2	—	4	—	—	3	2	1	1	1	—	—	—	—	—	—
	F. 26	1	—	1	1	—	3	2	—	—	3	—	1	4	1	3	1	2	1	1	—	3	1	—	—	—	—
German parents	M. 21	2	—	1	—	—	3	2	—	—	—	—	3	2	1	4	1	—	2	3	—	—	—	—	—	—	—
	F. 18	—	3	1	2	—	6	—	1	1	—	2	2	—	—	1	3	1	—	—	1	—	—	—	—	—	—
6. Asthma:																											
Irish parents	M. 14	—	—	—	—	—	—	1	—	1	—	1	—	—	—	3	—	—	1	3	2	—	1	1	—	—	—
	F. 20	2	1	—	—	—	3	—	—	1	—	—	—	1	1	1	—	3	1	3	2	2	1	1	—	—	—
German parents	M. 17	2	—	—	—	—	2	—	—	—	—	—	2	—	—	1	4	—	2	4	—	2	—	—	—	—	—
	F. 9	—	1	—	—	—	1	—	—	—	—	—	1	—	—	1	1	1	1	2	1	1	—	—	—	—	—
7. Others of this group:																											
Irish parents	M. 102	23	7	1	1	1	33	2	—	1	3	5	3	9	8	8	6	7	6	3	1	3	2	2	—	—	—
	F. 95	18	5	2	1	—	26	3	1	3	5	3	5	6	5	6	10	1	8	3	3	1	4	1	1	—	—
German parents	M. 93	28	7	2	—	—	37	1	2	—	1	1	3	7	5	4	6	6	2	7	4	4	1	2	—	—	—
	F. 55	5	4	1	2	—	12	2	—	2	1	1	1	7	3	1	6	5	2	2	2	4	2	1	—	—	—
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	1144	171	91	30	15	8	315	22	28	21	44	40	47	70	67	88	85	79	71	62	49	33	17	6	—	—	—
Irish parents	M. 356	51	28	8	4	3	94	8	11	6	12	10	14	21	26	25	32	27	25	11	23	8	3	—	—	—	—
	F. 331	43	26	9	6	3	87	8	5	5	11	12	18	26	14	26	18	25	16	25	10	13	8	4	—	—	—
German parents	M. 275	42	22	8	2	2	76	2	10	6	10	11	7	13	18	32	20	15	16	13	13	8	3	2	—	—	—
	F. 182	35	15	5	3	—	58	4	2	4	11	7	8	10	9	5	15	12	14	13	3	4	3	—	—	—	—
1. Dentition:																											
Irish parents	M. 33	14	15	3	—	1	33	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F. 34	18	14	2	—	—	34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
German parents	M. 29	14	11	4	—	—	29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F. 31	21	7	2	—	—	30	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Angina:																											
Irish parents	M. 16	3	1	1	—	—	5	2	—	—	1	1	—	—	—	—	2	—	3	1	—	1	—	—	—	—	—
	F. 17	1	4	—	2	—	7	2	—	—	1	—	2	—	1	—	—	1	1	—	1	1	—	—	—	—	—
German parents	M. 16	6	2	1	1	—	10	—	—	1	1	—	—	—	1	—	1	1	—	1	—	—	—	—	—	—	—
	F. 6	2	1	—	—	—	3	—	—	—	—	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—
3. Gastritis:																											
Irish parents	M. 29	1	1	2	—	—	4	—	—	—	—	—	—	2	3	2	5	4	3	1	3	1	1	—	—	—	—
	F. 43	6	1	—	1	1	9	1	—	1	1	1	2	4	—	3	2	5	2	7	1	4	—	—	—	—	—
German parents	M. 16	2	—	—	—	—	2	—	2	—	—	—	—	—	—	4	1	1	—	—	1	3	—	—	—	—	—
	F. 19	1	2	—	1	—	4	2	—	—	—	—	1	3	1	1	1	2	1	1	—	2	—	—	—	—	—
4. Other diseases of the stomach:																											
Irish parents	M. 27	5	4	—	—	—	9	2	1	—	—	1	1	3	3	—	1	3	1	—	1	1	—	—	—	—	—
	F. 19	1	1	1	—	1	4	—	1	1	1	1	1	2	—	2	2	1	—	—	3	—	—	—	—	—	—
German parents	M. 14	2	1	—	—	—	3	—	—	1	1	2	—	—	2	—	3	1	—	1	—	—	—	—	—	—	—
	F. 9	1	1	—	—	—	2	—	—	—	—	—	1	1	—	1	—	2	—	2	—	—	—	—	—	—	—
5. Obstruction of the bowels:																											
Irish parents	M. 13	3	—	1	—	—	4	—	1	1	1	1	—	1	—	—	—	1	1	1	1	—	—	—	—	—	—
	F. 10	1	—	—	—	—	1	—	—	—	1	—	—	1	—	2	—	1	3	—	—	1	—	—	—	—	—
German parents	M. 7	2	—	—	—	—	2	—	—	—	—	2	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—
	F. 4	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—
6. Hernia:																											
Irish parents	M. 14	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	1	2	1	1	1	1	1	—	—	—	—
	F. 10	2	—	—	—	—	2	—	—	—	—	—	—	1	—	1	1	1	—	3	1	—	—	—	—	—	—
German parents	M. 14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	3	1	3	1	1	—	1	—	—	—
	F. 8	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	1	1	2	—	1	—	—	—	—	—
7. Other diseases of the bowels:																											
Irish parents	M. 24	1	1	—	1	—	3	1	1	—	2	1	—	3	4	1	—	2	1	1	3	1	—</				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	1056	26	17	9	7	11	70	24	15	19	34	54	70	103	100	108	132	84	82	56	45	39	15	6			
Irish parents.....	{ M. 324	6	4		1	3	14	6	3	6	12	17	25	34	26	27	36	27	33	18	12	22	5	1			
	{ F. 348	8	6	2	3	3	22	6	6	7	10	21	28	41	36	41	41	23	23	9	16	7	8	3			
German parents.....	{ M. 233	5	4	3	2	4	18	9	5	3	6	6	9	17	25	30	31	23	15	22	8	5	1				
	{ F. 151	7	3	4	1	1	16	3	1	3	6	10	8	11	13	10	24	11	11	7	9	5	1	2			
1. Bright's disease:																											
Irish parents.....	{ M. 233	2	2			3	7	4	3	4	10	12	18	25	19	21	27	20	26	11	6	16	3	1			
	{ F. 247	1	3		1	1	6	4	6	6	7	14	15	30	28	28	30	21	23	6	12	3	7	1			
German parents.....	{ M. 148	2	2	1		3	8	5	3	2	5	5	4	10	17	19	19	18	12	15	3	3					
	{ F. 99	1		1			2	2	1	3	3	8	5	6	12	8	16	10	7	6	5	2	1	2			
2. Calculus, urinary:																											
Irish parents.....	{ M. 1		1				1																				
	{ F. 2																										
German parents.....	{ M. 2															1		1									
	{ F. 2																										
3. Diseases of the kidney:																											
Irish parents.....	{ M. 53	2	1				3	2		2	2	1	6	6	6	5	3	4	5	3	2	2	1				
	{ F. 62	4	2	2	1	2	11	1		1	2	1	6	10	6	6	8	1		1	2	4	1	1			
German parents.....	{ M. 56	2	1	2	2	1	8	4	2			1	3	4	4	7	10	3	2	4	2	1	1				
	{ F. 34	3	3	2	1	1	10				2	2	2	3	1	1	5	1	2		3	2					
4. Diseases of the bladder:																											
Irish parents.....	{ M. 22	2					2					3		2		1	3	2		4	2	2	1				
	{ F. 13	1	1		1		3	1			1		1		1	4	1				1						
German parents.....	{ M. 11	1	1				2							1	2		1		1	2	2						
	{ F. 7	2					2						1	1			1		1		1						
5. Others of this group:																											
Irish parents.....	{ M. 15				1		1					1	1	1	1		3	1	2		2	2					
	{ F. 26	2					2					6	6	1	1	3	2	1		2	1			1			
German parents.....	{ M. 16									1	1		2	2	2	3	2			1	1	1					
	{ F. 11	1		1			2	1			1			1		1	2		1	1		1					
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total.....	29											6	3	6	2	4			3	1	2	1	1				
Irish parents.....	F. 16											3	1	5	1	1			2		1	1	1				
German parents.....	F. 13											3	2	1	1	3			1	1	1						
1. Ovarian tumors:																											
Irish parents.....	F. 7													1		1			2		1	1	1				
German parents.....	F. 5												1		1	1			1	1							
2. Ovarian diseases:																											
Irish parents.....	F. 1															1											
German parents.....	F. 1																										
3. Uterine tumors:																											
Irish parents.....	F. 1													1													
German parents.....	F. 1																										
4. Uterine diseases:																											
Irish parents.....	F. 3											1	1		1												
German parents.....	F. 3													1		1					1						
5. Others of this group:																											
Irish parents.....	F. 5											2		3													
German parents.....	F. 4											3	1														
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total.....	125									1	26	29	32	18	17	2											
Irish parents.....	F. 73										7	21	22	14	8	1											
German parents.....	F. 52									1	19	8	10	4	9	1											
1. Abortion:																											
Irish parents.....	F. 11										1	1	5	4													
German parents.....	F. 13										3	3	3	2	2												
2. Child-birth:																											
Irish parents.....	F. 58										3	19	17	10	8	1											
German parents.....	F. 32									1	11	3	7	2	7	1											
3. Others of this group:																											
Irish parents.....	F. 4										3	1															
German parents.....	F. 7										5	2															
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	105	14	5	5	1	1	26	7	12	7	2	5	4	10	3	6	6	5	2	3	4	2	1				
Irish parents.....	{ M. 35	5	1	1	1		8	1	4	5	1		1	5	1	1	2	1			4	1					
	{ F. 35	3	2	3		1	9	3	5	1		3	1	1	2	3	1	4	1				1				
German parents.....	{ M. 20	2		1			3	1	2			2	2	3		2	2		1	2							
	{ F. 15	4	2				6	2	1	1	1			1		1			1		1						
1. Diseases of the spine:																											
Irish parents.....	{ M. 20	4		1	1		6	1	2	3	1		1	1	1		1				2	1					
	{ F. 21	3	2	2		1	8	2	1			1	1	1	1	2	1	1	1				1				
German parents.....	{ M. 12	2					2	1	1			1	1	1		2	1			2							
	{ F. 11	4	2				6	2		1	1			1													



GRAND GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
2. Diseases of the bones:																											
Irish parents	{ M. 8		1				1		1	1				1		1	1				2						
	{ F. 6								3			1						2									
German parents	{ M. 6			1			1		1			1	1	1					1								
	{ F. 2								1											1							
3. Diseases of the hip-joint:																											
Irish parents	{ M. 2									1				1													
	{ F. 2			1			1		1																		
German parents	{ M. 2																										
	{ F. 2																										
4. Others of this group:																											
Irish parents	{ M. 5	1					1		1					2				1									
	{ F. 6							1		1		1			1	1		1									
German parents	{ M. 2													1			1										
	{ F. 2																1					1					
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	91	21	6	2	3	1	33	3	4	1	7	3	4	2	4	6	11	5	1		2	3		1	1		
Irish parents	{ M. 29	6	3	1	1		11	1	1		3	2		1	2		2	2	1		1	1				1	
	{ F. 33	9	2		2		13	1	2	1	3	1	2	1	1	2	4				1	1					
German parents	{ M. 18	5					5	1	1				2		1	3	3	1			1						
	{ F. 11	1	1	1		1	4				1					1	2	2						1			
1. Abscess:																											
Irish parents	{ M. 22	6	2	1	1		10	1	1		2	1		1	2		1	1	1		1						
	{ F. 26	8	1		2		11	1	2		2	1	2	1	1	1	3				1						
German parents	{ M. 14	5					5	1	1				1		1	2	1	1				1					
	{ F. 7	1	1	1			3				1					1	1							1			
2. Carbuncle:																											
Irish parents	{ M. 3										1	1						1									
	{ F. 2																1										
German parents	{ M. 3																1	2									
	{ F. 1																		1								
3. Others of this group:																											
Irish parents	{ M. 4		1				1										1					1			1		

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																											
5. Homicide:																											
Irish parents	M. 19										2	4	1	6	4	1					1						
	F. 5												2														
German parents	M. 3											2				1											
	F. 2												1				1										
6. Infanticide:																											
Irish parents	M. —																										
	F. —																										
German parents	M. —																										
	F. —																										
7. Injuries by machinery:																											
Irish parents	M. 1													1													
	F. —																										
German parents	M. 3											1	1		1												
	F. 1																			1							
8. Railroad accidents:																											
Irish parents	M. 52	1				1	2	3	3	2	1	6	4	9	4	4	4	4	1	2		1		1		1	
	F. 13	1					1	1	1		1		1	1		1	1				1	1	2				
German parents	M. 18	1	1				2			1	1			3		3	2	3	2	1							
	F. 2																1	1									
9. Suffocation:																											
Irish parents	M. 14	8		1			9							2		1	1				1						
	F. 6	2					2	1		1									2								
German parents	M. 7	4					4							1			1			1							
	F. 8	2	1				3						3		1							1					
10. Suicide by shooting:																											
Irish parents	M. 7									1		1	2	1				2									
	F. —																										
German parents	M. 12									1	1	1		2	1	2	3	1									
	F. 1																	1									
11. Suicide by drowning:																											
Irish parents	M. —															1			1								
	F. 2																										
German parents	M. 3													1							2						
	F. 1																1										
12. Suicide by poison:																											
Irish parents	M. 3												2						1								
	F. 3											1	1	1													
German parents	M. 5											1	1			2	1										
	F. 6												1		1	2	1	1									
13. Other suicides:																											
Irish parents	M. 13										1	1		2	3	1	2	3									
	F. 5							1						2		1			1								
German parents	M. 34									1	1	2	7	6	3	3	1	5	3	2							
	F. 9									1	1		1		4	1		1									
14. Sunstroke:																											
Irish parents	M. 34	1		1			2	2		1	3	5	4	5	4	2	2	2	1		1						
	F. 8	2	1				3					1		1		1	1				1						
German parents	M. 17										1		5	5	2	1		1				1					
	F. 3	1					1											1	1								
15. Surgical operations:																											
Irish parents	M. 5					1	1								1				3								
	F. 4											3		1													
German parents	M. 2	1					1													1							
	F. 2												1				1										
16. Wounds:																											
Irish parents	M. 10		1		1		2		1			2				2	2	1									
	F. 2				1		1																				
German parents	M. 4											1						1	2								
	F. 1												1														
17. Others of this group:																											
Irish parents	M. 269	10	4	4	2	3	23	12	11	8	14	26	24	33	29	28	17	15	14	7		4	3		1		
	F. 110	9	3	3	3	1	19	5	1	2	1	6	4	5	13	8	5	8	8	3	8	5	6	3			
German parents	M. 156	7	2	1		4	14	9	5	3	7	11	13	14	12	17	19	11	9	6	2	3		1			
	F. 59	5	4	2	4	1	16	1			5	2	4	4	4	8	2	3	3	3	1	3					

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 5.

Cause of death.	Total.	Under 1.	1 to 3.	3 to 4.	4 to 5.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
GRAND TOTAL.....	3126	448	133	92	62	45	780	115	89	157	239	166	128	167	135	136	143	129	146	161	129	103	106	52	16	21	8
Total: Irish parents.....	{ M. 1511	236	66	49	22	20	393	64	40	64	106	75	54	87	55	61	74	58	74	90	72	51	55	23	5	7	3
	{ F. 1420	170	57	39	35	21	322	41	41	83	122	85	66	76	68	66	63	58	62	63	53	46	48	28	10	14	5
German parents.....	{ M. 97	20	3	3	2	1	29	6	3	2	8	4	5	3	8	2	5	5	3	3	3	1	1	1	1	1	1
	{ F. 98	22	7	1	3	3	36	4	5	8	3	2	3	1	4	7	1	8	7	3	1	3	2				
Unknown causes.																											
Total	64	21	3				24	3		1		4	1	4	3	2	3	2	2	4	2	2	2	3	2		
Irish parents	{ M. 28	10	1				11	3				1		1	2	2	1	2	1		1		2	1			
	{ F. 35	10	2				12			1		4		4	2	1	1		3	2	1	2	1	1			
German parents	{ M. 1	1					1																				
	{ F. 1																										
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	604	156	56	49	30	32	323	58	39	19	24	16	16	15	16	13	8	10	10	10	10	6	5	3	1	1	1
Irish parents	{ M. 264	72	22	23	10	15	142	29	18	11	10	6	3	4	2	8	3	5	7	5	4	3	3	1			
	{ F. 290	66	30	22	17	14	149	23	18	6	12	9	13	11	12	4	5	4	3	5	6	3	2	2	1	1	1
German parents	{ M. 21	7	3	3	1	1	14	2	1		2	1			1												
	{ F. 29	11	1	1	3	2	18	4	2	2					1	1		1									
1. Small-pox:																											
Irish parents	{ M. 2										2																
	{ F. 2																										
German parents	{ M. 1																										
	{ F. 1																										
2. Measles:																											
Irish parents	{ M. 8	4		2			6		1	1																	
	{ F. 9		5				5		1	2	1																
German parents	{ M. 1																										
	{ F. 1																										
3. Scarlet fever:																											
Irish parents	{ M. 26	4	1	6	2	2	15	8	1		2																
	{ F. 31	2	6	7	3	4	22	5	1	1			1							1							
German parents	{ M. 6		2	1		1	4	1	1																		
	{ F. 8	1		1	1	2	5	3																			
4. Diphtheria:																											
Irish parents	{ M. 64	3	9	10	6	12	40	16	6	2																	
	{ F. 74	6	8	11	12	9	46	15	7	1	1	1	1	1													
German parents	{ M. 3	1		1			2	1																			
	{ F. 6	1	1		2		4	1	1																		
5. Hooping-cough:																											
Irish parents	{ M. 4	4					4																				
	{ F. 12	7	5				12																				
German parents	{ M. 1																										
	{ F. 1																										
6. Fever:																											
Irish parents	{ M. 1																										
	{ F. 1																										
German parents	{ M. 1																										
	{ F. 1																										
7. Cerebro-spinal fever:																											
Irish parents	{ M. 6	1	1				2	1	2							1											
	{ F. 2								1				1														
German parents	{ M. 1																										
	{ F. 1																										
8. Enteric fever:																											
Irish parents	{ M. 34	1	1	1	1		4	3	2	7	4	3			1	4		2	1	2	1						
	{ F. 23	1					1	1	3	1	4	1	3	3	1	1			2	1							
German parents	{ M. 3	1					1			1	1																
	{ F. 3								1	1																	
9. Diarrhoea:																											
Irish parents	{ M. 15	8	1	1			10									1			2			1	1				
	{ F. 9	4			1		5													1	1	1					
German parents	{ M. 2	1					1																				
	{ F. 2																										
10. Dysentery:																											
Irish parents	{ M. 10	4	1	1			6				1									1			1				
	{ F. 9	3		1			4				1				1	1					1						
German parents	{ M. 2										1																
	{ F. 1																										
11. Enteritis:																											
Irish parents	{ M. 20	5	1				6	1	4		1	1		2				1	1	1	1	1	1				
	{ F. 22	4	1				5	1	2																		

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 5—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15 Erysipelas:																											
Irish parents	M. 7											1	1	1	1		2				1						
	F. 8	2					2							1			1				1		1	1			1
German parents	M.																										
	F.																										
16 Septicæmia:																											
Irish parents	M. 1																										
	F. 4										1				2		1		1								
German parents	M.																										
	F.																										
17 Puerperal septicæmia:																											
Irish parents	F. 14										1	2	5	5	1												
German parents	F.																										
18 Venereal diseases:																											
Irish parents	M. 1														1												
	F. 2										1				1												
German parents	M.																										
	F.																										
19 Others of this group:																											
Irish parents	M. 3	1					1												1				1				
	F. 5		1			1	2					1									2						
German parents	M.																										
	F.																										
General diseases—B.																											
Total	24	2	1	2			5					1	4	4	4		2				2	1					
Irish parents	M. 15	1	1	1			3					1	1	3	4		1				1						1
	F. 7	1		1			2						2	1			1				1						
German parents	M. 2												1									1					
	F.																										
1. Worms:																											
Irish parents	M. 1		1				1																				
	F. 1			1			1																				
German parents	M.																										
	F.																										
2. Other parasitic diseases:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Alcoholism:																											
Irish parents	M. 9											1	1	3	3		1										
	F. 1													1													
German parents	M. 2												1									1					
	F.																										
4. Lead poison:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
5. Other poisons:																											
Irish parents	M. 3														1						1						1
	F. 3																1				1						
German parents	M.																										
	F.																										
6. Inanition:																											
Irish parents	M. 2	1		1			2																				
	F. 2	1					1							1													
German parents	M.																										
	F.																										
General diseases—C.																											
Total	319	124	2	2		1	129			2				2	1		3	1	2	10	26	35	56	29	10	13	
Irish parents	M. 151	70	1			1	72			1							1		1	6	11	15	27	12	4	1	
	F. 152	43	1	2			46			1				2	1		2	1	1	4	15	18	28	16	5	12	
German parents	M. 12	8					8															1	1	1	1		
	F. 4	3					3															1					
1. Premature birth:																											
Irish parents	M. 4	4					4																				
	F. 5	5					5																				
German parents	M. 1	1					1																				
	F.																										
2. Stillborn:	</																										

GRAND GROUP 5—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																											
6. Atrophy:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
General diseases—D.																											
Total	875	16	9	4	6	2	37	8	12	89	154	97	69	69	55	49	58	39	38	34	34	17	9	2		3	
Irish parents	M.	396	10	6	1	1	20	6	3	26	63	45	28	39	20	18	26	20	16	22	23	10	7			3	1
	F.	447	5	2	3	5	15	2	7	59	86	49	37	39	32	27	31	18	21	11	11	7	1	2			1
German parents	M.	12								1	4	2	1		2		1										
	F.	20	1	1			2		1	4	1	1	3		1	4		1	1	1			1				
1. Rheumatism:																											
Irish parents	M.	11							2	1		1	1	1		1					2	2					
	F.	6												1			1	1	1		2						
German parents	M.																										
	F.	1														1											
2. Scrofula and tabes:																											
Irish parents	M.	4	1	1			2						1							1							
	F.	3								2							1										
German parents	M.																										
	F.																										
3. Leprosy:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
4. Consumption:																											
Irish parents	M.	306	1	1		1	3	1	1	24	61	43	26	37	17	9	19	16	8	15	14	3	6			2	1
	F.	362	1	1	1	5	8	2	5	56	82	48	34	24	21	20	17	12	11	9	5	5		2			1
German parents	M.	9								1	4	2	1				1										
	F.	13	1	1			2		1	3	1	1	3		1	1											
5. Hydrocephalus:																											
Irish parents	M.	13	7	4			11	2																			
	F.	6	4		1		5			1																	
German parents	M.																										
	F.																										
6. Cancer:																											
Irish parents	M.	38	1				1	1							1	6	7	3	7	3	4	4	1				
	F.	37									1	1	2	3	7	5	6	3	5	1	2	1					
German parents	M.	1													1												
	F.	3														1				1			1				
7. Tumor:																											
Irish parents	M.	2									1																
	F.	7								2					1		2	1			1						
German parents	M.																										
	F.																										
8. Anæmia:																											
Irish parents	M.	1									1																
	F.	3							2						1												
German parents	M.																										
	F.																										
9. Dropsy:																											
Irish parents	M.	17				1	2	2		1				1	1	2		1	1	3	2	1					
	F.	21		1			1						1	2	2	2	4	1	4	1	2		1				
German parents	M.	1																									
	F.	1								1					1												
10. Glycosuria:																											
Irish parents	M.	3										1			1												1
	F.	1			1		1																				
German parents	M.	1																1									
	F.	1																	1								
11. Others of this group:																											
Irish parents	M.	1			1		1																				
	F.	1									1																
German parents	M.																										
	F.	1														1											
12. Others of this class:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total	299	43	28	12	3	2	88	16	10	8	13	7	6	12	14	19	12	17	21	15	11	11	10	4		1	4
Irish parents	M.	145	22	15	8	1	47	9	1	4	7	3	4	9	9	6	8	7	11	6	3	4	4	1		1	1
	F.	123	16	12	4	2	35	6	8	4	5	4	2	1	1	10	4	5	6	7	7	7	5	3			3
German parents	M.	14	1				1	1						2	2	1		3	2	1	1						
	F.	17	4	1			5		1		1				2	2		2	2	1		1					
1. Inflammation of the brain:																											
Irish parents	M.	6	1	1			2	2				1			1												
	F.	6		1			1	1	2	1						1											
German parents	M.	1																									
	F.	2	1				1		1																		
2. Meningitis:																											
Irish parents	M.	16	2	5	1		8	3			1				1	1	1	1									
	F.	13	2	3		1	6	1	3	1						1			1								
German parents	M.																										
	F.	1									1																
3. Apoplexy:																											
Irish parents	M.	20										1		2	1	2	5	1	4	1	1	1	1				
	F.	23	1				1				2	2		1	1	3	3		2	2	2	3		1			
German parents	M.	5												2		1		1	1								
	F.	5													1	1		1		1			1				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 5—Continued.

[illegible]

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 5—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia:																											
Irish parents	M. 141	15	6	5	1		27	2		3	6	8	7	11	7	8	11	10	9	16	4	6	4	1		1	
	F. 117	12	6		2	2	22	1	1	2	2	6	3	5	8	7	6	15	10	14	6	3	4		2		
German parents	M. 5	1			1		2			1			1	1													
	F. 5	1					1										1	1				2					
5. Pleurisy:																											
Irish parents	M. 7		1				1				1			1			1		1		2						
	F. 2													1								1					
German parents	M. 1																										
	F. 1																										
6. Asthma:																											
Irish parents	M. 2											1									1						
	F. 4																			3		1					
German parents	M. 1																										
	F. 1																										
7. Others of this group:																											
Irish parents	M. 21	7	1	1			9	1		1				2			1	2	1		3					1	
	F. 15				1		1	1	1		3		1	2					3	1		1				1	
German parents	M. 3										1						1	1									
	F. 3																										
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	98	15	2		2		19	2	2	4	1	3	3	7	3	10	10	6	9	15	2	2					
Irish parents	M. 47	8	1		1		10	2	2	1				4	1	3	3	2	4	11	2	2					
	F. 47	6	1		1		8			3	1	1	2	3	2	7	7	4	5	4							
German parents	M. 2												1	1													
	F. 2	1					1					1															
1. Dentition:																											
Irish parents	M. 1	1					1																				
	F. 2	1	1				2																				
German parents	M. 1																										
	F. 1																										
2. Angina:																											
Irish parents	M. 1															1											
	F. 1	1					1																				
German parents	M. 1																										
	F. 1																										
3. Gastritis:																											
Irish parents	M. 4							1	1										1	1							
	F. 1																										
German parents	M. 1											1															
	F. 1																										
4. Other diseases of the stomach:																											
Irish parents	M. 6				1		1	1								1			1	2							
	F. 5															1	3		1								
German parents	M. 1																										
	F. 1																										
5. Obstruction of the bowels:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
6. Hernia:																											
Irish parents	M. 3									1										2							
	F. 1													1													
German parents	M. 1																										
	F. 1																										
7. Other diseases of the bowels:																											
Irish parents	M. 3	1					1												1	1							
	F. 4	3			1		4																				
German parents	M. 1																										
	F. 1																										
8. Jaundice:																											
Irish parents	M. 5	3					3												1	1							
	F. 4									1						1			1	1							
German parents	M. 1																										
	F. 1																										
9. Inflammation and abscess of the liver:																											
Irish parents	M. 2													1				1									
	F. 1																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 5—Continued.

[illegible]

GRAND GROUP 5—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
2. Diseases of the bones:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Diseases of the hip-joint:																											
Irish parents	M.																										
	F.	1									1																
German parents	M.																										
	F.																										
4. Others of this group:																											
Irish parents	M.																										
	F.	1											1														
German parents	M.																										
	F.																										
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		4								1						1			1	1							
Irish parents	M.	4								1						1			1	1							
	F.																										
German parents	M.																										
	F.																										
1. Abscess:																											
Irish parents	M.	4								1						1			1	1							
	F.																										
German parents	M.																										
	F.																										
2. Carbuncle:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		1														1											
Irish parents	M.																										
	F.	1														1											
German parents	M.																										
	F.																										
1. Addison's disease:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
2. Diseases of the spleen:																											
Irish parents	M.																										
	F.	1														1											
German parents	M.																										
	F.																										
3. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		155	4	5	2	3	14	7	20	12	15	9	9	10	11	9	10	5	8	8	4		1	3			
Irish parents	M.	118	3	3	1	1	8	5	16	9	12	8	6	8	7	9	9	3	6	6	4		1	1			
	F.	27		1	1	2	4	2	3	2	2	1	2	2	2			2	2	1				2			
German parents	M.	9	1				1		1	1	1		1		2		1			1							
	F.	1		1			1																				
1. Burns and scalds:																											
Irish parents	M.	5	2	1		1	4				1																
	F.	4				1	1	1		1																	
German parents	M.																										
	F.																										
2. Drowned:																											
Irish parents	M.	33		1	1		2	2	11	1	3			2	2	3	3		3		1						
	F.	7		1			1	1	1	1			2		1												
German parents	M.	3							1		1						1										
	F.																										
3. Exposure and neglect:																											
Irish parents	M.																		1								
	F.	1																									
German parents	M.																										
	F.																										
4. Gunshot wounds:																											
Irish parents	M.	1												1													
	F.																										
German parents	M.	1													1												
	F.																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 5—Continued.

[illegible]

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 6--Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas:																											
Irish parents	M. 3											1		1									1				
	F. 3			1			1														2						
German parents	M. 5												1		1		1	1			1						
	F. 3	2					2										1										
16. Septicæmia:																											
Irish parents	M. 5									1		1		2	1												
	F. 6		1				1	1			1		2														
German parents	M. 2															1	1										
	F. 1										1																
17. Puerperal septicæmia:																											
Irish parents	F. 18										1	1	6	5	5												
German parents	F. 2									1		1															
18. Venereal diseases:																											
Irish parents	M. 1																				1						
	F. 1																										
German parents	M. 1																										
	F. 1																										
19. Others of this group:																											
Irish parents	M. 2				1		1																1				
	F. 4															2					1	1					
German parents	M. 2							1								1											
	F. 3			1			1											1					1				
General diseases—B.																											
Total	37	12	1		1		14	3					2	3	1	3		3	3		2	2					1
Irish parents	M. 10	2	1		1		4						1	1				2	1			1					
	F. 14	4					4	2					1	1	1	2		1			1	1					
German parents	M. 9	4					4							1		1			1		1						1
	F. 4	2					2	1											1								
1. Worms:																											
Irish parents	M. 1		1				1																				
	F. 1							1																			
German parents	M. 1																										
	F. 1																										
2. Other parasitic diseases:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
3. Alcoholism:																											
Irish parents	M. 5												1	1				2	1								
	F. 4															1		1			1	1					
German parents	M. 3													1		1			1								
	F. 3																										
4. Lead poison:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
5. Other poisons:																											
Irish parents	M. 1																										
	F. 5							1				1	1	1	1												
German parents	M. 1																				1						
	F. 1							1																			
6. Inanition:																											
Irish parents	M. 4	2			1		3															1					
	F. 4	4					4																				
German parents	M. 5	4					4																				1
	F. 3	2					2												1								
General diseases—C.																											
Total	298	83	5				88			2			1	2		3	2	2	9	7	29	48	57	26	9	13	
Irish parents	M. 99	36	1				37									1	1		4	2	8	17	19	4	2	4	
	F. 111	27	1				28			2			1	2			1	1	3	5	11	17	21	11	4	4	
German parents	M. 43	10	2				12												1		7	8	7	4	1	3	
	F. 45	10	1				11									2		1	1		3	6	10	7	2	2	
1. Premature birth:																											
Irish parents	M. 8	8					8																				
	F. 8	8					8																				
German parents	M. 1																										
	F. 2	2					2																				
2. Stillborn:																											
Irish parents	M. 18	18					18																				
	F. 13	13					13																				
German parents	M. 4	4					4																				
	F. 3	3					3																				
3. Malformation:																											
Irish parents	M. 2	2					2																				
	F. 1	1					1																				
German parents	M. 1																										
	F. 1																										
4. Debility:																											
Irish parents	M. 25	10	1				11									1	1		2	1	1	4	3		1		
	F. 21	3	1				4			2			1	2			1	1	2	5	1	1					
German parents	M. 17	5	2				7												1		3	4	1	1			
	F. 13	5	1				6									2		1				1	1				1
5. Old age:																											
Irish parents	M. 48																		2	1	7	13	16	4	1	4	
	F. 66																		1		10	16	21	10	4	4	
German parents	M. 21																				4	6	3	1	3		
	F. 27																				3	5	9	7	2	1	

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 6—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
<i>General diseases—C—Continued.</i>																											
6. Atrophy:																											
Irish parents { M.	1	1					1																				
German parents { F.																											
<i>General diseases—D.</i>																											
Total	1011	20	12	9	3	2	46	9	28	68	125	141	100	93	58	52	56	56	48	47	36	22	15	6	1		4
Irish parents { M.	296	7	4	6	1	1	19	4	10	20	37	35	29	29	18	17	17	19	9	14	8	5	3		1		2
German parents { F.	409	4	1		2		7	3	10	35	63	59	40	31	25	23	26	22	23	12	10	8	7	4			1
Irish parents { M.	160	3	5	1		1	10	1	4	4	11	24	19	16	8	7	3	12	8	11	11	6	3	1			1
German parents { F.	146	6	2	2			10	1	4	9	14	23	12	17	7	5	10	3	8	10	7	3	2	1			
1. Rheumatism:																											
Irish parents { M.																											
German parents { F.	8							1		1							1	1	3			1					
2. Scrophula and tabes:																											
Irish parents { M.	4								2		1	1		1						1	1						
German parents { F.	3																										
3. Leprosy:																											
Irish parents { M.																											
German parents { F.	3														1					1							
4. Consumption:																											
Irish parents { M.	226	1	2	2	1	1	7	3	6	20	35	34	28	25	17	8	10	14	5	8	3	1					2
German parents { F.	318	2	1		1		4	2	8	30	60	59	38	24	20	15	14	13	11	7	6	3	1	2			1
5. Hydrocephalus:																											
Irish parents { M.	12	5	2	3			10		1		1																
German parents { F.	2	1					1		1																		
6. Cancer:																											
Irish parents { M.	25												2			6	4	4		4	2		2		1		
German parents { F.	48										1		1	3	3	6	8	6	7	4	2	2	4	1			
7. Tumor:																											
Irish parents { M.	4													1		1				1		1					
German parents { F.	3											1							1								
8. Anæmia:																											
Irish parents { M.	1	1					1																				
German parents { F.	2	1					1																				
9. Dropsy:																											
Irish parents { M.	20			1			1	1			1	1		1	1	2	2	1	3		2	3	1				
German parents { F.	29	1			1		2		1	2	1		1	3	2	2	3	2	2	1	2	2	2	1			
10. Glycosuria:																											
Irish parents { M.	4								1				1				1		1								
German parents { F.	5									1				1						2	1	1					
11. Others of this group:																											
Irish parents { M.																											
German parents { F.	1		1				1																				
12. Others of this class:																											
Irish parents { M.																											
German parents { F.	1																										
<i>II.—DISEASES OF THE NERVOUS SYSTEM.</i>																											
Total	425	85	17	14	12	6	134	14	5	8	9	10	12	13	11	17	14	22	27	29	36	29	17	13	1	3	1
Irish parents { M.	155	25	6	5	4	4	44	6	1	2	5	6	3	9	6	5	5	10	8	9	15	8	7	5		1	
German parents { F.	120	23	3	4	6	2	38	4	1	4		3	4	1	3	4	6	5	9	14	8	6	7	2		1	
1. Inflammation of the brain:																											
Irish parents { M.	10	2		2			4	1		1				2				1	1								
German parents { F.	9	2		1	1	1	5	1				1	1					1									
2. Meningitis:																											
Irish parents { M.	9	3	2				5	2							1			1									
German parents { F.	10	4	1				5	2	1	1					1												
3. Apoplexy:																											
Irish parents { M.	35									1			1	1		4	2	2	4	6	5	3	4	2			
German parents { F.	15														1	1	2	1	2	3	1		2			1	
German parents { M.	22												1	1			1	2	5	1	0	2		2			1
German parents { F.	13															1		1		1	3	4	2	1			

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 6—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
4. Paralysis:																											
Irish parents.....	M. 31										1	2	1	3	2		1	4	1	1	7	1	3	3		1	
	F. 36															3	2	6	6	5	6	4	2				
German parents.....	M. 14		1				1					1		1				1	1	1	3	4			1		
	F. 11															1	1		1	1	3	1	3				
5. Tetanus and trismus nascentium:																											
Irish parents.....	M. 2								1			1															
	F. 3								1		1				1												
German parents.....	M. 3																										
	F. 3																										
6. Epilepsy:																											
Irish parents.....	M. 3	1			1		2	1																			
	F. 2									1			1														
German parents.....	M. 3									1								2									
	F. 3									1			1				1										
7. Convulsions:																											
Irish parents.....	M. 33	17	4	2	3	3	29	1			3																
	F. 28	16	2	3	5	1	27													1							
German parents.....	M. 24	20	1	1	1		23	1																			
	F. 17	12	2	1			15	1	1																		
8. Mental diseases:																											
Irish parents.....	M. 11											1	1	1	2		1		2	2	1						
	F. 8											1	2		1		1		1	1		1					
German parents.....	M. 6							1			1		1		1			1	1								
	F. 3													1		1				1							
9. Diseases of the brain:																											
Irish parents.....	M. 18	2		1		1	4	1			1	2		2	1	1			1		1	4					
	F. 8	1					1			1				1					1	3	1						
German parents.....	M. 9	1	1	1			3	1					1			2			1			1					
	F. 10	3	2				5				1		1			1						1			1		
10. Diseases of the spinal cord:																											
Irish parents.....	M. 2																	1			1						
	F. 3							1		1								1									
German parents.....	M. 2										1								1								
	F. 2																										
11. Others of this group:																											
Irish parents.....	M. 1																		1								
	F. 1																		1								
German parents.....	M. 1																										
	F. 1																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total	225	7			3		10	5	9	7	9	5	13	17	12	19	20	21	19	23	7	16	10	1	1		1
Irish parents.....	M. 69				1		1	1	3	2	5		4	3	8	5	6	6	4	9	2	5	4		1		
	F. 75	2			1		3	1	4	3	2	2	5	11	2	10	8	3	7	4	2	4	3	1			
German parents.....	M. 54	3			1		4	3	1	2	1	1	3	2	1	2	4	8	3	8	3	6	1			1	
	F. 27	2					2		1		1	2	1	1	1	2	2	4	5	2		1	2				
1. Angina pectoris:																											
Irish parents.....	M. 1																			1							
	F. 1																										
German parents.....	M. 1																	1									
	F. 1																										
2. Aneurism:																											
Irish parents.....	M. 2																1		1								
	F. 1																										
German parents.....	M. 1																			1							
	F. 1																										
3. Diseases of the heart:																											
Irish parents.....	M. 66				1		1	1	3	2	4		4	3	8	5	5	6	3	9	2	5	4		1		
	F. 73	1			1		2	1	4	3	2	2	5	11	2	10	8	3	7	3	2	4	3	1			
German parents.....	M. 48	1			1		2	3	1	2	1	1	3	2	1	2	3	8	3	7	2	5	1			1	
	F. 23	1					1		1		1	1	1	1	1	2	2	2	5	2		1	2				
4. Others of this group:																											
Irish parents.....	M. 1										1																
	F. 1	1					1																				
German parents.....	M. 5	2					2										1				1	1					
	F. 3	1					1					1															

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 6—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia:																											
Irish parents	M. 149	14	6	4	2	1	27	2	3	3	2	7	6	7	8	13	14	13	13	12	8	3	6	1			1
	F. 80	5	6	3		2	16	1	2	4	2	2	3	3	4	4	2	7	8	5	6	2	7	1			1
German parents	M. 62	7	4	6			17	3	1	3	5	2	2	1	2	2	4	5	4	6	4	1					
	F. 40	4	2		2	1	9					1		5	2	2	5	4	3	2	2	3					
5. Pleurisy:																											
Irish parents	M. 3				1		1							1							1						
	F. 2												1						1								
German parents	M. 2														2												
	F. 3					1	1													1	1						
6. Asthma:																											
Irish parents	M. 10												1				1	1	3	2	1	1					
	F. 4																	1			1	1	1				
German parents	M. 2																					1	1				
	F. 2																	1			1						
7. Others of this group:																											
Irish parents	M. 22	3		1		2	6		1	1				1	2	2	3	1	1	2			2				
	F. 12	1	1		1		3			1				1		1	1	1	1		1	2					
German parents	M. 8	1	1				2									1	3		1			1					
	F. 9	2					2					1						2	1	1		1		1			
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	163	16	6	2	4	1	29	2	3	5	7	6	6	3	13	14	13	14	9	16	11	6	2	2	2		
Irish parents	M. 64	5	1	2	3	1	12	1	1	2	4	2	3	1	2	8	6	6	3	5	4	2	1		1		
	F. 45	5	3		1		9	1	1	1	1	3	1	1	7	1	5	1	2	6	3	2					
German parents	M. 42	5	2				7		1	1	1	1	1	1	4	5	2	5	3	3	3	1	1	1	1		
	F. 12	1					1			1	1		1					2	1	2	1	1					
1. Dentition:																											
Irish parents	M. 2	1		1			2																				
	F. 3	2	1				3																				
German parents	M. 1	1					1																				
	F. 1	1					1																				
2. Angina:																											
Irish parents	M. 4		1	1	1		3														1						
	F. 1																										
German parents	M. 1																										
	F. 1																										
3. Gastritis:																											
Irish parents	M. 3																1			1						1	
	F. 9									1	1	1		1				1		2	1	1					
German parents	M. 3														1						1			1			
	F. 1																	1									
4. Other diseases of the stomach:																											
Irish parents	M. 10				2		2				1			1			2	1	1		1	1					
	F. 7														2	1	1		2	1							
German parents	M. 5												1			2		1							1		
	F. 1																										
5. Obstruction of the bowels:																											
Irish parents	M. 4										1						1			2							
	F. 1																										
German parents	M. 2																	2									
	F. 1																										
6. Hernia:																											
Irish parents	M. 4										1					1		1			1						
	F. 1																										
German parents	M. 3														1	1				1							
	F. 1																	1									
7. Other diseases of the bowels:																											
Irish parents	M. 2																			1			1				
	F. 1																				1						
German parents	M. 1																										
	F. 1																										
8. Jaundice:																											
Irish parents	M. 2	1					1									1											
	F. 2				1		1															1					
German parents	M. 1																		1								
	F. 1																										
9. Inflammation and abscess of the liver:																											
Irish parents	M. 6					1	1	1								1		3									
	F. 1							1																			
German parents	M. 5															1	1			1	1	1					
	F. 1																			1							
10. Other diseases of the liver:																											
Irish parents	M. 7											1			1		1	1	1	1	1						
	F. 8		1				1						1		2		2			1	1						
German parents	M. 8	1					1								1		2	2	2								
	F. 1																										
11. Peritonitis:																											
Irish parents	M. <																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 6—Continued.

Cause of death.	Total.	Under	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	87		1	2		1	4	1		2	2	2	2	5	2	6	7	9	7	7	15	5	6	4	1		
Irish parents	M. 41									1	1		1	1	1	3	6	3	3	1	8	4	4	4			
	F. 13			2			2						1	1		1	1	1	2	3		1					
German parents	M. 24							1		1		1		1		2		5	1	2	7		2		1		
	F. 9		1			1	2				1	1		2	1				1	1							
1. Bright's disease:																											
Irish parents	M. 15									1	1		1	1	1	2	3		2		2		1				
	F. 3																1	1	1								
German parents	M. 13										1		1					4		2	3		2				
	F. 4										1		1	1					1								
2. Calculus, urinary:																											
Irish parents	M. 3																1					1	1				
	F. 3																										
German parents	M. 3									1											2						
	F. 3																										
3. Diseases of the kidney:																											
Irish parents	M. 10															1	1	1		1	2	1		3			
	F. 5			2			2							1						2							
German parents	M. 4															2		1		1							
	F. 2					1	1													1							
4. Diseases of the bladder:																											
Irish parents	M. 9																	2	1		2	1	2	1			
	F. 4												1			1			1	1							
German parents	M. 1																		1								
	F. 1												1														
5. Others of this group:																											
Irish parents	M. 4																1				2	1					
	F. 1																					1					
German parents	M. 3							1													1				1		
	F. 2		1				1				1																
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total	10										2				3	2	1	1	1								
Irish parents	F. 7										2				2	2		1									
German parents	F. 3														1		1		1								
1. Ovarian tumors:																											
Irish parents	F. 2										1							1									
German parents	F. 2														1				1								
2. Ovarian diseases:																											
Irish parents	F. 3																										
German parents	F. 3																										
3. Uterine tumors:																											
Irish parents	F. 2														1	1											
German parents	F. 2																										
4. Uterine diseases:																											
Irish parents	F. 2										1					1											
German parents	F. 2																										
5. Others of this group:																											
Irish parents	F. 1														1												
German parents	F. 1																1										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total	47									2	6	6	10	14	9												
Irish parents	F. 37									1	5	6	8	11	6												
German parents	F. 10									1	1		2	3	3												
1. Abortion:																											
Irish parents	F. 2												2														
German parents	F. 2																										
2. Child-birth:																											
Irish parents	F. 29									1	3	6	5	10	4												
German parents	F. 9									1			2	3	3												
3. Others of this group:																											
Irish parents	F. 6										2		1	1	2												
German parents	F. 1										1																
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	5							2								1				1			1				
Irish parents	M. 1							1																			
	F. 1															1											
German parents	M. 3							1												1			1				
	F. 3																										
1. Diseases of the spine:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1							1																			
	F. 1																										

GRAND GROUP 6—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
2. Diseases of the bones:																											
Irish parents	M. 1															1											
German parents	M. 2															1			1			1					
	F.																										
3. Diseases of the hip-joint:																											
Irish parents	M. 1							1																			
German parents	M. 1																										
	F.																										
4. Others of this group:																											
Irish parents	M. 1																										
German parents	M. 1																										
	F.																										
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	15	2	1				3	1	2				1	2		1	1	1			1			1	1		
Irish parents	M. 6	1	1				2	1					1	1		1											
German parents	M. 2													1				1							1		
	F. 4	1					1									1				1			1				
1. Abscess:																											
Irish parents	M. 5		1				1	1					1	1		1											
German parents	M. 2								1									1									
	F. 2								1					1													
2. Carbuncle:																											
Irish parents	M. 1																										
German parents	M. 1																										
	F. 2																										
3. Others of this group:																											
Irish parents	M. 1	1					1																		1		
German parents	M. 1																										
	F. 2	1					1																1				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Irish parents	M. 1																										
German parents	M. 1																										
	F. 1																										
1. Addison's disease:																											
Irish parents	M. 1																										
German parents	M. 1																										
	F. 1																										
2. Diseases of the spleen:																											
Irish parents	M. 1																										
German parents	M. 1																										
	F. 1																										
3. Others of this group:																											
Irish parents	M. 1																										
German parents	M. 1																										
	F. 1																										
XII.—ACCIDENTS AND INJURIES.																											
Total	470	14	8	9	3	2	36	24	29	35	45	38	27	48	32	37	35	30	9	18	6	5	6	5	4	1	
Irish parents	M. 323	7	7	5	3	1	23	14	18	28	37	29	21	37	23	27	25	19	4	7	5	3	2	2	1		
German parents	M. 49	3	2	1	1	1	6	5	2	2	2	1	2	2	1	3	1	4	5	1	2	4	2	3	1		
	F. 82	1	1	1			3	3	8	5	6	7	4	8	4	7	8	6	5	6			2	1			
	F. 16	3	1				4	2	1			1		1	4		1	1									
1. Burns and scalds:																											
Irish parents	M. 10		2	1	1		4	1		1			1			2	1										
German parents	M. 9					1	1	3	1	1			1									1				1	
	F. 2			1			1			1																	
2. Drowned:																											
Irish parents	M. 17							4	2	2	1	2		1	1	1		2							1		
German parents	M. 4							1	3	1		1		1	1			1									
	F. 8																										
3. Exposure and neglect:																											
Irish parents	M. 5	2	1				3	1														1					
German parents	M. 2	1					1																				
	F. 1																										
4. Gunshot wounds:																											
Irish parents	M. 4							1	1		2																
German parents	M. 1													1													
	F. 1																										

STATISTICS OF MORTALITY.

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 6—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																											
5. Homicide:																											
Irish parents	M. 1													1													
	F. 1																										
German parents	M. 1																										
	F. 1																										
6. Infanticide:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
7. Injuries by machinery:																											
Irish parents	M. 1									1																	
	F. 1																										
German parents	M. 1																										
	F. 1																										
8. Railroad accidents:																											
Irish parents	M. 48							3	4	4	7	6	3	4	5	3	3	2	1	1	2						
	F. 7							1					1					1		2		1					
German parents	M. 13							1	3		1		1	2		1		1	1	1			1			1	
	F. 1													1													
9. Suffocation:																											
Irish parents	M. 4	3				1	4																				
	F. 1	1					1																				
German parents	M. 2	1					1									1											
	F. 1	1					1																				
10. Suicide by shooting:																											
Irish parents	M. 1											1															
	F. 1																										
German parents	M. 2									1				1													
	F. 1																										
11. Suicide by drowning:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1															1											
	F. 1																										
12. Suicide by poison:																											
Irish parents	M. 1																	1									
	F. 1														1												
German parents	M. 1																										
	F. 1																										
13. Other suicides:																											
Irish parents	M. 2													1	1												
	F. 1													1													
German parents	M. 6									1			1	1			2			1							
	F. 1														1												
14. Sunstroke:																											
Irish parents	M. 5										2							2				1					
	F. 1																										
German parents	M. 2																										
	F. 2																										
15. Surgical operations:																											
Irish parents	M. 2														1	1											
	F. 1																										
German parents	M. 1															1											
	F. 1																										
16. Wounds:																											
Irish parents	M. 2												1	1													
	F. 2																										
German parents	M. 2																			1	1						
	F. 2																										
17. Others of this group:																											
Irish parents	M. 221	2	4	4	2		12	6	9	21	24	20	16	29	15	20	21	13	3	6	3	1		2			
	F. 24	1		2			3	1	1		1	1		1		2		2		3	1		4	2	2		
German parents	M. 43		1				1	1	1	3	5	6	2	2	3	2	6	5	3	3							
	F. 7	2					2					1			3									1			

GRAND GROUP 7.

[illegible]

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 7—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas:																											
Irish parents.....	M. 10	2					2					1		1	1				2	1	1	1					
	F. 8	1					1					1	2	1	1	1			1								
German parents.....	M. 15	5		2			7			1			1					2		2		1	1				
	F. 18	6					6	1	1	1	3			2		1		1	1	1							
16. Septicæmia:																											
Irish parents.....	M. 3																1	1	1								
	F. 4									1				1	1		1										
German parents.....	M. 6		1				1			1				1	1		1			2							
	F. 9		1				1	2			2	1		1			1	1									
17. Puerperal septicæmia:																											
Irish parents.....	F. 13									1	1	4	3	3	1												
German parents.....	F. 66									2	13	16	10	19	4	2											
18. Venereal diseases:																											
Irish parents.....	M. 2									1						1											
	F. 1														1												
German parents.....	M. 4	3					3								1												
	F. 3	1					1						1		1												
19. Others of this group:																											
Irish parents.....	M. 6												2					1	1	1		1					
	F. 5																1	1	1	1							
German parents.....	M. 12	1			1		2	2		1	1	1		1	1		1	1	1	1		1					
	F. 7	1					1	2		1				1			1	1	1	1		1					
General diseases—B.																											
Total.....	88	34	7	5	1	1	48	1		2	1	3	2	5	2	5	9	1	3	3	1	1					1
Irish parents.....	M. 26	3	3	2			8				1	2	2	3	1	1	4			1	1	1					1
	F. 13	8					8									1	1		1	2							
German parents.....	M. 34	18		1		1	20			2		1		2	1	3	3	1	1								
	F. 15	5	4	2	1		12	1									1		1								
1. Worms:																											
Irish parents.....	M. 1			1			1																				
	F. 1	1					1																				
German parents.....	M. 1						1																				
	F. 6		2	2	1		5	1																			
2. Other parasitic diseases:																											
Irish parents.....	M. 1																										
	F. 1																										
German parents.....	M. 1																										
	F. 1																										
3. Alcoholism:																											
Irish parents.....	M. 15											2	2	3	1	1	4				1						1
	F. 1																1										
German parents.....	M. 6														1	3	1		1								
	F. 1																1										
4. Lead poison:																											
Irish parents.....	M. 1																										
	F. 1																										
German parents.....	M. 2											1						1									
	F. 1																										
5. Other poisons:																											
Irish parents.....	M. 3			1			1			1										1							
	F. 2																										
German parents.....	M. 6			1			1			1				2		1	1										
	F. 1																										
6. Inanition:																											
Irish parents.....	M. 7	3	3				6															1					
	F. 10	8					8												1	1							
German parents.....	M. 19	17				1	18			1																	
	F. 9	5	2				7										1		1								
General diseases—C.																											
Total.....	856	458	3	2	3		466	3		3	4	1	1	2	5	2	6	7	10	20	57	87	96	46	18	20	2
Irish parents.....	M. 127	44					44									1	2	2	2	5	10	18	26	5	4	7	1
	F. 104	25					25			1	2		1	1	1		1		2	4	15	7	17	17	2	8	
German parents.....	M. 348	229	2	2	1		234	3		2	1	1		1	2	1	2	3	2	5	15	25	29	12	5	4	1
	F. 277	160	1		2		163			1					2		1	2	4	6	17	37	24	12	7	1	
1. Premature birth:																								</			

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 7—Continued.

Cause of death.	Total	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																											
6. Atrophy:																											
Irish parents	M. 8	8					8																				
German parents	F. 3	3					3																				
General diseases—D.																											
Total.....	1909	49	22	12	8	8	99	24	48	125	218	171	124	120	115	135	147	146	144	110	75	60	34	10	1	2	1
Irish parents	M. 362	4	5		1	1	11	2	4	19	38	36	34	23	28	21	28	30	31	21	18	9	7	2			
	F. 379	5	3	3	1		12	3	9	39	49	46	22	23	26	34	24	17	23	8	12	5	2			1	
German parents	M. 621	23	6	5	4	6	44	11	21	20	67	41	36	40	26	42	53	55	58	41	33	16	13	3			1
	F. 547	17	8	4	2	1	32	8	14	47	64	48	32	34	35	38	42	37	38	25	16	23	9	3	1	1	
1. Rheumatism:																											
Irish parents	M. 13				1		1				1	1	4			1		1	1		1		1	1			
	F. 9									2		1		1			1	1	1	1		1					
German parents	M. 19								2	1	1		2	3		1	1	3				3	1	1			
	F. 12	1				1	2	1	1	1		1						1		1	2	2					
2. Scrofula and tabes:																											
Irish parents	M. 5		1				1										1	1	1		1						
	F. 7							1	1	2	1		1			1											
German parents	M. 8	4	1				5			1	1									1							
	F. 8	3	2		1		6			1									1								
3. Leprosy:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
4. Consumption:																											
Irish parents	M. 267	2				1	3	1	1	18	34	35	28	21	21	16	22	17	20	12	9	4	4	1			
	F. 265	3	2	1	1		7	1	8	33	47	43	20	16	16	19	12	11	11	12	1	5	3				
German parents	M. 414	9	1	4	1	2	17	5	11	18	61	36	30	33	17	32	30	30	34	29	19	4	7				1
	F. 339	7	2	3	1		13	3	11	42	62	40	28	24	23	18	18	11	17	9	6	8	2	2	1	1	
5. Hydrocephalus:																											
Irish parents	M. 6	2	3				5										1										
	F. 7	2	1	2			5			1					1												
German parents	M. 16	4	4	1	2	3	14		1			1															
	F. 9	4	2				6	2											1								
6. Cancer:																											
Irish parents	M. 31													1	2	1	3	5	5	5	5	3	1				
	F. 47											1	1	4	4	7	7	7	3	6	4	2		1			
German parents	M. 76								1		2		2	1	5	7	10	14	16	6	8	4					
	F. 67									1	4		3	8	13	14	14	3	5	2							
7. Tumor:																											
Irish parents	M. 7										1		2		1	1			2								
	F. 11										1			1	2	2	2	1	1		1						
German parents	M. 8	2					2	1	1						1		2			1							
	F. 11									1	1	1	2			2			3		1						
8. Anæmia:																											
Irish parents	M. 1																	1									
	F. 1																										
German parents	M. 1																	1									
	F. 4			1			1											1				1					
9. Dropsy:																											
Irish parents	M. 28		1				1	1	3	1	1			1	4	2	1	4	2	2	2	2	1				
	F. 31							1		1		1		1	3	5	1	3	1	4	2	4	2	1		1	
German parents	M. 67	2			1	1	4	4	3		1	4	1	2	3	2	9	7	8	4	5	3	5	2			
	F. 91	2					2	1	2	2		2	2	5	4	5	8	12	12	11	6	11	5	1			
10. Glycosuria:																											
Irish parents	M. 2																			2							
	F. 2																	1	1								
German parents	M. 8																										
	F. 4		1				1	1										1			1	2					
11. Others of this group:																											
Irish parents	M. 2										1								1								
	F. 2																										
German parents	M. 4	2					2	1	1																		

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 7—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
4. Paralysis:																											
Irish parents { M.	39									1		3	1	1	2	3	2	4	5	2	5	8	1		1		
F.	36	1					1		1		1	1			2	2	3	3	6	4	4	5	4				
German parents { M.	43				1		1	2		2	1	1			1	1	1	2	6	6	5	6	7	1			
F.	33									1	1		1	1		2	4	2	1	3	5	7	5				
5. Tetanus and trismus nascentium:																											
Irish parents { M.	1									1																	
F.	2	1					1										1										
German parents { M.	12	6					6	1			1			3								1					
F.	5	3					3				1					1											
6. Epilepsy:																											
Irish parents { M.	7	1					1				1	2				1		2									
F.	2									1									1								
German parents { M.	16	3					3	1	1	1	1	2	2	2	1			1				1					
F.	8	2	1				3				1		2			1		1									
7. Convulsions:																											
Irish parents { M.	18	15	2			1	18																				
F.	16	12		1	1		14	2																			
German parents { M.	102	156	17	8	3	2	186	2	2		2																
F.	158	118	18	8	2	4	150	3		1	2						1			1							
8. Mental diseases:																											
Irish parents { M.	7											3		1				1	1			1					
F.	4										1	1											1				
German parents { M.	10												2	2		1		3	2								
F.	8										2			1	1	1	2			1							
9. Diseases of the brain:																											
Irish parents { M.	14		1	1	1		3		2			1		2		2			1	2		1					
F.	11							2		2				1	1	1	1			1		2					
German parents { M.	32	5	4	1			10	3		1	1	3		1	2	3	1	1	2	1		1					2
F.	23	3	4	2		1	10	2				2		1	2	1	1	2		2							
10. Diseases of the spinal cord:																											
Irish parents { M.	3								2									1									
F.	2									1									1								
German parents { M.	8	1					1	2	1			1	1						1	1							
F.	5	1			1		2	1			1						1										
11. Others of this group:																											
Irish parents { M.	4													2		2											
F.	2															1								1			
German parents { M.	1												1														
F.	2										2																
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	375	8	6		1	1	16	15	11	12	15	17	22	17	22	25	31	37	31	42	31	21	7	2		1	
Irish parents { M.	78	2	1				3	2	1	3	3	3	7	2	2	3	10	5	5	10	10	5	3	1			
F.	65							2	2	2	4	4	2	3	8	6	3	4	10	6	4	2	2	1			
German parents { M.	120	4	2		1	1	8	7	4	1	2	4	9	9	5	11	11	13	11	9	10	6					
F.	112	2	3				5	4	4	6	6	6	4	3	7	5	7	15	5	17	7	8	2			1	
1. Angina pectoris:																											
Irish parents { M.	1														1												
F.	1												1														
German parents { M.	2													1								1					
F.																											
2. Aneurism:																											
Irish parents { M.	2														1							1					
F.	1																										
German parents { M.																											
F.																											
3. Diseases of the heart:																											
Irish parents { M.	73		1				1	2	1	3	3	3	7	2		3	10	5	5	10	10	4	3	1			
F.	63							2	2	2	4	4	1	3	8	6	3	4	10	5	4	2	2	1			
German parents { M.	115	2	2		1	1	6	7	4	1	2	4	9	8	5	10	11	13	11	9	10	5					
F.	111	2	3				5	4	4	5	6	6	4	3	7	5	7	15	5	17	7	8	2			1	
4. Others of this group:																											
Irish parents { M.	2	2					2																				
F.																											
German parents { M.	3																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 7—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia:																											
Irish parents	M. 115	5	4	3	1		13	1	3	3	5	5	9	7	6	6	7	9	5	13	10	7	4	1	1		
	F. 71	4		4	1		9	5		3	6	5	1		4	6	4	5	5	5	5	3	3	1		1	
German parents	M. 253	37	23	11	6	5	82	12	6	5	11	8	8	11	20	14	11	17	18	6	10	10	2	1	1		
	F. 198	41	19	10	6	3	79	10	7	8	7	6	4	8	6	10	7	6	11	7	14	5		2			1
5. Pleurisy:																											
Irish parents	M. 8	1					1						1			1	1	1	2	1							
	F. 1																			1							
German parents	M. 7							1			1								2		2			1			
	F. 6	3					3				2				1												
6. Asthma:																											
Irish parents	M. 9															1		1	1		2	2	2				
	F. 14													3	1		1	2	3	1	1	1	1				
German parents	M. 17			1			1								2			2	2	3	6	1					
	F. 11														1		1			5	3			1			
7. Others of this group:																											
Irish parents	M. 24	3	1		1	1	6			1		2	1	2			3	1	2	1		4			1		
	F. 18	1		1			2	1		2	1	1	1	1	1			1	1	2	2		2				
German parents	M. 51	15	2		1	1	19		2	1	2	2	1		2	2	2	6	4	3	2	2		1			
	F. 31	7	2	2			11	1	1	2	1		1	1	1	2		2	2	4		1		1			
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total.....	440	121	28	8	6	1	164	4	6	11	11	10	17	19	18	23	25	23	28	33	23	15	8	1	1		
Irish parents	M. 69	14	3		2		19		2	2	1	1	2	5	5	4	4	4	8	5	3	2	1		1		
	F. 54	4	3		1		8	1	2	1	2	1	2	2	2	4	4	5	5	8	3	1	3				
German parents	M. 179	55	11	4	1	1	72	1	2	4	5	3	9	5	8	10	9	11	8	12	10	7	2	1			
	F. 138	48	11	4	2		65	2		4	3	5	4	7	3	5	8	3	7	8	7	5	2				
1. Dentition:																											
Irish parents	M. 6	4	2				6																				
	F. 3		3				3																				
German parents	M. 15	5	8	1	1		15																				
	F. 19	11	7	1			19																				
2. Angina:																											
Irish parents	M. 1	1					1																				
	F. 2	1					1		1																		
German parents	M. 7	5		1		1	7																				
	F. 4	2					2	2																			
3. Gastritis:																											
Irish parents	M. 2				1		1											1			1						
	F. 2						1																				
German parents	M. 5	1					1											2		1	1						
	F. 5	1			1		2								1				1			1					
4. Other diseases of the stomach:																											
Irish parents	M. 7	3					3				1				1					2				1			
	F. 4																			3							
German parents	M. 10	1	1				2		1						1					1	2	1	1	1			
	F. 11	1	1	1			3				1			2			1			3			1				
5. Obstruction of the bowels:																											
Irish parents	M. 2	1					1		1																		
	F. 2								1		1																
German parents	M. 1														1												
	F. 1																					1					
6. Hernia:																											
Irish parents	M. 4	1					1								1		1	1									
	F. 2																										
German parents	M. 4												1				1	1						1			
	F. 8																2	2	1		2						
7. Other diseases of the bowels:																											
Irish parents	M. 2															1						1					
	F. 1																										
German parents	M. 6	1					1				1		1				1					2					
	F. 4	1					1						1							1	1						
8. Jaundice:																											
Irish parents	M. 2																1	1									
	F. 4																										
German parents	M. 5	1					1						1						1								
	F. 7	2	1				3			1				1						2							
9. Inflammation and abscess of the liver:																											
Irish parents	M. 5									1				2		1				1							
	F. 6												1		1		1			2	1						
German parents	M. 14												2	1	2	3		2		1	2	1					
	F. 1																				1						
10. Other diseases of the liver:																											
Irish parents	M. 13	1			1		2							1	1	1	1		3	3	1						
	F. 9																	2	1	4	1						
German parents	M. 37									</																	

[illegible]

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 7—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
2. Diseases of the bones:																											
Irish parents																											
German parents	2																	1		1							
3. Diseases of the hip-joint:																											
Irish parents	1																										
German parents	2																										
4. Others of this group:																											
Irish parents																											
German parents																											
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total.....	28	6					6		1	1	3		1	1	2	2	4	3		1		2	1				
Irish parents	3																										
German parents	12	2					2																				
1. Abscess:																											
Irish parents	2																										
German parents	10	1					1																				
2. Carbuncle:																											
Irish parents																											
German parents	1	1					1																				
3. Others of this group:																											
Irish parents	1																										
German parents	1	1					1																				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total.....	5										2	1		1			1										
Irish parents	1																										
German parents	4																										
1. Addison's disease:																											
Irish parents	1																										
German parents	2																										
2. Diseases of the spleen:																											
Irish parents																											
German parents																											
3. Others of this group:																											
Irish parents																											
German parents	2																										
XII.—ACCIDENTS AND INJURIES.																											
Total.....	521	19	5	15	18	6	63	25	31	35	39	29	38	30	43	28	38	39	24	26	12	8	4	4	2		3
Irish parents	187	2	1	1	1	1	6	7	8	15	16	13	18	11	18	9	17	20	10	9	5	2	2	1			
German parents	243	7	2	12	11	3	35	13	15	13	17	11	17	16	21	14	18	16	10	11	6	4	2	2	1		
1. Burns and scalds:																											
Irish parents	6																										
German parents	16	1	1	7	4	1	13																				
2. Drowned:																											
Irish parents	50			1	1	1	3	6	2	5	2	4	6	4	6	1	4	4	1	1							
German parents	50		1	2	5	2	10	10	6	3	4	2	2	1	4	2	1	2		2	1						
3. Exposure and neglect:																											
Irish parents	1		1				1																				
German parents	6	3			1		4																				
4. Gunshot wounds:																											
Irish parents	5								1		1		1				1			1							
German parents	8									3	1	1		2	1												

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 7—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																											
5. Homicide:																											
Irish parents	4									1	1	1							1								
German parents	7							1				1				1	2	1	1								
6. Infanticide:																											
Irish parents																											
German parents																											
7. Injuries by machinery:																											
Irish parents																											
German parents	1												1														
8. Railroad accidents:																											
Irish parents	44							1	4	3	7	4	3	1	3		4	8	2	2	1		1				
German parents	26		1				1		2	2	2	3	2	4	3		1	2				1					3
9. Suffocation:																											
Irish parents	5	2					2				1		1					1									
German parents	9	4	1	1			6	1						2		1				1							
10. Suicide by shooting:																											
Irish parents																											
German parents	6									1		1	1	1	1	1	1										
11. Suicide by drowning:																											
Irish parents	1																			1							
German parents	3												1		1							1					
12. Suicide by poison:																											
Irish parents	1																	1									
German parents	2													2													
13. Other suicides:																											
Irish parents	6											1		1	1	1			2	1							
German parents	18											1	1	2	1	2	3	2	4	2							
14. Sunstroke:																											
Irish parents	1									1																	
German parents	7										1	1	1				2		1					1			
15. Surgical operations:																											
Irish parents	2														1		1										
German parents	3												1					1		1							
16. Wounds:																											
Irish parents	1																1										
German parents	2																1	1									
17. Others of this group:																											
Irish parents	60								1	4	4	4	5	6	7	5	6	5	4	3	4	2					
German parents	79	1			1	1	3	1	7	5	7	1	6	6	6	7	7	7	4	4	4	1	1	1	1	1	
	24	2		1			3	2		2	3	1	1	1	1		2	1	2	2		1		1	1	1	

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 8.

Cause of death.	Total.	Under	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	7289	780	236	162	135	110	1423	307	153	257	379	348	310	345	327	336	403	360	443	423	499	445	294	131	50	30	26
Total: Irish parents.....	2710	284	77	55	39	32	487	111	56	82	133	130	112	120	137	129	138	144	190	181	181	168	122	49	19	9	12
German parents.....	1361	196	64	38	38	34	370	87	37	102	124	120	107	102	90	95	120	81	116	99	161	147	98	46	20	14	4
Unknown causes.	1078	158	55	37	33	21	304	50	35	39	54	49	50	67	69	72	87	79	74	74	97	76	52	18	5	3	7
Total.....	117	26	1			1	29	2	1	2	7	2	3	3	4	3	9	4	4	6	16	13	5	3		1	
Irish parents.....	40	8	1				9	1		1	1	1		1	1	1	2	2	2	2	7	4	4	1			
German parents.....	18	5				1	6				4		2		3	2	3		1	1	7	7	1	1			
1.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	1460	238	98	87	70	71	564	195	81	60	77	49	41	45	35	31	33	44	47	42	37	34	29	7			9
Irish parents.....	492	77	29	30	21	20	177	63	23	16	22	16	16	17	12	10	12	19	22	22	15	11	10	4			5
German parents.....	281	73	22	23	14	22	154	61	21	22	22	19	11	12	10	7	10	8	14	11	11	11	15	1			2
1. Small-pox:																											
Irish parents.....	2	4						1										1									
German parents.....	2	1	1				2			1	2	1															
2. Measles:																											
Irish parents.....	10	3	2	1			6	2	1		1																
German parents.....	5	3	1	2	1		7	1		1		1															
3. Scarlet fever:																											
Irish parents.....	54	6	5	8	8	7	34	10	5	1		1	1														2
German parents.....	31	5	3	6	3	11	28	14	2																		1
4. Diphtheria:																											
Irish parents.....	105	13	4	13	9	9	48	41	7	3	3	3				1			1								
German parents.....	87	12	4	10	8	8	42	34	11	5	2	2								1							
5. Hooping-cough:																											
Irish parents.....	7	7	3	2	2		7																				
German parents.....	3	4	2	1			7						1														
6. Fever:																											
Irish parents.....	4	1					1					1						1			1						
German parents.....	6										1	1					1					1	2				
7. Cerebro-spinal fever:																											
Irish parents.....	5	1		1	1		3			1											1						
German parents.....	10	3					3	1	1	1			2						1	1							
8. Enteric fever:																											
Irish parents.....	85	1	1		1	2	5	1	3	7	14	4	10	6	3	3	5	6	5	8		3					2
German parents.....	69					1	1	5	5	11	10	7	3	4	4	2	3	1	2	1	4	1	3				
9. Diarrhoea:																											
Irish parents.....	53	2	1	1			4		5	4	8	8	4	2	2	1	2	4	3	1	1	2	2				
German parents.....	45								1	6	13	2	3	3		4	2	5			2	4					
10. Dysentery:																											
Irish parents.....	28	2			1		3	2				2		1	3	2		2	1	4	5	1	2				
German parents.....	16	5	1	1			7			1				1		1	2		3								
11. Enteritis:																											
Irish parents.....	14	4	1		1		6						1	1					1	3	1	1					
German parents.....	13	6	1	1			8									1	1			1	1			1			
12. Cholera morbus:																											
Irish parents.....	15	2	1	1			4							1		1		1	1	2	1	3	1				
German parents.....	21		1				1			1					1		2	2	3	2	4	1	3	1			
13. Cholera infantum:																											
Irish parents.....	12	3		1	2		6	1	1				1			1		1		1							
German parents.....	9	3					3					1	1				2							1			
14. Malarial fever:																											
Irish parents.....	55	4	3				7	2	4	2	1	4	1	3	2	2	4	2	8	6	1	1	4	1			
German parents.....	30	6	1		1		8	1	1		1	1		1	2	1	2	3	1	2	2	2	2				
15. Cholera morbus:																											
Irish parents.....	22	4					4		1	2	2				3	3	2		3	1		1					
German parents.....	18	1		2			3		1	1	2			3	3		2	1	1		1						
16. Cholera morbus:																											
Irish parents.....	8	1	1				2	1					1						1			2					1
German parents.....	6	1	1				2	1										1					2				
17. Cholera morbus:																											
Irish parents.....	9													1	1	1	1	2		1		1	1				
German parents.....	1															1											
18. Cholera morbus:																											
Irish parents.....	50	37	9	3		1	50																				
German parents.....	42	32	7	2		1	42																				
19. Cholera morbus:																											
Irish parents.....	19	12	5	1	1		19																				
German parents.....	26	19	7				26																				
20. Cholera morbus:																											
Irish parents.....	23	1				1	2	3	1		2	1		4		1	1		3		3	1	1	1			
German parents.....	20			1			1	3	1	1	2	1			1				3	1	1	4	1				
21. Cholera morbus:																											
Irish parents.....	7	1	1				2		1	1	1					1			1		3		2				
German parents.....	7	1	1				2		1	1	1								1			2					

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas:																											
Irish parents	M. 18	1	1		1		3		2				1	1	2	1		4	1		2			1			
	F. 11	2	1		1		4				1							1	2	1		1					
German parents	M. 6	2			1		3						1	1				1	2			1					
	F. 4	1					1	2											1								
16. Septicæmia:																											
Irish parents	M. 6			1			1			2							2							1			
	F. 6							1				1	1	1													
German parents	M. 6	1					1		1						2	1		1									
	F. 3								1						1						1						
17. Puerperal septicæmia:																											
Irish parents	F. 18										1	4	4	6	2	1											
German parents	F. 5										2	1	1	1													
18. Venereal diseases:																											
Irish parents	M. 6	1					1				1		1		2					1							
	F. 2										1											1					
German parents	M. 2																										
	F. 2																										
19. Others of this group:																											
Irish parents	M. 11										1			1				2	2	1	1		2	1			
	F. 2					1	1				1																
German parents	M. 1																				1						
	F. 1																										
General diseases—B.																											
Total	58	12		2	1		15	3	1	1	3	2	2	4	7	3	1	5	6	2	1	2					
Irish parents	M. 32	4					4	2		1	3	2		3	5	1	1	3	3	1	1	2					
	F. 9	3					3		1				1		1			2	1								
German parents	M. 14	4		2			6	1					1	1	1	2			1	1							
	F. 3	1			1		2											1									
1. Worms:																											
Irish parents	M. 1									1																	
	F. 1																										
German parents	M. 1	1					1																				
	F. 1																										
2. Other parasitic diseases:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
3. Alcoholism:																											
Irish parents	M. 19							1			1	2		2	4	1	1	3	2	1		1					
	F. 2												1		1				1								
German parents	M. 5													1	1	1	2										
	F. 5																										
4. Lead poison:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
5. Other poisons:																											
Irish parents	M. 5							1			1			1	1						1						
	F. 1																	1									
German parents	M. 3							1											1	1							
	F. 2				1		1																				
6. Inanition:																											
Irish parents	M. 7	4					4				1								1			1					
	F. 6	3					3		1						1												
German parents	M. 5	3		2			5																				
	F. 1	1					1																				
General diseases—C.																											
Total	501	134	1		1		136	1		1	3	3	1	1	1	3	9	6	15	24	46	73	83	47	29	19	
Irish parents	M. 194	64	1				65			1		1				3	3	5	17	16	22	31	18	9	3		
	F. 162	23			1		24				3	2	1	1	1	2	5	1	7	3	20	28	26	13	14	11	
German parents	M. 78	26					26									1	1	2	1	5	11	17	8	2	2		
	F. 67	21					21	1											1	3	5	12	9	8	4	3	
1. Premature birth:																											
Irish parents	M. 7	7					7																				
	F. 4	4					4																				
German parents	M. 5	5					5																				
	F. 1	1					1																				
2. Stillborn:																											
Irish parents	M. 43	43					43																				
	F. 12	12					12																				
German parents	M. 16	16					16																				
	F. 17	17					17																				
3. Malformation:																											
Irish parents	M. 1									1																	
	F. 1	1					1																				
German parents	M. 2	2					2																				
	F. 2																										
4. Debility:																											
Irish parents	M. 62	14	1				15				1					3	2	5	9	7	8	9	3				
	F. 52	6			1		7			3	2	1	1	1	2	4	4	3	6	8	5	4			1		
German parents	M. 23	3					3								1	1	2	2	1	3	4	4	2				
	F. 15	3					3	1										1	2	1	5	1			1		
5. Old age:																											
Irish parents	M. 81																1		8	9	14	22	15	9	3		
	F. 93																1	1	3	14	20	21	9	14	10		
German parents	M. 32																			2	7	13	6	2	2		
	F. 34																			1	4	7	8	4	2		

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 8—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																											
6. Atrophy:																											
Irish parents	M. 606	13	5	2	1		21	5	5	27	60	54	48	32	47	44	37	34	47	37	32	34	25	9	4		4
	F. 611	8	7	3	2		20	6	11	48	68	68	52	40	34	33	48	33	37	24	37	25	20	5	1	1	
German parents	M. 341	12	3	4	2	1	22	5	4	14	17	17	20	19	25	24	29	29	26	20	30	25	12	2	1		
	F. 287	7	5		1	5	18	1	5	15	26	21	20	25	18	13	22	16	23	26	18	11	5	2			2
General diseases—D.																											
Total	1845	40	20	9	6	6	81	17	25	104	171	160	140	116	124	114	136	112	133	107	117	95	62	18	6	1	6
Irish parents	M. 606	13	5	2	1		21	5	5	27	60	54	48	32	47	44	37	34	47	37	32	34	25	9	4		4
	F. 611	8	7	3	2		20	6	11	48	68	68	52	40	34	33	48	33	37	24	37	25	20	5	1	1	
German parents	M. 341	12	3	4	2	1	22	5	4	14	17	17	20	19	25	24	29	29	26	20	30	25	12	2	1		
	F. 287	7	5		1	5	18	1	5	15	26	21	20	25	18	13	22	16	23	26	18	11	5	2			2
1. Rheumatism:																											
Irish parents	M. 20										1		1	1	1	2	3	2	2		2	3	1	1			
	F. 9							1	1										1	1	2						
German parents	M. 11															2	2	1	3	1	1	1					
	F. 6									1					1			1	1			2					
2. Scrofula and tabes:																											
Irish parents	M. 7	1					1		1		1		1	1				1		1							
	F. 9	3	1				4			1	1	1	1					1									
German parents	M. 5									1							1	2					1				
	F. 6	1	1				2							1		1				1	1						
3. Leprosy:																											
Irish parents	M. 20																										
	F. 9																										
German parents	M. 11																										
	F. 6																										
4. Consumption:																											
Irish parents	M. 406	3	1	1	1		6	2	2	24	56	53	45	29	35	27	20	17	31	18	19	12	8	1			1
	F. 410	1	2				3	2	9	46	63	61	46	36	26	22	20	13	21	10	13	12	2	1			1
German parents	M. 219	6	1	2		1	10	2	1	13	17	15	20	18	21	17	19	19	9	7	14	11	5		1		
	F. 177	5	2			2	9	1	5	13	25	21	18	19	14	7	7	5	9	12	7	3	2				
5. Hydrocephalus:																											
Irish parents	M. 14	8	1	1			10	1							1				2								
	F. 16	2	4	3	2		11	2			1		1											1			
German parents	M. 7	4	2				6					1															
	F. 5	1	2		1		4											1									
6. Cancer:																											
Irish parents	M. 71							1	1						7	11	8	7	6	8	2	7	8	2	2		1
	F. 88	1					1		1		1	2	2	6	7	19	14	9	7	9	4	2	2				
German parents	M. 32														1	1	3		9	4	6	5	3				
	F. 45												2	2	1	2	10	5	9	5	5	1	1	1			1
7. Tumor:																											
Irish parents	M. 6		1				1										2		1		1	1					
	F. 9										1				1	1	4		1			1					
German parents	M. 4	1					1								1		1			1							
	F. 7													1	2	1	1	1				1					
8. Anæmia:																											
Irish parents	M. 4												1							1	1				1		
	F. 1													1													
German parents	M. 1																										
	F. 1															1											
9. Dropsy:																											
Irish parents	M. 70		2				2	1		3	1	1		1	2	4	4	7	5	9	5	10	8	3	2		2
	F. 64	1					1			1	1		2	1	1	1	5	5	6	13	7	13	7	1	1		
German parents	M. 57	1		1	2		4	3	3			1		1	2	4	2	6	5	7	8	7	3	1			
	F. 39					3	3			1	1			2			4	3	4	8	5	4	2	1			1
10. Glycosuria:																											
Irish parents	M. 7	1					1		1		1				1						2	1					
	F. 5								1				1				2					1					
German parents	M. 5																1	1				1		1			
	F. 1																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 8—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia:																											
Irish parents	M. 214	15	5	3	2	2	27	8	2	8	9	5	7	15	13	17	18	11	23	13	19	10	5	2	1	1	
	F. 179	14	5	4	1	1	25	2	1	6	4	4	6	10	6	10	11	8	10	12	26	25	6	5	1	1	
German parents	M. 104	8	7	3	4	1	23	1	1	2	7	4	2	8	4	8	7	9	9	10	7	3	2				
	F. 68	4	2	2			8	2	1	1	3	7	3	5	1	5	3	6	9	5	4	3	2				
5. Pleurisy:																											
Irish parents	M. 10								1			2					1	1	1		3				1		
	F. 7										1	1	1			1				1	1						
German parents	M. 6	2					2								1					1	1	1					
	F. 4										1		1							1				1			
6. Asthma:																											
Irish parents	M. 15									1					2			3	1	3	4		1				
	F. 18									1					1	1	3	1	1	2	3	3	1		1		
German parents	M. 11														1	1	1		2	4	2						
	F. 6																	1	3	2							
7. Others of this group:																											
Irish parents	M. 38	6	1				7	1		1	2		1	3	1		2	1	2	8	2	1	3	1	1	1	
	F. 36	5	1		2	1	9			4	1			2		1	1	2	2	5	2	3	2	1		1	
German parents	M. 23	4	1	1			6						1	1		2	5	3		2	1		2				
	F. 16	1		1	1		3			1		1		1			1	1	1	2	1	2	2				
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	376	40	12	1	2	2	57	7	1	9	9	15	18	13	12	22	35	24	40	34	30	22	21	3		2	2
Irish parents	M. 160	14	4	1		2	21	4	1	3		8	5	3	5	10	15	8	15	19	11	14	15			2	1
	F. 109	11	4		2		17	1		4	5	4	7	6	2	8	7	4	12	6	12	7	4	3			
German parents	M. 57	10					10	1		1	1	1	2	3	4	2	7	8	4	6	5		1				1
	F. 50	5	4				9	1		1	3	2	4	1	1	2	6	4	9	3	2	1	1				
1. Dentition:																											
Irish parents	M. 8	5	2	1			8																				
	F. 7	3	4				7																				
German parents	M. 3	3					3																				
	F. 3	1	2				3																				
2. Angina:																											
Irish parents	M. 7					1	1					1					2				1		2				
	F. 2													1								1					
German parents	M. 3	2					2										1										
	F. 3																										
3. Gastritis:																											
Irish parents	M. 18	1					1	1				1	1				3		3	4			4				
	F. 16	3					3			1	1			1		2	2		1	1	1	1	2	1			
German parents	M. 3																1										1
	F. 12		2				2			1	2		2		1				1	1		1	1				
4. Other diseases of the stomach:																											
Irish parents	M. 11							1				1					1	2		4		2					
	F. 19	2			1		3				2		1			2	1	1	3	1	3	1	1				
German parents	M. 2							1																			
	F. 2																		2								
5. Obstruction of the bowels:																											
Irish parents	M. 9	1					1		1			1		1	1	1					1	1	1				
	F. 6				1		1					1		1					1		1			1			
German parents	M. 1																										
	F. 1																		1								
6. Hernia:																											
Irish parents	M. 14	2					2					1				1	2		2	3	2		1				
	F. 5																		2	3	3						
German parents	M. 3																1	1	1								
	F. 3																		1	1							
7. Other diseases of the bowels:																											
Irish parents	M. 6	1					1										1		1		1	2					
	F. 3									1										1		1					
German parents	M. 1																										
	F. 1																		1								
8. Jaundice:																											
Irish parents	M. 9	1					1	1									2			1	1	2					1
	F. 4									1									1		1		1				
German parents	M. 4										1				1	1											
	F. 2																	1			1						
9. Inflammation and abscess of the liver:																											
Irish parents	M. 9											1				2			2	2	1	1					
	F. 7												1	1	1	1		1	1	1	1						
German parents	M. 5												1	1	1		1				1						
	F. 5																										
10. Other diseases of the liver:																											
Irish parents	M. 30	1				1	2	1		1				1	2	4	3	4	3	2		4	3				
	F. 9													1													

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 8—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	184	4					4	2	2	1	4	9	7	10	13	12	14	17	24	13	25	20	7				
Irish parents.....	102	3					3	1	2		2	3	5	4	5	5	7	11	11	8	17	13	5				
German parents.....	36							1				3	1	2	4	3	2	3	7	1	3	5	1				
Irish parents.....	34	1					1			1	1	1	1	4	3	2	4	1	4	3	5	2	1				
German parents.....	12									1	2				1	2	1	2	2	1							
1. Bright's disease:																											
Irish parents.....	43	1					1	1	1		1		3	2	4	3	4	7	6	3	5	2					
German parents.....	19											2		2	1	1	1		4	1	2	4	1				
Irish parents.....	14										1		1	3	2	1	1		3	2	1						
German parents.....	7									1	2					1	1	1		1							
2. Calculus, urinary:																											
Irish parents.....	3													1							1		1				
German parents.....	2											1							1								
3. Diseases of the kidney:																											
Irish parents.....	37	2					2				1	1		1	1	2	3	2	3	4	8	7	2				
German parents.....	10							1					1		1	1		2	3	1	1	2					
Irish parents.....	15	1					1			1				1		1	3	1	1	3	2	1					
German parents.....	4														1	1		1	1								
4. Diseases of the bladder:																											
Irish parents.....	15								1			2						2	2	1	2	4	1				
German parents.....	4											1			2			1									
Irish parents.....	2														1						1						
German parents.....	1																		1								
5. Others of this group:																											
Irish parents.....	4												2								1		1				
German parents.....	3															1	1										
Irish parents.....	1																1										
German parents.....																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total.....	13									1		1	1	1	5	3					1						
Irish parents.....	10									1			1	1	4	2					1						
German parents.....	3											1			1	1											
1. Ovarian tumors:																											
Irish parents.....	1														1												
German parents.....	1														1												
2. Ovarian diseases:																											
Irish parents.....																											
German parents.....																											
3. Uterine tumors:																											
Irish parents.....	2														2												
German parents.....	1															1											
4. Uterine diseases:																											
Irish parents.....	2													1							1						
German parents.....																											
5. Others of this group:																											
Irish parents.....	5									1			1		1	2											
German parents.....	1											1															
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total.....	62									1	10	12	10	18	11												
Irish parents.....	41									1	6	7	8	10	9												
German parents.....	21									4	5	5	2	8	2												
1. Abortion:													2														
Irish parents.....	2																										
German parents.....	1											1															
2. Child-birth:																											
Irish parents.....	37									1	4	5	8	10	9												
German parents.....	18									3	4	4	2	7	2												
3. Others of this group:																											
Irish parents.....	2										2																
German parents.....	2									1				1													
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	26	1	1			1	3	1	2	2		1		2	2	3	2	3		4			1				
Irish parents.....	11		1				1	1				1		1	2	1		2		1			1				
German parents.....	4									2							1			1							
Irish parents.....	5	1				1	2		1					1		1		1		2							
German parents.....	6								1							1	1	1									
1. Diseases of the spine:																											
Irish parents.....	8		1				1	1							2	1		1		1			1				
German parents.....	3									1							1			1							
Irish parents.....	3	1				1	2									1											
German parents.....	3																1		1		2						

GRAND GROUP 8—Continued.

[illegible]

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 8—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																											
5. Homicide:																											
Irish parents { M.	3										2			1													
F.	1												1														
German parents { M.																											
F.																											
6. Infanticide:																											
Irish parents { M.																											
F.																											
German parents { M.																											
F.																											
7. Injuries by machinery:																											
Irish parents { M.																											
F.																											
German parents { M.																											
F.																											
8. Railroad accidents:																											
Irish parents { M.	53								2	4	9	2	3	5	6	4	5	1	9	1	1		1				
F.	3													1			1			1							
German parents { M.	23								1	3	3	4		4	4	1		1		2							
F.	1																		1								
9. Suffocation:																											
Irish parents { M.	6	4			1		5												1								
F.	5	2	1				3	1																			
German parents { M.	7	3		1			4						2				1										
F.																											
10. Suicide by shooting:																											
Irish parents { M.	3											1	1				1										
F.																											
German parents { M.	4										1				1	1			1								
F.																											
11. Suicide by drowning:																											
Irish parents { M.	1																	1									
F.																											
German parents { M.	1													1													
F.	2																	1	1								
12. Suicide by poison:																											
Irish parents { M.																											
F.																											
German parents { M.	1															1											
F.																											
13. Other suicides:																											
Irish parents { M.	12									2		2				4	1	1	1		1						
F.	4										1					1	1	1									
German parents { M.	10									2	2			1			1	2		1	1						
F.	2													2													
14. Sunstroke:																											
Irish parents { M.	5								1						2				1		1						
F.	1							1																			
German parents { M.	1													1													
F.																											
15. Surgical operations:																											
Irish parents { M.																											
F.																											
German parents { M.																											
F.																											
16. Wounds:																											
Irish parents { M.	5									1						1			2	1							
F.	1												1														
German parents { M.																											
F.																											
17. Others of this group:																											
Irish parents { M.	109	2					2	2	7	6	7	10	5	8	11	5	10	12	2	6	8	5	1	1		1	
F.	32	2		1			3			1	2	3	1	3	2	1	2	1	3	1	2	4		1		1	
German parents { M.	33									1	1	5	4	4	5	2	1	2	1	1	1	3	1				
F.	15	1		1	2		4	1			1						1	1	2	1		3			1		

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 10—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas:																											
Irish parents	M. 2																				1		1				
	F. 7	1	1				2		1					1			1	1									
German parents	M. 14	4		1			5			1			1			1	1	1	1	2	1						
	F. 12	6	1				7				1	1	2					1									
16. Septicæmia:																											
Irish parents	M. 6							1								1		1		2				1			
	F. 9	1		1			2		1	1		1			2									1			
German parents	M. 7											1	1	2					1			1					
	F. 7									1		1	1				1		1								
17. Puerperal septicæmia:																											
Irish parents	F. 6											1	3	1	1												
German parents	F. 27										5	6	7	3	5	1											
18. Venereal diseases:																											
Irish parents	M. 1																	1									
	F. 2	1					1																				
German parents	M. 3	1					1				1				1												
	F. 3																										
19. Others of this group:																											
Irish parents	M. 1																		1								
	F. 6	1					1									2											
German parents	M. 6						1								1				1	1	1						
	F. 6					1	1					1			1			1	1	1							
General diseases—B.																											
Total	90	25	2	1			28					3	5	5	4	12	12	7	3	3	4	2			1		1
Irish parents	M. 25	5					5					2		4		5	3	1	2		2	1					
	F. 6	1					1									3	1										1
German parents	M. 46	12	1				13					1	5		3	4	7	6	1	3	2	1					
	F. 13	7	1	1			9							1	1		1								1		
1. Worms:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
2. Other parasitic diseases:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
3. Alcoholism:																											
Irish parents	M. 17											1		4		5	3	1	2		1						
	F. 4															3	1										
German parents	M. 25											1	5		3	4	5	3		2	1	1					
	F. 2														1		1										
4. Lead poison:																											
Irish parents	M. 1											1															
	F. 1																										
German parents	M. 1																										
	F. 1																										
5. Other poisons:																											
Irish parents	M. 1																										1
	F. 7		1				1										2	3		1							
German parents	M. 2		1	1			2																				
	F. 2																										
6. Inanition:																											
Irish parents	M. 7	5					5														1	1					
	F. 1	1					1																				
German parents	M. 14	12					12												1		1						
	F. 9	7					7							1											1		
General diseases—C.																											
Total	592	273	4	4	2	1	284		1	4	1	4	1	3	6	6	6	9	15	24	48	60	59	38	16	6	1
Irish parents	M. 80	31		2	1	1	35								1	1	1	3	1	1	11	9	8	1	5	2	1
	F. 88	20	1				21				1	1			2	3		2	3	6	11	5	19	8	4	2	
German parents	M. 226	128		2			130		1	1		2	1	2		2	4	1	9	7	9	19	19	15	3	1	
	F. 198	94	3		1		98			3		1		1	3		1	3	2	10	17	27	13	14	4	1	
1. Premature birth:																											
Irish parents	M. 8	8					8																				
	F. 4	4					4																				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 10—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																											
6. Atrophy:																											
Irish parents	M. 1	1					1																				
German parents	F. 1																										
General diseases—D.																											
Total	1295	25	15	10	1	1	52	13	10	55	105	105	98	106	107	98	116	99	95	77	75	48	23	10	1	1	1
Irish parents	M. 219	2	2	1			5	3	2	11	17	12	18	16	20	14	23	14	15	11	13	13	8	3		1	
	F. 172	3	1				4	2	3	9	20	15	11	20	11	15	14	5	13	11	7	7	2	2			1
German parents	M. 538	11	8	8			27	4	2	13	34	43	44	47	43	44	52	44	51	35	32	9	10	3	1		
	F. 366	9	4	1	1	1	16	4	3	22	34	35	25	23	33	25	27	36	16	20	23	19	3	2			
1. Rheumatism:																											
Irish parents	M. 5								1						1				1				2				
	F. 1										1																
German parents	M. 11									2	1	1		1			1	1		2	1	1					
	F. 5											1		1				1		1	1						
2. Scrofula and tabes:																											
Irish parents	M. 2	1					1						1														
	F. 4	1	1				2								1												
German parents	M. 4	1	1				2										1										
	F. 4	1	1				2			1										1							
3. Leprosy:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
4. Consumption:																											
Irish parents	M. 164		2	1			3	1		11	17	12	18	12	18	12	16	11	9	7	6	6	2	2		1	
	F. 130	1					1	2	3	8	19	14	9	18	9	11	11	3	6	8	4	2	1	1			
German parents	M. 399	3	3	3			9	1	1	8	32	37	44	43	39	32	34	34	35	21	17	4	6	1	1		
	F. 236	2					2	2	2	19	32	31	25	17	26	15	11	20	7	11	8	6	1	1			
5. Hydrocephalus:																											
Irish parents	M. 2	2					2																				
	F. 4	1	1				2									1											1
German parents	M. 13	3	2	4			9	1			2								1								
	F. 10	6	1	1	1		9			1																	
6. Cancer:																											
Irish parents	M. 21							1						3		1	3	2	5	1	2	1	2				
	F. 21											1	1	1	2	3	1	2	4	2	1	3					
German parents	M. 50	2					2	1				1		2	2	7	11	4	6	6	4	2		2			
	F. 61					1	1					2		5	4	8	7	9	7	4	6	8					
7. Tumor:																											
Irish parents	M. 1																					1					
	F. 3																		2								
German parents	M. 2																1	1									
	F. 5							1								1	1	1			1						
8. Anæmia:																											
Irish parents	M. 1															1											
	F. 1																										
German parents	M. 1	1					1																				
	F. 1																	1									
9. Dropsy:																											
Irish parents	M. 19							1	1					1	1		3	1		3	2	4	1	1			
	F. 11									1				1			2		1	1	2	1	1	1			
German parents	M. 53	1	2	1			4	1		3	1	1		1	1	5	5	3	7	6	9	2	4				
	F. 44		2				2	1	1	2	1	1			3	1	8	4	2	3	7	5	2	1			
10. Glycosuria:																											
Irish parents	M. 6																1				3	1	1				
	F. 3																										
German parents	M. 3									1									2								
	F. 3																										
11. Others of this group:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 2											1									1						
	F. 2																										
12. Others of this class:																										</	

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 10—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
4. Paralysis:																											
Irish parents	M. 23													2					3	3	6	4	4			1	
	F. 30							1				1		1	2	1		3	1	5	4	5	5			1	
German parents	M. 33							1		1					1			7	6	4	2	1					
	F. 28							1		2	1	3		2		4	2	4	3		3	2		1			
5. Tetanus and trismus nascentium:																											
Irish parents	M. 1										1																
	F. 1	1					1																				
German parents	M. 9	4	1				5	1		1			1				1										
	F. 4	3					3		1																		
6. Epilepsy:																											
Irish parents	M. 1									1																	
	F. 2													1							1						
German parents	M. 6							1				1	1	1			1		1								
	F. 5	1					1			1		1		1			1										
7. Convulsions:																											
Irish parents	M. 18	15	1		1	1	18																				
	F. 13	10	2				12						1														
German parents	M. 118	89	14	7	1		111	4	1		1								1								
	F. 103	73	9	5	2	2	91	5	1	4	1	1															
8. Mental diseases:																											
Irish parents	M. 2													1					1								
	F. 2																	1				1					
German parents	M. 4															1	1		1		1						
	F. 2													1					1								
9. Diseases of the brain:																											
Irish parents	M. 26	4	1				5	2				1	2	1	2	3		3	2	1		3			1		
	F. 16							1				2		1		2	2	2	2	1		3					
German parents	M. 66	12	8	4	1		25		3		1	2	1	6	3	3	9	3	4	2	1	3					
	F. 25	7	1	1	1		10	2	2	2			1	2	1		2		2	1							
10. Diseases of the spinal cord:																											
Irish parents	M. 3									1				1							1						
	F. 5	2			1		3										1	1									
German parents	M. 4		1				1	1								1	1										
	F. 4																										
11. Others of this group:																											
Irish parents	M. 2															1					1						
	F. 3										1							1				1					
German parents	M. 3																	1		1		1					
	F. 3																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total	292	6	1		1		8	3	6	11	14	10	10	14	14	18	26	25	39	35	29	16	12	2			
Irish parents	M. 55								1		2	1	1	2	4	4	6	4	7	8	11	1	2	1			
	F. 38								1	1	2	1		2	3	3	1	4	6	4	5	4	1				
German parents	M. 102	1	1				2	1		5	4	3	5	7	5	8	8	11	15	10	9	4	5				
	F. 97	5			1		6	2	4	5	6	5	4	5	3	3	9	9	13	11	5	6	1				
1. Angina pectoris:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
2. Aneurism:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
3. Diseases of the heart:																											
Irish parents	M. 55								1		2	1	1	2	4	4	6	4	7	8	11	1	2	1			
	F. 36								1	1	2	1		2	3	3	1	4	5	4	5	3	1				
German parents	M. 98									5	4	3	5	7	5	8	8	11	15	10	8	4	5				
	F. 93	2			1		3	2	4	5	6	5	4	5	2	3	9	9	13	11	5	6	1				
4. Others of this group:																											
Irish parents	M. 1																										
	F. 3	1	1				2	1																			
German parents	M. 3																										
	F. 3	3					3																				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 10—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia:																											
Irish parents	M. 63	7	1		1		9	1		1	4		2	3	5	5	12	2	4	3	6	3	1	1			1
	F. 49	3	2	1	2		8	1		1	3		1	3	1	1	5	3	8	4	3	3	3	1			
German parents	M. 197	21	20	8	5	1	55	5	2	3	11	8	13	9	15	12	18	15	8	9	8	3	3				
	F. 143	13	16	11	4	3	47	8	3	7	6	4	4	4	10	3	4	5	10	8	10	7	2	1			
5. Pleurisy:																											
Irish parents	M. 4															2						1	1				
	F. 4																										
German parents	M. 4					1	1						1		2												
	F. 4	2					2					1		1													
6. Asthma:																											
Irish parents	M. 4																1		1		2						
	F. 8																1	1	2	1	1	1		1			
German parents	M. 12																2	3	4	2		2					
	F. 8												1				1	2	2	1		1					
7. Others of this group:																											
Irish parents	M. 11	1					1			1	2	1			1	1	1		3								
	F. 5	1					1						1	2	1												
German parents	M. 34	5	3	1	1	1	11		1		2		2	1		2	2	2	3	2	1	2	1	2			
	F. 23	4	1	1			6	3			1			2	2	1	1	2	2	1	2						
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	306	36	8	4	2		50	3	5	5	7	12	9	18	20	31	36	27	26	22	19	9	3	2	1		1
Irish parents	M. 62	9	1	1			11	1	2	2		2	1	5	1	11	4	1	5	4	8	2		1			1
	F. 31	3	1				4		1		2	2	1	2	2	4	1	2	3	3	1	1					
German parents	M. 133	14	4	1	1		20		2	2	4	5	4	7	13	14	16	15	12	8	6	3	2				
	F. 80	10	2	2	1		15	2		1	1	3	3	4	4	4	12	10	7	7	2	3	1	1			
1. Dentition:																											
Irish parents	M. 6	5	1				6																				
	F. 2	2					2																				
German parents	M. 6	4	2				6																				
	F. 9	7	2				9																				
2. Angina:																											
Irish parents	M. 2																										
	F. 1																										
German parents	M. 2										1										1						
	F. 1	1					1																				
3. Gastritis:																											
Irish parents	M. 6	1					1									1			1		3						
	F. 5															1	1			1	1		1				
German parents	M. 15	5	1				6				1					1	1	2	1	1	1	1					
	F. 3													1				1				1					
4. Other diseases of the stomach:																											
Irish parents	M. 3													1							1				1		
	F. 5									1		2									1	1					
German parents	M. 5	1					1							1	1				1	1							
	F. 4											1							1	2							
5. Obstruction of the bowels:																											
Irish parents	M. 7	2					2									1	2			1	1						
	F. 1													1													
German parents	M. 9								1						1	1	3	1	1	1							
	F. 2													1				1									
6. Hernia:																											
Irish parents	M. 3													1		2											
	F. 5																	1									
German parents	M. 5													1		1		1					1				
	F. 5																3		1	1							
7. Other diseases of the bowels:																											
Irish parents	M. 1															1											
	F. 2																			1	1						
German parents	M. 4				1		1							1					1								
	F. 4																										
8. Jaundice:																											
Irish parents	M. 2																	2									
	F. 4	1					1																				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 10—Continued.

[illegible]

GRAND GROUP 10—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
2. Diseases of the bones:																											
Irish parents																											
German parents																											
3. Diseases of the hip-joint:																											
Irish parents	1																			1							
German parents																											
4. Others of this group:																											
Irish parents																											
German parents	1															1											
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	11	2					2					1		1	1		3		1		1	1					
Irish parents	1																1										
German parents	6	2					2					1		1	1		1		1		1	1					
1. Abscess:																											
Irish parents	1																1										
German parents	5	1					1					1		1	1		1				1	1					
2. Carbuncle:																											
Irish parents																											
German parents	1													1	1		1		1								
3. Others of this group:																											
Irish parents																											
German parents	1	1					1																				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	1																1										
Irish parents																											
German parents	1																1										
1. Addison's disease:																											
Irish parents																											
German parents																											
2. Diseases of the spleen:																											
Irish parents																											
German parents																											
3. Others of this group:																											
Irish parents																											
German parents	1																1										
XII.—ACCIDENTS AND INJURIES.																											
Total	335	5	4	3	10	3	25	18	19	19	29	28	23	22	25	29	22	20	16	14	10	8	5	1	2		
Irish parents	85	1		1		2	4	5	4	7	8	9	6	5	6	9	6	4	6	3	2	1					
German parents	195	3	2	1	5	1	12	8	12	8	19	14	15	14	18	16	13	14	9	8	6	4	3	1	1		
1. Burns and scalds:																											
Irish parents	1																					1					
German parents	6			1	3		4	1										1				1			1		
2. Drowned:																											
Irish parents	11					1	1	2	2			1		1	2		1	1									
German parents	36		1				1	4	5	2	6	4	2	2	2	1	1	3	1	1			1				
3. Exposure and neglect:																											
Irish parents	1																			1							
German parents	3	1					1												1					1			
4. Gunshot wounds:																											
Irish parents																											
German parents	1										1																

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 10—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																											
5. Homicide:																											
Irish parents	M. 4									1	1	1		1													
	F. 12									1	3	1	1		1	1	1	1	2								
German parents	M. 12																										
	F. 12																										
6. Infanticide:																											
Irish parents	M. 12																										
	F. 12																										
German parents	M. 12																										
	F. 12																										
7. Injuries by machinery:																											
Irish parents	M. 1									1																	
	F. 1																										
German parents	M. 1																										
	F. 1																										
8. Railroad accidents:																											
Irish parents	M. 23							1		1	5	3	3	2	3	1	2		1	1							
	F. 2									1						1											
German parents	M. 20							2	2	1	3	2	1	1	3	1	1	1		1		1		1			
	F. 2				1		1				1																
9. Suffocation:																											
Irish parents	M. 2	1					1											1									
	F. 2																										
German parents	M. 3	1	1				2									1											
	F. 5	1	1		1		3			1				1													
10. Suicide by shooting:																											
Irish parents	M. 8																										
	F. 8																										
German parents	M. 2													2	2		3	1									
	F. 2												1			1											
11. Suicide by drowning:																											
Irish parents	M. 1																										
	F. 5										1		2				1			1		1					
German parents	M. 1																										
	F. 1																			1							
12. Suicide by poison:																											
Irish parents	M. 4																										
	F. 4																										
German parents	M. 4														3							1					
	F. 4																										
13. Other suicides:																											
Irish parents	M. 1																										
	F. 2											1		1			1										
German parents	M. 22										1	2	2	5	1	5	2	1		1	2						
	F. 1											1															
14. Sunstroke:																											
Irish parents	M. 4																										
	F. 4																										
German parents	M. 2											2				1			1								
	F. 2															1			1								
15. Surgical operations:																											
Irish parents	M. 3											1	1						1								
	F. 3																										
German parents	M. 3																										
	F. 3																										
16. Wounds:																											
Irish parents	M. 3			1			1				1					1											
	F. 3																										
German parents	M. 1														1												
	F. 1																										
17. Others of this group:																											
Irish parents	M. 36					1	1	2	2	4	1	3	2	1	1	6	3	2	4	2	2						
	F. 7								1	1		1				1				1	1	1	1				
German parents	M. 70	1			2	1	4	1	5	4	4	3	7	4	5	6	4	6	4	6	2	3	1	1			
	F. 8				1		1		1				1	1		1	1					1	1				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 13.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.....	4777	828	258	135	94	72	1387	238	148	229	248	196	178	210	212	216	233	265	236	242	219	153	103	42	10	10	2
Total: Irish parents.....	M. 694	59	15	9	11	7	101	35	21	40	45	20	21	37	33	37	45	42	52	55	37	35	21	10	3	4	
	F. 509	50	21	5	7	3	86	29	15	34	38	31	29	18	28	32	32	35	10	22	21	16	18	10	1	4	
German parents.....	M. 2047	405	125	68	45	38	681	94	54	83	96	69	66	92	80	96	106	131	98	108	76	62	39	10	3	1	2
	F. 1527	314	97	53	31	24	519	80	58	72	69	76	62	63	71	51	50	57	76	57	85	40	25	12	3	1	
Unknown causes.																											
Total.....	109	46	7	1		2	56	3	1	2	4	2	2	2	4	3	4	4	4	4	5	5	1	1		1	1
Irish parents.....	M. 14	5	..	1		..	6	2		..	1	1		..	..	..	..	..	1	2		1					
	F. 14	4	1		..	..	5		..	..	1	1		..	..	2	1	1	1	1							
German parents.....	M. 47	23	1		..	1	25	1	1	1	2		..	1	2		1	2	2	1	3	3				1	1
	F. 34	14	5		..	1	20		..	1	1		1	1	2	1	2	1			2	1		1			
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	1359	283	151	70	50	46	600	135	73	104	59	53	40	41	29	30	29	36	46	30	28	15	8	1	2		
Irish parents.....	M. 139	15	10	3	6	6	40	21	8	11	6	4	3	5	1	3	4	6	9	8	7	2			1		
	F. 129	18	11	4	5	2	40	17	9	11	8	6	8	4	4	4	5	4	1	2	2	2	1	1			
German parents.....	M. 583	136	69	34	21	22	282	54	24	42	23	23	10	11	17	14	10	21	18	14	11	6	3				
	F. 508	114	61	29	18	16	238	43	32	40	22	20	19	21	7	9	10	5	18	6	8	5	4		1		
1. Small-pox:																											
Irish parents.....	M.																										
	F.																										
German parents.....	M. 1										1																
	F.																										
2. Measles:																											
Irish parents.....	M. 3	2					2	1																			
	F. 2	1		1			2																				
German parents.....	M. 21	6	4	3		2	15	1	2	2	1																
	F. 18	5	4	1	1		11	2		2		3															
3. Scarlet fever:																											
Irish parents.....	M. 5		1		1		2	2	1																		
	F. 9			1	2	1	4	2	1	2																	
German parents.....	M. 27	4	4	4	2	4	18	7	1																		
	F. 26		3	2	4	5	14	9	2			1															
4. Diphtheria:																											
Irish parents.....	M. 32		2	2	3	5	12	12	5	1		1								1							
	F. 22		1	1	2	1	5	12	3	2																	
German parents.....	M. 105	14	9	10	13	12	58	26	14	5							1	1									
	F. 102	10	13	11	6	8	48	19	22	8	2			1		1				1							
5. Hooping-cough:																											
Irish parents.....	M.																										
	F. 5	3		1	1		5																				
German parents.....	M. 18	13	4		1		18																				
	F. 30	17	5	3	1		26	4																			
6. Fever:																											
Irish parents.....	M.																										
	F.																										
German parents.....	M. 6	2	2	1			5											1									
	F. 3	1					1																				
7. Cerebro-spinal fever:																											
Irish parents.....	M. 2									2																	
	F.																										
German parents.....	M. 5		2				2	1		1									1								
	F. 6	1		1			2		1			1		1		1											
8. Enteric fever:																											
Irish parents.....	M. 21			1	1		2	1	1	5	1	1	1	2			1	1	3	1	1						
	F. 20							1	3	5	4	2					1	2	1								
German parents.....	M. 99	2	5		3	1	11	8		20	12	14	5	3	2	1	6	4	2	2	4						
	F. 82	2		2		1	5	6	6	26	5	3	3	7	5	1	3	4	3		4	1					
9. Diarrhea:																											
Irish parents.....	M. 10	3	2			1	6													1							
	F. 9	3	3				6																				
German parents.....	M. 57	24	11	2			37	1		1		1	2		3	1		2	3	2	3		1				
	F. 37	22	10	1	1		34							1								1	1				
10. Dysentery:																											
Irish parents.....	M. 9	1	1				2				1	1		1			1		2		1						
	F. 10	1	1				2		1							1	1			1	2	1	1				
German parents.....	M. 33	7	10	4		2	23				1				1	1		3	2		1	1					
	F. 27	8	8	3	1	1	21	1						1					2	1							
11. Enteritis:																											
Irish parents.....	M. 10							2		1	1						1	1	1	1	2						
	F. 1																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 13--Continued.

Cause of death.	Total.	Under 1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
<i>General diseases—A—Continued.</i>																										
15. Erysipelas:																										
Irish parents { M.	8	2			1	3			1	1							1	1	1							
F.	4	1				1			1			1	1													
German parents { M.	22	3		1		4				1	3			3	2	4		1	4							
F.	13	3		1	1	6				1	1						4			1						
16. Septicæmia:																										
Irish parents { M.	2												1							1						
F.	3	1				1								1	1											
German parents { M.	4								1			1	1	1												
F.	1											1														
17. Puerperal septicæmia:																										
Irish parents { F.	7									3	1	1	2													
German parents { F.	27									6	7	8	4	1	1											
18. Venereal diseases:																										
Irish parents { M.	1													1												
F.																										
German parents { M.																										
F.																										
19. Others of this group:																										
Irish parents { M.	3								1	1						1										
F.	1														1											
German parents { M.	5							1	2				1				1									
F.	1											1														
<i>General diseases—B.</i>																										
Total	36	11				11	1		1		2	3	2	1	3	3	3	3	2	1						
Irish parents { M.	10										1	1	1	1	1	1	1	2		1						
F.	1	1				1																				
German parents { M.	15	7				7			1				1			2	2	2								
F.	10	3				3	1			1	2						1	2								
1. Worms:																										
Irish parents { M.																										
F.																										
German parents { M.																										
F.	1							1																		
2. Other parasitic diseases:																										
Irish parents { M.																										
F.																										
German parents { M.																										
F.																										
3. Alcoholism:																										
Irish parents { M.	9											1	1	1	1	1	1	2		1						
F.																										
German parents { M.	7								1				1			1	2	2								
F.																										
4. Lead poison:																										
Irish parents { M.																										
F.																										
German parents { M.																										
F.																										
5. Other poisons:																										
Irish parents { M.																										
F.																										
German parents { M.	2	1				1									1											
F.	4										1	2							1							
6. Inanition:																										
Irish parents { M.	1										1															
F.	1	1				1																				
German parents { M.	6	6				6																				
F.	5	3				3												1	1							
<i>General diseases—C.</i>																										
Total	333	163	1		1	165		1			1	1	1	3	1		2	5	9	27	35	46	23	6	7	
Irish parents { M.	47	15				15								2					3	3	3	11	5	2	3	
F.	24	5				5							1						1	1	2	7	3	1	3	
German parents { M.	139	80			1	81		1				1	1		1		2	3	2	8	14	17	6	2		
F.	123	63	1			64				1							2	3	3	15	16	11	9	1	1	
1. Premature birth:																										
Irish parents { M.																										
F.																										
German parents { M.	10	10				10																				
F.	5	5				5																				
2. Stillborn:																										
Irish parents { M.	12	12				12																				
F.	4	4				4																				
German parents { M.	52	52				52																				
F.	40	40				40																				
3. Malformation:																										
Irish parents { M.																										
F.																										
German parents { M.	3	2				2		1																		
F.	1	1				1																				
4. Debility:																										
Irish parents { M.	9	3				3							2						1	2			1			
F.	6	1				1							1								1	2	1			
German parents { M.	32	16			1	17					1	1		1		1	1		4	3	2		1			
F.	24	17	1			18												1		2	1	1				
5. Old age:																										
Irish parents { M.	26																		2	1	3	11	4	2	3	
F.	14																		1	1	1	5	2	1	3	
German parents { M.	42																				4	11	15	6	1	
F.	53																1	2	3	13	15	10	9	1	1	

GRAND GROUP 13—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																											
6. Atrophy:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
General diseases—D.																											
Total	835	21	5	4	2		32	14	14	37	71	62	48	65	69	59	71	66	59	55	54	34	17	6	2		
Irish parents	M.	137	2				2	1	2	7	12	5	7	14	9	9	16	9	13	13	10	4	1	3			
	F.	129	2				2	3	2	11	16	13	9	5	11	12	10	12	5	5	4	3	4	2			
German parents	M.	327	11	4	1	2	18	4	6	7	22	20	12	28	25	25	28	30	26	27	20	19	8	1	1		
	F.	242	6	1	3		10	6	4	12	21	24	20	18	24	13	17	15	15	10	20	8	4		1		
1. Rheumatism:																											
Irish parents	M.	4								1		1					1		1								
	F.	4								1											1	1	1				
German parents	M.	12								1					1	2	1	1	1	3		1	1				
	F.	6										1		2	1			1		1							
2. Scrofula and tabes:																											
Irish parents	M.	1															1										
	F.	6																									
German parents	M.	1	1				2		2									1					1				
	F.	1						1																			
3. Leprosy:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
4. Consumption:																											
Irish parents	M.	88	1				1		1	5	12	3	6	13	7	5	10	7	7	8	1	1		1			
	F.	83						1	2	10	14	12	7	5	9	7	4	5	1	1	1	2	1	1			
German parents	M.	201	7		1	1	9	2	1	5	20	16	12	19	19	16	17	17	14	16	9	8	1				
	F.	149	5	1	3		9	3	2	12	18	21	16	11	13	5	6	7	6	2	11	5	2				
5. Hydrocephalus:																											
Irish parents	M.	1	1				1																				
	F.	3	2				2	1																			
German parents	M.	5	2	3			5																				
	F.	1	1				1																				
6. Cancer:																											
Irish parents	M.	22							1	1		1			1	1	3		3	4	4	2		1			
	F.	17													2	3	4	4	1	2			1				
German parents	M.	41	1				1				1	1		6	2	3	7	5	2	4	3	5	1				
	F.	33											1	3	7	5	7	2	4	2	1	1					
7. Tumor:																											
Irish parents	M.	2						1																			
	F.	5									1		2			2											
German parents	M.	3																2			1						
	F.	6									1			1	1		1	1		1							
8. Anæmia:																											
Irish parents	M.																										
	F.	1																									
German parents	M.																										
	F.	1																									
9. Dropsy:																											
Irish parents	M.	17											1	1	1	3	1	1	2	1	4	1	1				
	F.	15						1			1	1				2	3	3	3	2	1		1				
German parents	M.	56				1	1	2	1	1	1	3		3	3	4	2	4	9	4	7	6	4		1		
	F.	45						2	2		2	2		1	2	3	3	4	5	5	7	2	2		1		
10. Glycosuria:																											
Irish parents	M.	2																1			1						
	F.	1																			1						
German parents	M.	3							2								1										
	F.																										
11. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
12. Others of this class:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total	431	134	34	11	8	2	189	20	10	7	8	10	12	11	13	14	20	26	20	22	22	12	13	2			
Irish parents	M.	46	10	1		1	12			1	3	2		4	3	1	3	2	4	4	3	3	1				
	F.	41	8	1	1	1	11	1	1	2		1			3	4	2	6	2	1		3	3	1			
German parents	M.	204	70	22	5	3	102	10	4	3	2	4	7	5	5	9	10	7	11	8	5	6					
	F.	140	46	10	5	3	64	9	5	1	3	3	5	2	4	6	8	7	6	11	1	3					
1. Inflammation of the brain:																											
Irish parents	M.	7	3				3			1				1			1	1									
	F.	8	1	1	1		3	1	1	1						1		1									
German parents	M.	42	16	9	3	1	30	3	2	1		1	3	1	1												
	F.	21	5	6	1		12	3	3								1	2									
2. Meningitis:																											
Irish parents	M.	3	2				2													1							
	F.	2	1			1	2																				
German parents	M.	14	6	1		1	8	1	1									1	1	1	1						
	F.	6	3				3			1		1	1														
3. Apoplexy:																											
Irish parents	M.	8									1				1		1	1	1	1	1	1					
	F.	5														1		3									
German parents	M.	29	3				3				1	1		1	1	2	2	6	1	2	3	3					
	F.	17	1				1		1		1			1	1	4	1	1	2	4		1					

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 13—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
4. Paralysis:																											
Irish parents.....	M. 7													1		1			1	1		2	1				
	F. 9																1		1	1		3	3				
German parents.....	M. 25				1		1							1	1	3	3	2	1	7	3	1	2				
	F. 23							1		1		1		1		2		4	4	7		2					
5. Tetanus and trismus nascentium:																											
Irish parents.....	M. 1														1												
	F. 1	1					1																				
German parents.....	M. 3	1	1				2	1																			
	F. 2	2					2																				
6. Epilepsy:																											
Irish parents.....	M. 1																		1								
	F. 1																										
German parents.....	M. 3	2					2								1				1								
	F. 2											1	1														
7. Convulsions:																											
Irish parents.....	M. 7	5	1				6				1																
	F. 5	5					5																				
German parents.....	M. 50	36	10	1		1	48	2																			
	F. 47	33	4	1	2		40	2							1	1	1		1			1					
8. Mental diseases:																											
Irish parents.....	M. 1										1																
	F. 1																										
German parents.....	M. 3											1					1		1								
	F. 2																	1	1								
9. Diseases of the brain:																											
Irish parents.....	M. 10				1		1					2		2	1				1	1	2						
	F. 7									1		1			1	1		2	1								
German parents.....	M. 27	6	1	1			8	2				1	4	2	2		2		2	1	1	1		1			
	F. 16	2		2	1		5	2			1	1	2				1	3	1								
10. Diseases of the spinal cord:																											
Irish parents.....	M. 1																1										
	F. 2																										
German parents.....	M. 6							1	1	1	1				1								1				
	F. 2			1			1	1										1									
11. Others of this group:																											
Irish parents.....	M. 1															1											
	F. 1																										
German parents.....	M. 2									1							1										
	F. 2								1										1								
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total	184	5	1		2	1	9	5	4	7	7	5	5	9	13	17	25	12	17	20	13	10	5			1	
Irish parents.....	M. 41	1			1		2	1	2	1	3	1	1	1	2	5	4		4	3	2	4	5				
	F. 26		1				1			2	1	1			1	4	5	2		4	3	1			1		
German parents.....	M. 65	1			1	1	3	3	1	2	3	1	4	4	5	4	11	5	8	7	1	3					
	F. 52	3					3	1	1	2		2		4	5	4	5	5	5	6	7	2					
1. Angina pectoris:																											
Irish parents.....	M. 1																										
	F. 1														1												
German parents.....	M. 1																1										
	F. 1																										
2. Aneurism:																											
Irish parents.....	M. 1																										
	F. 1															1											
German parents.....	M. 1														1												
	F. 1																			1							
3. Diseases of the heart:																											
Irish parents.....	M. 41	1			1		2	1	2	1	3	1	1	1	2	5	4		4	3	2	4	5				
	F. 23		1				1			2	1	1				2	5	2		4	3	1				1	
German parents.....	M. 63	1			1	1	3	3	1	2	3	1	4	4	4	4	10	5	8	7	1	3					
	F. 50	2					2	1	1	2		2		4	5	4	5	5	5	5	7	2					
4. Others of this group:																											
Irish parents.....	M. 1																										
	F. 1															1											
German parents.....	M. 1																										
	F. 1	1					1																				
IV.—DISEASES OF THE RES																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 13—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	62	1					1		1			2	3	4	1	3	3	8	9	11	9	2	3	1		1	
Irish parents.....	23												1		1		1	2	2	7	5	2	2			1	
German parents.....	27											1	2	2		3	1	5	5	3	4		1				
	8	1					1		1				1				1	1	2	1							
1. Bright's disease:																											
Irish parents.....	3														1						1		1				
German parents.....	9												1	1		1		2	1	1	2						
2. Calculus, urinary:																											
Irish parents.....	4																			2	1	1					
German parents.....	2																	1	1								
3. Diseases of the kidney:																											
Irish parents.....	4																	1			2	1					
German parents.....	8											1	1	1		1			1	2	2		1				
4. Diseases of the bladder:																											
Irish parents.....	7																1		1	2	1		1			1	
German parents.....	5															1	1	1	1					1			
5. Others of this group:																											
Irish parents.....	5																	1	1	3							
German parents.....	3													1				1	1								
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total.....	13										2	2	1	2	1	3	1	1									
Irish parents.....	3													1	1	1											
German parents.....	10										2	2	1	1		2	1	1									
1. Ovarian tumors:																											
Irish parents.....																											
German parents.....																											
2. Ovarian diseases:																											
Irish parents.....																											
German parents.....																											
3. Uterine tumors:																											
Irish parents.....																											
German parents.....																											
4. Uterine diseases:																											
Irish parents.....	1														1												
German parents.....	2										1		1														
5. Others of this group:																											
Irish parents.....	2													1		1											
German parents.....	8										1	2		1		2	1	1									
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total.....	50									3	11	10	11	7	7	1											
Irish parents.....	21									1	4	4	6	4	1	1											
German parents.....	29									2	7	6	5	3	6												
1. Abortion:																											
Irish parents.....	1													1													
German parents.....	2											1		1													
2. Child-birth:																											
Irish parents.....	18									1	4	3	5	3	1	1											
German parents.....	25									1	7	4	5	2	6												
3. Others of this group:																											
Irish parents.....	2											1	1														
German parents.....	2									1		1															
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	12	1					1	1		1	1	2		1			2				3						
Irish parents.....	2									1	1																
German parents.....	5	1					1					1					1				1						
1. Diseases of the spine:																											
Irish parents.....	1	1					1																				
German parents.....	4											1					1				2						

GRAND GROUP 13—Continued.

[illegible]

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 13—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																											
5. Homicide:																											
Irish parents { M.	1											1															
F.																											
German parents { M.	5									1			1	1	1			1									
F.	2											1											1				
6. Infanticide:																											
Irish parents { M.																											
F.																											
German parents { M.	1	1					1																				
F.																											
7. Injuries by machinery:																											
Irish parents { M.																											
F.																											
German parents { M.	1																		1								
F.																											
8. Railroad accidents:																											
Irish parents { M.	18									3	6	1		1	2		2	2				1					
F.																											
German parents { M.	13										2			1	1	4	5										
F.																											
9. Suffocation:																											
Irish parents { M.	1														1												
F.																											
German parents { M.	5	3					3						1				1										
F.	1														1												
10. Suicide by shooting:																											
Irish parents { M.																											
F.																											
German parents { M.	7											1	1	3		1						1					
F.																											
11. Suicide by drowning:																											
Irish parents { M.																											
F.																											
German parents { M.	2									1										1							
F.	1																			1							
12. Suicide by poison:																											
Irish parents { M.																											
F.	1														1												
German parents { M.	7												2	1	1					1	1						1
F.	2										1			1													
13. Other suicides:																											
Irish parents { M.	1																			1							
F.																											
German parents { M.	12														2	1	2	5		2							
F.	2									1									1								
14. Sunstroke:																											
Irish parents { M.	2										1		1														
F.																											
German parents { M.	4	1					1				1			1			1										
F.																											
15. Surgical operations:																											
Irish parents { M.																											
F.																											
German parents { M.	3							1			1								1								
F.																											
16. Wounds:																											
Irish parents { M.	3									1	1	1															
F.																											
German parents { M.	1														1												
F.	1											1															
17. Others of this group:																											
Irish parents { M.	33			1		1	2	2	1	5	3		1		1	1	3	3	5	4			1	1			
F.	3										1		1														
German parents { M.	65	1				1	2	2	3	10	7	2	5	5	5	5	6	6	2	2	1	1	1				
F.	18	3		1	1	1	6		1	1		1	1	2		1	1	1	1		1		1				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 16.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	9584	1565	492	300	242	200	2799	708	366	412	506	401	326	348	326	381	456	429	444	472	402	343	280	106	42	25	12
Total: Irish parents..... { M.	1859	158	54	41	28	33	314	82	55	89	109	75	71	63	83	99	127	128	144	119	102	92	55	31	12	8	1
{ F.	1538	146	64	49	32	18	309	96	62	94	113	84	67	70	69	65	71	67	66	78	77	48	60	17	15	10	
German parents..... { M.	3329	703	212	113	99	81	1208	265	124	117	141	110	77	102	88	131	162	135	147	145	129	104	93	35	6	4	6
{ F.	2858	558	162	97	83	68	968	265	125	112	143	132	111	113	86	86	96	99	87	130	94	99	72	23	9	3	5
Unknown causes.																											
Total.....	255	118	20	8	4		150	5	2		3	4	5	4	6	5	5	15	6	12	8	14	5			2	4
Irish parents..... { M.	28	6	2	1	1		10					1			2	1	1	3	2	1		5				2	
{ F.	31	14	1	2	1		18	1			2	1	1	1	2	1	1		1		1						
German parents..... { M.	111	54	13	2			69	3	1		1	1	3	2	1	3	2	6	1	5	6	4	2				1
{ F.	85	44	4	3	2		53	1	1			1	1	1	1		1	6	2	6	1	4	3				3
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total.....	2997	548	287	175	170	150	1330	532	244	175	131	76	52	68	48	55	49	53	49	52	35	28	12	6		2	
Irish parents..... { M.	431	65	30	27	20	24	166	54	34	33	23	9	9	6	7	9	12	14	16	15	10	8	4	1		1	
{ F.	455	55	43	31	24	13	166	75	46	35	28	16	10	12	12	9	11	7	7	8	7	4	2				
German parents..... { M.	1073	226	114	63	72	66	541	197	72	52	42	19	11	16	9	23	12	24	14	14	11	9	4	2		1	
{ F.	1038	202	100	54	54	47	457	206	92	55	38	32	22	34	20	14	14	8	12	15	7	7	2	3			
1. Small-pox:																											
Irish parents..... { M.	1												1														
{ F.	1																										
German parents..... { M.	1	1					1																				
{ F.	1							1																			
2. Measles:																											
Irish parents..... { M.	14	3	1				4	1	1	6	1			1													
{ F.	12	2	1	1	1		5	4		1	2																
German parents..... { M.	30	9	4	4	3	1	21	3		3	1									1		1					
{ F.	41	14	5		1	2	22	4	5	3		2															
3. Scarlet fever:																											
Irish parents..... { M.	34	5		2	4	4	15	11	4	4																	
{ F.	54	6	6	6	5	4	27	15	6	4	1	1															
German parents..... { M.	86	11	17	9	11	5	53	24	7	1			1														
{ F.	73	6	8	7	9	5	35	29	7			1			1												
4. Diphtheria:																											
Irish parents..... { M.	141	8	9	17	12	20	66	37	25	8	2	1					1		1								
{ F.	126	8	11	8	13	8	48	44	23	6	2	2								1							
German parents..... { M.	416	41	31	31	45	57	205	137	48	16	6	3						1									
{ F.	410	25	34	32	37	35	163	151	65	20	8	1	1				1										
5. Hooping-cough:																											
Irish parents..... { M.	5	4	1				5																				
{ F.	7	3	1	2			6	1																			
German parents..... { M.	30	17	6	2	3		28	1	1																		
{ F.	35	20	6	1	3		30	4	1																		
6. Fever:																											
Irish parents..... { M.																											
{ F.																											
German parents..... { M.	12	7		2			9									1						1	1				
{ F.	6	1					1		1		1				1		1			1							
7. Cerebro-spinal fever:																											
Irish parents..... { M.	2									1					1												
{ F.	2																1				1						
German parents..... { M.	14	5	2	1		1	9	2	1			2															
{ F.	8	2	1		1	1	5	1			1	1															
8. Enteric fever:																											
Irish parents..... { M.	55				1		1	2		7	12	3	6	3	2	3	4	4	4	3		1					
{ F.	59	1		1	1		3	4	5	10	11	4	3	3	1	3	1	4	2	2	2	1					
German parents..... { M.	118	5	3	2	2		12	15	5	21	21	11	6	6	2	8	1	6		3		1					
{ F.	106	5	2			2	9	10	5	21	13	6	8	9	8	5	4	2	3	2		1					
9. Diarrhoea:																											
Irish parents..... { M.	21	6	1				7					1			2			1	1	2	3	2	1			1	
{ F.	15	5	4				9		1	1			1		1						2						
German parents..... { M.	56	31	10	3			44					1	1		1	2		2	2		1	1				1	
{ F.	40	27	8	2			37							1				1			1						
10. Dysentery:																											
Irish parents..... { M.	17	5	3		1		9		1		1				1		1	1		1		1	1				
{ F.	13	1	1				2			2				1		2	1		3								
German parents..... { M.	37	15	5	2	4		26		1							2	1	2	1	2	2				1		
{ F.	46	24	6	4		1	35					1					2	1	1	3	2						
11. Enteritis:																											
Irish parents..... { M.	33	6	1	1			8		1	1	4	2	1	1	1	2	2	1	4		2	2	1				
{ F.	38	4	1	2	1	1	9	2	3	3	3	2	3	1	3	2	3		1	3							
German parents..... { M.	70	10	5	2	1	1	19	4	7	5	8	1		1	2	4	3	5	6	1	1	2	1				
{ F.	56	14	6	2	1		23	2	2	1		2	1	1	3	1	3	2	4	2	4	4	1				
12. Cholera morbus:																											
Irish parents..... { M.	11	1		1			2					1				1	1	2		2	1			1			
{ F.	7	1					1			1						1				2	1						
German parents..... { M.	22	8	1				9	2						1			1	2	1	2	1	2	1				
{ F.	15	6	3				9		1								1	1	1								

STATISTICS OF MORTALITY.

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 16—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas:																											
Irish parents	M. 6 F. 16	1 2					1 4				1 2							2 2	1 1	1 1							
German parents	M. 28 F. 10	6 3	2			1	8 5	3 1	2 4		1 4	1 1	2 1			1 1	2 1	3 1	3 1			1 1	1 1	2 1			
16. Septicæmia:																											
Irish parents	M. 2 F. 3								1										1								
German parents	M. 6 F. 6							2			1		1			1				1	1						
17. Puerperal septicæmia:																											
Irish parents	F. 17									1	4	4	1	2	5												
German parents	F. 53								3	9	13	7	15	5	1												
18. Venereal diseases:																											
Irish parents	M. 1 F. 1																		1								
German parents	M. 2 F. 2	1					1									1											
19. Others of this group:																											
Irish parents	M. 3 F. 2								1	1											1						
German parents	M. 8 F. 8							2			2			1			1			1	1						
General diseases—B.																											
Total	108	38	6	2	4	1	51	3	2		3	3	1	4	5	8	11	5	5	2	3	1	1				
Irish parents	M. 29 F. 14	5 7				1	6 7					1 1	1 1	2	5	4	4 2	2 1	2 1	1		1					
German parents	M. 46 F. 19	16 10	3	1	4		24 14	1 1	1 1		3	1		2		4	3 2	2 2	2 1	1 1	1 1		1				
1. Worms:																											
Irish parents	M. 1 F. 1	1					1																				
German parents	M. 1 F. 2	1			1		2																				
2. Other parasitic diseases:																											
Irish parents	M. 1 F. 1																										
German parents	M. 1 F. 2																										
3. Alcoholism:																											
Irish parents	M. 18 F. 4											1 1	1	2	5	3	2 1	2 1		1		1					
German parents	M. 8 F. 1													1		2	1 2	2 2			1						
4. Lead poison:																											
Irish parents	M. 1 F. 1																										
German parents	M. 1 F. 2																										
5. Other poisons:																											
Irish parents	M. 6 F. 4		1			1	1	1								1	2		2								
German parents	M. 22 F. 7	1	3	1	4		9	1	1		3	1		1		2	2			1			1				
6. Inanition:																											
Irish parents	M. 5 F. 5	5					5																				
German parents	M. 15 F. 9	14					14														1						
General diseases—C.																											
Total	694	251	2	1	1		255						2	1	3	1	3	1	16	21	68	84	135	52	35	17	
Irish parents	M. 121 F. 105	30 16				1	31 16							1	1	1	1	1	4	4	12	15	20	16	9	5	
German parents	M. 257 F. 211	125 80	2	1			128 80						1				2		3	3	25	33	43	16	4	1	
1. Premature birth:																											
Irish parents	M. 2 F. 2	2					2																				
German parents	M. 30 F. 14	30 14					30 14																				
2. Stillborn:																											
Irish parents	M. 24 F. 12	24 12					24 12																				
German parents	M. 81 F. 52	81 52					81 52																				
3. Malformation:																											
Irish parents	M. 3 F. 2	2				1	3																				
German parents	M. 2 F. 4	2					2																				
4. Debility:																											
Irish parents	M. 29 F. 18	2					2							1	1	1	1	1	4	1	6	3	5	2		1	
German parents	M. 46 F. 30	12	2	1			15						1				2		2	1	8	7	8	2			
5. Old age:																											
Irish parents	M. 62 F. 73																			3	6	12	14	14	9	4	
German parents	M. 98 F. 111																			1	17	26	35	14	4	1	

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 16—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																											
6. Atrophy:																											
Irish parents	M. 1																						1				
German parents	F. 1																										
General diseases—D.																											
Total	1574	42	8	5	2	1	58	23	33	76	158	148	84	88	83	113	162	122	116	111	87	68	33	11			
Irish parents	M. 351	4					4	3	5	16	29	27	20	14	18	24	39	31	38	30	27	18	6	2			
German parents	F. 342	7	1	3			11	2	4	29	46	38	18	29	20	24	25	21	16	22	17	12	6	2			
Irish parents	M. 427	14	3		2		19	10	14	12	33	34	18	20	25	32	57	31	35	29	24	17	11	6			
German parents	F. 454	17	4	2		1	24	8	10	19	50	49	28	25	20	33	41	39	27	30	19	21	10	1			
1. Rheumatism:																											
Irish parents	M. 24								2	1	1				2		4	3	3	4		3	1				
German parents	F. 17								1		2	1	1		1	1			2	2	5			1			
2. Scrofula and tabes:																											
Irish parents	M. 7	2					2			1	2					1							1				
German parents	F. 3																1				1		1				
3. Leprosy:																											
Irish parents	M. 16																										
German parents	F. 17																										
4. Consumption:																											
Irish parents	M. 235	1					1		2	11	22	24	18	12	13	20	26	18	23	16	17	9	2	1			
German parents	F. 233	5		2			7	2	1	26	40	32	16	21	12	8	17	13	7	11	9	7	4				
5. Hydrocephalus:																											
Irish parents	M. 244	5	1				6	2	5	8	32	25	15	13	17	21	28	18	21	7	16	7	2	1			
German parents	F. 244	8	2	1		1	12	4	5	13	46	43	20	18	9	16	14	21	5	6	4	8					
6. Cancer:																											
Irish parents	M. 4	1					1	2											1								
German parents	F. 4	1	1	1			3								1												
7. Tumor:																											
Irish parents	M. 7	3	1				4	1	1																		
German parents	F. 7	4					4	3																			
8. Anæmia:																											
Irish parents	M. 33										1	1	1	1	2	1	4	6	6	4	3	1	1	1			
German parents	F. 37									1	1	1	1	4	3	10	3	5	4	3		2					
9. Dropsy:																											
Irish parents	M. 74	1			1		2		1		4	2	3	3	9	19	8	3	12	2	2	3	1				
German parents	F. 65	1					1			1	2	1		4	5	8	12	6	9	4	6	3	2	1			
10. Glycosuria:																											
Irish parents	M. 5								1	1					1				1		1						
German parents	F. 10													2		3	1	1	1	2							
11. Others of this group:																											
Irish parents	M. 2														1												
German parents	F. 13	1	1				2						1			3	2	1		3	1						
12. Others of this class:																											
Irish parents	M. 1																										
German parents	F. 1																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total	801	206	57	22	13	10	308	33	14	22	30	24	22	28	15	26	25	37	39	53	40	44	26	9	4	1	1
Irish parents	M. 153	22	9	5	2	1	39	4	1	3	9	4	3	5	4	6	6	11	13	10	11	12	6	4	2		
German parents	F. 118	14	7	4	1	1	27	1	3	4	6	6	5	4	5	3	7	7	5	13	4	7	9	1	1		
1. Inflammation of the brain:																											
Irish parents	M. 296	99	29	5	7	5	145	11	7	5	7	5	6	10	4	10	9	9	17	18	11	10	8	1	1	1	1
German parents	F. 234	71	12	8	3	3	97	17	3	10	8	9	8	9	2	7	3	10	4	12	14	15	3	3			
2. Meningitis:																											
Irish parents	M. 9	1	2	1	1		5			1	1		1	1													
German parents	F. 4	2	1				3				1																
3. Apoplexy:																											
Irish parents	M. 17	8	2				10	2	1			1	1		1	1											
German parents	F. 16	8	1				9	2			1	2		1				1									
Irish parents	M. 18								1		1				1	1		2	2	4	2	1	2	1			
German parents	F. 14								1		1	1	1	3		1		1	3	5	2	3	2	1			
German parents	M. 32	1	1				2		1				1	2	1	3	3	3	3	2	3	2	1				
German parents	F. 22	1					1				1		1	2			1	5	1	7	2	1					

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 16—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
4. Paralysis:																											
Irish parents	41									1				1	1	2	4	4	3	3	6	8	3	3	2		
	29												1		2			3	3	6	2	6	5		1		
German parents	49		2		1		3			1	1			3	1	2	2	3	8	8	7	3	5		1		
	46	1					1	1	1	1	2					4	1	3	2	5	10	11	2	2			
5. Tetanus and trismus nascentium:																											
Irish parents	6					1	1	1			1		1	1				1									
German parents	4	1					1		1			1		1													
	2							1						1													
6. Epilepsy:																											
Irish parents	2														1		1										
	5									1		1	1			1	1										
German parents	9	3	1				4			1		1	1								1		1				
	8	2					2	1	1			3		1													
7. Convulsions:																											
Irish parents	20	12	4				16	2		1									1								
	11	7	1	1		1	10		1																		
German parents	75	58	8	1		1	68	2				2						1				1				1	
	63	44	5	2	1		52	3		2	2	2	1														
8. Mental diseases:																											
Irish parents	6										1	1	2			1			1								
	12									1	1	1	1		2	1		2	1	1			1				
German parents	7										1	3				1			1		1						
	9										1		2	3	1	1	1										
9. Diseases of the brain:																											
Irish parents	21	2			1		3				2				1	2		3	4	2	2	1	1				
	13	1	1	1			3				1	2			1			1		3		1	1				
German parents	29	8	2			1	11	2	1	1	2			1	2	2	2		1	2		2					
	19	5	2				7	4		2					1	1			1		1	1	1				
10. Diseases of the spinal cord:																											
Irish parents	3	2					2	1																			
	4		1				1				1		1										1				
German parents	5							1			1			1		1			1								
	4				1	1	2		1												1						
11. Others of this group:																											
Irish parents	8										2							1	2	1	1	1					
	8		1				1				1					1	4						1				
German parents	7	1					1		1					1			1		1	1		1					
	10	1					1			2	3			1		1						1		1			
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	371	25	2			2	29	2	8	12	16	10	19	14	20	21	34	41	45	33	28	22	10	7			
Irish parents	85	3					3	2	2	1	2	3	7	2	3	5	6	14	7	6	9	6	3	4			
	73	2	1				3		2	3	5	2	3	3	5	4	6	6	10	6	8	6	1				
German parents	119	11	1				12		4	1	3	4	5	6	8	8	11	12	16	14	4	6	3	2			
	94	9				2	11			7	6	1	4	3	4	4	11	9	12	7	7	4	3	1			
1. Angina pectoris:																											
Irish parents																		1				1					
	2																										
German parents	3															1			2								
	1																					1					
2. Aneurism:																											
Irish parents	1																	1									
	1														1												
German parents	2																	1		1							
	1																						1				
3. Diseases of the heart:																											
Irish parents	83	2					2	2	2	1	2	3	7	2	3	5	6	13	7	6	9	6	3	4			
	66	1					1		2	3	5	2	3	2	4	4	6	5	10	6	7	5	1				
German parents	106	3	1				4		4	1	3	4	5	6	8	7	11	11	14	13	4	6	3	2			
	88	5				2	7			7	6	1	4	3	4	4	11	9	12	7	7	3	3				
4. Others of this group:																											
Irish parents	1	1					1														1						
	4	1	1				2							1													
German parents	8						8																				
	4	4					4																				
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	1296	161	62	56	34	24	337	61	22</																		

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 16—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total.....	164	4	1	2			7	4		5	4	5	4	3	6	5	18	13	16	22	15	20	9	7		1	
Irish parents.....	49		1	1			2			2		2		1	1	1	6	3	8	6	2	10	2	3			
German parents.....	76	2					2	2		3	2		3		3	1	9	7	7	10	11	7	6	2		1	
	25	2		1			3	1			1	2	1	2		1	2	2	1	5		2	1	1			
1. Bright's disease:																											
Irish parents.....	15									2		1		1	1		4	2	3	1							
German parents.....	6										1	1			1	1					2						
	21							1		1	1		1		1							1					
	7	1					1	1				2					1			2							
2. Calculus, urinary:																											
Irish parents.....	10																		2	1	1	3	2	1			
German parents.....	13														2		1	1	2	2	1	2	1	1			
3. Diseases of the kidney:																											
Irish parents.....	14		1				1					1				1	1	1	1	2	1	5					
German parents.....	8							1							1	1	1	1	1	1	1	1		1			
	24									2			2				3	3	2	2	4	1	4				
	14	1		1			2			1		1				1		2	1	2		2	1	1			
4. Diseases of the bladder:																											
Irish parents.....	5																		1	2		1		1			
German parents.....	11										1					1			1	1	5	1		1			
	3													1			1			1							
5. Others of this group:																											
Irish parents.....	5			1			1										1		1			1		1			
German parents.....	7	2					2												1			2	1			1	
	1													1													
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total.....	35								1	2	9		2	4	7	7	2			1							
Irish parents.....	12									2	2		1	1	1	4	1										
German parents.....	23								1		7		1	3	6	3	1			1							
1. Ovarian tumors:																	1										
Irish parents.....	1										2																
German parents.....	4																1			1							
2. Ovarian diseases:																											
Irish parents.....	1														1												
German parents.....	1																										
3. Uterine tumors:																	1										
Irish parents.....	1																										
German parents.....	1																										
4. Uterine diseases:																											
Irish parents.....	7										2			1	4												
German parents.....	7																										
5. Others of this group:																											
Irish parents.....	10									2	2		1	1	1	2	1										
German parents.....	11										3		1	2	1	3											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total.....	136									5	23	26	35	24	19	4											
Irish parents.....	40									1	6	8	15	5	5												
German parents.....	96									4	17	18	20	19	14	4											
1. Abortion:														2													
Irish parents.....	2													1	1	1											
German parents.....	5												2														
2. Child-birth:																											
Irish parents.....	30									1	5	5	10	4	5												
German parents.....	85									4	15	15	18	16	13	4											
3. Others of this group:																											
Irish parents.....	8										1	3	3	1													
German parents.....	6										2	1	1	2													
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total.....	31	5	3	1			9	1	3	3	1	2	2	2	1	2		1		2	2						
Irish parents.....	4													2	1		1										
German parents.....	13	3	1	1			5		1	1		1			1				1		2	1					
	10	2	2				4	1	1	1		1				1						1					
1. Diseases of the spine:																											
Irish parents.....	2																										
German parents.....	6	3	1	1			5		1	1	1																
	10	2	2				4	1	1	1		1										1					

GRAND GROUP 16—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
2. Diseases of the bones:																											
Irish parents	2												2														
German parents	6									1				1			1		2	1							
3. Diseases of the hip-joint:																											
Irish parents																											
German parents																											
4. Others of this group:																											
Irish parents																											
German parents	1								1																		
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	14									1	3		1		2		1	1	2	1	2						
Irish parents	2									1	1		1		1		1										
German parents	3									1			1		1		1		2		1						
1. Abscess:																											
Irish parents	2										1		1		1			1									
German parents	3														1		1				1						
2. Carbuncle:																											
Irish parents																											
German parents	1																			1							
3. Others of this group:																											
Irish parents	1																		1								
German parents																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	4													1	1		1			1							
Irish parents	1																			1							
German parents	3													1	1		1										
1. Addison's disease:																											
Irish parents																											
German parents	1																1										
2. Diseases of the spleen:																											
Irish parents	1																			1							
German parents	2													1	1												
3. Others of this group:																											
Irish parents																											
German parents																											
XII.—ACCIDENTS AND INJURIES.																											
Total	576	32	18	20	9	7	86	30	27	49	62	34	36	34	32	38	30	31	39	18	9	13	5	1	1		1
Irish parents	202	3	4			1	8	7	7	16	31	16	15	13	15	14	14	15	15	7	2	3	3		1		
German parents	36	4		2	1	1	8	4	1	3	2	2	3	2	2	1	2	1	1		1	2	1				
Irish parents	257	14	5	12	5	1	37	12	14	25	26	15	12	19	13	21	11	13	18	10	4	5	1	1			
German parents	81	11	9	6	3	4	33	7	5	5	3	1	6		2	2	3	2	5	1	2	3					1
1. Burns and scalds:																											
Irish parents	4		2				2						1			1											
German parents	20	4	2	5	3	1	15	1		1			1		2												
2. Drowned:																											
Irish parents	15		1				1	2	3	3	2		1	1	2	2											
German parents	44	1		5	1		7	7	8	5	5	3	2		1	2	1	2		1							
3. Exposure and neglect:																											
Irish parents	4						1						1				1		2				1				
German parents	3	1					1			1							1				1	1					
4. Gunshot wounds:																											
Irish parents	15							1		1	2	2	4	3	1		1										
German parents	10							1		1	2	1	1	2	1				1								

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 16—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																											
5. Homicide:																											
Irish parents { M.	2										1							1									
F.	1														1												
German parents { M.	9									1	1	2	2		1	1	1		1								
F.																											
6. Infanticide:																											
Irish parents { M.																											
F.																											
German parents { M.																											
F.																											
7. Injuries by machinery:																											
Irish parents { M.																											
F.																											
German parents { M.																											
F.																											
8. Railroad accidents:																											
Irish parents { M.	21									3	5	4	2	1	1	3		1	1								
F.	1																					1					
German parents { M.	8									1	3		1		1	1	1										
F.	2																		1			1					
9. Suffocation:																											
Irish parents { M.	4	1	1				2								1			1									
F.	4	2					2	1					1														
German parents { M.	9	6	1				7							1		1											
F.	5	3			1		4																				1
10. Suicide by shooting:																											
Irish parents { M.	3														1	1				1							
F.																											
German parents { M.	6									1	1	1	1				1	1									
F.																											
11. Suicide by drowning:																											
Irish parents { M.																											
F.																											
German parents { M.																											
F.																											
12. Suicide by poison:																											
Irish parents { M.	4															1			2	1							
F.	1													1													
German parents { M.	2																	1	1								
F.	1															1											
13. Other suicides:																											
Irish parents { M.	2													1			1										
F.	1										1																
German parents { M.	16										1	1		1	1	2	2	1	4	1		1	1				
F.	4												1		2			1									
14. Sunstroke:																											
Irish parents { M.	5								1		2				1	1											
F.	1																1										
German parents { M.	3											2										1					
F.	1																		1								
15. Surgical operations:																											
Irish parents { M.						1																					
F.	1						1																				
German parents { M.	2			1			1				1																
F.	2									1								1									
16. Wounds:																											
Irish parents { M.	5	1					1					1			1	1			1								
F.	1											1															
German parents { M.	2											1							1								
F.																											
17. Others of this group:																											
Irish parents { M.	118	1				1	2	4	3	9	19	9	7	8	7	4	11	12	9	5	2	3	3		1		
F.	14	1					1	2	1	2	1	1	1		1	1		1	1			1					
German parents { M.	123	2	2	1	1		6	3	6	18	11	5	5	11	9	12	5	8	10	8	3	2		1			
F.	19	3	1				4	1	2			1	4			1	3		1		1	1					

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 17.

[illegible]

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 17—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas:																											
Irish parents.....	{ M. 2																1			1							
	{ F. 3								1	1				1													
German parents.....	{ M. 2													2													
	{ F. 1																										
16. Septicæmia:																											
Irish parents.....	{ M. 2																										
	{ F. 1																										
German parents.....	{ M. 2								1	1																	
	{ F. 1																						1				
17. Puerperal septicæmia:																											
Irish parents.....	F. 4										1	2	1														
German parents.....	F. 14										3	5	2	3	1												
18. Venereal diseases:																											
Irish parents.....	{ M. 2																										
	{ F. 2																										
German parents.....	{ M. 2																										
	{ F. 1																1			1							
19. Others of this group:																											
Irish parents.....	{ M. 1																		1								
	{ F. 1																				1						
German parents.....	{ M. 2								1	1																	
	{ F. 2																										
General diseases—B.																											
Total.....	25	7	1	2			10	1	1	2		1	2		1	2			2	1		1	1				
Irish parents.....	{ M. 4			2			2					1	1														
	{ F. 2		2				2																				
German parents.....	{ M. 13	3	1				4	1		1					1	2			2	1			1				
	{ F. 6	2					2		1	1			1									1					
1. Worms:																											
Irish parents.....	{ M. 1			1			1																				
	{ F. 1		1				1																				
German parents.....	{ M. 1						1																				
	{ F. 1						1																				
2. Other parasitic diseases:																											
Irish parents.....	{ M. 2																										
	{ F. 1																										
German parents.....	{ M. 2								1								1										
	{ F. 1								1																		
3. Alcoholism:																											
Irish parents.....	{ M. 1											1															
	{ F. 2																										
German parents.....	{ M. 1																										
	{ F. 1																										
4. Lead poison:																											
Irish parents.....	{ M. 1																										
	{ F. 1																										
German parents.....	{ M. 1																										
	{ F. 1																										
5. Other poisons:																											
Irish parents.....	{ M. 3			2			2						1														
	{ F. 1		1				1																				
German parents.....	{ M. 4									1					1	1							1				
	{ F. 3		1				1			1			1														
6. Inanition:																											
Irish parents.....	{ M. 1		1				1																				
	{ F. 3		3				3																				
German parents.....	{ M. 3																										
	{ F. 3																										
General diseases—C.																											
Total.....	69	38	1	1			40	1		1									1		9	7	9		1		
Irish parents.....	{ M. 14	6		1			7														3	1	3				
	{ F. 7	3					3														1		2		1		
German parents.....	{ M. 29	18	1				19												1		4	3	2				
	{ F. 19	11					11	1		1											1	3	2				
1. Premature birth:																											
Irish parents.....	{ M. 1	1					1																				
	{ F. 1	1					1																				
German parents.....	{ M. 8	8					8																				
	{ F. 5	5					5																				
2. Stillborn:																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 17—Continued.

[illegible]

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 17—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
4. Paralysis:																											
Irish parents	M. 2																1							1			
	F. 2																	1					1				
German parents	M. 5	1					1	1								1						2					
	F. 8																	1			4			3			
5. Tetanus and trismus nascentium:																											
Irish parents	M. 3				1		1				1	1															
	F. 3		1				1						1	1													
German parents	M. 2																		1	1							
	F. 5	3					3								1							1					
6. Epilepsy:																											
Irish parents	M. 1													1													
	F. 2																										
German parents	M. 2																		1	1							
	F. 5	3					3															1					
7. Convulsions:																											
Irish parents	M. 2	1					1			1																	
	F. 1								1																		
German parents	M. 17	13	1	1	1		16		1																		
	F. 10	7		1			8				1	1															
8. Mental diseases:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																			1							
	F. 1																										
9. Diseases of the brain:																											
Irish parents	M. 1																1										
	F. 1	1					1																				
German parents	M. 10		2	1			3		1	1					3				1		1						
	F. 7	2		2	1	1	6				1																
10. Diseases of the spinal cord:																											
Irish parents	M. 1								1																		
	F. 1																										
German parents	M. 1		1				1																				
	F. 1																										
11. Others of this group:																											
Irish parents	M. 2																										
	F. 2																										
German parents	M. 1																										
	F. 1																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	56	4		1			5		1		2	2	4	3	3	5	4	4	4	9	4	5					1
Irish parents	M. 9	1					1						2		1					3	1	1					
	F. 10								1		1		1							2							
German parents	M. 21	2		1			3				1	1	1	2		2	3			3	1	3					
	F. 16	1					1					1		1	2	1		1	4	1	2	1				1	
1. Angina pectoris:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
2. Aneurism:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
3. Diseases of the heart:																											
Irish parents	M. 8												2		1					3	1	1					
	F. 10								1		1		1			2	3			2							
German parents	M. 19			1			1				1	1	1	2		2	1	3		3	1	3					
	F. 14											1		1	2	1		1	4	1	1	1				1	
4. Others of this group:																											
Irish parents	M. 1	1					1																				
	F. 2																										
German parents	M. 2	2					2																				
	F. 1	1					1																				
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	325	23	20	15	6	4	68	15	7	16	22	20	24	16	14	26	17	18	18	14	16	7	5	2			
Irish parents	M. 55	1		2		1	4	3		4	3	5	6	6	3	6	4	1	4	1	4		1				
	F. 28	4	3	2			9	2	1	2		3	2	1			1	2	1	2		1	1				
German parents	M. 138	9	8	4	4	1	26	5	4	7	11	7	9	4	5	11											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 17—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia:																											
Irish parents	M. 48				2		3	1		4	3	4	6	5	3	6	4	1	4		3		1				
	F. 21	1	2	2			5	2	1	2		3	2	1			1	1	1			1					
German parents	M. 112	6	6	1	1		14	2	4	6	11	6	8	4	5	10	7	4	8	7	8	5	2	1			
	F. 70	1	2	2			5	1	1	2	7	5	7	5	5	9	3	9	5	4	2						
5. Pleurisy:																											
Irish parents	M. 1																			1							
	F. 1																										
German parents	M. 1												1														
	F. 1										1																
6. Asthma:																											
Irish parents	M. 1																										
	F. 1																	1									
German parents	M. 2																	1					1				
	F. 2																										
7. Others of this group:																											
Irish parents	M. 4	1					1	1				1		1													
	F. 1	1					1																				
German parents	M. 5				1		1			1		1				1						1					
	F. 3								1	1					1												
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	56	12	1	3	1		17	1	2		2	1	3	1	2	4	6	4	2	4	5				2		
Irish parents	M. 8	3					3									1	1	1			1			1			
	F. 7	1		1			2	1					1		1		1				1						
German parents	M. 25	4	1	2			7		2		2		2	1	1	2	2	2	2	2	1			1			
	F. 16	4			1		5					1				1	2	1	2	2	2						
1. Dentition:																											
Irish parents	M. 1	1					1																				
	F. 1			1			1																				
German parents	M. 1																										
	F. 1																										
2. Angina:																											
Irish parents	M. 1																										
	F. 1							1																			
German parents	M. 2														1		1										
	F. 2																										
3. Gastritis:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
4. Other diseases of the stomach:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 4								1							1		1							1		
	F. 3	1					1											1			1						
5. Obstruction of the bowels:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 2												1				1										
	F. 1																		1								
6. Hernia:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																					1					
	F. 1																				1						
7. Other diseases of the bowels:																											
Irish parents	M. 3	2					2																		1		
	F. 1																										
German parents	M. 1			1			1																				
	F. 2					1	1										1										
8. Jaundice:																											
Irish parents	M. 1												1														
	F. 1																										
German parents	M. 1			1			1																				
	F. 1															1											
9. Inflammation and abscess of the liver:																											
Irish parents	M. 1																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 17—Continued.

[illegible]

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 17—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																											
5. Homicide:																											
Irish parents	{ M.																										
	{ F.																										
German parents	{ M.	2									1	1															
	{ F.																										
6. Infanticide:																											
Irish parents	{ M.																										
	{ F.																										
German parents	{ M.																										
	{ F.																										
7. Injuries by machinery:																											
Irish parents	{ M.																										
	{ F.																										
German parents	{ M.																										
	{ F.																										
8. Railroad accidents:																											
Irish parents	{ M.	4								2	1						1										
	{ F.	1																1									
German parents	{ M.	3											1		1	1											
	{ F.																										
9. Suffocation:																											
Irish parents	{ M.	1	1				1																				
	{ F.																										
German parents	{ M.	2	2				2																				
	{ F.	2			1	1	2																				
10. Suicide by shooting:																											
Irish parents	{ M.																										
	{ F.																										
German parents	{ M.																										
	{ F.																										
11. Suicide by drowning:																											
Irish parents	{ M.																										
	{ F.																										
German parents	{ M.																										
	{ F.																										
12. Suicide by poison:																											
Irish parents	{ M.																										
	{ F.																										
German parents	{ M.																										
	{ F.																										
13. Other suicides:																											
Irish parents	{ M.	1																1									
	{ F.																										
German parents	{ M.	5											1		1		3										
	{ F.																										
14. Sunstroke:																											
Irish parents	{ M.																										
	{ F.																										
German parents	{ M.	2												1	1												
	{ F.																										
15. Surgical operations:																											
Irish parents	{ M.																										
	{ F.																										
German parents	{ M.																										
	{ F.	1															1										
16. Wounds:																											
Irish parents	{ M.																										
	{ F.																										
German parents	{ M.																										
	{ F.																										
17. Others of this group:																											
Irish parents	{ M.	12										1			3	2	1		2	1							
	{ F.	5						1	1	1						1		1			1						
German parents	{ M.	17									2	4	4	3	1	1	1										
	{ F.	5	1	1			2	1			1											1					

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 18.

[illegible]

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 18—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
<i>General diseases—A—Continued.</i>																											
15. Erysipelas:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
16. Septicæmia:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
17. Puerperal septicæmia:																											
Irish parents	F.																										
German parents	F.																										
18. Venereal diseases:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
19. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.	1				1	1																				
<i>General diseases—B.</i>																											
Total	2			1			1							1													
Irish parents	M.	1		1			1																				
	F.																										
German parents	M.	1												1													
	F.																										
1. Worms:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
2. Other parasitic diseases:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Alcoholism:																											
Irish parents	M.																										
	F.																										
German parents	M.	1												1													
	F.																										
4. Lead poison:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
5. Other poisons:																											
Irish parents	M.	1		1			1																				
	F.																										
German parents	M.																										
	F.																										
6. Inanition:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
<i>General diseases—C.</i>																											
Total	9	3					3												1		1	4					
Irish parents	M.	2	2				2																				
	F.	2																1				1					
German parents	M.	3																			1	2					
	F.	2	1				1															1					
1. Premature birth:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
2. Stillborn:																											
Irish parents	M.	2	2				2																				
	F.																										
German parents	M.																										
	F.	1	1				1																				
3. Malformation:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
4. Debility:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
5. Old age:																											
Irish parents	M.																										
	F.	2																	1				1	2			
German parents	M.	3																									
	F.	1																					1				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 18—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																											
6. Atrophy:																											
Irish parents.....	M.																										
	F.																										
German parents.....	M.																										
	F.																										
General diseases—D.																											
Total.....	18			1			1			1		3	2	2	2	3	1			2		1					
Irish parents.....	M.	5		1			1						1	1	1							1					
	F.	2																									
German parents.....	M.	8								1		1	1		1		1			1							
	F.	3										1		1		2	1			1							
1. Rheumatism:																											
Irish parents.....	M.																										
	F.																										
German parents.....	M.																										
	F.																										
2. Scrofula and tabes:																											
Irish parents.....	M.																										
	F.	1										1															
German parents.....	M.	1																		1							
	F.																										
3. Leprosy:																											
Irish parents.....	M.																										
	F.																										
German parents.....	M.																										
	F.																										
4. Consumption:																											
Irish parents.....	M.	3											1	1	1												
	F.	1																									
German parents.....	M.	4										1	1			1	1										
	F.	2										1		1													
5. Hydrocephalus:																											
Irish parents.....	M.																										
	F.																										
German parents.....	M.																										
	F.																										
6. Cancer:																											
Irish parents.....	M.																										
	F.																										
German parents.....	M.																										
	F.																										
7. Tumor:																											
Irish parents.....	M.																										
	F.																										
German parents.....	M.	1															1										
	F.																										
8. Anæmia:																											
Irish parents.....	M.																										
	F.																										
German parents.....	M.																										
	F.																										
9. Dropsy:																											
Irish parents.....	M.	2		1			1															1					
	F.																										
German parents.....	M.	2								1					1												
	F.	1																		1							
10. Glycosuria:																											
Irish parents.....	M.																										
	F.																										
German parents.....	M.																										
	F.																										
11. Others of this group:																											
Irish parents.....	M.																										
	F.																										
German parents.....	M.																										
	F.																										
12. Others of this class:																											
Irish parents.....	M.																										
	F.																										
German parents.....	M.																										
	F.	2												2													
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total.....	14	2		1			3					2	1	2	3					1			2				
Irish parents.....	M.	6												1	3								2				
	F.	1	1				1																				
German parents.....	M.	3	1		1		2													1							</

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 18—Continued.

[illegible]

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 18—Continued.

Cause of death.	Total	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia:																											
Irish parents	M. 13										2	3	1	2	1	3	1										
	F. 4								1				1	1			1										
German parents	M. 12	2					2					1	1	1		2		1		3	1						
	F. 3									1		1		1													
5. Pleurisy:																											
Irish parents	M. .																										
	F. .																										
German parents	M. .																										
	F. .																										
6. Asthma:																											
Irish parents	M. .																										
	F. .																										
German parents	M. 1																					1					
	F. .																										
7. Others of this group:																											
Irish parents	M. 1																				1						
	F. .																										
German parents	M. 1																1										
	F. 1									1																	
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	6	2					2						1					1		1			1				
Irish parents	M. 2																	1					1				
	F. 1																		1								
German parents	M. 2	2					2													1							
	F. 1												1														
1. Dentition:																											
Irish parents	M. .																										
	F. .																										
German parents	M. 1	1					1																				
	F. .																										
2. Angina:																											
Irish parents	M. .																										
	F. .																										
German parents	M. .																										
	F. 1												1														
3. Gastritis:																											
Irish parents	M. .																										
	F. .																										
German parents	M. .																										
	F. .																										
4. Other diseases of the stomach:																											
Irish parents	M. .																										
	F. .																										
German parents	M. .																										
	F. .																										
5. Obstruction of the bowels:																											
Irish parents	M. .																										
	F. .																										
German parents	M. .																										
	F. .																										
6. Hernia:																											
Irish parents	M. 1																						1				
	F. .																										
German parents	M. 1	1					1																				
	F. .																										
7. Other diseases of the bowels:																											
Irish parents	M. .																										
	F. .																										
German parents	M. .																										
	F. .																										
8. Jaundice:																											
Irish parents	M. .																										
	F. .																										
German parents	M. .																										
	F. .																										
9. Inflammation and abscess of the liver:																											
Irish parents	M. 1																	1									
	F. .																										
German parents	M. .																										
	F. .																										
10. Other diseases of the liver:																											
Irish parents	M. .																										
	F. .																										
German parents	M. .																										
	F. .																										
11. Peritonitis:																											
Irish parents	M. .																										
	F. .																										
German parents	M. .																										
	F. .																										
12. Ascites:																											
Irish parents	M. .																										
	F. .																										
German parents	M. .																										
	F. .																										
13. Others of this group:																											
Irish parents	M. .																										
	F. 1																			1							
German parents	M. .																										
	F. .																										

STATISTICS OF MORTALITY.

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 18—Continued.

[illegible]

GRAND GROUP 19—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas:																											
Irish parents.....	M. 4							1										2					1				
	F. 4			1			1					1				1						1					
German parents.....	M. 1												1														
	F. 3	3					3																				
16. Septicæmia:																											
Irish parents.....	M. 1								1																		
	F. 1																										
German parents.....	M. 1																										
	F. 1														1												
17. Puerperal septicæmia:																											
Irish parents.....	F. 1																										
German parents.....	F. 8									1	4	2		1													
18. Venereal diseases:																											
Irish parents.....	M. 1																										
	F. 1																										
German parents.....	M. 1																										
	F. 1																										
19. Others of this group:																											
Irish parents.....	M. 1																										
	F. 1																										
German parents.....	M. 1																							1			
	F. 1																										
General diseases—B.																											
Total.....	13	3		1	1		5	1					1				1	1	1	1	1	1					
Irish parents.....	M. 4												1				1	1		1							
	F. 6	1			1		2	1																			
German parents.....	M. 3	2		1			3											1	1		1						
	F. 3																										
1. Worms:																											
Irish parents.....	M. 2	1			1		2																				
	F. 2																										
German parents.....	M. 2																										
	F. 2																										
2. Other parasitic diseases:																											
Irish parents.....	M. 1																										
	F. 1																										
German parents.....	M. 1																										
	F. 1																										
3. Alcoholism:																											
Irish parents.....	M. 2																1				1						
	F. 2																										
German parents.....	M. 2																			1		1					
	F. 2																										
4. Lead poison:																											
Irish parents.....	M. 1																										
	F. 1																										
German parents.....	M. 1																										
	F. 1																										
5. Other poisons:																											
Irish parents.....	M. 2												1					1									
	F. 2																										
German parents.....	M. 2							1											1								
	F. 1			1			1																				
6. Inanition:																											
Irish parents.....	M. 1																										
	F. 1																										
German parents.....	M. 2	2					2																				
	F. 2																										
General diseases—C.																											
Total.....	91	24					24												4	6	3	14	23	13	3	1	
Irish parents.....	M. 23	2					2													1		5	10	5			
	F. 14	2					2												1	1		2	4	2	1	1	
German parents.....	M. 26	13					13												1	1	2	4	4	1			
	F. 28	7					7												2	4		3	5	5	2		
1. Premature birth:																											
Irish parents.....	M. 3	3					3																				
	F. 2	2					2																				
German parents.....	M. 2																										
	F. 2																										
2. Stillborn:																											
Irish parents.....	M. 2	2					2																				
	F. 2	2					2																				
German parents.....	M. 9	9					9																				
	F. 3	3					3																				
3. Malformation:																											
Irish parents.....	M. 1																										
	F. 1																										
German parents.....	M. 1																										
	F. 1																										
4. Debility:																											
Irish parents.....	M. 1																						1				
	F. 4	1					1												1	1		1					
German parents.....	M. 6	2					2												2				1	1			
	F. 6																										
5. Old age:																											
Irish parents.....	M. 20																				1	5	9	5			
	F. 12																										
German parents.....	M. 10																		1	1		2	4	2	1	1	
	F. 17																				4	3	4	4	2		

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 10—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
4. Paralysis:																											
Irish parents	{ M. 10											1	1					1	2	1	2	2					
	{ F. 4																			1	1	1	1				
German parents	{ M. 8																1	1		2	3	1					
	{ F. 9																	2	1		2	1					
5. Tetanus and trismus nascentium:																											
Irish parents	{ M. —																										
	{ F. —																										
German parents	{ M. —																										
	{ F. —																										
6. Epilepsy:																											
Irish parents	{ M. 1											1															
	{ F. —																										
German parents	{ M. 2	2					2																				
	{ F. 2	1					1					1															
7. Convulsions:																											
Irish parents	{ M. 7	1	2				3	1		1	1	1															
	{ F. 3							1			2																
German parents	{ M. 15	10	1	1	1	1	14			1																	
	{ F. 15	12	1				13											1			1						
8. Mental diseases:																											
Irish parents	{ M. —																										
	{ F. 1																1										
German parents	{ M. —																										
	{ F. 1																	1									
9. Diseases of the brain:																											
Irish parents	{ M. 2										1					1											
	{ F. 3	1					1															2					
German parents	{ M. 4	2					2				2																
	{ F. 1																				1						
10. Diseases of the spinal cord:																											
Irish parents	{ M. 1																	1									
	{ F. —																										
German parents	{ M. —													1													
	{ F. 1																										
11. Others of this group:																											
Irish parents	{ M. —																										
	{ F. —																										
German parents	{ M. 1			1			1					1			1												
	{ F. 2																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total.....	78	2					2	1	2		1	5	5	2	4	9	6	6	8	8	6	5	7	1			
Irish parents	{ M. 27	1					1							1	1	2	3	2	2	4	3	5	2	1			
	{ F. 17								1		1		3		1	1	1	1	2		1		4				
German parents	{ M. 18	1					1	1				4				4	1	1	2	1	2		1				
	{ F. 16								1				2	1	2	2	1	2	2	3							
1. Angina pectoris:																											
Irish parents	{ M. —																										
	{ F. —																										
German parents	{ M. —																										
	{ F. —																										
2. Aneurism:																											
Irish parents	{ M. —																										
	{ F. —																										
German parents	{ M. —																										
	{ F. —																										
3. Disease of the heart:																											
Irish parents	{ M. 27	1					1							1	1	2	3	2	2	4	3	5	2	1			
	{ F. 16								1		1		3			1	1	1	2		1		4				
German parents	{ M. 17								1			4				4	1	1	2	1	2		1				
	{ F. 16									1			2	1	2	2	1	2	2	3							
4. Others of this group:																											
Irish parents	{ M. —														1												
	{ F. 1																										
German parents	{ M. 1	1					1																				
	{ F. —																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total.....	159	22	9	7	4	5	47	10	6	3	5	5	6	9	6	3	7	13	9	9	15	1	3	2			
Irish parents	{ M. 42			1		1	2	3	1	1	1	2		1	2		4	5	3	5	7		1	1			
	{ F. 17	1					1	2	1		2				3			1	1	1	5						
German parents	{ M. 43	7																									

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 19—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia:																											
Irish parents	M. 25								1	1	1	2		1	2		3	3	2	4	4		1				
	F. 11										2			3					1	5							
German parents	M. 20	3					3		1		1		3	1	1	2	1	3	2	2	2						
	F. 24	1	1	1			3	1	2			1	3	4			1	1	1	2	1	1	2	1			
5. Pleurisy:																											
Irish parents	M. 1																		1								
	F. 1																										
German parents	M. 1																		1								
	F. 1																		1								
6. Asthma:																											
Irish parents	M. 2																1				1						
	F. 1																										
German parents	M. 1																			1							
	F. 1																										
7. Others of this group:																											
Irish parents	M. 6							1						1				2	1					1			
	F. 2							1										1									
German parents	M. 3										1	1					1										
	F. 5	1	1				2											3									
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	74	17	3	1			21	5	1		3	1	2	3	3	8	7	7	4	4	1	2			1		1
Irish parents	M. 13							1							1	3	1	1	1	2		2			1		
	F. 11	3					3				1			1	1	1	1	1	1								
German parents	M. 29	7	1				8	2	1		2	1		1		2	3	4	2	1	1						1
	F. 21	7	2	1			10	2					1	1	1	2	2	1		1							
1. Dentition:																											
Irish parents	M. 1	1					1																				
	F. 3	3					3																				
German parents	M. 2	1	1				2																				
	F. 2																										
2. Angina:																											
Irish parents	M. 1													1													
	F. 1		1				1																				
German parents	M. 1			1			1	1																			
	F. 2				1		1																				
3. Gastritis:																			1								
Irish parents	M. 1																	1									
	F. 2																										
German parents	M. 2															1		1									
	F. 2																										
4. Other diseases of the stomach:																											
Irish parents	M. 1														1												
	F. 4																										
German parents	M. 1												1					2		1							1
	F. 1																										
5. Obstruction of the bowels:																											
Irish parents	M. 1															1											
	F. 1																										
German parents	M. 1																										
	F. 1																										
6. Hernia:																											
Irish parents	M. 2																										
	F. 2																										
German parents	M. 2																										
	F. 2																										
7. Other diseases of the bowels:																											
Irish parents	M. 1															1											
	F. 1																										
German parents	M. 1																										
	F. 1																										
8. Jaundice:																											
Irish parents	M. 1	1					1																				
	F. 1																										
German parents	M. 3																										
	F. 3																										
9. Inflammation and abscess of the liver:																											
Irish parents	M. 1																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 19—Continued.

[illegible]

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 19—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																											
5. Homicide:																											
Irish parents	{ M. 1																										1
	{ F.																										
German parents	{ M. 3										1	1		1													
	{ F.																										
6. Infanticide:																											
Irish parents	{ M.																										
	{ F.																										
German parents	{ M.																										
	{ F.																										
7. Injuries by machinery:																											
Irish parents	{ M.																										
	{ F.																										
German parents	{ M.																										
	{ F.																										
8. Railroad accidents:																											
Irish parents	{ M. 2										1					1											
	{ F.																										
German parents	{ M.																										
	{ F.																										
9. Suffocation:																											
Irish parents	{ M.																										
	{ F.																										
German parents	{ M. 2	2					2																				
	{ F.																										
10. Suicide by shooting:																											
Irish parents	{ M.																										
	{ F.																										
German parents	{ M. 2										1			1													
	{ F.																										
11. Suicide by drowning:																											
Irish parents	{ M.																										
	{ F. 1																	1									
German parents	{ M.																										
	{ F.																										
12. Suicide by poison:																											
Irish parents	{ M.																										
	{ F. 2																										
German parents	{ M. 2													1	1		1		1								
	{ F.																										
13. Other suicides:																											
Irish parents	{ M.																										
	{ F.																										
German parents	{ M. 3																2		1								
	{ F.																										
14. Sunstroke:																											
Irish parents	{ M. 1							1																			
	{ F.																										
German parents	{ M.																										
	{ F.																										
15. Surgical operations:																											
Irish parents	{ M.																										
	{ F.																										
German parents	{ M.																										
	{ F.																										
16. Wounds:																											
Irish parents	{ M.																										
	{ F.																										
German parents	{ M.																										
	{ F.																										
17. Others of this group:																											
Irish parents	{ M. 23								2	1	3	3		5			2	2	4			1					
	{ F. 3	1					1										1							1			
German parents	{ M. 18			1		1	2		2	1	1	1	3	3		2	2	1									
	{ F. 6		1				1			1		2		1						1							

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 20—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas:																											
Irish parents	M. 1												1	1													
	F. 1																										
German parents	M. 2													1	1	1											
	F. 2																										
16. Septicæmia:																											
Irish parents	M. 2										1							1									
	F. 1													1													
German parents	M. 1																1										
	F. 1																										
17. Puerperal septicæmia:																											
Irish parents	F. 1										1																
German parents	F. 2										2																
18. Venereal diseases:																											
Irish parents	M. 1														1												
	F. 1															1											
German parents	M. 1																			1							
	F. 1																										
19. Others of this group:																											
Irish parents	M. 1													1													
	F. 1																										
German parents	M. 1																										
	F. 1																										
General diseases—B.																											
Total	37	1					1	1	1	2	3	2	7	3	5	4	4	2	2								
Irish parents	M. 21	1					1			1	2		7	1	2	1	3	1	2								
	F. 1							1																			
German parents	M. 13								1	1	2		2	2	2	3	1	1									
	F. 2									1					1												
1. Worms:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
2. Other parasitic diseases:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
3. Alcoholism:																											
Irish parents	M. 16									1	1		5	1	2	1	2	1	2								
	F. 9										1	1		2	2	2	1										
German parents	M. 9																										
	F. 1															1											
4. Lead poison:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
5. Other poisons:																											
Irish parents	M. 2													1				1									
	F. 1																										
German parents	M. 3									1							1		1								
	F. 1										1																
6. Inanition:																											
Irish parents	M. 3	1					1					1		1													
	F. 1																										
German parents	M. 1												1														
	F. 1																										
General diseases—C.																											
Total	42	12	1				13								2	3	3	3	2	3	5	3	3	2			
Irish parents	M. 17	5	1				6								2	1	1	1	1	2	2		1				
	F. 12	5					5									1	2	1					1		2		
German parents	M. 12	2					2									1			1	1	3	3	1				
	F. 1																	1									
1. Premature birth:																											
Irish parents	M. 1	1					1																				
	F. 1																										
German parents	M. 1																										
	F. 1																										
2. Stillborn:																											
Irish parents	M. 2	2					2																				
	F. 5	5					5																				
German parents	M. 2	2					2																				
	F. 2																										
3. Malformation:																											
Irish parents	M. 1	1					1																				
	F. 1																										
German parents	M. 1																										
	F. 1																										
4. Debility:																											
Irish parents	M. 10	1	1				2								2	1	1	1		2	1						
	F. 3															1	1	1									
German parents	M. 6																		1	1	2	1					
	F. 1																										
5. Old age:																											
Irish parents	M. 3																		1		1		1		2		
	F. 4																										
German parents	M. 4																				1	2	1				
	F. 4																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 20—Continued.

Cause of death.	Total.	Under 1.	1	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																											
6. Atrophy:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
General diseases—D.																											
Total	153	3		3	1		7			6	8	13	16	18	9	13	23	12	6	10	6	4	1				
Irish parents	M.	55	2		3	1	6			1	1	4	4	7	4	4	8	3	1	4	3	3	1				1
	F.	40								4	3	4	4	6	2	2	5	3		4	2	1					
German parents	M.	39								1	2	2	7	5	3	4	4	5	4	1	1						
	F.	19	1				1				2	3	1			3	6	1	1	1							
1. Rheumatism:																											
Irish parents	M.	1																									1
	F.	2																1	1								
German parents	M.	1																									
	F.																										
2. Scrofula and tabes:																											
Irish parents	M.	2			1		1								1												
	F.																										
German parents	M.																										
	F.																										
3. Leprosy:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
4. Consumption:																											
Irish parents	M.	39			1	1	2			1	1	4	3	7	3	3	7	2		2	3	1					
	F.	29								4	3	4	4	6	1	2	2	1		1	1						
German parents	M.	29								1	2	2	7	4	2	2	4	1	3	1							
	F.	12									2	3				3	3	1									
5. Hydrocephalus:																											
Irish parents	M.	2	2				2																				
	F.																										
German parents	M.																										
	F.																										
6. Cancer:																											
Irish parents	M.	2															1			1							
	F.	6													1		1	1		3							
German parents	M.	4														2		1			1						
	F.	3	1				1						1				1										
7. Tumor:																											
Irish parents	M.	1			1		1																				
	F.																										
German parents	M.																										
	F.	1															1										
8. Anæmia:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
9. Dropsy:																											
Irish parents	M.	8											1			1		1	1	1		2	1				
	F.	3																									
German parents	M.	5												1	1		1	2	1		1						
	F.	3															1		1	1							
10. Glycosuria:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
11. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
12. Others of this class:																											
Irish parents	M.																										
	F.																										
German parents	M.																										

STATISTICS OF MORTALITY.

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 20—Continued.

[illegible]

STATISTICS OF MORTALITY.

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 20—Continued.

[illegible]

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 21—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
<i>General diseases—A—Continued.</i>																											
15. Erysipelas:																											
Irish parents.....	M. 1												1														
German parents.....	F. 1																										
16. Septicæmia:																											
Irish parents.....	M. 4										2					1		1									
German parents.....	F. 1									1																	
17. Puerperal septicæmia:																											
Irish parents.....	M. 4	1					1			1			1					1									
German parents.....	F. 3		1				1									2											
18. Venereal diseases:																											
Irish parents.....	M. 1																		1								
German parents.....	F. 3											1				1	1										
19. Others of this group:																											
Irish parents.....	M. 1											1															
German parents.....	F. 3								1			1	1														
German parents.....	M. 4																	1	2	1							
German parents.....	F. 1												1														
<i>General diseases—B.</i>																											
Total.....	74	36		1			37	1					3	6	8	8	5	2	1		1	2					
Irish parents.....	M. 27	11					11	1					1	2	3	5	3		1								
German parents.....	F. 28	13		1			14						1	2	3	2	2	2			1	1					
German parents.....	M. 12	6					6						1	1	2	1						1					
German parents.....	F. 7	6					6							1													
1. Worms:																											
Irish parents.....	M. 1																										
German parents.....	F. 1																										
2. Other parasitic diseases:																											
Irish parents.....	M. 1																										
German parents.....	F. 1																										
3. Alcoholism:																											
Irish parents.....	M. 12												1	2	3	4	1		1								
German parents.....	F. 13												1	2	3	2	2	2				1					
German parents.....	M. 6												1	1	2	1						1					
German parents.....	F. 1													1													
4. Lead poison:																											
Irish parents.....	M. 1																										
German parents.....	F. 1																										
5. Other poisons:																											
Irish parents.....	M. 4							1								1	2										
German parents.....	F. 1																										
6. Inanition:																											
Irish parents.....	M. 11	11					11																				
German parents.....	F. 15	13		1			14														1						
German parents.....	M. 6	6					6																				
German parents.....	F. 6	6					6																				
<i>General diseases—C.</i>																											
Total.....	229	148	1				149	1	1				1	2		4	5	1	2	3	14	20	16	5	4		1
Irish parents.....	M. 86	70					70	1	1					1		2	1		1		4		3		1		1
German parents.....	F. 75	38					38							1		2	2		2		4	12	10	3	1		
German parents.....	M. 40	23	1				24										1		1		5	5	2		2		
German parents.....	F. 28	17					17						1				1	1		1	1	3	1	2			
1. Premature birth:																											
Irish parents.....	M. 9	9					9																				
German parents.....	F. 1	1					1																				
2. Stillborn:																											
Irish parents.....	M. 51	51					51																				
German parents.....	F. 30	30					30																				
3. Malformation:																											
Irish parents.....	M. 15	15					15																				
German parents.....	F. 10	10					10																				
4. Debility:																											
Irish parents.....	M. 21	10					10	1	1					1		2	1		1		2		1				1
German parents.....	F. 20	5					5										2			1	2	2	4	1			
German parents.....	M. 12	7	1				7										1		1		1		2				
German parents.....	F. 8	4					4										1	1									
5. Old age:																											
Irish parents.....	M. 5																				2		2		1		
German parents.....	F. 22																			1	2	10	6	2	1		
German parents.....	M. 11																				4	5		2			
German parents.....	F. 7																			1	1	2	1	2			

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 21—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
4. Paralysis:																											
Irish parents	M. 15									1				2		4	2	2	1	2			1				
	F. 14												1		1	2	2	3	2								
German parents	M. 11												1	1	1	1	2	2	1								
	F. 6											1		1	1		1			1				1	1		
5. Tetanus and trismus nascentium:																											
Irish parents	M. 1													1													
	F. 1																										
German parents	M. 1																										
	F. 1															1											
6. Epilepsy:																											
Irish parents	M. 3												1				1	1									
	F. 2														1			1									
German parents	M. 2																										
	F. 2																										
7. Convulsions:																											
Irish parents	M. 17	15		1	1		17																				
	F. 11	7	1	1	1		10	1																			
German parents	M. 16	6	4	3			13			1	1	1															
	F. 8	4	1	2			7								1												
8. Mental diseases:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
9. Diseases of the brain:																											
Irish parents	M. 14		1				1	1	1		2		2	2		2		1	1	1							
	F. 4				1	1	2								1				1								
German parents	M. 10	1					1		1		1				2	1	2	1	1								
	F. 1																					1					
10. Diseases of the spinal cord:																											
Irish parents	M. 4	1					1	1							2												
	F. 3				1		2												1								
German parents	M. 2		1				1										1										
	F. 2																										
11. Others of this group:																											
Irish parents	M. 3													1			2										
	F. 3																										
German parents	M. 3																										
	F. 3																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total	120	5	1	1		2	9	4	3	3		4	9	11	13	18	12	13	6	7	3	3	1	1			
Irish parents	M. 48	2				1	3	2	2	1		2	2	6	6	10	3	4	1	2	3	1					
	F. 26	1					1	1		2		1	1	1	4	4	3	3	2	1		1	1				
German parents	M. 41	2	1	1		1	5	1	1			1	4	4	3	4	6	4	3	4				1			
	F. 5												2					2									
1. Angina pectoris:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
2. Aneurism:																											
Irish parents	M. 8											1	1	2	1	3											
	F. 1																										
German parents	M. 6								1				1	1		1	2										
	F. 6																										
3. Diseases of the heart:																											
Irish parents	M. 29	1				1	2	2	2	1		1	1	4	5	7	3	4	1	2	3	1					
	F. 22									2		1	1		3	4	3	3	2	1		1	1				
German parents	M. 32		1			1	2	1				1	3	3	3	3	4	4	3	4				1			
	F. 5												2					2									
4. Others of this group:																											
Irish parents	M. 1	1					1																				
	F. 3	1					1	1						1													
German parents	M. 3	2		1			3																				
	F. 3																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total	249	51	17	9	14	5	96	10	4		3	6	8	10	17	15	31	16	14	7	6	1	5				
Irish parents	M. 117	20	10	2	9	3	44	3	1		1	1	1	7	9	7	15	11	8	4	2		3				
	F. 68	17	5	4	2	1	29	2	1		1	3	4	2	4	4	8	3	2	1	2		2				
German parents	M. 40	8	1		2	1	12	2			1</																

GRAND GROUP 21—Continued.

[illegible]

GRAND GROUP 21—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
2. Diseases of the bones:																											
Irish parents																											
German parents	1															1											
3. Diseases of the hip-joint:																											
Irish parents	2							1	1																		
German parents																											
4. Others of this group:																											
Irish parents	1															1											
German parents	1																				1						
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	3												1					1		1							
Irish parents	1																1										
German parents	1												1								1						
1. Abscess:																											
Irish parents																											
German parents	1												1														
2. Carbuncle:																											
Irish parents																											
German parents																											
3. Others of this group:																											
Irish parents	1																	1									
German parents	1																				1						
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	2														2												
Irish parents	1														1												
German parents	1														1												
1. Addison's disease:																											
Irish parents																											
German parents																											
2. Diseases of the spleen:																											
Irish parents	1														1												
German parents	1														1												
3. Others of this group:																											
Irish parents																											
German parents																											
XII.—ACCIDENTS AND INJURIES.																											
Total	171	8		2	2	1	13	9	6	7	8	15	18	26	17	10	17	7	6	2	4	2	2				2
Irish parents	86	3		1		1	5	6	5	4	2	8	10	14	8	1	9	4	2	1	3	2					2
German parents	62	1			2		3	2	1	3	6	5	6	9	7	5	7	2	3	1			2				
1. Burns and scalds:																											
Irish parents	3			1			1		1				1														
German parents	3										1				1	1											
2. Drowned:																											
Irish parents	23					1	1	4	2	3		1	4	2	1	1	2	2									
German parents	10				1		1			2	2	1		1	1		1		1								
3. Exposure and neglect:																											
Irish parents	2																				1	1					
German parents	2	1					1							1									1				
4. Gunshot wounds:																											
Irish parents	2													1								1					
German parents	2												1	1													

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 21—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																											
5. Homicide:																											
Irish parents	M. 8								1			1	3		2		1										
	F. 1												1														
German parents	M. 1																										
	F. 1																										
6. Infanticide:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
7. Injuries by machinery:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
8. Railroad accidents:																											
Irish parents	M. 6								1			1		2	1		1										
	F. 1																										
German parents	M. 8							1						1	4	1							1				
	F. 1																										
9. Suffocation:																											
Irish parents	M. 4	2					2	1																			
	F. 4	2		1			3								1												
German parents	M. 2				1		1							1													
	F. 2	1					1									1											
10. Suicide by shooting:																											
Irish parents	M. 3											1					1										
	F. 1																										
German parents	M. 1																1										
	F. 1																										
11. Suicide by drowning:																											
Irish parents	M. 1											1															
	F. 1																										
German parents	M. 2													1				1									
	F. 1																										
12. Suicide by poison:																											
Irish parents	M. 1																1										
	F. 1																										
German parents	M. 2											1				1											
	F. 1																										
13. Other suicides:																											
Irish parents	M. 4											1		1			1		1								
	F. 1												1														
German parents	M. 12										1	2	1		1	2	3		1	1							
	F. 2													2													
14. Sunstroke:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
15. Surgical operations:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
16. Wounds:																											
Irish parents	M. 1																										
	F. 1																										
German parents	M. 1																										
	F. 1																										
17. Others of this group:																											
Irish parents	M. 30	1					1	1		1	2	3	2	8	4		2	2	1	1	2						
	F. 8							1					1	1		1	1	1	1		1						
German parents	M. 20	1					1	1	1	1	3	1	3	3	1	1	2	1	1								
	F. 1																										

PLATE I.

Diagram showing for the United States and for Grand Groups, with distinction of sex, the proportion of deaths under 3 months, and under 1 year of age, to total births.


Males in Black.
Females in Red.



Males in Black.
Females in Red.

Diagram showing for certain Grand Groups, with distinction of cities and sex, and in specified Grand Groups with distinction of color, the proportion of deaths under 1 month, under 3 months, and under 1 year of age, to total births.

PLATE II.




INDEX TO STATISTICS OF MORTALITY.

PART I.

	Table.	Page.		Table.	Page.
A.			Death rate, General.....		{ xviii- xxiii
Age and Sex, Deaths, by States and Territories, with distinction of—1880.	III	9-13	Death rate per 1000 of population, and Deaths by States and Territories, with distinction of Sex—1880, 1870, 1860.	I	1-3
Age and Sex, Deaths for the United States and for each State Group (exclusive of certain cities) from each specified disease and class of diseases, with distinction of—1880.	VII	43-497	Death rate per 1000 of population, and Deaths by States and Territories, with distinction of Sex and Race—1880.	II	5-7
Age and Sex, Deaths in certain Grand Groups, by, with distinction of Irish and German parentage, and specification of cause—1880.	XII	651-764	Death rate per 1000 of population, by State and Grand Groups—1880.	VI	37-41
Age and Sex, Deaths in certain Grand Groups, by, with distinction of Race and specification of cause—1880.	XI	569-650	Delaware, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	114-117
Age and Sex, Deaths in 50 principal cities, by Grand Groups, with distinction of, and specification of cause—1880.	VIII	499-556	District of Columbia, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	118-121
Age and Sex, Deaths in the Chinese population of the United States, by, with distinction of cause—1880.	IX	557-562	E.		
Age and Sex, Deaths in the Indian population of the United States, by, with distinction of cause—1880.	X	563-568	Explanatory and Introductory Remarks.....		xi-xviii
Age in relation to deaths.....		{ xxiv- xxxiii	F.		
Age, Race, and Sex, Deaths, by States and Territories, with distinction of—1880.	IV	15-29	Florida, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	122-125
Alabama (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	54-65	G.		
Appendix, containing counties in alphabetical order forming the State Groups.		xliv-lxiii	General death rate.....		{ xviii- xxiii
Arizona, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	66-69	Georgia (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	126-137
Arkansas (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	70-77	German and Irish parentage, Deaths in certain Grand Groups, by Age and Sex, with distinction of, and specification of cause—1880.	XII	651-764
C.			Grand and State Groups, Deaths by, with distinction of Race—1880.	V	31-35
California (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	78-85	Grand and State Groups, Rate of death per 1000 of population, by—1880.	VI	37-41
Chinese population of the United States, Deaths in the, by Age and Sex, with distinction of cause—1880.	IX	557-562	Grand Groups, Deaths in certain, by Age and Sex, with distinction of Irish and German parentage, and specification of cause—1880.	XII	651-764
Cities, Deaths in 50 principal, by Grand Groups, with distinction of Age and Sex, and specification of cause—1880.	VIII	499-556	Grand Groups, Deaths in certain, by Age and Sex, with distinction of Race and specification of cause—1880.	XI	569-650
Color, Race, etc., in relation to mortality.....		{ xxxiii- xxxix	Grand Groups, Deaths in 50 principal cities, by, with distinction of Age and Sex, and specification of cause—1880.	VIII	499-556
Colorado (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	86-93	I.		
Connecticut (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	94-101	Idaho, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	138-141
Counties, in alphabetical order, forming the State Groups.....		li-lxiii	Illinois (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	142-153
D.			Indian population of the United States, Deaths in the, by Age and Sex, with distinction of cause—1880.	X	563-568
Dakota (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	102-113	Indiana (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	154-165

	Table.	Page.		Table.	Page.
Indians, in relation to mortality		{ xxxiv- xxxvii	Pennsylvania (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	386-393
Introductory and Explanatory Remarks		xi-xviii			
Iowa (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	166-177	R.		
Irish and German parentage, Deaths in certain Grand Groups, by Age and Sex, with distinction of, and specification of cause—1880.	XII	651-764	Race, Age, and Sex, Deaths, by States and Territories, with distinction of—1880.	IV	15-29
K.			Race and Sex, Deaths, by States and Territories, with distinction of, and rate of death per 1000 of population—1880.	II	5-7
Kansas (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	178-185	Race, Color, etc., in relation to mortality	{ xxxlii- xxxix	
Kentucky (Groups 1, 2, 3, and 4), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	180-201	Race, Deaths by State and Grand Groups, with distinction of—1880.	V	31-35
L.			Race, Deaths in certain Grand Groups by Age and Sex, with distinction of, and specification of cause—1880.	XI	569-650
Letter of Transmittal		ix	Rate of death per 1000 of population, and Deaths, by States and Territories, with distinction of Sex—1880, 1870, 1860.	I	1-3
Louisiana (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	202-213	Rate of death per 1000 of population, and Deaths, by States and Territories, with distinction of Sex and Race—1880.	II	5-7
M.			Rate of death per 1000 of population, by State and Grand Groups—1880.	VI	37-41
Maine (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	214-221	Relation of Age to deaths	{ xxiv- xxxiii	
Maryland (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	222-229	Relation of Color, Race, etc., to mortality	{ xxxiii- xxxix	
Massachusetts (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	230-237	Relation of Month or Season to deaths	xl-xlvii	
Michigan (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	238-245	Relation of Sex to deaths	{ xxiii- xxiv	
Minnesota (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	246-257	Remarks, Introductory and Explanatory	xi-xviii	
Mississippi (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	258-269	Rhode Island, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	394-397
Missouri (Groups 1, 2, 3, and 4), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	270-285	S.		
Montana (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	286-293	Season or month in relation to deaths	xl-xlvii	
Month or season in relation to deaths		xl-xlvii	Sex and Age, Deaths by States and Territories, with distinction of—1880.	III	9-13
N.			Sex and Age, Deaths for the United States and for each State Group (exclusive of certain cities) from each specified disease and class of diseases, with distinction of—1880.	VII	43-497
Nebraska (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	294-305	Sex and Age, Deaths in certain Grand Groups, by, with distinction of Irish and German parentage, and specification of cause—1880.	XII	651-764
Negro, etc., in relation to mortality		{ xxxlii- xxxix	Sex and Age, Deaths in certain Grand Groups, by, with distinction of Race and specification of cause—1880.	XI	569-650
Nevada, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	306-309	Sex and Age, Deaths in 50 principal cities, by Grand Groups, with distinction of, and specification of cause—1880.	VIII	499-556
New Hampshire (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	310-317	Sex and Age, Deaths in the Chinese population of the United States, by, with distinction of cause—1880.	IX	557-562
New Jersey (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	318-325	Sex and Age, Deaths in the Indian population of the United States, by, with distinction of cause—1880.	X	563-568
New Mexico (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	326-333	Sex and Race, Deaths, by States and Territories, with distinction of, and rate of death per 1000 of population—1880.	II	5-7
New York (Groups 1, 2, 3, 4, and 5), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	334-353	Sex, Deaths, by States and Territories, with distinction of, and rate of death per 1000 of population—1880, 1870, 1860.	I	1-3
North Carolina (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	354-365	Sex in relation to deaths	{ xxiii, xxiv	
O.			Sex, Race, and Age, Deaths, by States and Territories, with distinction of—1880.	IV	15-29
Ohio (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	366-377	South Carolina (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	398-409
Oregon (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	378-385	State and Grand Groups, Deaths by, with distinction of Race—1880.	V	31-35
P.			State and Grand Groups, Rate of death per 1000 of population, by—1880.	VI	37-41
Parentage, Deaths in certain Grand Groups, by Age and Sex, with distinction of Irish and German, and specification of cause—1880.	XII	651-764	State Groups, alphabetical list of counties forming	M-lxiii	
			State Groups (exclusive of certain cities), Deaths from each specified disease and class of diseases, by, with distinction of Age and Sex—1880.	VII	42-497
			States and Territories, Deaths by, with distinction of Age and Sex—1880.	III	9-13
			States and Territories, Deaths by, with distinction of Race, Age, and Sex—1880.	IV	15-29
			States and Territories, Deaths by, with distinction of Sex, and rate of death per 1000 of population—1880, 1870, 1860.	I	1-3

	Table.	Page.		Table.	Page.
States and Territories, Deaths by, with distinction of Sex and Race, and rate of death per 1000 of population—1880.	II	5-7	Virginia (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	446-457
T.			W.		
Tennessee (Groups 1, 2, 3, and 4), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	410-425	Washington (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	458-465
Texas (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	426-437	West Virginia (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	466-473
Transmittal, Letter of		ix	Wisconsin (Groups 1, 2, 3, and 4), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	474-489
U.			Wyoming (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	490-497
Utah, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	438-441			
V.					
Vermont, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	442-445			



House documents

Bd.: [351.] 1882/83, Vol. 13,11 = Congress 47, Sess. 2

Washington, DC 1885

Am.b. 3040-351,13,11

urn:nbn:de:bvb:12-bsb11547930-1